

WITHDRAWN
FROM COLLECTION
CLP

VITAL STATISTICS OF THE UNITED STATES 1985

VOLUME II—MORTALITY

PART A

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
CENTERS FOR DISEASE CONTROL
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1988

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*

JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*

GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*

PETER L. HURLEY, *Associate Director for Vital and Health Statistics Systems*

STEPHEN E. NIEBERDING, *Associate Director for Management*

GEORGE A. SCHNACK, *Associate Director for Data Processing and Services*

MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*

SANDRA S. SMITH, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*

JAMES A. WEED, Ph.D., *Deputy Director*

ROBERT BILGRAD, *Special Assistant to the Director*

ROBERT J. ARMSTRONG, *Actuarial Adviser*

HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*

ROBERT L. HEUSER, *Chief, Natality Statistics Branch*

ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*

GEORGE A. GAY, *Chief, Registration Methods Branch*

WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*

RONALD CHAMBLEE, *Chief, Technical Services Branch*

MABEL G. SMITH, *Chief, Statistical Resources Branch*

JOSEPH D. FARRELL, *Chief, Systems and Programming Branch*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1985*, Vol. II, Mortality, Part A. DHHS Pub. No. (PHS) 88-1101. Public Health Service, Washington. U.S. Government Printing Office, 1988.

DHHS Publication No. (PHS) 88-1101

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1985

VOLUME II — MORTALITY

A brief summary of the contents for sections 1 through 7 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Section 8, data for Geographic Detail for Mortality, and Section 9, data for Puerto Rico, Virgin Islands (U.S.), and Guam, are in Part B of Volume II of *Vital Statistics of the United States, 1985*.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, race, Hispanic origin, cause of death, month, date of death, report of autopsy, status of decedent when death occurred in hospital or medical center, place of death, marital status, and State or country of birth.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, race, Hispanic origin, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by race, age of mother, marital status of mother, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

Section 4. Perinatal Deaths

Perinatal deaths and mortality rates and ratios for the three definitions of perinatal deaths, by race and sex for the United States, each State, and for metropolitan and nonmetropolitan counties.

Section 5. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and by person injured. Data shown by cause of death, age, race, and sex for the United States and by race and sex for each State. Deaths from accidental poisoning by age, race, and sex.

Section 6. Life Tables

Text discussion of life table program, abridged life tables, and interpolated values of the l_x and e_x by single years of age for the national population by race and sex.

Section 7. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents]

	TABLE: 1															
	PAGE:															
Geographic area:	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
Divisions -----	1	2	3	5	6	7	8	10	36	49	50	51	52	64	65	66
50 largest SMSA's and component counties -----										110	11	12	13			16
States -----											11	12	13			16
Total of reporting areas -----																
United States -----	41	42	3	4	5	6	7	8	9	1,410	11	12	13	14	515	16
Years:																
1900-1985 -----	1	2								610						
1915-85 -----															715	
Selected years and 1985 -----			3													
1976-85 -----											11					
1979-85 -----						6										
1985 only -----				4	5		7	8	9			12	13	14		16
Type of entry:																
Age-adjusted rates -----		2					7									
Death rates -----	1		3		5	6		8	9	10	11	12	13	14	15	
Number of deaths -----	1			4								12		14		16
Percent distribution of deaths by cause -----					5											
Characteristics:																
Age -----			3	4				8	9			12		14		
10-year age groups -----			3						9							
5-year age groups -----								8						14		
Single years of age after 84 -----				4												
Autopsy -----																
Cause of death:																
Each cause -----																
Selected causes -----														14		
282 selected causes -----																
72 selected causes -----						6	7	8	9				13			
34 selected causes -----																
15 leading causes -----					5											
Maternal causes only -----														14	15	16
Day of month -----																
Day of week -----																
Hispanic origin -----																
Marital status -----																
Month -----																
Place of death -----																
Race -----	1	2	3	4			7	8	9					14	15	16
Sex -----	101	2	3	4			7	8	9							
State or country of birth -----																
Status of decedent in hospital -----																

¹Deaths by place of occurrence.

²Deaths by place of occurrence and place of residence.

³Data for 22 reporting States and the District of Columbia.

⁴Entire United States for 1933-85, death-registration States for 1900-1932.

⁵Entire United States for 1933-85, birth-registration States for 1915-32.

⁶Data by 5-year averages for 1900-1959 and by single years for 1960-85.

⁷Data by 5-year averages for 1915-39 and by single years for 1940-85.

⁸Number of autopsies per 100 deaths.

⁹Specified race or national origin.

¹⁰For death rates only.

Guide to tables in Section 1—Con.

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents]

TABLE: 1 PAGE:		-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27	-28	-29	-30	-31	-32	-33	-34
		67	69	72	73	82	84	226	232	244	304	305	306	312	313	317	327	330	331
Geographic area:																			
Divisions -----																			
50 largest SMSA's and component counties -----		17															32	333	
States -----			218	119	20	21							28						34
Total of reporting areas -----																			
United States -----			18	19	20	21	22	23	24	25	26	27		29	30	31	32		
Years:																			
1900-1985 -----																			
1915-85 -----																			
Selected years and 1985 -----																			
1985 only -----		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Type of entry:																			
Age-adjusted rates -----																			
Death rates -----		17					22				826	827							
Number of deaths -----		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Percent distribution of deaths by cause -----																			
Characteristics:										25	26		28	29		31			34
Age -----											26					31			34
10-year age groups -----										25									
5-year age groups -----																			
Single years of age after 84 -----												26	27						
Autopsy -----																			
Cause of death:							22												
Each cause -----																30	31		
Selected causes -----									23	24	25								
282 selected causes -----													27						34
72 selected causes -----														28					
34 selected causes -----																			
15 leading causes -----																			
Maternal causes only -----																30			
Day of month -----																30			
Day of week -----																		33	34
Hispanic origin -----																31			
Marital status -----																30			
Month -----				19	20			23											
Place of death -----													28	29					
Race -----					20	21	22		24	25	26			29		31		33	34
Sex -----					20	21	22		24	25	26	27		29		31			34
State or country of birth -----																	32		
Status of decedent in hospital -----													28						

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence]

TABLE: 2		-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21
PAGE:		1	2	3	4	5	6	7	8	9	10	12	28	32	38	41	50	74	100	101	102	103
Geographic area:									8	9												
Divisions -----											10											
50 largest SMSA's and component counties-----																15						
Metropolitan and nonmetropolitan counties-----																15						
Population-size groups-----																		17	118			
States-----								8	9		11		13							19	20	21
Total of reporting States-----																						
United States-----		21	2	3	4	5	6	7	8	9		11	12		14	15	16	17				
Years:																						
1915-85 -----		1																				
1976-85 -----				3																		
1979-85 -----							7															
1982-85 -----								8	9													
1985 only -----			2		4	5	6				10	11	12	13	14	15	16	17	18	19	20	21
Type of entry:																						
Infant mortality rates (per 1,000 live births) -----		1			4				8	9	10									19		
Infant mortality rates (per 100,000 live births)-----			2	3		5	6	7														21
Number of infant deaths-----					4	5	6				10	11	12	13	14	15	16	17	18	19	20	
Percent distribution of deaths by cause-----						6																
Characteristics:																						
Age:																						
Under 1 year -----		1	2	3	4	5	6	7	8		10	11	12	13	14	15	16	17		19		
Under 28 days -----		1	2	3	4		6			9	10	11	12	13	14	15	16	17		19		
28 days to 11 months -----					4		6								14			17		19		
Detailed age groups (under 1 day-11 months) -----			2	3								11	12				16					
Cause of death:																						
61 selected causes-----						5		7							14	15	16	17			20	21
15 leading causes -----						6																
Hispanic origin -----																			18	19	20	21
Month-----												12	13	14								
Race-----		1	2	3	34	5			8	9		11	12	13		15	16	17	18	19	20	21
Sex-----			2		4							11	12				16					

¹Data for 22 reporting States and the District of Columbia.

²Entire United States for 1933-85, birth-registration States for 1915-32.

³Specified race or national origin.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data are for fetal deaths with stated or presumed period of gestation of 20 weeks or more unless otherwise noted. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude fetal deaths occurring to nonresidents; however, data by place of occurrence include fetal deaths to nonresidents]

TABLE: 3		-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18
PAGE:		1	2	3	4	5	6	8	9	12	15	17	20	23	26	27	28	31	34
Geographic area:																			
Divisions -----							6	7											
Metropolitan and nonmetropolitan counties -----							6												
Population-size groups -----							16												
States -----		21						7	38	9		11	12	13			16	17	
Total of reporting areas -----				3	4														
United States -----		1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18
Years:																			
1942-85 -----			2																
1981-85 -----								7											
1985 only -----		1		3	4	5	6		8	9	10	11	12	13	14	15	16	17	18
Type of entry:																			
Number of fetal deaths -----		1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17	18
Percent distribution -----				3															
Rates (per 1,000 live births and fetal deaths) -----						5													
Ratios (per 1,000 live births) -----			2		4		6	7											
Characteristics:																			
Age of mother -----				3	4						10	11							
Marital status -----					4														
Month -----									9										
Period of gestation -----		41		43			56							13		15		17	18
Place of delivery -----														13					
Plural births -----						5									14	15			
Race -----			2		4	5	6	7		9	10	11	12	13	14	15	16	17	18
Sex -----						5					10				14	15	116	117	
Total-birth order -----											10		12						
Weight at birth -----															14		16		18

¹For the United States only.

²Fetal deaths by place of occurrence.

³Fetal deaths by place of occurrence and place of residence.

⁴All periods of gestation.

⁵For fetal deaths only.

Guide to tables in Section 4

[Data refer to events occurring in the United States. Data for geographic areas within the United States are by place of residence. Data are shown for the 3 definitions of perinatal mortality]

		TABLE: 4	-1	-2	-3	-4	-5
		PAGE:	1	2	3	4	7
Geographic area:							
Metropolitan and nonmetropolitan counties -----					3		
States -----						4	5
United States-----			1	2	3	4	5
Years:							
1950-85-----			1				
1981-85-----						4	
1985 only -----				2	3		5
Type of entry:							
Number of perinatal deaths -----				2	3		5
Perinatal rates (per 1,000 live births and specified fetal deaths) -----				2	3		5
Perinatal ratios (per 1,000 live births) -----			1	2	3	4	5
Characteristics:							
Race -----			1	2	3	4	5
Sex -----				2			

Guide to tables in Section 5

[Frequencies only. All data are for accidental deaths occurring in the United States during 1985. Data for geographic areas within the United States are by place of residence]

		TABLE: 5	-1	-2	-3	-4	-5	-6	-7
		PAGE:	1	4	14	22	26	42	46
Geographic area:									
States -----					3				7
United States-----			1	2	3	4	5	6	7
Subject matter:									
Accidental poisoning-----						4			
Motor vehicle accidents by person injured -----			1	2	3				
Nontransport accidents by place of accident -----							5	6	7
Characteristics:									
Age -----				2		4		6	
5-year age groups-----				2				6	
Motor vehicle accidents by exact cause of death -----			1						
Nontransport accidents by exact cause of death -----							5		
Race -----			1	2	3	4	5	6	7
Sex -----			1	2	3	4	5	6	7

Guide to tables in Section 6

[Life tables for the United States]

		TABLE: 6		-1	-2	-3	-4	-5
		PAGE:		6	10	11	12	14
Years:								
1900-1985	-----							15
Specified years and 1985	-----						24	
1985 only	-----	1	2	3				
Type of entry:								
Average remaining lifetime (\hat{e}_x)	-----	1			3	4		
Estimated average length of life (\hat{e}_0)	-----							5
Number surviving (l_x)	-----	1	2			4		
Number dying (${}_nd_x$)	-----	1						
Proportion dying (${}_nd_x$)	-----	1						
Stationary population (${}_nL_x$) and (T_x)	-----	1						
Characteristics:								
Age by:								
Single years	-----		2	3				
5-year intervals	-----	1				4		
Race	-----	1	2	3				5
Sex-race specific	-----	1	2	3	4			5
Sex specific	-----	1	2	3				5
Total population	-----	1	2	3				5

¹Entire United States for 1929-85; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1985; death-registration States for specified years from 1900 to 1921.

Guide to tables in Section 7

[Population tables. Resident populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

		TABLE: 7	-1	-2	-3	-4
		PAGE:	21	22	23	24
Geographic area:						
Divisions-----					3	
Guam-----					3	
Puerto Rico-----					3	
States-----					3	
United States-----			1,21	2	3	4
Virgin Islands-----					3	
Years:						
1900-1985 ³ -----			1			
1985 only-----				2	3	
1980 only-----						4
Type of entry:						
Population-----			1	2	3	
Ratios-----						44
Characteristics:						
Age-----				2	53	4
Race-----				2		4
Sex-----				2		4

¹Entire United States for 1900-1985; birth- and death-registration States for 1900-1932.

²Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

³Population enumerated as of April 1, 1940, 1950, 1960, 1970, and 1980, and estimated as of July 1 for all other years.

⁴Census-level population to population adjusted for estimated net census undercount.

⁵For United States, each division, and State.

SYMBOLS USED IN TABLES

Data not available.	---
Category not applicable
Quantity zero	-
Quantity more than zero but less than 0.05.....	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 1. General Mortality

Table	Page
1-1. Deaths by race, and death rates by race and sex: Death-registration States, 1900-1932, and United States, 1933-85 -----	1
1-2. Age-adjusted death rates by race and sex: Death-registration States, 1900-1932, and United States, 1933-85 -----	2
1-3. Death rates by 10-year age groups, race, and sex: United States, 1970 and 1973-85 -----	3
1-4. Deaths at ages 85 years and over, by single years of age, race, and sex: United States, 1985 -----	5
1-5. Mortality from 15 leading causes of death: United States, 1985-----	6
1-6. Death rates for 72 selected causes: United States, 1979-85-----	7
1-7. Age-adjusted death rates for 72 selected causes, by race and sex: United States, 1985 -----	8
1-8. Death rates for 72 selected causes, by 5-year age groups, race, and sex: United States, 1985 -----	10
1-9. Death rates for 72 selected causes, by 10-year age groups, race, and sex: United States, 1985-----	36
1-10. Death rates by place of occurrence: United States and each geographic division, 1900-1985-----	49
1-11. Death rates: United States, each division and State, 1976-85-----	50
1-12. Deaths and death rates by age: United States, each division and State, 1985 -----	51
1-13. Death rates for 72 selected causes: United States, each division and State, 1985 -----	52
1-14. Maternal deaths and maternal mortality rates for selected causes, by 5-year age groups and race: United States, 1985 -----	64
1-15. Maternal mortality rates by race: Birth-registration States or United States, 1915-85 -----	65
1-16. Maternal deaths by race: United States, each division and State, 1985-----	66
1-17. Deaths and death rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1985 -----	67
1-18. Deaths by State of occurrence distributed according to resident status: United States and each State, 1985-----	69
1-19. Deaths by month and State of occurrence: United States and each State, 1985 -----	72
1-20. Deaths by month, race, and sex: United States and each State, 1985-----	73
1-21. Deaths by specified race or national origin and sex: United States and each State, 1985 -----	82
1-22. Deaths and death rates for each cause, by race and sex: United States, 1985-----	84
1-23. Deaths from 282 selected causes, by month: United States, 1985 -----	226
1-24. Deaths from 282 selected causes, by specified race or national origin and sex: United States, 1985 -----	232
1-25. Deaths from 282 selected causes, by 5-year age groups, race, and sex: United States, 1985 -----	244
1-26. Number and percent of deaths for which autopsies were reported, by 10-year age groups, race, and sex: United States, 1985 -----	304

Table		Page
1-27.	Deaths from 72 selected causes, by number and percent for which autopsies were reported and sex: United States, 1985 -----	305
1-28.	Deaths from 34 selected causes by place of death, status of decedent when death occurred in hospital or medical center, and age: Total of 43 reporting areas, 1985 -----	306
1-29.	Deaths by place of death, age, race, and sex: United States, 1985 -----	312
1-30.	Deaths from selected causes, by date of death: United States, 1985 -----	313
1-31.	Deaths from selected causes, by marital status, 10-year age groups, race, and sex: United States, 1985 -----	317
1-32.	Deaths by State of residence, distributed according to State or country of birth: 1985 -----	327
1-33.	Deaths by specified Hispanic origin and race for non-Hispanic origin: 22 reporting States and the District of Columbia, 1985 -----	330
1-34.	Deaths from 72 selected causes, by specified Hispanic origin, race for non-Hispanic origin, 10-year age groups, and sex: Total of 17 reporting States, 1985 -----	331

SECTION 1 - GENERAL MORTALITY - PAGE 1

Table 1-1. Deaths by Race, and Death Rates by Race and Sex: Death-Registration States, 1900-1932, and United States, 1933-85

[Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix. Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
	All races	White	All other	All races			White			All other		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES †												
1985	2,086,440	1,819,054	267,386	8.7	9.5	8.1	9.0	9.6	8.4	7.4	8.6	6.4
1984	2,039,369	1,781,897	257,472	8.6	9.4	7.9	8.9	9.5	8.2	7.3	8.5	6.3
1983	2,019,201	1,765,582	253,619	8.6	9.4	7.9	8.8	9.6	8.2	7.4	8.5	6.3
1982	1,974,797	1,729,085	245,712	8.5	9.4	7.7	8.7	9.5	8.0	7.3	8.5	6.1
1981	1,977,981	1,731,233	246,748	8.6	9.5	7.8	8.8	9.7	8.0	7.5	8.9	6.3
1980	1,989,841	1,738,607	251,234	8.8	9.8	7.9	8.9	9.8	8.1	7.9	9.4	6.6
1979	1,913,841	1,676,145	237,696	8.5	9.6	7.5	8.7	9.6	7.7	7.7	9.2	6.4
1978	1,927,788	1,689,722	238,066	8.7	9.8	7.6	8.8	9.8	7.8	7.9	9.4	6.5
1977	1,899,597	1,664,100	235,497	8.6	9.8	7.6	8.7	9.8	7.7	8.0	9.5	6.6
1976	1,909,440	1,674,989	234,451	8.8	9.9	7.7	8.9	10.0	7.8	8.1	9.7	6.7
1975	1,892,879	1,660,366	232,513	8.8	10.0	7.6	8.9	10.0	7.8	8.2	9.9	6.7
1974	1,934,388	1,697,295	237,093	9.1	10.3	7.9	9.1	10.3	8.0	8.6	10.3	7.1
1973	1,973,003	1,728,405	244,598	9.3	10.7	8.1	9.4	10.6	8.2	9.0	10.8	7.5
1972 ‡	1,963,944	1,721,468	242,476	9.4	10.7	8.1	9.4	10.7	8.2	9.2	11.0	7.5
1971	1,927,542	1,689,771	237,771	9.3	10.7	8.0	9.3	10.7	8.1	9.2	10.9	7.6
1970	1,921,031	1,682,096	238,935	9.5	10.9	8.1	9.5	10.9	8.1	9.4	11.2	7.8
1969	1,921,990	1,683,622	238,368	9.5	11.0	8.1	9.5	11.0	8.2	9.6	11.5	8.0
1968	1,930,082	1,689,559	240,523	9.7	11.2	8.2	9.6	11.1	8.2	9.9	11.7	8.2
1967	1,851,323	1,627,151	224,172	9.4	10.9	8.0	9.4	10.8	8.0	9.4	11.0	7.9
1966	1,863,149	1,634,461	228,688	9.5	11.0	8.1	9.5	11.0	8.1	9.7	11.4	8.2
1965	1,826,136	1,605,498	222,638	9.4	10.9	8.0	9.4	10.9	8.0	9.7	11.2	8.2
1964	1,798,051	1,578,674	219,377	9.4	10.9	8.0	9.4	10.8	8.0	9.7	11.2	8.3
1963 ‡	1,813,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.6	8.7
1962 ‡	1,756,720	1,488,113	206,583	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,498,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	11.0	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.9
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	10.0
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.1
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES †												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301										

† Alaska included in 1959 and Hawaii in 1960.

‡ Deaths based on a 50-percent sample.

§ Figures by race exclude data for residents of New Jersey; see Technical Appendix.

* Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY - PAGE 2

Table 1-2. Age-Adjusted Death Rates by Race and Sex: Death-Registration States, 1900-1932, and United States, 1933-85

[Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix. Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	All races			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES ¹									
1985	5.5	7.2	4.1	5.2	6.9	3.9	7.0	9.1	5.3
1984	5.5	7.2	4.1	5.2	6.9	3.9	7.0	9.1	5.3
1983	5.5	7.2	4.1	5.3	7.0	3.9	7.0	9.2	5.4
1982	5.6	7.3	4.1	5.3	7.1	3.9	7.0	9.3	5.3
1981	5.7	7.5	4.2	5.4	7.2	4.0	7.3	9.7	5.5
1980	5.9	7.8	4.3	5.6	7.5	4.1	7.7	10.1	5.8
1979	5.8	7.7	4.2	5.5	7.4	4.0	7.6	9.9	5.7
1978	6.0	7.9	4.4	5.7	7.6	4.2	7.8	10.2	5.9
1977	6.0	8.0	4.4	5.8	7.7	4.2	8.0	10.4	6.0
1976	6.2	8.2	4.6	5.9	7.9	4.3	8.2	10.6	6.2
1975	6.3	8.4	4.6	6.0	8.0	4.4	8.4	10.9	6.3
1974	6.6	8.7	4.9	6.3	8.4	4.6	8.9	11.4	6.8
1973	6.9	9.1	5.1	6.5	8.7	4.8	9.4	12.0	7.3
1972 ²	7.0	9.2	5.2	6.6	8.8	4.9	9.6	12.2	7.4
1971	7.0	9.1	5.2	6.6	8.8	4.9	9.6	12.1	7.5
1970	7.1	9.3	5.3	6.8	8.9	5.0	9.8	12.3	7.7
1969	7.3	9.5	5.4	6.9	9.1	5.1	10.2	12.7	8.0
1968	7.4	9.7	5.6	7.1	9.2	5.2	10.5	12.9	8.3
1967	7.3	9.4	5.5	6.9	9.0	5.1	9.9	12.1	8.0
1966	7.4	9.5	5.6	7.1	9.2	5.3	10.2	12.4	8.3
1965	7.4	9.5	5.6	7.0	9.1	5.3	10.1	12.2	8.3
1964	7.4	9.4	5.7	7.1	9.1	5.3	10.2	12.1	8.5
1963 ³	7.6	9.6	5.8	7.2	9.2	5.4	10.5	12.4	8.8
1962 ³	7.5	9.4	5.8	7.1	9.0	5.4	10.2	11.9	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.5
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.6	9.4	6.0	7.3	9.1	5.6	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.7	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.6	9.3	6.1	7.3	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.7	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.2	9.8	6.6	7.8	9.4	6.2	11.7	13.3	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.8	8.0	9.6	6.5	12.3	13.6	11.0
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES ⁴									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	26.3	26.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹ Alaska included in 1959 and Hawaii in 1960.

² Deaths based on a 50-percent sample.

³ Figures by race exclude data for residents of New Jersey; see Technical Appendix.

⁴ Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY - PAGE 3

Table 1-3. Death Rates by 10-Year Age Groups, Race, and Sex: United States, 1970 and 1973-85

[Rates per 100,000 population in specified group]

Year, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL RACES												
1985	873.9	1,067.8	51.4	26.3	95.9	123.4	207.2	516.3	1,282.7	2,838.6	6,445.1	15,480.3
1984	862.3	1,085.6	51.9	26.7	96.8	121.1	204.8	521.1	1,287.8	2,848.1	6,399.3	15,223.6
1983	862.8	1,107.3	55.9	26.9	96.0	121.4	201.9	535.7	1,299.5	2,874.3	6,441.5	15,168.0
1982	852.0	1,164.2	57.6	28.3	101.0	125.2	207.4	549.7	1,297.9	2,885.2	6,329.8	15,048.3
1981	862.4	1,207.3	60.2	29.4	107.1	132.1	221.3	573.5	1,322.1	2,922.3	6,429.9	15,379.7
1980	878.3	1,288.3	63.9	30.6	115.4	135.5	227.9	584.0	1,346.3	2,994.9	6,692.6	15,980.3
1979	852.2	1,332.9	64.2	31.5	114.8	133.0	229.8	589.7	1,338.0	2,929.0	6,496.6	14,962.4
1978	868.0	1,381.4	67.9	33.2	115.0	131.7	238.7	610.4	1,387.1	3,015.9	6,709.7	15,479.6
1977	864.4	1,432.6	67.6	34.0	114.8	132.8	247.3	621.2	1,408.5	3,044.1	6,755.7	15,369.0
1976	877.6	1,549.4	68.8	34.2	111.7	133.2	253.9	635.3	1,452.3	3,118.1	6,952.0	16,058.6
1975	878.5	1,603.0	69.9	35.2	117.3	140.6	266.7	649.9	1,475.3	3,179.5	7,034.5	15,655.0
1974	906.7	1,721.9	73.3	37.8	120.3	144.5	278.6	675.3	1,533.0	3,318.6	7,377.1	16,901.1
1973	933.5	1,776.9	79.0	40.7	127.1	151.9	295.9	697.6	1,598.6	3,432.2	7,708.5	17,678.9
1970	945.3	2,142.4	84.5	41.3	127.7	157.4	314.5	730.0	1,658.8	3,582.7	8,004.4	16,344.9
MALE												
1985	945.0	1,197.0	58.1	31.6	141.1	178.0	278.3	669.0	1,692.6	3,787.7	8,504.2	18,325.1
1984	935.9	1,198.2	57.0	32.1	141.6	173.9	270.2	676.6	1,705.2	3,813.0	8,445.9	18,119.1
1983	942.6	1,223.7	63.3	32.5	140.4	174.6	265.8	694.5	1,725.6	3,885.4	8,539.1	17,977.4
1982	938.0	1,291.5	63.3	34.1	149.2	180.6	272.6	720.4	1,736.1	3,929.2	8,391.4	17,782.0
1981	954.5	1,331.8	67.3	35.7	158.3	190.6	291.9	751.7	1,774.7	3,994.6	8,519.6	18,138.2
1980	976.9	1,428.5	72.6	36.7	172.3	196.1	299.2	767.3	1,815.1	4,105.2	8,816.7	18,801.1
1979	957.5	1,482.0	71.0	38.4	171.0	192.3	301.0	778.9	1,815.4	4,048.9	8,585.4	17,604.4
1978	977.5	1,532.8	76.7	40.5	169.4	186.8	311.6	802.1	1,884.5	4,181.5	8,835.6	18,211.8
1977	978.9	1,599.7	75.2	41.8	169.2	188.5	321.2	818.1	1,915.7	4,224.3	8,898.1	18,071.6
1976	993.8	1,715.0	76.9	41.9	164.8	187.0	329.8	837.7	1,981.6	4,331.4	9,077.8	18,866.5
1975	1,002.0	1,786.2	76.7	43.3	174.1	198.9	345.4	859.3	2,018.9	4,409.4	9,154.4	18,134.7
1974	1,031.5	1,931.5	81.5	46.4	178.9	201.8	357.4	893.1	2,099.6	4,580.2	9,484.0	19,276.6
1973	1,065.2	2,001.6	88.2	49.6	187.8	211.8	379.4	918.5	2,196.2	4,727.4	9,867.9	20,067.1
1970	1,090.3	2,410.0	93.2	50.5	188.5	215.3	402.6	958.5	2,282.7	4,873.8	10,010.2	17,821.5
FEMALE												
1985	806.6	932.4	44.5	20.8	49.9	68.9	138.3	372.5	919.0	2,094.7	5,219.9	14,343.2
1984	792.7	967.5	46.5	21.1	51.1	68.5	141.5	374.6	918.4	2,096.4	5,188.2	14,053.9
1983	787.4	985.4	48.3	21.0	50.7	68.9	140.2	386.0	923.8	2,092.3	5,200.0	14,010.6
1982	770.7	1,030.8	51.6	22.3	51.6	70.4	144.4	389.9	913.9	2,084.7	5,120.7	13,895.2
1981	775.4	1,076.7	52.8	22.8	54.8	74.3	153.2	406.9	925.2	2,100.6	5,201.0	14,202.5
1980	785.3	1,141.7	54.7	24.2	57.5	75.9	159.3	412.9	934.3	2,144.7	5,440.1	14,746.9
1979	752.7	1,176.6	57.0	24.3	57.6	74.8	161.4	413.4	917.7	2,072.3	5,270.7	13,788.2
1978	764.5	1,222.7	58.8	25.6	59.6	77.5	168.6	431.7	948.2	2,125.3	5,444.1	14,245.0
1977	756.0	1,257.0	59.7	25.8	59.6	78.2	176.4	437.9	959.8	2,141.1	5,473.5	14,127.6
1976	767.6	1,375.2	60.4	26.1	57.7	80.5	181.1	447.1	983.8	2,188.8	5,668.4	14,833.6
1975	761.4	1,410.9	62.7	28.8	59.8	83.6	191.4	455.2	993.7	2,237.3	5,743.1	14,454.5
1974	788.3	1,502.1	64.6	28.8	61.1	88.7	203.2	472.9	1,030.6	2,351.2	6,079.1	15,724.7
1973	808.3	1,542.2	69.4	31.3	65.9	93.3	216.1	492.4	1,067.6	2,437.6	6,359.4	16,477.0
1970	807.8	1,863.7	75.4	31.8	68.1	101.6	231.1	517.2	1,098.9	2,579.7	6,677.6	15,518.0
WHITE												
1985	897.1	916.3	46.2	24.8	92.9	108.4	181.0	471.5	1,218.7	2,772.8	6,406.8	15,757.0
1984	885.2	931.8	46.9	25.4	94.7	107.2	179.1	477.1	1,223.7	2,784.6	6,367.2	15,508.3
1983	884.6	948.1	50.8	25.6	93.2	107.6	177.8	490.8	1,233.0	2,808.0	6,415.6	15,477.4
1982	872.9	1,018.5	52.8	27.0	98.3	110.2	182.7	504.0	1,233.3	2,822.3	6,329.3	15,296.9
1981	880.3	1,062.0	54.3	28.0	104.6	116.2	192.5	524.9	1,255.7	2,855.9	6,423.4	15,628.0
1980	892.5	1,099.9	57.9	29.1	112.0	118.4	197.2	531.6	1,276.7	2,921.1	6,664.9	16,220.0
1979	865.2	1,135.5	57.5	30.1	111.8	115.8	198.6	538.5	1,272.5	2,861.7	6,501.9	15,223.1
1978	880.2	1,169.2	61.2	31.5	111.6	114.9	206.3	559.2	1,318.5	2,945.8	6,734.8	15,761.1
1977	874.6	1,221.4	61.1	32.4	110.8	114.9	213.6	567.6	1,338.2	2,969.5	6,790.6	15,642.8
1976	887.7	1,320.1	62.8	32.7	106.0	113.7	218.7	580.6	1,383.5	3,039.8	7,007.5	16,372.5
1975	886.9	1,377.0	63.3	33.4	110.0	119.2	229.4	596.8	1,405.4	3,094.7	7,096.2	15,970.0
1974	913.8	1,498.2	66.4	36.1	111.7	121.2	237.9	617.3	1,457.9	3,219.7	7,457.4	17,251.1
1973	937.7	1,545.9	70.9	38.4	117.5	126.9	252.2	633.4	1,518.3	3,325.2	7,778.9	18,047.8
1970	946.3	1,869.7	75.1	39.1	115.8	129.9	267.0	666.2	1,577.1	3,490.1	8,043.3	16,889.7
WHITE, MALE												
1985	960.0	1,038.9	52.4	29.9	136.3	157.1	241.4	608.8	1,614.3	3,716.8	8,500.4	18,788.9
1984	951.1	1,038.4	51.8	30.5	138.8	154.3	235.1	617.9	1,625.5	3,745.3	8,458.1	18,552.7
1983	957.4	1,052.9	57.3	31.1	137.0	154.8	232.9	636.5	1,642.9	3,816.1	8,556.9	18,443.3
1982	951.8	1,135.5	58.2	32.5	145.6	158.7	238.6	659.9	1,654.6	3,859.8	8,444.7	18,123.1
1981	965.1	1,182.0	60.5	34.2	154.5	167.3	252.4	686.5	1,692.0	3,926.9	8,565.2	18,454.0
1980	983.3	1,230.3	66.1	35.0	167.0	171.3	257.4	698.9	1,728.5	4,035.7	8,829.8	19,097.3
1979	963.3	1,276.0	64.2	36.6	167.0	166.7	257.5	711.3	1,734.5	3,991.5	8,624.0	17,924.0
1978	982.7	1,302.9	69.9	38.3	164.8	162.3	267.0	735.2	1,800.9	4,120.8	8,923.3	18,587.9
1977	983.0	1,377.4	68.1	39.7	164.0	162.0	275.7	748.9	1,831.8	4,165.2	9,006.7	18,420.8
1976	997.3	1,473.1	70.5	40.0	156.8	158.5	282.8	767.0	1,900.2	4,266.5	9,208.3	19,108.2
1975	1,004.1	1,551.9	70.1	40.9	163.6	166.4	295.1	791.0	1,940.9	4,343.0	9,274.7	18,562.2
1974	1,032.4	1,695.3	74.5	44.2	166.6	168.2	304.8	821.1	2,016.0	4,501.2	9,621.5	19,733.4
1973	1,063.8	1,756.5	79.2	46.6	174.5	175.6	324.0	840.3	2,110.1	4,645.8	9,992.0	20,561.2
1970	1,086.7	2,113.2	83.6	48.0	170.8	176.6	343.5	882.9	2,202.6	4,810.1	10,098.8	18,551.7
WHITE, FEMALE												
1985	837.1	786.9	39.7	19.4	48.4	58.9	121.2	339.5	864.1	2,028.3	5,171.4	14,579.4
1984	822.3	818.5	41.6	20.0	49.6	59.5	123.9	341.9	864.9	2,032.5	5,140.0	14,319.6
1983	815.3	837.6	43.9	19.7	48.3	60.1	123.4	351.0	867.8	2,024.7	5,162.2	14,278.3
1982	797.9	895.2	47.0	21.2	49.5	61.3	127.7	355.1	859.8	2,022.9	5,100.7	14,123.9
198												

SECTION 1 - GENERAL MORTALITY - PAGE 4

Table 1-3. Death Rates by 10-Year Age Groups, Race, and Sex: United States, 1970 and 1973-85—Con.

[Rates per 100,000 population in specified group]

Year, race, and sex	Total ¹	Under 1 year ²	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL OTHER												
1985	743.3	1,720.8	73.8	32.8	110.3	204.5	372.4	805.2	1,781.2	3,412.8	6,827.6	12,516.1
1984	731.5	1,755.4	73.6	32.4	106.7	197.3	369.1	811.2	1,797.7	3,408.2	6,721.9	11,996.5
1983	736.6	1,802.0	78.5	32.7	109.4	198.6	357.6	838.7	1,841.1	3,464.5	6,695.1	11,796.8
1982	728.9	1,745.5	78.4	34.3	114.4	210.3	367.1	868.2	1,840.0	3,458.5	6,343.4	12,159.6
1981	755.0	1,786.5	87.3	35.6	120.0	226.2	408.2	921.0	1,890.8	3,531.9	6,478.6	12,547.9
1980	791.7	2,148.5	91.4	37.4	133.6	239.1	428.9	967.7	1,954.9	3,671.0	6,984.3	13,227.1
1979	771.0	2,260.6	95.6	38.3	130.9	241.9	440.6	975.2	1,919.0	3,548.6	6,441.4	11,931.6
1978	790.0	2,405.1	99.9	41.5	133.6	239.4	458.3	1,004.5	2,005.4	3,670.7	6,452.1	12,250.0
1977	798.6	2,455.6	98.5	41.6	137.6	250.9	474.5	1,044.1	2,050.3	3,751.1	6,396.6	12,234.4
1976	812.1	2,670.8	97.5	41.8	144.2	264.3	492.8	1,076.5	2,087.3	3,868.6	6,380.9	12,375.8
1975	823.1	2,733.7	101.4	45.1	159.6	287.2	523.6	1,087.0	2,121.9	4,004.4	6,374.5	12,040.4
1974	859.1	2,831.8	107.7	47.0	171.3	307.0	563.2	1,160.1	2,237.0	4,287.3	6,500.2	12,828.1
1973	904.5	2,916.7	120.9	52.8	184.9	328.2	605.6	1,240.8	2,359.6	4,489.1	6,900.4	13,380.3
1970	938.4	3,597.1	134.1	53.7	203.6	348.7	664.3	1,290.9	2,431.1	4,488.4	7,511.1	10,750.3
ALL OTHER, MALE												
1985	858.6	1,888.0	82.8	38.7	164.2	298.5	529.9	1,087.4	2,335.6	4,424.9	8,540.1	14,376.6
1984	846.4	1,905.2	79.5	39.0	155.7	289.1	513.2	1,095.0	2,370.5	4,426.4	8,320.3	14,128.4
1983	854.9	1,976.3	89.5	38.7	157.2	292.9	495.5	1,117.4	2,431.9	4,521.8	8,398.0	13,478.4
1982	854.8	1,921.1	85.7	41.2	167.8	313.0	509.5	1,176.7	2,457.7	4,571.7	7,918.1	14,386.4
1981	899.4	1,934.3	98.8	43.0	178.5	338.8	567.5	1,255.7	2,522.6	4,626.0	8,056.0	14,685.9
1980	936.5	2,350.2	103.0	44.9	201.6	357.8	594.2	1,309.1	2,606.3	4,747.2	8,688.5	15,774.9
1979	920.3	2,468.0	103.7	47.1	193.6	366.3	619.7	1,327.6	2,563.9	4,577.3	7,973.5	14,262.7
1978	943.2	2,652.2	109.2	51.8	195.8	357.3	639.5	1,357.3	2,667.3	4,749.5	7,978.2	14,360.3
1977	951.7	2,692.3	109.2	52.4	199.5	377.3	653.8	1,402.2	2,710.2	4,773.4	7,875.1	14,510.7
1976	969.8	2,921.8	108.3	51.8	212.1	393.3	676.4	1,445.1	2,756.7	4,934.5	7,877.8	14,241.8
1975	987.6	2,967.3	109.4	56.2	237.6	438.4	720.9	1,453.8	2,762.7	5,040.0	7,964.9	13,859.3
1974	1,025.1	3,125.9	117.3	58.3	254.3	454.2	756.8	1,527.9	2,901.9	5,341.7	8,069.9	14,572.0
1973	1,075.3	3,222.6	135.4	66.5	271.3	487.5	805.5	1,613.5	3,033.6	5,506.8	8,525.4	15,022.9
1970	1,115.9	4,020.0	144.7	65.0	304.6	504.1	873.5	1,646.1	3,046.6	5,474.4	8,981.0	11,405.2
ALL OTHER, FEMALE												
1985	638.1	1,550.3	64.6	26.7	57.1	120.0	238.7	570.7	1,329.3	2,650.2	5,741.9	11,688.6
1984	627.0	1,603.0	67.4	25.7	58.4	115.3	246.3	575.9	1,328.8	2,648.8	5,691.1	11,104.7
1983	629.2	1,618.9	67.2	26.5	62.4	115.1	240.8	607.5	1,359.4	2,682.6	5,807.8	10,944.5
1982	614.5	1,560.7	71.0	27.3	61.7	119.1	245.4	615.7	1,346.8	2,637.3	5,329.5	11,130.5
1981	633.0	1,634.5	75.6	28.2	62.8	127.3	272.4	646.1	1,383.1	2,715.2	5,463.9	11,371.7
1980	660.6	1,944.1	79.5	29.8	68.0	135.7	288.3	687.8	1,423.1	2,856.2	5,863.3	11,922.3
1979	635.7	2,049.7	87.4	29.3	70.4	134.1	290.2	686.1	1,388.3	2,763.1	5,418.2	10,828.8
1978	651.0	2,151.8	90.4	31.2	73.7	137.6	306.2	713.2	1,456.0	2,835.5	5,425.2	11,238.4
1977	659.6	2,213.0	87.6	30.7	78.0	142.0	324.3	747.2	1,499.6	2,948.0	5,372.3	11,008.7
1976	668.6	2,425.3	86.5	31.8	78.8	153.2	339.1	768.0	1,526.0	3,025.4	5,357.7	11,328.6
1975	673.1	2,493.8	93.3	33.8	84.9	157.0	358.3	776.9	1,580.7	3,180.8	5,269.2	10,854.8
1974	707.6	2,541.9	97.9	35.6	92.0	180.5	401.2	848.5	1,671.2	3,442.8	5,417.5	11,802.4
1973	748.4	2,603.8	106.4	39.0	102.7	191.3	438.8	921.9	1,785.2	3,667.4	5,777.4	12,382.3
1970	775.3	3,169.4	123.3	42.3	108.8	215.7	490.5	979.4	1,886.9	3,675.6	6,392.6	10,288.9
BLACK												
1985	845.7	1,951.1	80.0	34.8	115.9	235.4	443.7	935.7	2,007.5	3,759.0	7,407.4	13,076.0
1984	828.5	1,964.1	78.8	35.2	111.9	226.7	435.9	932.4	2,016.0	3,740.0	7,254.4	12,468.9
1983	830.5	2,032.9	85.3	34.5	114.4	228.1	417.2	956.6	2,059.7	3,773.6	7,215.8	12,320.9
1982	819.2	1,963.2	84.9	36.9	118.7	240.4	429.9	987.3	2,053.9	3,769.2	6,773.3	12,792.4
1981	841.7	1,992.7	93.6	37.7	124.3	255.9	470.5	1,041.1	2,094.4	3,816.3	6,904.8	13,073.7
1980	875.4	2,356.6	97.6	39.0	138.3	289.5	489.9	1,087.6	2,146.6	3,932.9	7,382.6	13,610.8
1979	839.3	2,443.9	100.1	40.1	133.4	288.0	492.8	1,083.8	2,080.6	3,763.7	6,628.8	12,143.6
1978	855.1	2,596.1	104.6	43.2	136.1	262.5	508.2	1,105.3	2,159.9	3,876.0	6,569.2	12,550.7
1977	864.0	2,652.2	103.2	43.1	139.8	275.5	526.4	1,146.7	2,200.3	3,970.1	6,497.5	12,568.4
1976	875.0	2,888.4	103.0	43.0	147.6	289.0	541.4	1,176.6	2,228.7	4,090.3	6,482.3	12,752.9
1975	882.5	2,940.6	106.2	45.7	164.6	313.9	574.3	1,181.3	2,252.7	4,219.7	6,456.0	12,355.4
1974	916.5	3,038.9	112.1	46.3	177.5	335.3	614.6	1,251.4	2,362.0	4,514.2	6,586.5	13,168.6
1973	960.6	3,126.0	126.2	54.8	189.8	354.2	659.1	1,333.0	2,488.0	4,719.3	6,979.8	13,680.7
1970	999.3	3,835.6	140.0	55.5	212.4	381.2	724.9	1,383.8	2,570.6	4,719.4	7,860.7	11,300.5
BLACK, MALE												
1985	976.8	2,134.8	89.0	41.3	174.1	347.4	641.8	1,283.3	2,623.1	4,888.7	9,298.4	15,046.2
1984	958.1	2,136.6	85.2	42.4	163.9	335.6	616.0	1,273.5	2,658.3	4,874.5	9,023.1	14,842.9
1983	963.3	2,243.4	96.8	40.9	165.0	335.8	586.5	1,287.3	2,713.1	4,949.3	9,100.0	14,155.6
1982	960.4	2,169.9	93.4	44.4	175.4	360.3	606.7	1,352.1	2,758.1	5,040.1	8,477.2	15,117.9
1981	991.6	2,164.8	105.3	45.2	186.7	367.1	667.9	1,432.5	2,804.1	5,046.3	8,635.1	15,396.4
1980	1,034.1	2,586.7	110.5	47.4	209.1	407.3	689.8	1,479.9	2,873.0	5,131.1	9,231.6	16,098.8
1979	999.6	2,666.5	108.1	49.3	197.8	404.4	699.7	1,479.3	2,794.6	4,916.8	8,165.5	14,465.4
1978	1,018.8	2,862.5	114.0	53.9	199.4	392.5	713.5	1,499.5	2,888.7	5,076.8	8,072.0	14,500.0
1977	1,026.0	2,914.7	114.8	54.4	203.1	416.3	730.8	1,543.8	2,929.7	5,117.0	8,024.7	14,730.6
1976	1,041.6	3,168.1	113.6	53.4	217.9	431.8	752.4	1,583.3	2,961.9	5,280.3	7,979.1	14,744.7
1975	1,055.4	3,197.0	115.2	57.1	246.2	484.0	795.4	1,584.5	2,951.1	5,378.1	8,034.7	14,345.7
1974	1,090.0	3,350.4	122.7	60.1	263.9	499.1	830.7	1,652.0	3,091.1	5,684.7	8,163.7	15,058.1
1973	1,137.7	3,451.9	141.4	69.9	279.8	529.1	880.9	1,735.7	3,229.0	5,840.6	8,609.8	15,639.0
1970	1,186.6	4,298.9	150.5	67.1	320.6	559.5	956.8	1,777.5	3,256.9	5,803.2	9,454.9	12,222.3
BLACK, FEMALE												
1985	727.7	1,758.6	70.8	28.1	59.5	136.3	278.4	654.0	1,501.7	2,925.7	6,252.0	12,154.7
1984	712.0	1,789.1	72.2	27.8	61.6	130.6	285.7	655.0	1,489.7	2,907.4	6,184.1	11,439.1
1983	711.2	1,818.6	73.6	28.0	65.6	130.0	td					

SECTION 1 - GENERAL MORTALITY - PAGE 5

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Race, and Sex: United States, 1985

Age	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
85 years and over	419,051	141,853	277,398	130,583	258,930	11,070	18,468	9,780	16,895
85 years	51,815	20,787	31,028	18,779	28,327	2,008	2,701	1,770	2,544
86 years	46,427	17,879	28,548	16,627	26,696	1,252	1,852	1,059	1,687
87 years	44,896	16,713	28,183	15,461	26,380	1,252	1,803	1,097	1,639
88 years	42,231	15,536	26,695	14,454	25,114	1,082	1,581	967	1,422
89 years	39,888	13,811	26,077	12,799	24,481	1,012	1,586	891	1,442
90 years	35,907	11,886	24,021	11,048	22,615	838	1,406	759	1,266
91 years	30,986	9,940	21,046	9,285	19,886	655	1,160	584	1,049
92 years	28,088	8,716	19,372	8,073	18,218	643	1,154	574	1,048
93 years	23,434	6,872	16,562	6,402	15,579	470	983	422	882
94 years	19,039	5,347	13,692	4,953	12,866	394	826	348	745
95 years	15,500	4,137	11,363	3,798	10,635	339	728	303	670
96 years	12,279	3,266	9,013	2,964	8,436	302	577	268	540
97 years	8,803	2,241	6,562	2,051	6,100	190	462	163	430
98 years	6,300	1,506	4,794	1,379	4,435	127	359	104	328
99 years	4,702	1,087	3,615	953	3,283	134	332	124	312
100 years	2,750	632	2,118	553	1,900	79	218	73	206
101 years	2,217	468	1,749	402	1,560	66	189	63	173
102 years	1,413	297	1,116	242	976	55	140	51	128
103 years	922	184	738	147	619	37	119	36	113
104 years	560	124	436	88	360	36	76	34	72
105 years	345	87	258	57	200	30	58	28	55
106 years	195	40	155	27	118	13	37	11	36
107 years	125	24	101	13	72	11	29	10	27
108 years	79	32	47	13	26	19	21	18	21
109 years	40	8	32	5	17	3	15	3	14
110 years	48	13	35	8	22	5	13	5	13
111 years	18	5	13	2	6	3	7	3	7
112 years	10	1	9	-	2	1	7	1	7
113 years	9	1	8	-	1	1	7	-	7
114 years	7	5	2	-	-	5	2	4	2
115 years	4	3	1	-	-	3	1	2	1
116 years	7	2	5	-	-	2	5	2	5
117 years	1	-	1	-	-	-	1	-	1
118 years	1	1	-	-	-	1	-	1	-
119 years	4	2	2	-	-	2	2	2	2
120 years	-	-	-	-	-	-	-	-	-
121 years	-	-	-	-	-	-	-	-	-
122 years	-	-	-	-	-	-	-	-	-
123 years	-	-	-	-	-	-	-	-	-
124 years	-	-	-	-	-	-	-	-	-
125 years and over	1	-	1	-	-	-	1	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 6

Table 1-5. Mortality From 15 Leading Causes of Death: United States, 1985

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975.
For method of ranking see Technical Appendix]

Cause of death and rank order		Rate	Percent of total deaths
All causes		873.9	100.0
1	Diseases of heart (390-398,402,404-429)	323.0	37.0
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	193.3	22.1
3	Cerebrovascular diseases (430-438)	84.1	7.3
4	Accidents and adverse effects (E800-E949)	39.1	4.5
...	Motor vehicle accidents (E810-E825)	19.2	2.2
...	All other accidents and adverse effects (E800-E807,E826-E949)	19.9	2.3
5	Chronic obstructive pulmonary diseases and allied conditions (490-496)	31.3	3.6
6	Pneumonia and influenza (480-487)	28.3	3.2
7	Diabetes mellitus (250)	15.5	1.8
8	Suicide (E950-E959)	12.3	1.4
9	Chronic liver disease and cirrhosis (571)	11.2	1.3
10	Atherosclerosis (440)	10.0	1.1
11	Nephritis, nephrotic syndrome, and nephrosis (580-589)	8.9	1.0
12	Homicide and legal intervention (E960-E978)	8.3	1.0
13	Certain conditions originating in the perinatal period (760-779)	8.1	.9
14	Septicemia (038)	7.2	.8
15	Congenital anomalies (740-759)	5.4	.6
...	All other causes	107.8	12.3

SECTION 1 - GENERAL MORTALITY - PAGE 7

Table 1-6. Death Rates for 72 Selected Causes: United States, 1979-85

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	1985	1984	1983	1982	1981	1980	1979
All causes	873.9	862.3	862.8	852.0	862.4	878.3	852.2
Shigellosis and amebiasis (004.006)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Certain other intestinal infections (007-009)	.1	.1	.2	.1	.2	.2	.1
Tuberculosis (010-018)	.7	.7	.8	.8	.8	.9	.9
Tuberculosis of respiratory system (010-012)	.6	.6	.6	.6	.7	.7	.7
Other tuberculosis (013-018)	.2	.2	.2	.1	.2	.2	.2
Whooping cough (033)	.0	.0	.0	.0	.0	.0	.0
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	.0	.0	.0	.0	.0	.0	.0
Meningococcal infection (036)	.1	.1	.1	.2	.2	.2	.2
Septicemia (038)	7.2	6.4	5.7	5.0	4.6	4.2	3.6
Acute poliomyelitis (045)	.0	-	-	-	-	.0	.0
Measles (055)	.0	.0	.0	.0	.0	.0	.0
Viral hepatitis (070)	.4	.4	.4	.4	.4	.4	.3
Syphilis (090-097)	.0	.0	.1	.1	.1	.1	.1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3.1	2.6	2.1	1.9	1.9	1.8	1.6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	193.3	191.8	189.3	187.2	184.0	183.9	179.6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.5	3.6	3.6	3.7	3.7	3.8	3.8
Malignant neoplasms of digestive organs and peritoneum (150-159)	48.8	49.3	48.7	48.6	48.5	48.6	48.6
Malignant neoplasms of respiratory and intrathoracic organs (160-185)	53.3	52.3	51.3	50.2	48.5	47.9	45.9
Malignant neoplasm of breast (174-175)	16.9	16.8	16.3	16.3	16.0	15.8	15.4
Malignant neoplasms of genital organs (179-187)	20.8	20.7	20.8	20.5	20.4	20.5	20.2
Malignant neoplasms of urinary organs (188-189)	7.9	7.9	7.9	8.0	7.8	7.9	7.8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	24.3	23.8	23.4	22.9	22.5	22.4	21.6
Leukemia (204-208)	7.3	7.2	7.2	7.2	7.1	7.3	7.1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.5	10.2	10.0	9.8	9.4	9.5	9.1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2.8	2.7	2.8	2.8	2.7	2.7	2.6
Diabetes mellitus (250)	15.5	15.1	15.5	14.9	15.1	15.4	14.8
Nutritional deficiencies (260-269)	1.2	1.1	1.1	1.0	1.0	1.0	1.0
Anemias (280-285)	1.5	1.5	1.5	1.4	1.4	1.4	1.4
Meningitis (320-322)	.5	.5	.5	.8	.6	.6	.6
Major cardiovascular diseases (390-448)	409.6	411.6	419.2	417.6	424.2	436.4	426.7
Diseases of heart (390-398,402,404-429)	323.0	323.5	329.2	326.0	328.7	336.0	326.5
Rheumatic fever and rheumatic heart disease (390-398)	2.8	2.9	2.9	3.0	3.2	3.5	3.5
Hypertensive heart disease (402)	8.7	8.8	9.0	9.0	9.1	9.3	9.3
Hypertensive heart and renal disease (404)	1.2	1.2	1.3	1.3	1.5	1.6	1.6
Ischemic heart disease (410-414)	224.8	228.9	236.1	238.5	242.1	249.7	245.5
Acute myocardial infarction (410)	114.9	118.0	122.3	125.6	127.5	132.2	133.8
Other acute and subacute forms of ischemic heart disease (411)	1.7	1.7	1.7	1.8	2.0	2.1	2.1
Angina pectoris (413)	.4	.4	.3	.3	.2	.2	.2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	107.9	108.8	111.7	110.9	112.3	115.1	109.4
Other diseases of endocardium (424)	4.0	3.7	3.6	3.4	3.2	3.2	2.9
All other forms of heart disease (415-423,425-429)	81.5	78.1	76.3	70.8	69.7	66.7	63.7
Hypertension with or without renal disease (401,403)	3.2	3.3	3.3	3.3	3.3	3.5	3.2
Cerebrovascular diseases (430-438)	64.1	65.3	66.5	66.0	71.3	75.1	75.5
Intracerebral and other intracranial hemorrhage (431-432)	8.7	8.5	8.3	8.6	8.8	9.2	9.7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	10.3	10.7	11.3	12.2	13.5	15.0	15.9
Cerebral embolism (434.1)	.3	.3	.3	.3	.4	.4	.4
All other and late effects of cerebrovascular diseases (430,433,435-438)	44.8	45.7	46.6	46.9	48.6	50.6	49.5
Atherosclerosis (440)	10.0	10.3	11.3	11.6	12.2	13.0	12.8
Other diseases of arteries, arterioles, and capillaries (441-448)	9.2	9.2	9.0	8.7	8.7	8.8	8.7
Acute bronchitis and bronchiolitis (466)	.3	.2	.2	.2	.2	.3	.2
Pneumonia and influenza (480-487)	28.3	24.9	23.9	21.1	23.4	24.1	20.1
Pneumonia (480-486)	27.5	24.4	23.3	20.8	22.1	22.9	19.8
Influenza (487)	.9	.5	.6	.3	1.3	1.2	.3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31.3	29.2	28.3	25.8	25.7	24.7	22.2
Bronchitis, chronic and unspecified (490-491)	1.5	1.5	1.5	1.5	1.6	1.6	1.6
Emphysema (492)	5.9	5.6	5.7	5.5	5.8	6.1	6.0
Asthma (493)	1.6	1.5	1.5	1.4	1.3	1.3	1.2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22.2	20.6	19.6	17.4	16.9	15.7	13.4
Ulcer of stomach and duodenum (531-533)	2.8	2.8	2.7	2.9	2.8	2.7	2.6
Appendicitis (540-543)	.2	.2	.2	.2	.3	.3	.3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.2	2.2	2.2	2.2	2.3	2.4	2.4
Chronic liver disease and cirrhosis (571)	11.2	11.6	11.7	11.9	12.8	13.5	13.2
Cholelithiasis and other disorders of gallbladder (574-575)	1.2	1.3	1.3	1.3	1.3	1.5	1.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8.9	8.5	8.1	7.8	7.5	7.4	7.0
Acute glomerulonephritis and nephrotic syndrome (580-581)	.1	.1	.2	.1	.1	.1	.2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	.7	.8	.8	.8	.9	1.0	1.1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8.1	7.6	7.2	6.8	6.5	6.3	5.8
Infections of kidney (590)	.8	.9	.9	1.0	1.0	1.2	1.3
Hyperplasia of prostate (600)	.2	.2	.2	.3	.3	.3	.4
Complications of pregnancy, childbirth, and the puerperium (630-676)	.1	.1	.1	.1	.1	.1	.1
Pregnancy with abortive outcome (630-638)	.0	.0	.0	.0	.0	.0	.0
Other complications of pregnancy, childbirth, and the puerperium (640-676)	.1	.1	.1	.1	.1	.1	.1
Congenital anomalies (740-759)	5.4	5.5	5.6	5.9	5.9	6.2	6.0
Certain conditions originating in the perinatal period (760-779)	8.1	8.0	8.3	9.0	9.4	10.1	10.4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.2	2.2	2.3	2.7	2.9	3.3	3.6
Other conditions originating in the perinatal period (760-766,770-779)	5.9	5.8	6.0	6.3	6.5	6.7	6.9
Symptoms, signs, and ill-defined conditions (780-799)	13.0	12.6	12.7	12.9	12.9	12.7	12.3
All other diseases (Residual)	62.7	58.1	55.6	51.8	51.4	50.9	47.8
Accidents and adverse effects (E800-E949)	39.1	39.3	39.5	40.6	43.9	46.7	46.9
Motor vehicle accidents (E810-E825)	19.2	19.6	19.0	19.8	22.4	23.5	23.8
All other accidents and adverse effects (E800-E807,E826-E949)	19.9	19.7	20.5	20.8	21.5	23.2	23.1
Suicide (E950-E959)	12.3	12.4	12.1	12.2	12.0	11.9	12.1
Homicide and legal intervention (E960-E978)	8.3	8.4	8.6	9.6	10.3	10.7	10.0
All other external causes (E980-E999)	1.2	1.3	1.3	1.4	1.6	1.6	1.7

SECTION 1 - GENERAL MORTALITY - PAGE 8

Table 1-7. Age-Adjusted Death Rates for 72 Selected Causes, by Race and Sex: United States, 1985

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
All causes	546.1	716.8	409.4	523.1	688.7	390.6	697.8	910.4	530.0	779.9	1,024.0	589.1
Shigellosis and amebiasis (004,006)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Certain other intestinal infections (007-009)1	.1	.1	.1	.1	.1	.1	.2	.1	.2	.2	.2
Tuberculosis (010-018)5	.8	.3	.3	.5	.2	1.8	2.8	1.0	2.0	3.2	1.1
Tuberculosis of respiratory system (010-012)4	.6	.2	.3	.4	.1	1.3	2.2	.7	1.5	2.5	.7
Other tuberculosis (013-018)1	.2	.1	.1	.1	.0	.5	.6	.3	.5	.7	.4
Whooping cough (033)0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Streptococcal sore throat, scarlatina, and erysipelas (034-035)0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Meningococcal infection (036)1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
Septicemia (038)	4.1	4.9	3.5	3.5	4.3	3.0	8.4	10.3	7.1	9.7	11.9	8.1
Acute poliomyelitis (045)0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Measles (055)0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Viral hepatitis (070)3	.4	.3	.3	.4	.2	.5	.5	.5	.4	.4	.4
Syphilis (090-097)0	.0	.0	.0	.0	.0	.1	.1	.0	.1	.1	.1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2.6	3.7	1.6	2.3	3.3	1.3	4.5	6.2	3.0	5.1	7.2	3.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	133.6	164.5	111.4	130.7	159.2	110.3	155.7	206.5	118.3	173.0	231.6	130.4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2.8	4.0	1.4	2.3	3.6	1.3	4.2	7.2	1.8	4.8	8.3	2.0
Malignant neoplasms of digestive organs and peritoneum (150-159)	31.6	40.2	24.8	30.1	39.3	23.8	42.2	55.4	32.2	45.4	59.4	34.7
Malignant neoplasms of respiratory and intrathoracic organs (160-169)	38.8	60.0	22.4	38.2	58.2	22.6	43.3	73.6	20.1	49.2	84.4	22.5
Malignant neoplasm of breast (174-175)	12.7	.2	23.2	12.7	.2	23.3	12.5	.2	22.3	14.3	.2	25.3
Malignant neoplasms of genital organs (179-187)	13.0	15.1	12.5	12.3	13.9	12.2	19.4	26.3	12.4	22.0	30.6	17.0
Malignant neoplasms of urinary organs (188-189)	5.0	7.8	3.0	5.1	7.9	3.0	4.5	6.6	3.0	5.1	7.4	3.4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	17.5	21.8	14.1	17.5	21.6	14.1	17.9	22.8	14.1	19.8	25.5	15.5
Leukemia (204-208)	5.0	8.4	4.0	5.1	8.5	4.1	4.4	5.5	3.5	4.6	5.9	3.7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7.3	9.0	5.9	7.3	9.0	5.9	7.2	8.8	5.9	7.9	9.7	6.5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1.9	2.0	1.7	1.8	1.9	1.6	2.3	2.4	2.3	2.6	2.6	2.5
Diabetes mellitus (250)	9.6	9.9	9.4	8.6	9.2	8.1	17.7	16.1	18.9	19.7	17.7	21.1
Nutritional deficiencies (260-269)5	.6	.5	.5	.5	.4	.8	1.0	.7	.9	1.0	.8
Anemias (280-285)9	1.0	.8	.7	.8	.6	2.0	2.2	1.8	2.3	2.6	2.1
Meningitis (320-322)4	.5	.4	.3	.4	.3	.9	1.0	.7	1.0	1.1	.8
Major cardiovascular diseases (390-448)	224.0	297.8	165.6	216.9	292.1	157.4	273.4	338.5	223.3	308.5	370.5	250.5
Diseases of heart (390-398,402,404-429)	180.5	247.7	127.3	176.1	244.5	121.7	210.4	268.4	165.8	236.2	301.0	186.8
Rheumatic fever and rheumatic heart disease (390-398)	1.9	1.5	2.2	1.9	1.5	2.2	1.6	1.4	1.9	1.7	1.4	1.9
Hypertensive heart disease (402)	5.3	6.0	4.5	4.0	4.6	3.4	15.1	17.4	13.3	17.8	20.5	15.5
Hypertensive heart and renal disease (404)6	.7	.5	.4	.5	.4	1.8	1.8	1.7	2.0	2.1	1.8
Ischemic heart disease (410-414)	125.5	177.9	84.2	126.2	180.8	82.0	116.4	150.4	90.4	128.5	164.9	100.8
Acute myocardial infarction (410)	69.3	100.3	44.7	70.1	102.6	44.1	61.5	79.7	47.6	67.5	86.6	53.0
Other acute and subacute forms of ischemic heart disease (411)	1.1	1.6	.6	1.0	1.6	.6	1.6	2.1	1.1	1.8	2.5	1.3
Angina pectoris (413)2	.3	.2	.2	.3	.2	.2	.2	.2	.3	.3	.3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	54.9	75.7	38.7	54.9	76.3	38.1	53.1	68.4	41.4	58.9	75.6	46.2
Other diseases of endocardium (424)	2.2	2.7	1.8	2.1	2.7	1.7	2.2	2.7	1.8	2.5	3.0	2.0
All other forms of heart disease (415-423,425-429)	45.1	59.0	34.1	41.4	54.4	31.0	73.3	94.6	56.8	83.8	109.0	64.6
Hypertension with or without renal disease (401,403)	1.8	2.1	1.6	1.4	1.7	1.2	4.7	5.0	4.4	5.5	6.0	5.2
Cerebrovascular diseases (430-438)	32.3	35.2	30.0	30.1	32.8	27.9	49.4	54.2	45.5	55.0	60.8	50.3
Intracerebral and other intracranial hemorrhage (431-432)	5.6	6.3	5.0	4.8	5.4	4.4	10.5	12.6	8.8	11.5	14.0	9.6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4.8	5.3	4.4	4.6	5.1	4.2	8.5	7.2	5.9	7.2	8.0	6.7
Cerebral embolism (434.1)2	.2	.2	.2	.2	.2	.1	.2	.1	.1	.2	.1
All other and late effects of cerebrovascular diseases (430,433,435-438)	21.7	23.4	20.4	20.4	22.0	19.1	32.2	34.3	30.6	36.0	38.7	33.9
Atherosclerosis (440)	4.0	4.6	3.5	4.0	4.6	3.5	3.9	4.4	3.4	4.3	5.1	3.8
Other diseases of arteries, arterioles, and capillaries (441-448)	5.4	6.4	3.2	5.4	6.6	3.1	5.1	6.4	4.1	5.4	6.7	4.5
Acute bronchitis and bronchiolitis (466)1	.2	.1	.1	.2	.1	.1	.2	.1	.2	.3	.1
Pneumonia and influenza (480-487)	13.4	18.2	10.1	12.8	17.4	9.8	16.8	24.2	11.4	18.5	26.8	12.4
Pneumonia (480-486)	13.0	17.8	9.8	12.5	17.0	9.5	16.6	23.9	11.2	18.3	26.5	12.2
Influenza (487)3	.4	.3	.3	.4	.3	.2	.3	.2	.3	.3	.2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	18.7	27.9	12.5	19.2	28.5	12.9	13.8	21.7	8.1	15.0	23.9	8.7
Bronchitis, chronic and unspecified (490-491)8	1.2	.6	.9	1.2	.6	.5	.7	.4	.5	.7	.4
Emphysema (492)	3.7	5.7	2.2	3.8	5.9	2.4	2.1	3.8	.9	2.2	4.0	.9
Asthma (493)	1.2	1.1	1.3	1.0	.9	1.2	2.5	2.6	2.3	2.8	3.0	2.7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	12.9	19.9	8.3	13.4	20.4	8.7	8.7	14.7	4.4	9.4	18.3	4.7
Ulcer of stomach and duodenum (531-533)	1.5	2.0	1.2	1.5	2.0	1.2	1.7	2.4	1.1	1.8	2.5	1.2
Appendicitis (540-543)1	.2	.1	.1	.2	.1	.3	.4	.2	.3	.4	.2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1.1	1.2	1.1	1.1	1.1	1.1	1.6	1.9	1.4	1.8	2.2	1.6
Chronic liver disease and cirrhosis (571)	9.6	13.6	6.1	8.9	12.6	5.6	14.4	20.7	9.3	16.1	23.4	10.1
Cholelithiasis and other disorders of gallbladder (574-575)6	.8	.5	.6	.8	.5	.7	.8	.7	.8	.9	.7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4.9	6.1	4.0	4.2	5.4	3.4	10.6	12.3	9.4	12.0	14.1	10.5
Acute glomerulonephritis and nephrotic syndrome (580-581)1	.1	.1	.1	.1	.1	.2	.2	.1	.2	.2	.2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)4	.4	.3	.3	.4	.2	.7	1.0	.6	.8	1.1	.6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4.5	5.6	3.7	3.8	4.9	3.1	9.7	11.1	8.6	11.0	12.8	9.7
Infections of kidney (590)4	.4	.4	.4	.4	.4	.6	.6	.6	.7	.7	.7
Hyperplasia of prostate (600)1	.2	.1	.1	.2	.1	.1	.3	.1	.1	.3	.1
Complications of pregnancy, childbirth, and the puerperium (630-676)13	.117	.48
Pregnancy with abortive outcome (630-638)00	.002	.12
Other complications of pregnancy, childbirth, and the puerperium (640-676)12	.11	.35	.36
Congenital anomalies (740-759)	5.2	5.6	4.8	5.1	5.6	4.7	5.4	5.7	5.2	5.8	6.1	5.5
Certain conditions originating in the perinatal period (760-779)	7.9	8.9	6.8	6.4	7.3	5.4	14.4	15.9	12.8	16.8	18.5	15.0
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.1	2.5	1.7	1.9	2.3	1.5	3.2	3.8	2.6	3.7	4.3	3.1
Symptoms, signs, and ill-defined conditions (780-799)	5.7	6.3	5.1	4.5	5.0	3.9	11.1	12.1	10.2	13.1	14.2	11.9
All other diseases (Residual)	9.3	12.3	6.8	8.0	10.7	5.7	17.8	23.6	13.0	20.4	27.4	14.8
Accidents and adverse effects (E800-E949)	38.5	47.8	31.0	35.5	44.0	28.8	57.8	74.0	44.8	66.0	85.8	50.4
Motor vehicle accidents (E810-E825)	34.7	51.8	18.6	34.1	50.4	18.4	39.7	62.1	20.4	41.8	66.7	20.7
All other accidents and adverse effects (E800-E807,E826-E949)	18.8	27.3	10.5	19.1	27.6	10.6	17.4	27.2	8.8	17.2	27.7	8.2
Suicide (E950-E959)	16.0	24.4	8.2	15.0	22.9	7.5	22.3	34.9	11.6	24.6	39.0	12.5
Homicide and legal intervention (E960-E978)	11.5	18.8	4.9	12.3	19.9	5.3	6.7	11.3	2.5	6.4	11.3	2.1
All other external causes (E980-E999)	8.3	12.6	3.9	5.4	8.1	2.9	24.4	41.4	9.3	29.0	49.9	10.8
	1.1	1.7	.6	1.0	1.5	.6	1.9	3.0	1.0	2.1	3.4	1.1

SECTION 1 - GENERAL MORTALITY - PAGE 10

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	873.9	1,067.8	51.4	24.8	27.9	81.2	108.9	113.7	133.8	171.9
Male	945.0	1,197.0	58.1	28.2	34.9	114.7	164.8	167.3	189.6	235.2
Female	806.6	932.4	44.5	21.2	20.5	46.5	52.8	60.0	78.5	110.2
White	897.1	916.3	46.2	22.7	26.9	81.0	103.3	102.3	114.9	148.9
Male	960.0	1,038.9	52.4	26.0	33.8	113.7	156.2	151.4	163.2	202.8
Female	837.1	786.9	39.7	19.2	19.7	47.0	49.6	52.3	65.9	95.2
All other	743.3	1,720.8	73.8	33.7	31.8	82.3	137.2	173.9	238.3	314.0
Male	858.6	1,888.0	82.8	38.0	39.4	119.2	209.1	256.9	345.2	453.0
Female	638.1	1,550.3	64.6	29.4	24.0	44.6	68.7	98.4	143.5	195.8
Black	845.7	1,951.1	80.0	35.5	34.1	84.7	146.3	195.7	280.8	373.2
Male	976.8	2,134.8	89.0	39.6	43.0	124.7	224.4	290.6	413.4	547.6
Female	727.7	1,756.6	70.8	31.3	25.0	44.3	73.7	110.5	165.3	226.9
Shigellosis and amebiasis (004-006)	.0	.0	.0	.0	.0	-	-	-	.0	-
Male	.0	.1	.0	.0	-	-	-	-	.0	-
Female	.0	-	.0	-	.0	-	-	-	-	-
White	.0	-	.0	.0	.0	-	-	-	-	-
Male	.0	-	.0	.0	-	-	-	-	-	-
Female	.0	-	.0	-	.0	-	-	-	-	-
All other	.0	.1	.0	-	-	-	-	-	.1	-
Male	.0	.3	.1	-	-	-	-	-	.1	-
Female	.0	-	-	-	-	-	-	-	-	-
Black	.0	.2	.0	-	-	-	-	-	.1	-
Male	.0	.3	.1	-	-	-	-	-	.2	-
Female	.0	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	.1	2.6	.1	.0	.0	-	.0	.0	.0	.0
Male	.1	2.9	.1	-	.0	-	.0	.0	.1	.1
Female	.1	2.3	.1	.0	-	-	.0	-	-	-
White	.1	1.7	.1	.0	.0	-	.0	.0	.0	.0
Male	.1	2.0	.1	-	.0	-	.0	.1	.1	.1
Female	.1	1.4	.1	.0	-	-	.0	-	-	.1
All other	.2	6.6	.1	-	-	-	.0	.1	.0	.0
Male	.2	6.7	.2	-	-	-	.1	.1	.1	.1
Female	.2	6.6	.1	-	-	-	-	-	-	-
Black	.2	7.8	.2	-	-	-	.0	.1	-	.1
Male	.3	8.0	.3	-	-	-	.1	.2	-	.1
Female	.2	7.5	.1	-	-	-	-	-	-	-
Tuberculosis (010-018)	.7	.1	.0	-	.0	.0	.1	.1	.3	.4
Male	1.0	.2	.0	-	.0	.0	.1	.2	.4	.5
Female	.5	-	.0	-	.0	.1	.1	.1	.1	.2
White	.5	.0	.0	-	.0	.0	.0	.0	.1	.1
Male	.7	.1	-	-	.0	.0	.1	.2	.2	.2
Female	.4	-	.0	-	.0	.1	.0	.0	.0	.1
All other	1.8	.4	.1	-	.0	.1	.3	.6	1.2	1.9
Male	2.5	.8	.1	-	.1	.4	.6	1.6	3.1	.9
Female	1.2	-	.1	-	.1	.2	.6	.8	.8	.3
Black	2.0	.4	.1	-	.0	.1	.2	.7	1.4	2.3
Male	2.9	.7	.1	-	.1	.4	.8	2.1	3.7	.2
Female	1.2	-	.1	-	.1	.1	.6	.9	1.2	.1
Tuberculosis of respiratory system (010-012)	.6	.1	-	-	-	.0	.0	.1	.2	.3
Male	.8	.1	-	-	-	.0	.0	.1	.3	.4
Female	.4	-	-	-	-	.0	.0	.0	.1	.1
White	.4	-	-	-	-	.0	.0	.0	.1	.1
Male	.6	-	-	-	-	.0	.0	.0	.2	.1
Female	.3	-	-	-	-	.0	.0	.0	.0	.0
All other	1.4	.3	-	-	-	.1	.3	.8	1.5	.5
Male	2.0	.6	-	-	-	.1	.3	1.1	2.6	.7
Female	.8	-	-	-	-	.1	.3	.5	.7	.1
Black	1.5	.2	-	-	-	.0	.1	.2	.5	.2
Male	2.2	.3	-	-	-	.1	.3	1.0	1.9	.3
Female	.8	-	-	-	-	.1	.4	1.4	3.0	.9
Other tuberculosis (013-018)	.2	.1	.0	-	.0	.0	.1	.1	.1	.1
Male	.2	.1	.0	-	.0	.0	.1	.1	.1	.1
Female	.1	-	.0	-	.0	.0	.0	.0	.0	.0
White	.1	.0	.0	-	.0	.0	.0	.0	.0	.0
Male	.1	.1	-	-	.0	.0	.0	.0	.0	.0
Female	.1	-	.0	-	.0	.0	.1	.1	.0	.0
All other	.5	.1	.1	-	.0	.1	.3	.4	.4	.4
Male	.5	.3	.1	-	.0	.1	.3	.5	.5	.5
Female	.4	-	.1	-	.1	.1	.3	.3	.2	.2
Black	.5	.2	.1	-	.0	.1	.1	.4	.5	.7
Male	.6	.3	.1	-	.0	.1	.2	.4	.6	.7
Female	.4	-	.1	-	.1	.1	.4	.3	.3	.3
Whooping cough (033)	.0	.1	.0	-	-	-	-	-	-	-
Male	.0	.1	.0	-	-	-	-	-	-	-
Female	.0	.1	-	-	-	-	-	-	-	-
White	.0	.0	.0	-	-	-	-	-	-	-
Male	.0	.1	.0	-	-	-	-	-	-	-
Female	.0	-	-	-	-	-	-	-	-	-
All other	.0	.3	-	-	-	-	-	-	-	-
Male	.0	.3	-	-	-	-	-	-	-	-
Female	.0	.3	-	-	-	-	-	-	-	-
Black	.0	.4	-	-	-	-	-	-	-	-
Male	.0	.3	-	-	-	-	-	-	-	-
Female	.0	.4	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 11

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex		40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
All causes		251.7	397.2	643.2	1,015.7	1,558.0	2,298.0	3,512.0	5,279.3	8,369.3	15,480.3
	Male	332.9	513.9	835.6	1,341.9	2,061.5	3,061.5	4,748.3	7,143.1	11,024.5	18,325.1
	Female	173.6	286.1	463.5	721.1	1,119.6	1,670.9	2,598.6	4,093.5	6,958.0	14,343.2
White	Male	221.1	357.0	592.4	956.1	1,486.4	2,233.9	3,439.7	5,239.9	8,306.0	15,757.0
	Female	280.2	459.1	768.4	1,289.3	1,973.7	2,987.3	4,677.6	7,137.1	10,998.7	18,788.9
All other	Male	153.5	258.0	424.8	669.8	1,058.4	1,609.9	2,521.4	4,039.2	6,892.4	14,579.4
	Female	448.7	649.0	978.6	1,459.7	2,145.3	2,841.8	4,166.3	5,650.3	9,067.5	12,516.1
	Male	630.6	884.4	1,317.7	1,914.6	2,815.0	3,715.9	5,399.4	7,196.6	11,288.3	14,376.6
	Female	294.7	450.6	703.2	1,083.6	1,605.2	2,172.2	3,281.5	4,631.1	7,752.9	11,868.6
Black	Male	536.0	759.4	1,128.6	1,646.3	2,412.6	3,145.0	4,567.4	6,148.9	9,794.8	13,076.0
	Female	766.3	1,053.5	1,535.0	2,147.5	3,165.8	4,111.4	5,972.2	7,668.0	12,227.4	15,046.2
	Male	345.4	520.8	799.1	1,228.5	1,804.1	2,399.2	3,592.0	5,053.7	8,423.5	12,154.7
Shigellosis and amebiasis (004,006)		-	.0	-	.0	.0	.0	.1	.0	.0	.1
	Male	-	.0	-	.0	-	.0	.1	-	.1	-
	Female	-	.0	-	-	-	-	-	-	-	-
White	Male	-	.0	-	.0	.0	.0	.0	.0	.0	.1
	Female	-	-	-	-	.1	.1	-	-	.1	-
All other	Male	-	-	-	-	.0	.0	-	.0	-	-
	Female	-	-	-	-	.0	.0	-	-	-	-
	Male	-	.1	-	-	-	.1	-	-	-	-
	Female	-	.1	-	-	-	.3	-	-	-	-
Black	Male	-	.1	-	-	-	-	-	-	-	-
	Female	-	.2	-	-	-	-	.2	-	-	-
	Male	-	.2	-	-	-	-	.4	-	-	-
	Female	-	.1	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)		.0	.0	.0	.1	.0	.2	.2	.4	.9	2.0
	Male	.0	.1	.1	.1	-	.2	.3	.4	.7	2.1
	Female	.0	.0	.0	.0	.1	.2	.1	.4	1.0	2.0
White	Male	.0	.0	.0	.1	.0	.2	.2	.4	.9	2.0
	Female	.0	.0	.0	.1	-	.2	.3	.5	.7	2.2
All other	Male	.0	.0	.0	.0	.0	.2	.2	.4	1.1	2.0
	Female	.1	.1	.1	.1	.1	.1	.1	.2	.4	1.7
	Male	.1	.1	.2	.2	-	.3	-	-	1.0	1.3
	Female	-	.1	-	-	.2	.2	-	.3	-	1.9
Black	Male	.1	.2	.1	.1	.1	.1	.2	.2	-	2.0
	Female	.2	.2	.2	.2	-	.4	-	-	-	1.5
	Male	-	.1	-	-	.2	.2	-	.4	-	2.2</

SECTION 1 - GENERAL MORTALITY - PAGE 12

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	0.0	-	-	-	-	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	-	0.0	-	-
White	0.0	-	-	-	-	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	-	0.0	-	-
All other	0.0	-	-	-	-	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	-	0.0	-	-
Black	0.0	-	-	-	-	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	-	0.0	-	-
Meningococcal infection (036)1	1.8	0.4	0.1	0.0	0.1	0.0	0.0	0.0	0.0
Male1	2.3	.5	.0	.0	.1	.1	.0	.0	.0
Female1	1.3	.4	.1	.0	.1	.0	.0	.1	.0
White1	1.8	.4	.1	.0	.1	.0	.0	.1	.0
Male1	2.4	.5	.0	.0	.1	.1	.0	.0	.0
Female1	1.1	.4	.1	.0	.1	.0	.0	.1	.0
All other1	2.1	.4	.2	.0	.1	.0	.0	.1	.0
Male1	2.0	.4	.1	.1	.1	.1	.1	.1	.1
Female1	2.3	.4	.3	.1	.1	.1	.1	.1	.1
Black2	2.5	.5	.2	.0	.1	.0	.1	.1	.1
Male1	2.4	.5	.1	.1	.1	.1	.1	.1	.1
Female2	2.5	.5	.3	.1	.1	.1	.1	.1	.1
Septicemia (038)	7.2	8.1	.6	.1	.1	.2	.2	.4	.7	1.0
Male	6.9	9.3	.8	.1	.1	.1	.2	.4	.7	1.2
Female	7.5	6.8	.5	.1	.1	.3	.3	.4	.7	.7
White	6.8	6.3	.6	.1	.1	.2	.2	.3	.5	.7
Male	6.4	7.2	.7	.1	.1	.1	.2	.3	.5	.9
Female	7.2	5.3	.4	.2	.1	.3	.2	.3	.5	.5
All other	9.6	15.8	1.0	.2	.2	.1	.5	1.2	1.9	2.8
Male	9.9	18.2	1.1	.2	.2	.1	.4	1.2	2.1	3.7
Female	9.3	13.4	.8	.1	.3	.2	.6	1.3	1.8	2.1
Black	11.3	19.2	1.1	.2	.2	.2	.6	1.5	2.4	3.5
Male	11.7	22.0	1.3	.2	.1	.1	.4	1.4	2.6	4.8
Female	10.9	16.4	.9	.2	.3	.2	.7	1.6	2.2	2.5
Acute poliomyelitis (045)	0	-	-	-	-	-	-	-	-	-
Male	0	-	-	-	-	-	-	-	-	-
Female	0	-	-	-	-	-	-	-	-	-
White	0	-	-	-	-	-	-	-	-	-
Male	0	-	-	-	-	-	-	-	-	-
Female	0	-	-	-	-	-	-	-	-	-
All other	0	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Measles (055)	0	-	-	-	-	0	0	-	-	-
Male	0	-	-	-	-	0	0	-	-	-
Female	0	-	-	-	-	0	0	-	-	-
White	0	-	-	-	-	0	0	-	-	-
Male	0	-	-	-	-	0	0	-	-	-
Female	0	-	-	-	-	0	0	-	-	-
All other	0	-	-	-	-	0	0	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)4	.2	.1	-	.0	.1	.2	.2	.3	.3
Male5	.3	.1	-	.0	.1	.2	.3	.3	.4
Female3	.1	.0	-	.0	.1	.3	.2	.2	.3
White4	.1	.1	-	.0	.1	.2	.2	.2	.3
Male5	.2	.1	-	.0	.1	.2	.2	.3	.4
Female3	-	.0	-	.0	.1	.3	.1	.1	.2
All other5	.4	.1	-	.0	.3	.3	.4	.6	.6
Male5	.6	.1	-	.2	.2	.2	.4	.6	.5
Female5	.3	.1	-	.1	.3	.3	.4	.6	.6
Black4	.2	.1	-	.0	.3	.3	.5	.6	.5
Male4	.3	.1	-	.3	.3	.3	.5	.6	.5
Female4	-	.1	-	.1	.2	.3	.5	.6	.5
Syphilis (090-097)	0	.2	-	.0	-	-	-	-	.0	.0
Male	0	.2	-	.0	-	-	-	-	.0	.0
Female	0	.2	-	.0	-	-	-	-	.0	.0
White	0	.1	-	.0	-	-	-	-	.0	.0
Male	0	.1	-	.0	-	-	-	-	.0	.0
Female	0	.2	-	.0	-	-	-	-	.0	.0
All other1	.4	-	.0	-	-	-	-	.1	.1
Male1	.6	-	.0	-	-	-	-	.1	.1
Female1	.3	-	.1	-	-	-	-	.1	.1
Black1	.4	-	.0	-	-	-	-	.1	.1
Male1	.7	-	.1	-	-	-	-	.1	.1
Female1	-	-	.1	-	-	-	-	.1	.1

SECTION 1 - GENERAL MORTALITY - PAGE 13

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	0.0	-	-	0.0	-	0.0	0.0	-	0.1
Male	-	-	-	-	-	-	-	-	-	-
Female	-	0.0	-	-	-	-	0.0	-	-	0.1
White	-	0.0	-	-	0.0	-	0.0	-	-	0.1
Male	-	-	-	-	-	-	-	-	-	-
Female	-	0.0	-	-	-	-	0.0	-	-	0.1
All other	-	0.0	-	-	0.0	-	0.0	-	-	0.1
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
Male	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.1	-	-
Female	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.0	0.3	0.4
White	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.4
Male	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.2	-	-
Female	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0	0.3	0.3
All other	0.1	0.2	0.1	-	0.1	0.3	-	-	-	0.4
Male	0.1	-	-	-	-	-	-	-	-	-
Female	-	0.3	0.1	-	0.2	0.5	-	-	-	0.6
Black	0.1	0.2	-	-	0.1	0.4	-	-	-	0.5
Male	0.2	-	-	-	-	-	-	-	-	-
Female	-	0.4	-	-	0.2	0.6	-	-	-	0.7
Septicemia (038)	1.5	2.2	3.8	6.7	11.0	16.8	27.3	47.9	84.0	159.6
Male	1.8	2.7	4.4	8.0	13.9	20.3	36.6	58.8	100.8	180.6
Female	1.2	1.7	3.2	5.5	8.6	13.9	20.4	41.0	75.0	151.2
White	1.2	1.5	3.0	5.4	9.2	14.5	24.5	43.3	76.2	152.1
Male	1.3	1.8	3.4	6.2	11.5	17.8	33.6	52.6	91.4	174.1
Female	1.0	1.2	2.6	4.7	7.1	11.8	17.8	37.3	68.2	143.6
All other	3.8	6.4	9.0	15.9	26.2	36.3	52.5	91.7	169.7	237.3
Male	5.0	8.7	11.5	21.9	33.9	42.3	64.4	114.7	196.1	241.6
Female	2.7	4.5	7.0	11.0	19.9	31.7	44.0	76.5	154.0	236.7
Black	4.8	7.3	10.8	18.5	29.8	40.9	59.2	105.2	186.7	261.3
Male	6.6	9.8	13.6	25.9	38.7	47.1	73.7	135.5	214.3	269.2
Female	3.3	5.2	8.5	12.3	22.7	36.0	49.1	85.9	171.1	257.6
Acute poliomyelitis (045)	0.0	-	-	-	-	0.0	-	-	-	-
Male	0.0	-	-	-	-	0.0	-	-	-	-
Female	-	-	-	-	-	0.0	-	-	-	-
White	0.0	-	-	-	-	0.0	-	-	-	-
Male	0.0	-	-	-	-	0.0	-	-	-	-
Female	-	-	-	-	-	0.0	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Measles (055)	0.0	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	0.0	-	-	-	-	-	-	-	-	-
White	0.0	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	0.0	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4.4	5.5	4.4	6.8	9.9	12.2	14.4	14.4	13.3	12.2
Male	5.5	8.8	5.7	7.7	12.2	16.6	17.7	18.8	15.5	17.7
Female	3.3	4.4	3.3	6.6	8.8	9.9	11.1	11.1	11.1	10.0
White	3.3	5.5	3.3	6.6	8.8	12.2	13.3	15.5	12.2	12.2
Male	4.4	7.7	5.7	7.7	11.1	16.6	17.7	20.0	14.4	17.7
Female	2.2	2.2	2.2	6.6	6.6	8.8	11.1	11.1	11.1	10.0
All other	6.6	11.1	10.0	7.7	11.1	16.6	16.6	16.6	14.4	13.3
Male	8.8	11.1	9.9	7.7	17.7	16.6	19.9	-	19.9	13.3
Female	5.5	10.0	11.1	7.7	6.6	16.6	14.4	10.0	11.1	13.3
Black	4.4	7.7	8.8	5.7	7.7	16.6	8.8	2.2	17.7	10.0
Male	5.5	9.9	4.4	4.4	9.9	14.4	12.2	-	24.4	15.5
Female	4.4	6.6	11.1	5.7	6.6	17.7	5.5	4.4	13.3	7.7
Syphilis (090-097)	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.3	0.5
Male	0.0	-	0.0	0.1	0.1	0.1	0.1	0.3	0.4	1.0
Female	-	0.0	0.0	-	0.0	0.0	0.1	0.1	0.2	0.3
White	0.0	-	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.4
Male	0.0	-	0.0	0.1	0.0	-	0.1	0.2	0.5	0.9
Female	-	-	-	-	-	0.0	0.1	0.2	0.1	0.2
All other	-	0.1	0.1	0.1	0.3	0.4	0.3	0.6	0.7	2.1
Male	-	-	0.2	0.3	0.6	0.9	0.6	1.4	-	2.6
Female	-	0.1	0.1	-	0.2	-	-	-	1.1	1.9
Black	-	0.1	0.2	0.2	0.4	0.4	0.3	0.7	0.9	2.5
Male	-	-	0.2	0.4	0.7	0.8	0.8	1.7	-	3.1
Female	-	0.1	0.2	-	0.2	-	-	-	1.3	2.2

SECTION 1 - GENERAL MORTALITY - PAGE 14

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3.1	6.1	0.6	0.3	0.2	0.4	0.8	2.0	3.2	4.0
Male	4.1	6.4	.7	.4	.2	.3	1.2	3.1	5.5	6.7
Female	2.2	5.8	.6	.2	.2	.4	.3	.9	1.0	1.3
White	2.9	4.9	.6	.3	.2	.3	.6	1.7	2.6	3.2
Male	3.8	5.1	.6	.4	.2	.3	1.0	2.7	4.6	5.7
Female	2.1	4.6	.6	.2	.2	.3	.3	.7	.6	.7
All other	4.3	11.5	.9	.3	.1	.4	1.5	3.8	6.8	8.4
Male	5.7	12.0	1.1	.4	—	.5	2.5	5.6	10.9	13.3
Female	3.1	10.9	.7	.3	.1	.4	.6	2.1	3.1	4.3
Black	4.9	13.1	.8	.4	.1	.5	1.8	4.5	8.3	10.4
Male	6.6	12.9	1.3	.5	—	.6	2.9	6.7	13.6	16.6
Female	3.4	13.2	.4	.3	.2	.5	.7	2.6	3.8	5.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	193.3	3.0	3.8	3.6	3.4	4.6	6.1	9.4	17.0	31.9
Male	212.6	2.9	4.3	4.0	3.8	5.6	7.2	10.3	16.0	28.7
Female	175.1	3.2	3.3	3.2	3.0	3.6	5.0	8.5	18.0	35.0
White	200.1	3.1	4.0	3.7	3.4	4.8	6.1	9.3	16.5	30.5
Male	217.2	3.1	4.4	4.2	3.7	5.8	7.2	10.2	15.9	27.5
Female	183.7	3.0	3.5	3.3	3.0	3.7	4.9	8.4	17.1	33.4
All other	155.2	3.0	3.2	3.1	3.3	4.1	6.3	9.8	19.8	40.8
Male	185.6	2.2	3.7	3.3	3.9	5.1	7.2	10.6	16.7	36.5
Female	127.5	3.7	2.6	2.8	2.8	3.1	5.4	9.1	22.6	44.4
Black	176.3	3.4	2.9	3.2	3.5	4.1	6.5	10.5	22.1	45.9
Male	212.2	2.4	3.3	3.3	3.9	5.2	7.6	11.4	18.6	41.2
Female	143.9	4.3	2.5	3.0	3.0	3.0	5.6	9.7	25.2	49.9
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.5	.0	.0	.0	.0	.1	.1	.1	.2	.6
Male	4.8	—	—	.0	.0	.0	.1	.1	.3	.8
Female	2.2	.1	.0	.0	.0	.1	.0	.1	.1	.4
White	3.4	.0	.0	.0	.0	.0	.1	.1	.2	.4
Male	4.6	—	—	—	.0	.0	.1	.1	.3	.6
Female	2.3	.1	.0	.0	—	.1	.0	.1	.1	.2
All other	3.8	—	.0	.0	.0	.1	.1	.2	.5	1.5
Male	5.9	—	—	.1	—	.1	.2	.1	.9	1.7
Female	1.8	—	—	—	.1	.1	.1	.3	.1	1.3
Black	4.3	—	—	.0	.0	.1	.1	.2	.6	1.6
Male	6.9	—	—	.1	—	.1	.1	.1	1.1	2.0
Female	2.0	—	—	—	.1	.1	.1	.3	.2	1.4
Malignant neoplasms of digestive organs and peritoneum (150-159)	48.8	.2	.2	.1	.1	.2	.5	.9	2.4	4.8
Male	52.7	.1	.2	.1	.1	.2	.6	1.0	2.6	5.7
Female	45.2	.3	.1	.0	.1	.1	.4	.8	2.2	3.9
White	49.9	.2	.2	.1	.1	.1	.4	.8	2.1	4.4
Male	53.2	.1	.2	.1	.1	.2	.5	.9	2.2	5.1
Female	46.7	.3	.1	.0	.1	.1	.3	.7	1.9	3.6
All other	43.0	—	.1	.1	.1	.4	.8	1.6	4.2	7.5
Male	49.4	—	.1	.2	.1	.5	.8	2.0	4.7	9.7
Female	37.2	—	.2	—	.1	.4	.8	1.2	3.8	5.6
Black	47.5	—	.1	.1	.2	.5	.8	1.5	4.2	7.6
Male	54.2	—	—	.2	.1	.6	.9	2.2	4.6	9.9
Female	41.5	—	.2	—	.2	.4	.7	1.0	3.7	5.7
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	53.3	.1	.0	.0	.0	.1	.2	.4	1.1	4.0
Male	75.3	.1	.0	.0	.0	.1	.2	.5	1.3	5.1
Female	32.5	.2	.0	.0	.0	.1	.1	.3	1.0	2.9
White	55.5	.1	.0	.0	.0	.1	.2	.4	1.0	3.8
Male	77.3	—	.0	.0	.0	.1	.2	.4	1.1	4.8
Female	34.6	.2	.1	.0	.0	.1	.1	.3	.9	3.0
All other	41.1	.3	—	.0	.0	.1	.3	.7	1.7	5.4
Male	63.8	.3	—	—	.1	.4	1.0	2.3	8.8	17.3
Female	20.5	.3	—	.1	—	.1	.4	1.3	2.5	6.5
Black	47.5	.4	—	.0	.0	.1	.3	.6	2.1	6.5
Male	74.5	.3	—	—	.1	.1	.4	1.2	2.7	10.6
Female	23.3	.4	—	.1	—	—	.2	.5	1.6	3.0
Malignant neoplasm of breast (174-175)	16.9	.1	—	—	—	—	.1	.5	2.5	6.8
Male	.2	—	—	—	—	—	.0	.0	.0	.1
Female	32.7	.1	—	—	—	—	.2	1.0	5.1	13.0
White	17.8	.1	—	—	—	—	.1	.5	2.3	6.2
Male	.3	—	—	—	—	—	.0	.0	—	.1
Female	34.6	.1	—	—	—	—	.1	1.0	4.7	12.2
All other	11.8	—	—	—	—	—	.2	.6	3.8	9.3
Male	.2	—	—	—	—	—	—	—	.1	—
Female	22.4	—	—	—	—	—	.3	1.1	6.8	17.3
Black	13.6	—	—	—	—	—	.2	.7	4.3	11.2
Male	.2	—	—	—	—	—	—	—	.1	—
Female	25.6	—	—	—	—	—	.4	1.3	7.9	20.5
Malignant neoplasms of genital organs (179-187)	20.8	—	.0	.0	.0	.2	.5	1.1	1.8	2.9
Male	22.9	—	.0	—	.0	.2	.6	.8	.8	.6
Female	18.8	—	—	.0	.0	.3	.4	1.4	2.7	5.2
White	20.8	—	.0	—	.0	.2	.5	1.1	1.7	2.6
Male	22.3	—	.1	—	.0	.2	.7	.8	.9	.6
Female	19.3	—	—	—	.0	.3	.4	1.3	2.4	4.6
All other	21.1	—	—	.0	.0	.2	.3	1.2	2.3	4.7
Male	26.4	—	—	—	.1	.1	.1	.5	.3	.6
Female	16.3	—	—	.1	—	.4	.6	1.8	4.1	8.2
Black	24.7	—	—	.0	.0	.3	.4	1.2	2.7	5.0
Male	31.7	—	—	—	.1	.1	.1	.3	.4	.6
Female	18.4	—	—	.1	—	.4	.6	2.0	4.8	8.8

SECTION 1 - GENERAL MORTALITY - PAGE 15

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3.4	3.3	3.4	3.9	4.9	6.5	8.3	10.4	12.3	21.2
Male	5.6	5.0	4.8	5.1	5.8	8.4	10.2	13.4	16.6	25.2
Female	1.2	1.7	2.2	2.8	4.1	4.9	6.9	8.5	10.0	19.6
White	3.0	2.7	3.0	3.5	4.6	6.0	8.0	10.3	12.3	21.5
Male	5.1	4.2	4.2	4.8	5.7	7.8	10.0	13.2	16.3	25.6
Female9	1.3	1.8	2.3	3.7	4.5	6.5	8.5	10.2	19.9
All other	6.1	7.1	6.4	7.3	7.0	10.5	11.0	11.2	12.6	17.8
Male	9.7	10.2	8.7	8.2	6.9	13.4	12.7	15.2	20.4	22.1
Female	3.0	4.5	4.6	6.6	7.1	8.2	9.8	8.6	8.0	15.8
Black	7.7	8.3	7.5	8.0	7.7	10.1	10.8	11.3	12.0	17.6
Male	12.3	12.1	10.1	9.4	7.3	12.7	12.4	15.1	19.0	23.1
Female	3.9	5.2	5.4	6.8	8.1	8.1	9.7	8.9	8.1	15.1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	63.2	122.1	219.2	361.4	542.5	730.9	972.1	1,185.9	1,437.8	1,591.5
Male	59.5	119.8	233.3	416.4	651.7	925.5	1,297.3	1,685.6	2,126.6	2,413.7
Female	66.8	124.2	206.0	311.7	447.5	571.1	731.9	868.1	1,072.1	1,262.9
White	59.4	115.8	208.5	348.6	528.3	722.5	960.0	1,181.8	1,419.8	1,594.7
Male	54.7	110.5	215.3	395.0	626.6	903.4	1,268.9	1,672.5	2,090.6	2,424.5
Female	64.0	121.0	201.9	306.1	442.1	572.7	730.7	871.2	1,067.6	1,270.9
All other	87.6	161.0	290.5	456.8	658.4	802.1	1,082.4	1,224.7	1,637.2	1,550.8
Male	92.7	182.7	362.6	585.2	866.9	1,120.6	1,558.4	1,804.7	2,494.2	2,348.1
Female	83.3	142.8	231.5	351.2	490.3	557.8	740.8	840.0	1,129.9	1,172.2
Black	102.1	185.7	331.4	513.5	734.8	886.4	1,182.4	1,329.0	1,762.7	1,636.3
Male	110.7	214.6	422.0	654.5	973.1	1,245.7	1,731.7	1,991.3	2,744.0	2,507.7
Female	95.1	162.4	257.9	396.0	542.2	609.7	801.1	907.0	1,209.4	1,228.8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1.5	3.3	5.4	8.9	11.7	14.5	16.1	16.3	17.0	20.5
Male	2.2	5.2	8.5	14.0	17.8	21.9	26.2	27.2	28.3	32.2
Female8	1.5	2.5	4.3	6.4	8.5	8.6	9.3	10.9	15.8
White	1.0	2.5	4.4	7.9	10.9	14.2	16.2	16.2	16.9	21.4
Male	1.3	3.8	6.7	12.3	15.9	21.0	26.3	26.8	28.3	33.7
Female6	1.3	2.2	3.9	6.5	8.5	8.8	9.5	10.9	16.6
All other	4.8	8.4	11.9	16.0	18.4	17.5	15.0	16.9	17.7	11.0
Male	8.0	14.8	21.4	27.1	33.9	29.3	25.7	31.3	29.1	19.5
Female	2.2	3.1	4.2	6.8	5.9	8.4	7.3	7.3	10.9	7.0
Black	5.8	10.3	14.4	18.5	20.8	19.6	15.8	17.6	15.9	10.3
Male	9.8	18.3	25.9	31.5	39.0	33.2	27.4	33.1	25.0	20.0
Female	2.4	3.8	5.0	7.7	6.1	9.1	7.8	7.8	10.7	5.8
Malignant neoplasms of digestive organs and peritoneum (150-159)	10.6	23.5	44.1	79.0	122.4	176.5	254.0	332.2	441.4	537.9
Male	13.2	29.2	55.1	101.9	158.2	228.8	330.6	429.4	582.9	656.8
Female	8.0	18.0	33.8	58.3	91.2	133.6	197.3	270.3	376.8	490.4
White	9.4	20.8	40.1	73.5	115.4	171.2	246.5	327.8	434.8	538.0
Male	11.6	25.4	49.4	94.6	148.6	220.8	320.2	425.1	555.7	664.2
Female	7.2	16.4	31.1	54.2	86.2	130.0	191.8	266.3	371.3	489.0
All other	18.3	40.0	70.8	120.3	179.9	222.1	321.8	373.1	514.8	534.7
Male	24.5	55.3	95.8	159.7	240.3	299.5	427.3	469.2	636.9	598.7
Female	13.1	27.0	50.3	87.8	131.2	162.7	248.0	309.8	442.5	507.0
Black	20.1	43.7	78.7	130.2	194.3	236.4	342.4	398.4	547.2	554.9
Male	27.4	60.0	107.0	169.9	260.8	317.7	458.8	496.5	677.4	618.5
Female	14.1	30.5	55.8	97.2	140.5	173.7	263.0	335.9	473.8	525.2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	13.3	34.4	72.3	127.5	190.2	247.0	294.3	303.5	279.6	202.0
Male	17.5	45.2	98.2	183.5	281.1	380.7	483.2	557.2	562.5	450.2
Female	9.3	24.2	48.2	77.0	111.0	137.1	154.7	142.2	129.5	102.7
White	12.2	32.8	68.8	123.2	186.2	247.2	294.0	307.2	280.4	202.4
Male	15.6	41.7	90.3	173.9	271.4	374.6	477.6	561.8	564.0	459.1
Female	8.9	24.2	48.3	76.9	111.4	141.7	157.8	146.1	131.6	102.1
All other	20.5	44.3	95.7	159.2	222.4	245.0	296.9	268.5	270.4	196.2
Male	30.9	68.6	154.7	258.9	364.0	434.6	534.3	514.7	546.6	375.3
Female	11.6	23.8	47.5	77.3	107.8	99.1	126.7	104.4	106.9	110.1
Black	25.2	52.5	113.5	184.3	253.3	273.1	324.2	288.9	285.8	201.0
Male	39.1	84.0	184.8	297.8	414.1	489.2	598.5	573.8	596.4	390.8
Female	13.7	26.9	55.7	89.7	123.2	107.2	133.8	107.4	110.7	112.2
Malignant neoplasm of breast (174-175)	11.9	19.9	28.7	39.7	49.7	55.9	67.0	79.9	99.2	126.8
Male1	.2	.3	.5	.7	.9	1.2	1.9	2.9	3.9
Female	23.1	38.7	55.2	75.0	92.3	101.0	115.6	129.6	150.3	175.9
White	11.3	19.4	28.6	39.4	50.0	57.0	68.1	81.8	101.0	129.5
Male1	.3	.3	.5	.7	.9	1.2	1.9	2.9	3.6
Female	22.3	37.9	55.5	75.0	93.3	103.4	117.7	132.4	152.4	178.9
All other	15.2	23.4	29.4	41.4	46.8	46.3	57.3	62.0	80.1	97.5
Male	-	-	.2	.7	.7	.7	1.6	1.9	2.9	6.5
Female	28.0	43.0	53.3	75.0	84.2	81.6	97.3	102.5	125.9	142.4
Black	18.4	27.6	32.7	46.6	51.7	52.9	64.2	69.2	89.3	106.4
Male	-	-	.2	.8	.9	.6	1.9	2.3	3.6	7.7
Female	33.7	50.2	59.0	84.7	92.8	92.8	107.5	111.9	137.6	152.5
Malignant neoplasms of genital organs (179-187)	5.2	8.9	15.4	25.0	43.5	69.8	109.5	156.6	215.0	247.5
Male8	1.3	5.1	14.1	35.0	76.7	150.2	262.7	430.0	605.0
Female	9.4	16.0	25.1	34.8	50.9	64.2	79.4	89.2	100.9	104.6
White	5.0	8.5	14.1	23.7	40.8	65.6	102.6	147.8	202.2	236.9
Male9	1.1	4.1	12.1	31.1	69.0	136.1	243.0	399.6	577.8
Female	9.0	15.7	23.7	34.3	49.2	62.8	77.7	87.4	98.6	103.6
All other	6.7	11.2	24.1	34.9	65.9	105.3	171.9	240.4	355.2	357.6
Male6	2.9	12.6	30.1	68.0	144.1	279.4	442.2	739.8	858.4
Female	11.9	18.2	33.5	38.8	64.3	75.6	94.8	106.0	127.6	115.8
Black	7.3	12.7	26.8	39.7	75.4	120.4	196.5	272.2	398.3	389.2
Male8	3.6	15.0	35.5	80.6	167.6	327.8	514.5	858.3	952.3
Female	12.7	20.3	36.4	43.3	71.1	84.1	105.4	117.8	138.9	125.9

SECTION 1 - GENERAL MORTALITY - PAGE 16

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.										
Malignant neoplasms of urinary organs (188-189)	7.9	0.3	0.1	0.2	0.1	0.1	0.0	0.1	0.2	0.8
Male	10.5	.3	.1	.1	.1	.1	0	.1	.3	1.0
Female	5.5	.3	.1	.2	.1	.1	0	.1	.2	.7
White	8.5	.2	.1	.2	0	0	0	.1	.2	.6
Male	11.3	.2	.1	.1	0	0	0	.1	.2	.7
Female	5.8	.1	.1	.2	0	0	0	.1	.2	.9
All other	4.8	.7	.3	.2	.1	.1	.2	.3	.4	.6
Male	6.1	.6	.3	.1	.1	.1	.3	.4	.5	1.1
Female	3.5	.9	.4	.2	.1	.1	.2	.3	.4	1.5
Black	5.5	.9	.3	.2	.2	.1	.2	.4	.5	1.7
Male	7.0	.7	.2	.2	.1	.1	.1	.4	.5	1.7
Female	4.1	1.1	.5	.2	.2	.1	.3	.3	.2	.9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	24.3	1.4	2.0	1.6	1.4	2.0	2.2	3.2	5.0	7.5
Male	26.7	1.8	2.1	1.8	1.5	2.4	2.6	4.1	6.2	9.3
Female	22.0	1.0	1.9	1.5	1.3	1.5	1.8	2.3	3.9	5.7
White	25.4	1.5	2.1	1.7	1.4	2.0	2.2	3.4	5.3	7.6
Male	27.7	2.0	2.3	1.9	1.5	2.4	2.6	4.3	6.5	9.4
Female	23.2	1.0	2.0	1.5	1.3	1.7	1.9	2.5	4.0	5.8
All other	17.8	.8	1.4	1.4	1.2	1.6	2.1	2.0	3.7	6.4
Male	20.4	.6	1.4	1.3	1.1	2.3	2.5	2.7	4.0	8.3
Female	15.4	1.1	1.4	1.5	1.2	.8	1.7	1.4	3.5	4.8
Black	20.1	1.1	1.5	1.5	1.2	1.6	2.2	2.2	4.4	7.2
Male	23.1	.7	1.4	1.4	1.1	2.4	2.6	2.9	4.8	9.4
Female	17.4	1.4	1.5	1.6	1.2	.8	1.8	1.6	4.0	5.4
Leukemia (204-208)	7.3	.8	1.3	1.5	1.5	1.4	1.3	1.4	1.6	2.0
Male	8.1	.6	1.5	1.7	1.7	1.7	1.5	1.6	1.8	2.4
Female	6.4	1.0	1.0	1.2	1.3	1.0	1.0	1.3	1.5	1.6
White	7.7	.9	1.3	1.5	1.4	1.5	1.3	1.4	1.7	2.0
Male	8.6	.6	1.5	1.8	1.6	1.9	1.5	1.5	1.9	2.5
Female	6.9	1.1	1.1	1.3	1.3	1.1	1.0	1.3	1.5	1.6
All other	4.5	.7	1.2	1.2	1.6	1.0	1.2	1.5	1.4	1.9
Male	5.2	.6	1.8	1.4	1.9	1.1	1.5	1.8	1.4	1.8
Female	3.8	.9	.5	1.0	1.2	.9	1.0	1.3	1.5	2.1
Black	4.9	.5	.9	1.2	1.5	.8	1.2	1.5	1.3	2.1
Male	5.6	.3	1.6	1.4	1.9	.9	1.5	1.7	1.2	2.0
Female	4.2	.7	.3	1.0	1.2	.8	1.0	1.3	1.4	2.1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.5	.1	.2	.2	.3	.7	1.2	1.6	2.0	2.8
Male	11.3	.1	.2	.3	.4	.9	1.6	2.1	2.7	3.8
Female	9.8	.2	.2	.1	.2	.9	1.1	1.4	1.7	1.7
White	11.1	.1	.2	.2	.3	.7	1.3	1.6	2.1	2.7
Male	11.8	.1	.2	.3	.4	.9	1.6	2.0	2.7	3.7
Female	10.4	.1	.2	.2	.2	.4	1.0	1.1	1.3	1.7
All other	7.3	.4	.1	.1	.3	.6	1.1	1.7	2.0	3.0
Male	8.0	.3	.1	.2	.4	.7	1.8	2.3	2.7	4.3
Female	6.7	.6	.1	.1	.1	.4	.5	1.2	1.5	1.8
Black	8.2	.5	.1	.1	.3	.6	1.1	2.0	2.3	3.4
Male	9.0	.3	.2	.2	.5	.8	1.8	2.6	3.2	5.1
Female	7.5	.7	-	.1	.2	.4	.5	1.4	1.5	2.0
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2.8	1.6	.5	.3	.2	.3	.2	.5	.4	.8
Male	2.6	1.1	.6	.3	.2	.3	.3	.5	.4	.8
Female	3.0	2.1	.3	.3	.3	.3	.2	.4	.5	.7
White	2.9	1.6	.5	.3	.2	.3	.2	.5	.4	.8
Male	2.7	1.1	.6	.3	.2	.2	.2	.4	.4	.7
Female	3.1	2.2	.3	.2	.2	.2	.5	.4	.8	.8
All other	2.4	1.6	.6	.3	.3	.3	.4	.4	.5	.9
Male	2.2	1.4	.5	.2	.4	.4	.3	.4	.5	.8
Female	2.6	1.7	.6	.4	.3	.4	.5	.4	.6	1.0
Black	2.7	1.6	.6	.3	.3	.5	.4	.5	.7	.8
Male	2.4	1.4	.5	.2	.3	.5	.4	.5	.7	.8
Female	2.9	1.8	.7	.5	.2	.5	.3	.4	.5	1.2
Diabetes mellitus (250)	15.5	.1	.1	.1	.1	.2	.4	1.0	1.6	3.0
Male	13.1	-	.0	.1	.1	.1	.4	1.0	2.1	3.8
Female	17.7	.1	.1	.0	.1	.3	.4	1.0	1.2	2.3
White	14.9	.0	.1	.1	.1	.2	.3	.9	1.5	2.8
Male	12.9	-	.1	.1	.0	.1	.3	1.0	1.9	3.5
Female	16.9	.1	.1	.1	.1	.2	.3	.9	1.1	2.1
All other	18.5	.1	-	.0	.3	.4	.9	1.3	2.2	4.6
Male	14.6	-	-	.1	.4	.4	.9	1.1	2.9	5.6
Female	22.1	.3	-	.1	.2	.4	.8	1.4	1.8	3.7
Black	21.1	-	-	.0	.3	.5	1.0	1.6	2.7	5.6
Male	16.3	-	-	.1	.4	.4	1.1	1.4	3.7	6.8
Female	25.5	-	-	-	.2	.5	1.0	1.8	1.8	4.6
Nutritional deficiencies (260-269)	1.2	.8	.0	.0	.0	.0	.0	.0	.0	.1
Male	.9	.7	.0	.0	.0	.0	.0	.0	.0	.1
Female	1.5	.9	.0	.0	.0	.0	.0	.0	.0	.1
White	1.2	.7	.0	.0	.0	.0	.0	.0	.0	.1
Male	.9	.6	.0	.0	.0	.0	.0	.0	.0	.1
Female	1.5	.7	-	-	.0	.0	.0	.0	.0	.1
All other	1.1	1.4	.1	.0	.0	.0	.0	.0	.0	.0
Male	1.0	1.4	-	-	-	-	-	.1	.1	.2
Female	1.1	1.4	.2	.1	-	-	-	.1	.1	.3
Black	1.2	1.8	.1	.0	-	-	-	.1	.1	.3
Male	1.1	1.7	-	-	-	-	-	.2	.1	.3
Female	1.3	1.8	.2	.1	-	-	-	.2	.1	.3

SECTION 1 - GENERAL MORTALITY - PAGE 17

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.										
Malignant neoplasms of urinary organs (188-189)	1.8	3.5	7.0	11.4	18.7	27.3	41.2	54.7	75.8	98.7
Male	2.3	5.2	10.0	17.0	27.7	41.8	63.4	92.3	131.9	182.7
Female	1.2	1.9	4.2	6.3	10.8	15.3	24.9	30.9	46.1	62.3
White	1.7	3.5	7.1	11.6	18.8	27.5	41.9	55.6	76.4	99.6
Male	2.3	5.2	9.9	17.5	28.1	42.3	64.6	94.7	133.8	191.4
Female	1.2	1.8	4.4	6.2	10.7	15.2	25.1	30.9	46.2	63.7
All other	2.0	3.7	6.4	9.9	17.1	25.5	35.0	48.7	70.0	86.1
Male	2.5	5.1	10.2	13.3	24.7	37.2	51.7	70.6	112.6	166.5
Female	1.6	2.5	3.2	7.0	10.9	16.6	23.0	30.8	44.8	66.8
Black	2.5	4.2	7.0	10.8	19.6	28.6	38.8	51.1	77.7	98.1
Male	3.1	6.0	10.9	14.8	27.8	42.7	57.9	77.3	128.6	199.2
Female	2.0	2.7	3.8	7.5	12.9	17.8	25.5	34.4	49.0	68.9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)										
Male	11.5	18.2	30.3	44.7	66.0	81.6	107.5	129.9	164.2	198.7
Female	13.9	21.1	37.0	55.4	81.6	102.2	138.0	169.0	213.6	256.8
White	9.2	15.3	24.1	35.0	52.3	64.6	84.9	105.0	138.0	175.5
Male	11.4	18.1	29.2	44.1	65.8	81.0	107.6	130.0	162.5	201.0
Female	13.6	21.0	35.4	54.2	81.3	101.4	137.6	169.2	211.6	259.9
All other	9.2	15.2	23.4	34.9	52.2	64.1	85.3	105.2	136.7	178.1
Male	12.4	18.7	37.7	48.8	67.1	86.8	106.4	129.2	163.8	174.2
Female	16.3	22.0	48.8	64.5	84.3	109.9	141.3	167.8	234.0	232.5
Black	9.1	16.0	28.6	36.0	53.3	69.2	81.3	103.8	154.0	146.8
Male	13.9	22.2	42.7	54.5	75.6	115.2	136.7	177.3	252.4	249.2
Female	18.8	26.6	57.8	71.1	95.9	121.9	154.1	177.3	252.4	249.2
Male	9.8	18.7	30.4	40.8	59.1	77.1	88.2	110.7	159.1	159.0
Leukemia (204-208)										
Male	3.2	4.2	5.8	9.1	14.3	21.6	30.9	44.2	60.2	77.3
Female	3.7	4.5	7.0	11.0	18.3	28.1	41.9	61.1	86.7	113.1
White	2.6	3.8	4.7	7.5	10.9	16.2	22.7	33.5	46.1	63.0
Male	3.1	4.2	5.9	9.1	14.4	22.0	31.2	46.1	60.8	80.3
Female	3.6	4.5	6.9	10.9	18.5	28.8	42.5	63.4	87.5	118.4
All other	2.7	3.8	5.0	7.5	10.8	16.4	22.9	35.1	46.8	65.4
Male	3.2	4.1	5.2	9.3	13.6	17.9	27.5	26.8	53.4	45.3
Female	4.2	4.5	7.8	11.3	16.5	21.7	36.5	39.8	77.7	66.2
Black	2.3	3.8	3.2	7.6	11.2	15.0	21.0	18.1	39.1	35.4
Male	3.7	4.2	5.5	10.1	14.2	19.8	29.9	27.8	59.2	49.0
Female	5.2	5.2	8.0	12.2	16.4	24.1	40.2	41.9	88.1	73.8
Male	2.5	3.5	3.5	8.3	12.3	16.5	22.8	18.9	43.0	37.4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)										
Male	4.3	6.3	10.1	16.1	26.1	36.8	51.7	68.5	85.4	84.2
Female	5.7	7.9	12.2	19.1	31.2	44.4	62.6	84.7	107.8	113.1
White	3.0	4.7	8.2	13.4	21.6	30.6	43.7	58.1	73.4	72.6
Male	4.2	6.1	10.3	16.0	25.9	37.0	51.8	69.2	84.8	85.6
Female	5.6	7.6	12.3	19.0	30.8	44.5	62.8	86.6	107.1	116.4
All other	2.9	4.6	8.3	13.2	21.6	30.7	43.7	58.3	73.1	73.6
Male	4.5	7.2	9.4	17.0	27.2	35.6	50.7	61.1	91.7	68.2
Female	5.8	9.6	11.2	19.6	34.5	43.4	60.6	67.3	114.6	84.4
Black	3.4	5.3	7.9	14.9	21.4	29.6	43.5	57.1	78.2	60.8
Male	5.3	8.0	10.1	18.8	30.1	38.9	55.4	67.0	96.6	69.6
Female	6.6	10.8	12.5	21.0	37.6	48.8	67.2	74.4	114.3	86.2
Male	4.2	5.8	8.2	17.0	24.1	31.4	47.2	62.2	86.6	61.9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)										
Male	1.0	1.5	2.3	3.4	5.2	7.5	12.6	17.1	27.0	38.3
Female	1.2	1.5	2.7	3.8	5.5	8.2	13.6	19.7	29.5	43.5
White9	1.5	1.8	3.1	4.9	7.0	11.9	15.4	25.6	36.3
Male9	1.3	2.1	3.2	4.9	7.2	12.1	17.1	26.9	39.2
Female	1.0	1.3	2.6	3.8	5.3	7.9	13.2	19.4	30.0	45.5
All other8	1.4	1.7	2.7	4.6	6.7	11.3	15.6	25.3	36.7
Male	2.0	2.4	3.1	4.9	7.0	10.2	17.1	16.9	27.4	29.7
Female	2.5	2.7	3.6	3.9	6.6	10.9	16.8	22.3	25.2	26.0
Black	1.5	2.2	2.8	5.7	7.3	9.6	17.3	13.3	28.7	31.6
Male	2.3	2.9	3.7	5.7	7.8	11.4	18.0	18.3	28.3	28.9
Female	2.9	3.4	4.3	4.6	7.1	12.2	17.8	25.0	25.0	21.5
Male	1.8	2.6	3.3	6.7	8.5	10.8	18.2	14.1	30.2	32.4
Diabetes mellitus (250)										
Male	4.5	6.6	11.1	19.2	33.1	48.7	73.5	110.2	157.7	214.9
Female	5.4	7.7	12.1	20.0	33.0	48.6	75.5	112.0	160.0	205.7
White	3.6	5.6	10.2	18.5	33.2	48.8	71.9	109.1	158.4	218.6
Male	3.8	5.2	9.1	16.2	28.6	43.1	67.2	101.9	149.1	211.3
Female	4.6	6.2	10.5	18.0	29.7	44.9	71.9	106.2	154.9	206.0
All other	3.1	4.2	7.9	14.7	27.7	41.6	63.8	99.2	146.0	213.5
Male	8.4	15.7	24.4	41.5	69.7	96.9	129.7	188.8	252.3	251.7
Female	11.0	17.5	24.0	36.5	61.6	81.8	108.9	164.9	211.7	205.2
Black	6.2	14.3	24.7	45.6	76.3	108.7	144.6	205.4	276.4	275.9
Male	10.3	18.6	27.9	45.3	76.8	105.5	142.4	208.6	277.7	261.3
Female	13.3	21.0	27.4	38.5	66.5	87.0	116.2	180.2	231.0	203.1
Male	7.7	16.6	28.2	50.9	85.1	119.5	160.6	226.7	304.0	288.5
Nutritional deficiencies (260-269)										
Male1	.2	.3	.5	.7	1.5	2.9	6.1	16.3	49.9
Female1	.2	.2	.6	.9	1.7	3.5	6.8	18.4	51.1
White1	.1	.4	.5	.5	1.4	2.5	5.7	15.2	49.5
Male1	.1	.3	.5	.6	1.3	2.6	5.8	15.4	50.3
Female1	.1	.2	.5	.8	1.5	3.0	6.4	17.2	52.2
All other0	.1	.4	.4	.5	1.2	2.3	5.4	14.4	49.5
Male3	.6	.4	1.0	1.4	3.3	6.0	9.1	26.4	46.2
Female2	.8	.6	1.5	2.1	3.0	8.9	10.9	30.1	41.6
Black4	.3	.3	.7	.9	3.6	3.9	7.9	24.1	48.7
Male4	.6	.3	1.2	1.7	3.8	6.3	9.7	27.0	48.5
Female3	.9	.6	1.6	2.5	3.6	9.7	12.2	29.8	38.5
Male5	.4	.2	.8	1.1	4.0	4.0	8.1	25.5	53.2

SECTION 1 - GENERAL MORTALITY - PAGE 18

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total ¹	Under 1 year ²	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	1.5	0.5	0.4	0.2	0.2	0.2	0.3	0.4	0.4	0.3
Male	1.4	.7	.4	.2	.2	.3	.3	.4	.4	.3
Female	1.7	.2	.4	.2	.2	.2	.2	.3	.3	.3
White	1.4	.2	.1	.1	.1	.1	.1	.1	.2	.1
Male	1.3	.3	.1	.1	.1	.1	.1	.2	.2	.1
Female	1.6	.2	.1	.1	.1	.2	.1	.1	.1	.1
All other	2.1	1.4	1.7	.5	.7	.7	1.2	1.6	1.5	1.6
Male	2.2	2.5	1.5	.5	.7	1.1	1.5	1.8	1.9	1.7
Female	2.1	.3	1.9	.4	.6	.4	1.0	1.4	1.2	1.6
Black	2.5	1.2	2.1	.5	.8	.9	1.5	1.9	2.0	2.1
Male	2.5	2.4	1.9	.5	.9	1.3	1.8	2.2	2.4	2.2
Female	2.4	-	2.3	.5	.7	.4	1.2	1.7	1.6	1.9
Meningitis (320-322)	.5	6.9	1.1	.1	.1	.1	.1	.1	.2	.1
Male	.5	7.4	1.4	.1	.1	.1	.1	.2	.2	.1
Female	.5	6.3	.8	.2	.1	.0	.0	.1	.1	.1
White	.4	5.1	1.0	.1	.1	.1	.0	.1	.1	.1
Male	.5	5.5	1.3	.1	.2	.1	.1	.1	.2	.1
Female	.4	4.7	.7	.2	.1	.0	.0	.1	.1	.1
All other	.9	14.4	1.6	.2	.1	.1	.2	.3	.4	.2
Male	1.1	15.7	1.8	.1	.1	.2	.2	.7	.7	.3
Female	.8	13.1	1.3	.3	.1	.1	.2	.1	.2	.2
Black	1.0	15.3	1.8	.2	.2	.2	.2	.4	.5	.3
Male	1.2	16.4	2.0	.2	.1	.3	.2	.8	.7	.3
Female	.9	14.2	1.5	.2	.2	.1	.2	-	.2	.3
Major cardiovascular diseases (390-448)	409.6	28.9	2.5	1.1	1.5	2.9	4.6	7.7	14.3	30.9
Male	417.6	32.9	2.6	.9	1.4	3.6	5.3	9.7	19.1	44.5
Female	402.0	24.8	2.5	1.2	1.5	2.2	3.8	5.6	9.5	17.7
White	428.6	24.8	2.0	1.0	1.3	2.5	3.8	6.1	11.3	25.7
Male	435.1	28.4	2.1	.8	1.3	3.1	4.6	7.9	15.3	37.7
Female	422.5	20.9	1.9	1.1	1.3	1.9	3.0	4.3	7.2	13.8
All other	302.2	47.0	4.8	1.4	2.2	5.0	8.3	15.9	31.0	63.1
Male	316.4	52.7	4.6	1.3	1.9	6.0	9.3	19.8	41.9	90.2
Female	289.4	41.1	4.9	1.5	2.5	4.0	7.3	12.2	21.3	40.0
Black	347.3	51.9	5.5	1.4	2.3	5.6	9.4	19.0	37.5	76.0
Male	361.0	57.5	5.3	1.2	2.1	7.0	10.4	23.6	50.8	109.7
Female	335.0	45.9	5.7	1.6	2.6	4.2	8.4	14.8	26.0	47.7
Diseases of heart (390-398, 402, 404-429)	323.0	24.5	2.1	.8	1.1	2.2	3.3	5.7	10.9	24.5
Male	342.8	27.3	2.1	.8	1.0	2.8	4.2	7.6	15.6	37.4
Female	304.3	21.6	2.1	.9	1.1	1.6	2.5	3.9	6.2	12.0
White	339.4	21.1	1.7	.7	1.1	1.8	2.7	4.5	8.7	20.9
Male	358.9	23.8	1.7	.6	.9	2.3	3.5	6.1	12.6	32.5
Female	320.7	18.3	1.6	.9	.9	1.4	1.9	2.9	4.8	9.2
All other	230.8	39.3	4.2	1.2	1.9	3.9	6.4	12.2	22.9	47.2
Male	249.7	42.9	3.9	1.2	1.7	5.0	7.6	16.2	33.5	70.3
Female	213.5	35.7	4.5	1.1	2.0	2.8	5.2	8.6	13.4	27.6
Black	265.5	43.2	4.8	1.2	2.1	4.4	7.2	14.5	27.5	56.8
Male	285.0	46.7	4.4	1.1	1.9	5.8	8.5	19.1	40.7	85.3
Female	248.1	39.5	5.2	1.2	2.2	3.0	6.0	10.4	16.1	32.9
Rheumatic fever and rheumatic heart disease (390-398)	2.8	.2	.0	.0	.1	.1	.2	.3	.4	.6
Male	1.8	.2	.1	.0	.0	.1	.2	.3	.4	.5
Female	3.6	.2	.0	.0	.1	.1	.2	.4	.4	.7
White	3.0	.2	.0	.0	.1	.1	.2	.3	.3	.5
Male	2.0	.3	.1	.0	.1	.1	.2	.3	.3	.4
Female	3.9	.1	-	.0	.1	.2	.3	.3	.3	.6
All other	1.6	.1	.1	.0	.1	.2	.4	.7	.9	1.5
Male	1.2	-	.1	-	.1	.2	.3	.7	.9	1.2
Female	1.9	.3	-	.1	.1	.2	.3	.8	.8	1.7
Black	1.6	.2	.1	.0	.1	.2	.4	.8	1.0	1.7
Male	1.3	-	.2	-	.1	.3	.2	.8	1.1	1.4
Female	2.0	.4	-	.1	.2	.1	.6	.8	.9	1.9
Hypertensive heart disease (402)	8.7	.0	-	-	.0	.0	.1	.2	.4	1.0
Male	7.7	-	-	-	-	.1	.1	.3	.7	1.5
Female	9.7	.1	-	-	.0	-	.0	.1	.2	.6
White	7.5	.0	-	-	-	.0	.0	.1	.2	.5
Male	6.4	-	-	-	-	.0	.1	.2	.3	.8
Female	8.7	.1	-	-	-	.1	.2	.3	.4	.2
All other	15.5	-	-	-	.1	.3	.7	1.4	4.3	6.3
Male	15.4	-	-	-	.2	.4	1.0	2.6	5.5	7.9
Female	15.6	-	-	-	.1	.3	.4	.4	.4	2.7
Black	18.5	-	-	-	.0	.1	.4	.9	1.8	5.5
Male	18.4	-	-	-	.2	.4	1.2	3.3	7.9	3.5
Female	18.6	-	-	-	.1	-	.3	.6	.5	3.5
Hypertensive heart and renal disease (404)	1.2	-	-	-	-	.0	.0	.0	.1	.1
Male	1.0	-	-	-	-	.0	.0	.0	.1	.1
Female	1.3	-	-	-	-	.0	.0	.0	.0	.0
White	1.0	-	-	-	-	.0	.0	.0	.0	.0
Male	.9	-	-	-	-	.0	.0	.0	.0	.0
Female	1.2	-	-	-	-	.0	.1	.2	.3	.4
All other	2.0	-	-	-	-	.0	.1	.2	.3	.4
Male	1.7	-	-	-	-	.0	.1	.2	.3	.4
Female	2.2	-	-	-	-	.1	.2	.3	.4	.5
Black	2.3	-	-	-	-	.0	.1	.2	.3	.4
Male	2.0	-	-	-	-	.1	.2	.4	.5	.5
Female	2.6	-	-	-	-	-	.1	.2	.2	.1

SECTION 1 - GENERAL MORTALITY - PAGE 19

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex		40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Anemias (280-285)											
	Male	0.5	0.5	0.7	1.1	1.5	2.5	4.8	9.2	17.6	38.7
	Female	.5	.5	.7	1.0	1.9	2.5	5.5	10.8	22.4	44.6
White	Male	.4	.5	.7	1.1	1.2	2.5	4.2	8.2	15.1	36.3
	Female	.2	.2	.5	1.0	1.3	2.3	4.5	9.0	17.3	39.0
All other	Male	.3	.2	.5	.8	1.7	2.3	5.4	10.7	22.3	45.8
	Female	.2	.3	.5	1.1	1.0	2.3	3.8	7.9	14.7	36.4
Black	Male	2.0	2.1	1.7	2.0	3.5	3.9	7.2	11.4	20.6	35.2
	Female	2.0	2.7	1.7	2.5	3.9	4.2	6.7	11.4	23.3	35.1
Black	Male	2.1	1.6	1.8	1.6	3.2	3.7	7.5	11.4	19.0	35.4
	Female	2.6	2.7	2.1	2.2	4.1	4.3	7.9	12.7	21.9	35.8
	Male	2.6	3.6	1.9	2.6	4.6	5.0	7.3	12.8	23.8	32.3
	Female	2.5	2.0	2.2	1.8	3.7	3.8	8.3	12.6	20.8	37.4
Meningitis (320-322)											
	Male	.2	.2	.4	.6	.6	.8	1.3	1.9	2.2	2.4
	Female	.2	.3	.4	.7	.6	.8	1.6	2.0	2.2	2.6
White	Male	.1	.1	.4	.5	.5	.8	1.0	1.8	2.2	2.3
	Female	.1	.1	.3	.6	.4	.7	1.1	1.7	2.1	2.3
All other	Male	.1	.2	.3	.6	.5	.7	1.5	1.5	2.1	2.7
	Female	.1	.0	.3	.5	.4	.7	.9	1.8	2.0	2.7
Black	Male	.5	.7	1.0	.9	1.7	1.5	2.7	3.6	3.6	3.0
	Female	.8	.7	.9	.8	1.7	1.8	3.2	6.2	2.9	1.3
Black	Male	.2	.7	1.1	.9	1.7	1.2	2.3	1.9	4.0	3.8
	Female	.6	.9	1.3	.9	2.0	1.7	3.2	3.4	3.4	3.4
	Male	1.1	.9	1.2	.8	2.1	2.2	3.9	5.8	2.4	1.5
	Female	.3	.9	1.4	1.0	2.0	1.3	2.7	1.9	4.0	4.3
Major cardiovascular diseases (390-448)											
	Male	66.7	127.9	234.5	391.8	640.3	1,022.6	1,688.5	2,754.8	4,757.0	9,798.1
	Female	97.4	191.1	349.1	577.6	921.0	1,426.3	2,305.5	3,611.2	5,906.8	10,570.5
White	Male	37.3	67.8	127.4	224.0	395.9	690.9	1,232.6	2,209.9	4,145.3	9,489.4
	Female	57.5	113.7	214.5	366.2	606.8	989.6	1,649.4	2,735.9	4,743.4	10,030.1
All other	Male	86.8	174.7	327.4	555.0	890.0	1,401.8	2,285.1	3,629.8	5,938.5	10,914.8
	Female	28.8	54.6	107.0	193.5	358.1	648.2	1,177.9	2,170.1	4,115.9	9,689.5
Black	Male	126.4	216.9	367.0	582.5	915.0	1,302.7	2,041.6	2,933.0	4,907.6	7,327.1
	Female	171.4	301.9	505.3	756.3	1,187.6	1,843.2	2,493.0	3,441.7	5,583.5	7,600.0
Black	Male	88.4	145.3	253.8	439.5	695.1	1,042.2	1,717.8	2,601.6	4,507.5	7,240.5
	Female	154.6	258.4	429.8	664.2	1,036.2	1,449.6	2,251.4	3,202.3	5,334.3	7,687.7
	Male	211.6	362.0	591.1	852.3	1,337.4	1,815.2	2,755.6	3,747.7	6,054.8	8,000.0
	Female	107.4	174.4	299.1	507.5	792.6	1,166.9	1,901.3	2,854.8	4,928.2	7,541.7
Diseases of heart (390-398,402,404-429)											
	Male	55.1	108.0	200.8	336.4	545.0	851.9	1,365.5	2,159.4	3,625.6	7,275.0
	Female	85.1	168.9	309.9	509.3	801.8	1,213.1	1,899.0	2,889.2	4,625.4	8,123.7
White	Male	26.2	50.0	98.9	180.2	321.4	555.1	971.3	1,695.2	3,094.0	6,935.7
	Female	48.8	98.6	187.1	318.5	522.4	831.4	1,344.7	2,155.4	3,627.5	7,453.9
All other	Male	77.4	158.0	295.2	494.8	782.3	1,201.8	1,895.1	2,918.5	4,658.8	8,396.3
	Female	20.7	41.0	84.2	157.3	284.3	524.7	936.4	1,672.3	3,086.1	7,089.3
Black	Male	95.7	166.9	291.3	469.0	730.0	1,025.4	1,553.8	2,197.9	3,605.1	5,369.9
	Female	138.5	242.5	415.3	623.8	969.5	1,313.4	1,934.9	2,621.3	4,284.5	5,768.8
Black	Male	59.5	103.2	189.8	341.5	536.8	805.0	1,280.4	1,921.3	3,202.9	5,209.5
	Female	117.3	198.1	341.4	534.6	827.9	1,141.1	1,718.8	2,396.4	3,930.9	5,650.5
	Male	170.8	289.2	484.4	701.4	1,089.3	1,451.8	2,137.8	2,845.3	4,688.1	6,098.5
	Female	73.3	124.2	225.4	395.5	616.6	901.1	1,427.9	2,110.4	3,504.0	5,441.0
Rheumatic fever and rheumatic heart disease (390-398)											
	Male	1.1	1.7	3.0	4.5	6.1	9.0	14.0	18.6	23.9	24.5
	Female	.9	1.3	2.5	3.6	4.9	7.1	10.4	13.8	16.6	17.7
White	Male	1.2	2.0	3.5	5.3	7.2	10.5	16.6	21.7	27.8	27.2
	Female	.9	1.6	2.9	4.5	6.3	9.4	14.8	19.7	25.2	25.4
All other	Male	.8	1.2	2.5	3.6	5.0	7.3	11.0	14.7	17.2	18.1
	Female	1.1	1.9	3.3	5.2	7.5	11.1	17.6	22.9	29.4	28.3
Black	Male	2.0	2.2	3.8	4.5	4.7	5.7	6.2	7.8	9.7	14.4
	Female	1.7	1.8	2.8	3.0	3.9	5.5	5.4	5.2	9.7	14.3
Black	Male	2.3	2.5	4.7	5.7	5.3	5.9	6.8	9.5	9.8	14.6
	Female	2.1	2.2	4.3	4.7	5.0	5.5	5.9	7.7	9.4	11.3
	Male	2.0	1.6	3.1	3.4	4.1	5.8	4.6	4.7	9.5	12.3
	Female	2.3	2.7	5.2	5.8	5.7	5.3	6.7	9.6	9.4	10.8
Hypertensive heart disease (402)											
	Male	2.4	4.5	7.8	11.8	17.5	24.7	36.3	55.4	90.8	163.5
	Female	3.3	5.9	10.1	15.1	21.9	29.8	40.9	58.7	81.0	118.6
White	Male	1.4	3.2	5.6	8.8	13.6	20.6	32.9	53.3	96.0	181.4
	Female	2.0	3.5	6.6	11.0	16.1	23.6	33.7	50.2	70.4	109.2
All other	Male	.5	1.5	2.8	5.2	9.0	15.8	26.3	44.9	85.9	175.6
	Female	9.6	17.3	28.5	40.1	59.8	70.8	98.1	134.7	203.6	232.2
Black	Male	12.5	22.0	35.5	47.0	72.3	84.1	107.3	136.5	189.3	205.2
	Female	7.2	13.3	22.7	34.4	49.8	60.6	91.6	134.0	212.1	246.8
Black	Male	12.6	21.2	34.9	47.5	70.9	82.2	111.1	151.6	225.3	248.5
	Female	16.4	27.4	43.8	55.3	86.1	97.0	120.8	155.8	204.8	215.4
	Male	9.4	16.2	27.8	40.9	58.6	70.8	104.3	148.9	236.9	264.0
Hypertensive heart and renal disease (404)											
	Male	.1	.3	.5	.8	1.5	2.2	4.4	8.4	16.0	32.4
	Female	.1	.4	.5	.9	1.6	2.5	5.0	10.2	18.1	32.1
White	Male	.1	.2	.4	.7	1.3	1.9	4.0	7.4	14.9	32.5
	Female	.0	.1	.2	.5	.9	1.5	3.4	7.3	14.5	30.1
All other	Male	.0	.2	.2	.5	1.0	2.0	4.5	9.1	18.0	31.2
	Female	.0	.0	.2	.4	.7	1.2	2.7	6.2	13.7	29.7
Black	Male	.5	1.7	2.5	3.3	6.1	8.0	13.1	18.8	33.2	55.5
	Female	.7	2.0	3.3	3.3	6.4	8.5	9.8	19.4	39.8	40.3
Black	Male	.4	1.4	1.9	3.2	5.9	7.7	15.5	18.4	29.3	63.3
	Female	.7	2.1	3.0	4.0	7.1	9.1	15.0	21.3	36.1	60.3
	Male	.9	2.5	4.1	4.0	7.5	9.7	10.8	23.3	44.0	43.1
	Female	.5	1.7	2.2	4.0	6.8	8.7	18.0	20.0	31.5	68.3

SECTION 1 - GENERAL MORTALITY - PAGE 20

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.										
Ischemic heart disease (410-414)	224.8	0.6	0.1	0.0	0.0	0.2	0.5	1.6	4.6	13.7
Male	246.4	.5	.1	0	.1	.2	.7	2.4	7.3	22.8
Female	204.5	.6	0	0	0	.1	.3	.8	1.8	4.8
White	241.9	.5	.1	0	.1	.2	.4	1.4	4.2	12.8
Male	264.8	.5	.1	0	.1	.2	.5	2.1	6.8	21.5
Female	220.1	.5	0	.1	0	.1	.3	.7	1.5	4.1
All other	128.7	.8	0	0	0	.3	.9	2.8	6.8	19.3
Male	140.1	.6	.1	.1	—	.5	1.5	4.2	10.3	31.4
Female	118.2	1.1	—	—	.1	.1	.4	1.6	3.6	8.9
Black	146.0	1.1	0	0	.3	1.1	3.4	8.1	22.8	8.9
Male	156.6	.7	.1	.1	—	.6	1.8	5.1	12.2	37.0
Female	136.4	1.4	—	—	.1	.1	.5	1.9	4.4	10.8
Acute myocardial infarction (410)	114.9	.4	0	0	0	.1	.3	1.0	2.8	8.4
Male	134.2	.4	.1	0	0	.1	.4	1.5	4.5	14.0
Female	96.5	.4	—	0	0	.1	.2	.5	1.1	3.0
White	123.6	.3	0	0	0	.1	.3	.9	2.6	8.0
Male	144.8	.3	.1	0	0	.1	.3	1.4	4.2	13.5
Female	103.3	.3	—	0	0	.1	.2	.4	1.0	2.6
All other	65.8	.6	—	0	0	.2	.6	1.9	3.6	10.8
Male	73.1	.6	—	.1	—	.3	.9	2.6	5.7	17.3
Female	59.1	.6	—	—	.1	.3	1.2	1.6	5.3	17.3
Black	74.3	.7	—	0	0	.2	.7	2.3	4.3	12.5
Male	81.2	.7	—	.1	—	.4	1.1	3.2	6.9	19.8
Female	68.1	.7	—	—	.1	.1	.3	1.5	2.0	6.4
Other acute and subacute forms of ischemic heart disease (411)	1.7	—	0	—	—	0	0	.1	.1	.2
Male	2.0	—	0	—	—	0	0	.1	.1	.3
Female	1.3	—	—	—	—	—	0	0	0	.1
White	1.7	—	—	—	—	—	0	0	.1	.1
Male	2.1	—	—	—	—	—	0	0	.1	.2
Female	1.3	—	—	—	—	—	—	.1	0	0
All other	1.6	—	0	—	—	0	.1	.1	.2	.4
Male	1.9	—	.1	—	—	.1	.2	.2	.3	.6
Female	1.3	—	—	—	—	.1	—	—	.1	.2
Black	1.9	—	0	—	—	0	.1	.1	.2	.5
Male	2.2	—	.1	—	—	.1	.1	.2	.4	.7
Female	1.6	—	—	—	—	—	.1	—	.1	.3
Angina pectoris (413)	.4	—	0	—	—	—	—	0	—	0
Male	.4	—	—	—	—	—	—	0	—	0
Female	.4	—	0	—	—	—	—	—	—	0
White	.4	—	0	—	—	—	—	0	—	0
Male	.4	—	—	—	—	—	—	0	—	0
Female	.4	—	0	—	—	—	—	—	—	0
All other	.2	—	—	—	—	—	—	—	—	0
Male	.2	—	—	—	—	—	—	—	—	.1
Female	.3	—	—	—	—	—	—	—	—	—
Black	.3	—	—	—	—	—	—	—	—	.1
Male	.2	—	—	—	—	—	—	—	—	.1
Female	.3	—	—	—	—	—	—	—	—	—
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	107.9	.2	0	0	0	0	.2	.5	1.7	5.1
Male	109.8	.2	.1	—	0	.1	.2	.8	2.7	8.5
Female	106.2	.2	—	0	—	0	.1	.3	.7	1.7
White	116.3	.2	0	0	0	.1	.5	1.5	4.6	14.6
Male	117.5	.2	.1	—	0	.1	.2	.7	2.4	7.8
Female	115.1	.1	—	0	—	0	.1	.3	.5	1.4
All other	61.0	.3	—	—	—	.1	.3	.8	3.0	8.0
Male	64.9	—	—	—	—	.1	.5	1.4	4.2	13.4
Female	57.5	.6	—	—	—	—	.1	.3	1.9	3.4
Black	69.5	.4	—	—	—	.1	.3	1.0	3.5	9.7
Male	73.0	—	—	—	—	.1	.5	1.7	4.9	16.4
Female	66.4	.7	—	—	—	—	.1	.4	2.3	4.1
Other diseases of endocardium (424)	4.0	.6	0	0	0	.1	.2	.3	.4	.5
Male	3.8	.8	0	0	.1	.1	.2	.4	.5	.7
Female	4.2	.5	0	0	0	.1	.2	.1	.3	.4
White	4.3	.7	0	0	.1	.1	.1	.2	.3	.4
Male	4.0	.8	.1	0	.1	.1	.1	.3	.4	.6
Female	4.5	.5	0	0	0	.1	.1	.1	.2	.3
All other	2.4	.4	0	.1	—	.1	.3	.6	1.0	1.3
Male	2.6	.6	—	.2	—	.1	.4	.8	.9	1.7
Female	2.3	.3	.1	—	—	.2	.2	.4	1.0	.9
Black	2.7	.5	0	0	—	.1	.4	.7	1.2	1.5
Male	2.9	.7	—	.1	—	.1	.4	.9	1.1	2.0
Female	2.7	.4	.1	—	—	.1	.3	.5	1.3	1.2
All other forms of heart disease (415-423,425-429)	81.5	23.1	2.0	.7	.9	1.8	2.4	3.3	5.1	8.6
Male	82.1	25.8	1.9	.7	.9	2.3	3.0	4.1	6.8	11.9
Female	81.0	20.3	2.1	.8	.9	1.3	1.7	2.5	3.5	5.5
White	81.7	19.7	1.5	.7	.7	1.5	2.0	2.5	3.7	6.7
Male	80.9	22.2	1.5	.6	.7	1.9	2.6	3.2	4.8	9.2
Female	82.4	17.1	1.5	.8	.8	1.1	1.3	1.9	2.7	4.1
All other	80.6	37.9	4.0	1.0	1.7	3.2	4.3	7.3	12.7	20.6
Male	88.6	41.7	3.7	1.0	1.7	4.1	4.9	9.3	18.5	29.4
Female	73.2	34.0	4.4	1.0	1.7	2.3	3.8	5.4	7.5	13.2
Black	94.3	41.4	4.7	1.1	1.9	3.6	5.0	8.7	15.3	25.0
Male	103.8	45.3	4.2	1.0	1.9	4.7	5.6	10.9	22.7	36.5
Female	85.8	37.4	5.1	1.2	1.9	2.6	4.3	6.6	8.9	15.4

SECTION 1 - GENERAL MORTALITY - PAGE 21

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Diseases of heart-Con.										
Ischemic heart disease (410-414)	35.5	72.7	138.7	236.4	385.2	611.2	982.0	1,544.6	2,538.4	4,932.9
Male	58.9	120.0	223.6	371.3	583.3	890.2	1,402.5	2,119.6	3,332.6	5,658.9
Female	13.0	27.8	59.5	114.7	212.7	381.8	671.4	1,178.8	2,116.2	4,642.8
White	34.0	70.4	136.7	232.9	382.3	613.2	991.3	1,572.2	2,578.1	5,105.6
Male	57.1	118.2	223.8	373.2	587.8	905.4	1,431.8	2,180.5	3,412.6	5,921.9
Female	11.3	24.0	53.9	104.6	201.9	371.3	664.7	1,187.2	2,140.0	4,789.1
All other	45.5	87.4	151.9	262.7	408.5	593.5	898.1	1,284.8	2,101.1	3,103.0
Male	71.8	132.0	222.0	356.3	545.3	756.6	1,132.7	1,563.5	2,516.5	3,358.4
Female	23.3	49.9	94.5	185.7	298.2	468.6	729.8	1,102.2	1,855.2	2,998.1
Black	54.6	101.8	174.4	294.3	457.2	651.1	978.3	1,382.6	2,258.4	3,238.2
Male	86.4	153.8	251.9	392.4	600.9	823.0	1,224.3	1,864.0	2,683.3	3,495.4
Female	28.3	59.6	111.5	212.5	341.1	518.2	807.5	1,203.3	2,018.8	3,118.0
Acute myocardial infarction (410)	22.1	45.3	86.7	148.3	237.1	367.6	564.1	837.3	1,208.2	1,750.2
Male	36.5	74.9	139.5	231.7	357.2	534.7	802.1	1,155.0	1,629.0	2,200.4
Female	8.3	17.1	37.5	73.0	132.5	230.4	398.2	635.1	984.6	1,570.3
White	21.6	44.8	87.4	148.5	237.3	371.6	572.9	856.9	1,229.4	1,800.8
Male	36.2	75.5	142.7	236.4	362.9	546.2	822.7	1,194.3	1,671.9	2,255.4
Female	7.3	15.1	34.7	68.1	127.0	227.0	387.7	643.4	997.2	1,608.2
All other	25.4	49.3	92.3	147.0	235.0	334.1	484.4	652.0	974.0	1,213.6
Male	38.5	71.2	116.3	194.9	307.7	433.0	612.7	796.2	1,191.3	1,371.4
Female	14.4	29.0	54.6	107.6	176.3	258.3	392.3	557.5	845.4	1,144.3
Black	30.3	55.1	96.8	163.8	260.7	364.1	525.3	694.6	1,039.9	1,278.9
Male	46.2	81.3	127.6	213.8	335.5	468.4	658.7	840.7	1,251.2	1,436.9
Female	17.1	33.7	64.0	122.1	200.2	283.5	432.7	601.5	920.8	1,205.0
Other acute and subacute forms of ischemic heart disease (411)5	1.1	2.3	2.8	4.3	5.3	7.0	9.1	13.9	24.5
Male8	1.8	3.8	4.6	6.6	8.0	10.7	12.8	18.5	27.9
Female2	.4	.9	1.2	2.4	3.1	4.3	6.8	11.5	23.2
White5	1.0	2.1	2.6	4.1	5.1	6.5	8.9	13.8	24.3
Male7	1.7	3.6	4.4	6.3	8.0	10.1	12.7	18.8	27.8
Female2	.3	.6	1.1	2.1	2.7	3.8	6.6	11.2	23.0
All other	1.1	1.7	3.5	4.2	6.4	7.1	11.5	10.6	15.2	26.7
Male	1.5	2.5	4.8	6.4	8.8	8.3	15.9	13.7	14.6	29.9
Female7	1.2	2.4	2.4	4.4	6.2	8.4	8.6	15.5	25.3
Black	1.3	2.2	4.2	5.0	7.5	8.3	13.4	11.8	17.2	27.9
Male	1.8	3.0	5.6	7.6	10.5	9.7	18.5	15.7	16.7	30.8
Female9	1.4	3.0	2.8	5.2	7.2	9.9	9.3	17.4	26.6
Angina pectoris (413)0	.1	.3	.3	.6	.9	1.7	2.8	5.3	8.2
Male1	.1	.4	.4	.8	1.2	2.1	3.1	6.4	9.7
Female0	.1	.1	.2	.4	.7	1.5	2.6	4.8	7.5
White0	.1	.2	.3	.6	.9	1.7	2.9	5.3	8.6
Male1	.1	.4	.4	.9	1.2	2.1	3.4	6.5	10.5
Female0	.1	.1	.1	.4	.7	1.4	2.6	4.7	7.8
All other	-	.1	.4	.7	.8	1.0	2.1	2.1	5.8	3.8
Male	-	.1	.8	.5	.7	.9	1.9	.9	5.8	2.6
Female	-	-	.1	.8	.9	1.1	2.3	2.9	5.7	4.4
Black	-	.1	.5	.8	.9	1.2	2.4	2.5	6.0	4.4
Male	-	.2	1.0	.6	.9	1.1	2.3	1.2	6.0	3.1
Female	-	-	.2	1.0	.9	1.3	2.4	3.3	6.0	5.0
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	12.8	26.3	49.4	85.0	143.2	237.3	409.2	695.4	1,310.9	3,150.0
Male	21.5	43.1	79.9	134.6	218.7	346.3	587.7	948.7	1,678.7	3,420.8
Female	4.5	10.2	21.0	40.2	77.4	147.7	277.4	534.3	1,115.3	3,041.7
White	11.9	24.5	47.0	81.5	140.3	235.7	410.2	703.4	1,329.5	3,272.0
Male	20.1	40.9	77.1	132.1	217.6	349.9	596.9	970.2	1,715.3	3,588.2
Female	3.9	8.6	18.4	35.3	72.4	141.0	271.8	534.6	1,126.9	3,150.1
All other	19.0	37.4	65.7	110.8	166.4	251.3	400.1	620.1	1,106.1	1,858.9
Male	31.8	58.2	100.2	154.4	228.1	314.3	502.2	752.6	1,304.9	1,954.5
Female	8.2	19.8	37.4	74.8	116.6	203.0	326.9	533.3	988.5	1,824.1
Black	23.0	44.5	77.2	124.7	188.1	277.5	437.2	673.8	1,195.3	1,927.0
Male	38.3	69.3	117.7	170.5	254.0	343.8	544.8	806.4	1,409.5	2,024.6
Female	10.3	24.5	44.3	86.5	134.8	226.3	362.5	589.3	1,074.5	1,881.3
Other diseases of endocardium (424)7	1.2	1.9	3.0	5.0	8.9	16.3	29.1	52.9	88.7
Male	1.0	1.5	2.7	3.7	6.6	12.2	20.2	35.6	63.1	93.3
Female5	.9	1.3	2.3	3.5	6.3	13.5	25.0	47.5	86.9
White6	1.0	1.8	2.8	5.0	8.9	16.5	29.6	54.3	92.2
Male8	1.3	2.5	3.5	6.7	12.3	20.3	36.4	65.0	98.0
Female4	.7	1.2	2.2	3.5	6.1	13.7	25.3	48.7	90.0
All other	1.5	2.1	2.7	4.5	4.9	9.0	14.7	24.3	37.5	51.7
Male	2.0	2.3	3.9	5.9	6.4	11.1	19.0	28.0	43.7	51.9
Female	1.1	1.8	1.8	3.4	3.6	7.5	11.6	21.9	33.9	51.9
Black	1.9	2.5	3.3	5.1	5.1	9.9	16.5	25.8	38.2	52.9
Male	2.6	3.0	4.7	6.4	6.6	12.2	22.0	29.5	42.9	52.3
Female	1.3	2.0	2.2	4.0	3.9	8.1	12.6	24.1	35.6	53.2
All other forms of heart disease (415-423,425-429)	15.3	27.6	48.8	79.9	129.8	195.8	312.5	503.3	903.6	2,033.0
Male	20.8	39.9	70.4	114.8	183.4	271.1	420.0	651.4	1,114.0	2,203.1
Female	10.0	16.0	28.6	48.3	89.1	134.0	233.1	409.1	791.6	1,965.0
White	12.0	22.1	40.8	69.9	115.6	178.0	289.1	479.5	874.9	2,043.6
Male	16.7	33.6	59.6	102.9	165.7	251.1	393.8	627.6	1,077.6	2,217.8
Female	7.4	12.9	22.9	39.6	71.7	119.3	211.5	385.8	768.5	1,976.6
All other	26.5	56.2	101.9	154.0	245.9	338.4	523.5	727.5	1,219.9	1,913.1
Male	49.8	82.4	147.9	208.4	335.2	447.6	660.6	868.7	1,495.4	2,098.7
Female	25.2	34.2	64.2	109.2	173.9	254.7	425.1	635.2	1,062.6	1,834.8
Black	45.5	88.3	121.4	179.0	282.6	383.3	592.1	807.5	1,363.5	2,039.2
Male	62.3	100.9	176.8	239.9	384.1	504.2	755.2	969.2	1,703.6	2,280.0
Female	31.6	41.8	76.5	128.3	200.6	290.0	478.8	704.4	1,171.8	1,926.6

SECTION 1 - GENERAL MORTALITY - PAGE 22

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.										
Hypertension with or without renal disease (401,403)	3.2	0.1	-	-	0.0	0.0	0.0	0.1	0.1	0.3
Male	2.9	.2	-	-	.0	.0	.0	.1	.2	.4
Female	3.6	-	-	-	.0	.0	.0	.1	.1	.2
White	2.9	.1	-	-	.0	.0	.0	.0	.1	.1
Male	2.6	.2	-	-	.0	.0	.0	.0	.1	.1
Female	3.2	-	-	-	-	.0	-	.0	.1	.1
All other	5.1	.1	-	-	.0	-	.1	.3	.5	1.7
Male	4.6	.3	-	-	-	-	.1	.4	.7	2.5
Female	5.5	-	-	-	.1	-	.2	.2	.4	1.0
Black	6.1	-	-	-	-	-	.1	.4	.7	2.1
Male	5.6	-	-	-	-	-	.1	.5	.9	3.1
Female	6.5	-	-	-	-	-	.2	.3	.5	1.3
Cerebrovascular diseases (430-438)	64.1	3.6	0.3	0.2	.3	.5	1.0	1.5	2.8	5.1
Male	52.3	4.5	.4	.1	.3	.6	.9	1.6	2.9	5.5
Female	75.3	2.6	.3	.2	.3	.4	1.1	1.5	2.7	4.8
White	65.6	3.0	.3	.2	.3	.4	.9	1.3	2.1	3.9
Male	52.5	3.7	.3	.2	.3	.6	.8	1.4	2.3	4.0
Female	78.1	2.2	.3	.2	.3	.3	1.0	1.2	2.0	3.7
All other	55.6	6.4	.6	.2	.2	1.0	1.6	2.8	6.7	12.8
Male	51.4	8.4	.7	.1	.1	.9	1.5	2.8	6.8	15.4
Female	59.5	4.3	.4	.3	.3	1.0	1.7	2.8	6.5	10.5
Black	63.5	7.6	.7	.2	.2	1.0	1.8	3.4	8.2	15.4
Male	58.5	9.8	.8	.1	.1	1.0	1.6	3.4	8.4	19.0
Female	68.0	5.3	.5	.3	.3	1.0	1.9	3.5	8.1	12.3
Intracerebral and other intracranial hemorrhage (431-432)	8.7	1.8	.1	.1	.1	.2	.3	.5	1.0	2.0
Male	8.1	2.5	.1	.1	.1	.2	.3	.6	1.1	2.4
Female	9.3	1.1	.1	.1	.1	.2	.3	.4	.8	1.6
White	8.4	1.3	.1	.1	.1	.2	.3	.4	.7	1.3
Male	7.5	1.7	.1	.1	.1	.1	.3	.5	.8	1.4
Female	9.2	.9	.1	.1	.2	.2	.3	.3	.5	1.1
All other	10.2	4.0	.1	.1	.1	.4	.6	1.2	2.7	6.3
Male	10.9	5.6	.3	.1	-	.3	.6	1.3	3.1	8.8
Female	9.6	2.3	-	.1	.2	.5	.6	1.1	2.4	4.2
Black	11.3	4.8	.1	.1	.1	.4	.7	1.4	3.4	7.7
Male	12.1	6.6	.3	.1	-	.4	.7	1.5	3.7	10.9
Female	10.5	2.8	-	.2	.2	.5	.7	1.3	3.0	5.1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10.3	.5	.0	.0	.0	.1	.1	.1	.2	.3
Male	8.2	.5	.0	.0	.0	.1	.0	.1	.2	.3
Female	12.2	.4	.0	.0	.0	.1	.1	.1	.2	.2
White	10.7	.4	.0	.0	.0	.1	.1	.1	.2	.2
Male	8.4	.4	.0	.0	.0	.0	.0	.1	.1	.2
Female	12.9	.5	.0	.0	.0	.1	.1	.1	.2	.1
All other	7.6	.6	-	.0	.0	.1	.1	.1	.4	.7
Male	6.9	.8	-	-	-	.1	-	.1	.5	.7
Female	8.3	.3	-	.1	.1	-	.2	.1	.3	.7
Black	8.8	.7	-	.0	.0	.1	.1	.1	.5	.7
Male	7.9	1.0	-	-	-	.1	-	.2	.6	.6
Female	9.6	.4	-	.1	.1	-	.3	.1	.4	.8
Cerebral embolism (434.1)	.3	-	-	.0	-	.0	.0	-	.0	.0
Male	.3	-	-	-	-	.0	.0	-	.0	-
Female	.4	-	-	.0	-	.0	.0	-	.0	.0
White	.4	-	-	.0	-	.0	.0	-	.0	.0
Male	.3	-	-	-	-	.0	.0	-	.0	-
Female	.4	-	-	.0	-	.0	.0	-	.0	.0
All other	.2	-	-	-	-	.0	-	-	.0	-
Male	.2	-	-	-	-	.1	-	-	-	-
Female	.2	-	-	-	-	-	-	-	.1	-
Black	.2	-	-	-	-	.0	-	-	-	-
Male	.2	-	-	-	-	.1	-	-	-	-
Female	.2	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	44.8	1.3	.2	.1	.2	.3	.6	.9	1.6	2.9
Male	35.8	1.6	.2	.0	.2	.4	.5	.8	1.6	2.8
Female	53.4	1.0	.2	.1	.1	.1	.7	1.0	1.7	2.9
White	46.1	1.2	.2	.1	.2	.2	.5	.8	1.3	2.4
Male	38.2	1.5	.2	.0	.2	.4	.7	.9	1.3	2.4
Female	55.6	.9	.1	.1	.1	.1	.6	.9	1.3	2.5
All other	37.6	1.8	.4	.0	.1	.5	.9	1.6	3.6	5.8
Male	33.4	2.0	.4	-	.1	.4	.9	1.4	3.3	5.9
Female	41.5	1.7	.4	.1	.1	.5	.9	1.7	3.8	5.8
Black	43.3	2.1	.5	.0	.1	.5	1.0	1.9	4.4	6.9
Male	38.3	2.1	.6	-	.1	.4	.9	1.7	4.0	7.5
Female	47.7	2.1	.5	.1	.1	.5	1.0	2.1	4.7	6.4
Atherosclerosis (440)	10.0	-	-	-	-	.0	.0	.0	.0	.1
Male	7.8	-	-	-	-	-	.0	.0	.0	.1
Female	12.1	-	-	-	-	.0	-	.0	.0	.1
White	10.9	-	-	-	-	-	.0	.0	.0	.1
Male	8.3	-	-	-	-	-	.0	.0	.0	.1
Female	13.3	-	-	-	-	-	.0	.0	.0	.1
All other	5.3	-	-	-	-	.0	-	.0	.0	.1
Male	4.7	-	-	-	-	-	-	-	-	.1
Female	5.8	-	-	-	-	.1	-	-	-	.2
Black	6.2	-	-	-	-	.0	-	-	-	.2
Male	5.5	-	-	-	-	-	-	-	-	.1
Female	6.7	-	-	-	-	.1	-	-	-	.2

SECTION 1 - GENERAL MORTALITY - PAGE 23

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Major cardiovascular diseases-Con.										
Hypertension with or without renal disease (401,403)	0.5	1.1	2.0	3.0	5.1	7.8	13.5	22.5	38.6	75.1
Male	.6	1.4	2.4	3.7	6.1	8.9	15.5	26.1	43.2	79.9
Female	.5	.8	1.6	2.4	4.2	6.9	12.0	20.2	36.2	73.1
White	.2	.5	1.2	2.0	3.6	6.2	11.3	19.8	35.2	71.9
Male	.3	.8	1.5	2.7	4.8	7.3	13.4	23.8	40.3	77.0
Female	.2	.3	.9	1.4	2.6	5.3	9.7	17.2	32.5	69.9
All other	2.4	4.7	7.3	10.3	16.8	21.5	33.6	48.0	76.5	108.1
Male	3.0	5.3	9.0	11.2	17.6	22.9	35.2	46.9	71.8	107.8
Female	2.0	4.1	6.0	9.6	16.3	20.5	32.3	48.9	79.3	108.9
Black	3.1	6.0	9.0	11.7	20.3	25.2	38.1	54.8	85.4	119.1
Male	3.7	6.9	10.9	12.6	21.4	26.9	41.3	55.2	79.8	120.0
Female	2.5	5.2	7.4	11.0	19.3	23.9	35.9	54.4	88.6	118.7
Cerebrovascular diseases (430-438)	9.7	16.2	26.4	41.1	68.0	120.5	234.6	448.3	865.9	1,637.5
Male	9.8	17.5	29.1	47.5	78.9	139.6	274.9	516.3	930.2	1,703.2
Female	9.6	15.0	23.8	35.3	58.5	104.8	204.8	405.0	831.3	1,891.2
White	7.2	12.2	21.3	34.7	58.7	109.5	218.4	434.9	851.5	1,873.0
Male	7.2	12.9	23.4	40.5	68.5	127.1	258.2	502.6	923.2	1,747.8
Female	7.2	11.6	19.3	29.3	50.2	94.9	188.8	392.0	813.8	1,923.0
All other	25.9	40.9	60.2	88.8	143.9	214.0	381.3	574.8	1,024.5	1,458.1
Male	27.9	48.6	70.2	102.6	168.0	249.9	428.3	641.2	1,001.9	1,323.4
Female	24.2	34.4	51.9	77.4	124.6	186.6	347.6	532.1	1,037.9	1,532.9
Black	31.3	49.2	69.9	101.4	161.0	238.1	415.0	629.2	1,099.1	1,514.7
Male	34.9	59.1	83.1	117.2	190.9	276.2	474.1	704.7	1,048.8	1,363.1
Female	28.4	41.1	59.3	89.2	136.8	208.5	374.0	591.1	1,127.5	1,585.6
Intracerebral and other intracranial hemorrhage (431-432)	3.6	5.9	9.2	11.7	16.9	23.4	38.0	58.8	90.2	119.8
Male	4.1	7.0	10.4	13.8	19.6	27.0	44.4	61.7	95.8	111.6
Female	3.2	4.8	8.1	9.7	14.7	20.5	33.2	53.6	87.2	123.0
White	2.2	4.0	6.9	9.8	14.6	21.8	36.6	55.5	88.3	120.6
Male	2.4	4.6	7.5	11.9	17.0	24.7	42.6	59.5	94.2	112.7
Female	2.0	3.5	6.2	7.9	12.6	18.3	32.1	53.0	85.2	123.8
All other	13.1	17.4	24.5	25.8	35.8	37.4	50.7	68.7	110.8	110.6
Male	16.2	22.8	30.5	29.3	41.9	47.3	61.0	82.0	111.7	103.9
Female	10.5	12.9	19.5	22.9	30.9	28.8	43.3	60.0	110.3	114.6
Black	16.2	20.7	28.3	28.1	38.2	39.4	49.5	68.6	109.0	109.3
Male	20.4	27.5	35.8	31.5	46.7	50.7	59.5	82.0	98.8	103.1
Female	12.8	15.2	22.2	25.3	31.3	30.7	42.6	60.0	114.6	112.2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	.6	1.2	2.6	5.1	9.4	18.3	37.2	73.5	144.3	326.4
Male	.8	1.5	3.5	6.3	11.9	21.8	44.7	84.2	151.2	293.7
Female	.5	1.0	1.7	4.1	7.3	15.5	31.6	66.6	140.5	339.6
White	.5	.9	2.2	4.3	8.0	16.9	35.4	72.2	143.2	335.8
Male	.5	1.2	3.0	5.4	10.2	20.0	43.2	83.7	151.3	304.5
Female	.4	.7	1.4	3.4	6.0	14.2	29.6	64.9	139.0	348.2
All other	1.8	3.1	5.2	10.8	21.5	30.6	53.6	85.4	155.6	227.5
Male	2.4	3.8	7.1	13.0	26.6	37.2	58.4	88.6	150.5	200.0
Female	1.3	2.4	3.7	9.1	17.3	25.5	50.1	83.5	158.6	242.4
Black	2.4	3.8	6.1	12.5	24.5	34.5	59.0	95.0	168.2	241.2
Male	3.2	4.8	8.4	15.2	30.5	40.7	64.9	96.5	159.5	210.8
Female	1.6	3.0	4.3	10.3	19.7	29.7	55.0	94.1	173.2	255.4
Cerebral embolism (434.1)	.0	.1	.1	.2	.4	.8	1.6	2.7	4.2	7.5
Male	.0	.0	.2	.2	.4	.9	1.6	3.5	4.7	8.0
Female	.0	.1	.1	.3	.4	.6	1.5	2.2	3.9	7.2
White	.0	.0	.1	.2	.4	.8	1.6	2.8	4.2	7.8
Male	.0	.2	.2	.2	.4	1.0	1.6	3.6	4.7	8.5
Female	.0	.1	.1	.2	.4	.6	1.6	2.3	3.9	7.5
All other	.0	.1	.2	.3	.5	1.3	1.9	4.3	4.3	4.2
Male	.0	.1	.3	.2	.6	.2	1.9	2.8	4.9	3.9
Female	.0	.1	.3	.2	.7	.9	1.3	4.0	4.4	4.4
Black	.0	.2	.1	.3	.4	.5	1.6	1.6	4.7	4.9
Male	.0	.2	.2	.7	.3	.3	2.3	2.3	4.8	4.6
Female	.0	.1	.0	.3	.2	.6	1.1	1.1	4.7	5.0
All other and late effects of cerebrovascular diseases (430,433,435-438)	5.4	9.0	14.5	24.1	41.2	78.0	157.9	315.3	627.2	1,383.8
Male	4.9	9.0	15.1	27.2	47.0	89.9	184.1	366.8	678.6	1,289.9
Female	5.9	9.0	13.9	21.2	36.2	68.3	138.5	282.6	599.7	1,421.4
White	4.6	7.2	12.1	20.3	35.7	70.1	144.8	304.3	615.8	1,408.9
Male	4.3	7.1	12.7	23.0	41.0	81.4	170.8	355.8	673.1	1,322.2
Female	4.9	7.3	11.6	17.8	31.1	60.7	125.6	271.8	585.7	1,443.6
All other	11.0	20.3	30.2	52.0	86.3	145.5	275.7	418.8	753.8	1,115.7
Male	9.2	21.9	32.2	60.2	98.9	165.1	307.0	467.8	735.0	1,015.6
Female	12.4	19.0	28.6	45.2	76.3	130.7	253.3	387.3	764.9	1,171.5
Black	12.8	24.5	35.5	60.4	97.9	163.7	304.9	464.0	817.2	1,159.3
Male	11.3	26.6	38.7	70.3	113.0	184.5	347.5	523.8	785.7	1,044.6
Female	13.9	22.7	32.8	52.2	85.6	147.5	275.3	425.9	834.9	1,212.9
Atherosclerosis (440)	.2	.4	1.2	2.8	5.2	11.4	24.1	53.4	130.0	465.8
Male	.4	.6	1.8	4.2	7.2	15.2	32.3	64.7	146.8	456.7
Female	.1	.3	.7	1.5	3.5	8.3	18.0	46.2	121.0	469.4
White	.2	.4	1.1	2.6	5.0	11.0	23.3	53.0	130.9	482.1
Male	.3	.5	1.7	4.0	7.0	14.6	31.6	65.0	148.8	475.5
Female	.1	.3	.6	1.3	3.2	8.1	17.1	45.4	121.5	484.9
All other	.4	.6	1.8	4.7	7.0	14.7	31.2	57.1	119.9	293.2
Male	.6	1.0	2.5	6.3	8.4	20.3	38.7	62.6	126.2	295.6
Female	.3	.2	1.3	3.4	5.9	10.3	25.7	53.7	116.1	293.2
Black	.5	.6	2.1	5.5	8.2	16.5	36.1	65.6	133.9	305.9
Male	.6	1.2	2.9	7.2	9.6	22.7	45.9	74.4	142.9	310.8
Female	.4	.1	1.4	4.2	7.2	11.7	29.2	60.0	128.9	303.6

SECTION 1 - GENERAL MORTALITY - PAGE 24

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.										
Other diseases of arteries, arterioles, and capillaries (441-448)	9.2	0.7	0.1	0.0	0.1	0.2	0.2	0.3	0.4	0.8
Male	11.7	.8	.1	.0	.1	.2	.2	.4	.4	1.1
Female	6.8	.5	.0	.1	.1	.2	.1	.2	.5	.6
White	9.9	.6	.1	.0	.1	.2	.2	.3	.4	.8
Male	12.7	.8	.1	.0	.1	.2	.2	.4	.4	.9
Female	7.2	.4	.1	.0	.1	.2	.1	.2	.4	.6
All other	5.5	1.1	-	.1	.1	.1	.2	.5	.9	1.3
Male	5.9	1.1	-	-	-	.1	.2	.5	.8	1.9
Female	5.0	1.1	-	.1	.1	.3	.3	.6	1.0	.8
Black	6.0	1.1	-	-	.0	.1	.2	.7	1.0	1.6
Male	6.4	1.0	-	-	-	.1	.2	.6	.8	2.2
Female	5.7	1.1	-	-	.1	.1	.3	.7	1.2	1.1
Acute bronchitis and bronchiolitis (466)	.3	1.7	.1	.0	.0	.0	.0	.0	.0	.0
Male	.3	2.3	.1	.0	.0	.0	.0	.0	.0	.0
Female	.2	1.1	.1	-	.0	-	.0	-	.0	.0
White	.3	1.6	.1	-	.0	.0	.0	.0	.0	.0
Male	.3	2.1	.1	-	.0	.0	.0	.0	.0	.0
Female	.3	1.1	.1	-	-	-	.0	-	.0	.0
All other	.2	2.1	.3	.0	.0	-	.0	-	.1	-
Male	.3	3.1	.4	.1	-	-	.1	-	.1	-
Female	.1	1.1	.2	-	.1	-	-	-	.1	-
Black	.2	2.6	.4	.0	.0	-	.0	-	.1	-
Male	.3	3.8	.5	.1	-	-	.1	-	.1	-
Female	.1	1.4	.3	-	.1	-	-	-	.1	-
Pneumonia and influenza (480-487)	28.3	18.8	1.5	.5	.3	.5	.8	1.0	2.0	2.8
Male	28.5	21.5	1.5	.4	.3	.6	.9	1.3	2.5	3.8
Female	28.1	16.0	1.5	.5	.3	.4	.6	.7	1.5	1.8
White	29.8	14.6	1.3	.4	.3	.4	.8	.8	1.4	1.9
Male	29.3	16.4	1.2	.3	.3	.6	.9	1.0	1.7	2.6
Female	30.3	12.6	1.3	.4	.3	.3	.6	.6	1.1	1.3
All other	19.8	37.1	2.6	.7	.5	.6	.9	2.2	5.3	8.2
Male	24.1	43.7	2.7	.7	.5	.5	.9	3.0	7.1	11.8
Female	15.8	30.3	2.5	.8	.4	.7	.8	1.4	3.7	5.2
Black	21.9	41.8	3.0	.8	.5	.7	1.0	2.5	6.4	10.1
Male	26.8	49.1	3.1	.8	.6	.6	1.1	3.6	8.6	14.6
Female	17.6	34.2	2.8	.9	.5	.9	1.0	1.6	4.6	6.2
Pneumonia (480-486)	27.5	18.6	1.5	.4	.3	.5	.8	1.0	2.0	2.8
Male	27.9	21.3	1.5	.4	.3	.6	.9	1.3	2.5	3.8
Female	27.0	15.8	1.5	.5	.3	.4	.6	.7	1.5	1.8
White	28.9	14.4	1.3	.4	.3	.4	.7	.8	1.4	1.9
Male	28.6	16.3	1.2	.3	.3	.6	.9	1.0	1.7	2.5
Female	29.1	12.4	1.3	.4	.3	.3	.6	.6	1.0	1.2
All other	19.5	36.6	2.5	.7	.5	.6	.9	2.2	5.3	8.2
Male	23.8	43.1	2.6	.7	.5	.5	.9	3.0	7.0	11.8
Female	15.5	30.0	2.4	.7	.4	.7	.8	1.4	3.7	5.2
Black	21.6	41.4	2.9	.8	.5	.7	1.0	2.5	6.4	10.1
Male	26.4	48.8	3.1	.8	.6	.6	1.1	3.6	8.5	14.6
Female	17.3	33.8	2.7	.9	.5	.9	1.0	1.6	4.6	6.2
Influenza (487)	.9	.2	.0	.0	.0	.0	.0	.0	.0	.0
Male	.6	.2	.0	.0	.0	.0	.0	.0	.0	.0
Female	1.1	.2	.0	.0	.0	-	.0	.0	.0	.0
White	1.0	.1	.0	.0	.0	.0	.0	.0	.0	.0
Male	.7	.1	.0	.0	.0	.0	.0	.0	.0	.0
Female	1.2	.2	.0	.0	.0	-	.0	.0	.0	.0
All other	.3	.4	.1	.0	-	-	-	-	.0	-
Male	.3	.6	.1	-	-	-	-	-	.1	-
Female	.3	.3	.1	.1	-	-	-	-	-	-
Black	.3	.4	.1	.0	-	-	-	-	.0	-
Male	.4	.3	.1	-	-	-	-	-	.1	-
Female	.3	.4	.1	.1	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-495)	31.3	1.4	.3	.2	.5	.4	.5	.5	.7	1.1
Male	40.1	1.9	.3	.3	.4	.4	.5	.5	.7	1.2
Female	22.9	.8	.2	.2	.5	.4	.5	.4	.7	1.0
White	34.2	1.2	.2	.1	.3	.3	.3	.3	.5	.9
Male	43.5	1.9	.2	.2	.2	.2	.3	.3	.4	.9
Female	25.4	.5	.2	.0	.4	.3	.4	.4	.5	.9
All other	14.5	2.1	.6	.6	1.2	1.0	1.3	1.1	1.8	2.5
Male	20.5	2.0	.7	.4	1.3	1.1	1.8	1.5	2.1	3.2
Female	9.0	2.3	.5	.8	1.1	.9	1.0	.8	1.6	1.9
Black	16.1	2.3	.6	.7	1.4	1.1	1.6	1.3	2.3	3.2
Male	23.1	2.1	.8	.4	1.5	1.2	2.1	1.6	2.7	4.2
Female	9.9	2.5	.4	.9	1.2	1.0	1.1	1.0	1.9	2.3
Bronchitis, chronic and unspecified (490-491)	1.5	1.1	.1	.0	.0	.0	.0	.0	.0	.1
Male	1.8	1.5	.1	.0	-	.0	.0	.0	.1	.1
Female	1.3	.7	.1	.0	.1	.0	.0	.0	.0	.1
White	1.7	.9	.1	.0	.0	.0	.0	.0	.0	.1
Male	1.9	1.5	.1	.0	-	.0	.0	.0	.1	.1
Female	1.4	.3	.1	-	.1	.0	.0	.0	.0	.1
All other	.6	1.7	.1	.1	-	.1	-	.0	.1	.1
Male	.7	1.4	.1	.1	-	.1	-	.1	.1	-
Female	.5	2.0	.2	.1	-	.1	-	-	.1	.2
Black	.6	1.8	.1	.0	-	.1	-	.0	.1	.1
Male	.7	1.4	.1	-	-	.1	-	.1	.2	-
Female	.5	2.1	.2	.1	-	.1	-	-	.1	.2

SECTION 1 - GENERAL MORTALITY - PAGE 25

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Major cardiovascular diseases-Con.										
Other diseases of arteries, arterioles, and capillaries (441-448)	1.2	2.2	4.1	8.6	17.0	31.0	50.8	71.2	97.0	144.8
Male	1.5	2.7	5.9	12.9	27.1	49.5	63.8	114.9	161.3	207.0
Female	.9	1.7	2.5	4.6	8.3	15.7	26.5	43.3	62.8	120.0
White	1.1	1.9	3.8	8.4	17.0	31.4	51.8	72.9	98.4	149.2
Male	1.5	2.5	5.5	13.0	27.4	51.0	86.8	119.9	167.4	218.3
Female	.7	1.4	2.1	4.2	7.9	15.3	25.9	43.1	62.1	122.3
All other	2.0	3.9	6.4	9.7	17.2	27.1	41.8	55.2	81.6	97.9
Male	1.5	4.5	8.2	12.3	24.2	36.7	55.9	69.7	99.0	107.8
Female	2.4	3.3	4.8	7.6	11.6	19.8	31.7	45.7	71.3	93.7
Black	2.4	4.5	7.4	11.1	18.7	28.7	43.4	56.3	85.0	97.5
Male	1.8	5.5	9.7	14.0	26.2	37.7	56.4	68.0	95.2	107.7
Female	2.8	3.8	5.5	8.7	12.7	21.8	34.3	48.9	79.2	92.8
Acute bronchitis and bronchiolitis (466)	.0	.1	.1	.2	.2	.5	.6	1.1	2.8	6.9
Male	.1	.1	.1	.2	.3	.5	1.0	1.8	3.4	7.6
Female	.0	.0	.1	.1	.2	.4	.4	.6	2.4	6.6
White	.0	.1	.1	.2	.2	.5	.6	1.1	2.7	7.4
Male	.1	.1	.1	.3	.3	.5	1.0	1.8	3.2	8.1
Female	—	.0	.1	.1	.2	.4	.4	.6	2.4	7.1
All other	.1	.1	.1	.1	.3	.6	.5	.9	3.2	2.1
Male	—	.3	.3	.2	.4	.9	1.0	1.4	4.9	3.9
Female	.1	—	—	.1	.2	.4	.2	.6	2.3	1.3
Black	.1	.2	.2	.2	.3	.7	.6	1.1	3.0	1.5
Male	—	.4	.4	.2	.5	1.1	1.2	1.7	4.8	1.5
Female	.1	—	—	.2	.2	.4	.3	.7	2.0	1.4
Pneumonia and influenza (480-487)	3.9	5.6	8.8	13.7	23.5	39.4	80.7	167.9	362.3	1,023.5
Male	5.0	7.5	11.6	18.6	32.9	56.3	115.8	243.3	514.0	1,339.2
Female	2.9	3.9	6.3	9.2	15.3	25.5	54.8	120.0	281.8	897.3
White	2.9	4.4	7.4	12.0	21.3	37.3	78.9	167.4	363.5	1,059.1
Male	3.3	5.5	9.4	16.0	29.6	53.0	111.9	242.8	515.5	1,392.4
Female	2.4	3.3	5.4	8.3	13.9	24.4	54.5	119.7	283.8	929.3
All other	10.8	13.7	18.6	25.9	41.5	56.7	97.1	172.9	349.1	645.8
Male	16.8	21.3	27.3	38.8	60.9	85.7	151.7	247.9	498.1	876.6
Female	5.8	7.2	11.4	15.3	25.8	34.4	57.9	123.2	260.9	537.3
Black	13.3	16.3	22.1	29.6	47.5	61.9	103.2	185.5	353.6	624.5
Male	21.4	25.9	33.3	43.7	69.2	93.6	164.1	265.7	495.2	853.8
Female	6.6	8.5	13.1	17.8	29.8	37.5	60.9	134.4	273.8	517.3
Pneumonia (480-486)	3.8	5.5	8.6	13.4	23.0	38.5	79.0	163.4	351.9	984.0
Male	4.9	7.4	11.4	18.4	32.3	55.4	114.1	238.3	501.3	1,300.0
Female	2.9	3.7	6.1	8.8	14.8	24.7	53.0	115.7	272.6	857.7
White	2.8	4.3	7.2	11.7	20.8	36.5	77.2	162.7	352.6	1,017.0
Male	3.2	5.4	9.2	15.8	29.1	52.0	110.3	237.6	502.4	1,350.6
Female	2.4	3.2	5.3	8.0	13.5	23.6	52.7	115.2	273.9	887.0
All other	10.7	13.6	18.3	25.5	40.8	56.1	95.0	169.8	344.8	633.9
Male	16.5	21.3	26.8	38.5	59.9	85.2	148.9	244.1	490.3	859.7
Female	5.7	7.0	11.3	14.9	25.4	33.7	56.3	120.6	258.6	527.8
Black	13.1	16.2	21.9	29.1	46.6	61.2	101.1	182.4	348.9	614.7
Male	21.1	25.9	32.9	43.3	68.1	93.1	161.0	261.5	486.9	838.5
Female	6.5	8.2	12.9	17.3	29.3	36.7	59.5	131.9	271.1	510.1
Influenza (487)	.1	.1	.2	.3	.5	.8	1.8	4.6	10.4	39.5
Male	.1	.1	.2	.2	.5	.9	1.8	5.1	12.7	39.2
Female	.0	.1	.2	.4	.5	.8	1.8	4.3	9.2	39.6
White	.1	.1	.2	.3	.5	.9	1.7	4.7	11.0	42.1
Male	.1	.1	.2	.2	.5	1.0	1.7	5.2	13.1	41.7
Female	.0	.1	.2	.4	.5	.8	1.8	4.4	9.8	42.2
All other	.2	.1	.3	.4	.7	.6	2.1	3.0	4.3	11.9
Male	.2	—	.5	.3	.9	.5	2.9	3.8	7.8	16.9
Female	.1	.2	.1	.4	.5	.7	1.6	2.5	2.3	9.5
Black	.2	.2	.3	.5	.8	.7	2.1	3.2	4.7	9.8
Male	.3	—	.4	.4	1.1	.6	3.1	4.1	8.3	15.4
Female	.1	.3	.2	.5	.6	.8	1.3	2.6	2.7	7.2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2.1	5.8	14.8	32.1	63.4	115.0	188.9	267.5	331.5	360.0
Male	2.2	6.1	16.8	38.0	82.3	160.0	287.7	444.5	618.1	746.3
Female	2.0	5.6	12.9	25.9	46.8	79.0	154.9	279.9	343.6	376.7
White	1.8	5.3	14.4	32.2	64.7	119.1	198.0	279.9	343.6	376.7
Male	1.7	5.2	16.1	38.4	82.9	164.1	298.2	463.0	642.3	790.1
Female	1.8	5.4	12.9	26.4	48.6	81.9	123.8	164.0	186.8	215.1
All other	4.1	9.0	17.0	31.8	52.6	79.7	106.6	150.5	197.8	183.5
Male	5.5	11.7	21.9	43.3	77.7	123.3	191.4	275.4	370.9	361.0
Female	2.9	6.7	12.9	22.5	32.4	46.2	45.8	67.3	95.4	98.1
Black	5.1	10.8	18.9	35.4	58.0	87.0	114.2	154.1	204.3	175.0
Male	7.0	14.6	24.5	47.7	86.1	137.4	211.6	288.4	394.0	356.9
Female	3.5	7.8	14.4	25.1	35.4	48.3	46.6	68.5	97.3	89.9
Bronchitis, chronic and unspecified (490-491)	.1	.3	.5	1.3	2.7	4.8	8.0	10.6	16.8	28.6
Male	.1	.2	.4	1.7	3.2	6.4	11.9	17.5	28.2	43.6
Female	.1	.3	.7	1.0	2.3	3.4	5.1	6.3	10.7	22.6
White	.1	.3	.5	1.3	2.8	5.1	8.4	11.3	17.5	30.4
Male	.1	.2	.4	1.7	3.3	6.9	12.5	18.3	30.0	46.5
Female	.0	.3	.6	1.1	2.3	3.6	5.4	6.8	10.9	24.1
All other	.2	.3	.7	1.0	2.0	1.8	3.8	4.6	8.7	10.2
Male	.2	.4	.2	1.6	2.4	2.1	5.7	9.5	9.7	18.2
Female	.1	.2	1.1	.4	1.7	1.6	2.5	1.3	8.0	6.3
Black	.1	.4	.6	1.1	2.1	1.8	4.0	4.5	8.2	8.8
Male	.2	.5	.2	2.0	2.7	1.9	6.2	9.3	9.5	15.4
Female	.1	.3	.9	.3	1.7	1.7	2.4	1.5	7.4	5.8

SECTION 1 - GENERAL MORTALITY - PAGE 26

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases and allied conditions-Con.										
Emphysema (492)	5.9	0.1	-	0.0	0.0	-	0.0	0.0	0.0	0.1
Male	8.1	.1	-	0	-	-	0	0	0	2
Female	3.9	-	-	-	0	-	-	0	0	.1
White	6.6	.1	-	0	0	-	0	0	0	.1
Male	8.9	.1	-	0	-	-	0	-	0	.2
Female	4.4	-	-	-	0	-	-	0	0	.1
All other	2.2	-	-	-	-	-	0	1	1	.2
Male	3.5	-	-	-	-	-	1	2	1	.3
Female	1.0	-	-	-	-	-	-	-	1	.2
Black	2.4	-	-	-	-	-	0	1	1	.3
Male	3.8	-	-	-	-	-	1	2	1	.3
Female	1.1	-	-	-	-	-	-	-	1	.2
Asthma (493)	1.6	.2	0.1	.2	.4	0.3	.5	.3	.5	.7
Male	1.3	.2	.2	.2	.4	.3	.4	.3	.5	.7
Female	1.9	.1	.1	.1	.4	.3	.5	.4	.5	.7
White	1.5	.1	.1	.1	.2	.3	.3	.2	.3	.5
Male	1.2	.2	.1	.2	.2	.2	.2	.2	.3	.4
Female	1.8	.1	.1	.0	.3	.2	.4	.3	.4	.6
All other	2.4	.3	.3	.5	1.1	.9	1.3	.9	1.5	2.0
Male	2.4	.3	.5	.3	1.2	1.0	1.7	1.0	1.8	2.6
Female	2.4	.3	.2	.7	1.0	.7	1.0	.8	1.3	1.5
Black	2.7	.4	.4	.6	1.3	.9	1.5	1.0	1.9	2.6
Male	2.7	.4	.6	.4	1.4	1.1	2.0	1.1	2.3	3.5
Female	2.7	.3	.2	.9	1.1	.8	1.1	1.0	1.6	1.9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22.2	.1	0	0	0	0	0	.1	.0	.2
Male	29.0	.2	0	0	0	0	0	.1	0	.3
Female	15.8	.1	0	0	0	0	0	0	0	.2
White	24.5	.1	0	0	-	0	.0	.1	0	.3
Male	31.6	.1	-	0	-	0	0	.1	0	.3
Female	17.7	.1	0	0	-	0	0	0	0	.2
All other	9.4	.1	.1	-	.1	.1	-	.1	.1	.2
Male	13.9	.3	.1	-	.1	.1	-	.2	.1	.3
Female	5.2	-	.1	-	.1	.1	-	-	.2	.1
Black	10.5	.2	0	-	.1	.1	-	.1	.2	.2
Male	15.8	.3	.1	-	.1	.1	-	.2	.1	.3
Female	5.7	-	-	-	.1	.1	-	-	.2	.1
Ulcer of stomach and duodenum (531-533)	2.8	.3	.0	-	.0	.0	.0	.1	.1	.3
Male	2.9	.3	.0	-	-	0	.1	.1	.2	.5
Female	2.7	.3	.1	-	.0	0	0	0	0	.1
White	3.0	.3	.0	-	.0	0	0	0	.1	.3
Male	3.0	.3	.0	-	-	0	.1	.1	.1	.4
Female	2.9	.3	.0	-	.0	0	0	0	0	.1
All other	1.8	.4	.1	-	-	0	.0	.3	.3	.6
Male	2.2	.3	-	-	-	-	.1	.5	.5	1.1
Female	1.5	.6	.2	-	-	.1	-	.2	.1	.1
Black	2.0	.4	.1	-	-	0	.0	.4	.2	.7
Male	2.4	.3	-	-	-	-	.1	.7	.5	1.4
Female	1.6	.4	.2	-	-	.1	-	.1	-	.1
Appendicitis (540-543)	.2	.2	.1	.0	.0	.0	.0	.0	.0	.0
Male	.2	.2	.1	.0	.0	.0	.1	.0	.1	.1
Female	.2	.1	.1	.0	.0	0	.0	0	0	.0
White	.2	.2	.0	.0	.0	0	.0	.0	.0	.0
Male	.2	.3	.0	.0	.0	0	.1	.0	.0	.0
Female	.2	.1	.0	.0	-	0	.0	0	-	.0
All other	.3	-	.1	.2	.0	-	.0	.1	.1	.2
Male	.3	-	.1	.2	-	-	.1	.1	.2	.3
Female	.2	-	.2	.1	.1	-	.1	.1	.1	.1
Black	.3	-	.2	.2	.0	-	.0	.1	.2	.2
Male	.4	-	.2	.2	-	-	.1	.2	.3	.3
Female	.3	-	.2	.2	.1	-	-	.1	.1	.1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.2	2.2	.2	.1	.0	.0	.1	.1	.1	.2
Male	1.8	2.2	.2	.1	.0	.1	.1	.1	.1	.3
Female	2.7	2.1	.1	.1	.1	.0	.0	.1	.1	.1
White	2.3	2.0	.1	.1	.0	.0	.1	.1	.1	.2
Male	1.7	2.0	.1	.1	.0	.1	.1	.1	.1	.2
Female	2.9	2.0	.1	.0	.1	.0	.1	.1	.1	.1
All other	1.9	2.8	.4	.1	.0	.1	.1	.2	.3	.4
Male	1.9	3.1	.5	.1	-	.1	.2	.2	.3	.5
Female	1.9	2.6	.2	.2	.1	.1	.1	.2	.2	.2
Black	2.2	3.2	.5	.2	.0	.1	.1	.3	.3	.5
Male	2.2	3.1	.6	.1	-	.1	.2	.3	.4	.7
Female	2.2	3.2	.3	.2	.1	.1	-	.3	.3	.3
Chronic liver disease and cirrhosis (571)	11.2	.3	.1	.0	-	.1	.3	1.3	4.7	7.7
Male	14.8	.4	.1	.0	-	.1	.4	1.7	6.4	11.0
Female	7.8	.3	.1	.0	-	.1	.2	.9	3.1	4.6
White	10.9	.2	.1	.0	-	0	.2	.9	3.5	5.7
Male	14.5	.1	.1	.0	-	0	.3	1.3	5.0	8.5
Female	7.6	.2	.2	.0	-	.1	.1	.6	2.0	3.0
All other	12.7	1.1	.1	-	-	.1	.4	3.2	11.5	20.1
Male	17.0	1.7	.1	-	-	.1	.5	3.8	14.5	27.6
Female	8.8	.6	-	-	-	.1	.3	2.8	8.8	13.7
Black	14.0	.9	.1	-	-	.1	.4	3.5	13.3	23.8
Male	19.1	1.4	.2	-	-	.1	.5	4.2	17.1	33.9
Female	9.5	.4	-	-	-	.1	.3	2.9	10.0	15.3

SECTION 1 - GENERAL MORTALITY - PAGE 27

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Chronic obstructive pulmonary diseases and allied conditions-Con.										
Emphysema (492)	0.3	1.2	2.9	6.7	13.6	24.5	39.6	52.0	55.6	48.6
Male4	1.6	3.7	8.8	17.9	35.0	62.3	91.8	112.4	115.7
Female3	.8	2.1	4.9	9.9	15.9	22.9	26.7	25.5	21.8
White3	1.2	2.9	7.0	14.3	25.8	42.0	54.8	58.0	50.6
Male4	1.4	3.6	8.9	18.5	36.4	65.3	96.2	117.4	121.4
Female3	1.0	2.3	5.2	10.7	17.1	24.7	28.5	26.9	23.0
All other2	1.3	2.9	5.1	7.8	13.8	18.0	26.4	29.2	27.1
Male5	2.7	4.7	7.9	12.7	22.9	34.6	51.7	61.2	64.9
Female	—	.1	1.4	2.8	3.8	6.8	6.2	9.5	10.3	8.9
Black3	1.6	3.1	5.4	8.2	14.8	19.1	28.0	25.8	27.5
Male6	3.4	5.1	7.8	13.2	26.0	37.1	51.2	57.1	64.6
Female	—	.1	1.6	3.3	4.2	6.1	6.7	10.0	8.1	10.1
Asthma (493)8	1.3	2.0	2.8	4.0	5.2	5.9	8.4	9.8	12.3
Male6	1.1	1.6	2.5	3.4	4.4	5.7	8.7	10.3	12.4
Female	1.0	1.6	2.4	3.1	4.4	5.7	6.1	8.2	9.5	12.2
White6	1.0	1.6	2.4	3.6	4.6	5.8	8.3	9.6	12.4
Male3	.8	1.2	2.0	2.9	4.0	5.3	8.5	10.1	12.4
Female8	1.2	2.0	2.7	4.2	5.2	6.1	8.1	9.3	12.4
All other	2.0	3.5	4.9	6.2	7.0	9.5	7.4	9.3	11.6	10.6
Male	2.1	3.1	4.5	6.1	7.5	8.8	8.9	10.9	12.6	13.0
Female	2.0	3.8	5.2	6.2	6.7	8.8	6.4	8.3	10.9	9.5
Black	2.6	4.1	5.6	6.7	7.9	10.2	8.1	9.0	11.6	7.8
Male	2.8	4.1	5.1	6.2	8.7	9.1	10.0	9.3	11.9	7.7
Female	2.4	4.2	6.0	7.2	7.4	11.0	6.7	8.9	11.4	7.9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)9	3.0	9.3	21.3	43.1	80.5	135.4	196.4	249.3	270.5
Male	1.2	3.2	11.0	26.1	57.9	114.1	207.8	326.5	467.2	574.6
Female7	2.9	7.6	16.9	30.2	52.9	81.9	113.7	133.7	148.9
White8	2.9	9.4	21.5	44.0	83.6	141.8	205.6	258.5	283.3
Male9	2.8	10.8	25.9	58.2	116.8	215.0	340.0	484.9	609.8
Female7	2.9	8.0	17.5	31.5	56.0	87.6	120.5	139.7	155.6
All other	1.7	3.9	8.5	19.6	35.8	54.6	77.3	110.2	148.4	135.6
Male	2.8	5.5	12.6	27.6	55.1	89.6	142.2	203.3	287.4	264.9
Female9	2.5	5.2	13.0	20.2	27.6	30.8	48.3	66.1	73.4
Black	2.1	4.7	9.6	22.2	39.7	60.2	83.1	114.5	158.8	130.9
Male	3.5	6.6	14.2	31.7	61.5	100.3	158.3	218.6	315.5	269.2
Female	1.0	3.2	5.8	14.3	22.1	28.4	30.8	48.1	70.5	66.2
Ulcer of stomach and duodenum (531-533)5	1.0	1.6	2.5	4.6	7.1	11.1	19.4	33.7	62.5
Male7	1.3	2.3	3.1	6.2	9.9	14.3	26.2	42.3	74.6
Female3	.6	.9	1.8	3.2	4.7	8.7	15.1	29.1	57.7
White4	.9	1.6	2.3	4.3	7.1	11.0	19.5	33.8	64.5
Male6	1.3	2.3	2.9	5.7	10.0	14.1	26.2	42.6	77.4
Female2	.6	1.0	1.8	3.1	4.7	8.7	15.3	29.2	59.5
All other	1.0	1.1	1.5	3.6	6.9	6.4	11.5	18.0	32.1	41.1
Male	1.4	1.8	2.6	5.3	10.3	9.0	15.9	26.1	38.8	50.6
Female6	.5	.6	2.3	4.1	4.5	8.4	12.7	28.2	36.7
Black	1.1	1.2	1.8	3.8	7.8	6.9	11.4	18.8	31.8	38.2
Male	1.7	2.1	3.3	5.8	11.6	9.4	15.1	26.7	34.5	47.7
Female6	.4	.6	2.2	4.8	4.9	8.8	13.7	30.2	33.8
Appendicitis (540-543)0	.1	.2	.2	.4	.6	1.0	1.3	1.5	3.4
Male1	.1	.2	.2	.6	.7	1.4	1.7	1.8	4.9
Female0	.0	.1	.1	.3	.4	.7	1.1	1.3	2.8
White0	.1	.1	.1	.4	.5	.8	1.2	1.5	3.3
Male1	.1	.2	.1	.5	.6	1.2	1.6	1.7	4.7
Female	—	.0	.1	.1	.3	.4	.5	1.0	1.3	2.8
All other2	.2	.3	.6	.8	1.0	2.4	2.5	1.4	4.7
Male2	.3	.2	.8	.9	1.6	2.9	2.8	2.9	6.5
Female1	.1	.4	.4	.6	.5	2.1	2.2	.6	3.8
Black1	.2	.3	.7	.6	1.2	2.7	2.9	1.7	5.4
Male2	.4	.2	1.0	.9	1.9	3.5	3.5	3.6	7.7
Female1	.1	.3	.5	.4	.6	2.1	2.6	.7	4.3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)3	.3	.8	1.5	2.2	3.7	7.1	14.6	31.2	67.7
Male3	.3	.9	1.6	2.1	3.8	8.4	16.1	32.0	62.9
Female2	.3	.7	1.4	2.2	3.7	6.1	13.7	30.8	69.6
White2	.2	.7	1.3	1.9	3.4	6.8	14.2	29.9	69.3
Male2	.2	.7	1.4	1.8	3.4	8.0	15.2	28.9	64.5
Female2	.2	.7	1.2	2.0	3.4	5.8	13.6	30.4	71.2
All other5	.6	1.3	2.9	4.3	6.6	9.8	18.2	45.8	50.8
Male7	.7	1.7	3.1	4.7	7.9	11.7	23.7	63.1	49.4
Female3	.6	.9	2.7	4.0	5.7	8.4	14.6	35.6	51.9
Black6	.7	1.5	3.4	4.9	7.5	11.2	20.8	49.8	55.4
Male9	.7	1.9	3.6	5.5	8.9	13.5	27.9	70.2	53.8
Female4	.7	1.1	3.2	4.4	6.4	9.7	16.3	38.3	56.1
Chronic liver disease and cirrhosis (571)	12.4	18.7	25.5	31.5	36.1	38.6	36.2	33.4	31.4	19.8
Male	18.1	26.5	36.0	44.6	52.5	53.8	51.1	46.3	44.1	28.7
Female	6.9	11.2	15.7	19.6	21.8	26.2	25.2	25.2	24.7	16.3
White	9.9	16.1	23.6	29.9	35.5	38.5	36.6	34.3	32.0	20.3
Male	14.3	22.9	33.2	42.3	51.6	53.3	52.2	48.0	45.5	29.4
Female	5.6	9.4	14.4	18.5	21.4	26.2	25.4	25.3	24.9	16.7
All other	28.6	35.0	38.4	43.5	40.9	39.0	30.6	25.2	24.9	15.3
Male	44.7	51.0	56.6	63.3	59.9	55.7	41.3	30.3	30.1	23.4
Female	15.0	21.6	23.5	27.2	25.5	26.2	23.0	21.9	21.8	11.4
Black	33.6	40.3	41.5	47.3	44.4	40.9	32.3	25.6	23.2	13.2
Male	53.9	59.9	62.3	69.7	65.6	58.4	44.0	30.2	27.4	21.5
Female	16.9	24.5	24.6	28.6	27.3	27.3	24.1	22.6	20.8	9.4

SECTION 1 - GENERAL MORTALITY - PAGE 28

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	1.2	0.1	0.0	-	-	0.0	0.0	0.0	0.1	0.1
Male	1.2	.1	-	-	-	0	0	0	0	.1
Female	1.3	-	0	-	-	0	0	.1	.1	0
White	1.3	0	0	-	-	0	0	0	1	1
Male	1.2	.1	-	-	-	0	0	-	1	1
Female	1.4	-	0	-	-	0	0	1	1	0
All other	.9	.1	-	-	-	1	1	0	1	1
Male	.8	.3	-	-	-	-	1	-	2	2
Female	.9	-	-	-	-	1	2	.1	1	1
Black	.9	.2	-	-	-	1	1	0	2	2
Male	.9	.3	-	-	-	-	1	-	2	2
Female	1.0	-	-	-	-	1	2	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8.9	7.4	2	0.1	0.1	1	2	5	7	1.2
Male	9.1	8.2	2	.1	.1	2	3	6	9	1.6
Female	8.8	6.6	.1	.1	1	2	3	5	8	.8
White	8.4	6.1	2	.1	.1	2	3	4	7	.7
Male	8.6	7.1	2	.1	.1	2	4	4	9	.9
Female	8.3	5.0	.1	.1	0	1	2	4	5	.5
All other	12.0	13.0	2	0	2	6	13	23	42	4.2
Male	12.1	12.9	3	.1	2	8	15	34	61	6.1
Female	11.9	13.1	.1	-	3	1	4	11	12	2.6
Black	14.0	14.5	2	0	2	7	16	28	53	5.3
Male	14.1	14.3	.4	1	-	3	9	18	43	7.9
Female	13.9	14.6	.1	-	3	1	5	13	16	3.2
Acute glomerulonephritis and nephrotic syndrome (580-581)	.1	2	0	0	-	0	0	0	0	0
Male	.1	2	0	0	-	0	0	0	0	0
Female	.2	3	0	-	-	0	-	0	0	0
White	.1	2	0	-	-	0	-	0	0	0
Male	.1	2	.1	-	-	-	-	0	0	0
Female	.2	2	0	-	-	0	-	0	0	0
All other	.2	.4	-	0	-	.1	1	2	.0	0
Male	.2	.3	-	.1	-	1	1	1	1	1
Female	.2	.6	-	-	-	-	1	2	-	-
Black	.2	.4	-	0	-	0	1	2	1	1
Male	.2	.3	-	.1	-	1	1	2	2	1
Female	.2	.4	-	-	-	-	1	2	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	.7	0	0	0	0	0	0	1	1	1
Male	.7	.1	0	0	-	0	1	1	1	2
Female	.6	-	-	0	0	-	0	0	0	1
White	.6	-	-	0	0	0	0	0	1	1
Male	.6	-	-	0	-	0	0	1	1	1
Female	.6	-	-	0	-	0	1	1	1	1
All other	.9	.1	0	-	0	1	3	2	4	.4
Male	1.0	.3	.1	-	1	2	5	3	6	.6
Female	.8	-	-	-	1	-	1	1	3	.3
Black	1.0	.2	0	-	0	1	4	2	5	.5
Male	1.1	.3	.1	-	1	2	7	4	7	.7
Female	.9	-	-	-	1	-	1	1	3	.3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (594-596,598-599)	8.1	7.1	.1	.1	.1	1	2	4	6	1.0
Male	8.3	7.9	.1	.1	.1	1	2	4	7	1.4
Female	8.0	6.3	.1	.1	.1	2	3	4	7	.7
White	7.6	5.9	.1	.1	.1	1	3	3	6	.6
Male	7.8	6.9	.1	.1	.1	2	3	3	8	.8
Female	7.5	4.8	.1	.1	0	1	2	3	4	.4
All other	10.9	12.4	.1	-	.1	4	9	1.9	3.7	3.7
Male	10.9	12.3	.2	-	-	4	8	3.0	5.4	5.4
Female	10.9	12.6	.1	-	2	1	9	1.0	2.3	2.3
Black	12.8	13.9	.2	-	.1	5	1.1	2.4	4.8	4.8
Male	12.8	13.6	.3	-	-	5	1.0	3.7	7.1	7.1
Female	12.8	14.2	.1	-	2	1	5	1.2	1.2	2.9
Infections of kidney (590)	.8	.1	0	-	0	0	0	1	1	1
Male	.6	.1	0	-	0	-	0	0	0	0
Female	1.1	.1	0	-	-	0	0	1	1	1
White	.8	.1	0	-	0	0	0	0	0	1
Male	.6	.1	0	-	0	-	0	0	0	0
Female	1.1	.1	0	-	-	0	0	0	0	0
All other	.8	.1	0	-	-	0	0	0	0	1
Male	.6	.3	.1	-	-	-	1	1	1	1
Female	.9	-	-	-	-	1	-	1	1	1
Black	.9	.2	0	-	-	-	2	2	1	1
Male	.8	.3	.1	-	-	0	1	2	1	1
Female	1.0	-	-	-	-	1	-	1	1	1
Hyperplasia of prostate (600)	.2	-	-	-	-	-	-	-	-	-
Male	.4	-	-	-	-	-	-	-	-	-
Female
White	.2
Male	.4	-	-	-	-	-	-	-	-	-
Female
All other	.2
Male	.3	-	-	-	-	-	-	-	-	-
Female
Black	.2
Male	.4	-	-	-	-	-	-	-	-	-
Female

SECTION 1 - GENERAL MORTALITY - PAGE 29

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Cholelithiasis and other disorders of gallbladder (574-575)	0.2	0.3	0.5	0.8	1.5	2.8	4.7	8.6	15.3	34.9
Male	.3	.3	.6	.9	1.7	3.7	6.2	10.3	20.9	41.5
Female	.2	.3	.4	.6	1.4	2.1	3.7	7.5	12.4	32.2
White	.2	.3	.5	.7	1.5	2.8	4.6	8.4	15.1	35.7
Male	.2	.3	.6	.9	1.7	3.6	6.2	10.2	21.0	43.5
Female	.3	.3	.3	.6	1.3	2.1	3.3	7.2	12.0	32.7
All other	.2	.4	.8	1.1	2.0	3.2	6.2	10.4	17.3	25.8
Male	.3	.4	.9	1.2	2.4	5.1	6.0	10.9	19.4	24.7
Female	.1	.3	.8	1.1	1.7	1.8	6.4	10.2	16.1	26.6
Black	.2	.5	1.0	1.3	2.2	3.2	5.9	11.1	17.6	24.0
Male	.3	.5	1.2	1.4	2.7	5.5	4.6	11.6	20.2	23.1
Female	.1	.4	.8	1.2	1.8	1.5	6.7	10.7	16.1	24.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1.6	2.6	3.8	7.1	12.3	20.7	36.4	59.1	109.5	213.1
Male	2.1	2.9	4.2	8.3	13.9	24.8	45.9	79.8	145.1	314.1
Female	1.1	2.3	3.4	5.9	11.0	17.4	29.4	46.0	90.5	173.6
White	1.2	1.9	2.6	5.3	10.0	17.4	31.6	54.2	100.6	204.1
Male	1.5	2.2	3.2	6.4	11.7	21.6	41.0	74.4	134.4	304.6
Female	.9	1.6	2.1	4.3	8.5	13.9	24.7	41.4	82.8	164.9
All other	4.1	6.9	11.3	20.1	31.4	48.9	79.6	105.5	207.9	314.0
Male	6.4	8.1	11.2	23.4	32.4	52.7	90.2	128.9	254.4	403.9
Female	2.2	6.0	11.4	17.5	30.7	46.2	72.0	90.2	180.5	272.2
Black	5.3	7.7	13.1	23.1	36.8	55.4	88.3	114.9	232.6	346.1
Male	8.3	10.1	12.8	26.7	38.0	60.4	100.8	140.1	286.9	452.3
Female	2.8	5.8	13.2	20.1	35.7	51.5	79.6	98.9	202.0	296.4
Acute glomerulonephritis and nephrotic syndrome (580-581)	.0	.1	.1	.1	.3	.3	.5	1.0	1.6	2.7
Male	.1	.0	.1	.1	.4	.3	.5	1.3	1.9	2.7
Female	.0	.1	.1	.1	.2	.3	.6	.8	1.5	2.7
White	.0	.0	.1	.1	.3	.3	.5	.9	1.6	2.8
Male	.0	.0	.1	.2	.4	.3	.4	1.1	1.8	2.9
Female	.0	.1	.0	.0	.2	.3	.5	.7	1.5	2.7
All other	.1	.1	.3	.1	.5	.4	.9	2.1	1.4	2.1
Male	.1	-	.3	-	.7	.2	.6	2.4	2.9	1.3
Female	.1	.2	.3	.1	.3	.5	1.1	1.9	.6	2.5
Black	.1	.2	.3	.1	.6	.5	1.1	1.8	1.7	2.5
Male	.2	-	.4	-	.9	.3	.8	1.7	3.6	1.5
Female	.1	.3	.3	.2	.4	.6	1.3	1.9	.7	2.9
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	.2	.2	.3	.6	.7	1.5	2.8	4.4	7.5	15.2
Male	.3	.3	.7	.8	.8	1.9	3.3	5.3	9.4	21.9
Female	.1	.1	.2	.4	.7	1.2	2.4	3.9	6.5	12.5
White	.2	.1	.3	.5	.7	1.4	2.5	4.0	6.7	14.4
Male	.2	.2	.3	.6	.8	1.7	2.9	4.7	8.4	21.0
Female	.1	.1	.2	.3	.6	1.1	2.2	3.5	5.8	11.9
All other	.4	.5	.9	1.5	1.2	2.6	5.3	8.9	16.2	22.9
Male	.7	.5	1.4	1.6	.7	3.7	7.0	10.4	19.4	29.9
Female	.2	.5	.5	1.4	1.5	1.8	4.1	7.9	14.4	19.6
Black	.6	.6	1.0	1.7	1.3	2.9	5.7	9.7	18.0	26.0
Male	.9	.7	1.8	2.0	.9	4.4	8.5	11.0	20.2	35.4
Female	.3	.4	.5	1.5	1.7	1.7	3.8	8.9	16.8	21.6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	1.3	2.4	3.4	6.4	11.3	18.9	33.1	53.7	100.4	195.9
Male	1.7	2.7	3.6	7.5	12.7	22.5	42.1	73.2	133.9	289.5
Female	1.0	2.1	3.1	5.5	10.1	15.9	26.5	41.3	82.5	158.4
White	1.0	1.7	2.3	4.8	9.1	15.7	28.7	49.4	92.2	186.9
Male	1.2	1.9	2.8	5.6	10.6	19.5	37.7	68.5	124.3	280.7
Female	.8	1.5	1.9	4.0	7.8	12.5	22.0	37.3	75.4	150.3
All other	3.6	6.3	10.1	18.6	29.8	45.9	73.3	94.5	190.3	289.0
Male	5.5	7.5	9.5	21.7	30.9	48.7	82.5	116.1	232.0	372.7
Female	1.9	5.3	10.7	16.0	28.9	43.9	66.7	80.3	165.5	250.0
Black	4.6	7.0	11.7	21.3	34.8	52.0	81.5	103.4	212.9	317.6
Male	7.2	9.4	10.7	24.8	36.2	55.7	91.5	127.3	263.1	415.4
Female	2.4	5.1	12.5	18.5	33.7	49.2	74.5	88.1	184.6	271.9
Infections of kidney (590)	.1	.2	.3	.4	.7	1.3	2.5	6.1	12.4	25.5
Male	.0	.1	.3	.4	.6	.9	2.3	6.3	12.8	26.1
Female	.1	.2	.3	.4	.8	1.5	2.7	5.9	12.2	25.3
White	.0	.1	.2	.4	.7	1.0	2.3	5.8	12.1	25.5
Male	.0	.1	.2	.4	.5	.7	2.0	5.9	12.7	26.5
Female	.0	.2	.2	.4	.8	1.3	2.5	5.8	11.8	25.1
All other	.3	.3	.8	.7	1.3	3.1	4.2	8.5	16.2	25.8
Male	.1	.3	.9	.8	1.5	3.0	4.8	10.0	14.6	23.4
Female	.5	.3	.6	.7	1.1	3.2	3.9	7.6	17.2	27.2
Black	.4	.4	.9	.9	1.3	3.4	4.4	10.0	17.2	26.5
Male	.2	.4	1.2	1.0	1.4	3.3	4.6	12.2	17.9	27.7
Female	.6	.4	.6	.8	1.3	3.4	4.3	8.5	16.8	25.9
Hyperplasia of prostate (600)	-	-	-	.0	.1	.3	.6	1.7	2.9	7.5
Male	-	-	-	.1	.3	.6	1.4	4.3	8.2	26.3
Female	-	-	-	-	-	-	-	-	-	-
White	-	-	-	.0	.1	.2	.6	1.6	2.8	7.4
Male	-	-	-	.0	.2	.5	1.3	4.2	8.2	26.5
Female	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	.1	.3	.5	1.1	1.9	3.2	8.1
Male	-	-	-	.3	.7	1.2	2.5	4.7	8.7	24.7
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	.2	.4	.6	1.3	1.8	3.9	9.3
Male	-	-	-	.4	.9	1.4	3.1	4.7	10.7	29.2
Female	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 30

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	0.1	0.0	0.2	0.3	0.4	0.3	0.2
Male
Female	.20	.3	.6	.7	.6	.5
White	.10	.1	.2	.3	.2	.2
Male
Female	.20	.2	.3	.5	.4	.4
All other	.40	.5	.9	.9	1.0	.6
Male
Female	.71	1.1	1.8	1.7	1.9	1.1
Black	.40	.6	1.0	1.0	1.2	.6
Male
Female	.81	1.2	2.0	1.9	2.2	1.2
Pregnancy with abortive outcome (630-638)	.00	.0	.1	.1	.0	.0
Male
Female	.00	.1	.1	.1	.1	.1
White	.00	.0	.0	.0	.0	.0
Male
Female	.00	.0	.0	.1	.1	.0
All other	.12	.3	.2	.1	.1
Male
Female	.24	.6	.3	.2	.2
Black	.12	.4	.2	.2	.1
Male
Female	.24	.7	.4	.3	.2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	.10	.1	.2	.3	.3	.2
Male
Female	.20	.3	.5	.6	.5	.4
White	.11	.2	.2	.1	.2
Male
Female	.11	.3	.5	.3	.3
All other	.30	.4	.6	.7	.9	.4
Male
Female	.61	.7	1.2	1.3	1.7	.8
Black	.30	.4	.7	.8	1.0	.5
Male
Female	.61	.8	1.3	1.5	1.9	1.0
Congenital anomalies (740-759)	5.4	228.4	5.9	1.6	1.2	1.2	1.1	1.0	1.0	1.0
Male	5.9	245.5	6.2	1.6	1.2	1.5	1.4	1.1	1.1	1.2
Female	4.8	210.4	5.6	1.6	1.1	1.0	.8	.9	.9	.9
White	5.1	226.6	5.7	1.5	1.1	1.2	1.1	1.0	.9	1.0
Male	5.7	245.7	6.0	1.4	1.2	1.4	1.4	1.1	1.0	1.1
Female	4.6	206.9	5.4	1.5	1.1	1.0	.9	.9	.8	.9
All other	6.5	235.2	6.5	2.2	1.2	1.5	1.0	.8	1.5	1.2
Male	7.1	244.5	6.7	2.6	1.3	1.8	1.4	.7	1.4	1.6
Female	6.0	225.7	6.3	1.8	1.1	1.1	.6	.8	1.6	.9
Black	7.0	250.3	6.8	2.3	1.2	1.6	1.1	.9	1.9	1.4
Male	7.6	259.6	6.9	2.9	1.4	2.0	1.7	.8	1.8	1.7
Female	6.3	239.9	6.6	1.7	1.1	1.2	.6	1.0	1.9	1.1
Certain conditions originating in the perinatal period (760-779)	8.1	508.6	1.0	.1	.0	.0	.0	.0	.0	.0
Male	9.6	572.4	1.3	.0	.0	.0	.0	.0	.0	.0
Female	6.7	441.8	.6	.1	.0	.0	.0	.0	.0	.0
White	6.2	411.7	.7	.1	.0	.0	.0	.0	.0	.0
Male	7.5	469.5	1.0	.0	.0	.0	.0	.0	.0	.0
Female	5.0	350.7	.4	.10	.0	.0	.0	.0
All other	18.4	926.2	2.0	.1	.1	.00	...
Male	21.5	1,022.4	2.511	...
Female	15.5	828.0	1.5	.1
Black	21.5	1,082.9	2.2	.1	.1	.00	...
Male	25.3	1,192.7	2.711	...
Female	18.0	966.9	1.6	.2	.2
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.2	138.1	.2	.0	.0	.0	.0	.0	.0	.0
Male	2.7	164.2	.30	.0	.0	.0	...
Female	1.7	110.8	.1	.0	.00	.0	...
White	1.8	122.0	.2	.00	.0	.00
Male	2.3	145.9	.30	.0	.0	.0	...
Female	1.4	96.8	.1	.00
All other	4.1	207.6	.3	.0	.000
Male	5.1	244.3	.31
Female	3.2	170.3	.2	.1	.1
Black	4.8	240.6	.3	.0	.0
Male	5.9	280.5	.31
Female	3.7	198.9	.3	.1	.1
Other conditions originating in the perinatal period (760-766,770-779)	5.9	370.5	.7	.0	.0	.0	.00	.0
Male	6.8	408.2	1.0	.0	.0	.0	.00	.0
Female	5.0	331.0	.5	.0	.0	.0	.0
White	4.4	289.7	.5	.0	.0	.0	.00
Male	5.2	323.6	.7	.0	.0	.0	.00
Female	3.6	253.9	.3	.00	.00
All other	14.3	718.5	1.7	.0	.10	...
Male	16.4	778.2	2.211	...
Female	12.3	657.7	1.3	.1	.1
Black	16.7	842.3	1.9	.0	.10	...
Male	19.4	912.2	2.411	...
Female	14.3	768.0	1.3	.1	.1

SECTION 1 - GENERAL MORTALITY - PAGE 31

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Complications of pregnancy, childbirth, and the puerperium (630-676)	0.1	0.0	0.0
Male
Female	.2	.0	.0
White	.0	-	.0
Male0
Female	.1	-	.0
All other	.5	.1	-
Male
Female	1.0	.2	-
Black	.6	.1	-
Male
Female	1.1	.1	-
Pregnancy with abortive outcome (630-638)	.0	-	-
Male
Female	.0	-	-
White	-	-	-
Male
Female	-	-	-
All other	.1	-	-
Male
Female	.1	-	-
Black	.1	-	-
Male
Female	.1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	.1	.0	.0
Male
Female	.2	.0	.0
White	.0	-	.0
Male
Female	.1	-	.0
All other	.5	.1	-
Male
Female	.9	.2	-
Black	.6	.1	-
Male
Female	1.0	.1	-
Congenital anomalies (740-759)	1.3	1.4	1.4	1.9	2.0	2.4	2.6	3.8	4.0	5.6
Male	1.3	1.6	1.4	2.2	2.2	2.5	2.4	4.2	4.9	7.6
Female	1.2	1.2	1.4	1.6	1.7	2.4	2.8	3.5	3.5	4.8
White	1.2	1.3	1.4	1.9	2.0	2.5	2.7	3.8	4.0	5.4
Male	1.4	1.6	1.4	2.1	2.2	2.6	2.4	4.3	4.9	7.8
Female	1.1	1.0	1.4	1.6	1.8	2.5	2.8	3.5	3.6	4.5
All other	1.5	1.6	1.7	2.4	1.8	1.6	2.4	3.4	4.0	7.2
Male	.9	1.2	1.4	2.8	2.2	1.8	1.9	3.8	5.8	6.5
Female	2.1	2.0	1.9	2.0	1.4	1.4	2.7	3.2	2.9	7.6
Black	1.6	1.9	1.8	2.5	1.7	1.7	2.5	3.4	3.4	7.4
Male	.9	1.2	1.8	3.0	2.3	1.9	1.9	3.5	4.8	4.6
Female	2.2	2.5	1.9	2.0	1.3	1.5	2.9	3.3	2.7	8.6
Certain conditions originating in the perinatal period (760-779)	.0	-	.0	.0	-	-	-	.0	-	-
Male	.0	-	-	-	-	-	-	.0	-	-
Female	-	-	.0	.0	-	-	-	-	-	-
White	.0	-	.0	.0	-	-	-	-	-	-
Male	.0	-	-	-	-	-	-	-	-	-
Female	-	-	.0	.0	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	.2	-	-
Male	-	-	-	-	-	-	-	.5	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	.2	-	-
Male	-	-	-	-	-	-	-	.6	-	-
Female	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	.0	-	.0	.0	-	-	-	.0	-	-
Male	.0	-	-	-	-	-	-	.0	-	-
Female	-	-	.0	.0	-	-	-	-	-	-
White	.0	-	.0	.0	-	-	-	-	-	-
Male	.0	-	-	-	-	-	-	-	-	-
Female	-	-	.0	.0	-	-	-	.2	-	-
All other	-	-	-	-	-	-	-	.5	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	.2	-	-
Black	-	-	-	-	-	-	-	.6	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 32

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	13.0	158.6	1.9	0.3	0.4	1.4	2.3	3.6	4.3	4.5
Male	15.0	189.9	2.3	.4	.3	1.7	3.0	4.9	5.9	6.7
Female	11.0	125.7	1.6	.3	.4	1.2	1.6	2.2	2.8	2.4
White	11.8	135.4	1.5	.3	.3	1.3	2.1	2.9	3.4	3.6
Male	13.5	167.1	1.8	.3	.3	1.5	2.8	4.2	4.7	5.4
Female	10.1	102.0	1.2	.2	.3	1.1	1.4	1.5	2.1	1.8
All other	19.8	258.4	3.6	.6	.6	2.1	3.4	7.2	9.5	10.4
Male	24.1	289.9	4.2	.6	.5	2.4	4.2	9.2	13.1	15.8
Female	15.9	226.3	3.1	.6	.7	1.8	2.7	5.4	6.2	5.9
Black	22.9	283.2	3.9	.6	.7	2.3	4.0	8.4	11.6	12.6
Male	28.0	318.1	4.4	.6	.6	2.5	4.7	10.5	16.3	19.4
Female	18.4	246.6	3.4	.6	.8	2.1	3.3	6.6	7.5	6.9
All other diseases (Residual)	62.7	48.3	6.8	3.0	3.0	4.5	6.0	9.9	15.7	19.9
Male	63.3	52.2	7.2	3.1	3.4	5.2	7.4	13.0	21.9	27.8
Female	62.1	44.2	6.4	2.9	2.5	3.7	4.6	6.7	9.6	12.2
White	63.0	40.2	6.2	2.9	3.0	4.3	5.1	8.0	11.6	15.4
Male	62.3	43.6	6.5	3.0	3.5	5.2	6.5	11.0	16.3	21.5
Female	63.6	36.7	5.8	2.9	2.5	3.4	3.8	4.9	6.7	9.3
All other	61.2	62.9	9.7	3.4	3.1	5.1	10.3	20.0	38.7	47.7
Male	69.2	89.6	10.3	3.7	3.3	5.5	12.1	24.4	54.8	70.2
Female	53.9	76.0	9.0	3.0	2.8	4.7	8.6	15.9	24.4	26.5
Black	70.5	91.9	10.6	3.7	3.4	5.4	11.6	23.5	47.3	59.6
Male	80.2	97.9	11.2	3.9	3.6	5.8	13.6	29.2	68.4	88.7
Female	61.8	85.4	10.0	3.4	3.3	5.0	9.8	18.4	28.9	35.1
Accidents and adverse effects (E800-E949)	39.1	23.7	20.0	11.9	13.2	44.2	52.2	40.7	34.8	31.7
Male	55.2	25.1	24.1	14.9	18.4	64.1	83.1	65.3	55.9	49.7
Female	23.9	22.3	15.8	8.7	7.8	23.6	21.2	16.0	13.8	14.1
White	39.0	20.6	18.5	10.6	13.1	47.9	54.3	40.6	33.6	29.9
Male	54.4	21.9	22.3	13.4	18.1	68.8	85.9	64.9	54.0	46.3
Female	24.2	19.2	14.4	7.7	7.8	26.1	22.2	15.8	12.9	13.8
All other	40.2	37.3	26.7	17.2	13.8	27.5	41.7	41.1	41.5	42.5
Male	60.1	38.9	31.9	21.2	19.7	42.3	68.4	67.6	67.6	72.4
Female	22.0	35.7	21.5	13.1	7.8	12.4	16.1	17.0	18.5	17.1
Black	42.3	40.0	28.1	17.8	14.6	25.6	40.1	42.0	45.1	47.4
Male	64.0	41.1	33.0	21.8	21.4	40.5	66.5	70.7	74.8	83.3
Female	22.7	38.8	23.2	13.6	7.6	10.7	15.5	16.1	19.3	17.2
Motor vehicle accidents (E810-E825)	19.2	4.8	7.1	6.3	7.3	33.9	38.1	25.8	19.6	17.5
Male	27.9	5.0	8.2	7.6	9.4	47.0	59.3	40.5	30.4	26.1
Female	11.0	4.6	6.0	4.9	5.2	20.2	16.8	11.1	8.9	9.1
White	19.6	4.2	6.7	6.0	7.7	37.7	40.2	26.2	19.3	17.0
Male	28.2	4.5	7.6	7.3	9.7	51.9	62.2	40.8	29.7	25.0
Female	11.4	3.9	5.7	4.7	5.6	22.8	17.9	11.3	8.7	9.1
All other	17.3	7.4	8.9	7.5	5.7	16.7	27.4	23.6	21.5	20.3
Male	26.5	7.0	10.9	9.1	7.9	24.6	44.4	38.3	34.5	33.7
Female	8.8	7.7	6.9	5.8	3.4	8.7	11.3	10.2	10.0	8.9
Black	17.0	6.9	8.8	7.5	5.9	14.7	26.0	22.6	22.1	21.7
Male	26.7	5.9	10.7	9.2	8.7	21.9	42.5	37.9	36.5	37.6
Female	8.3	7.8	6.8	5.7	3.0	7.5	10.7	8.9	9.6	8.4
All other accidents and adverse effects (E800-E907,E926-E949)	19.9	19.0	12.9	5.5	5.9	10.3	14.1	14.9	15.2	14.2
Male	27.3	20.1	15.8	7.2	9.0	17.0	23.8	24.8	25.6	23.6
Female	12.9	17.7	9.8	3.8	2.6	3.4	4.4	4.9	4.9	5.0
White	19.4	16.4	11.7	4.6	5.3	10.2	14.1	14.4	14.3	12.9
Male	26.2	17.4	14.7	6.1	8.3	16.9	23.7	24.0	24.3	21.4
Female	12.8	15.3	8.7	2.9	2.1	3.4	4.3	4.5	4.2	4.5
All other	22.9	30.0	17.8	9.7	8.1	10.8	14.2	17.5	20.0	22.2
Male	33.5	31.9	21.0	12.0	11.7	17.8	24.0	29.2	33.1	36.7
Female	13.2	28.0	14.6	7.3	4.4	3.7	4.9	6.8	8.5	8.2
Black	25.2	33.2	19.4	10.3	8.7	10.9	14.1	19.3	23.0	25.7
Male	37.2	35.2	22.2	12.6	12.7	18.5	24.0	32.8	36.3	45.7
Female	14.5	31.0	16.4	8.0	4.7	3.2	4.8	7.2	9.7	8.9
Suicide (E950-E959)	12.3	1.6	10.0	15.6	15.5	14.9	14.3
Male	19.9	2.3	16.0	26.2	25.3	23.5	22.2
Female	5.19	3.7	4.9	5.6	6.3	6.5
White	13.4	1.8	10.8	16.4	16.3	15.6	15.2
Male	21.5	2.5	17.3	27.4	26.3	24.3	23.4
Female	5.89	4.1	5.2	6.1	6.7	7.0
All other	6.8	1.0	6.1	11.7	11.0	10.9	8.6
Male	11.0	1.3	10.0	20.2	19.7	18.9	14.2
Female	2.56	2.2	3.5	3.1	3.8	3.8
Black	6.28	4.9	10.2	10.7	10.9	9.3
Male	10.8	1.3	8.2	18.5	19.5	19.7	15.7
Female	2.14	1.5	2.4	2.8	3.2	3.9
Homicide and legal intervention (E960-E978)	8.3	5.3	2.4	1.0	1.5	8.6	15.1	15.6	13.8	11.9
Male	13.0	5.5	2.5	1.0	1.8	13.2	24.0	24.4	21.8	18.7
Female	3.9	5.1	2.4	1.0	1.1	3.9	6.2	6.7	6.0	5.2
White	5.5	4.0	1.8	.7	1.2	5.1	9.5	9.8	8.5	7.7
Male	8.2	3.7	1.9	.7	1.4	7.3	14.6	14.8	12.8	11.7
Female	2.9	4.3	1.6	.7	.9	2.7	4.3	4.6	4.1	3.7
All other	24.3	11.2	5.3	2.2	2.6	24.8	43.4	48.4	43.4	37.6
Male	40.5	13.4	5.4	2.2	3.6	39.9	72.8	78.1	74.7	65.8
Female	8.5	6.9	5.3	2.3	1.6	9.4	15.2	17.5	15.7	13.9
Black	28.7	13.2	6.4	2.3	2.9	28.4	50.8	55.5	54.0	46.1
Male	48.4	16.0	6.5	2.3	4.1	46.4	86.2	94.0	94.7	81.3
Female	11.0	10.3	6.3	2.3	1.7	10.3	17.9	20.9	18.6	16.5

SECTION 1 - GENERAL MORTALITY - PAGE 33

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
Symptoms, signs, and ill-defined conditions (780-799)	4.9	6.4	9.0	12.4	17.5	23.3	34.8	50.6	84.1	190.6
Male	6.6	8.6	12.6	17.8	25.1	32.1	49.5	72.0	111.1	221.2
Female	3.2	4.3	5.6	7.5	10.9	16.0	24.0	37.0	69.7	178.4
White	3.9	5.0	7.5	10.7	15.1	20.3	31.4	45.9	75.7	181.3
Male	5.0	6.4	10.5	15.2	21.8	28.2	45.1	65.7	100.2	205.5
Female	2.7	3.6	4.8	6.6	9.3	13.7	21.2	33.4	62.8	171.9
All other	11.4	15.4	18.6	25.0	37.0	48.7	66.0	95.1	176.2	287.7
Male	17.3	23.4	27.8	38.8	53.6	66.7	89.8	129.4	222.3	366.2
Female	6.5	8.6	11.0	13.7	23.6	34.9	49.0	72.4	148.9	251.3
Black	14.1	18.5	22.6	29.7	42.8	55.8	75.3	109.3	197.0	310.3
Male	21.4	28.2	34.6	45.7	62.2	76.5	104.2	152.3	251.2	395.4
Female	8.1	10.6	12.9	16.3	27.1	39.8	55.2	81.9	166.4	270.5
All other diseases (Residual)	23.8	31.9	43.5	61.4	90.4	136.1	223.0	377.2	655.1	1,252.9
Male	33.3	41.0	54.3	76.2	111.1	169.0	279.6	476.0	804.3	1,442.9
Female	14.7	23.3	33.4	48.0	72.4	109.1	181.1	314.4	575.7	1,176.9
White	18.3	26.5	37.1	55.4	83.8	129.8	216.5	374.1	649.5	1,264.1
Male	25.3	33.7	46.1	68.8	101.9	161.0	272.9	473.3	799.6	1,468.6
Female	11.5	19.6	28.6	43.3	67.9	104.1	174.6	311.4	570.6	1,184.8
All other	59.3	65.6	86.0	105.3	144.4	189.5	281.3	406.5	717.3	1,130.1
Male	88.9	90.2	113.6	134.5	189.7	240.4	341.0	500.5	852.4	1,229.9
Female	34.2	45.0	63.3	81.2	107.9	150.6	238.5	344.8	637.4	1,088.6
Black	72.9	79.2	100.1	119.2	163.8	211.2	311.1	442.3	776.4	1,182.4
Male	110.9	111.5	135.4	152.3	217.1	269.3	383.4	553.5	922.6	1,269.2
Female	41.4	53.0	71.5	91.7	120.8	166.3	260.9	371.5	694.0	1,141.7
Accidents and adverse effects (E800-E949)	31.5	30.8	31.8	35.1	38.2	42.6	60.3	88.4	139.4	254.3
Male	48.5	47.2	47.6	53.8	55.3	58.7	80.2	125.0	194.1	358.7
Female	15.3	15.2	17.1	18.3	23.3	29.4	45.6	65.2	110.3	212.6
White	29.5	28.7	29.7	33.1	35.8	41.0	57.9	86.4	137.0	256.9
Male	44.7	43.2	43.8	49.9	51.1	55.6	75.9	121.2	190.1	363.2
Female	14.6	14.6	16.4	17.6	22.4	28.9	44.4	64.3	109.1	215.5
All other	44.5	44.2	45.4	50.6	57.5	56.7	82.1	107.8	165.7	226.3
Male	74.5	74.3	74.4	84.0	91.2	86.4	119.0	159.7	235.0	323.4
Female	19.2	18.8	21.7	23.1	30.2	33.9	55.6	73.3	124.7	180.4
Black	49.0	48.8	49.0	55.0	63.1	60.2	85.8	113.3	177.3	227.5
Male	84.8	84.5	82.1	92.4	100.7	93.9	127.8	166.3	256.0	320.0
Female	19.4	19.7	22.1	23.8	32.8	34.3	56.6	79.6	132.9	184.2
Motor vehicle accidents (E810-E825)	16.7	15.2	15.1	15.2	15.8	15.4	20.6	25.6	30.9	26.1
Male	23.9	22.2	21.4	22.6	21.0	19.7	26.3	37.1	49.2	54.5
Female	9.8	8.6	9.2	8.6	11.2	11.8	16.4	18.3	21.2	14.7
White	16.2	14.9	14.6	14.8	15.1	15.2	20.5	25.6	31.6	26.7
Male	23.0	21.3	20.4	21.5	19.6	19.0	25.2	36.1	50.6	56.4
Female	9.7	8.7	9.2	8.6	11.2	11.9	17.0	18.9	21.6	15.1
All other	19.7	17.1	18.0	18.9	21.1	17.4	21.8	26.0	33.5	19.5
Male	30.3	27.7	28.7	31.6	33.3	25.6	36.5	46.0	55.0	37.7
Female	10.7	8.2	9.3	8.5	11.2	11.1	11.2	12.7	16.7	10.8
Black	20.2	17.8	17.9	19.4	22.1	19.9	26.7	27.7	22.7	18.1
Male	32.5	29.8	30.0	33.3	35.3	28.6	34.7	47.1	32.1	36.9
Female	10.1	8.1	8.2	7.8	11.4	9.5	13.7	17.4	17.4	9.4
All other accidents and adverse effects (E800-E807,E826-E949)	14.8	15.6	16.7	19.9	22.4	27.2	39.6	62.8	108.5	228.3
Male	24.6	25.0	26.2	31.1	34.3	39.0	53.9	87.9	144.9	304.3
Female	5.5	6.6	7.9	9.7	12.1	17.6	29.1	46.9	89.2	197.9
White	13.3	13.8	15.1	18.3	20.7	25.8	37.3	60.8	105.4	230.2
Male	21.7	21.9	23.4	28.4	31.5	36.5	50.8	85.1	139.5	306.8
Female	5.0	5.9	7.2	9.0	11.2	16.9	27.4	45.5	87.6	200.4
All other	24.9	27.0	27.4	31.7	36.4	39.3	60.3	81.8	142.2	206.8
Male	44.2	46.6	45.7	52.5	57.9	60.7	82.5	113.7	200.0	285.7
Female	8.5	10.6	12.4	14.6	19.0	22.8	44.4	60.6	108.0	169.6
Black	28.8	30.9	31.0	35.6	41.0	43.3	65.8	86.7	154.5	209.3
Male	52.4	54.7	52.1	59.1	65.4	67.3	93.1	119.2	223.8	283.1
Female	9.3	11.6	13.9	16.0	21.4	24.8	46.9	65.9	115.4	174.8
Suicide (E950-E959)	14.9	15.5	15.8	17.0	16.3	16.8	20.7	23.3	25.3	19.1
Male	22.3	23.0	24.0	26.8	26.8	29.0	38.9	48.4	61.9	55.4
Female	7.8	8.4	8.1	8.2	7.2	6.7	7.2	7.4	6.0	4.6
White	16.0	16.7	17.2	18.4	17.4	17.8	21.9	25.0	26.7	20.3
Male	23.7	24.4	25.8	28.7	28.5	30.6	41.5	52.5	65.7	60.3
Female	8.5	9.2	8.9	9.0	7.7	7.1	7.5	7.6	6.2	4.7
All other	7.9	8.2	6.8	6.9	7.2	8.2	9.0	7.8	10.8	5.9
Male	12.8	13.5	11.0	12.7	11.8	15.0	15.2	11.4	23.3	11.7
Female	3.8	3.7	3.3	2.2	3.5	3.0	4.6	5.1	3.4	3.2
Black	8.0	8.2	7.4	5.8	7.0	7.2	8.7	7.7	10.7	3.4
Male	13.8	14.6	12.3	11.2	11.8	14.7	17.4	11.0	25.0	7.7
Female	3.2	3.0	3.5	1.3	3.1	1.5	2.7	5.6	2.7	1.4
Homicide and legal intervention (E960-E978)	10.5	9.0	7.1	6.2	5.2	4.6	3.9	4.2	4.5	4.1
Male	16.8	14.2	11.3	10.1	8.1	6.9	5.8	5.8	5.8	4.9
Female	4.4	4.1	3.2	2.7	2.6	2.7	2.5	3.2	3.8	3.8
White	7.3	6.3	5.0	4.6	3.7	3.4	2.9	3.5	3.8	3.4
Male	11.1	9.4	7.7	7.2	5.3	4.9	4.0	4.6	4.4	3.9
Female	3.5	3.3	2.4	2.3	2.2	2.3	2.1	2.9	3.4	3.2
All other	31.2	26.1	21.0	17.9	17.4	14.2	13.5	10.6	12.6	11.4
Male	56.4	47.0	37.1	32.6	31.8	24.5	22.9	17.5	20.4	14.3
Female	9.9	8.5	7.9	5.8	5.6	6.2	6.8	6.0	8.0	10.1
Black	38.4	30.8	24.6	20.8	20.3	16.2	15.3	12.0	14.6	13.2
Male	69.7	57.2	44.4	37.7	37.8	28.0	27.0	20.3	23.8	16.9
Female	12.5	9.4	8.5	6.7	6.1	7.2	7.2	6.7	9.4	11.5

SECTION 1 - GENERAL MORTALITY - PAGE 34

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	1.2	1.4	0.5	0.1	0.2	0.7	1.3	1.8	2.0	1.8
Male	1.8	1.6	.6	.1	.3	1.0	1.9	2.7	3.2	2.8
Female7	1.3	.4	.1	.1	.4	.7	.8	.8	.9
White	1.1	.9	.4	.1	.2	.7	1.2	1.6	1.7	1.6
Male	1.6	.9	.4	.1	.3	1.0	1.7	2.5	2.7	2.3
Female6	.8	.3	.1	.1	.4	.6	.7	.6	.8
All other	1.9	4.0	1.1	.2	.3	.7	1.6	2.5	3.8	3.6
Male	2.9	4.5	1.4	.2	.4	1.0	2.4	3.9	6.2	5.8
Female	1.0	3.4	.8	.3	.2	.4	.8	1.2	1.8	1.7
Black	2.1	4.6	1.2	.3	.3	.7	1.5	2.6	4.6	4.2
Male	3.2	4.9	1.7	.2	.5	1.1	2.3	3.9	7.5	6.8
Female	1.1	4.3	.7	.4	.2	.3	.7	1.4	2.0	2.0

SECTION 1 - GENERAL MORTALITY - PAGE 35

Table 1-8. Death Rates for 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
All other external causes (E980-E999)	1.5	1.7	1.2	1.2	1.1	1.0	1.0	1.3	1.7	1.9
Male	2.2	2.1	1.6	1.8	1.6	1.3	1.3	2.2	2.8	4.5
Female8	1.2	.7	.6	.6	.7	.7	.7	1.1	.9
White	1.3	1.5	1.0	1.1	1.0	.9	.8	1.2	1.5	1.8
Male	1.9	1.8	1.4	1.6	1.5	1.1	1.1	1.9	2.5	4.5
Female7	1.2	.7	.6	.7	.6	.7	.7	1.0	.8
All other	2.6	2.7	1.9	1.9	1.8	1.5	2.0	2.3	3.2	3.0
Male	4.2	4.2	3.1	3.3	2.8	2.8	2.5	4.7	5.8	5.2
Female	1.3	1.5	.9	.7	1.1	.5	1.6	.6	1.7	1.9
Black	3.2	3.2	1.8	2.1	2.2	1.7	2.1	2.3	3.4	3.4
Male	5.1	5.0	3.5	3.8	3.4	3.0	2.3	4.7	7.1	6.2
Female	1.6	1.7	.5	.7	1.3	.6	1.9	.7	1.3	2.2

¹ Figures for age not stated included in "Total" but not distributed among age groups.

² Death rates under 1 year (based on population counts or estimates) differ from infant mortality rates (based on live births); see Technical Appendix.

SECTION 1 - GENERAL MORTALITY - PAGE 36

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes	873.9	1,067.8	51.4	26.3	95.9	123.4	207.2	516.3	1,282.7	2,838.6	6,445.1	15,480.3
Male	945.0	1,197.0	58.1	31.6	141.1	178.0	278.3	660.0	1,692.6	3,787.7	8,504.2	18,325.1
Female	806.6	932.4	44.5	20.8	49.9	68.9	138.3	372.5	910.0	2,094.7	5,219.9	14,343.2
White	897.1	916.3	46.2	24.8	92.9	108.4	181.0	471.5	1,218.7	2,772.8	6,406.8	15,757.0
Male	960.0	1,038.9	52.4	29.9	136.3	157.1	241.4	608.8	1,614.3	3,716.8	8,500.4	18,788.9
Female	837.1	786.9	39.7	19.4	48.4	58.9	121.2	330.5	864.1	2,028.3	5,171.4	14,579.4
All other	743.3	1,720.8	73.8	32.8	110.3	204.5	372.4	805.2	1,781.2	3,412.8	6,827.6	12,516.1
Male	858.6	1,898.0	82.8	38.7	164.2	298.5	529.9	1,087.4	2,335.6	4,424.9	8,540.1	14,376.6
Female	638.1	1,550.3	64.6	26.7	57.1	120.0	238.7	570.7	1,320.3	2,659.2	5,741.9	11,688.6
Black	845.7	1,951.1	80.0	34.8	115.9	235.4	443.7	935.7	2,007.5	3,759.0	7,407.4	13,076.0
Male	976.8	2,134.8	89.0	41.3	174.1	347.4	641.6	1,283.3	2,623.1	4,888.7	9,298.4	15,046.2
Female	727.7	1,756.6	70.8	28.1	59.5	136.3	278.4	654.0	1,501.7	2,925.7	6,252.0	12,154.7
Shigellosis and amebiasis (004.006)0	.0	.0	.0	-	.0	-	.0	.0	.0	.0	.1
Male0	.1	.0	.0	-	.0	-	.0	.0	.1	.0	-
Female0	-	.0	.0	-	-	-	.0	.0	.0	.0	.2
White0	-	.0	.0	-	-	-	-	.0	.0	.0	.1
Male0	-	.0	.0	-	-	-	-	.0	.1	.0	-
Female0	-	.0	.0	-	-	-	-	.0	.0	.0	.2
All other0	.1	.0	-	-	.0	-	.1	-	.1	-	-
Male0	.3	.1	-	-	.1	-	.1	-	.1	-	-
Female0	-	-	-	-	-	-	.1	-	-	-	-
Black0	.2	.0	-	-	.0	-	.1	-	.1	-	-
Male0	.3	.1	-	-	.1	-	.1	-	.2	-	-
Female0	-	-	-	-	-	-	.1	-	-	-	-
Certain other intestinal infections (007-009)1	2.6	.1	.0	.0	.0	.0	.0	.0	.2	.6	2.0
Male1	2.9	.1	.0	.0	.1	.1	.1	.0	.2	.5	2.1
Female1	2.3	.1	.0	.0	-	.0	.0	.0	.2	.7	2.0
White1	1.7	.1	.0	.0	.0	.0	.0	.0	.2	.6	2.0
Male1	2.0	.1	.0	-	.0	.1	.0	.0	.2	.5	2.2
Female1	1.4	.1	.0	.0	-	.0	.0	.0	.2	.7	2.0
All other2	6.6	.1	-	.0	.0	.0	.1	.1	.1	.2	1.7
Male2	6.7	.2	-	.0	.1	.1	.1	.1	.1	.3	1.3
Female2	6.6	.1	-	-	-	-	.1	.1	.1	.2	1.9
Black2	7.8	.2	-	.0	.0	.1	.1	.1	.1	.1	2.0
Male3	8.0	.3	-	.0	.1	.1	.2	.1	.2	-	1.5
Female2	7.5	.1	-	-	-	-	.1	.1	.1	.2	2.2
Tuberculosis (010-018)7	.1	.0	.0	.1	.2	.4	.8	1.3	2.3	4.9	7.4
Male	1.0	.2	.0	-	.1	.3	.6	1.3	2.1	3.0	7.7	15.0
Female5	-	.0	.0	.1	.1	.2	.3	.7	1.7	3.2	4.3
White5	.0	.0	.0	.0	.1	.2	.4	.0	1.8	4.0	5.8
Male7	.1	-	-	.0	.1	.3	.7	1.5	2.2	6.4	11.7
Female4	-	.0	.0	.0	.0	.1	.2	.4	1.4	2.6	3.5
All other	1.8	.4	.1	.0	.2	.9	2.0	3.2	4.5	6.7	13.3	23.3
Male	2.5	.8	.1	-	.2	1.1	3.1	5.5	7.1	9.9	19.4	45.5
Female	1.2	-	.1	.0	.2	.7	1.0	1.3	2.4	4.3	9.4	12.7
Black	2.0	.4	.1	.0	.2	1.0	2.3	3.9	5.2	7.0	12.4	22.5
Male	2.9	.7	.1	-	.2	1.4	3.7	7.0	8.2	10.3	18.6	47.7
Female	1.2	-	.1	.0	.1	.7	1.2	1.4	2.7	4.5	8.6	10.8
Tuberculosis of respiratory system (010-012)6	.1	-	-	.0	.1	.3	.6	1.1	1.8	4.0	6.2
Male8	.1	-	-	.0	.2	.5	1.1	1.8	2.5	6.5	12.8
Female4	-	-	-	.0	.1	.1	.2	.4	1.3	2.4	3.8
White4	-	-	-	.0	.1	.1	.4	.8	1.4	3.2	5.1
Male6	-	-	-	.0	.1	.2	.6	1.3	1.9	5.5	10.1
Female3	-	-	-	.0	.0	.0	.1	.3	1.1	1.9	3.2
All other	1.4	.3	-	-	.1	.5	1.4	2.3	3.6	5.0	11.2	18.2
Male	2.0	.6	-	-	.1	.7	2.3	4.1	6.2	7.9	15.9	37.7
Female8	-	-	-	.1	.3	.7	.8	1.4	2.9	8.2	8.9
Black	1.5	.2	-	-	.1	.6	1.7	2.9	4.1	5.3	10.8	17.2
Male	2.2	.3	-	-	.1	.9	2.7	5.3	7.1	8.1	18.0	38.5
Female8	-	-	-	.1	.4	.8	.9	1.6	3.2	7.6	7.2
Other tuberculosis (013-018)2	.1	.0	.0	.0	.1	.1	.2	.2	.5	.9	1.1
Male2	.1	.0	-	.0	.1	.2	.3	.3	.5	1.2	2.2
Female1	-	.0	.0	.0	.1	.1	.1	.2	.4	.8	.7
White1	.0	.0	.0	.0	.0	.1	.1	.2	.3	.8	1.6
Male1	.1	-	-	.0	.0	.1	.1	.2	.3	.8	1.6
Female1	-	.0	.0	.0	.0	.0	.0	.1	.3	.7	.4
All other5	.1	.1	.0	.1	.4	.5	.9	.9	1.7	2.1	5.1
Male5	.3	.1	-	.1	.4	.8	1.4	.9	2.0	3.5	7.8
Female4	-	.1	.0	.1	.3	.3	.5	.9	1.7	1.6	3.8
Black5	.2	.1	.0	.1	.4	.6	1.0	1.1	1.7	1.6	5.4
Male6	.3	.1	-	.1	.5	1.0	1.7	1.1	2.3	2.7	9.2
Female4	-	.1	.0	.1	.4	.3	.5	1.1	1.3	1.0	3.6
Whooping cough (033)0	.1	.0	-	-	-	-	-	-	-	-	-
Male0	.1	.0	-	-	-	-	-	-	-	-	-
Female0	.1	-	-	-	-	-	-	-	-	-	-
White0	.0	.0	-	-	-	-	-	-	-	-	-
Male0	.0	.0	-	-	-	-	-	-	-	-	-
Female0	.1	.0	-	-	-	-	-	-	-	-	-
All other0	.3	-	-	-	-	-	-	-	-	-	-
Male0	.3	-	-	-	-	-	-	-	-	-	-
Female0	.3	-	-	-	-	-	-	-	-	-	-
Black0	.4	-	-	-	-	-	-	-	-	-	-
Male0	.3	-	-	-	-	-	-	-	-	-	-
Female0	.4	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 37

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	0.0	-	-	-	-	0.0	-	0.0	0.0	0.0	0.0	0.1
Male	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Female	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
White	0.0	-	-	-	-	0.0	-	0.0	0.0	0.0	0.0	0.1
Male	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Female	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
All other	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Male	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Female	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Black	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Male	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Female	0.0	-	-	-	-	0.0	-	-	-	-	-	0.1
Meningococcal infection (036)	1.1	1.8	0.4	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Male	1.1	2.3	0.5	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Female	1.1	1.3	0.4	0.1	0.0	0.0	0.0	1.1	1.1	1.1	1.1	3.3
White	1.1	1.8	0.4	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Male	1.1	2.4	0.5	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Female	1.1	1.1	0.4	0.1	0.0	0.0	0.0	1.1	1.1	1.1	1.1	3.3
All other	1.1	2.1	0.4	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Male	1.1	2.0	0.4	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Female	1.1	2.3	0.4	0.1	0.0	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Black	1.1	2.5	0.5	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Male	1.1	2.4	0.5	0.1	0.1	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Female	1.1	2.5	0.5	0.1	0.0	0.0	0.0	1.1	1.1	1.1	1.1	3.3
Septicemia (038)	7.2	8.1	6.1	1.1	2.2	1.6	1.2	3.0	8.8	21.5	61.5	159.6
Male	6.9	9.3	8.1	1.1	2.2	1.6	1.5	3.5	10.8	27.3	73.5	180.6
Female	7.5	6.8	5.1	1.1	2.3	1.6	1.0	2.4	7.0	16.9	54.4	151.2
White	6.8	6.3	6.1	1.1	2.2	1.6	1.1	2.2	7.3	19.0	55.8	152.1
Male	6.4	7.2	7.1	1.1	2.2	1.6	1.1	2.2	7.3	19.0	55.8	152.1
Female	7.2	5.3	4.1	1.1	2.2	1.6	1.1	2.2	7.3	19.0	55.8	152.1
All other	9.6	15.8	10.0	2.2	3.3	1.5	3.2	7.6	20.7	43.3	118.5	237.3
Male	9.9	18.2	11.1	2.2	3.3	1.6	4.3	10.0	27.5	51.6	141.4	241.6
Female	9.3	13.4	8.1	2.2	3.3	1.5	2.4	5.7	15.2	37.1	104.1	236.7
Black	11.3	19.2	11.1	2.2	3.3	1.9	4.1	8.9	23.8	48.8	133.3	261.3
Male	11.7	22.0	13.1	2.2	3.3	1.9	5.5	11.6	31.9	58.2	161.3	269.2
Female	10.9	16.4	9.1	2.2	3.3	1.9	2.9	6.8	17.2	41.8	116.2	257.6
Acute poliomyelitis (045)	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
White	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
All other	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Black	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Male	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Female	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
Measles (055)	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Male	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Female	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
White	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Male	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Female	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
All other	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Male	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Female	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Black	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Male	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Female	0.0	-	-	-	0.0	-	0.0	-	-	-	-	-
Viral hepatitis (070)	4.4	2.1	1.1	0.0	2.2	3.3	3.3	5.5	7.7	13.3	13.3	12.2
Male	5.5	3.3	1.1	0.0	1.1	3.3	3.3	4.4	7.7	9.9	17.7	17.7
Female	3.3	1.1	0.0	0.0	2.2	2.2	3.3	3.3	6.6	10.0	11.1	10.0
White	4.4	1.1	1.1	0.0	1.1	2.2	3.3	4.4	7.7	13.3	14.4	12.2
Male	5.5	2.2	1.1	0.0	1.1	3.3	4.4	6.6	9.9	17.7	18.8	17.7
Female	3.3	1.1	0.0	0.0	2.2	1.1	2.2	2.2	6.6	9.9	11.1	10.0
All other	5.5	4.4	1.1	0.0	3.3	5.5	6.6	11.1	9.9	16.6	19.9	13.3
Male	5.5	6.6	2.2	0.0	2.2	5.5	7.7	10.0	11.1	17.7	16.6	13.3
Female	5.5	3.3	1.1	0.0	3.3	5.5	6.6	11.1	6.6	15.5	10.0	13.3
Black	4.4	2.2	1.1	0.0	3.3	5.5	5.5	7.7	6.6	12.2	7.7	10.0
Male	4.4	3.3	1.1	0.0	3.3	5.5	5.5	6.6	6.6	13.3	8.8	15.5
Female	4.4	1.1	1.1	0.0	3.3	5.5	4.4	8.8	5.5	12.2	7.7	7.7
Syphilis (090-097)	0.0	2.2	-	0.0	-	0.0	0.0	0.0	1.1	1.1	2.2	5.5
Male	0.0	2.2	-	0.0	-	0.0	0.0	0.0	1.1	1.1	4.4	10.0
Female	0.0	2.2	-	0.0	-	0.0	0.0	0.0	1.1	1.1	2.2	3.3
White	0.0	1.1	-	0.0	-	0.0	0.0	0.0	1.1	1.1	2.2	4.4
Male	0.0	1.1	-	0.0	-	0.0	0.0	0.0	1.1	1.1	2.2	4.4
Female	0.0	2.2	-	0.0	-	0.0	0.0	0.0	1.1	1.1	2.2	4.4
All other	1.1	4.4	-	0.0	-	0.0	0.0	1.1	2.2	3.3	6.6	2.1
Male	1.1	6.6	-	0.0	-	0.0	0.0	1.1	4.4	8.8	10.0	2.6
Female	1.1	3.3	-	0.0	-	0.0	0.0	1.1	1.1	1.1	4.4	1.9
Black	1.1	4.4	-	0.0	-	0.0	0.0	1.1	3.3	3.3	7.7	2.5
Male	1.1	7.7	-	0.0	-	0.0	0.0	1.1	5.5	8.8	12.2	3.1
Female	1.1	1.1	-	0.0	-	0.0	1.1	2.2	1.1	1.1	5.5	2.2

SECTION 1 - GENERAL MORTALITY - PAGE 38

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066, 071-086,098-139)	3.1	6.1	0.6	0.3	0.6	2.6	3.7	3.4	4.4	7.3	11.1	21.2
Male	4.1	6.4	.7	.3	.8	4.3	6.2	4.9	5.5	9.2	14.6	25.2
Female	2.2	5.8	.6	.2	.4	1.0	1.2	1.9	3.5	5.8	9.1	19.6
White	2.9	4.9	.6	.3	.5	2.1	3.1	2.8	4.0	6.9	11.1	21.5
Male	3.8	5.1	.6	.3	.7	3.6	5.4	4.2	5.2	8.7	14.3	25.6
Female	2.1	4.6	.6	.2	.3	.6	.8	1.5	3.0	5.4	9.2	19.9
All other	4.3	11.5	.9	.2	1.0	5.2	7.4	6.8	7.2	10.7	11.7	17.8
Male	5.7	12.0	1.1	.2	1.5	8.1	11.8	9.5	7.6	13.1	16.9	22.1
Female	3.1	10.9	.7	.2	.5	2.6	3.7	4.5	6.9	8.9	8.4	15.8
Black	4.9	13.1	.8	.2	1.2	6.3	9.2	7.9	7.9	10.4	11.6	17.6
Male	6.6	12.9	1.3	.2	1.7	9.9	14.7	11.1	8.4	12.6	16.4	23.1
Female	3.4	13.2	.4	.2	.6	3.2	4.6	5.3	7.4	8.8	8.6	15.1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	193.3	3.0	3.8	3.5	5.4	13.1	45.7	169.1	450.5	838.3	1,281.0	1,591.5
Male	212.6	2.9	4.3	3.9	6.5	13.0	42.3	174.5	531.1	1,085.6	1,840.2	2,413.7
Female	175.1	3.2	3.3	3.1	4.3	13.1	49.1	164.0	379.1	644.6	948.3	1,262.9
White	200.1	3.1	4.0	3.6	5.5	12.8	43.3	160.9	437.6	828.6	1,272.4	1,594.7
Male	217.2	3.1	4.4	4.0	6.5	13.0	39.5	161.2	508.4	1,061.2	1,820.1	2,424.5
Female	183.7	3.0	3.5	3.1	4.3	12.6	47.0	160.6	374.1	645.3	949.2	1,270.9
All other	155.2	3.0	3.2	3.2	5.2	14.6	61.1	222.2	551.5	922.9	1,366.8	1,550.8
Male	185.6	2.2	3.7	3.6	6.1	13.5	60.9	267.0	716.9	1,304.9	2,030.9	2,348.1
Female	127.5	3.7	2.6	2.8	4.3	15.5	61.3	185.0	416.7	638.1	943.1	1,172.2
Black	176.3	3.4	2.9	3.3	5.3	15.9	70.2	255.3	617.8	1,014.2	1,478.7	1,636.3
Male	212.2	2.4	3.3	3.6	6.4	14.7	71.2	313.6	803.3	1,448.7	2,238.3	2,507.7
Female	143.9	4.3	2.5	3.0	4.3	17.0	69.5	208.1	465.4	694.2	1,014.6	1,228.8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.5	.0	.0	.0	.1	.2	1.0	4.3	10.3	15.2	16.5	20.5
Male	4.8	—	—	.0	.1	.2	1.4	6.8	15.8	23.7	27.6	32.2
Female	2.2	.1	.0	.0	.1	.1	.6	2.0	5.4	8.6	10.0	15.8
White	3.4	.0	.0	.0	.0	.1	.6	3.4	9.4	15.1	16.5	21.4
Male	4.6	—	—	.0	.0	.2	.9	5.2	14.1	23.3	27.3	33.7
Female	2.3	.1	.0	.0	.0	.1	.4	1.7	5.2	8.7	10.1	16.6
All other	3.8	—	—	.0	.1	.3	2.9	10.1	17.1	16.4	17.2	11.0
Male	5.9	—	—	.0	.1	.5	4.4	17.9	30.3	27.8	30.6	19.5
Female	1.8	—	—	.0	.1	.2	1.7	3.6	6.4	7.9	8.6	7.0
Black	4.3	—	—	.0	.1	.4	3.4	12.2	19.6	18.0	17.0	10.3
Male	6.9	—	—	.0	.1	.5	5.3	21.9	35.0	30.8	30.5	20.0
Female	2.0	—	—	.0	.1	.3	1.8	4.4	6.9	8.5	8.8	5.8
Malignant neoplasms of digestive organs and peritoneum (150-159)	48.8	.2	.2	.1	.4	1.6	7.4	33.4	100.4	211.0	373.4	537.9
Male	52.7	.1	.2	.1	.4	1.8	9.0	41.7	129.3	272.7	476.2	656.8
Female	45.2	.3	.1	.1	.3	1.5	5.8	25.7	74.7	162.7	312.2	490.4
White	49.9	.2	.2	.1	.3	1.4	6.6	30.2	94.2	204.8	368.5	538.0
Male	53.2	.1	.2	.1	.4	1.5	8.0	37.0	121.0	263.7	471.2	664.2
Female	46.7	.3	.1	.1	.2	1.3	5.2	23.6	70.2	158.4	308.0	489.0
All other	43.0	—	.1	.1	.6	2.8	12.2	54.5	148.3	265.1	421.9	534.7
Male	49.4	—	.1	.2	.6	3.2	16.1	74.3	197.4	353.3	524.2	598.7
Female	37.2	—	.2	.1	.6	2.4	8.9	38.1	108.2	199.3	357.1	507.0
Black	47.5	—	.1	.1	.7	2.8	13.0	60.5	160.4	282.2	449.8	554.9
Male	54.2	—	.2	.7	3.3	17.4	82.5	212.3	375.8	555.9	818.5	1,018.5
Female	41.5	—	.2	.1	.6	2.3	9.4	42.6	117.7	213.1	385.0	525.2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	53.3	.1	.0	.0	.1	.8	8.1	52.8	158.4	268.0	294.5	202.0
Male	75.3	.1	.0	.0	.2	.9	10.6	70.7	231.1	424.8	559.0	450.2
Female	32.5	.2	.0	.0	.1	.7	5.8	35.9	93.9	145.1	137.2	102.7
White	55.5	.1	.0	.0	.1	.7	7.5	50.3	154.4	268.1	297.0	202.4
Male	77.3	—	.0	.0	.2	.7	9.4	65.2	221.7	419.1	562.6	459.1
Female	34.6	.2	.1	.0	.1	.6	5.6	36.0	94.2	149.1	140.3	102.1
All other	41.1	.3	—	.0	.2	1.2	11.9	68.6	188.9	267.4	269.2	196.2
Male	63.8	.3	—	.0	.2	1.6	18.3	108.9	308.1	476.8	525.2	375.3
Female	20.5	.3	—	.0	.1	.8	6.5	35.1	91.6	111.2	105.3	110.1
Black	47.5	.4	—	.0	.2	1.4	14.6	81.6	216.8	295.2	287.9	201.0
Male	74.5	.3	—	.0	.3	1.9	22.8	132.1	352.1	534.8	581.3	390.8
Female	23.3	.4	—	.0	.1	1.0	7.7	40.7	105.8	118.9	108.6	112.2
Malignant neoplasm of breast (174-175)	16.9	.1	—	—	.1	1.5	8.9	24.2	44.6	60.8	87.2	126.8
Male	.2	—	—	—	.0	.0	.1	.3	.6	1.0	2.3	3.9
Female	32.7	.1	—	—	.1	3.0	17.5	46.7	83.6	107.7	137.7	175.9
White	17.8	.1	—	—	.0	1.4	8.5	23.9	44.7	62.0	89.1	129.5
Male	.3	—	—	—	.0	.0	.1	.3	.6	1.0	2.3	3.6
Female	34.6	.1	—	—	.1	2.8	16.7	46.5	84.2	110.0	140.4	178.9
All other	11.8	—	—	—	.1	2.0	11.9	26.2	43.9	51.1	68.3	97.5
Male	.2	—	—	—	.0	.0	—	.1	.7	1.1	2.2	6.5
Female	22.4	—	—	—	.2	3.8	21.9	47.9	79.3	88.5	110.8	142.4
Black	13.6	—	—	—	.1	2.4	14.3	30.0	49.0	57.8	76.1	106.4
Male	.2	—	—	—	.0	.0	—	.1	.9	1.1	2.7	7.7
Female	25.6	—	—	—	.2	4.4	26.3	54.4	88.5	99.3	121.0	152.5
Malignant neoplasms of genital organs (179-187)	20.8	—	.0	.0	.4	1.4	3.9	12.0	34.1	87.5	178.6	247.5
Male	22.9	—	.0	.0	.4	.8	.7	3.1	24.3	108.3	321.4	605.0
Female	18.8	—	.0	.0	.4	2.0	7.1	20.4	42.8	71.2	93.6	104.6
White	20.8	—	.0	.0	.4	1.4	3.7	11.2	32.1	82.1	168.5	236.9
Male	22.3	—	.1	.0	.5	.9	.7	2.5	21.4	98.0	298.3	577.8
Female	19.3	—	—	.0	.3	1.8	6.6	19.6	41.7	69.6	91.9	103.6
All other	21.1	—	—	.0	.3	1.7	5.6	17.3	49.4	134.0	280.0	357.6
Male	26.4	—	—	.0	.1	.4	.6	7.4	47.8	201.1	539.8	858.4
Female	16.3	—	—	.0	.5	2.9	9.8	25.5	50.8	84.0	113.7	115.8
Black	24.7	—	—	.0	.3	1.9	6.0	19.5	56.5	153.3	315.7	389.2
Male	31.7	—	—	.0	.1	.3	.7	9.0	56.6	234.5	627.3	952.3
Female	18.4	—	—	.0	.5	3.3	10.5	28.0	56.5	93.5	125.3	125.9

SECTION 1 - GENERAL MORTALITY - PAGE 39

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.												
Malignant neoplasms of urinary organs (188-189)	7.9	0.3	0.1	0.1	0.1	0.2	1.2	5.2	15.0	33.5	62.7	96.7
Male	10.5	.3	.1	.1	.0	.2	1.6	7.5	22.2	51.1	106.2	182.7
Female	5.5	.3	.1	.1	.1	.1	.9	3.0	8.5	19.7	36.8	62.3
White	8.5	.2	.1	.1	.0	.1	1.2	5.2	15.2	33.9	63.5	99.6
Male	11.3	.2	.1	.1	.0	.2	1.5	7.5	22.6	51.9	108.5	191.4
Female	5.8	.1	.1	.1	.0	.1	.8	3.1	8.5	19.7	37.0	63.7
All other	4.8	.7	.3	.1	.1	.3	1.5	4.9	13.3	29.6	54.7	66.1
Male	6.1	.6	.3	.1	.1	.4	2.0	7.5	18.7	43.3	84.4	106.5
Female	3.5	.9	.4	.2	.2	.2	1.1	2.8	8.9	19.4	35.8	46.8
Black	5.5	.9	.3	.2	.2	.3	1.8	5.5	14.9	33.0	60.3	68.1
Male	7.0	.7	.2	.2	.1	.5	2.3	8.4	20.9	49.0	94.1	109.2
Female	4.1	1.1	.5	.2	.2	.3	1.4	3.2	10.1	21.2	39.6	48.9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	24.3	1.4	2.0	1.5	2.1	4.1	9.3	24.1	55.1	93.1	142.9	198.7
Male	26.7	1.8	2.1	1.6	2.5	5.1	11.3	28.8	68.2	117.6	184.7	256.8
Female	22.0	1.0	1.9	1.4	1.7	3.1	7.3	19.6	43.6	73.9	118.0	175.5
White	25.4	1.5	2.1	1.6	2.1	4.3	9.3	23.5	54.9	92.9	142.3	201.0
Male	27.7	2.0	2.3	1.7	2.5	5.4	11.3	27.9	67.5	117.0	184.1	259.9
Female	23.2	1.0	2.0	1.4	1.8	3.2	7.4	19.2	43.5	73.8	117.7	178.1
All other	17.8	.8	1.4	1.3	1.8	2.8	9.0	27.7	57.4	95.3	148.0	174.2
Male	20.4	.6	1.4	1.2	2.4	3.3	11.8	34.6	73.7	123.1	189.5	232.5
Female	15.4	1.1	1.4	1.3	1.3	2.4	6.7	22.0	44.2	74.5	121.7	146.8
Black	20.1	1.1	1.5	1.3	1.9	3.2	10.1	32.0	64.4	104.6	156.0	187.7
Male	23.1	.7	1.4	1.3	2.5	3.8	13.5	41.5	82.7	135.3	202.0	249.2
Female	17.4	1.4	1.5	1.4	1.3	2.7	7.3	24.3	49.5	82.0	127.9	159.0
Leukemia (204-208)	7.3	.8	1.3	1.5	1.3	1.5	2.5	5.0	11.7	25.7	50.2	77.3
Male	8.1	.6	1.5	1.7	1.6	1.7	3.0	5.7	14.6	34.0	70.1	113.1
Female	6.4	1.0	1.0	1.3	1.0	1.4	2.1	4.3	9.2	19.2	38.5	63.0
White	7.7	.9	1.3	1.5	1.4	1.5	2.5	5.0	11.8	26.1	51.7	80.3
Male	8.6	.6	1.5	1.7	1.7	1.7	3.0	5.7	14.7	34.7	72.0	118.4
Female	6.9	1.1	1.1	1.3	1.1	1.4	2.1	4.4	9.1	19.4	39.7	65.4
All other	4.5	.7	1.2	1.4	1.1	1.5	2.5	4.6	11.3	22.0	35.9	45.3
Male	5.2	.6	1.8	1.7	1.3	1.6	2.8	6.0	13.7	27.9	52.2	66.2
Female	3.8	.9	.5	1.1	.9	1.4	2.2	3.5	9.3	17.6	25.6	35.4
Black	4.9	.5	.9	1.4	1.0	1.4	2.8	4.8	12.0	24.2	38.7	49.0
Male	5.6	.3	1.6	1.6	1.2	1.5	3.4	6.5	14.1	30.8	57.0	73.8
Female	4.2	.7	.3	1.1	.9	1.4	2.3	3.5	10.2	19.3	27.4	37.4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.5	.1	.2	.3	1.0	1.8	3.4	8.1	21.0	43.5	74.8	84.2
Male	11.3	.1	.2	.3	1.3	2.4	4.6	10.0	25.0	52.2	92.8	113.1
Female	9.8	.2	.2	.2	.7	1.2	2.3	6.4	17.5	36.6	64.2	72.6
White	11.1	.1	.2	.3	1.0	1.8	3.4	8.1	20.9	43.6	75.2	85.6
Male	11.8	.1	.2	.4	1.3	2.4	4.6	9.9	24.8	52.4	93.9	116.4
Female	10.4	.1	.2	.4	.7	1.2	2.2	6.4	17.4	36.7	64.1	73.6
All other	7.3	.4	.1	.2	.8	1.9	3.6	8.2	21.8	42.1	71.6	68.2
Male	8.0	.3	.1	.3	1.2	2.5	5.0	10.3	26.5	50.7	82.8	84.4
Female	6.7	.6	.1	.1	.5	1.3	2.5	6.5	18.0	35.7	64.6	60.8
Black	8.2	.5	.1	.2	.9	2.1	4.2	9.0	24.1	46.0	77.2	69.8
Male	9.0	.3	.2	.3	1.3	2.9	5.7	11.6	28.7	56.5	87.5	86.2
Female	7.5	.7	—	.1	.5	1.4	3.0	6.9	20.4	38.3	70.9	61.9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2.8	1.6	.5	.3	.3	.4	.9	1.9	4.3	9.8	20.8	38.3
Male	2.6	1.1	.6	.2	.3	.5	1.0	2.1	4.6	10.5	23.1	43.5
Female	3.0	2.1	.3	.3	.2	.4	.8	1.7	4.0	9.2	19.4	36.3
White	2.9	1.6	.5	.2	.2	.4	.8	1.7	4.1	9.4	20.8	39.2
Male	2.7	1.1	.6	.2	.2	.5	.9	1.9	4.5	10.2	23.1	45.5
Female	3.1	2.2	.3	.2	.2	.4	.7	1.5	3.6	8.8	19.5	36.7
All other	2.4	1.6	.6	.3	.4	.5	1.4	2.8	5.9	13.2	20.5	29.7
Male	2.2	1.4	.5	.3	.4	.5	1.6	3.1	5.2	13.4	23.2	26.0
Female	2.6	1.7	.6	.4	.3	.4	1.2	2.5	6.4	13.0	18.8	31.6
Black	2.7	1.6	.6	.3	.4	.5	1.6	3.3	6.7	14.3	21.8	28.9
Male	2.4	1.4	.5	.3	.5	.6	1.7	3.8	5.7	14.5	25.0	21.5
Female	2.9	1.8	.7	.3	.4	.5	1.4	2.9	7.5	14.1	19.8	32.4
Diabetes mellitus (250)	15.5	.1	.1	.1	.3	1.3	3.7	8.8	26.1	59.7	128.1	214.9
Male	13.1	—	.0	.1	.3	1.5	4.5	9.8	26.4	60.2	128.8	205.7
Female	17.7	.1	.1	.1	.3	1.1	2.9	7.9	25.8	59.4	127.7	218.6
White	14.9	.0	.1	.1	.2	1.2	3.3	7.1	22.4	53.9	119.8	211.3
Male	12.9	—	.1	.1	.2	1.4	4.0	8.3	23.7	56.5	123.4	206.0
Female	16.9	.1	.1	.1	.3	1.0	2.5	6.0	21.2	51.8	117.8	213.5
All other	18.5	.1	—	.2	.6	1.7	6.2	19.8	54.7	111.0	210.7	251.7
Male	14.6	—	—	.2	.6	2.0	8.0	20.6	48.2	93.2	180.3	205.2
Female	22.1	.3	—	.1	.6	1.5	4.8	19.3	60.1	124.5	230.7	275.9
Black	21.1	—	—	.2	.7	2.1	7.6	23.0	60.1	121.4	232.4	261.3
Male	16.3	—	—	.3	.8	2.4	9.6	24.0	51.6	99.2	196.9	203.1
Female	25.5	—	—	.1	.7	1.8	5.9	22.2	67.1	137.6	254.2	286.5
Nutritional deficiencies (260-269)	1.2	.6	.0	.0	.0	.0	.1	.2	.6	2.2	10.0	49.9
Male	.9	.7	.0	.0	.0	.0	.1	.2	.8	2.5	10.9	51.1
Female	1.5	.9	.0	.0	.0	.0	.1	.2	.5	1.9	9.4	49.5
White	1.2	.7	.0	.0	.0	.0	.1	.2	.5	1.9	9.4	50.3
Male	.9	.6	.0	.0	.0	.0	.1	.2	.6	2.2	10.2	52.2
Female	1.5	.7	—	.0	.0	.0	.0	.2	.4	1.7	9.0	49.5
All other	1.1	1.4	.1	.0	—	.1	.3	.5	1.2	4.5	15.0	46.2
Male	1.0	1.4	—	—	—	.1	.3	.7	1.8	5.5	17.2	41.6
Female	1.1	1.4	.2	.0	—	.1	.3	.8	3.7	13.7	48.7	48.7
Black	1.2	1.8	.1	.0	—	.1	.4	.5	1.4	4.9	15.7	48.5
Male	1.1	1.7	—	—	—	.1	.3	.7	2.0	6.1	18.0	38.5
Female	1.3	1.8	.2	.0	—	.1	.4	.3	1.0	4.0	14.3	53.2

SECTION 1 - GENERAL MORTALITY - PAGE 40

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Anemias (280-285)	1.5	0.5	0.4	0.2	0.3	0.4	0.4	0.6	1.3	3.5	12.4	38.7
Male	1.4	.7	.4	.2	.3	.4	.4	.6	1.4	3.8	14.9	44.6
Female	1.7	.2	.4	.2	.2	.3	.4	.6	1.2	3.3	10.9	36.3
White	1.4	.2	.1	.1	.1	.1	.2	.4	1.1	3.3	12.2	39.0
Male	1.3	.3	.1	.1	.1	.2	.2	.4	1.2	3.7	14.8	45.8
Female	1.6	.2	.1	.1	.1	.1	.1	.4	1.0	3.0	10.6	36.4
All other	2.1	1.4	1.7	.6	1.0	1.6	1.8	1.9	2.7	5.3	14.6	35.2
Male	2.2	2.5	1.5	.6	1.3	1.9	1.8	2.3	3.2	5.2	15.3	35.1
Female	2.1	.3	1.9	.5	.7	1.3	1.8	1.7	2.4	5.4	14.1	35.4
Black	2.5	1.2	2.1	.7	1.2	1.9	2.3	2.4	3.1	5.9	15.9	35.8
Male	2.5	2.4	1.9	.7	1.6	2.3	2.4	2.8	3.5	6.0	16.4	32.3
Female	2.4	-	2.3	.6	.8	1.6	2.2	2.1	2.7	5.8	15.5	37.4
Meningitis (320-322)	.5	6.9	1.1	.1	.1	.2	.1	.3	.6	1.0	2.0	2.4
Male	.5	7.4	1.4	.1	.1	.2	.2	.3	.6	1.2	2.0	2.6
Female	.5	6.3	.8	.1	.0	.1	.1	.3	.5	.9	2.0	2.3
White	.4	5.1	1.0	.1	.0	.1	.1	.2	.5	.9	1.8	2.3
Male	.5	5.5	1.3	.1	.1	.1	.1	.3	.6	1.1	1.7	2.7
Female	.4	4.7	.7	.1	.0	.1	.1	.2	.4	.8	1.9	2.1
All other	.9	14.4	1.6	.2	.2	.4	.3	.9	1.3	2.0	3.6	3.0
Male	1.1	15.7	1.8	.1	.2	.7	.5	.8	1.2	2.4	5.1	1.3
Female	.8	13.1	1.3	.2	.1	.1	.2	.9	1.3	1.7	2.7	3.8
Black	1.0	15.3	1.8	.2	.2	.4	.5	1.1	1.4	2.3	3.4	3.4
Male	1.2	16.4	2.0	.2	.3	.7	.7	1.0	1.4	2.9	4.7	1.5
Female	.9	14.2	1.5	.2	.1	.1	.3	1.1	1.5	1.9	2.6	4.3
Major cardiovascular diseases (390-448)	409.6	28.9	2.5	1.3	3.8	10.9	46.8	179.5	514.1	1,319.1	3,510.2	9,798.1
Male	417.6	32.9	2.6	1.2	4.5	14.2	67.8	267.3	745.0	1,804.8	4,416.2	10,570.5
Female	402.0	24.8	2.5	1.4	3.1	7.5	26.4	96.8	309.4	938.4	2,971.0	9,489.4
White	428.6	24.8	2.0	1.1	3.2	8.6	39.8	162.7	485.3	1,284.5	3,499.9	10,030.1
Male	435.1	28.4	2.1	1.1	3.9	11.5	59.4	248.6	719.1	1,783.0	4,444.9	10,914.8
Female	422.5	20.9	1.9	1.2	2.5	5.7	20.5	80.2	275.8	891.3	2,942.3	9,689.5
All other	302.2	47.0	4.8	1.8	6.7	23.0	90.6	287.8	738.7	1,621.3	3,613.3	7,327.1
Male	316.4	52.7	4.6	1.6	7.6	30.2	125.4	397.2	958.0	2,001.1	4,144.3	7,600.0
Female	289.4	41.1	4.9	2.0	5.8	16.6	61.0	196.9	559.9	1,338.8	3,279.8	7,240.5
Black	347.3	51.9	5.5	1.9	7.5	27.6	110.0	340.3	839.5	1,795.8	3,938.2	7,687.7
Male	361.0	57.5	5.3	1.7	8.7	36.2	153.7	471.3	1,078.8	2,208.1	4,504.7	8,000.0
Female	335.0	45.9	5.7	2.1	6.4	20.1	73.6	234.0	642.8	1,491.1	3,592.1	7,541.7
Diseases of heart (390-398,402,404-429)	323.0	24.5	2.1	.9	2.8	8.2	38.0	152.9	439.1	1,080.6	2,712.6	7,275.0
Male	342.8	27.3	2.1	.9	3.5	11.5	58.4	236.9	651.9	1,508.4	3,498.0	8,123.7
Female	304.3	21.6	2.1	1.0	2.1	5.0	18.3	73.8	250.3	745.3	2,245.2	6,935.7
White	339.4	21.1	1.7	.8	2.3	6.6	33.2	141.6	410.5	1,060.8	2,715.6	7,453.9
Male	358.9	23.8	1.7	.8	3.0	9.2	52.4	224.4	635.6	1,501.0	3,532.9	8,396.3
Female	320.7	18.3	1.6	.9	1.7	3.8	14.3	62.1	225.8	713.7	2,233.3	7,089.3
All other	230.8	39.3	4.2	1.5	5.2	17.3	68.2	225.7	591.6	1,253.2	2,682.7	5,369.9
Male	249.7	42.9	3.9	1.5	6.3	24.4	99.8	323.5	785.5	1,575.1	3,166.9	5,768.8
Female	213.5	35.7	4.5	1.5	4.0	10.9	41.4	144.4	433.5	1,013.7	2,377.3	5,209.5
Black	285.5	43.2	4.8	1.6	5.8	20.6	83.0	266.5	672.8	1,390.5	2,926.1	5,650.5
Male	285.0	46.7	4.4	1.5	7.2	29.1	122.0	382.4	882.6	1,738.4	3,450.0	6,088.5
Female	248.1	39.5	5.2	1.7	4.6	13.1	50.4	172.6	500.4	1,133.6	2,606.0	5,441.0
Rheumatic fever and rheumatic heart disease (390-398)	2.8	.2	.0	.0	.2	.4	.8	2.3	5.3	11.2	20.6	24.5
Male	1.8	.2	.1	.0	.2	.3	.7	1.9	4.2	8.6	14.7	17.7
Female	3.6	.2	-	.0	.1	.4	.9	2.7	6.3	13.3	24.1	27.2
White	3.0	.2	.0	.0	.1	.3	.7	2.2	5.4	11.8	21.8	25.4
Male	2.0	.3	.1	.0	.1	.3	.6	1.8	4.3	8.9	15.6	18.1
Female	3.9	.1	-	.0	.1	.3	.8	2.6	6.4	14.1	25.5	28.3
All other	1.6	.1	.1	.1	.3	.8	1.7	3.0	4.6	5.9	8.5	14.4
Male	1.2	-	.1	.0	.3	.8	1.5	2.3	3.4	5.5	6.7	14.3
Female	1.9	.3	-	.1	.4	.8	1.9	3.6	5.5	6.3	9.6	14.6
Black	1.6	.2	.1	.1	.3	.9	1.9	3.2	4.8	5.7	8.3	11.3
Male	1.3	-	.2	.0	.3	.9	1.7	2.3	3.7	5.3	6.3	12.3
Female	2.0	.4	-	.1	.4	.8	2.1	3.9	5.8	5.9	9.5	10.8
Hypertensive heart disease (402)	8.7	.0	-	.0	.1	.3	1.6	6.1	14.6	29.9	68.7	163.5
Male	7.7	-	-	-	.1	.5	2.3	7.9	18.4	34.6	66.5	118.6
Female	9.7	.1	-	.0	.0	.1	1.0	4.3	11.2	26.2	70.1	181.4
White	7.5	.0	-	-	.0	.2	.8	3.5	10.1	23.8	59.7	156.9
Male	6.4	-	-	-	.0	.3	1.3	5.0	13.5	28.0	57.3	109.2
Female	8.7	.1	-	-	-	.1	.3	2.1	7.1	20.6	61.2	175.6
All other	15.5	-	-	.0	.2	1.0	6.6	22.6	49.4	82.6	158.5	232.2
Male	15.4	-	-	-	.3	1.7	9.0	28.3	58.8	93.9	153.8	205.2
Female	15.6	-	-	.0	.1	.4	4.7	17.8	41.7	74.2	161.8	248.8
Black	18.5	-	-	.0	.2	1.3	8.6	27.8	58.5	94.7	177.0	248.5
Male	18.4	-	-	-	.3	2.2	11.6	35.2	69.7	106.9	171.9	215.4
Female	18.6	-	-	.0	.2	.5	6.1	21.7	49.3	85.6	180.2	264.0
Hypertensive heart and renal disease (404)	1.2	-	-	-	.0	.0	.1	.4	1.1	3.2	11.3	32.4
Male	1.0	-	-	-	.0	.0	.1	.5	1.2	3.7	12.9	32.1
Female	1.3	-	-	-	.0	.0	.1	.3	1.0	2.8	10.3	32.5
White	1.0	-	-	-	.0	.0	.0	.1	.7	2.4	10.1	30.1
Male	.9	-	-	-	-	.0	.0	.2	.8	3.0	11.6	31.2
Female	1.2	-	-	-	.0	.0	.0	.1	.6	1.9	9.2	29.7
All other	2.0	-	-	-	.0	.2	.4	2.1	4.6	10.2	23.8	55.5
Male	1.7	-	-	-	.0	.2	.5	2.6	4.7	9.1	26.1	40.3
Female	2.2	-	-	-	-	.1	.3	1.6	4.5	11.1	22.3	63.3
Black	2.3	-	-	-	.0	.2	.5	2.5	5.5	11.7	26.4	60.3
Male	2.0	-	-	-	.0	.3	.7	3.2	5.6	10.2	30.1	43.1
Female	2.6	-	-	-	-	.1	.3	2.0	5.3	12.8	24.1	66.3

SECTION 1 - GENERAL MORTALITY - PAGE 41

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diseases of heart-Con.												
Ischemic heart disease (410-414)	224.8	0.6	0.1	0.0	0.3	3.0	23.3	104.7	309.7	776.3	1,919.6	4,932.9
Male	246.4	.5	.1	.0	.5	4.8	38.7	169.9	474.6	1,110.8	2,544.9	5,658.9
Female	204.5	.6	.0	.0	.2	1.3	8.4	43.3	163.3	514.1	1,547.5	4,642.8
White	241.9	.5	.1	.0	.3	2.7	22.2	102.7	306.9	782.2	1,955.0	5,105.6
Male	264.8	.5	.1	.0	.4	4.4	37.2	169.3	476.3	1,132.6	2,615.5	5,921.9
Female	220.1	.5	.0	.0	.2	1.1	7.3	38.6	153.3	505.0	1,478.1	4,789.1
All other	128.7	.8	.0	.0	.6	4.7	30.7	117.9	331.2	724.8	1,566.0	3,103.0
Male	140.1	.6	.1	.0	1.0	7.1	48.9	174.1	444.7	915.0	1,876.1	3,358.4
Female	118.2	1.1	.0	.0	.2	2.5	15.2	71.2	238.7	583.3	1,370.1	2,998.1
Black	146.0	1.1	.0	.0	.7	5.6	36.5	136.5	371.1	792.3	1,684.9	3,238.2
Male	156.6	.7	.1	.0	1.2	8.4	58.3	200.6	489.8	990.6	1,998.4	3,495.4
Female	136.4	1.4	.0	.0	.3	3.1	18.4	84.5	273.5	645.9	1,493.3	3,118.0
Acute myocardial infarction (410)	114.9	.4	.0	.0	.2	1.9	14.5	65.4	192.0	455.1	977.2	1,750.2
Male	134.2	.4	.1	.0	.3	2.9	23.9	106.0	292.8	649.8	1,321.2	2,200.4
Female	96.5	.4	.0	.0	.2	.8	5.3	27.1	102.6	302.5	772.5	1,570.3
White	123.6	.3	.0	.0	.2	1.7	14.1	65.5	192.5	461.6	998.7	1,800.8
Male	144.8	.3	.1	.0	.2	2.7	23.5	108.0	298.4	665.5	1,362.9	2,295.4
Female	103.3	.3	.0	.0	.1	.7	4.7	24.7	97.5	300.7	793.8	1,608.2
All other	65.8	.6	.0	.0	.4	2.7	17.2	64.4	188.3	398.9	762.9	1,213.6
Male	73.1	.6	.0	.0	.6	4.1	26.5	92.3	247.6	508.7	925.8	1,371.4
Female	59.1	.6	.0	.0	.2	1.4	9.3	41.2	139.9	317.1	659.9	1,144.3
Black	74.3	.7	.0	.0	.5	3.2	20.2	73.0	209.5	433.7	813.8	1,278.9
Male	81.2	.7	.0	.0	.7	4.9	31.2	103.4	270.6	547.9	975.4	1,436.9
Female	68.1	.7	.0	.0	.2	1.8	11.1	48.2	159.2	349.3	715.0	1,205.0
Other acute and subacute forms of ischemic heart disease (411)	1.7	-	.0	-	.0	.1	.3	1.7	3.6	6.1	10.9	24.5
Male	2.0	-	.0	-	.0	.1	.5	2.7	5.6	9.2	14.8	27.9
Female	1.3	-	-	-	.0	.0	.1	.6	1.8	3.6	8.6	23.2
White	1.7	-	-	-	.0	.0	.3	1.5	3.4	5.7	10.8	24.3
Male	2.1	-	-	-	.0	.1	.5	2.6	5.3	8.9	14.8	27.8
Female	1.3	-	-	-	.0	.1	.4	1.6	3.2	8.4	23.0	
All other	1.6	-	.0	-	.1	.7	2.6	5.2	9.0	12.2	26.7	
Male	1.9	-	.1	-	.3	1.0	3.6	7.5	11.5	14.0	29.9	
Female	1.3	-	.0	-	.0	.4	1.8	3.4	7.2	11.0	25.3	
Black	1.9	-	.0	-	.1	.2	.8	3.1	6.2	10.5	13.6	27.9
Male	2.2	-	.1	-	.3	1.2	4.3	8.9	13.4	16.0	30.8	
Female	1.6	-	-	-	.0	.6	2.2	3.9	8.4	12.2	26.6	
Angina pectoris (413)	.4	-	.0	-	-	.0	.0	.2	.5	1.3	3.8	8.2
Male	.4	-	-	-	-	.0	.0	.3	.6	1.6	4.3	9.7
Female	.4	-	.0	-	-	.0	.1	.3	1.0	3.5	7.5	
White	.4	-	.0	-	-	.0	.0	.2	.4	1.3	3.8	8.6
Male	.4	-	-	-	-	.0	.0	.2	.6	1.6	4.5	10.5
Female	.4	-	.0	-	-	.0	.1	.2	1.0	3.4	7.8	
All other	.2	-	-	-	-	.0	.2	.7	1.5	3.4	3.8	
Male	.2	-	-	-	-	.1	.4	.6	1.3	2.5	2.6	
Female	.3	-	-	-	-	-	.1	.9	1.6	3.9	4.4	
Black	.3	-	-	-	-	.0	.3	.9	1.7	3.7	4.4	
Male	.2	-	-	-	-	.1	.6	.7	1.6	2.7	3.1	
Female	.3	-	-	-	-	-	.1	1.0	1.8	4.3	5.0	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	107.9	.2	.0	.0	.1	1.1	8.5	37.5	113.6	313.9	927.6	3,150.0
Male	109.8	.2	.1	.0	.2	1.7	14.2	60.8	175.6	450.2	1,204.7	3,420.8
Female	106.2	.2	.0	.0	.1	.5	3.0	15.5	58.7	207.0	762.8	3,041.7
White	116.3	.2	.0	.0	.1	1.0	7.8	35.4	110.6	313.7	941.7	3,272.0
Male	117.5	.2	.1	.0	.1	1.5	13.2	58.4	174.0	456.5	1,233.3	3,588.2
Female	115.1	.1	.0	.1	.4	2.5	13.4	53.9	201.0	769.6	3,150.1	
All other	61.0	.3	-	-	.2	1.9	12.8	50.7	136.9	315.4	787.6	1,858.9
Male	64.9	-	-	-	.3	2.7	21.4	77.9	188.9	393.4	933.8	1,954.5
Female	57.5	.6	-	-	.0	1.1	5.5	28.2	94.5	257.4	695.3	1,824.1
Black	69.5	.4	-	-	.2	2.2	15.4	60.1	154.6	346.4	853.8	1,927.0
Male	73.0	-	-	-	.3	3.2	25.8	92.4	209.5	427.7	1,004.3	2,024.6
Female	66.4	.7	-	-	.0	1.3	6.8	34.0	109.4	286.4	761.8	1,881.3
Other diseases of endocardium (424)	4.0	.6	.0	.0	.1	.3	.6	1.5	4.0	12.2	38.1	88.7
Male	3.8	.8	.0	.1	.1	.4	.8	2.1	5.1	15.6	45.2	93.3
Female	4.2	.5	.0	.0	.1	.2	.4	1.0	2.9	9.6	33.8	66.9
White	4.3	.7	.0	.0	.1	.2	.5	1.4	3.9	12.3	39.0	92.2
Male	4.0	.8	.1	.0	.1	.4	.7	1.9	5.0	15.8	46.5	98.0
Female	4.5	.5	.0	.0	.1	.3	.9	2.9	9.6	34.6	90.0	
All other	2.4	.4	-	.0	.2	.8	1.4	2.4	4.7	11.5	28.9	51.7
Male	2.6	.6	-	.1	.2	.8	1.8	3.1	6.1	14.4	33.1	51.9
Female	2.3	.3	.1	-	.2	.7	1.0	1.8	3.5	9.3	26.2	51.9
Black	2.7	.5	.0	.0	.2	.9	1.7	2.9	5.1	12.7	30.1	52.9
Male	2.9	.7	-	.0	.3	1.0	2.2	3.8	6.5	16.3	33.2	52.3
Female	2.7	.4	.1	-	.2	.9	1.2	2.1	3.9	10.1	28.2	53.2
All other forms of heart disease (415-423,425-429)	81.5	23.1	2.0	.8	2.1	4.2	11.6	37.9	104.4	247.8	654.3	2,033.0
Male	82.1	25.8	1.9	.8	2.7	5.4	15.8	54.6	148.3	335.2	813.6	2,203.1
Female	81.0	20.3	2.1	.9	1.5	2.9	7.5	22.1	65.6	179.2	559.5	1,985.0
White	81.7	19.7	1.5	.7	1.8	3.1	9.0	31.7	92.5	228.2	630.0	2,043.6
Male	80.9	22.2	1.5	.6	2.3	3.9	12.5	46.2	133.7	312.7	786.5	2,217.8
Female	82.4	17.1	1.5	.8	1.2	2.3	5.6	17.7	55.7	161.6	537.6	1,976.6
All other	80.6	37.9	4.0	1.4	3.8	9.8	27.5	77.8	197.2	418.2	897.1	1,913.1
Male	88.6	41.7	3.7	1.3	4.5	13.7	38.2	113.1	267.7	537.3	1,071.0	2,098.7
Female	73.2	34.0	4.4	1.4	3.0	6.4	18.4	48.5	139.7	329.5	787.3	1,834.8
Black	94.3	41.4	4.7	1.5	4.3	11.7	33.9	93.7	227.8	473.4	999.4	2,039.2
Male	103.8	45.3	4.2	1.4	5.1	16.4	47.7	137.1	307.2	609.0	1,210.2	2,280.0
Female	85.8	37.4	5.1	1.5	3.5	7.7	22.4	58.4	162.6	373.4	870.6	1,926.6

SECTION 1 - GENERAL MORTALITY - PAGE 42

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular diseases-Con.												
Hypertension with or without renal disease (401,403)	3.2	0.1	-	0.0	0.0	0.1	0.4	1.5	4.0	10.3	28.6	75.1
Male	2.9	.2	-	.0	.0	.1	.5	1.9	4.0	11.8	32.1	79.9
Female	3.6	-	-	.0	.0	.1	.3	1.2	3.3	9.2	26.5	73.1
White	2.9	.1	-	.0	.0	.0	.2	.8	2.8	8.5	25.6	71.9
Male	2.6	.2	-	.0	.0	.1	.2	1.1	3.7	9.9	29.7	77.0
Female	3.2	-	-	-	.0	.0	.2	.6	2.0	7.3	23.3	69.9
All other	5.1	.1	-	.0	.1	.4	2.0	5.9	13.4	26.7	57.8	108.1
Male	4.6	.3	-	-	.0	.5	2.7	7.0	14.2	28.1	55.1	107.8
Female	5.5	-	-	.0	.1	.3	1.4	5.0	12.7	25.7	59.7	108.9
Black	6.1	-	-	-	.1	.5	2.5	7.4	15.7	30.8	65.3	119.1
Male	5.6	-	-	-	.0	.7	3.4	8.8	16.7	32.9	63.3	120.0
Female	6.5	-	-	-	.1	.4	1.8	6.3	14.9	29.2	66.6	118.7
Cerebrovascular diseases (430-438)	64.1	3.6	0.3	.2	.8	2.1	7.2	21.1	54.3	171.3	605.8	1,837.5
Male	52.3	4.5	.4	.2	.8	2.2	7.4	23.1	62.8	197.8	661.4	1,703.2
Female	75.3	2.6	.3	.3	.8	2.1	6.9	19.3	46.8	150.5	572.7	1,891.2
White	65.6	3.0	.3	.3	.7	1.7	5.4	16.7	46.6	159.2	593.4	1,873.0
Male	52.5	3.7	.3	.2	.7	1.8	5.4	18.0	54.2	189.7	651.1	1,747.8
Female	78.1	2.2	.3	.3	.7	1.6	5.3	15.4	39.7	136.0	559.4	1,923.0
All other	55.6	6.4	.6	.2	1.3	4.7	18.5	50.0	114.7	286.1	729.7	1,458.1
Male	51.4	8.4	.7	.1	1.2	4.7	20.8	58.8	133.2	325.0	759.6	1,323.4
Female	59.5	4.3	.4	.3	1.4	4.6	16.4	42.7	99.6	257.3	712.1	1,532.9
Black	63.5	7.6	.7	.2	1.4	5.7	22.3	59.1	120.5	314.5	791.4	1,514.7
Male	58.5	9.8	.8	.1	1.3	5.7	25.9	70.6	151.6	358.9	817.6	1,363.1
Female	68.0	5.3	.5	.3	1.5	5.6	19.3	49.8	111.3	281.5	775.4	1,585.6
Intracerebral and other intracranial hemorrhage (431-432)	8.7	1.8	.1	.1	.3	.7	2.7	7.5	14.3	29.9	69.4	119.8
Male	8.1	2.5	.1	.1	.3	.9	3.1	8.6	16.6	34.5	73.7	111.6
Female	9.3	1.1	.1	.2	.3	.6	2.3	6.4	12.2	26.3	66.8	123.0
White	8.4	1.3	.1	.1	.2	.5	1.7	5.4	12.2	26.4	68.0	120.6
Male	7.5	1.7	.1	.1	.2	.7	1.8	6.0	14.4	32.5	71.8	112.7
Female	9.2	.9	.1	.1	.2	.4	1.5	4.8	10.3	25.2	65.8	123.8
All other	10.2	4.0	.1	.1	.5	1.9	9.3	20.8	50.5	43.1	83.2	110.6
Male	10.9	5.6	.3	.0	.4	2.1	12.0	26.4	35.2	53.1	91.7	103.9
Female	9.6	2.3	-	.2	.5	1.7	6.9	20.4	35.2	43.1	91.7	103.9
Black	11.3	4.8	.1	.1	.6	2.3	11.4	24.3	32.9	43.8	82.5	109.3
Male	12.1	6.6	.3	.0	.5	2.6	15.0	31.5	38.6	54.4	87.5	103.1
Female	10.5	2.8	-	.2	.6	2.1	8.4	18.6	28.1	36.0	79.5	112.2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10.3	.5	.0	.0	.1	.1	.4	1.9	7.2	26.7	100.2	326.4
Male	8.2	.5	.0	.0	.0	.1	.5	2.5	9.0	31.7	107.7	293.7
Female	12.2	.4	.0	.0	.1	.1	.3	1.3	5.7	22.9	95.7	339.6
White	10.7	.4	.0	.0	.1	.1	.3	1.3	5.7	22.9	95.7	339.6
Male	8.4	.4	.0	.0	.0	.1	.3	1.5	6.1	25.1	99.2	335.8
Female	12.9	.5	.0	.0	.1	.1	.4	2.0	7.7	30.0	107.6	304.5
All other	7.6	.6	-	.0	.1	.2	1.2	4.1	15.8	40.5	108.6	227.5
Male	6.9	.8	-	-	.1	.3	1.5	5.4	19.4	46.1	108.9	200.0
Female	8.3	.3	-	.1	.1	.2	.9	3.0	13.0	36.3	110.2	242.4
Black	8.8	.7	-	.0	.1	.3	1.4	4.9	18.2	45.1	120.3	241.2
Male	7.9	1.0	-	-	.1	.4	1.7	6.5	22.3	50.8	117.2	210.8
Female	9.6	.4	-	.1	.1	.2	1.2	3.6	14.8	40.8	122.2	255.4
Cerebral embolism (434.1)	.3	-	-	.0	.0	.0	.0	.1	.3	1.1	3.3	7.5
Male	.3	-	-	-	.0	.0	.0	.1	.3	1.2	3.9	8.0
Female	.4	-	-	.0	.0	.0	.0	.1	.3	1.0	2.9	7.2
White	.4	-	-	.0	.0	.0	.0	.1	.3	1.1	3.3	7.8
Male	.3	-	-	-	.0	.0	.0	.1	.3	1.2	4.0	8.5
Female	.4	-	-	.0	.0	.0	.0	.1	.3	1.1	3.0	7.5
All other	.2	-	-	-	.0	.0	-	.2	.3	.9	2.7	4.2
Male	.2	-	-	-	.0	.0	-	.2	.4	.9	3.5	3.9
Female	.2	-	-	-	.0	-	-	.1	.2	.8	2.2	4.4
Black	.2	-	-	-	.0	-	-	.1	.3	1.0	2.7	4.9
Male	.2	-	-	-	.0	-	-	.2	.4	1.1	3.1	4.6
Female	.2	-	-	-	-	-	-	.1	.3	.8	2.4	5.0
All other and late effects of cerebrovascular diseases (430,433,435-438)	44.8	1.3	.2	.1	.4	1.3	4.0	11.7	32.5	113.6	433.0	1,383.8
Male	35.8	1.6	.2	.1	.5	1.2	3.7	11.9	36.9	130.5	476.1	1,289.9
Female	53.4	1.0	.2	.1	.4	1.3	4.3	11.4	28.6	100.4	407.3	1,421.4
White	46.1	1.2	.2	.1	.4	1.0	3.4	9.6	27.9	103.5	422.9	1,408.9
Male	36.2	1.5	.2	.1	.4	1.0	3.2	9.8	31.8	120.0	467.8	1,322.2
Female	55.6	.9	.1	.1	.4	1.1	3.5	9.4	24.5	90.5	396.4	1,443.6
All other	37.6	1.8	.4	.1	.7	2.5	8.0	25.0	68.1	201.7	534.2	1,115.7
Male	33.4	2.0	.4	.1	.6	2.3	7.4	26.7	78.3	224.9	555.4	1,015.6
Female	41.5	1.7	.4	.1	.7	2.7	8.8	23.5	59.8	184.5	521.7	1,171.5
Black	43.3	2.1	.5	.1	.7	3.0	9.5	29.7	78.1	224.7	585.9	1,159.3
Male	38.3	2.1	.6	.1	.7	2.8	9.2	32.4	90.2	252.6	609.8	1,044.6
Female	47.7	2.1	.5	.1	.7	3.3	9.7	27.5	68.1	203.9	571.4	1,212.9
Atherosclerosis (440)	10.0	-	-	-	.0	.0	.2	.8	4.0	17.0	82.3	465.8
Male	7.8	-	-	-	.0	.0	.2	1.2	5.7	22.6	93.5	456.7
Female	12.1	-	-	-	.0	.0	.1	.5	2.5	12.7	75.6	469.4
White	10.9	-	-	-	.0	.0	.1	.8	3.8	16.5	82.6	482.1
Male	8.3	-	-	-	.0	.0	.2	1.1	5.5	22.0	94.6	475.5
Female	13.3	-	-	-	.0	.0	.1	.4	2.2	12.2	75.6	484.9
All other	5.3	-	-	-	.0	-	.3	1.2	5.8	21.8	78.7	293.2
Male	4.7	-	-	-	.0	-	.3	1.7	7.3	28.1	83.4	292.2
Female	5.8	-	-	-	.0	-	.2	.7	4.6	17.1	75.9	295.6
Black	6.2	-	-	-	.0	-	.3	1.3	6.8	24.9	89.2	305.9
Male	5.5	-	-	-	.0	-	.3	2.0	8.3	32.4	96.9	310.8
Female	6.7	-	-	-	.0	-	.3	.8	5.6	19.4	84.5	303.6

SECTION 1 - GENERAL MORTALITY - PAGE 43

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular diseases-Con.												
Other diseases of arteries, arterioles, and capillaries (441-448)	9.2	0.7	0.1	0.1	0.2	0.4	1.0	3.1	12.7	39.8	80.9	144.8
Male	11.7	.8	.1	.1	.2	.4	1.3	4.2	19.8	64.3	131.2	207.0
Female	6.8	.5	.0	.1	.1	.4	.7	2.1	6.4	20.7	51.0	120.0
White	9.9	.6	.1	.1	.2	.3	.9	2.8	12.7	40.5	82.6	149.2
Male	12.7	.8	.1	.1	.2	.4	1.2	4.0	20.0	66.4	136.6	218.3
Female	7.2	.4	.1	.1	.1	.3	.6	1.7	6.0	20.1	50.7	122.3
All other	5.5	1.1	—	.1	.2	.7	1.6	5.0	13.2	33.4	64.3	97.9
Male	5.9	1.1	—	—	.1	.6	1.7	6.2	17.9	44.8	79.3	107.8
Female	5.0	1.1	—	.1	.2	.8	1.5	4.0	9.4	25.0	54.8	93.7
Black	6.0	1.1	—	—	.2	.8	1.9	5.9	14.7	35.0	66.2	97.5
Male	6.4	1.0	—	—	.2	.7	2.0	7.5	19.7	45.5	77.0	107.7
Female	5.7	1.1	—	.0	.2	1.0	1.8	4.6	10.6	27.3	59.7	92.8
Acute bronchitis and bronchiolitis (466)3	1.7	.1	Male	.0	.0	.0	.1	.2	.5	1.7	6.9
Male3	2.3	.1	.0	.0	.0	.0	.1	.3	.7	2.3	7.6
Female2	1.1	.1	.0	.0	.0	.0	.1	.1	.4	1.3	6.6
White3	1.6	.1	.0	.0	.0	.0	.1	.2	.5	1.7	7.4
Male3	2.1	.1	.0	.0	.0	.0	.1	.3	.7	2.3	8.1
Female3	1.1	.1	—	.0	.0	.0	.1	.1	.4	1.3	7.1
All other2	2.1	.3	.0	.0	.0	.0	.1	.1	.6	1.7	2.1
Male3	3.1	.4	.0	.0	.0	.0	.1	.2	.9	2.5	3.9
Female1	1.1	.2	.0	—	.0	.0	.3	.3	.3	1.2	1.3
Black2	2.6	.4	.0	.0	.0	.0	.2	.2	.7	1.8	1.5
Male3	3.8	.5	.0	.0	.0	.0	.4	.3	1.1	2.7	1.5
Female1	1.4	.3	.0	—	.0	.1	—	.2	.4	1.2	1.4
Pneumonia and influenza (480-487)	28.3	18.8	1.5	.4	.6	1.5	3.3	7.2	18.5	57.8	241.3	1,023.5
Male	28.5	21.5	1.5	.4	.8	1.9	4.3	9.5	25.6	81.9	338.2	1,399.2
Female	28.1	16.0	1.5	.4	.5	1.1	2.3	5.0	12.2	38.9	183.6	897.3
White	29.8	14.6	1.3	.3	.6	1.1	2.3	5.8	16.6	55.9	242.1	1,059.1
Male	29.3	16.4	1.2	.3	.8	1.4	2.9	7.4	22.7	78.4	339.1	1,392.4
Female	30.3	12.6	1.3	.4	.5	.8	1.8	4.3	11.1	38.2	184.8	929.3
All other	19.8	37.1	2.6	.6	.7	3.7	9.4	16.0	33.2	74.1	233.6	645.8
Male	24.1	43.7	2.7	.6	.7	4.9	14.0	24.1	49.1	113.5	329.9	876.6
Female	15.8	30.3	2.5	.6	.8	2.5	5.4	9.2	20.3	44.7	172.2	537.3
Black	21.9	41.8	3.0	.7	.9	4.4	11.5	19.1	38.0	79.7	243.6	624.5
Male	26.8	49.1	3.1	.7	.8	5.9	17.6	29.4	55.6	123.1	341.0	853.8
Female	17.6	34.2	2.8	.7	.9	3.0	6.4	10.7	23.5	47.8	184.0	517.3
Pneumonia (480-486)	27.5	18.6	1.5	.4	.6	1.5	3.2	7.0	18.1	56.5	234.5	984.0
Male	27.9	21.3	1.5	.3	.7	1.9	4.2	9.3	25.2	80.6	330.5	1,300.0
Female	27.0	15.8	1.5	.4	.5	1.1	2.3	4.9	11.8	37.7	177.4	857.7
White	28.9	14.4	1.3	.3	.6	1.1	2.3	5.7	16.2	54.7	235.0	1,017.0
Male	28.6	16.3	1.2	.3	.7	1.3	2.8	7.3	22.3	77.1	331.1	1,350.6
Female	29.1	12.4	1.3	.3	.5	.8	1.7	4.2	10.7	37.0	178.2	887.0
All other	19.5	36.6	2.5	.6	.7	3.7	9.3	15.8	32.7	72.8	230.1	633.9
Male	23.8	43.1	2.6	.6	.7	4.9	13.9	23.9	48.5	112.0	324.8	859.7
Female	15.5	30.0	2.4	.6	.8	2.5	5.4	9.1	19.8	43.6	169.7	527.8
Black	21.6	41.4	2.9	.7	.9	4.3	11.4	18.9	37.4	78.4	239.9	614.7
Male	26.4	48.8	3.1	.7	.8	5.9	17.4	29.2	54.9	121.5	335.5	838.5
Female	17.3	33.8	2.7	.7	.9	3.0	6.3	10.5	23.0	46.7	181.4	510.1
Influenza (487)9	.2	.0	.0	.0	.0	.0	.1	.4	1.3	6.8	39.5
Male6	.2	.0	.0	.0	.0	.1	.1	.4	1.3	7.7	39.2
Female	1.1	.2	.0	.0	.0	.0	.0	.1	.4	1.2	6.2	39.6
White	1.0	.1	.0	.0	.0	.0	.0	.1	.4	1.3	7.1	42.1
Male7	.1	.0	.0	.0	.0	.1	.1	.3	1.3	8.0	41.7
Female	1.2	.2	.0	.0	.0	.0	.0	.1	.4	1.3	6.6	42.2
All other3	.4	.1	.0	—	.0	.1	.2	.5	1.3	3.5	11.9
Male3	.6	.1	—	—	.0	.1	.2	.6	1.5	5.1	16.9
Female3	.3	.1	.0	—	—	.0	.2	.4	1.1	2.5	9.5
Black3	.4	.1	.0	—	.0	.1	.2	.6	1.3	3.7	9.8
Male4	.3	.1	—	—	.0	.1	.2	.7	1.6	5.5	15.4
Female3	.4	.1	.0	—	—	.1	.2	.5	1.1	2.6	7.2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31.3	1.4	.3	.3	.5	.6	1.6	10.2	47.5	147.9	291.6	360.0
Male	40.1	1.9	.3	.3	.5	.6	1.8	11.2	60.1	215.0	505.4	746.3
Female	22.9	.8	.2	.4	.5	.5	1.5	9.1	36.3	95.4	164.5	205.6
White	34.2	1.2	.2	.2	.3	.4	1.3	9.8	46.2	154.4	304.2	376.7
Male	43.5	1.9	.2	.2	.3	.4	1.3	10.5	60.2	222.0	526.3	790.1
Female	25.4	.5	.2	.2	.4	.4	1.3	9.1	37.5	101.1	173.0	215.1
All other	14.5	2.1	.6	.9	1.2	1.5	3.2	12.8	41.6	91.3	166.8	183.5
Male	20.5	2.0	.7	.9	1.4	1.8	4.2	16.5	59.4	152.0	306.7	361.0
Female	9.0	2.3	.5	.9	.9	1.2	2.3	9.7	27.1	46.0	77.3	98.1
Black	16.1	2.3	.6	1.0	1.4	1.7	4.0	14.7	46.1	98.8	171.4	175.0
Male	23.1	2.1	.8	.9	1.7	2.1	5.4	19.3	65.6	168.4	323.0	356.9
Female	9.9	2.5	.4	1.1	1.1	1.4	2.9	10.9	30.0	47.6	78.8	89.9
Bronchitis, chronic and unspecified (490-491)	1.5	1.1	.1	.0	.0	.0	.1	.4	2.0	8.2	13.0	28.6
Male	1.8	1.5	.1	.0	.0	.0	.1	.3	2.4	8.8	21.2	43.6
Female	1.3	.7	.1	.0	.0	.0	.1	.5	1.6	4.2	8.0	22.6
White	1.7	.9	.1	.0	.0	.0	.1	.4	2.0	6.6	13.8	30.4
Male	1.9	1.5	.1	.0	.0	.0	.1	.3	2.4	9.4	22.4	46.5
Female	1.4	.3	.1	.0	.0	.0	.1	.5	1.7	4.4	8.5	24.1
All other6	1.7	.1	.0	.0	.1	.1	.5	1.5	2.7	6.0	10.2
Male7	1.4	.1	.1	.0	.1	.1	.3	2.0	3.6	9.6	18.2
Female5	2.0	.2	.0	.1	.0	.1	.7	1.0	2.0	3.7	6.3
Black6	1.8	.1	.0	.1	.1	.1	.5	1.6	2.7	5.8	8.8
Male7	1.4	.1	—	.0	.1	.1	.4	2.3	3.7	9.4	15.4
Female5	2.1	.2	.0	.1	.0	.2	.6	1.0	2.0	3.6	5.8

SECTION 1 - GENERAL MORTALITY - PAGE 44

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Chronic obstructive pulmonary diseases and allied conditions-Con.												
Emphysema (492)	5.9	0.1	-	0.0	0.0	0.0	0.2	2.0	10.1	31.3	53.4	48.6
Male	8.1	.1	-	.0	.0	.0	.3	2.6	13.2	46.6	99.0	115.7
Female	3.9	-	-	.0	-	.0	.1	1.5	7.4	19.1	26.3	21.8
White	6.6	.1	-	.0	.0	.0	.2	2.0	10.6	33.1	56.0	50.6
Male	8.9	.1	-	.0	.0	.0	.2	2.5	13.6	48.9	103.7	121.4
Female	4.4	-	-	.0	-	.0	.2	1.6	8.0	20.6	27.9	23.0
All other	2.2	-	-	-	.0	.1	.4	3.6	10.2	27.8	27.4	27.1
Male	3.5	-	-	-	.0	.1	.7	7	3.3	6.5	54.8	64.9
Female	1.0	-	-	-	-	.0	.1	3	6.7	16.7	9.8	8.9
Black	2.4	-	-	-	.0	.2	.5	4.2	10.3	30.6	53.1	27.5
Male	3.8	-	-	-	.0	.2	.5	8	3.8	6.4	9.3	64.6
Female	1.1	-	-	-	-	.0	.1	8	3.8	6.4	9.3	10.1
Asthma (493)	1.6	.2	0.1	.3	.4	.4	.7	1.7	3.4	5.5	8.9	12.3
Male	1.3	.2	.2	.3	.4	.4	.6	1.3	2.9	5.0	9.3	12.4
Female	1.9	.1	.1	.3	.4	.5	.8	2.0	3.8	5.9	8.7	12.2
White	1.5	.1	.1	.2	.2	.3	.5	1.3	3.0	5.1	8.8	12.4
Male	1.2	.2	.1	.2	.2	.2	.4	1.0	2.5	4.6	9.0	12.4
Female	1.8	.1	.1	.2	.3	.3	.7	1.6	3.4	5.6	8.6	12.4
All other	2.4	.3	.3	.8	1.1	1.2	2.0	4.2	6.6	8.6	10.1	10.6
Male	2.4	.3	.5	.8	1.4	1.4	2.4	3.8	6.7	8.8	11.5	13.0
Female	2.4	.3	.2	.8	1.0	1.0	1.7	4.5	6.4	8.5	9.2	9.5
Black	2.7	.4	1.0	1.2	1.4	2.6	4.8	7.3	9.3	9.9	7.8	7.7
Male	2.7	.3	.6	.9	1.6	1.7	3.2	4.5	7.3	9.5	10.2	7.7
Female	2.7	.4	.2	1.0	.9	1.2	2.1	5.1	7.3	9.1	9.8	7.9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)												
Male	22.2	.1	.0	.0	.0	.1	.5	6.1	32.0	104.9	216.4	270.5
Female	28.0	.2	.0	.0	.0	.1	.7	7.0	41.6	154.4	375.9	574.6
White	15.8	.1	.0	.0	.0	.0	.4	5.2	23.5	66.1	121.5	148.9
Male	24.5	.1	.0	.0	.0	.0	.5	6.0	32.6	109.6	225.7	283.3
Female	31.6	.1	.0	.0	.0	.1	.6	6.7	41.7	159.2	391.2	609.8
All other	17.7	.1	.0	.0	.0	.1	.4	5.4	24.5	70.5	128.1	155.6
Male	9.4	.1	.0	.0	.0	.1	.9	6.1	27.2	64.4	123.4	135.6
Female	13.9	.3	.1	.0	.0	.2	1.4	8.8	40.5	111.8	230.9	264.9
Black	5.2	.1	.0	.0	.0	.1	.4	3.8	16.4	29.0	54.6	73.4
Male	10.5	.2	.0	.0	.0	.1	1.1	7.0	30.5	70.1	129.8	130.9
Female	15.8	.3	.1	.0	.0	.2	1.7	10.2	45.6	124.5	250.4	289.2
Female	5.7	-	.0	.0	.0	.1	.5	4.5	18.0	30.1	56.1	66.2
Ulcer of stomach and duodenum (531-533)												
Male	2.8	.3	.0	.0	.0	.1	.4	1.3	3.5	8.9	24.8	62.5
Female	2.9	.3	.0	.0	.0	.1	.6	1.8	4.6	11.8	31.8	74.6
White	2.7	.3	.1	.0	.0	.0	.2	.7	2.5	6.5	20.6	57.7
Male	3.0	.3	.0	.0	.0	.1	.3	1.3	3.3	8.9	25.0	64.5
Female	3.0	.3	.0	.0	.0	.1	.5	1.8	4.3	11.8	32.0	77.4
All other	2.9	.3	.0	.0	.0	.1	.2	.8	2.4	6.6	20.8	59.5
Male	1.8	.4	.1	.0	.0	.3	.7	1.3	5.2	8.6	22.9	41.1
Female	2.2	.3	.1	.0	.0	.5	1.3	2.2	7.5	11.9	30.3	50.6
Black	1.5	.6	.2	.0	.0	.1	.3	.5	3.1	6.2	18.2	36.7
Male	2.0	.4	.1	.0	.0	.3	.9	1.5	5.7	8.8	23.3	38.2
Female	2.4	.3	.1	.0	.0	.6	1.5	2.7	8.5	11.8	29.3	47.7
Female	1.6	.4	.2	.0	.0	.1	.3	.5	3.4	6.6	19.6	33.8
Appendicitis (540-543)												
Male	2	.2	.1	.0	.0	.0	.0	.1	.3	.7	1.4	3.4
Female	2	.2	.1	.0	.0	.0	.1	.2	.4	1.0	1.7	4.9
White	2	.1	.1	.0	.0	.0	.0	.1	.2	.5	1.2	2.8
Male	2	.2	.0	.0	.0	.0	.0	.1	.3	.6	1.3	3.3
Female	2	.3	.0	.0	.0	.0	.1	.2	.3	.9	1.6	4.7
All other	2	.1	.0	.0	.0	.0	.0	.0	.2	.4	1.1	2.8
Male	3	-	.1	.1	.0	.1	.2	.2	.7	1.6	2.1	4.7
Female	3	-	.1	.1	.0	.2	.3	.2	.9	2.1	2.9	6.5
Black	2	-	.2	.1	.0	.1	.1	.2	.5	1.2	1.6	3.8
Male	3	-	.2	.1	.0	.1	.2	.2	.7	1.8	2.5	5.4
Female	4	-	.2	.1	.0	.2	.3	.3	1.0	2.6	3.5	7.7
Female	3	-	.2	.1	-	.1	.1	.2	.4	1.3	1.9	4.3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)												
Male	2.2	2.2	.2	.1	.1	.1	.2	.5	1.8	5.2	20.9	67.7
Female	1.8	2.2	.2	.1	.1	.1	.3	.6	1.8	5.8	21.6	82.9
White	2.7	2.1	.1	.1	.1	.1	.2	.5	1.8	4.8	20.4	69.6
Male	2.3	2.0	.1	.1	.1	.1	.2	.5	1.6	4.9	20.2	69.3
Female	1.7	2.0	.1	.1	.1	.1	.2	.5	1.8	5.4	20.1	64.5
All other	2.9	2.0	.1	.0	.1	.1	.2	.5	1.8	4.5	20.3	71.2
Male	1.9	2.8	.4	.1	.1	.3	.4	.9	3.5	8.0	27.7	50.8
Female	1.9	3.1	.5	.0	.1	.3	.6	1.2	3.9	9.5	36.6	49.4
Black	1.9	2.6	.2	.1	.1	.2	.3	.7	3.3	6.9	22.1	51.9
Male	2.2	3.2	.5	.1	.1	.3	.5	1.1	4.1	9.1	30.8	55.4
Female	2.2	3.1	.6	.0	.1	.3	.8	1.3	4.5	10.8	41.8	53.8
Female	2.2	3.2	.3	.2	.0	.3	.3	.9	3.8	7.8	24.1	56.1
Chronic liver disease and cirrhosis (571)												
Male	11.2	.3	.1	.0	.2	3.0	9.8	22.0	33.8	37.5	32.6	19.8
Female	14.8	.4	.1	.0	.2	3.9	14.1	31.1	48.5	52.5	45.5	28.7
White	7.8	.3	.1	.0	.1	2.0	5.6	13.4	20.7	25.8	25.0	16.3
Male	10.9	.2	.1	.0	.1	2.2	7.6	18.7	32.7	37.8	33.4	20.3
Female	14.5	.1	.1	.0	.2	3.1	11.0	27.9	46.9	52.9	47.1	29.4
All other	7.6	.2	.2	.0	.1	1.3	4.2	11.9	20.0	25.9	25.3	16.7
Male	12.7	1.1	.1	-	.2	7.1	23.8	36.6	42.3	35.4	25.1	15.3
Female	17.0	1.7	.1	-	.3	8.9	35.0	53.6	61.7	49.6	30.3	23.4
Black	8.8	.6	-	-	.2	5.6	14.2	22.5	26.4	24.8	21.9	11.4
Male	14.0	.9	.1	-	.3	8.1	28.0	40.9	45.9	37.2	24.7	13.2
Female	19.1	1.4	.2	-	.3	10.2	42.5	61.0	67.8	52.4	29.3	21.5
Female	9.5	.4	-	-	.2	6.3	16.0	24.5	28.0	25.9	22.0	9.4

SECTION 1 - GENERAL MORTALITY - PAGE 45

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cholelithiasis and other disorders of gallbladder (574-575)	1.2	0.1	0.0	-	0.0	0.1	0.1	0.4	1.2	3.7	11.1	34.9
Male	1.2	.1	-	-	.0	.0	.2	.4	1.3	4.8	14.0	41.5
Female	1.3	-	.0	-	.0	.1	.1	.3	1.0	2.8	9.4	32.2
White	1.3	.0	.0	-	.0	.1	.1	.4	1.1	3.6	11.0	35.7
Male	1.2	.1	-	-	.0	.0	.2	.4	1.3	4.7	14.0	43.5
Female	1.4	-	.0	-	.0	.1	.1	.3	.9	2.7	9.1	32.7
All other9	.1	-	-	.0	.1	.2	.6	1.5	4.5	12.8	25.8
Male8	.3	-	-	-	.0	.3	.7	1.8	5.5	13.7	24.7
Female9	-	-	-	.1	.1	.1	.5	1.4	3.8	12.3	26.6
Black9	.2	-	-	.0	.1	.2	.7	1.7	4.4	13.3	24.0
Male9	.3	-	-	-	.0	.3	.8	2.0	5.2	14.5	23.1
Female	1.0	-	-	-	.1	.1	.1	.6	1.5	3.8	12.6	24.5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8.9	7.4	.2	0.1	.2	.6	1.4	3.2	9.7	27.7	78.1	213.7
Male	9.1	8.2	.2	.1	.2	.7	1.8	3.5	11.0	33.8	102.7	314.1
Female	8.8	6.6	.1	.1	.1	.4	.9	2.8	63.5	22.9	63.5	173.6
White	8.4	6.1	.2	.1	.1	.4	.9	2.3	7.6	23.8	71.9	204.1
Male	8.6	7.1	.2	.1	.2	.4	1.2	2.7	9.0	30.0	95.6	304.6
Female	8.3	5.0	.1	.1	.1	.3	.7	1.9	6.4	18.8	57.8	164.9
All other	12.0	13.0	.2	.1	.4	1.7	4.1	9.0	25.4	62.1	140.8	314.0
Male	12.1	12.9	.3	.0	.5	2.4	6.2	9.5	27.6	68.4	170.1	403.9
Female	11.9	13.1	.1	.2	.3	1.1	2.4	8.6	23.7	57.5	122.3	272.2
Black	14.0	14.5	.2	.1	.4	2.2	5.3	10.3	29.6	69.6	155.6	346.1
Male	14.1	14.3	.4	.0	.6	3.0	8.1	11.4	32.0	77.3	188.3	452.3
Female	13.9	14.6	.1	.2	.3	1.4	3.0	9.4	27.5	63.9	135.6	296.4
Acute glomerulonephritis and nephrotic syndrome (580-581)1	.2	.0	.0	.0	.0	.0	.1	.2	.4	1.2	2.7
Male1	.2	.0	.0	.0	.0	.0	.1	.3	.4	1.5	2.7
Female2	.3	.0	-	.0	.0	.0	.1	.1	.4	1.1	2.7
White1	.2	.0	-	.0	.0	.0	.0	.2	.4	1.2	2.8
Male1	.2	.1	-	-	.0	.0	.1	.3	.4	1.4	2.9
Female2	.2	.0	-	.0	.0	.0	.0	.1	.4	1.0	2.7
All other2	.4	-	.0	.0	.1	.1	.2	.3	.6	1.9	2.1
Male2	.3	-	.0	.1	.1	.1	.1	.4	.4	2.5	1.3
Female2	.6	-	-	-	.1	.0	.2	.2	.8	1.4	2.5
Black2	.4	-	.0	.1	.2	.2	.3	.8	1.8	2.5	2.5
Male2	.3	-	.0	.1	.2	.1	.2	.4	.5	2.3	1.5
Female2	.4	-	-	-	.1	.1	.3	.3	.9	1.4	2.9
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)7	.0	.0	.0	.0	.1	.2	.3	.6	2.1	5.6	15.2
Male7	.1	.0	.0	.0	.1	.2	.4	.7	2.5	6.7	21.9
Female6	-	-	.0	.0	.0	.1	.2	.6	1.7	4.9	12.5
White6	-	-	.0	.0	.1	.1	.2	.6	1.9	5.0	14.4
Male6	-	-	.0	.0	.1	.2	.3	.7	2.2	6.0	21.0
Female6	-	-	.0	.0	.0	.1	.1	.4	1.6	4.4	11.9
All other9	.1	.0	.0	.1	.2	.4	.7	1.3	3.8	11.4	22.9
Male	1.0	.3	.1	-	.4	.7	.9	1.2	5.1	13.4	29.9	29.9
Female8	-	-	.0	-	.1	.3	.5	1.4	2.8	10.2	19.6
Black	1.0	.2	.0	.0	.1	.3	.5	.8	1.5	4.1	12.6	26.0
Male	1.1	.3	.1	.0	.1	.5	.8	1.2	1.5	6.1	14.1	35.4
Female9	-	-	.0	-	.1	.3	.5	1.6	2.6	11.7	21.6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8.1	7.1	.1	.1	.2	.5	1.2	2.8	8.8	25.2	71.3	195.9
Male	8.3	7.9	.1	.1	.2	.6	1.5	3.1	10.0	30.9	94.5	289.5
Female	8.0	6.3	.1	.1	.1	.4	.8	2.6	7.8	20.7	57.5	158.4
White	7.6	5.9	.1	.1	.1	.3	.8	2.0	6.9	21.5	65.7	186.9
Male	7.8	6.9	.1	.1	.2	.3	1.0	2.3	8.1	27.4	86.2	280.7
Female	7.5	4.8	.1	.1	.1	.3	.6	1.7	5.9	16.8	52.4	150.3
All other	10.9	12.4	.1	.1	.3	1.4	3.6	8.1	23.8	57.7	127.5	289.0
Male	10.9	12.3	.2	-	.3	1.8	5.5	8.4	26.0	63.0	154.1	372.7
Female	10.9	12.6	.1	.1	.3	1.0	2.1	7.8	22.0	53.9	110.6	250.0
Black	12.8	13.9	.2	.1	.3	1.7	4.7	9.2	27.7	64.8	141.2	317.6
Male	12.8	13.6	.3	-	.3	2.3	7.1	10.0	30.1	70.6	171.9	415.4
Female	12.8	14.2	.1	.1	.3	1.2	2.7	8.6	25.7	60.4	122.4	271.9
Infections of kidney (590)8	.1	.0	.0	.0	.1	.1	.2	.6	1.8	8.5	25.5
Male6	.1	.0	.0	.0	.0	.0	.2	.5	1.5	8.6	26.1
Female	1.1	.1	.0	-	.0	.1	.1	.2	.6	2.1	8.4	25.3
White8	.1	.0	.0	.0	.0	.1	.2	.5	1.6	8.2	25.5
Male6	.1	.0	.0	.0	.0	.0	.1	.4	1.2	8.3	26.5
Female	1.1	.1	.0	-	.0	.0	.1	.2	.6	1.9	8.1	25.1
All other8	.1	.0	-	.0	.1	.2	.5	1.0	3.8	11.2	25.8
Male6	.3	.1	-	.0	.0	.1	.6	1.1	3.7	11.5	23.4
Female9	-	-	-	.2	.3	.5	.9	3.5	11.0	27.2	27.2
Black9	.2	.0	-	.0	.1	.2	.6	1.1	3.8	12.4	26.5
Male8	.3	.1	-	.0	.0	.1	.7	1.2	3.9	14.1	27.7
Female	1.0	-	-	-	-	.2	.3	.5	1.0	3.8	11.5	25.9
Hyperplasia of prostate (600)2	-	-	-	-	-	-	-	.1	.4	2.1	7.5
Male4	-	-	-	-	-	-	-	.2	1.0	5.7	26.3
Female
White2	-	-	-	-	-	-	-	.1	.4	2.1	7.4
Male4	-	-	-	-	-	-	-	.1	.9	5.6	26.5
Female
All other2	-	-	-	-	-	-	-	.2	.7	2.4	8.1
Male3	-	-	-	-	-	-	-	.5	1.7	6.1	24.7
Female
Black2	-	-	-	-	-	-	-	.3	.9	2.5	9.3
Male4	-	-	-	-	-	-	-	.6	2.1	6.6	29.2
Female

SECTION 1 - GENERAL MORTALITY - PAGE 46

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Complications of pregnancy, childbirth, and the puerperium (630-676)	0.1	0.0	0.2	0.3	0.2	0.0
Male
Female	.20	.5	.7	.4	.0
White	.10	.1	.2	.1	.0
Male
Female	.20	.3	.4	.2	.0
All other	.40	.7	.9	.6	.1
Male
Female	.70	1.5	1.8	1.0	.1
Black	.40	.8	1.1	.6	.0
Male
Female	.80	1.6	2.0	1.2	.1
Pregnancy with abortive outcome (630-638)	.00	.1	.1	.0	-
Male
Female	.00	.1	.1	.0	-
White	.00	.0	.0	.0	-
Male
Female	.00	.0	.1	.0	-
All other	.1	-	.2	.2	.1	-
Male
Female	.2	-	.5	.3	.2	-
Black	.1	-	.3	.2	.1	-
Male
Female	.2	-	.5	.4	.2	-
Other complications of pregnancy, childbirth, and the puerperium (640-678)	.10	.2	.3	.2	.0
Male
Female	.20	.4	.6	.3	.0
White	.1	-	.1	.2	.1	.0
Male
Female	.1	-	.2	.4	.2	.0
All other	.30	.5	.8	.5	.1
Male
Female	.60	1.0	1.5	.8	.1
Black	.30	.5	.9	.5	.0
Male
Female	.60	1.1	1.7	1.0	.1
Congenital anomalies (740-759)	5.4	228.4	5.9	1.4	1.2	1.0	1.1	1.4	1.9	2.5	3.9	5.6
Male	5.9	245.5	6.2	1.4	1.4	1.1	1.2	1.5	2.2	2.4	4.5	7.6
Female	4.8	210.4	5.6	1.3	.9	.9	1.1	1.3	1.7	2.6	3.5	4.8
White	5.1	226.8	5.7	1.3	1.2	.9	1.1	1.3	1.9	2.6	3.9	5.4
Male	5.7	245.7	6.0	1.3	1.4	1.1	1.2	1.5	2.2	2.5	4.5	7.8
Female	4.6	206.9	5.4	1.3	.9	.8	1.0	1.2	1.7	2.6	3.5	4.5
All other	6.5	235.2	6.5	1.7	1.2	1.1	1.4	1.6	2.1	1.9	3.6	7.2
Male	7.1	244.5	6.7	1.9	1.6	1.1	1.3	1.3	2.5	1.9	4.5	6.5
Female	6.0	225.7	6.3	1.4	.8	1.2	1.4	1.9	1.7	2.0	3.1	7.6
Black	7.0	250.3	6.8	1.6	1.4	1.4	1.5	1.9	2.1	2.0	3.4	7.4
Male	7.6	259.6	6.9	2.1	1.8	1.3	1.4	1.5	2.7	1.9	3.9	4.6
Female	6.3	239.9	6.6	1.4	.9	1.4	1.5	2.2	1.7	2.1	3.1	8.6
Certain conditions originating in the perinatal period (760-779)	8.1	508.6	1.0	.0	.0	.0	.0	.0	.0	-	.0	-
Male	9.6	572.4	1.3	.0	.0	.0	.0	.0	-	-	.0	-
Female	6.7	441.8	.6	.0	.0	.0	.0	.0	.0	-	-	-
White	6.2	411.7	.7	.0	.0	.0	.0	.0	.0	-	-	-
Male	7.5	469.5	1.0	.0	.0	.0	.0	.0	-	-	-	-
Female	5.0	350.7	.4	.0	.0	.0	.0	.0	.0	-	-	-
All other	18.4	926.2	2.0	.1	.0	.0	-	-	-	-	.1	-
Male	21.5	1,022.4	2.5	.0	.0	.0	-	-	-	-	.3	-
Female	15.5	828.0	1.5	.1	-	-	-	-	-	-	-	-
Black	21.5	1,062.9	2.2	.1	.0	.0	-	-	-	-	.1	-
Male	25.3	1,192.7	2.7	.0	.0	.0	-	-	-	-	.4	-
Female	18.0	966.9	1.6	.2	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.2	138.1	.2	.0	.0	.0	.0	-	-	-	-	-
Male	2.7	164.2	.3	-	.0	.0	-	-	-	-	-	-
Female	1.7	110.8	.1	.0	.0	.0	.0	-	-	-	-	-
White	1.8	122.0	.2	.0	.0	.0	.0	-	-	-	-	-
Male	2.3	145.9	.3	-	.0	.0	.0	-	-	-	-	-
Female	1.4	96.8	.1	.0	.0	.0	-	-	-	-	-	-
All other	4.1	207.6	.3	.0	.0	.0	.0	-	-	-	-	-
Male	5.1	244.3	.3	-	.0	-	-	-	-	-	-	-
Female	3.2	170.3	.2	.1	-	-	-	-	-	-	-	-
Black	4.8	240.6	.3	.0	-	-	-	-	-	-	-	-
Male	5.9	280.5	.3	-	.0	-	-	-	-	-	-	-
Female	3.7	198.9	.3	.1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	5.9	370.5	.7	.0	.0	.0	.0	.0	.0	-	.0	-
Male	6.8	408.2	1.0	.0	.0	.0	.0	-	-	-	.0	-
Female	5.0	331.0	.5	.0	.0	-	-	.0	.0	-	-	-
White	4.4	289.7	.5	.0	.0	-	-	.0	.0	-	-	-
Male	5.2	323.6	.7	.0	.0	-	.0	.0	.0	-	-	-
Female	3.6	253.9	.3	.0	.0	-	.0	-	-	-	-	-
All other	14.3	718.5	1.7	.0	-	.0	-	.0	.0	-	-	-
Male	16.4	778.2	2.2	.0	-	.0	-	-	-	-	.1	-
Female	12.3	657.7	1.3	.1	-	-	-	-	-	-	.3	-
Black	16.7	842.3	1.9	.1	-	-	-	-	-	-	-	-
Male	19.4	912.2	2.4	.0	-	.0	-	-	-	-	.1	-
Female	14.3	768.0	1.3	.1	-	-	-	-	-	-	.4	-

SECTION 1 - GENERAL MORTALITY - PAGE 47

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total 1	Under 1 year 2	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Symptoms, signs, and ill-defined conditions (780-799)	13.0	158.6	1.9	0.3	1.9	3.9	4.7	7.7	14.9	28.4	63.2	190.6
Male	15.0	189.9	2.3	.4	2.4	5.4	6.7	10.5	21.4	39.6	85.7	221.2
Female	11.0	125.7	1.6	.3	1.4	2.5	2.8	5.0	9.2	19.7	49.9	178.4
White	11.8	135.4	1.5	.3	1.7	3.1	3.7	6.2	12.9	25.2	57.2	181.3
Male	13.5	167.1	1.8	.3	2.2	4.4	5.2	8.4	18.4	35.5	77.9	205.5
Female	10.1	102.0	1.2	.2	1.2	1.8	2.2	4.2	8.0	17.2	45.1	171.9
All other	19.8	258.4	3.6	.6	2.8	8.3	10.9	16.9	30.6	56.2	123.0	287.7
Male	24.1	289.9	4.2	.5	3.3	11.0	16.5	25.4	45.7	76.5	159.9	366.2
Female	15.9	226.3	3.1	.6	2.3	5.8	6.1	9.8	18.3	41.1	99.6	251.3
Black	22.9	283.2	3.9	.7	3.2	9.9	13.3	20.5	35.8	64.2	139.6	310.3
Male	28.0	318.1	4.4	.6	3.6	13.2	20.3	31.3	53.4	88.1	184.8	395.4
Female	18.4	246.6	3.4	.7	2.7	7.0	7.4	11.7	21.4	46.6	111.9	270.5
All other diseases (Residual)	62.7	48.3	6.8	3.0	5.3	12.7	21.6	37.5	75.6	174.8	482.1	1,252.9
Male	63.3	52.2	7.2	3.3	6.4	17.3	30.2	47.4	93.2	216.6	591.1	1,442.9
Female	62.1	44.2	6.4	2.7	4.2	8.1	13.3	28.2	60.1	142.0	417.2	1,176.9
White	63.0	40.2	6.2	2.9	4.8	9.7	16.7	31.7	69.5	168.6	478.9	1,264.1
Male	62.3	43.6	6.5	3.2	5.9	13.6	23.2	39.7	85.0	209.3	588.5	1,468.6
Female	63.6	36.7	5.8	2.7	3.6	5.8	10.3	24.0	55.6	136.5	414.3	1,184.8
All other	61.2	82.9	9.7	3.2	7.8	28.9	52.7	75.2	123.7	229.1	513.6	1,130.1
Male	69.2	89.6	10.3	3.5	8.8	38.8	78.3	101.2	160.3	282.8	615.9	1,229.9
Female	53.9	76.0	9.0	2.9	6.7	20.0	31.0	53.7	93.8	189.2	448.9	1,088.6
Black	70.5	91.9	10.6	3.5	8.6	34.6	65.3	89.2	140.3	254.3	557.6	1,182.4
Male	80.2	97.9	11.2	3.7	9.6	47.4	98.3	122.9	182.6	316.9	674.6	1,269.2
Female	61.8	85.4	10.0	3.4	7.5	23.4	37.8	61.8	105.5	208.0	486.2	1,141.7
Accidents and adverse effects (E800-E949)	39.1	23.7	20.0	12.5	48.4	37.8	31.6	31.3	36.6	50.5	107.7	254.3
Male	55.2	25.1	24.1	16.6	74.1	60.8	49.2	47.4	54.5	67.9	149.3	358.7
Female	23.9	22.3	15.8	8.2	22.3	14.9	14.6	16.1	20.8	36.8	82.9	212.6
White	39.0	20.6	18.5	11.8	51.3	37.2	29.8	29.2	34.4	48.5	105.7	256.9
Male	54.4	21.9	22.3	15.7	77.9	59.6	45.6	43.5	50.5	64.4	145.5	363.2
Female	24.2	19.2	14.4	7.7	24.0	14.4	14.1	15.5	20.0	36.0	82.1	215.5
All other	40.2	37.3	26.7	15.5	34.7	41.3	43.4	44.8	53.9	67.6	127.7	228.3
Male	60.1	38.9	31.9	20.4	55.4	67.6	73.3	74.4	100.1	164.4	323.4	628.3
Female	22.0	35.7	21.5	10.4	14.3	17.7	18.0	20.2	26.5	43.4	91.6	180.4
Black	42.3	40.0	28.1	16.2	33.0	43.4	48.1	48.9	58.8	71.2	135.4	227.5
Male	64.0	41.1	33.0	21.6	53.4	72.6	84.0	83.4	96.3	108.1	195.7	320.0
Female	22.7	38.8	23.2	10.6	13.2	17.6	18.2	20.6	28.1	44.1	99.6	184.2
Motor vehicle accidents (E810-E825)	19.2	4.8	7.1	6.8	36.1	22.8	17.1	15.2	15.5	17.7	27.6	26.1
Male	27.9	5.0	8.2	8.5	53.5	35.6	25.1	21.6	21.8	22.6	41.4	54.5
Female	11.0	4.6	6.0	5.1	18.4	10.0	9.4	8.9	9.9	13.9	19.4	14.7
White	18.6	4.2	6.7	6.9	38.0	22.9	16.7	14.6	14.9	17.5	27.8	26.7
Male	28.2	4.5	7.6	8.5	57.4	35.5	24.1	20.9	20.6	21.7	41.2	56.4
Female	11.4	3.9	5.7	5.2	20.1	10.0	9.4	8.9	9.9	14.3	19.9	15.1
All other	17.3	7.4	8.9	6.6	22.2	22.6	20.0	17.5	20.0	19.3	25.1	19.5
Male	26.5	7.0	10.9	8.5	34.5	36.5	32.2	28.2	32.4	30.2	42.4	37.7
Female	8.6	7.7	6.9	4.6	10.0	10.1	9.7	8.7	9.8	11.1	14.1	10.8
Black	17.0	6.9	8.6	6.7	20.4	22.4	21.1	17.9	20.7	18.2	25.3	18.1
Male	26.7	5.9	10.7	8.9	32.1	37.2	35.4	29.9	34.3	30.0	42.2	36.9
Female	8.3	7.8	6.8	4.3	9.1	9.2	9.1	8.2	9.5	9.6	15.0	9.4
All other accidents and adverse effects (E800-E807, E826-E949)	19.9	19.0	12.9	5.7	12.3	15.0	14.5	16.1	21.1	32.8	80.1	228.3
Male	27.3	20.1	15.8	8.1	20.6	25.2	24.0	25.6	32.7	45.4	107.9	304.3
Female	12.9	17.7	9.8	3.2	3.9	4.9	5.2	7.2	10.9	22.8	63.5	197.9
White	19.4	16.4	11.7	4.9	12.3	14.3	13.1	14.4	19.5	31.0	77.8	230.2
Male	26.2	17.4	14.7	7.2	20.5	24.1	21.5	22.6	29.9	42.7	104.3	306.8
Female	12.9	15.3	8.7	2.5	3.9	4.3	4.7	6.5	10.1	21.7	62.2	200.4
All other	22.9	30.0	17.8	8.9	12.6	18.7	23.3	27.2	33.9	48.4	102.6	206.8
Male	33.5	31.9	21.0	11.9	20.9	31.0	41.0	46.2	55.0	69.9	142.0	285.7
Female	13.2	28.0	14.6	5.8	4.3	7.6	8.3	11.5	16.7	32.3	77.5	169.6
Black	25.2	33.2	19.4	9.5	12.5	21.1	27.0	31.0	38.1	53.0	110.1	209.3
Male	37.2	35.2	22.2	12.6	21.3	35.3	48.6	53.5	62.0	78.1	153.5	283.1
Female	14.5	31.0	16.4	6.3	4.0	8.4	9.0	12.7	18.5	34.6	83.5	174.8
Suicide (E950-E959)	12.38	12.9	15.2	14.6	15.6	16.7	18.5	24.1	19.1
Male	19.9	1.2	21.4	24.5	22.3	23.5	26.8	33.3	53.1	55.4
Female	5.14	4.4	5.9	7.1	8.3	7.7	6.9	6.8	4.6
White	13.49	13.8	15.9	15.6	16.9	17.9	19.6	25.6	20.3
Male	21.5	1.3	22.7	25.4	23.5	25.1	28.6	35.3	57.1	60.3
Female	5.65	4.7	6.4	7.7	9.0	8.4	7.3	7.0	4.7
All other	6.65	8.9	11.0	8.3	7.5	7.0	8.6	8.7	5.9
Male	11.07	15.1	19.3	13.6	12.3	12.3	15.1	15.3	11.7
Female	2.53	2.8	3.4	3.8	3.5	2.8	3.7	4.5	3.2
Black	6.24	7.6	10.8	8.7	7.8	6.4	7.9	8.7	3.4
Male	10.86	13.3	19.6	14.9	13.5	11.5	15.8	15.6	7.7
Female	2.12	2.0	3.0	3.6	3.2	2.2	2.0	4.5	1.4
Homicide and legal intervention (E960-E978)	8.3	5.3	2.4	1.2	12.1	14.7	11.3	8.1	5.7	4.3	4.3	4.1
Male	13.0	5.5	2.5	1.4	18.9	23.1	17.9	12.8	9.1	6.4	5.8	4.9
Female	3.9	5.1	2.4	1.0	5.1	6.4	4.9	3.6	2.7	2.6	3.4	3.8
White	5.5	4.0	1.8	.9	7.4	9.1	7.5	5.7	4.2	3.2	3.6	3.4
Male	8.2	3.7	1.9	1.1	11.2	13.9	11.5	8.6	6.3	4.5	4.5	3.9
Female	2.9	4.3	1.6	.8	3.6	4.4	3.6	2.9	2.3	2.2	3.1	3.2
All other	24.3	11.2	5.3	2.4	34.3	45.0	34.9	23.7	17.6	13.9	11.3	11.4
Male	40.5	13.4	5.4	2.9	56.4	76.5	61.8	42.3	32.2	23.8	18.5	14.3
Female	9.5	8.9	5.3	2.0	12.4	16.6	12.1	8.2	5.7	6.5	6.7	10.1
Black	28.7	13.2	6.4	2.6	39.7	54.8	42.7	27.8	20.5	15.8	12.9	13.2
Male	48.4	16.0	6.5	3.2	66.1	94.3	76.3	51.1	37.8	27.6	21.5	16.9
Female	11.0	10.3	6.3	2.0	14.2	19.8	14.8	9.0	6.4	7.2	7.6	11.5

SECTION 1 - GENERAL MORTALITY - PAGE 48

Table 1-9. Death Rates for 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total ¹	Under 1 year ²	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other external causes (E980-E999)	1.2	1.4	0.5	0.2	1.0	1.9	1.7	1.4	1.1	1.0	1.4	1.9
Male	1.8	1.6	.6	.2	1.5	3.0	2.5	1.9	1.7	1.3	2.4	4.5
Female7	1.3	.4	.1	.5	.8	.8	1.0	.6	.7	.8	.9
White	1.1	.9	.4	.1	1.0	1.7	1.4	1.3	1.1	.9	1.3	1.8
Male	1.6	.9	.4	.2	1.4	2.6	2.2	1.6	1.6	1.1	2.1	4.5
Female6	.8	.3	.1	.5	.7	.7	.9	.6	.7	.8	.8
All other	1.9	4.0	1.1	.3	1.2	3.1	3.2	2.3	1.9	1.7	2.6	3.0
Male	2.9	4.5	1.4	.3	1.7	5.0	5.1	3.7	3.1	2.7	5.1	5.2
Female	1.0	3.4	.8	.3	.6	1.5	1.5	1.2	.9	1.0	1.0	1.9
Black	2.1	4.6	1.2	.3	1.1	3.5	3.8	2.5	2.2	1.8	2.7	3.4
Male	3.2	4.9	1.7	.4	1.7	5.6	6.1	4.3	3.6	2.7	5.5	6.2
Female	1.1	4.3	.7	.3	.5	1.7	1.9	1.1	1.0	1.2	1.0	2.2

¹ Figures for age not stated included in "Total" but not distributed among age groups.

² Death rates under 1 year (based on population counts or estimates) differ from infant mortality rates (based on live births); see Technical Appendix.

SECTION 1 - GENERAL MORTALITY - PAGE 49

Table 1-10. Death Rates by Place of Occurrence: United States and Each Geographic Division, 1900-1985

[Prior to 1933, data are for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area. Data by place of occurrence include deaths of nonresidents of the United States]

Year	Geographic division									
	United States ¹	New England ²	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1985	8.8	9.4	9.8	8.8	9.3	9.1	9.4	7.9	7.0	7.7
1984	8.6	9.3	9.7	8.6	9.1	8.9	9.2	7.9	7.0	7.6
1983	8.6	9.2	9.7	8.7	9.2	8.9	9.2	7.9	6.9	7.5
1982	8.5	9.0	9.5	8.5	9.1	8.8	8.9	7.9	7.0	7.6
1981	8.6	9.0	9.6	8.6	9.1	9.0	9.1	8.2	7.0	7.6
1980	8.8	9.3	9.9	8.7	9.3	9.0	9.2	8.3	7.2	7.8
1979	8.5	8.9	9.4	8.5	9.1	8.8	8.9	8.2	7.0	7.6
1978	8.7	8.9	9.5	8.6	9.3	8.9	9.1	8.4	7.1	7.7
1977	8.7	8.9	9.5	8.6	9.2	8.8	9.3	8.3	7.1	7.6
1976	8.8	9.2	9.6	8.7	9.4	8.8	9.3	8.5	7.3	7.8
1975	8.8	9.1	9.5	8.7	9.5	8.8	9.4	8.5	7.3	7.9
1974	9.1	9.4	9.8	9.0	9.8	9.1	9.7	8.8	7.5	8.1
1973	9.3	9.6	10.0	9.2	10.0	9.5	10.1	9.1	7.8	8.3
1972 ³	9.4	9.6	10.1	9.3	10.2	9.6	10.0	9.1	7.8	8.3
1971	9.3	9.6	10.1	9.2	10.0	9.3	10.0	8.9	8.1	8.4
1970	9.5	9.8	10.2	9.3	10.1	9.6	10.1	9.1	8.2	8.4
1969	9.5	10.1	10.2	9.4	10.3	9.5	9.9	9.0	8.2	8.6
1968	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9.1	8.2	8.4
1967	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-04	16.2	16.8	---	---	---	---	---	---	---	---

¹ Alaska included in 1959 and Hawaii in 1960.

² Figure for 1964 excludes approximately 6,000 deaths reported in Massachusetts; see Technical Appendix.

³ Deaths based on a 50-percent sample.

SECTION 1 - GENERAL MORTALITY - PAGE 50

Table 1-11. Death Rates: United States, Each Division and State, 1976-85

[Rates per 1,000 population in each area]

Division and State	1985	1984	1983	1982	1981	1980	1979	1978	1977	1976
United States	8.7	8.6	8.6	8.5	8.6	8.8	8.5	8.7	8.6	8.8
Geographic divisions:										
New England:										
Maine	9.3	9.2	9.2	9.0	8.9	9.3	8.8	8.9	8.8	9.1
New Hampshire	9.9	9.7	9.7	9.6	9.6	9.9	9.4	9.6	9.5	9.7
Middle Atlantic	8.9	8.7	8.8	8.6	8.7	8.8	8.6	8.7	8.7	8.8
East North Central	9.2	9.1	9.2	9.0	9.1	9.2	9.0	9.3	9.2	9.4
West North Central	9.0	8.9	8.9	8.7	8.9	8.9	8.7	8.8	8.7	8.8
South Atlantic	9.3	9.1	9.1	8.9	9.0	9.1	8.8	9.0	9.2	9.2
East South Central	7.9	7.9	7.9	7.9	8.1	8.2	8.1	8.3	8.2	8.4
West South Central	6.9	6.9	6.8	6.8	6.9	7.0	6.8	7.0	7.0	7.1
Mountain	7.7	7.6	7.5	7.5	7.6	7.8	7.5	7.6	7.6	7.8
Pacific										
New England:										
Maine	9.8	9.4	9.5	9.2	9.2	9.6	9.2	9.1	9.1	9.6
New Hampshire	8.5	8.2	8.3	8.0	8.2	8.3	8.2	8.3	8.3	8.8
Vermont	8.7	8.6	8.7	8.6	8.4	9.0	8.3	8.9	8.6	8.8
Massachusetts	9.6	9.5	9.4	9.2	9.2	9.6	9.1	9.2	9.0	9.4
Rhode Island	10.0	9.8	9.7	9.4	9.6	9.8	9.5	9.3	9.5	9.7
Connecticut	8.9	8.8	8.7	8.6	8.5	8.8	8.4	8.4	8.3	8.5
Middle Atlantic:										
New York	9.7	9.6	9.6	9.5	9.6	9.8	9.3	9.5	9.5	9.6
New Jersey	9.4	9.2	9.3	9.1	9.1	9.4	8.9	9.0	9.0	8.9
Pennsylvania	10.4	10.3	10.2	10.0	10.1	10.4	9.9	10.1	10.0	10.2
East North Central:										
Ohio	9.2	9.0	9.1	8.8	8.9	9.1	8.8	8.9	9.0	8.9
Indiana	8.8	8.6	8.7	8.5	8.6	8.6	8.5	8.7	8.7	8.7
Illinois	8.9	8.8	8.9	8.8	8.9	9.0	8.9	9.0	9.1	9.1
Michigan	8.7	8.5	8.5	8.3	8.2	8.1	8.0	8.1	8.1	8.3
Wisconsin	8.7	8.6	8.6	8.5	8.6	8.7	8.4	8.7	8.5	8.8
West North Central:										
Minnesota	8.3	8.1	8.2	8.0	8.0	8.2	7.9	8.3	8.1	8.3
Iowa	9.7	9.3	9.5	9.3	9.2	9.3	9.2	9.4	9.2	9.6
Missouri	10.0	9.8	10.0	9.8	9.9	10.1	9.8	10.2	10.1	10.2
North Dakota	8.2	8.1	8.2	8.0	8.3	8.6	8.2	8.4	8.0	8.6
South Dakota	9.3	9.3	9.5	9.5	9.3	9.5	9.2	9.4	9.1	9.8
Nebraska	9.3	9.1	9.2	9.2	9.3	9.2	9.1	9.3	9.2	9.4
Kansas	9.0	9.1	9.0	9.1	9.1	9.3	9.0	9.3	9.2	9.5
South Atlantic:										
Delaware	8.8	8.3	8.3	8.5	8.5	8.5	8.2	8.3	8.0	8.1
Maryland	8.3	8.2	8.2	8.0	8.0	8.1	7.8	7.9	7.7	7.8
District of Columbia	11.2	10.8	10.9	10.7	11.0	11.1	10.5	10.5	10.5	10.5
Virginia	7.9	7.9	7.9	7.6	7.8	7.9	7.7	7.7	7.7	7.8
West Virginia	10.0	9.8	9.8	9.7	9.8	9.9	9.8	10.2	10.1	10.5
North Carolina	8.5	8.3	8.3	8.1	8.3	8.2	8.0	8.2	8.2	8.2
South Carolina	8.1	8.0	8.0	7.8	8.0	8.1	7.9	7.9	8.1	8.1
Georgia	8.1	8.0	8.0	7.8	8.1	8.1	8.0	8.2	8.2	8.1
Florida	10.7	10.4	10.5	10.4	10.8	10.7	10.4	10.5	10.3	10.3
East South Central:										
Kentucky	9.3	9.0	9.2	8.9	9.1	9.2	8.9	9.3	9.4	9.2
Tennessee	9.1	9.0	8.9	8.7	8.8	8.9	8.6	8.7	8.9	9.0
Alabama	9.3	9.2	9.0	8.9	9.0	9.1	8.9	9.0	9.2	9.2
Mississippi	9.4	9.2	9.3	9.1	9.3	9.4	9.2	9.4	9.4	9.5
West South Central:										
Arkansas	10.2	10.1	10.0	9.7	9.8	9.9	9.5	9.8	9.7	9.8
Louisiana	8.3	8.0	8.2	8.2	8.4	8.5	8.4	8.7	8.6	8.8
Oklahoma	9.0	8.9	8.9	9.1	9.2	9.3	9.4	9.6	9.3	9.6
Texas	7.2	7.3	7.3	7.3	7.5	7.6	7.6	7.7	7.6	7.8
Mountain:										
Montana	8.2	8.2	8.2	8.2	8.5	8.5	8.2	8.3	8.3	8.9
Idaho	7.1	7.3	7.3	7.1	7.2	7.2	6.9	7.1	7.3	7.7
Wyoming	6.4	6.2	6.1	6.3	6.5	6.9	6.8	7.2	7.4	8.0
Colorado	6.3	6.4	6.2	6.4	6.5	6.6	6.5	6.6	6.6	6.8
New Mexico	6.7	6.7	6.6	6.8	6.5	7.0	6.8	6.8	6.6	6.9
Arizona	7.7	7.8	7.6	7.6	7.7	7.9	7.5	7.6	7.4	7.4
Utah	5.5	5.5	5.3	5.4	5.5	5.6	5.6	5.8	5.8	5.9
Nevada	7.7	7.4	7.1	7.3	7.0	7.4	7.0	7.0	7.2	7.1
Pacific:										
Washington	7.8	7.8	7.6	7.6	7.6	7.7	7.6	7.8	7.9	8.2
Oregon	8.9	8.7	8.5	8.1	8.2	8.3	8.2	8.3	8.4	8.6
California	7.7	7.6	7.5	7.6	7.6	7.9	7.6	7.7	7.6	7.8
Alaska	4.0	3.8	3.9	4.0	4.1	4.3	3.9	4.2	4.1	4.1
Hawaii	5.5	5.4	5.4	5.2	5.1	5.2	5.1	4.9	4.8	4.9

SECTION 1 - GENERAL MORTALITY - PAGE 51

Table 1-12. Deaths and Death Rates by Age: United States, Each Division and State, 1985

[Rates per 100,000 population in specified group in each area]

Division and State	Number							Rate					
	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over	Not stated	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	2,086,440	47,369	24,001	140,534	403,114	1,470,545	877	873.9	262.9	45.7	148.3	897.3	5,153.3
Geographic divisions:													
New England:													
New England	117,975	1,902	1,020	6,120	20,758	88,165	10	932.1	229.2	38.9	120.6	841.4	5,292.0
Middle Atlantic	367,099	6,589	3,053	23,158	71,449	262,767	83	987.6	265.5	39.1	162.9	923.0	5,345.1
East North Central	369,629	8,131	4,077	21,917	71,412	264,072	20	887.5	263.6	43.1	134.5	906.2	5,344.5
West North Central	162,194	3,107	1,650	7,669	25,838	123,914	16	923.9	229.6	43.0	112.6	804.2	5,288.7
South Atlantic	363,649	8,517	4,112	25,578	75,600	249,723	119	904.3	301.7	47.9	161.1	965.1	4,901.3
East South Central	140,385	3,195	1,830	9,275	28,514	97,539	32	927.7	286.0	51.4	158.5	1,023.8	5,377.0
West South Central	209,284	6,029	3,284	17,528	42,169	140,218	56	788.6	260.2	52.6	164.3	919.3	5,138.1
Mountain	88,021	2,820	1,539	7,377	16,666	59,540	79	687.8	246.5	51.8	140.3	780.2	4,622.7
Pacific	268,204	7,079	3,436	21,912	50,708	184,607	462	765.7	247.3	46.4	148.6	807.3	4,936.0
New England:													
Maine	11,420	185	95	546	1,934	8,660	-	979.4	225.6	36.4	121.1	887.2	5,660.1
New Hampshire	8,483	159	94	486	1,537	6,207	-	849.1	227.1	43.3	117.1	849.2	5,350.9
Vermont	4,662	80	52	241	790	3,497	2	871.4	205.1	44.1	108.1	858.7	5,550.8
Massachusetts	55,593	856	466	2,736	9,684	41,844	7	955.4	229.5	39.8	115.6	858.5	5,350.9
Rhode Island	9,647	121	70	438	1,720	7,298	-	997.6	195.2	35.7	115.6	900.5	5,250.4
Connecticut	28,170	501	243	1,673	5,093	20,659	1	888.4	245.6	37.0	134.9	775.2	5,002.2
Middle Atlantic:													
New York	172,117	3,235	1,485	12,789	33,501	121,086	21	969.9	265.8	39.6	166.5	915.1	5,362.5
New Jersey	71,128	1,303	608	4,485	14,414	50,280	38	940.7	266.5	38.2	154.2	893.1	5,248.4
Pennsylvania	123,854	2,051	960	5,884	23,534	91,401	24	1,043.9	264.3	38.9	132.1	954.3	5,376.5
East North Central:													
Ohio	98,941	1,941	989	5,301	19,762	70,946	2	920.6	246.3	40.7	128.3	940.6	5,478.5
Indiana	48,195	1,032	574	2,746	9,140	34,699	4	876.3	258.6	45.2	127.4	885.7	5,379.7
Illinois	102,279	2,469	1,059	6,356	19,961	72,430	4	886.5	281.2	41.5	139.8	909.0	5,302.3
Michigan	78,722	1,889	1,053	5,516	15,972	54,282	10	866.2	285.3	49.5	153.5	946.8	5,327.0
Wisconsin	41,492	800	402	1,998	6,577	31,715	-	868.8	223.5	37.5	107.1	761.2	5,148.5
West North Central:													
Minnesota	34,801	722	357	1,609	5,249	26,862	2	830.2	221.5	38.8	95.4	710.3	5,165.8
Iowa	27,834	449	271	1,136	4,120	21,858	-	966.1	212.8	42.3	104.0	783.3	5,318.2
Missouri	50,368	924	509	2,645	8,879	37,400	11	1,000.4	248.4	46.7	137.8	917.3	5,451.9
North Dakota	5,628	117	61	228	860	4,362	-	821.6	198.3	39.4	84.4	754.4	5,013.8
South Dakota	6,603	145	62	321	1,009	5,066	-	932.6	237.7	39.0	121.6	794.5	5,222.7
Nebraska	14,903	285	140	618	2,188	11,670	2	928.5	222.7	39.8	99.7	757.1	5,402.8
Kansas	22,057	465	250	1,112	3,533	16,696	1	900.3	237.2	47.8	116.4	785.1	5,121.5
South Atlantic:													
Delaware	5,475	171	56	312	1,190	3,745	1	880.2	388.6	41.5	124.8	987.5	5,350.0
Maryland	36,620	932	385	2,739	8,227	24,316	21	833.6	295.9	41.0	150.6	954.4	5,297.6
District of Columbia	6,981	227	40	823	1,718	4,158	15	1,120.5	504.4	37.4	298.2	1,443.7	5,471.1
Virginia	45,277	1,128	480	3,154	10,105	30,399	11	794.1	282.0	39.4	130.8	932.2	5,169.9
West Virginia	19,444	298	214	1,027	3,951	13,953	1	1,003.8	234.6	47.8	140.3	1,065.0	5,429.2
North Carolina	52,988	1,232	705	3,866	11,761	35,418	6	846.3	289.2	50.4	153.0	978.5	5,002.5
South Carolina	27,099	855	393	2,343	6,358	17,150	-	812.6	335.3	49.7	173.6	1,065.0	5,000.0
Georgia	48,667	1,433	720	4,184	11,003	31,306	11	814.3	310.8	50.5	172.0	1,035.1	5,288.2
Florida	121,108	2,241	1,119	7,130	21,287	89,278	53	1,065.6	298.8	52.7	174.9	882.5	4,459.4
East South Central:													
Kentucky	34,865	687	389	2,014	6,948	24,826	1	935.0	253.5	44.6	137.7	1,020.3	5,616.7
Tennessee	43,226	913	558	2,958	9,000	29,789	8	906.8	278.4	52.1	157.2	991.2	5,171.7
Alabama	37,603	872	500	2,522	7,747	25,956	6	934.9	294.6	52.8	163.2	1,037.1	5,340.7
Mississippi	24,691	723	383	1,781	4,819	16,968	17	944.6	325.7	57.0	185.1	1,073.3	5,473.5
West South Central:													
Arkansas	24,137	498	315	1,408	4,242	17,666	18	1,022.8	280.5	57.7	163.3	966.3	5,226.6
Louisiana	37,029	1,190	569	3,113	8,197	23,957	3	825.4	296.8	52.1	173.8	1,082.8	5,407.9
Oklahoma	29,782	709	412	1,975	5,389	21,279	18	900.8	263.6	56.6	151.8	893.7	5,254.1
Texas	118,336	3,642	1,988	11,032	24,341	77,316	17	722.2	247.3	51.3	164.4	873.1	5,010.8
Mountain:													
Montana	6,724	167	105	474	1,136	4,841	1	815.0	242.0	55.6	145.4	788.9	4,990.7
Idaho	7,115	219	122	450	1,167	5,157	-	708.7	240.7	48.0	115.4	734.0	4,731.2
Wyoming	3,279	135	78	321	569	2,175	1	642.9	275.5	64.5	142.7	779.5	5,178.6
Colorado	20,236	622	300	1,799	3,768	13,746	1	625.7	234.7	43.4	124.0	696.5	4,806.3
New Mexico	9,763	366	249	1,027	1,875	6,237	9	672.8	273.1	70.9	178.6	744.0	4,487.1
Arizona	24,619	710	402	1,912	4,792	16,744	59	771.5	262.0	57.2	152.6	836.3	4,271.4
Utah	9,049	437	198	748	1,489	6,173	4	550.1	225.3	42.0	118.0	689.4	4,748.5
Nevada	7,236	164	85	646	1,870	4,467	4	772.3	231.0	44.7	159.9	1,050.6	4,803.2
Pacific:													
Washington	34,504	879	443	2,251	6,163	24,766	2	782.8	259.3	47.0	120.6	816.3	4,904.2
Oregon	23,896	466	254	1,451	3,960	17,765	-	889.7	237.8	44.4	130.6	872.2	5,046.9
California	201,911	5,374	2,563	17,237	38,753	137,529	455	768.0	246.7	46.4	155.6	806.8	4,970.3
Alaska	2,068	171	94	518	550	730	5	396.2	289.8	75.2	212.3	714.3	4,294.1
Hawaii	5,825	189	82	455	1,282	3,817	-	554.2	207.7	35.7	103.2	667.7	3,855.6

1 Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY - PAGE 52

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Geographic divisions								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
All causes	873.9	932.1	987.6	887.5	923.9	904.3	927.7	788.6	687.8	765.7
Shigellosis and amebiasis (004,006)	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0
Certain other intestinal infections (007-009)1	0.2	.1	.1	0.1	.1	.2	.1	.1	.2
Tuberculosis (010-018)7	.5	.9	.5	.4	1.0	1.0	.8	.5	.7
Tuberculosis of respiratory system (010-012)6	.3	.7	.4	.3	.8	.9	.6	.4	.5
Other tuberculosis (013-018)2	.1	.2	.1	.1	.2	.2	.2	.1	.1
Whooping cough (033)0	-	-	-	-	.0	-	.0	.0	.0
Streptococcal sore throat, scarlatina, and erysipelas (034-035)0	.0	.0	-	.0	.0	.0	.0	-	-
Meningococcal infection (036)1	.1	.1	.1	.1	.1	.1	.1	.1	.1
Septicemia (038)	7.2	8.6	9.9	7.1	6.3	8.1	7.2	8.3	4.9	3.3
Acute poliomyelitis (045)0	.0	-	-	-	.0	-	.0	-	-
Measles (055)0	.0	-	.0	-	-	-	-	.0	-
Viral hepatitis (070)4	.4	.4	.2	.2	.4	.5	.4	.4	.6
Syphilis (090-097)0	.0	.0	.0	.0	.1	.0	.0	.0	.0
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	3.1	2.9	4.3	2.2	2.4	3.0	2.3	2.7	2.9	4.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	193.3	220.8	223.4	198.4	197.4	203.0	194.2	163.5	141.8	173.4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.5	4.1	4.0	3.4	2.9	4.1	3.5	2.8	2.1	3.2
Malignant neoplasms of digestive organs and peritoneum (150-159)	48.8	59.6	61.0	50.8	51.0	48.8	44.7	38.1	35.7	43.4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	53.3	56.2	57.9	54.9	50.3	60.0	59.9	47.1	35.6	47.8
Malignant neoplasm of breast (174-175)	16.9	21.6	21.2	17.5	18.0	16.9	15.1	12.5	12.2	15.2
Malignant neoplasms of genital organs (179-187)	20.8	22.7	23.4	21.2	22.6	22.3	20.8	17.2	15.6	18.8
Malignant neoplasms of urinary organs (188-189)	7.9	8.9	9.5	8.6	8.8	8.0	7.4	6.3	6.3	6.6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	24.3	28.5	26.1	23.8	23.9	25.3	25.4	23.9	19.8	21.5
Leukemia (204-208)	7.3	7.7	7.9	7.5	8.3	7.1	7.0	6.6	6.0	6.8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.5	11.5	12.3	10.7	11.6	10.4	10.3	8.8	8.5	9.9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2.8	3.3	3.6	2.6	2.6	2.9	2.6	2.2	2.3	2.7
Diabetes mellitus (250)	15.5	16.6	19.4	16.9	15.3	15.5	16.1	13.3	12.8	11.7
Nutritional deficiencies (260-269)	1.2	1.2	.9	1.5	2.0	1.2	1.2	1.1	1.4	.8
Anemias (280-285)	1.5	1.6	1.7	1.7	1.8	1.7	1.7	1.5	1.1	1.0
Meningitis (320-322)5	.4	.6	.4	.4	.5	.5	.6	.6	.5
Major cardiovascular diseases (390-448)	409.6	440.8	483.9	434.2	444.1	416.9	433.2	356.7	285.5	339.9
Diseases of heart (390-398,402,404-429)	323.0	351.8	399.1	344.0	341.6	324.9	335.1	277.9	222.6	261.1
Rheumatic fever and rheumatic heart disease (390-398) ..	2.8	3.1	3.8	2.8	2.6	2.5	1.7	1.4	3.6	3.0
Hypertensive heart disease (402)	8.7	8.1	8.6	9.0	6.6	10.4	10.0	8.0	4.7	9.6
Hypertensive heart and renal disease (404)	1.2	.9	1.1	1.5	1.3	1.5	1.4	.8	.5	.9
Ischemic heart disease (410-414)	224.8	256.9	300.8	246.3	243.2	213.7	218.0	170.9	148.2	182.6
Acute myocardial infarction (410)	114.9	124.3	142.6	122.4	126.9	116.2	137.6	101.3	75.5	80.3
Other acute and subacute forms of ischemic heart disease (411)	1.7	.9	1.5	1.0	.8	3.1	1.2	2.3	3.7	.7
Angina pectoris (413)4	.5	.4	.3	.4	.5	.4	.3	.2	.3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	107.9	131.2	156.4	122.5	115.2	93.9	78.7	67.0	68.8	101.3
Other diseases of endocardium (424)	4.0	5.0	4.5	3.9	4.5	3.8	3.1	2.7	3.6	4.5
All other forms of heart disease (415-423,425-429)	81.5	77.8	80.3	80.5	83.2	93.0	101.1	94.1	62.0	60.4

SECTION 1 - GENERAL MORTALITY - PAGE 53

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Geographic divisions								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
Major cardiovascular diseases-Con.										
Hypertension with or without renal disease (401,403)	3.2	3.2	3.2	3.4	3.5	4.0	3.9	2.6	2.3	2.6
Cerebrovascular diseases (430-438)	64.1	63.2	62.1	65.4	74.7	69.8	76.2	60.2	44.3	58.1
Intracerebral and other intracranial hemorrhage (431-432)	8.7	9.5	9.8	8.9	8.0	9.7	9.2	7.7	5.5	7.8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10.3	10.9	11.2	11.4	10.5	11.3	11.4	7.9	5.0	9.7
Cerebral embolism (434.1)3	.4	.4	.3	.4	.3	.4	.2	.3	.3
All other and late effects of cerebrovascular diseases (430,433,435-438)	44.8	42.4	40.7	44.8	55.7	48.5	55.3	44.4	33.6	40.3
Atherosclerosis (440)	10.0	11.2	9.3	11.5	14.1	8.7	9.6	9.3	8.5	9.4
Other diseases of arteries, arterioles, and capillaries (441-448)	9.2	11.4	10.2	9.8	10.2	9.4	8.3	6.6	7.8	8.8
Acute bronchitis and bronchiolitis (466)3	.2	.3	.2	.2	.3	.3	.2	.1	.3
Pneumonia and influenza (480-487)	28.3	33.5	31.0	27.0	35.9	25.7	29.1	23.4	23.7	29.5
Pneumonia (480-486)	27.5	32.7	30.5	26.3	34.0	25.1	28.0	22.9	22.6	28.2
Influenza (487)9	.8	.5	.7	1.8	.7	1.1	.5	1.1	1.3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31.3	33.1	30.6	30.8	34.4	31.4	33.3	24.9	35.2	32.8
Bronchitis, chronic and unspecified (490-491)	1.5	2.0	1.3	1.5	1.4	1.6	1.4	1.1	1.6	1.8
Emphysema (492)	5.9	5.5	5.3	6.2	5.5	5.8	5.1	5.1	7.1	7.3
Asthma (493)	1.6	1.5	1.7	1.5	1.7	1.7	1.4	1.3	2.1	1.8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22.2	24.1	22.2	21.6	25.8	22.3	25.2	17.4	24.4	21.8
Ulcer of stomach and duodenum (531-533)	2.8	2.8	3.2	2.8	3.1	2.7	2.6	2.1	2.4	2.9
Appendicitis (540-543)2	.2	.2	.2	.2	.2	.2	.2	.2	.2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.2	2.4	2.3	2.4	2.9	2.3	2.3	2.0	2.0	1.8
Chronic liver disease and cirrhosis (571)	11.2	11.5	14.6	10.6	7.6	11.4	8.8	8.1	10.1	13.6
Cholelithiasis and other disorders of gallbladder (574-575)	1.2	1.3	1.2	1.3	1.4	1.3	1.6	1.1	1.3	1.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8.9	9.5	10.2	9.4	9.3	9.3	10.3	9.8	6.9	5.7
Acute glomerulonephritis and nephritic syndrome (580-581)1	.1	.2	.1	.1	.2	.2	.1	.1	.1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)7	.5	.7	.7	.6	.8	.9	.6	.5	.6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8.1	8.9	9.4	8.6	8.5	8.3	9.3	9.0	6.2	5.0
Infections of kidney (590)8	.7	.6	.7	1.1	.9	1.4	1.0	.6	.8
Hyperplasia of prostate (600)2	.2	.2	.2	.2	.2	.2	.2	.1	.2
Complications of pregnancy, childbirth, and the puerperium (630-676)1	.1	.1	.1	.1	.1	.1	.2	.1	.1
Pregnancy with abortive outcome (630-638)0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other complications of pregnancy, childbirth, and the puerperium (640-676)1	.1	.1	.1	.1	.1	.1	.2	.1	.1
Congenital anomalies (740-759)	5.4	5.0	4.9	5.3	5.2	5.3	5.3	5.5	5.8	5.9
Certain conditions originating in the perinatal period (760-779)	8.1	6.6	8.1	8.2	6.4	9.4	8.8	8.6	7.2	7.3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.2	1.8	2.1	2.3	1.8	2.2	2.8	2.5	1.9	2.0
Other conditions originating in the perinatal period (760-766,770-779)	5.9	4.8	5.9	5.8	4.6	7.2	6.0	6.1	5.3	5.3
Symptoms, signs, and ill-defined conditions (780-799)	13.0	8.8	13.3	8.0	20.8	11.1	25.1	23.8	9.8	6.0
All other diseases (Residual)	62.7	71.4	68.1	60.1	65.8	69.9	67.1	54.5	56.7	53.5
Accidents and adverse effects (E800-E949)	39.1	32.5	31.6	33.7	38.8	43.9	47.8	45.0	45.6	40.1
Motor vehicle accidents (E810-E825)	19.2	15.0	13.5	16.6	18.1	22.6	23.6	23.2	24.6	19.9
All other accidents and adverse effects (E800-E807,E826-E949)	19.9	17.5	18.1	17.1	20.8	21.4	24.2	21.8	21.1	20.3
Suicide (E950-E959)	12.3	10.2	8.7	11.8	12.0	13.3	11.7	13.6	17.3	14.2
Homicide and legal intervention (E960-E978)	8.3	3.5	7.3	7.6	4.4	10.0	9.5	12.1	6.6	9.4
All other external causes (E980-E999)	1.2	1.0	2.0	1.0	1.1	1.0	1.3	.7	1.5	1.1

SECTION 1 - GENERAL MORTALITY - PAGE 54

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New England Division						Middle Atlantic Division		
	Maine	New Hampshire	Vermont	Massachusetts	Rhode Island	Connecticut	New York	New Jersey	Pennsylvania
All causes	979.4	849.1	871.4	955.4	997.6	888.4	969.9	940.7	1,043.9
Shigellosis and amebiasis (004.006)	-	-	-	-	-	-	0.0	0.0	-
Certain other intestinal infections (007-009)	0.3	0.3	-	0.2	-	0.1	.1	.1	0.1
Tuberculosis (010-018)6	.3	-	.6	0.4	.3	1.1	.8	.6
Tuberculosis of respiratory system (010-012)6	.2	-	.4	.3	.2	.8	.6	.5
Other tuberculosis (013-018)	-	.1	-	.1	.1	.1	.3	.2	.1
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	0.2	-	-	-	0	0	-
Meningococcal infection (036)3	.1	.4	.1	-	.2	.1	.1	.1
Septicemia (038)	5.8	5.7	6.5	9.5	11.3	8.4	7.3	11.9	12.5
Acute poliomyelitis (045)1	-	-	-	-	-	-	-	-
Measles (055)1	-	-	.0	-	-	-	-	-
Viral hepatitis (070)3	.4	-	.4	.7	.4	.4	.5	.2
Syphilis (080-087)	-	-	-	-	.1	-	0	0	.0
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	3.4	2.5	2.1	2.9	3.1	3.0	5.6	4.3	2.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	222.3	210.7	189.2	224.4	242.5	215.4	213.8	225.8	236.2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4.4	4.1	3.4	4.0	4.8	4.1	4.1	4.1	3.8
Malignant neoplasms of digestive organs and peritoneum (150-159)	59.1	57.6	46.4	60.7	68.6	57.7	60.1	61.8	61.8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	59.2	53.3	48.8	56.6	64.2	54.3	54.6	59.8	61.5
Malignant neoplasm of breast (174-175)	19.0	20.7	16.4	22.8	23.4	20.9	21.1	22.5	20.7
Malignant neoplasms of genital organs (179-187)	24.0	21.7	24.7	22.5	22.2	22.6	22.4	23.3	24.8
Malignant neoplasms of urinary organs (188-189)	9.6	8.5	8.6	8.1	10.8	9.7	9.2	9.3	10.0
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	26.5	25.7	24.9	30.0	30.6	27.2	22.8	25.8	31.4
Leukemia (204-208)	9.0	8.0	5.8	8.1	7.2	6.9	7.4	7.5	8.8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11.6	11.1	10.3	11.5	10.8	11.9	12.1	11.7	13.1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3.8	3.4	2.8	3.1	3.6	3.6	3.5	3.6	3.8
Diabetes mellitus (250)	16.4	19.6	14.4	16.0	23.3	15.3	17.8	18.9	22.0
Nutritional deficiencies (260-269)	2.1	1.1	.7	1.3	2.0	.8	.5	1.1	1.3
Anemias (280-285)	1.5	1.5	2.1	1.5	2.1	1.8	1.5	1.7	1.8
Meningitis (320-322)3	.3	.4	.5	.4	.3	.6	.6	.5
Major cardiovascular diseases (390-448)	470.4	389.2	412.7	451.4	477.2	420.4	482.7	450.4	507.0
Diseases of heart (390-398,402,404-429)	369.2	304.4	325.2	360.9	382.5	338.7	403.0	368.8	412.5
Rheumatic fever and rheumatic heart disease (390-398) ..	3.9	3.4	3.9	2.8	3.3	3.2	3.5	4.1	3.9
Hypertensive heart disease (402)	5.7	6.5	7.7	8.7	8.8	8.2	8.2	10.0	8.4
Hypertensive heart and renal disease (404)	1.2	1.2	1.3	.8	.8	.7	.9	1.4	1.2
Ischemic heart disease (410-414)	270.3	215.5	208.6	269.4	306.7	235.2	390.6	275.7	272.4
Acute myocardial infarction (410)	144.5	115.4	111.4	130.7	159.8	99.1	141.6	134.4	149.2
Other acute and subacute forms of ischemic heart disease (411)	3.6	.2	1.5	.8	1.0	.3	1.6	2.0	1.1
Angina pectoris (413)3	.3	.9	.4	.5	.6	.3	.5	.6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	121.9	99.6	94.8	137.4	145.4	135.1	187.1	138.7	121.6
Other diseases of endocardium (424)	5.4	5.5	6.7	5.1	4.4	4.3	3.7	5.1	5.2
All other forms of heart disease (415-423,425-429)	82.7	72.3	97.0	74.1	58.4	87.1	56.1	72.5	121.4

SECTION 1 - GENERAL MORTALITY - PAGE 55

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New England Division						Middle Atlantic Division		
	Maine	New Hampshire	Vermont	Massachusetts	Rhode Island	Connecticut	New York	New Jersey	Pennsylvania
Major cardiovascular diseases-Con.									
Hypertension with or without renal disease (401.403)	3.3	3.5	2.1	3.2	3.2	3.2	3.3	2.9	3.3
Cerebrovascular diseases (430-438)	67.4	59.6	62.6	65.0	65.9	58.9	58.2	59.9	69.3
Intracerebral and other intracranial hemorrhage (431-432)	9.3	9.1	5.0	10.4	11.5	8.3	9.7	9.8	9.9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7.9	7.9	9.5	12.4	11.7	10.2	10.7	11.4	11.9
Cerebral embolism (434.1)3	.2	-	.4	.3	.4	.3	.5	.4
All other and late effects of cerebrovascular diseases (430,433,435-438)	49.8	42.3	48.0	41.8	42.4	39.9	37.5	38.2	47.1
Atherosclerosis (440)	16.8	10.7	10.1	10.3	14.6	10.0	8.6	9.0	10.4
Other diseases of arteries, arterioles, and capillaries (441-448)	13.6	11.0	12.7	11.9	11.1	9.7	9.6	9.7	11.4
Acute bronchitis and bronchiolitis (466)5	.1	.4	.2	.2	.2	.2	.3	.3
Pneumonia and influenza (480-487)	30.0	25.1	26.0	38.3	28.0	31.6	33.9	28.0	28.4
Pneumonia (480-486)	28.4	23.7	25.6	37.5	27.3	31.1	33.6	27.4	27.8
Influenza (487)	1.6	1.4	.4	.8	.7	.5	.3	.5	.6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	44.9	36.1	42.8	32.0	36.4	27.0	28.7	29.0	34.3
Bronchitis, chronic and unspecified (490-491)	2.8	2.4	2.6	2.0	2.1	1.5	1.4	1.3	1.3
Emphysema (492)	7.5	7.3	4.1	5.7	6.1	4.1	5.4	5.8	4.8
Asthma (493)	1.5	2.0	.9	1.5	1.2	1.4	2.3	1.1	1.2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	33.2	24.4	35.1	22.8	27.0	20.1	19.6	20.8	27.0
Ulcer of stomach and duodenum (531-533)	2.8	2.7	3.0	2.8	3.7	2.6	3.7	2.7	2.8
Appendicitis (540-543)1	-	.2	.3	.1	.2	.3	.2	.2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3.3	1.6	3.4	2.5	2.5	1.9	2.2	2.2	2.5
Chronic liver disease and cirrhosis (571)	11.5	8.8	10.8	13.0	11.1	9.9	17.0	15.2	10.5
Cholelithiasis and other disorders of gallbladder (574-575)	1.2	1.9	1.1	1.4	1.7	1.0	1.2	1.1	1.3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7.5	5.8	8.6	10.1	13.2	9.3	8.8	10.2	12.4
Acute glomerulonephritis and nephrotic syndrome (580-581)3	-	-	.2	.3	.1	.1	.1	.2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)8	.4	.4	.5	.4	.3	.6	1.0	.6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6.4	5.4	8.2	9.5	12.5	8.9	8.1	9.0	11.6
Infections of kidney (590)	1.5	.5	.4	.7	.8	.4	.6	.6	.6
Hyperplasia of prostate (600)	-	.3	.6	.2	.2	.1	.2	.2	.2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	.2	-	.1	-	.1	.2	.1	.1
Pregnancy with abortive outcome (630-638)	-	-	-	.0	-	.0	.0	-	.0
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	.2	-	.1	-	.1	.1	.1	.1
Congenital anomalies (740-759)	5.1	5.6	5.0	5.2	4.8	4.2	4.8	4.9	4.9
Certain conditions originating in the perinatal period (760-779)	6.9	6.9	5.0	6.2	5.0	8.0	8.4	7.7	7.8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.5	1.8	2.4	1.5	1.8	2.0	2.2	2.3	1.9
Other conditions originating in the perinatal period (760-766,770-779)	4.4	5.1	2.6	4.7	3.2	6.0	6.2	5.4	5.9
Symptoms, signs, and ill-defined conditions (780-799)	6.4	5.8	5.2	8.5	3.3	13.4	9.2	9.2	22.0
All other diseases (Residual)	75.1	61.1	70.1	75.6	77.4	64.1	65.8	65.3	73.4
Accidents and adverse effects (E800-E949)	37.4	35.4	39.3	31.9	27.7	31.2	30.1	30.0	35.1
Motor vehicle accidents (E810-E825)	18.1	17.6	20.2	13.9	11.6	15.2	12.3	13.4	15.4
All other accidents and adverse effects (E800-E807,E826-E949)	19.3	17.8	19.1	18.0	16.1	16.1	17.8	16.5	19.7
Suicide (E950-E959)	14.2	13.5	14.2	9.1	10.0	9.0	6.8	7.9	12.1
Homicide and legal intervention (E960-E978)	2.7	1.7	3.6	3.6	4.0	4.0	9.6	5.5	5.0
All other external causes (E980-E999)4	.8	.4	1.7	.8	.3	2.9	.7	1.5

SECTION 1 - GENERAL MORTALITY - PAGE 56

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	East North Central Division					West North Central Division						
	Ohio	Indiana	Illinois	Michigan	Wisconsin	Minnesota	Iowa	Missouri	North Dakota	South Dakota	Nebraska	Kansas
All causes	920.6	876.3	886.5	866.2	868.8	830.2	966.1	1,000.4	821.6	932.6	928.5	900.3
Shigellosis and amebiasis (004-006)	-	-	0.0	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	0.1	0.1	.2	0.1	0.1	0.1	0.1	0.1	0.3	-	0.1	0.1
Tuberculosis (010-018)5	.7	.6	.5	.6	.4	.3	.5	.1	0.4	.4	.2
Tuberculosis of respiratory system (010-012)4	.5	.4	.4	.4	.2	.3	.4	.1	.4	.3	.2
Other tuberculosis (013-018)1	.2	.2	.1	.1	.1	0	.2	-	-	.1	.1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	.0	-	-	-	-	-	-
Meningococcal infection (036)1	.1	.1	.1	.0	.1	-	.1	.1	.4	.2	.0
Septicemia (038)	7.4	7.1	7.8	6.9	5.2	4.2	6.1	8.8	4.1	3.8	5.0	7.2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	.0	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)2	.3	.2	.2	.2	.1	.2	.4	-	.4	-	.3
Syphilis (090-097)1	.0	.0	.0	.0	.1	-	.0	-	-	-	.0
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	2.1	1.9	2.7	2.1	2.2	2.3	1.9	2.9	1.6	3.4	1.9	2.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	208.0	197.4	198.0	190.4	194.5	180.4	212.6	214.1	177.5	192.5	193.8	184.0
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.8	2.7	3.6	3.3	3.3	2.9	3.5	3.5	2.0	2.7	1.7	2.1
Malignant neoplasms of digestive organs and peritoneum (150-159)	52.6	47.1	52.3	48.3	52.3	48.5	59.0	51.2	47.4	51.1	51.2	46.2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	60.3	58.8	54.3	52.3	44.3	39.9	52.8	60.8	38.8	47.3	48.0	48.9
Malignant neoplasm of breast (174-175)	18.3	16.3	17.9	16.8	17.5	18.1	18.8	18.1	16.5	17.2	18.4	17.1
Malignant neoplasms of genital organs (179-187)	22.1	21.9	20.7	20.3	21.9	20.8	26.7	22.6	26.3	21.0	21.2	21.6
Malignant neoplasms of urinary organs (188-189)	8.7	8.3	8.3	8.0	10.2	8.3	9.5	8.9	7.2	8.9	8.5	9.0
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	24.1	23.6	23.1	23.4	26.2	21.8	20.0	30.3	20.1	21.9	24.8	19.8
Leukemia (204-208)	7.5	7.9	7.1	7.7	7.7	8.4	9.1	7.9	8.5	8.8	8.2	8.2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.6	10.8	10.8	10.2	11.1	11.7	13.3	10.8	10.7	13.6	11.7	11.0
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3.2	2.8	3.1	1.7	1.8	3.0	2.3	2.5	1.8	2.7	2.7	2.4
Diabetes mellitus (250)	19.7	18.6	15.1	15.3	15.9	13.4	15.9	15.8	16.8	14.4	14.8	16.9
Nutritional deficiencies (260-269)	1.8	1.5	1.2	1.4	1.8	1.7	1.8	2.4	2.0	1.6	1.7	2.0
Anemias (280-285)	1.8	1.6	1.6	1.7	1.6	1.6	1.5	2.1	1.3	1.7	1.1	2.3
Meningitis (320-322)3	.5	.4	.3	.3	.4	.2	.4	.7	.7	.4	.4
Major cardiovascular diseases (390-448)	447.3	424.4	435.3	423.4	433.8	392.7	484.6	469.1	407.8	463.6	450.4	433.3
Diseases of heart (390-398,402,404-429)	355.9	323.2	351.0	337.3	337.3	290.1	370.6	367.8	314.5	364.5	347.7	338.5
Rheumatic fever and rheumatic heart disease (390-398) ..	3.0	2.9	2.6	3.0	2.7	2.4	2.7	2.9	2.5	1.8	2.8	2.7
Hypertensive heart disease (402)	10.1	6.3	11.5	7.6	6.1	3.7	7.6	9.9	5.3	4.7	3.6	6.6
Hypertensive heart and renal disease (404)	1.7	2.8	1.4	1.0	1.1	.3	1.9	1.9	.6	.8	1.8	1.2
Ischemic heart disease (410-414)	252.9	236.9	245.0	241.7	254.2	208.5	266.4	261.1	226.4	249.3	245.2	240.2
Acute myocardial infarction (410)	121.3	121.1	121.1	123.7	127.4	98.1	146.5	130.9	138.5	154.5	131.5	130.4
Other acute and subacute forms of ischemic heart disease (411)9	.5	1.7	.5	1.0	1.1	.8	.7	.6	.4	1.1	.6
Angina pectoris (413)4	.3	.3	.4	.5	.6	.4	.3	.1	.7	.2	.3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	130.4	115.1	121.9	117.1	125.2	108.7	118.6	129.3	87.2	93.6	112.5	108.9
Other diseases of endocardium (424)	4.4	4.3	3.4	3.5	4.7	4.9	4.7	4.2	3.4	4.9	4.7	4.5
All other forms of heart disease (415-423,425-429)	83.8	70.0	87.3	80.5	68.5	70.3	87.2	87.8	76.4	103.0	89.5	83.3

SECTION 1 - GENERAL MORTALITY - PAGE 57

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	East North Central Division					West North Central Division						
	Ohio	Indiana	Illinois	Michigan	Wisconsin	Minnesota	Iowa	Missouri	North Dakota	South Dakota	Nebraska	Kansas
Major cardiovascular diseases—Con.												
Hypertension with or without renal disease (401.403)	3.4	3.0	4.1	2.9	3.3	4.1	4.5	3.3	2.0	2.8	3.2	2.7
Cerebrovascular diseases (430-438)	65.9	75.2	62.1	60.9	69.8	75.2	80.0	76.2	67.2	74.0	71.5	68.9
Intracerebral and other intracranial hemorrhage (431-432)	9.0	9.5	9.7	8.1	7.7	7.5	7.2	9.5	7.4	7.8	7.7	7.3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11.3	10.0	11.8	12.7	9.4	8.9	11.5	12.2	10.8	8.6	9.3	9.8
Cerebral embolism (434.1)3	.4	.4	.3	.3	.2	.5	.6	.4	.4	.4	.4
All other and late effects of cerebrovascular diseases (430,433,435-438)	45.2	55.3	40.2	39.9	52.4	58.6	60.9	53.8	48.5	57.2	54.0	51.4
Atherosclerosis (440)	11.1	13.1	9.5	12.9	12.3	12.9	18.2	12.0	15.9	13.6	16.4	13.8
Other diseases of arteries, arterioles, and capillaries (441-448)	11.0	9.8	8.5	9.4	11.0	10.4	11.2	9.8	8.0	8.6	11.7	9.3
Acute bronchitis and bronchiolitis (466)3	.3	.3	.2	.2	.1	.2	.3	.1	—	.2	.4
Pneumonia and influenza (480-487)	27.2	23.5	29.0	24.5	30.2	33.7	40.3	34.5	31.4	40.8	41.9	32.9
Pneumonia (480-486)	26.3	22.9	28.3	24.1	29.0	32.4	37.8	33.6	30.4	39.0	37.9	30.5
Influenza (487)9	.6	.6	.4	1.2	1.3	2.6	.9	1.0	1.8	4.0	2.4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	33.7	33.8	28.6	30.5	27.2	28.5	36.3	38.2	26.6	33.2	37.4	34.7
Bronchitis, chronic and unspecified (490-491)	1.7	1.4	1.5	1.6	1.0	1.1	1.6	1.4	1.0	1.7	1.6	1.6
Emphysema (492)	5.9	6.4	6.0	7.1	5.4	4.6	6.6	5.3	3.2	8.5	5.9	5.5
Asthma (493)	1.6	1.4	1.6	1.6	1.3	1.8	1.9	1.4	.9	1.1	2.7	1.4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24.4	24.6	19.6	20.2	19.4	21.0	26.3	30.0	21.5	21.9	27.2	26.1
Ulcer of stomach and duodenum (531-533)	2.7	2.3	3.0	3.1	2.4	2.7	3.7	2.8	2.8	3.0	3.4	3.3
Appendicitis (540-543)2	.2	.2	.2	.2	.1	.1	.2	.4	.3	.1	.3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.3	2.4	2.4	2.4	2.6	3.2	2.7	2.8	2.2	3.1	3.1	3.0
Chronic liver disease and cirrhosis (571)	9.1	9.1	10.9	13.9	9.0	7.9	7.5	7.8	7.2	8.6	7.3	6.9
Cholelithiasis and other disorders of gallbladder (574-575)	1.4	1.3	1.4	1.2	1.3	1.3	1.2	1.5	1.3	1.6	1.7	1.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10.4	9.9	10.0	8.0	8.3	7.3	7.5	11.7	8.6	7.5	9.2	10.3
Acute glomerulonephritis and nephrotic syndrome (580-581)2	.1	.2	.1	.1	.0	.1	.2	.3	—	.1	.2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)8	.7	.6	.6	.8	.5	.6	.4	—	1.3	.7	.7
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,589-589)	9.4	9.1	9.2	7.3	7.5	6.7	6.8	11.1	8.3	6.2	8.3	9.4
Infections of kidney (590)	1.0	.7	.7	.5	.7	.6	1.5	1.1	1.2	.8	.8	1.6
Hyperplasia of prostate (600)1	.2	.2	.2	.3	.3	.3	.1	—	.3	.3	.3
Complications of pregnancy, childbirth, and the puerperium (630-676)1	.1	.1	.1	.1	.1	.0	.1	.1	.3	.1	.1
Pregnancy with abortive outcome (630-638)0	.0	—	—	.0	.0	—	.0	—	.1	—	—
Other complications of pregnancy, childbirth, and the puerperium (640-676)1	.0	.1	.1	.1	.0	.0	.0	.1	.1	.1	.1
Congenital anomalies (740-759)	5.0	5.7	5.3	5.4	5.5	5.2	5.3	5.1	3.8	4.4	6.0	5.3
Certain conditions originating in the perinatal period (760-779)	7.3	7.6	9.6	9.1	5.8	5.7	6.0	6.9	6.7	6.8	6.9	6.6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.0	2.4	2.7	2.6	1.7	1.6	1.7	1.9	1.8	2.0	2.5	1.8
Other conditions originating in the perinatal period (760-766,770-779)	5.3	5.2	6.9	6.5	4.1	4.2	4.3	5.0	5.0	4.8	4.4	4.9
Symptoms, signs, and ill-defined conditions (780-799)	13.8	7.6	6.9	4.3	4.8	19.3	5.5	36.5	12.1	9.7	18.2	16.5
All other diseases (Residual)	63.2	59.1	57.8	58.4	62.7	62.6	67.0	68.7	55.5	65.0	67.0	66.4
Accidents and adverse effects (E800-E949)	32.5	36.7	32.7	35.4	32.3	36.9	38.3	40.0	33.1	46.3	36.7	41.3
Motor vehicle accidents (E810-E825)	15.4	19.4	15.2	18.5	16.2	16.1	18.2	18.8	15.0	20.8	16.3	21.1
All other accidents and adverse effects (E800-E807,E826-E949)	17.1	17.3	17.5	16.9	16.1	20.8	20.2	21.2	18.1	25.6	20.4	20.2
Suicide (E950-E959)	11.9	11.8	11.1	12.0	12.6	10.9	11.6	13.3	12.3	11.4	11.1	11.9
Homicide and legal intervention (E960-E978)	5.1	6.0	9.0	11.7	3.4	2.1	2.0	8.6	1.8	3.0	2.9	4.6
All other external causes (E980-E999)6	1.0	1.2	1.1	1.0	1.2	1.0	1.1	.4	1.0	1.7	.9

SECTION 1 - GENERAL MORTALITY - PAGE 58

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Atlantic Division								
	Delaware	Maryland	District of Columbia	Virginia	West Virginia	North Carolina	South Carolina	Georgia	Florida
All causes	880.2	833.6	1,120.5	794.1	1,003.8	846.3	812.6	814.3	1,065.6
Shigellosis and amebiasis (004,006)	-	0.0	-	0.0	-	-	-	-	0.0
Certain other intestinal infections (007-009)	0.2	.1	0.6	.1	0.1	0.1	0.3	0.1	.1
Tuberculosis (010-018)5	.7	3.5	.6	1.0	1.1	.9	1.3	1.1
Tuberculosis of respiratory system (010-012)2	.5	2.4	.5	.8	.6	.6	1.2	.9
Other tuberculosis (013-018)3	.1	1.1	.1	.2	.3	.2	.2	.2
Whooping cough (033)	-	-	-	-	-	-	-	-	.0
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	.0	-	-	.0
Meningococcal infection (036)2	.2	.2	.1	.2	.1	.2	.1	.1
Septicemia (038)	9.0	12.1	22.2	8.2	7.3	8.6	6.5	8.1	5.9
Acute poliomyelitis (045)	-	.0	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)2	.4	.5	.3	.3	.3	.5	.4	.6
Syphilis (090-097)	-	.1	.2	.1	-	0	1	.1	.1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-086,098-139)	4.0	2.9	9.6	2.4	1.9	2.5	2.9	3.0	3.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	209.5	199.5	255.7	183.5	213.6	178.3	169.3	168.0	251.1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5.3	3.6	8.3	3.4	2.9	3.4	4.1	3.7	5.3
Malignant neoplasms of digestive organs and peritoneum (150-159)	51.8	48.0	70.6	43.8	48.1	41.4	40.8	36.6	63.2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	62.5	56.8	65.8	54.5	70.0	51.3	47.9	50.0	75.3
Malignant neoplasm of breast (174-175)	17.8	16.9	21.5	16.3	15.2	16.7	13.6	13.8	20.0
Malignant neoplasms of genital organs (179-187)	22.5	20.2	30.2	18.8	20.0	20.8	22.1	19.7	27.2
Malignant neoplasms of urinary organs (188-189)	8.2	7.9	6.1	6.8	8.4	6.7	7.0	6.0	10.8
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	22.7	28.9	35.8	23.9	30.4	22.1	19.1	23.9	27.7
Leukemia (204-208)	7.7	6.5	6.4	6.6	7.8	6.3	6.2	6.4	8.6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.9	10.6	10.9	9.4	10.8	9.6	8.6	8.1	13.0
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4.3	3.3	3.5	2.2	3.3	3.0	1.9	2.7	3.3
Diabetes mellitus (250)	24.1	15.8	18.8	11.0	18.1	13.9	15.2	14.2	18.2
Nutritional deficiencies (260-269)	1.4	1.3	1.3	1.1	1.6	1.1	.9	1.3	1.2
Anemias (280-285)	1.8	1.6	1.9	1.4	1.7	1.6	1.6	1.8	2.0
Meningitis (320-322)	1.3	.6	1.9	.5	.3	.5	.7	.4	.5
Major cardiovascular diseases (390-448)	399.8	369.6	436.6	361.3	495.7	398.0	379.4	367.5	496.8
Diseases of heart (390-398,402,404-429)	331.2	298.7	340.3	281.4	401.3	304.5	285.6	277.1	390.7
Rheumatic fever and rheumatic heart disease (390-398) ..	1.9	2.1	2.7	2.0	4.1	2.3	1.5	1.1	3.8
Hypertensive heart disease (402)	20.1	11.6	34.5	7.6	8.6	9.7	9.6	9.5	10.9
Hypertensive heart and renal disease (404)3	1.3	3.2	1.2	1.3	1.6	1.9	1.8	1.3
Ischemic heart disease (410-414)	185.0	148.3	136.6	181.1	257.2	207.7	188.1	176.8	284.0
Acute myocardial infarction (410)	101.4	88.5	67.4	94.6	143.9	120.2	117.2	113.1	135.5
Other acute and subacute forms of ischemic heart disease (411)	1.9	1.0	.3	11.8	.9	.6	2.9	2.7	1.7
Angina pectoris (413)8	.5	.2	.4	.6	.7	.6	.4	.6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	80.9	58.3	68.7	74.2	111.8	86.2	67.4	60.6	146.2
Other diseases of endocardium (424)	4.5	3.1	4.0	3.4	4.0	3.7	2.8	2.8	5.2
All other forms of heart disease (415-423,425-429)	119.3	132.2	159.2	86.1	126.1	79.6	81.7	85.2	85.5

SECTION 1 - GENERAL MORTALITY - PAGE 59

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Atlantic Division								
	Delaware	Maryland	District of Columbia	Virginia	West Virginia	North Carolina	South Carolina	Georgia	Florida
Major cardiovascular diseases-Con.									
Hypertension with or without renal disease (401,403)	2.7	3.3	7.5	2.4	2.9	3.7	5.2	4.2	4.9
Cerebrovascular diseases (430-438)	46.6	51.8	70.8	61.6	70.4	73.9	73.0	71.1	78.0
Intracerebral and other intracranial hemorrhage (431-432)	6.4	9.1	19.7	7.8	8.2	8.6	11.2	10.1	10.7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9.8	6.5	9.6	8.8	12.1	11.0	9.3	10.5	15.7
Cerebral embolism (434.1)	-	.1	.3	.2	.5	.3	.3	.3	.4
All other and late effects of cerebrovascular diseases (430,433,435-438)	30.4	36.1	41.1	44.8	49.7	54.1	52.3	50.2	51.2
Atherosclerosis (440)	8.7	6.6	10.1	8.3	9.9	8.4	6.7	7.5	10.9
Other diseases of arteries, arterioles, and capillaries (441-448)	10.6	9.3	7.9	7.6	11.1	7.4	8.8	7.6	12.4
Acute bronchitis and bronchiolitis (466)	-	.2	.2	.4	.3	.3	.1	.2	.3
Pneumonia and influenza (480-487)	19.6	21.7	37.1	25.4	30.9	28.2	23.7	26.1	25.3
Pneumonia (480-486)	18.3	20.7	36.9	25.0	30.4	27.5	22.6	25.4	24.9
Influenza (487)	1.3	1.0	.2	.4	.6	.8	1.1	.7	.4
Chronic obstructive pulmonary diseases and allied conditions									
(490-496)	30.9	26.6	22.2	27.1	42.1	26.8	23.7	28.1	40.5
Bronchitis, chronic and unspecified (490-491)	1.3	.9	.3	1.5	2.8	1.3	.7	1.7	2.1
Emphysema (492)	6.4	4.4	3.9	4.2	6.6	4.4	4.1	6.1	8.1
Asthma (493)	1.6	1.2	2.4	1.6	1.9	1.9	1.8	1.9	1.6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	21.5	20.1	15.6	19.9	30.8	19.2	17.0	18.4	28.7
Ulcer of stomach and duodenum (531-533)	4.3	2.6	4.5	2.2	2.4	2.5	2.4	2.6	3.2
Appendicitis (540-543)5	.2	.3	.2	.3	.2	.1	.3	.2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.6	2.5	4.2	2.0	2.2	2.2	1.8	2.3	2.4
Chronic liver disease and cirrhosis (571)	10.3	9.7	25.7	9.6	10.1	9.1	9.7	10.1	15.0
Cholelithiasis and other disorders of gallbladder (574-575)	1.8	.8	1.0	1.2	1.8	1.2	1.0	1.5	1.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)									
Acute glomerulonephritis and nephrotic syndrome (580-581)8	.1	.2	.1	.2	.1	.1	.2	.2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1.0	.5	1.0	.5	.7	.7	1.3	.7	.9
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13.8	10.2	14.4	7.9	10.4	9.0	6.7	8.6	6.8
Infections of kidney (590)5	.4	1.8	.8	.9	1.0	.9	.9	.9
Hyperplasia of prostate (600)2	.2	.3	.2	.3	.2	.2	.3	.2
Complications of pregnancy, childbirth, and the puerperium (630-676)									
Pregnancy with abortive outcome (630-638)2	.0	.5	.1	.1	.1	.1	.3	.2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	.0	.5	.1	.1	.1	.1	.2	.1
Congenital anomalies (740-759)									
Certain conditions originating in the perinatal period (760-779)	12.4	9.9	20.4	9.4	6.3	8.5	12.3	10.7	7.9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1.8	1.9	4.3	1.9	2.1	1.8	2.6	2.6	2.2
Other conditions originating in the perinatal period (760-766,770-779)	10.6	8.0	16.1	7.5	4.2	6.7	9.7	8.1	5.6
Symptoms, signs, and ill-defined conditions (780-799)	6.1	7.9	38.2	8.1	9.1	4.6	6.4	8.5	19.3
All other diseases (Residual)	62.4	70.0	114.0	62.0	70.8	67.5	63.5	65.6	77.1
Accidents and adverse effects (E800-E949)									
Motor vehicle accidents (E810-E825)	35.0	35.7	36.3	38.2	46.3	47.3	49.9	47.5	45.0
All other accidents and adverse effects (E800-E807,E826-E949)	19.1	17.4	9.0	17.5	22.9	24.2	27.7	24.1	24.7
Suicide (E950-E959)	15.9	18.3	27.3	20.7	23.4	23.0	22.2	23.4	20.3
Homicide and legal intervention (E960-E978)	9.5	11.3	6.3	13.2	13.1	12.5	11.8	12.3	16.2
All other external causes (E980-E999)	5.5	8.4	23.4	7.5	4.5	9.1	9.7	11.9	11.9
	.5	1.3	5.5	.6	1.0	.8	.9	1.3	.9

SECTION 1 - GENERAL MORTALITY - PAGE 60

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	East South Central Division				West South Central Division			
	Kentucky	Tennessee	Alabama	Mississippi	Arkansas	Louisiana	Oklahoma	Texas
All causes	935.0	906.8	934.9	944.6	1,022.8	825.4	900.8	722.2
Shigellosis and amebiasis (004.006)	0.0	0.0	-	0.0	-	-	-	0.0
Certain other intestinal infections (007-009)2	.2	0.0	.3	0.2	0.3	0.0	.1
Tuberculosis (010-018)9	1.0	1.2	.8	.9	1.2	.6	.7
Tuberculosis of respiratory system (010-012)8	.8	1.1	.7	.6	.9	.5	.5
Other tuberculosis (013-018)1	.2	.1	.1	.3	.3	.2	.2
Whooping cough (033)	-	-	-	-	-	.0	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	.0	-	-	-	-	-	.0
Meningococcal infection (036)1	.1	.1	.1	.2	.1	.2	.1
Septicemia (038)	8.0	6.4	7.3	7.1	10.5	10.6	7.7	7.6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	.0
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)4	.5	.5	.4	.4	.4	.5	.4
Syphilis (090-097)	-	.0	.1	.0	.0	.1	.0	.0
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2.1	2.6	2.2	2.3	3.3	2.3	2.6	2.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	201.0	193.1	198.0	180.9	212.7	183.5	185.5	146.5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.4	3.3	4.1	3.2	3.3	3.9	2.9	2.4
Malignant neoplasms of digestive organs and peritoneum (150-159)	47.6	44.3	44.6	41.5	49.0	44.4	41.8	34.1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	65.4	59.4	59.0	54.6	61.7	54.5	56.6	41.1
Malignant neoplasm of breast (174-175)	16.5	15.1	15.0	13.5	14.4	13.2	14.1	11.8
Malignant neoplasms of genital organs (179-187)	20.1	20.4	21.7	21.3	20.7	19.4	22.1	15.1
Malignant neoplasms of urinary organs (188-189)	8.3	7.5	6.9	6.8	8.4	7.8	7.2	5.4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	23.0	24.9	30.1	22.7	35.1	25.6	22.8	22.1
Leukemia (204-208)	6.7	7.2	6.9	7.2	8.9	6.0	7.3	6.3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.0	11.1	9.7	10.1	11.2	8.7	10.8	8.1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2.7	2.7	2.9	2.0	3.6	2.8	1.8	2.0
Diabetes mellitus (250)	18.5	12.9	17.5	16.4	14.6	18.7	13.3	11.7
Nutritional deficiencies (260-269)	1.0	.9	1.5	1.5	1.4	1.2	1.4	1.0
Anemias (280-285)	1.9	1.5	1.8	1.8	1.5	1.9	1.7	1.4
Meningitis (320-322)3	.6	.6	.6	.6	.8	.5	.6
Major cardiovascular diseases (390-448)	443.4	426.2	432.6	432.3	493.0	374.6	438.4	315.7
Diseases of heart (390-398,402,404-429)	350.3	331.0	325.6	335.7	383.1	293.8	339.9	245.9
Rheumatic fever and rheumatic heart disease (390-398) ..	1.8	2.1	1.2	1.4	1.7	1.2	1.7	1.4
Hypertensive heart disease (402)	7.2	10.7	9.7	13.0	5.7	12.6	5.4	7.5
Hypertensive heart and renal disease (404)9	1.2	1.7	2.1	.7	1.4	.6	.8
Ischemic heart disease (410-414)	234.7	223.3	204.0	206.0	230.3	183.7	239.1	145.0
Acute myocardial infarction (410)	153.0	127.5	137.2	134.7	145.9	108.3	134.6	86.3
Other acute and subacute forms of ischemic heart disease (411)2	2.8	.6	.7	.3	1.8	12.5	.6
Angina pectoris (413)4	.4	.3	.5	.4	.3	.3	.3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	81.1	92.6	65.8	70.1	83.6	73.4	91.7	57.9
Other diseases of endocardium (424)	2.4	3.5	3.4	2.8	2.5	3.2	3.5	2.5
All other forms of heart disease (415-423,426-429)	103.4	90.3	105.6	110.5	142.3	91.6	89.6	88.7

SECTION 1 - GENERAL MORTALITY - PAGE 61

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	East South Central Division				West South Central Division			
	Kentucky	Tennessee	Alabama	Mississippi	Arkansas	Louisiana	Oklahoma	Texas
Major cardiovascular diseases-Con.								
Hypertension with or without renal disease (401.403)	3.5	3.1	5.1	4.1	3.0	3.5	2.8	2.3
Cerebrovascular diseases (430-438)	71.9	75.0	81.8	76.2	87.8	59.0	75.3	53.6
Intracerebral and other intracranial hemorrhage (431-432)	7.9	8.8	11.7	8.0	9.3	8.3	6.9	7.5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11.0	11.0	12.0	11.7	12.4	7.6	8.6	7.2
Cerebral embolism (434.1)3	.4	.2	.6	.2	.2	.3	.3
All other and late effects of cerebrovascular diseases (430.433,435-438)	52.6	54.8	57.9	56.0	65.8	42.9	59.5	38.7
Atherosclerosis (440)	9.0	9.2	11.4	8.6	10.5	11.3	12.4	8.0
Other diseases of arteries, arterioles, and capillaries (441-448)	8.7	7.8	8.8	7.7	8.6	7.1	8.0	6.0
Acute bronchitis and bronchiolitis (466)3	.3	.3	.2	.2	.3	.1	.2
Pneumonia and influenza (480-487)	33.7	30.7	25.1	25.5	31.9	19.8	31.2	21.6
Pneumonia (480-486)	32.8	29.7	24.3	23.8	31.0	19.3	30.6	21.1
Influenza (487)9	1.0	.8	1.8	.9	.4	.6	.5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	38.6	33.1	32.9	26.5	32.7	23.4	32.5	22.7
Bronchitis, chronic and unspecified (490-491)	2.0	1.6	1.3	.7	1.4	1.0	.7	1.2
Emphysema (492)	5.8	5.1	5.7	3.5	5.1	5.1	7.3	4.7
Asthma (493)	1.5	1.3	1.2	2.0	1.3	1.6	1.2	1.2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	29.4	25.1	24.7	20.4	24.8	15.7	23.2	15.6
Ulcer of stomach and duodenum (531-533)	2.9	2.4	3.0	1.8	1.9	2.5	2.6	1.9
Appendicitis (540-543)2	.2	.2	.3	.3	.3	.2	.2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.3	2.0	2.2	3.0	2.1	2.1	2.3	1.9
Chronic liver disease and cirrhosis (571)	9.1	8.1	9.6	8.2	6.7	8.6	7.6	8.2
Cholelithiasis and other disorders of gallbladder (574-575)	2.2	1.7	1.3	1.2	1.6	1.0	1.3	1.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10.1	9.3	10.7	12.0	14.1	12.8	11.3	8.1
Acute glomerulonephritis and nephrotic syndrome (580-581)2	.1	.2	.3	.2	.1	.2	.1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)6	1.1	.8	1.0	1.2	.8	.9	.4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,598-599)	9.4	8.1	9.6	10.7	12.7	11.8	10.2	7.5
Infections of kidney (590)	1.5	.8	2.0	1.2	.9	1.0	1.5	.9
Hyperplasia of prostate (600)2	.3	.2	.2	.2	.1	.4	.1
Complications of pregnancy, childbirth, and the puerperium (630-676)0	.1	.2	.2	.3	.2	.1	.2
Pregnancy with abortive outcome (630-638)	-	.0	.0	-	.1	.0	.0	.0
Other complications of pregnancy, childbirth, and the puerperium (640-676)0	.1	.2	.2	.2	.2	.1	.2
Congenital anomalies (740-759)	5.0	5.1	5.2	6.1	4.7	6.2	5.3	5.5
Certain conditions originating in the perinatal period (760-779)	8.0	7.8	9.4	10.8	7.2	10.5	8.1	8.4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2.9	2.1	2.7	4.0	2.5	3.1	2.0	2.5
Other conditions originating in the perinatal period (760-766,770-779)	5.0	5.7	6.7	6.8	4.7	7.5	6.1	6.0
Symptoms, signs, and ill-defined conditions (780-799)	6.5	24.1	22.8	57.2	38.7	6.5	12.1	28.7
All other diseases (Residual)	70.7	63.1	70.3	64.3	62.6	60.2	59.6	50.8
Accidents and adverse effects (E800-E949)	42.8	46.3	49.1	55.6	50.8	46.2	46.4	43.5
Motor vehicle accidents (E810-E825)	19.6	23.9	25.2	26.3	24.7	22.1	23.4	23.2
All other accidents and adverse effects (E800-E807,E826-E949)	23.2	22.4	23.9	29.3	26.1	24.1	23.0	20.3
Suicide (E950-E959)	12.9	12.4	10.7	10.4	13.4	13.1	14.5	13.5
Homicide and legal intervention (E960-E978)	6.8	9.1	11.3	11.8	9.0	11.7	8.5	13.4
All other external causes (E980-E999)7	1.2	1.9	1.7	.8	.5	1.0	.7

SECTION 1 - GENERAL MORTALITY - PAGE 62

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Mountain Division								Pacific Division				
	Montana	Idaho	Wyoming	Colorado	New Mexico	Arizona	Utah	Nevada	Washington	Oregon	California	Alaska	Hawaii
All causes	815.0	708.7	642.9	625.7	672.8	771.5	550.1	772.3	782.8	889.7	766.0	396.2	554.2
Shigellosis and amebiasis (004.006)	-	-	-	-	0.1	-	-	-	-	0.0	0.0	-	-
Certain other intestinal infections (007-009)	0.1	-	0.2	0.0	.1	0.3	0.1	-	0.1	.2	.2	-	-
Tuberculosis (010-018)4	0.6	.2	.4	1.0	.7	.2	0.7	.3	.5	.8	0.2	0.6
Tuberculosis of respiratory system (010-012)4	.4	.2	.3	.8	.5	.1	.5	.2	.3	.6	.2	.4
Other tuberculosis (013-018)	-	.2	-	.1	.1	.2	.1	.2	.1	.1	.1	-	.2
Whooping cough (033)1	-	-	-	-	-	-	-	0	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)2	.1	-	.2	.1	.1	.1	-	.1	.2	.1	.2	-
Septicemia (038)	3.9	4.2	3.9	5.3	4.3	5.5	4.7	5.2	4.4	3.8	3.1	1.3	3.9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	.0	-	-	-	-	-	-	-
Viral hepatitis (070)4	.2	.2	.3	.3	.6	.3	.2	.3	.4	.7	.6	.7
Syphilis (090-097)	-	-	-	.1	-	.0	-	-	.0	.1	.0	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	1.8	2.1	2.0	2.9	2.3	4.2	2.3	2.2	3.0	2.8	4.6	2.3	2.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	174.9	141.2	116.3	124.4	131.7	173.8	92.6	180.4	180.0	200.6	172.8	76.2	137.4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.8	1.7	2.2	1.6	1.7	2.3	1.5	3.9	3.1	3.3	3.3	1.0	3.0
Malignant neoplasms of digestive organs and peritoneum (150-159)	45.2	32.8	26.9	33.4	33.6	43.1	23.5	42.8	44.8	47.4	43.3	17.6	44.3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	42.5	33.3	27.5	29.5	32.2	47.9	15.1	57.1	51.4	57.3	47.4	22.8	31.8
Malignant neoplasm of breast (174-175)	13.5	12.5	10.2	11.9	12.1	13.9	9.1	12.8	15.5	15.8	15.4	6.7	10.4
Malignant neoplasms of genital organs (179-187)	23.3	19.7	13.7	13.3	14.5	16.8	13.3	15.5	20.9	24.4	18.4	7.5	13.6
Malignant neoplasms of urinary organs (188-189)	9.3	5.5	4.7	5.0	5.1	8.3	3.7	9.2	7.4	8.4	6.4	3.4	4.1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	20.1	21.3	19.0	16.4	18.3	24.7	13.9	25.5	19.5	24.5	22.0	10.7	16.7
Leukemia (204-208)	7.0	6.0	5.7	5.1	6.8	7.1	4.9	5.7	6.1	8.7	6.9	2.3	5.6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10.2	8.5	6.5	8.1	7.4	9.7	7.6	7.9	11.4	10.8	9.8	4.2	7.9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1.7	3.1	2.4	1.4	1.8	2.7	2.6	3.5	2.2	2.9	2.8	1.3	2.3
Diabetes mellitus (250)	15.0	13.3	9.8	10.5	15.6	14.4	12.5	10.9	14.2	12.0	11.4	4.8	13.4
Nutritional deficiencies (260-269)	2.1	1.3	.6	1.8	2.2	1.1	.8	1.7	1.4	.9	.7	.2	1.2
Anemias (280-285)	1.2	1.1	1.4	1.2	1.0	1.1	1.0	1.4	1.3	1.3	1.0	.4	1.2
Meningitis (320-322)4	.6	.4	.5	.6	.6	.5	.6	.5	.4	.5	1.1	.5
Major cardiovascular diseases (390-448)	355.4	326.7	263.3	258.8	248.9	315.1	238.2	322.7	350.5	412.1	339.8	104.0	230.5
Diseases of heart (390-398,402,404-429)	268.5	243.0	208.6	198.4	192.8	249.8	187.4	266.3	267.7	308.8	262.0	80.3	177.8
Rheumatic fever and rheumatic heart disease (390-398) ..	5.2	3.4	2.7	3.8	2.2	3.2	4.9	3.0	3.1	3.8	3.0	1.5	2.2
Hypertensive heart disease (402)	3.6	2.6	3.1	3.2	5.6	3.7	4.9	15.7	6.5	6.7	10.7	2.1	5.5
Hypertensive heart and renal disease (404)5	.9	.4	.6	.2	.3	.3	1.0	.9	1.7	.9	-	.8
Ischemic heart disease (410-414)	175.8	161.2	140.8	140.5	109.0	179.3	110.2	161.7	175.5	232.9	184.2	55.6	106.7
Acute myocardial infarction (410)	95.6	86.6	82.7	71.9	58.9	79.6	57.3	87.2	83.5	85.4	81.3	25.1	56.8
Other acute and subacute forms of ischemic heart disease (411)	1.7	.7	.4	2.4	.3	11.2	.4	.7	.2	.4	.8	-	.2
Angina pectoris (413)5	.4	.2	.1	.3	.2	.2	.1	.5	.4	.3	.2	.2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	77.9	63.4	57.5	66.1	49.6	88.3	52.3	73.6	91.2	146.6	101.8	30.3	49.5
Other diseases of endocardium (424)	5.6	4.3	4.5	3.3	2.3	4.3	2.4	3.5	5.5	5.8	4.4	2.1	3.5
All other forms of heart disease (415-423,425-429)	77.8	70.7	57.1	46.9	73.5	58.9	64.6	81.4	76.3	57.9	58.8	19.0	59.2

SECTION 1 - GENERAL MORTALITY - PAGE 63

Table 1-13. Death Rates for 72 Selected Causes: United States, Each Division and State, 1985—Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Mountain Division								Pacific Division				
	Montana	Idaho	Wyoming	Colorado	New Mexico	Arizona	Utah	Nevada	Washington	Oregon	California	Alaska	Hawaii
Major cardiovascular diseases-Con.													
Hypertension with or without renal disease (401.403)	2.7	3.4	2.4	2.5	2.5	2.1	1.8	1.8	2.9	3.1	2.6	0.2	1.1
Cerebrovascular diseases (430-438)	62.1	58.8	38.4	40.1	40.5	46.0	39.3	40.4	60.3	74.3	57.5	18.0	41.3
Intracerebral and other intracranial hemorrhage (431-432)	5.7	5.2	4.9	4.7	5.5	6.1	4.2	8.2	7.3	7.9	7.8	2.3	10.2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8.5	7.7	2.7	4.2	3.8	5.8	4.1	3.6	7.8	11.6	10.2	2.3	4.0
Cerebral embolism (434.1)7	.3	.2	.2	.1	.3	.4	.4	.3	.5	.3	.2	.2
All other and late effects of cerebrovascular diseases (430.433,435-438)	47.2	45.6	30.6	31.0	31.0	33.7	30.6	28.2	45.0	54.3	39.2	13.2	26.9
Atherosclerosis (440)	13.6	9.6	5.5	10.8	6.3	9.0	5.0	4.6	9.4	15.8	9.1	3.1	4.1
Other diseases of arteries, arterioles, and capillaries (441-448)	8.6	12.0	6.4	7.1	6.8	8.2	4.9	9.6	10.2	10.2	8.6	2.5	6.2
Acute bronchitis and bronchiolitis (466)2	.1	-	.3	-	.1	.1	.1	.2	.3	.3	.2	.1
Pneumonia and influenza (480-487)	28.5	22.4	24.1	26.7	19.4	24.2	19.5	22.9	27.1	31.6	30.4	6.0	22.4
Pneumonia (480-486)	25.7	20.9	22.0	25.3	19.0	23.7	18.5	22.3	25.0	29.6	29.3	7.7	21.4
Influenza (487)	2.8	1.5	2.2	1.4	.4	.5	1.0	.6	2.1	2.0	1.1	.4	1.0
Chronic obstructive pulmonary diseases and allied conditions (490-496)													
Bronchitis, chronic and unspecified (490-491)	41.7	35.4	31.4	34.9	32.9	41.4	21.2	39.4	35.8	40.5	32.5	12.1	17.6
Emphysema (492)	1.9	.8	1.0	1.8	1.7	1.8	1.0	1.2	1.5	2.1	1.9	.2	1.0
Asthma (493)	6.9	7.7	3.1	5.9	8.3	10.0	3.5	7.8	6.7	9.2	7.5	1.5	2.9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2.2	2.1	1.2	2.4	2.1	2.5	1.3	1.5	1.7	2.9	1.7	1.0	2.1
Ulcer of stomach and duodenum (531-533)	30.7	24.8	26.1	24.9	20.7	27.0	15.4	28.9	26.0	26.4	21.3	9.4	11.6
Appendicitis (540-543)	2.2	2.2	3.1	2.2	2.6	2.3	1.9	4.5	2.5	2.8	3.1	1.3	1.0
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)5	.3	-	.0	.3	.1	.2	.3	.2	.3	.2	-	.1
Chronic liver disease and cirrhosis (571)	2.8	2.2	1.6	1.9	2.6	2.2	1.4	1.4	1.7	1.6	1.9	.8	1.2
Cholelithiasis and other disorders of gallbladder (574-575)	10.3	5.4	9.2	8.6	13.8	12.8	5.5	13.3	10.0	10.4	15.0	7.5	7.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1.3	1.3	2.7	1.1	2.0	.9	1.6	1.1	1.1	1.3	1.0	-	.9
Acute glomerulonephritis and nephrotic syndrome (580-581)	7.4	5.3	7.3	6.1	7.4	7.8	5.7	8.8	6.6	6.0	5.6	1.0	6.5
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)2	-	-	.2	-	.2	.1	.2	.2	.2	.1	-	.2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)7	.5	.4	.4	.1	.8	.5	.3	.7	.4	.6	-	.3
Infections of kidney (590)	6.4	4.8	6.9	5.5	7.2	6.8	5.1	8.2	5.7	5.3	4.9	1.0	6.0
Hyperplasia of prostate (600)8	1.1	.6	.6	.6	.5	.4	.5	.7	.8	.9	.2	.4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	.1	.2	.1	.3	.1	.2	.1	.3	.1	.2	.4	.3
Pregnancy with abortive outcome (630-638)	-	.2	.4	.1	.2	.0	.2	.1	.1	.2	.1	.2	.1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	.1	-	.0	.1	-	-	-	.0	-	-
Congenital anomalies (740-759)	-	.2	.4	.1	.2	-	.2	.1	.1	.2	.1	.2	.1
Certain conditions originating in the perinatal period (760-779)	5.6	5.7	4.5	5.2	7.3	6.5	6.0	4.4	5.7	5.6	6.0	5.9	5.9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5.3	7.3	8.8	6.1	8.6	7.6	8.9	5.2	6.8	4.8	7.6	7.1	6.4
Other conditions originating in the perinatal period (760-766,770-779)	1.9	1.9	1.8	1.3	2.3	2.2	2.8	1.3	2.4	1.0	2.1	1.9	1.5
Symptoms, signs, and ill-defined conditions (780-799)	3.4	5.4	7.1	4.8	6.3	5.4	6.1	3.9	4.4	3.9	5.6	5.2	4.9
All other diseases (Residual)	13.5	9.9	12.2	6.2	11.0	10.0	11.1	12.5	7.8	13.7	4.8	13.0	6.8
Accidents and adverse effects (E800-E949)	61.9	50.3	56.1	53.2	65.7	60.6	54.1	48.6	59.2	63.2	52.5	32.0	42.1
Motor vehicle accidents (E810-E825)	50.7	48.4	52.0	39.4	56.9	47.8	38.6	43.9	37.9	45.9	39.5	83.9	26.6
All other accidents and adverse effects (E800-E807,E826-E949)	25.5	25.6	25.5	19.1	34.7	27.2	20.8	22.8	18.1	22.7	20.1	24.1	12.3
Suicide (E950-E959)	25.2	22.8	26.5	20.3	22.1	20.6	17.8	21.0	19.8	23.2	19.5	59.8	14.4
Homicide and legal intervention (E960-E978)	17.5	13.4	22.5	18.0	17.5	17.5	13.1	22.4	14.0	15.6	14.3	14.0	8.9
All other external causes (E980-E999)	5.6	2.6	4.5	5.9	11.0	8.1	2.6	10.9	5.5	4.5	10.8	8.6	3.5
	1.7	.7	1.2	1.4	2.8	.9	1.8	2.2	1.6	2.0	.8	7.3	2.1

SECTION 1 - GENERAL MORTALITY - PAGE 64

Table 1-14. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by 5-Year Age Groups and Race: United States, 1985

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-676 of the Ninth Revision International Classification of Diseases, 1975. Rates per 100,000 live births in specified group]

Cause of death and race	Number of deaths								Rate per 100,000 live births							
	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over
Complications of pregnancy, childbirth, and the puerperium (630-676)	295	33	62	77	62	42	16	3	7.8	6.9	5.4	6.4	8.9	19.6	56.5	258.2
White	156	14	30	47	30	28	6	1	5.2	4.3	3.4	4.7	5.2	16.1	26.9	128.9
All other	139	19	32	30	32	14	10	2	18.1	12.3	12.9	14.7	27.6	34.4	164.7	518.1
Black	124	17	29	28	28	12	9	1	20.4	12.1	14.0	18.4	35.8	45.8	231.5	515.5
Pregnancy with abortive outcome (630-638)	49	9	12	12	10	5	1	-	1.3	1.9	1.1	1.0	1.4	2.3	3.5	-
White	19	3	2	6	6	2	-	-	.6	.9	.2	.6	1.0	1.2	-	-
All other	30	6	10	6	4	3	1	-	3.9	3.9	4.0	2.9	3.4	7.4	16.5	-
Black	28	5	10	6	4	2	1	-	4.6	3.6	4.8	3.9	5.1	7.6	25.7	-
Ectopic pregnancy (633)	33	5	7	10	9	1	1	-	.9	1.0	.6	.8	1.3	.5	3.5	-
White	11	1	1	4	5	-	-	-	.4	.3	.1	.4	.9	-	-	-
All other	22	4	6	6	4	1	1	-	2.9	2.6	2.4	2.9	3.4	2.5	16.5	-
Black	21	4	6	6	4	-	1	-	3.5	2.9	2.9	3.9	5.1	-	25.7	-
Spontaneous abortion (634)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Legally induced abortion (635)	2	-	1	-	-	1	-	-	.1	-	.1	-	-	.5	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	1	-	-	1	-	-	.3	-	.4	-	-	2.5	-	-
Black	2	-	1	-	-	1	-	-	.3	-	.5	-	-	3.8	-	-
Illegally induced abortion (636)	1	-	-	-	-	1	-	-	.0	-	-	-	-	.5	-	-
White	1	-	-	-	-	1	-	-	.0	-	-	-	-	.6	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other pregnancy with abortive outcome (630-632,637-638)	13	4	4	2	1	2	-	-	.3	.8	.4	.2	.1	.9	-	-
White	7	2	1	2	1	1	-	-	.2	.6	.1	.2	.2	.6	-	-
All other	6	2	3	-	-	1	-	-	.8	1.3	1.2	-	-	2.5	-	-
Black	5	1	3	-	-	1	-	-	.8	.7	1.4	-	-	3.8	-	-
Direct obstetric causes (640-646,651-676)	232	22	47	61	51	35	13	3	6.2	4.6	4.1	5.1	7.3	16.3	45.9	258.2
White	127	10	25	38	23	25	5	1	4.2	3.1	2.8	3.8	4.0	14.4	22.5	128.9
All other	105	12	22	23	28	10	8	2	13.7	7.7	8.9	11.3	24.1	24.6	131.8	518.1
Black	92	11	19	21	24	9	7	1	15.1	7.8	9.2	13.8	30.7	34.3	180.0	515.5
Hemorrhage of pregnancy and childbirth (640-641,666)	40	3	6	5	10	13	2	1	1.1	.6	.5	.4	1.4	6.1	7.1	86.1
White	21	1	4	3	5	8	-	-	.7	.3	.4	.3	.9	4.6	-	-
All other	19	2	2	2	5	5	2	1	2.5	1.3	.8	1.0	4.3	12.3	32.9	259.1
Black	15	2	1	1	4	4	2	1	2.5	1.4	.5	.7	5.1	15.3	51.4	515.5
Toxemia of pregnancy (642.4-642.9,643)	33	7	5	8	6	5	2	-	.9	1.5	.4	.7	.9	2.3	7.1	-
White	16	3	1	3	3	5	1	-	.5	.9	.1	.3	.5	2.9	4.5	-
All other	17	4	4	5	3	-	1	-	2.2	2.6	1.6	2.4	2.6	-	16.5	-
Black	15	4	4	5	2	-	-	-	2.5	2.9	1.9	3.3	2.6	-	-	-
Obstructed labor (660)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of the puerperium (670-676)	91	5	22	29	20	10	3	2	2.4	1.0	1.9	2.4	2.9	4.7	10.6	172.1
White	55	4	12	21	8	8	1	1	1.8	1.2	1.3	2.1	1.4	4.6	4.5	128.9
All other	36	1	10	8	12	2	2	1	4.7	.6	4.0	3.9	10.3	4.9	32.9	259.1
Black	32	1	9	8	10	2	2	-	5.3	.7	4.3	5.3	12.8	7.6	51.4	-
Other direct obstetric causes (642.0-642.3,644-646,651-659,661-665,667-669)	68	7	14	19	15	7	6	-	1.8	1.5	1.2	1.6	2.2	3.3	21.2	-
White	35	2	8	11	7	4	3	-	1.2	.6	.9	1.1	1.2	2.3	13.5	-
All other	33	5	6	8	8	3	3	-	4.3	3.2	2.4	3.9	6.9	7.4	49.4	-
Black	30	4	5	7	8	3	3	-	4.9	2.9	2.4	4.6	10.2	11.4	77.2	-
Indirect obstetric causes (647-648)	14	2	3	4	1	2	2	-	.4	.4	.3	.3	.1	.9	7.1	-
White	10	1	3	3	1	1	1	-	.3	.3	.3	.3	.2	.6	4.5	-
All other	4	1	-	1	-	1	1	-	.5	.6	-	.5	-	2.5	16.5	-
Black	4	1	-	1	-	1	1	-	.7	.7	-	.7	-	3.0	25.7	-
Delivery in a completely normal case (650)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1 Rates computed by relating deaths of women 45 years and over to live births among women 45-49 years.

SECTION 1 - GENERAL MORTALITY - PAGE 65

Table 1-15. Maternal Mortality Rates by Race: Birth-Registration States or United States, 1915-85

[Prior to 1933, data are for birth-registration States only. Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

Year	All races	White	All other	Year	All races	White	All other
1985	7.8	5.2	18.1	1959	37.4	25.8	102.1
1984	7.8	5.4	16.9	1958	37.6	26.3	101.8
1983	8.0	5.9	16.3	1957	41.0	27.5	118.3
1982	7.9	5.8	16.4	1956	40.9	28.7	110.7
1981	8.5	6.3	17.3	1955	47.0	32.8	130.3
1980	9.2	6.7	19.8	1954	52.4	37.2	143.8
1979	9.6	6.4	22.7	1953	61.1	44.1	166.1
1978	9.6	6.4	23.0	1952	67.8	48.9	188.1
1977	11.2	7.7	26.0	1951	75.0	54.9	201.3
1976	12.3	9.0	26.5	1950	83.3	61.1	221.6
1975	12.8	9.1	29.0	1949	90.3	68.1	234.8
1974	14.6	10.0	35.1	1948	116.6	89.4	301.0
1973	15.2	10.7	34.6	1947	134.5	108.6	334.6
1972 ¹	18.8	14.3	38.5	1946	156.7	130.7	358.9
1971	18.8	13.0	45.3	1945	207.2	172.1	454.8
1970	21.5	14.4	55.9	1944	227.9	189.4	506.0
1969	22.2	15.5	55.7	1943	245.2	210.5	509.9
1968	24.5	16.6	63.6	1942	258.7	221.8	544.0
1967	28.0	19.5	69.5	1941	316.5	266.0	678.1
1966	29.1	20.2	72.4	1940	376.0	319.8	773.5
1965	31.6	21.0	83.7	1935-39	493.9	439.9	875.5
1964	33.3	22.3	89.9	1930-34 ²	636.0	575.4	1,080.7
1963 ³	35.8	24.0	96.9	1925-29	668.6	615.0	1,163.7
1962 ³	35.2	23.8	95.9	1920-24	689.5	649.2	1,134.3
1961	36.9	24.9	101.3	1915-19	727.9	700.3	1,253.5
1960	37.1	26.0	97.9				

¹ Deaths based on a 50-percent sample.

² For 1932-34, Mexicans are included with "All other."

³ Figures by race exclude data for residents of New Jersey; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY - PAGE 66

Table 1-16. Maternal Deaths by Race: United States, Each Division and State, 1985

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-676 of the Ninth Revision International Classification of Diseases, 1975]

Division and State	All races	White	All other		Division and State	All races	White	All other	
			Total	Black				Total	Black
United States	295	156	139	124	South Atlantic:				
Geographic divisions:					Delaware	1	1	-	-
New England	9	7	2	2	Maryland	2	1	1	1
Middle Atlantic	45	22	23	23	District of Columbia	3	2	1	1
East North Central	42	25	17	17	Virginia	5	1	4	4
West North Central	14	10	4	-	West Virginia	2	2	-	-
South Atlantic	54	16	38	37	North Carolina	4	1	3	2
East South Central	18	8	10	9	South Carolina	4	-	4	4
West South Central	49	23	26	26	Georgia	15	3	12	12
Mountain	17	13	4	3	Florida	18	5	13	13
Pacific	47	32	15	7	East South Central:				
New England:					Kentucky	1	-	1	-
Maine	-	-	-	-	Tennessee	4	3	1	1
New Hampshire	2	2	-	-	Alabama	9	3	6	6
Vermont	-	-	-	-	Mississippi	4	2	2	2
Massachusetts	4	3	1	1	West South Central:				
Rhode Island	-	-	-	-	Arkansas	7	2	5	5
Connecticut	3	2	1	1	Louisiana	9	2	7	7
Middle Atlantic:					Oklahoma	4	2	2	2
New York	29	13	16	16	Texas	29	17	12	12
New Jersey	5	2	3	3	Mountain:				
Pennsylvania	11	7	4	4	Montana	-	-	-	-
East North Central:					Idaho	2	2	-	-
Ohio	12	5	7	7	Wyoming	2	2	-	-
Indiana	4	3	1	1	Colorado	4	2	2	2
Illinois	13	6	7	7	New Mexico	3	1	2	1
Michigan	9	7	2	2	Arizona	1	1	-	-
Wisconsin	4	4	-	-	Utah	4	4	-	-
West North Central:					Nevada	1	1	-	-
Minnesota	3	3	-	-	Pacific:				
Iowa	1	1	-	-	Washington	3	-	3	2
Missouri	3	3	-	-	Oregon	5	5	-	-
North Dakota	1	-	1	-	California	37	26	11	5
South Dakota	2	-	2	-	Alaska	1	1	-	-
Nebraska	1	1	-	-	Hawaii	1	-	1	-
Kansas	3	2	1	-					

SECTION 1 - GENERAL MORTALITY - PAGE 67

Table 1-17. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1985

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas see Technical Appendix. Rates per 1,000 population.]

Area	Number	Rate	Area	Number	Rate
50 largest U.S. SMSA's	933,676	8.5			
Anaheim-Santa Ana-Garden Grove, Calif	13,550	6.4	Detroit, Mich	38,322	9.2
Orange	13,550	6.4	Lapeer	460	6.6
Atlanta, Ga	15,680	6.7	Livingston	675	6.6
Butts	131	8.7	Macomb	5,423	7.9
Cherokee	410	6.0	Oakland	7,761	7.7
Clayton	879	5.3	St. Clair	1,265	9.1
Cobb	1,956	5.2	Wayne	22,738	10.5
De Kalb	3,196	6.2	Fort Lauderdale-Hollywood, Fla	13,333	11.8
Douglas	377	5.8	Broward	13,333	11.8
Fayette	201	4.7	Greensboro-Winston-Salem-High Point, N.C	7,209	8.3
Forsyth	230	6.5	Davidson	961	8.2
Fulton	5,834	9.4	Forsyth	2,139	8.3
Gwinnett	1,031	4.1	Guilford	2,800	8.6
Henry	311	7.0	Randolph	737	7.6
Newton	333	8.5	Stokes	280	7.9
Paulding	235	7.7	Yadkin	292	9.9
Rockdale	275	6.2	Hartford-New Britain-Bristol, Conn	9,101	8.5
Walton	281	8.5	Hartford	7,220	8.8
Baltimore, Md	20,750	9.3	Middlesex	1,141	8.5
Anne Arundel	2,573	6.5	Tolland	740	6.2
Baltimore	5,897	8.8	Houston, Tex	19,273	5.7
Baltimore city	9,744	12.9	Brazoria	1,078	5.7
Carroll	794	7.4	Fort Bend	728	3.9
Harford	1,055	6.9	Harris	15,704	5.6
Howard	687	4.9	Liberty	542	9.9
Birmingham, Ala	8,425	9.7	Montgomery	1,027	6.4
Jefferson	6,901	10.2	Waller	194	8.3
St. Clair	369	8.2	Indianapolis, Ind	9,911	8.2
Shelby	474	6.3	Boone	339	8.9
Walker	681	9.8	Hamilton	494	5.4
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	34,627	9.3	Hancock	335	7.5
Essex	6,371	9.8	Hendricks	475	6.5
Middlesex	12,250	8.9	Johnson	612	7.5
Norfolk	5,779	9.6	Marion	6,887	8.8
Plymouth	3,478	8.3	Morgan	414	7.6
Suffolk	6,749	10.1	Shelby	355	8.9
Buffalo, N.Y	12,864	10.8	Kansas City, Mo.-Kans	11,480	8.3
Erie	10,574	10.9	Cass, Mo	433	7.8
Niagara	2,290	10.6	Clay, Mo	1,044	7.4
Chicago, Ill	60,682	8.3	Jackson, Mo	6,172	9.7
Cook	48,261	9.1	Platte, Mo	254	5.1
Du Page	4,071	5.7	Ray, Mo	218	9.9
Kane	2,198	7.4	Johnson, Kans	1,691	5.5
Lake	2,826	6.1	Wyandotte, Kans	1,668	9.7
McHenry	1,137	7.2	Los Angeles-Long Beach, Calif	62,206	7.7
Will	2,189	6.6	Los Angeles	62,206	7.7
Cincinnati, Ohio-Ky.-Ind	13,155	9.3	Louisville, Ky.-Ind	8,369	9.2
Clermont, Ohio	953	6.9	Bullitt, Ky	252	5.5
Hamilton, Ohio	8,517	9.9	Jefferson, Ky	6,607	9.7
Warren, Ohio	783	7.6	Oldham, Ky	165	5.5
Boone, Ky	335	6.5	Clark, Ind	803	8.9
Campbell, Ky	880	10.8	Floyd, Ind	542	8.6
Kenton, Ky	1,342	9.8	Memphis, Tenn.-Ark.-Miss	8,163	8.6
Dearborn, Ind	345	9.4	Shelby, Tenn	6,964	8.7
Cleveland, Ohio	18,515	10.0	Tipton, Tenn	303	8.7
Cuyahoga	15,690	10.8	Crittenden, Ark	521	10.4
Geauga	491	6.6	De Soto, Miss	375	6.3
Lake	1,605	7.5	Miami, Fla	17,350	9.9
Medina	729	6.3	Dade	17,350	9.9
Columbus, Ohio	8,603	7.6	Milwaukee, Wis	11,973	8.7
Delaware	385	6.8	Milwaukee	9,157	9.8
Fairfield	733	7.6	Ozaukee	436	6.4
Franklin	6,857	7.6	Washington	581	6.6
Madison	301	8.6	Waukesha	1,799	6.3
Pickaway	327	7.7	Minneapolis-St. Paul, Minn.-Wis	15,938	7.1
Dallas-Fort Worth, Tex	23,912	6.7	Anoka, Minn	922	4.3
Collin	893	4.5	Carver, Minn	263	6.6
Dallas	11,960	6.7	Chisago, Minn	227	8.2
Denton	929	4.9	Dakota, Minn	1,077	4.9
Ellis	657	9.0	Hennepin, Minn	7,731	7.9
Hood	215	8.4	Hennepin, Minn	4,021	8.5
Johnson	736	8.4	Ramsey, Minn	312	6.4
Kaufman	464	9.4	Scott, Minn	616	4.9
Parker	464	8.3	Washington, Minn	431	6.8
Rockwall	126	6.1	Wright, Minn	338	7.4
Tarrant	7,203	6.8	Nashville-Davidson, Tenn	7,486	8.2
Wise	265	8.3	Cheatham	169	7.1
Dayton, Ohio	7,029	8.5	Davidson	4,466	9.1
Greene	891	6.9	Dickson	293	9.2
Miami	796	8.9	Robertson	355	9.0
Montgomery	5,006	8.9	Rutherford	608	6.2
Preble	336	8.6	Sumner	684	7.3
Denver-Boulder, Colo	10,839	5.9	Williamson	436	6.3
Adams	1,300	4.7	Wilson	475	7.6
Arapahoe	1,607	4.9	Nassau-Suffolk, N.Y	22,219	8.4
Boulder	1,062	5.0	Nassau	11,867	8.9
Denver	4,540	8.9	Suffolk	10,352	7.9
Douglas	130	3.6	New Orleans, La	10,761	8.7
Gilpin	17	6.1	Jefferson	3,248	6.8
Jefferson	2,183	5.2	Orleans	6,075	10.9
			St. Bernard	530	7.9
			St. Tammany	908	6.4

SECTION 1 - GENERAL MORTALITY - PAGE 68

Table 1-17. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1985—Con.

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate
New York, N.Y.-N.J.	93,889	10.1	Rochester, N.Y.	8,224	8.4
New York City, N.Y.	75,191	10.4	Livingston	439	7.5
Bronx	12,922	10.9	Monroe	5,852	8.3
Kings	22,766	10.0	Ontario	779	8.4
New York	16,367	11.1	Orleans	424	10.8
Queens	19,898	10.3	Wayne	730	8.3
Richmond	3,238	8.7			
Putnam, N.Y.	579	7.2	Sacramento, Calif.	8,932	7.7
Rockland, N.Y.	1,981	7.5	Placer	1,094	7.9
Westchester, N.Y.	8,250	9.5	Sacramento	6,921	7.8
Bergen, N.J.	7,888	9.4	Yolo	917	7.4
Newark, N.J.	17,858	9.1	St. Louis, Mo.-Ill.	22,794	9.5
Essex	8,413	10.1	Franklin, Mo.	686	9.0
Morris	2,982	7.1	Jefferson, Mo.	1,007	6.3
Somerset	1,519	7.2	St. Charles, Mo.	881	5.1
Union	4,944	9.8	St. Louis, Mo.	8,230	8.3
			St. Louis city, Mo.	6,369	15.1
Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	6,471	7.1	Clinton, Ill.	320	9.5
Chesapeake city, Va.	919	7.1	Madison, Ill.	2,411	9.7
Norfolk city, Va.	2,307	8.2	Monroe, Ill.	203	9.7
Portsmouth city, Va.	1,114	10.0	St. Clair, Ill.	2,687	10.0
Suffolk city, Va.	537	10.6			
Virginia Beach city, Va.	1,464	4.6	Salt Lake City-Ogden, Utah	5,723	5.4
Currituck, N.C.	130	10.1	Davis	611	3.5
			Salt Lake	3,843	5.5
Oklahoma City, Okla.	7,152	7.6	Tooele	180	6.2
Canadian	430	6.0	Weber	1,089	6.9
Cleveland	752	4.7			
McClain	195	7.8	San Antonio, Tex.	8,670	7.0
Oklahoma	5,157	8.2	Bexar	7,831	6.9
Pottawatomie	618	10.0	Comal	413	8.9
			Guadalupe	426	7.8
Philadelphia, Pa.-N.J.	48,222	10.1			
Bucks, Pa.	3,885	7.6	San Diego, Calif.	15,259	7.2
Chester, Pa.	2,548	7.6	San Diego	15,259	7.2
Delaware, Pa.	5,922	10.6			
Montgomery, Pa.	6,269	9.5	San Francisco-Oakland, Calif.	29,760	8.5
Philadelphia, Pa.	20,618	12.6	Alameda	9,733	8.1
Burlington, N.J.	2,803	7.3	Contra Costa	5,359	7.5
Camden, N.J.	4,496	9.2	Marin	1,753	7.8
Gloucester, N.J.	1,681	8.0	San Francisco	8,234	11.2
			San Mateo	4,681	7.6
Phoenix, Ariz.	13,687	7.4			
Maricopa	13,687	7.4	San Jose, Calif.	8,270	5.9
			Santa Clara	8,270	5.9
Pittsburgh, Pa.	23,919	11.0			
Allegheny	15,668	11.3	Seattle-Everett, Wash.	12,966	7.5
Beaver	1,933	9.9	King	10,365	7.7
Washington	2,372	11.1	Snohomish	2,601	6.9
Westmoreland	3,946	10.3			
			Tampa-St. Petersburg, Fla.	22,704	12.6
Portland, Oreg.-Wash.	10,810	8.3	Hillsborough	6,659	8.8
Clackamas, Oreg.	1,934	7.6	Pasco	3,660	15.5
Multnomah, Oreg.	5,745	10.2	Pinellas	12,385	15.4
Washington, Oreg.	1,659	6.2			
Clark, Wash.	1,472	7.1	Washington, D.C.-Md.-Va.	21,733	6.6
			District of Columbia	6,981	11.2
Providence-Warwick-Pawtucket, R.I.	8,947	10.1	Charles, Md.	473	5.6
Bristol	445	9.4	Montgomery, Md.	4,128	6.4
Kent	1,517	9.6	Prince Georges, Md.	4,027	5.9
Providence	6,259	10.8	Alexandria city, Va.	877	8.2
Washington	726	7.3	Arlington, Va.	1,156	7.3
			Fairfax, Va.	2,835	4.1
Riverside-San Bernardino-Ontario, Calif.	15,961	8.4	Fairfax city, Va.	144	7.1
Riverside	7,836	9.5	Falls Church city, Va.	73	7.7
San Bernardino	8,125	7.5	Loudoun, Va.	358	5.6
			Manassas city, Va.	93	4.8
			Manassas Park city, Va.	19	2.8
			Prince William, Va.	569	3.4

SECTION 1 - GENERAL MORTALITY - PAGE 69

Table 1-18. Deaths by State of Occurrence Distributed According to Resident Status: United States and Each State, 1985

[Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents of county of occurrence	Total deaths of non-residents of county of occurrence	Deaths of intrastate nonresidents of county of occurrence	Deaths of interstate nonresidents by State of residence														
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho	
United States	2,089,378	1,690,283	399,095	320,066	76,091	1,427	131	952	1,507	2,482	539	1,022	478	617	4,721	1,627	71	646	
Alabama	37,480	29,679	7,801	6,497	1,291	...	-	3	3	9	-	1	1	2	287	353	-	-	
Alaska	2,068	1,581	487	356	119	-	...	2	1	21	4	2	-	-	5	-	2	4	
Arizona	25,383	22,013	3,370	1,654	1,533	3	10	...	11	316	56	8	-	-	23	3	-	30	
Arkansas	23,903	17,748	6,155	4,882	1,271	8	1	4	...	23	8	-	-	-	9	7	1	-	
California	202,709	180,596	22,113	18,833	2,778	17	11	278	30	...	75	19	-	2	151	16	36	39	
Colorado	20,727	15,227	5,500	4,470	1,006	6	1	31	5	77	...	-	2	1	28	5	1	8	
Connecticut	28,259	24,344	3,915	2,804	1,091	-	-	6	-	9	1	...	3	2	140	2	-	-	
Delaware	5,508	4,638	870	359	508	-	-	-	-	2	-	5	...	4	14	1	1	-	
District of Columbia	8,879	6,364	2,515	-	2,492	4	1	1	3	4	1	6	15	...	26	6	-	-	
Florida	122,210	104,916	17,294	11,471	5,208	284	1	16	15	67	13	117	9	4	...	460	1	7	
Georgia	49,326	33,945	15,381	13,085	2,274	439	-	3	3	19	2	5	1	2	366	...	-	1	
Hawaii	6,116	5,569	547	185	223	1	2	6	1	60	5	2	-	-	6	1	...	3	
Idaho	6,836	5,518	1,318	951	360	-	2	6	-	36	7	-	-	-	4	-	-	-	
Illinois	99,429	86,751	12,678	10,889	1,752	9	-	25	32	73	9	2	1	-	151	10	-	2	
Indiana	48,496	38,650	9,846	7,597	2,242	4	-	8	5	16	4	2	1	-	96	4	1	-	
Iowa	27,413	20,879	6,534	5,460	1,069	1	-	9	7	21	4	-	-	-	8	2	-	2	
Kansas	21,526	16,534	4,992	3,936	1,050	1	2	7	13	40	34	1	-	1	12	6	-	2	
Kentucky	34,252	25,066	9,186	7,799	1,381	6	1	2	3	7	2	1	1	1	44	9	-	-	
Louisiana	37,361	28,173	9,188	8,058	1,104	35	1	3	126	28	7	3	1	1	40	14	-	-	
Maine	11,413	9,262	2,151	1,774	354	1	1	1	-	3	-	27	1	-	30	2	-	-	
Maryland	35,955	26,511	9,444	7,299	2,124	6	1	6	1	22	1	14	202	436	111	14	1	1	
Massachusetts	56,197	45,376	10,821	8,689	2,063	1	-	1	4	30	1	305	-	5	276	5	1	-	
Michigan	77,468	61,705	15,763	14,708	1,025	12	-	22	8	26	3	1	-	1	238	8	1	-	
Minnesota	35,059	27,255	7,804	6,074	1,695	2	5	15	6	29	5	2	-	-	46	11	2	1	
Mississippi	23,899	18,250	5,649	4,759	887	313	-	-	-	33	4	3	-	2	87	9	-	1	
Missouri	51,635	36,208	15,427	12,305	3,119	5	1	13	202	44	16	6	-	3	39	10	1	-	
Montana	6,623	5,424	1,199	974	210	-	1	4	1	18	4	-	-	-	4	1	-	21	
Nebraska	15,056	11,633	3,423	2,650	772	1	1	5	3	20	17	-	-	-	10	-	-	2	
Nevada	7,885	6,290	1,595	503	1,055	3	4	90	2	490	19	1	-	1	23	1	6	21	
New Hampshire	8,320	6,629	1,691	919	767	1	1	1	1	2	1	19	1	3	35	-	-	-	
New Jersey	69,554	55,899	13,655	11,263	2,337	3	-	4	-	22	3	32	26	8	314	14	-	-	
New Mexico	9,730	7,845	1,885	1,322	532	2	-	140	5	43	36	1	1	-	14	-	-	-	
New York	171,482	151,013	20,469	16,577	3,651	6	1	18	3	70	7	211	7	7	689	13	3	-	
North Carolina	53,327	40,122	13,205	11,555	1,637	8	-	2	2	17	1	8	3	12	216	50	-	-	
North Dakota	5,978	4,063	1,915	1,234	677	1	1	3	-	13	2	-	-	-	3	-	-	1	
Ohio	98,747	81,755	16,992	14,145	2,810	11	-	47	6	34	11	9	1	-	231	15	1	-	
Oklahoma	28,916	22,951	5,965	5,294	660	6	-	12	83	28	6	1	-	-	10	2	1	2	
Oregon	23,975	19,587	4,388	3,447	922	1	6	19	2	244	11	2	-	-	7	2	-	92	
Pennsylvania	124,343	102,559	21,784	17,916	3,817	5	1	10	2	35	9	20	183	9	277	16	2	-	
Rhode Island	9,836	7,995	1,841	1,223	611	-	-	-	1	4	-	123	-	-	32	-	-	-	
South Carolina	26,115	21,195	4,920	4,224	673	6	-	7	2	1	1	9	-	3	61	122	-	-	
South Dakota	6,599	4,721	1,878	1,416	462	1	-	3	1	7	4	-	-	1	1	-	-	-	
Tennessee	46,184	34,301	11,883	7,926	3,947	155	-	2	572	13	3	2	2	-	73	334	-	1	
Texas	119,968	95,930	24,038	20,537	3,080	44	5	55	305	178	53	10	2	3	210	47	4	5	
Utah	9,329	7,625	1,704	1,167	529	-	1	43	-	72	20	1	-	-	5	1	1	137	
Vermont	4,736	3,594	1,142	609	520	-	-	1	-	1	2	18	1	-	12	-	-	-	
Virginia	44,535	26,081	18,454	16,479	1,950	8	-	4	1	30	1	20	9	101	112	22	2	2	
Washington	34,574	30,000	4,574	3,416	1,098	2	68	19	1	113	15	2	-	1	14	1	2	250	
West Virginia	19,520	13,473	6,047	4,234	1,812	1	-	2	-	3	-	1	2	3	29	5	-	-	
Wisconsin	41,450	34,249	7,201	5,882	1,306	2	-	16	-	21	2	2	-	-	98	23	-	1	
Wyoming	3,089	2,591	498	260	237	2	-	7	2	17	50	1	-	-	4	-	-	10	

SECTION 1 - GENERAL MORTALITY - PAGE 70

Table 1-18. Deaths by State of Occurrence Distributed According to Resident Status: United States and Each State, 1985—Con.

[Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident.]

State of occurrence	Deaths of interstate nonresidents by State of residence																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
United States	4,639	1,948	1,495	1,587	2,000	798	384	2,810	1,528	2,309	1,472	1,682	1,855	326	620	443	935	3,966	596	4,527
Alabama	19	11	6	5	11	15	-	10	1	16	1	227	9	1	1	-	2	10	-	14
Alaska	2	1	-	1	-	4	-	2	-	-	3	-	1	3	-	-	2	3	-	3
Arizona	93	24	61	22	2	2	-	7	10	71	86	2	32	25	20	39	7	14	52	44
Arkansas	24	5	7	13	1	46	1	2	-	18	3	25	266	-	3	1	-	1	1	4
California	118	43	46	28	9	17	9	17	50	80	56	16	56	31	17	265	8	66	38	168
Colorado	21	7	20	102	3	7	3	5	8	15	6	3	27	34	102	6	1	9	58	20
Connecticut	6	3	1	1	3	1	16	3	157	6	2	-	2	-	-	-	13	44	1	558
Delaware	1	1	-	1	-	1	-	168	-	1	-	1	1	-	-	-	-	135	1	17
District of Columbia	9	1	1	1	5	4	1	1,656	5	4	-	1	1	3	-	1	1	29	2	26
Florida	297	249	38	11	74	24	66	86	225	494	54	19	38	4	9	3	65	306	4	812
Georgia	33	20	5	1	28	8	2	8	6	21	5	20	11	-	-	-	1	19	2	25
Hawaii	10	2	1	2	4	1	1	2	2	5	5	-	5	3	1	1	-	7	-	15
Idaho	2	1	1	3	-	-	-	-	2	2	5	-	1	19	1	9	-	-	3	2
Illinois	475	102	6	59	6	-	-	2	7	93	15	17	252	-	8	3	-	10	5	29
Indiana	978	7	3	334	3	-	-	4	1	346	5	3	8	1	1	3	-	6	-	6
Iowa	397	11	...	8	2	-	-	3	-	6	64	1	120	5	206	1	-	-	2	6
Kansas	20	7	18	...	1	3	1	2	-	7	6	5	567	4	39	3	1	3	5	6
Kentucky	138	445	1	2	...	6	1	1	5	41	1	4	9	-	1	-	2	8	-	7
Louisiana	13	5	6	4	5	...	-	4	1	9	1	284	7	1	2	1	1	6	3	16
Maine	4	1	1	1	1	3	...	2	94	2	2	1	1	-	2	2	86	18	1	25
Maryland	10	3	3	2	3	2	3	...	21	9	3	3	7	1	1	1	6	66	2	87
Massachusetts	7	3	2	2	5	6	80	11	...	8	3	-	2	-	1	1	548	50	1	291
Michigan	84	75	7	4	22	2	-	5	6	...	9	9	7	1	1	1	-	13	3	28
Minnesota	112	25	327	9	5	5	3	3	2	65	...	2	14	10	22	3	1	2	2	17
Mississippi	34	10	-	1	4	244	-	3	3	4	1	...	11	-	-	1	-	2	2	2
Missouri	1,310	43	52	1,035	24	3	1	4	4	25	11	5	...	1	14	3	-	10	3	24
Montana	3	1	1	1	-	-	-	-	-	2	5	-	2	-	4	3	-	2	1	1
Nebraska	10	2	455	68	-	-	-	1	-	4	15	-	33	1	...	2	-	-	2	2
Nevada	26	13	8	8	2	5	-	2	7	16	68	-	4	3	7	...	1	7	4	18
New Hampshire	3	-	-	-	-	-	141	2	223	2	-	-	1	-	-	-	...	14	-	24
New Jersey	10	2	-	3	5	4	10	38	39	10	2	-	4	-	-	1	3	...	4	855
New Mexico	9	1	4	6	2	5	-	3	3	8	3	2	9	1	4	5	2	...	13	...
New York	24	10	4	3	6	5	16	27	109	27	7	8	12	1	1	4	16	1,492	7	...
North Carolina	20	8	2	1	11	2	1	24	16	14	3	5	6	-	-	-	-	31	1	62
North Dakota	3	-	2	-	-	-	1	-	-	1	529	-	3	31	3	-	-	-	1	-
Ohio	33	299	7	3	573	4	1	14	9	478	8	7	10	1	1	2	3	14	3	63
Oklahoma	16	7	10	135	1	14	1	2	2	9	7	3	53	-	3	-	-	9	7	4
Oregon	6	1	7	3	-	1	1	3	3	4	6	-	1	4	3	8	-	-	1	9
Pennsylvania	32	10	5	5	10	7	7	251	29	23	4	3	10	1	3	2	2	1,388	3	726
Rhode Island	-	-	-	-	-	2	6	3	381	2	-	-	1	-	-	1	6	12	-	22
South Carolina	14	5	2	-	4	5	1	13	4	9	1	1	1	1	1	-	2	22	-	45
South Dakota	3	-	104	3	-	-	-	1	-	1	170	-	3	5	70	-	-	-	-	1
Tennessee	53	23	4	3	552	17	-	7	2	44	6	958	143	-	2	2	-	10	-	21
Texas	105	34	58	63	15	299	3	11	9	70	43	54	80	4	30	5	2	32	351	70
Utah	1	2	-	3	-	3	-	2	1	2	2	1	2	38	4	49	1	-	8	4
Vermont	1	2	-	-	-	-	6	2	51	1	1	-	-	1	-	-	148	14	-	242
Virginia	18	12	3	2	43	8	1	200	20	15	5	5	6	1	1	1	2	61	-	71
Washington	14	5	6	3	-	2	-	2	5	7	12	3	7	69	3	10	1	5	7	9
West Virginia	5	10	-	-	168	-	-	188	1	8	1	-	-	-	-	-	-	2	1	6
Wisconsin	477	28	97	3	3	-	-	3	1	203	229	4	9	-	-	-	-	8	3	5
Wyoming	11	2	3	3	-	2	-	1	3	3	-	-	-	15	24	-	-	4	1	2

SECTION 1 - GENERAL MORTALITY - PAGE 71

Table 1-18. Deaths by State of Occurrence Distributed According to Resident Status: United States and Each State, 1985—Con.

[Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																		Deaths of nonresidents of the United States
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States	1,311	331	3,041	1,537	862	3,379	429	1,680	466	999	1,869	257	459	2,717	1,088	1,737	1,361	428	2,938
Alabama	15	-	20	3	1	9	2	13	-	170	27	-	-	5	2	4	2	-	13
Alaska	-	2	1	3	10	1	-	1	-	1	4	1	-	-	23	1	5	-	12
Arizona	-	22	34	25	60	25	2	3	28	4	50	36	1	12	77	5	55	21	163
Arkansas	2	-	4	485	1	1	-	2	-	45	234	2	-	2	3	1	5	2	2
California	19	13	102	39	206	69	8	8	12	10	138	43	6	26	192	3	49	23	502
Colorado	3	10	17	24	9	11	-	-	32	4	76	37	1	4	16	1	11	128	24
Connecticut	7	-	4	1	-	25	46	1	1	2	1	1	16	5	-	2	1	-	20
Delaware	2	-	2	1	-	132	-	-	-	1	1	-	-	10	-	3	-	-	3
District of Columbia	24	-	7	2	3	25	-	10	1	4	9	-	1	557	3	28	-	-	23
Florida	83	-	432	14	3	312	37	49	2	69	68	4	34	76	11	57	83	1	615
Georgia	98	-	43	3	2	23	3	845	-	127	27	-	5	28	2	7	4	1	22
Hawaii	-	1	8	3	9	9	-	-	-	1	7	-	-	1	24	2	4	-	139
Idaho	-	-	2	2	77	1	-	1	-	-	5	32	-	1	115	-	-	17	7
Illinois	10	3	29	8	4	24	-	8	1	22	29	2	-	6	4	11	188	-	37
Indiana	5	-	297	8	1	19	-	-	1	12	21	2	1	6	3	4	12	-	7
Iowa	1	2	3	4	2	3	2	-	83	1	8	-	-	2	3	1	67	1	5
Kansas	1	1	5	164	6	4	-	1	1	4	33	-	1	3	3	-	5	1	6
Kentucky	5	-	241	-	-	9	-	3	-	159	3	-	-	24	-	181	7	-	6
Louisiana	12	-	4	10	1	3	-	8	-	10	426	1	-	12	4	3	2	-	26
Maine	-	-	5	1	-	8	9	1	-	-	5	-	6	3	-	1	1	1	23
Maryland	34	3	22	4	1	360	1	21	-	2	13	-	4	345	2	261	2	-	21
Massachusetts	8	-	12	2	-	32	269	-	1	3	10	-	54	9	6	4	2	1	69
Michigan	7	2	173	3	2	20	1	5	2	12	20	1	-	4	4	9	163	-	30
Minnesota	3	183	8	6	4	9	2	1	124	3	24	-	1	2	7	2	562	1	35
Mississippi	2	-	12	3	-	2	-	1	-	64	24	-	-	2	2	-	2	-	3
Missouri	3	1	17	102	4	7	1	1	4	21	28	-	1	4	6	-	6	1	3
Montana	-	27	1	1	10	2	-	-	3	-	3	4	-	1	23	-	3	52	15
Nebraska	1	3	1	3	4	2	1	-	50	3	7	3	-	2	-	1	4	33	1
Nevada	2	2	13	7	29	6	4	4	4	8	32	32	-	3	25	1	19	4	37
New Hampshire	1	-	-	-	-	7	7	-	-	-	2	1	269	3	1	-	1	-	5
New Jersey	18	-	20	-	2	807	7	10	-	6	6	-	4	31	2	4	3	1	55
New Mexico	3	2	7	18	4	5	-	1	4	1	138	11	-	1	8	2	4	-	31
New York	34	-	49	7	2	556	13	37	-	5	25	1	42	48	4	9	5	-	241
North Carolina	-	-	32	4	3	27	1	569	1	65	20	-	-	349	2	35	3	-	13
North Dakota	1	-	-	1	3	-	-	1	62	-	3	-	-	1	6	-	1	-	4
Ohio	15	1	-	3	2	363	1	8	1	23	23	1	1	28	7	455	9	-	37
Oklahoma	2	1	9	-	3	5	-	2	2	7	187	-	-	2	2	-	1	3	11
Oregon	1	4	2	2	-	3	-	-	3	1	11	5	-	-	441	-	1	1	19
Pennsylvania	40	-	413	4	3	-	2	12	1	9	23	2	4	53	5	150	6	-	51
Rhode Island	1	-	2	-	-	5	-	-	1	1	1	1	-	1	-	-	2	-	7
South Carolina	225	-	22	3	-	27	-	-	-	13	2	-	-	23	1	11	3	-	23
South Dakota	-	28	-	1	1	-	-	-	-	1	3	-	-	2	2	-	6	39	-
Tennessee	92	-	44	8	2	13	1	15	-	-	30	-	2	705	6	20	5	-	10
Texas	18	3	56	544	13	40	3	10	16	31	-	9	1	15	11	12	33	6	421
Utah	1	2	2	2	8	2	-	4	2	1	6	-	-	-	10	-	1	83	8
Vermont	1	-	1	1	-	7	4	-	-	-	-	-	-	-	1	-	1	-	13
Virginia	489	2	32	3	2	78	2	17	-	59	20	2	2	-	5	446	3	1	25
Washington	6	8	8	2	360	11	-	3	4	2	17	3	-	6	-	-	6	4	60
West Virginia	13	-	806	1	1	254	-	3	1	4	3	-	-	289	-	-	1	-	1
Wisconsin	3	1	12	2	-	11	-	-	3	7	11	-	1	5	4	-	-	2	13
Wyoming	-	3	5	-	4	5	-	1	14	1	5	20	-	-	10	-	2	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 72

Table 1-19. Deaths by Month and State of Occurrence: United States and Each State, 1985

[Data by place of occurrence include deaths of nonresidents]

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	2,089,378	201,669	184,323	182,908	169,073	168,585	161,062	164,916	162,748	161,753	172,517	170,305	189,519
Alabama	37,480	3,533	3,456	3,336	3,014	2,864	2,955	3,008	2,828	2,968	3,038	3,062	3,418
Alaska	2,068	158	155	152	145	161	183	195	252	195	176	156	140
Arizona	25,383	2,480	2,365	2,300	2,051	2,060	1,982	1,938	1,829	1,892	1,984	2,114	2,388
Arkansas	23,903	2,278	2,161	2,178	1,885	1,993	1,911	1,803	1,782	1,916	1,971	1,920	2,085
California	202,709	20,806	18,469	17,747	16,245	16,055	15,633	15,798	15,862	15,127	16,093	16,569	18,305
Colorado	20,727	2,045	1,731	1,803	1,778	1,618	1,639	1,610	1,624	1,641	1,711	1,728	1,799
Connecticut	28,259	2,889	2,389	2,464	2,359	2,292	2,174	2,166	2,197	2,215	2,364	2,339	2,631
Delaware	5,508	517	468	480	441	405	430	438	439	414	505	486	485
District of Columbia	8,879	815	737	784	683	691	715	745	687	714	734	688	886
Florida	122,210	12,112	11,623	11,232	10,252	9,949	9,160	9,175	9,210	8,968	9,552	9,750	11,227
Georgia	49,326	4,571	4,521	4,313	3,853	3,968	3,937	3,831	3,929	3,867	4,046	3,976	4,514
Hawaii	6,116	561	553	598	508	500	441	488	446	469	467	505	579
Idaho	6,836	573	553	575	572	631	505	562	565	506	593	597	584
Illinois	99,429	10,137	8,284	8,287	7,835	8,104	7,559	7,851	7,784	7,892	8,315	8,188	9,093
Indiana	48,496	4,606	4,182	4,116	3,977	3,838	3,766	3,904	3,786	3,822	3,996	3,976	4,527
Iowa	27,413	2,648	2,561	2,257	2,148	2,227	2,065	2,119	2,083	2,212	2,326	2,210	2,557
Kansas	21,526	2,080	1,942	1,849	1,737	1,742	1,638	1,583	1,715	1,648	1,769	1,769	1,947
Kentucky	34,252	3,334	3,019	3,058	2,791	2,724	2,626	2,853	2,708	2,643	2,743	2,648	3,105
Louisiana	37,361	3,598	3,318	3,220	2,970	2,975	2,874	2,951	3,002	2,938	3,010	3,100	3,397
Maine	11,413	997	925	1,052	1,005	950	887	952	903	906	1,007	849	980
Maryland	35,955	3,236	3,271	3,313	2,986	2,896	2,755	2,824	2,833	2,812	2,932	2,924	3,173
Massachusetts	56,197	5,319	5,160	5,126	4,822	4,589	4,206	4,317	4,244	4,357	4,749	4,574	4,934
Michigan	77,468	7,105	6,270	6,659	6,354	6,286	6,166	6,178	6,106	6,190	6,598	6,302	7,254
Minnesota	35,059	3,329	2,938	3,016	2,818	2,871	2,741	2,823	2,597	2,754	3,032	2,953	3,187
Mississippi	23,899	2,369	2,310	2,040	1,792	1,891	1,870	1,861	1,890	1,799	1,970	1,915	2,192
Missouri	51,635	5,064	4,673	4,491	4,101	4,187	3,966	4,071	4,049	3,873	4,255	4,341	4,564
Montana	6,623	608	535	569	529	567	552	580	507	502	578	560	536
Nebraska	15,056	1,365	1,385	1,370	1,280	1,248	1,127	1,164	1,161	1,151	1,256	1,240	1,289
Nevada	7,885	812	653	712	628	621	639	623	633	606	661	657	640
New Hampshire	8,320	776	704	701	727	686	665	654	652	632	703	665	755
New Jersey	69,554	6,796	6,114	5,925	5,473	5,548	5,350	5,452	5,303	5,537	5,900	5,719	6,437
New Mexico	9,730	937	902	835	766	781	768	737	784	757	816	797	880
New York	171,482	17,109	14,235	14,687	13,696	13,728	13,245	13,836	13,488	13,423	14,430	14,043	15,562
North Carolina	53,327	4,898	4,758	4,884	4,280	4,313	4,208	4,258	4,154	4,182	4,394	4,235	4,763
North Dakota	5,978	548	484	494	542	482	485	453	453	490	491	516	540
Ohio	98,747	9,437	8,789	8,480	8,028	8,047	7,491	7,935	7,528	7,824	8,206	8,036	8,946
Oklahoma	26,816	2,699	2,547	2,486	2,305	2,374	2,339	2,242	2,235	2,216	2,443	2,386	2,654
Oregon	23,975	2,282	2,014	2,140	1,977	1,893	1,842	1,996	1,932	1,875	1,973	1,985	2,066
Pennsylvania	124,343	11,825	10,959	10,958	10,319	10,062	9,434	9,723	9,584	9,625	10,413	10,122	11,319
Rhode Island	9,836	957	905	893	776	831	756	768	746	753	790	811	850
South Carolina	26,115	2,392	2,393	2,320	2,078	2,084	2,018	2,110	2,003	2,016	2,154	2,073	2,474
South Dakota	6,599	613	564	639	552	542	456	515	505	511	598	552	552
Tennessee	46,184	4,494	4,090	4,003	3,743	3,769	3,515	3,719	3,696	3,628	3,702	3,586	4,239
Texas	119,968	11,583	10,751	10,440	9,607	9,656	9,245	9,584	9,824	9,069	9,651	9,718	10,860
Utah	9,329	910	801	823	740	802	714	744	767	720	761	798	740
Vermont	4,736	427	378	397	359	418	380	399	380	376	407	391	424
Virginia	44,535	4,073	3,942	4,014	3,583	3,582	3,493	3,496	3,496	3,480	3,651	3,604	4,121
Washington	34,574	3,132	2,966	3,080	2,899	2,933	2,631	2,855	2,641	2,619	2,984	2,780	3,074
West Virginia	19,520	1,867	1,621	1,752	1,627	1,584	1,514	1,473	1,513	1,529	1,617	1,648	1,775
Wisconsin	41,450	3,937	3,528	3,605	3,269	3,340	3,155	3,244	3,114	3,266	3,628	3,539	3,825
Wyoming	3,089	272	271	254	260	247	256	272	299	228	267	225	238

SECTION 1 - GENERAL MORTALITY - PAGE 73

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	2,086,440	201,346	184,029	182,616	168,848	168,374	160,838	164,700	162,492	161,563	172,307	170,082	189,245
Male	1,097,758	104,360	95,170	95,493	88,781	89,685	85,626	87,353	86,219	86,109	90,544	89,400	99,018
Female	988,682	96,966	88,859	87,123	80,067	78,689	75,212	77,347	76,273	75,454	81,763	80,682	90,227
White	1,819,054	175,758	161,201	159,597	147,564	146,870	139,817	143,105	141,211	140,407	150,581	148,348	164,595
Male	950,455	90,314	82,811	82,857	77,071	77,825	73,898	75,311	74,555	74,172	78,620	77,483	85,538
Female	868,599	85,444	78,390	76,740	70,493	69,045	65,919	67,794	66,656	66,235	71,961	70,865	79,057
All other	267,386	25,588	22,828	23,019	21,284	21,504	21,021	21,595	21,281	21,156	21,726	21,734	24,650
Male	147,303	14,046	12,359	12,636	11,710	11,860	11,728	12,042	11,664	11,937	11,924	11,917	13,480
Female	120,083	11,542	10,469	10,383	9,574	9,644	9,293	9,553	9,617	9,219	9,802	9,817	11,170
Black	244,207	23,397	20,952	21,013	19,405	19,616	19,128	19,703	19,416	19,300	19,874	19,783	22,620
Male	133,610	12,721	11,305	11,424	10,596	10,732	10,589	10,940	10,584	10,838	10,840	10,763	12,279
Female	110,597	10,676	9,647	9,589	8,809	8,884	8,540	8,763	8,832	8,462	9,034	9,020	10,341
Alabama	37,603	3,550	3,473	3,323	3,035	2,875	2,961	3,007	2,837	2,996	3,047	3,065	3,434
Male	20,023	1,864	1,803	1,763	1,628	1,564	1,598	1,588	1,532	1,624	1,632	1,598	1,829
Female	17,580	1,686	1,670	1,560	1,407	1,311	1,363	1,419	1,305	1,372	1,415	1,467	1,605
White	27,240	2,549	2,502	2,402	2,194	2,112	2,119	2,212	2,094	2,177	2,242	2,191	2,446
Male	14,529	1,343	1,296	1,290	1,157	1,169	1,139	1,149	1,129	1,182	1,217	1,148	1,310
Female	12,711	1,206	1,206	1,112	1,037	943	980	1,063	965	995	1,025	1,043	1,136
All other	10,363	1,001	971	921	841	763	842	795	743	819	805	874	988
Male	5,494	521	507	473	471	395	459	439	403	442	415	450	519
Female	4,869	480	464	448	370	368	383	356	340	377	390	424	469
Black	10,344	1,000	967	920	838	760	842	793	742	815	805	874	988
Male	5,486	520	507	473	469	395	459	438	402	439	415	450	519
Female	4,858	480	460	447	369	365	383	355	340	376	390	424	469
Alaska	2,068	168	159	159	144	161	178	183	234	190	178	175	139
Male	1,345	111	100	108	91	108	115	118	153	129	114	116	82
Female	723	57	59	51	53	53	63	65	81	61	64	59	57
White	1,441	118	113	115	100	108	122	123	157	129	128	123	105
Male	942	81	69	82	64	71	77	80	102	89	81	82	64
Female	499	37	44	33	36	37	45	43	55	40	47	41	41
All other	627	50	46	44	44	53	56	60	77	61	50	52	34
Male	403	30	31	26	27	37	38	38	51	40	33	34	18
Female	224	20	15	18	17	16	18	22	26	21	17	18	16
Black	66	7	7	6	3	9	5	3	10	5	1	5	5
Male	41	3	3	4	3	5	5	2	5	2	1	4	4
Female	25	4	4	2	-	4	-	1	5	3	-	1	1
Arizona	24,619	2,314	2,202	2,111	1,966	2,019	1,957	1,954	1,878	1,928	1,964	2,046	2,280
Male	13,876	1,279	1,260	1,174	1,133	1,127	1,096	1,135	1,073	1,068	1,130	1,145	1,256
Female	10,743	1,035	942	937	833	892	861	819	805	860	834	901	1,024
White	22,955	2,160	2,074	1,971	1,832	1,879	1,843	1,785	1,739	1,809	1,818	1,911	2,134
Male	12,881	1,189	1,186	1,087	1,048	1,042	1,027	1,035	986	997	1,043	1,070	1,171
Female	10,074	971	888	884	784	837	816	750	753	812	775	841	963
All other	1,664	154	128	140	134	140	114	169	139	119	146	135	146
Male	995	90	74	87	85	85	69	100	87	71	87	75	85
Female	669	64	54	53	49	55	45	69	52	48	59	60	61
Black	560	60	43	41	33	58	40	64	43	41	50	45	42
Male	332	35	24	30	23	35	23	39	24	23	30	27	19
Female	228	25	19	11	10	23	17	25	19	18	20	18	23
Arkansas	24,137	2,275	2,182	2,231	1,896	2,023	1,927	1,809	1,794	1,931	1,984	1,946	2,139
Male	13,130	1,237	1,151	1,216	1,066	1,119	1,042	962	966	1,059	1,081	1,066	1,165
Female	11,007	1,038	1,031	1,015	830	904	885	847	828	872	903	880	974
White	20,137	1,894	1,780	1,884	1,550	1,709	1,616	1,489	1,463	1,610	1,683	1,644	1,795
Male	11,014	1,051	943	1,028	874	963	882	790	804	884	920	891	984
Female	9,123	843	837	856	676	746	734	699	679	726	763	753	811
All other	4,000	381	347	348	314	311	320	311	321	301	302	344	344
Male	2,116	188	208	188	192	156	160	172	162	175	161	175	181
Female	1,884	195	194	159	154	156	151	148	149	146	140	127	163
Black	3,977	377	398	345	343	313	311	318	310	320	299	301	342
Male	2,107	185	208	186	191	155	160	171	162	175	160	174	180
Female	1,870	192	190	159	152	158	151	147	148	145	139	127	162
California	201,911	20,844	18,292	17,600	16,167	16,016	15,636	15,761	15,883	15,111	16,064	16,523	18,214
Male	106,428	10,485	9,347	9,312	8,492	8,457	8,377	8,342	8,464	8,149	8,579	8,898	9,526
Female	95,483	10,159	8,945	8,288	7,675	7,559	7,259	7,419	7,419	6,962	7,485	7,625	8,688
White	179,320	18,479	16,347	15,664	14,296	14,208	13,840	13,948	14,058	13,387	14,231	14,639	16,223
Male	93,522	9,241	8,265	8,196	7,435	7,433	7,295	7,327	7,452	7,121	7,522	7,824	8,411
Female	85,798	9,238	8,082	7,468	6,861	6,775	6,545	6,621	6,606	6,266	6,709	6,815	7,812
All other	22,591	2,165	1,945	1,936	1,871	1,808	1,796	1,813	1,825	1,724	1,833	1,884	1,991
Male	12,906	1,244	1,082	1,116	1,057	1,024	1,082	1,015	1,012	1,028	1,057	1,074	1,115
Female	9,685	921	863	820	814	784	714	798	813	696	776	810	876
Black	15,161	1,399	1,308	1,308	1,250	1,207	1,197	1,219	1,211	1,177	1,267	1,273	1,345
Male	8,487	777	723	723	685	659	707	680	666	706	718	702	741
Female	6,674	622	585	585	565	548	490	539	545	471	549	571	604
Colorado	20,236	2,009	1,706	1,775	1,737	1,588	1,600	1,549	1,567	1,584	1,654	1,690	1,777
Male	10,607	989	870	941	915	830	850	813	866	884	836	874	939
Female	9,629	1,020	836	834	822	758	750	736	701	700	818	816	838
White	19,403	1,930	1,643	1,720	1,656	1,533	1,540	1,482	1,496	1,503	1,591	1,615	1,694
Male	10,179	960	833	916	875	802	820	774	825	840	803	837	894
Female	9,224	970	810	804	781	731	720	708	671	663	788	778	800
All other	833	79	63	55	81	55	60	67	71	81	63	75	83
Male	428	29	37	25	40	28	30	39	41	44	33	37	45
Female	405	50	26	30	41	27	30	28	30	37	30	38	38
Black	678	58	57	47	68	49	51	52	58	64	50	61	63
Male	345	20	34	22	32	26	24	33	37	33	24	27	33
Female	333	38	23	25	36	23	27	19	21	31	26	34	30

SECTION 1 - GENERAL MORTALITY - PAGE 74

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Connecticut	28,170	2,707	2,345	2,483	2,351	2,306	2,166	2,153	2,206	2,176	2,337	2,326	2,614
Male	14,257	1,362	1,193	1,234	1,165	1,170	1,124	1,097	1,127	1,088	1,213	1,177	1,307
Female	13,913	1,345	1,152	1,249	1,186	1,136	1,042	1,056	1,079	1,088	1,124	1,149	1,307
White	26,505	2,534	2,214	2,357	2,202	2,175	2,015	2,026	2,059	2,064	2,216	2,187	2,456
Male	13,340	1,260	1,114	1,164	1,080	1,101	1,044	1,028	1,035	1,036	1,152	1,104	1,222
Female	13,165	1,274	1,100	1,193	1,122	1,074	971	998	1,024	1,028	1,064	1,083	1,234
All other	1,665	173	131	126	149	131	151	127	147	112	121	139	158
Male	817	102	79	70	85	69	80	69	92	52	61	73	85
Female	748	71	52	56	64	62	71	58	55	60	60	66	73
Black	1,610	168	130	119	145	127	146	119	144	105	117	137	153
Male	889	100	78	66	82	65	76	66	91	49	60	72	84
Female	721	68	52	53	63	62	70	53	53	56	57	65	69
Delaware	5,475	533	460	495	440	409	423	423	433	404	514	472	469
Male	2,831	261	226	262	231	217	220	221	232	228	275	230	228
Female	2,644	272	234	233	209	192	203	202	201	176	239	242	241
White	4,572	460	389	396	378	341	360	351	366	330	434	373	394
Male	2,318	221	187	202	196	174	191	176	190	166	226	179	190
Female	2,254	239	202	194	182	167	169	175	176	144	208	194	204
All other	903	73	71	99	62	68	63	72	67	74	80	89	75
Male	513	40	39	60	35	43	29	45	42	42	49	51	38
Female	390	33	32	39	27	25	34	27	25	32	31	48	37
Black	878	72	69	97	62	67	62	70	65	71	78	94	71
Male	498	39	39	58	35	43	28	43	41	39	49	48	36
Female	380	33	30	39	27	24	34	27	24	32	29	46	35
District of Columbia	6,981	648	596	621	563	548	531	574	543	550	562	532	713
Male	3,710	339	317	326	299	298	286	316	277	304	284	260	404
Female	3,271	309	279	295	264	250	245	258	266	246	278	272	309
White	1,802	167	155	165	145	141	128	160	152	139	117	137	196
Male	826	71	71	71	67	64	57	73	69	71	43	62	107
Female	976	96	84	94	78	77	71	87	83	68	74	75	89
All other	5,179	481	441	456	418	407	403	414	391	411	445	395	517
Male	2,884	268	246	255	232	234	229	243	208	233	241	198	297
Female	2,295	213	195	201	186	173	174	171	183	178	204	197	220
Black	5,139	476	437	452	417	404	399	412	388	405	441	390	516
Male	2,855	266	244	251	232	232	225	241	208	228	238	193	297
Female	2,284	212	193	201	185	172	174	171	180	177	203	197	219
Florida	121,108	11,629	10,945	10,541	9,899	9,920	9,367	9,446	9,652	9,294	9,731	9,717	10,967
Male	66,694	6,467	6,016	5,774	5,438	5,510	5,254	5,245	5,311	5,089	5,323	5,294	5,993
Female	54,414	5,162	4,929	4,767	4,461	4,410	4,113	4,201	4,341	4,225	4,408	4,423	4,974
White	108,226	10,375	9,786	9,446	8,905	8,889	8,354	8,410	8,610	8,308	8,752	8,631	9,760
Male	59,564	5,752	5,392	5,172	4,874	4,954	4,682	4,647	4,742	4,513	4,783	4,703	5,350
Female	48,662	4,623	4,394	4,274	4,031	3,935	3,672	3,763	3,868	3,795	3,969	3,928	4,410
All other	12,882	1,254	1,159	1,095	994	1,031	1,013	1,038	1,042	986	979	1,086	1,207
Male	7,130	715	624	602	564	556	572	598	569	556	540	591	643
Female	5,752	539	535	493	430	475	441	438	473	430	439	495	564
Black	12,880	1,234	1,144	1,079	983	1,011	1,004	1,019	1,023	969	956	1,089	1,189
Male	7,022	705	615	595	559	545	568	589	557	546	530	581	632
Female	5,858	529	529	484	424	466	436	430	466	423	426	468	557
Georgia	48,657	4,516	4,428	4,248	3,813	3,917	3,864	3,780	3,890	3,827	3,965	3,947	4,462
Male	25,982	2,429	2,317	2,261	2,064	2,135	2,039	2,104	2,055	2,043	2,109	2,116	2,310
Female	22,675	2,087	2,111	1,987	1,749	1,782	1,825	1,676	1,835	1,784	1,856	1,831	2,152
White	35,061	3,266	3,192	3,070	2,755	2,857	2,779	2,708	2,796	2,792	2,862	2,824	3,160
Male	18,721	1,764	1,655	1,629	1,511	1,576	1,476	1,499	1,493	1,492	1,512	1,496	1,618
Female	16,340	1,502	1,537	1,441	1,244	1,281	1,303	1,209	1,303	1,300	1,350	1,328	1,542
All other	13,596	1,250	1,236	1,178	1,058	1,060	1,085	1,072	1,094	1,035	1,103	1,123	1,302
Male	7,261	665	662	632	553	559	583	605	562	551	597	620	692
Female	6,335	585	574	546	505	501	522	467	532	484	506	503	610
Black	13,516	1,244	1,231	1,174	1,050	1,055	1,077	1,065	1,087	1,020	1,099	1,118	1,286
Male	7,221	663	659	632	548	558	558	602	560	542	594	618	687
Female	6,295	581	572	542	502	497	519	463	527	478	505	500	600
Hawaii	5,825	519	508	558	487	485	424	478	440	456	442	472	556
Male	3,457	329	289	350	290	279	258	290	254	250	255	283	330
Female	2,368	190	219	208	197	206	166	188	186	206	187	189	226
White	1,802	153	175	164	159	126	131	158	146	138	129	136	167
Male	1,056	85	104	99	84	88	88	97	90	76	70	83	112
Female	746	68	71	65	75	58	43	61	58	62	59	53	75
All other	4,023	366	333	394	328	359	293	320	294	318	313	336	369
Male	2,401	244	185	251	206	211	170	193	164	174	185	200	218
Female	1,622	122	148	143	122	148	123	127	130	144	128	136	151
Black	53	5	4	4	5	4	8	5	3	5	5	3	2
Male	38	2	3	3	5	1	6	3	2	4	4	3	2
Female	15	3	1	1	-	3	2	2	1	1	1	-	-
Idaho	7,115	614	595	615	585	648	525	585	562	536	618	617	615
Male	3,899	354	323	315	330	366	299	326	301	291	328	338	328
Female	3,216	260	272	300	255	282	226	259	261	245	290	279	287
White	7,005	603	590	608	571	634	521	581	554	522	613	602	606
Male	3,837	348	321	311	324	358	295	325	297	282	324	329	323
Female	3,168	255	269	297	247	276	226	256	257	240	289	273	283
All other	110	11	5	7	14	14	4	4	8	14	5	15	9
Male	62	6	2	4	6	8	4	1	4	9	4	9	5
Female	48	5	3	3	8	6	-	3	4	5	1	6	4
Black	20	2	1	2	1	5	-	2	-	1	1	2	3
Male	15	1	1	1	1	4	-	1	-	1	1	2	2
Female	5	1	-	1	-	1	-	1	-	-	-	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 75

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Illinois	102,279	10,400	8,590	8,590	8,173	8,337	7,747	8,115	8,042	8,061	8,528	8,414	9,282
Male	52,486	5,163	4,404	4,366	4,198	4,398	3,939	4,271	4,170	4,167	4,443	4,295	4,672
Female	49,793	5,237	4,186	4,224	3,975	3,939	3,808	3,844	3,872	3,894	4,085	4,119	4,610
White	87,709	8,978	7,468	7,394	7,057	7,129	6,593	6,906	6,875	6,869	7,339	7,162	7,939
Male	44,420	4,371	3,776	3,728	3,586	3,715	3,300	3,622	3,518	3,486	3,780	3,594	3,944
Female	43,289	4,607	3,692	3,666	3,471	3,414	3,293	3,284	3,357	3,383	3,559	3,568	3,995
All other	14,570	1,422	1,122	1,196	1,116	1,208	1,154	1,209	1,167	1,192	1,189	1,252	1,343
Male	8,066	792	628	638	612	683	639	649	652	681	663	701	728
Female	6,504	630	494	558	504	525	515	560	515	511	526	551	615
Black	14,185	1,390	1,095	1,167	1,084	1,185	1,114	1,176	1,141	1,159	1,145	1,215	1,314
Male	7,843	770	609	622	599	667	613	633	640	665	639	677	709
Female	6,342	620	486	545	485	518	501	543	501	494	506	538	605
Indiana	48,195	4,625	4,168	4,137	3,943	3,825	3,741	3,876	3,717	3,762	3,959	3,935	4,507
Male	25,046	2,394	2,144	2,124	2,059	2,059	1,954	2,019	1,952	1,939	2,017	2,094	2,291
Female	23,149	2,231	2,024	2,013	1,884	1,766	1,787	1,857	1,765	1,823	1,942	1,841	2,216
White	44,590	4,276	3,868	3,833	3,651	3,546	3,448	3,576	3,449	3,473	3,660	3,654	4,156
Male	23,091	2,210	1,977	1,967	1,888	1,904	1,808	1,857	1,807	1,789	1,859	1,937	2,088
Female	21,499	2,066	1,891	1,866	1,763	1,642	1,640	1,719	1,642	1,684	1,801	1,717	2,068
All other	3,605	349	300	304	292	279	293	300	268	289	299	281	351
Male	1,955	184	167	157	171	155	146	162	145	150	158	157	203
Female	1,650	165	133	147	121	124	147	138	123	139	141	124	148
Black	3,569	347	297	302	288	275	290	291	266	288	297	280	348
Male	1,935	183	164	157	168	153	145	157	144	150	157	157	200
Female	1,634	164	133	145	120	122	145	134	122	138	140	123	148
Iowa	27,834	2,730	2,609	2,326	2,189	2,272	2,063	2,156	2,122	2,235	2,344	2,232	2,556
Male	14,212	1,376	1,295	1,196	1,104	1,183	1,055	1,112	1,090	1,203	1,194	1,110	1,284
Female	13,622	1,354	1,314	1,130	1,085	1,079	1,008	1,044	1,032	1,032	1,150	1,122	1,272
White	27,482	2,702	2,587	2,292	2,163	2,245	2,034	2,126	2,093	2,203	2,312	2,201	2,524
Male	14,013	1,359	1,283	1,179	1,093	1,178	1,035	1,096	1,071	1,185	1,174	1,093	1,267
Female	13,469	1,343	1,304	1,113	1,070	1,067	999	1,030	1,022	1,018	1,138	1,108	1,257
All other	352	28	22	34	26	27	29	30	29	32	32	31	32
Male	199	17	12	17	11	15	20	16	19	18	20	17	17
Female	153	11	10	17	15	12	9	14	10	14	12	14	15
Black	313	25	19	33	24	27	25	25	25	29	27	28	26
Male	177	15	12	16	9	15	16	12	17	17	17	16	15
Female	136	10	7	17	15	12	9	13	8	12	10	12	11
Kansas	22,057	2,133	1,977	1,912	1,771	1,790	1,652	1,636	1,793	1,704	1,914	1,801	1,974
Male	11,244	1,083	982	942	914	942	892	816	914	862	965	940	1,012
Female	10,813	1,070	995	970	857	848	760	820	879	842	949	861	962
White	20,965	2,041	1,894	1,837	1,676	1,682	1,559	1,553	1,702	1,619	1,819	1,714	1,859
Male	10,667	1,011	939	908	858	890	834	775	864	818	919	893	958
Female	10,298	1,030	955	929	818	802	725	778	838	801	900	821	901
All other	1,082	82	83	75	95	98	93	83	91	85	95	87	115
Male	577	52	43	34	56	52	58	41	50	44	46	47	54
Female	515	40	40	41	39	46	35	42	41	41	49	40	61
Black	1,009	81	79	71	89	89	86	75	80	80	88	83	108
Male	528	43	41	31	51	47	54	37	44	42	42	45	51
Female	481	38	38	40	38	42	32	38	36	38	46	38	57
Kentucky	34,865	3,392	3,072	3,106	2,851	2,767	2,675	2,893	2,743	2,691	2,792	2,720	3,163
Male	18,601	1,851	1,642	1,650	1,516	1,506	1,438	1,529	1,464	1,422	1,450	1,450	1,683
Female	16,264	1,541	1,430	1,456	1,335	1,261	1,237	1,364	1,279	1,269	1,342	1,270	1,480
White	32,106	3,107	2,854	2,872	2,630	2,538	2,457	2,643	2,535	2,462	2,580	2,523	2,905
Male	17,169	1,685	1,525	1,527	1,394	1,380	1,335	1,411	1,358	1,311	1,354	1,342	1,547
Female	14,937	1,422	1,329	1,345	1,236	1,158	1,122	1,232	1,177	1,151	1,226	1,181	1,358
All other	2,759	285	218	234	221	229	218	250	208	229	212	197	258
Male	1,432	166	117	123	122	126	103	118	106	111	96	108	136
Female	1,327	119	101	111	99	103	115	132	102	118	116	89	122
Black	2,732	284	214	234	218	226	215	247	207	226	210	195	256
Male	1,423	166	116	123	121	125	103	117	106	111	95	106	134
Female	1,309	118	98	111	97	101	112	130	101	115	115	89	122
Louisiana	37,029	3,574	3,293	3,187	2,962	2,928	2,869	2,940	2,978	2,895	2,977	3,068	3,358
Male	19,864	1,859	1,732	1,738	1,627	1,562	1,592	1,586	1,564	1,581	1,603	1,658	1,762
Female	17,165	1,715	1,561	1,449	1,335	1,366	1,277	1,354	1,414	1,314	1,374	1,410	1,596
White	25,217	2,369	2,304	2,188	2,018	1,981	1,980	1,973	2,001	1,991	2,045	2,111	2,256
Male	13,551	1,234	1,216	1,202	1,124	1,043	1,086	1,088	1,038	1,090	1,098	1,140	1,192
Female	11,666	1,135	1,088	986	894	938	894	885	963	901	947	971	1,064
All other	11,812	1,205	989	999	944	947	889	967	977	904	932	957	1,102
Male	6,313	625	516	536	503	519	506	498	526	491	505	518	570
Female	5,499	580	473	463	441	428	383	469	451	413	427	439	532
Black	11,709	1,197	982	988	936	940	875	959	973	899	922	947	1,091
Male	6,246	622	511	527	499	515	496	493	523	487	497	512	564
Female	5,463	575	471	461	437	425	379	466	450	412	425	435	527
Maine	11,420	1,014	948	1,072	1,027	943	884	920	864	895	1,013	859	981
Male	5,934	527	480	533	545	501	461	492	464	455	523	431	522
Female	5,486	487	468	539	482	442	423	428	400	440	490	428	459
White	11,373	1,011	946	1,069	1,021	939	879	918	861	886	1,011	856	976
Male	5,905	525	480	531	543	499	458	492	462	448	521	429	519
Female	5,468	486	466	538	478	440	423	426	399	438	490	427	457
All other	47	3	2	3	6	4	5	2	3	9	2	3	5
Male	29	2	-	2	2	2	-	-	-	-	-	-	-
Female	18	1	2	1	4	2	-	2	1	2	-	1	2
Black	22	2	2	2	3	2	3	2	2	1	-	-	3
Male	10	2	-	1	1	1	3	-	1	-	-	-	1
Female	12	-	2	1	2	1	-	2	1	1	-	-	2

SECTION 1 - GENERAL MORTALITY - PAGE 76

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland	36,620	3,271	3,327	3,347	3,030	2,951	2,816	2,873	2,882	2,847	2,992	3,003	3,281
Male	19,181	1,699	1,680	1,693	1,618	1,514	1,488	1,489	1,540	1,482	1,602	1,595	1,781
Female	17,439	1,572	1,647	1,654	1,412	1,437	1,328	1,384	1,342	1,365	1,390	1,408	1,500
White	28,506	2,570	2,624	2,645	2,389	2,269	2,178	2,255	2,201	2,153	2,349	2,345	2,529
Male	14,609	1,309	1,286	1,296	1,247	1,151	1,131	1,158	1,146	1,092	1,231	1,228	1,334
Female	13,897	1,261	1,338	1,349	1,142	1,117	1,047	1,097	1,055	1,061	1,118	1,117	1,195
All other	8,114	701	703	702	641	683	638	618	681	694	643	658	752
Male	4,572	390	394	397	371	363	357	331	394	390	371	367	447
Female	3,542	311	309	305	270	320	281	287	287	304	272	291	305
Black	7,912	693	686	680	616	662	619	603	668	673	636	645	731
Male	4,446	385	380	384	352	349	348	324	386	381	366	359	432
Female	3,466	308	306	296	264	313	271	279	282	292	270	286	299
Massachusetts	55,593	5,285	5,152	5,072	4,594	4,547	4,123	4,253	4,171	4,267	4,697	4,525	4,907
Male	27,232	2,552	2,440	2,406	2,218	2,312	2,084	2,094	2,062	2,130	2,298	2,236	2,400
Female	28,361	2,733	2,712	2,666	2,376	2,235	2,039	2,159	2,109	2,137	2,399	2,289	2,507
White	53,599	5,108	4,998	4,895	4,441	4,375	3,975	4,073	4,007	4,098	4,547	4,356	4,725
Male	26,151	2,450	2,349	2,324	2,139	2,211	1,988	1,992	1,983	2,032	2,233	2,150	2,300
Female	27,448	2,658	2,650	2,571	2,302	2,164	1,987	2,081	2,024	2,066	2,314	2,206	2,425
All other	1,994	177	153	177	153	172	148	180	164	169	150	169	182
Male	1,081	102	91	82	79	101	96	102	79	98	65	86	100
Female	913	75	62	95	74	71	52	78	85	71	85	83	82
Black	1,781	157	135	158	141	150	133	159	149	153	135	151	160
Male	950	88	81	70	72	84	85	88	73	88	59	76	86
Female	831	69	54	88	69	66	48	71	76	65	76	75	74
Michigan	78,722	7,268	6,466	6,848	6,514	6,401	6,218	6,180	6,160	6,234	6,664	6,381	7,388
Male	41,892	3,826	3,397	3,638	3,493	3,428	3,331	3,299	3,350	3,378	3,500	3,414	3,838
Female	36,830	3,442	3,069	3,210	3,021	2,973	2,887	2,881	2,810	2,856	3,164	2,967	3,550
White	67,567	6,245	5,577	5,880	5,633	5,511	5,285	5,208	5,269	5,353	5,768	5,477	6,361
Male	35,528	3,257	2,890	3,084	2,994	2,918	2,780	2,733	2,825	2,873	2,992	2,894	3,288
Female	32,039	2,988	2,687	2,796	2,639	2,593	2,505	2,475	2,444	2,480	2,776	2,583	3,073
All other	11,155	1,023	889	968	881	890	933	972	891	881	896	904	1,027
Male	6,364	569	507	554	499	510	551	566	525	505	508	520	550
Female	4,791	454	382	414	382	380	382	406	366	376	388	384	477
Black	10,907	998	875	948	865	866	911	950	866	859	875	882	1,012
Male	6,234	557	500	547	490	499	540	553	509	489	499	510	541
Female	4,673	441	375	401	375	367	371	397	357	370	376	372	471
Minnesota	34,801	3,390	2,941	3,018	2,802	2,830	2,702	2,767	2,540	2,714	2,995	2,936	3,166
Male	17,912	1,712	1,516	1,518	1,443	1,484	1,401	1,414	1,337	1,413	1,537	1,494	1,643
Female	16,889	1,678	1,425	1,500	1,359	1,346	1,301	1,353	1,203	1,301	1,458	1,442	1,523
White	34,125	3,335	2,893	2,958	2,749	2,778	2,644	2,712	2,482	2,654	2,936	2,878	3,106
Male	17,504	1,678	1,491	1,483	1,405	1,451	1,358	1,381	1,301	1,381	1,504	1,462	1,609
Female	16,621	1,657	1,402	1,475	1,344	1,327	1,286	1,331	1,181	1,273	1,432	1,416	1,497
All other	676	55	48	60	53	52	58	55	58	60	59	58	60
Male	408	34	25	35	38	33	43	33	36	32	33	32	34
Female	268	21	23	25	15	19	15	22	22	28	26	26	26
Black	363	33	21	31	30	30	32	28	34	33	32	29	30
Male	220	21	10	17	17	15	23	18	23	20	19	19	18
Female	143	12	11	14	13	15	9	10	11	13	13	10	12
Mississippi	24,691	2,437	2,381	2,095	1,839	1,969	1,917	1,920	1,963	1,849	2,062	1,972	2,287
Male	13,391	1,287	1,215	1,137	985	1,072	1,051	1,069	1,058	1,034	1,152	1,057	1,274
Female	11,300	1,150	1,166	958	854	897	866	851	905	815	910	915	1,013
White	15,898	1,550	1,526	1,375	1,186	1,278	1,245	1,219	1,235	1,199	1,337	1,274	1,474
Male	8,651	818	790	765	628	710	688	666	687	675	725	689	826
Female	7,247	732	736	610	558	568	557	553	548	540	612	585	648
All other	8,793	887	855	720	653	691	672	701	728	650	725	698	813
Male	4,740	469	425	372	357	362	363	403	371	375	427	368	448
Female	4,053	418	430	348	296	329	309	298	357	275	298	330	365
Black	8,710	882	847	715	645	688	661	693	726	642	723	682	806
Male	4,691	468	421	368	353	360	356	400	369	371	425	356	444
Female	4,019	414	426	347	292	328	305	293	357	271	298	326	362
Missouri	50,368	4,935	4,593	4,404	4,018	4,055	3,883	3,942	3,917	3,778	4,135	4,219	4,489
Male	25,887	2,507	2,385	2,303	2,074	2,081	1,996	2,000	2,038	1,940	2,108	2,204	2,251
Female	24,481	2,428	2,208	2,101	1,944	1,974	1,887	1,942	1,879	1,838	2,027	2,015	2,238
White	45,272	4,414	4,164	3,924	3,598	3,680	3,486	3,523	3,525	3,366	3,713	3,797	4,062
Male	23,131	2,212	2,147	2,041	1,852	1,872	1,792	1,771	1,823	1,729	1,876	1,987	2,029
Female	22,141	2,202	2,017	1,883	1,746	1,808	1,694	1,752	1,702	1,637	1,837	1,810	2,033
All other	5,096	521	429	480	420	375	397	419	392	392	422	422	427
Male	2,756	295	238	262	222	209	204	229	215	211	232	217	222
Female	2,340	226	191	218	198	166	193	190	177	181	190	205	205
Black	5,019	511	422	470	415	372	390	415	384	387	420	415	418
Male	2,714	290	236	256	222	206	199	227	212	207	231	213	215
Female	2,305	221	186	214	193	166	191	188	172	180	189	202	203
Montana	6,724	631	552	588	545	578	557	571	506	489	590	566	551
Male	3,720	322	324	326	300	343	321	313	276	273	313	291	318
Female	3,004	309	228	262	245	235	236	258	230	216	277	275	233
White	6,429	602	535	566	517	557	530	541	487	462	565	546	521
Male	3,543	303	313	316	283	329	309	296	265	254	296	278	301
Female	2,886	299	222	250	234	228	221	245	222	208	269	268	220
All other	295	29	17	22	28	21	27	30	19	27	25	20	30
Male	177	19	11	10	17	14	12	17	11	19	17	13	17
Female	118	10	6	12	11	7	15	13	8	8	8	7	13
Black	8	-	1	-	2	1	-	1	-	-	-	-	2
Male	3	-	-	-	-	1	-	1	-	-	-	-	1
Female	5	-	1	-	2	-	-	-	1	-	-	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 77

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nebraska	14,903	1,366	1,369	1,369	1,259	1,211	1,132	1,166	1,139	1,144	1,245	1,218	1,285
Male	7,745	713	656	703	657	640	603	603	607	629	623	640	671
Female	7,158	653	713	666	602	571	529	563	532	515	622	578	614
White	14,433	1,324	1,330	1,316	1,217	1,175	1,102	1,132	1,107	1,103	1,205	1,184	1,238
Male	7,479	689	632	671	636	621	589	579	587	602	604	627	642
Female	6,954	635	698	645	581	554	513	553	520	501	601	557	595
All other	470	42	39	53	42	36	30	34	32	41	40	34	47
Male	266	24	24	32	21	19	14	24	20	27	19	13	29
Female	204	18	15	21	21	17	16	10	12	14	21	21	18
Black	381	34	32	44	35	29	23	25	27	33	32	28	39
Male	217	21	19	25	18	17	11	17	17	22	15	12	23
Female	164	13	13	19	17	12	12	8	10	11	17	16	16
Nevada	7,236	692	604	647	588	572	575	569	586	580	614	611	598
Male	4,273	414	356	365	343	350	356	335	353	350	358	351	342
Female	2,963	278	248	282	245	222	219	234	233	230	256	260	256
White	6,754	657	561	604	541	529	546	531	546	540	576	569	554
Male	3,974	388	330	340	314	317	337	311	330	322	335	329	321
Female	2,780	269	231	264	227	212	209	220	216	218	241	240	233
All other	462	35	43	43	47	43	29	38	40	40	38	42	44
Male	299	26	26	25	29	33	19	24	23	28	23	22	21
Female	183	9	17	18	18	10	10	14	17	12	15	20	23
Black	345	32	32	33	40	32	20	26	24	30	24	24	28
Male	216	24	20	18	25	24	13	16	13	22	14	13	14
Female	129	8	12	15	15	8	7	10	11	8	10	11	14
New Hampshire	8,483	815	729	756	745	705	673	628	625	635	716	674	782
Male	4,278	403	367	383	360	342	341	330	333	315	382	341	381
Female	4,205	412	362	373	385	363	332	298	292	320	334	333	401
White	8,454	810	728	755	744	702	669	625	623	632	714	673	779
Male	4,267	403	366	383	360	341	339	328	333	313	381	341	379
Female	4,187	407	362	372	384	361	330	297	290	319	333	332	400
All other	29	5	1	1	1	3	4	3	2	3	2	1	3
Male	11	-	1	-	-	1	2	2	-	2	1	-	2
Female	18	5	-	1	1	2	2	1	2	1	1	1	1
Black	17	2	1	-	1	1	3	2	1	2	1	-	3
Male	9	-	1	-	-	-	2	2	-	1	1	-	2
Female	8	2	-	-	1	1	1	-	1	1	-	-	1
New Jersey	71,128	6,987	6,233	6,102	5,622	5,678	5,453	5,541	5,404	5,661	6,019	5,860	6,568
Male	36,905	3,594	3,165	3,170	2,846	2,964	2,875	2,889	2,815	2,976	3,097	3,081	3,433
Female	34,223	3,393	3,068	2,932	2,776	2,714	2,578	2,652	2,589	2,685	2,922	2,779	3,135
White	62,571	6,099	5,579	5,350	5,000	4,968	4,819	4,874	4,707	4,971	5,256	5,191	5,757
Male	32,136	3,113	2,780	2,765	2,506	2,576	2,510	2,499	2,434	2,592	2,681	2,705	2,975
Female	30,435	2,986	2,798	2,585	2,494	2,392	2,309	2,375	2,273	2,379	2,575	2,486	2,782
All other	8,557	888	654	752	622	710	634	667	697	690	763	669	811
Male	4,769	481	385	405	340	388	365	390	381	384	416	376	458
Female	3,788	407	269	347	282	322	269	277	316	306	347	293	353
Black	8,241	856	633	724	589	672	616	647	669	666	742	647	780
Male	4,591	465	374	391	322	367	354	377	366	367	406	361	441
Female	3,650	391	259	333	267	305	262	270	303	299	336	286	339
New Mexico	9,763	939	910	831	750	760	774	740	783	768	814	817	877
Male	5,562	524	512	452	439	439	463	433	439	435	446	466	514
Female	4,201	415	398	379	313	321	311	307	344	333	368	351	363
White	8,951	868	835	773	701	701	691	676	703	699	756	756	790
Male	5,047	486	471	419	408	395	403	395	389	388	407	425	461
Female	3,904	382	364	354	295	306	288	281	314	311	349	331	329
All other	812	71	75	58	47	59	83	64	80	69	58	61	87
Male	515	38	41	33	31	44	60	38	50	47	39	41	53
Female	297	33	34	25	16	15	23	26	30	22	19	20	34
Black	187	19	19	12	12	20	14	10	17	19	12	12	21
Male	114	12	11	10	8	14	10	3	7	14	8	6	11
Female	73	7	8	2	4	6	4	7	10	5	4	6	10
New York	172,117	17,207	14,426	14,867	13,781	13,746	13,241	13,785	13,446	13,404	14,419	14,102	15,693
Male	87,449	8,555	7,237	7,457	6,928	7,005	6,893	7,127	6,882	6,929	7,365	7,130	7,951
Female	84,668	8,652	7,189	7,410	6,853	6,741	6,358	6,658	6,564	6,475	7,054	6,972	7,742
White	148,878	14,895	12,569	12,931	11,953	11,868	11,440	11,953	11,596	11,534	12,417	12,174	13,546
Male	74,733	7,291	6,241	6,397	5,974	5,980	5,881	6,110	5,868	5,866	6,263	6,073	6,789
Female	74,145	7,604	6,328	6,534	5,979	5,868	5,559	5,843	5,728	5,668	6,154	6,101	6,759
All other	23,239	2,312	1,857	1,936	1,828	1,878	1,801	1,832	1,850	1,870	2,002	1,928	2,145
Male	12,716	1,264	996	1,060	954	1,025	1,002	1,017	1,014	1,063	1,102	1,057	1,162
Female	10,523	1,048	861	876	874	853	799	815	836	807	900	871	983
Black	21,800	2,179	1,739	1,806	1,712	1,756	1,670	1,726	1,739	1,771	1,884	1,814	2,004
Male	11,852	1,189	929	980	889	958	934	950	946	1,000	1,027	981	1,069
Female	9,948	990	810	826	823	798	736	776	793	771	857	833	935
North Carolina	52,988	4,873	4,769	4,849	4,269	4,304	4,163	4,206	4,094	4,143	4,376	4,188	4,754
Male	28,478	2,580	2,542	2,602	2,277	2,347	2,238	2,306	2,236	2,245	2,340	2,242	2,523
Female	24,510	2,293	2,227	2,247	1,992	1,957	1,925	1,900	1,858	1,898	2,036	1,946	2,231
White	40,005	3,630	3,607	3,691	3,226	3,259	3,143	3,166	3,114	3,105	3,304	3,191	3,569
Male	21,286	1,910	1,888	1,952	1,717	1,766	1,658	1,709	1,688	1,652	1,768	1,714	1,864
Female	18,719	1,720	1,719	1,739	1,509	1,493	1,485	1,457	1,426	1,453	1,536	1,477	1,705
All other	12,983	1,243	1,162	1,158	1,043	1,045	1,020	1,040	980	1,038	1,072	997	1,185
Male	7,192	670	654	650	560	581	580	597	548	593	572	528	659
Female	5,791	573	508	508	483	464	440	443	432	445	500	469	526
Black	12,561	1,198	1,126	1,121	1,006	1,013	981	1,005	956	996	1,047	966	1,146
Male	6,936	646	631	623	539	560	558	575	530	569	556	511	638
Female	5,625	552	495	498	467	453	423	430	426	427	491	455	508

SECTION 1 - GENERAL MORTALITY - PAGE 78

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
North Dakota	5,628	523	477	468	507	454	449	417	417	445	469	490	512
Male	3,133	319	259	270	290	270	237	213	240	243	274	275	275
Female	2,495	204	218	198	217	184	212	204	177	202	226	216	237
White	5,472	510	468	454	487	444	429	409	409	430	450	477	505
Male	3,041	308	252	258	280	264	227	208	239	235	231	268	271
Female	2,431	202	216	196	207	180	202	201	170	195	219	209	234
All other	156	13	9	14	20	10	20	8	8	15	19	13	7
Male	92	11	7	12	10	6	10	5	1	8	12	6	4
Female	64	2	2	2	10	4	10	3	7	7	7	7	3
Black	4	-	-	-	2	-	-	-	-	-	2	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Ohio	98,941	9,452	8,856	8,590	8,044	8,084	7,496	7,926	7,506	7,786	8,195	8,017	8,989
Male	50,726	4,790	4,505	4,352	4,066	4,168	3,871	4,102	3,875	4,048	4,211	4,103	4,635
Female	48,215	4,662	4,351	4,238	3,978	3,916	3,625	3,824	3,631	3,738	3,984	3,914	4,354
White	88,910	8,536	8,012	7,766	7,247	7,230	6,721	7,099	6,731	6,960	7,386	7,180	8,042
Male	45,326	4,298	4,040	3,893	3,643	3,722	3,477	3,654	3,452	3,593	3,766	3,650	4,138
Female	43,584	4,238	3,972	3,873	3,604	3,508	3,244	3,445	3,279	3,367	3,620	3,530	3,904
All other	10,031	916	844	824	797	854	775	827	775	826	809	837	947
Male	5,400	492	465	459	423	446	394	448	423	455	445	453	497
Female	4,631	424	379	365	374	408	381	379	352	371	364	384	450
Black	9,903	905	835	816	788	840	763	810	762	815	801	828	940
Male	5,324	484	460	455	418	440	387	442	412	448	439	448	491
Female	4,579	421	375	361	370	400	376	368	350	367	362	380	449
Oklahoma	29,782	2,784	2,608	2,571	2,376	2,420	2,423	2,327	2,306	2,278	2,517	2,464	2,708
Male	15,731	1,488	1,363	1,331	1,232	1,277	1,310	1,242	1,247	1,266	1,296	1,267	1,412
Female	14,051	1,296	1,245	1,240	1,144	1,143	1,113	1,085	1,059	1,012	1,221	1,197	1,296
White	26,836	2,529	2,366	2,313	2,127	2,175	2,173	2,116	2,087	2,040	2,252	2,210	2,448
Male	14,162	1,343	1,225	1,188	1,106	1,163	1,177	1,120	1,129	1,136	1,144	1,151	1,280
Female	12,674	1,186	1,141	1,125	1,021	1,012	996	996	958	904	1,108	1,059	1,168
All other	2,946	255	242	258	249	245	250	211	219	238	265	254	260
Male	1,569	145	138	143	126	114	133	122	118	130	152	116	132
Female	1,377	110	104	115	123	131	117	89	101	108	113	138	128
Black	1,952	161	164	178	172	165	164	135	141	165	167	159	181
Male	1,029	85	97	102	77	76	85	81	83	83	95	69	96
Female	923	76	67	76	95	89	79	54	58	82	72	90	85
Oregon	23,896	2,290	2,013	2,161	1,991	1,884	1,830	2,000	1,891	1,852	1,953	1,973	2,058
Male	12,871	1,211	1,081	1,131	1,086	1,016	988	1,089	1,017	1,029	1,072	1,046	1,105
Female	11,025	1,079	932	1,030	905	868	842	911	874	823	881	927	953
White	23,328	2,240	1,969	2,120	1,934	1,844	1,785	1,955	1,833	1,798	1,914	1,930	2,008
Male	12,527	1,187	1,047	1,108	1,049	990	957	1,059	978	999	1,055	1,018	1,080
Female	10,801	1,053	922	1,012	885	854	828	896	855	799	859	912	928
All other	588	50	44	41	57	40	45	45	58	54	39	43	52
Male	344	24	34	23	37	26	31	30	39	30	17	28	25
Female	224	26	10	18	20	14	14	15	19	24	22	15	27
Black	301	30	28	20	32	21	25	23	29	24	15	28	26
Male	182	12	24	10	18	12	18	15	20	11	6	18	17
Female	119	18	4	10	13	9	7	8	9	13	9	10	9
Pennsylvania	123,854	11,813	10,985	10,971	10,275	10,009	9,374	9,734	9,496	9,544	10,354	10,026	11,273
Male	63,398	5,977	5,521	5,620	5,250	5,186	4,813	4,977	4,906	4,976	5,285	5,107	5,780
Female	60,456	5,836	5,464	5,351	5,025	4,823	4,561	4,757	4,590	4,568	5,069	4,919	5,493
White	112,425	10,719	9,988	9,963	9,346	9,087	8,494	8,804	8,607	8,634	9,430	9,152	10,201
Male	57,200	5,405	5,000	5,068	4,752	4,682	4,320	4,473	4,420	4,466	4,787	4,616	5,211
Female	55,225	5,314	4,988	4,895	4,594	4,405	4,174	4,331	4,187	4,168	4,643	4,536	4,990
All other	11,429	1,094	997	1,008	929	922	880	930	889	910	924	874	1,072
Male	6,198	572	521	552	498	504	493	504	486	510	498	491	569
Female	5,231	522	476	456	431	418	387	426	403	400	426	383	503
Black	11,240	1,070	988	991	921	912	860	917	887	888	912	858	1,056
Male	6,085	557	517	543	493	500	480	496	473	493	493	481	559
Female	5,155	513	471	448	428	412	380	421	394	395	419	377	497
Rhode Island	9,647	939	912	892	756	798	746	755	718	749	759	791	832
Male	4,806	438	450	434	360	401	382	383	367	377	390	402	422
Female	4,841	501	462	458	396	397	364	372	351	372	369	389	410
White	9,352	922	884	868	718	771	724	734	691	722	739	768	811
Male	4,645	429	436	421	337	385	371	375	352	364	380	388	407
Female	4,707	493	448	447	381	386	353	359	339	356	359	380	404
All other	295	17	28	24	38	27	22	21	27	27	20	23	21
Male	161	9	14	13	23	16	11	8	15	13	10	14	15
Female	134	8	14	11	15	11	13	13	12	14	10	9	6
Black	250	16	22	18	35	23	20	20	23	24	11	18	20
Male	142	9	10	12	21	14	11	8	13	13	5	12	14
Female	108	7	12	6	14	9	9	12	10	11	6	6	6
South Carolina	27,099	2,484	2,494	2,432	2,124	2,151	2,117	2,205	2,061	2,092	2,240	2,162	2,537
Male	14,658	1,377	1,281	1,285	1,161	1,214	1,158	1,199	1,112	1,159	1,198	1,160	1,344
Female	12,441	1,107	1,213	1,137	963	937	959	1,006	949	933	1,042	1,002	1,193
White	18,409	1,653	1,699	1,680	1,446	1,441	1,414	1,475	1,400	1,419	1,552	1,504	1,726
Male	9,963	902	886	872	797	802	782	797	756	781	845	824	919
Female	8,446	751	813	808	649	639	632	678	644	638	707	680	807
All other	8,690	831	795	752	678	710	703	730	681	673	688	658	811
Male	4,695	475	395	423	364	412	376	402	356	378	353	338	425
Female	3,995	356	400	329	314	298	327	328	305	295	335	322	386
Black	8,660	830	792	750	674	708	699	727	658	671	687	655	809
Male	4,661	475	394	423	362	412	373	399	355	377	352	335	424
Female	3,979	355	398	327	312	296	326	328	303	294	335	320	385

SECTION 1 - GENERAL MORTALITY - PAGE 79

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
South Dakota	6,603	626	569	636	556	542	464	507	497	516	581	550	559
Male	3,580	332	295	354	285	295	275	285	257	294	307	295	306
Female	3,023	294	274	282	271	247	189	222	240	222	274	255	253
White	6,216	591	532	584	535	514	433	482	479	473	550	505	538
Male	3,352	311	277	318	272	281	257	268	245	270	289	272	292
Female	2,864	280	255	266	263	233	176	214	234	203	261	233	246
All other	387	35	37	52	21	28	31	25	18	43	31	45	21
Male	228	21	18	36	13	14	18	17	12	24	18	23	14
Female	159	14	19	16	8	14	13	8	6	19	13	22	7
Black	6	-	1	2	1	1	-	1	-	-	-	-	-
Male	3	-	1	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	1	1	-	-	-	-	-	-	-
Tennessee	43,226	4,216	3,870	3,723	3,507	3,501	3,287	3,484	3,434	3,395	3,467	3,383	3,959
Male	23,139	2,230	1,983	1,984	1,902	1,943	1,794	1,915	1,868	1,868	1,829	1,759	2,064
Female	20,087	1,986	1,887	1,739	1,605	1,558	1,493	1,569	1,566	1,527	1,638	1,624	1,895
White	35,775	3,471	3,230	3,085	2,934	2,933	2,699	2,883	2,839	2,808	2,867	2,786	3,240
Male	19,165	1,859	1,682	1,641	1,581	1,630	1,483	1,597	1,568	1,540	1,499	1,430	1,655
Female	16,610	1,612	1,548	1,444	1,353	1,303	1,216	1,286	1,271	1,268	1,368	1,356	1,585
All other	7,451	745	640	638	573	568	588	601	595	587	600	597	719
Male	3,974	371	301	343	321	313	311	318	300	328	330	329	409
Female	3,477	374	339	295	252	255	277	283	295	259	270	268	310
Black	7,404	743	637	631	564	563	587	596	584	585	597	592	715
Male	3,948	371	301	339	315	311	311	315	299	327	328	326	405
Female	3,456	372	336	292	249	252	276	281	295	258	269	266	310
Texas	118,336	11,387	10,565	10,226	9,478	9,551	9,113	9,515	9,622	8,990	9,578	9,603	10,708
Male	64,640	6,065	5,713	5,624	5,217	5,323	4,993	5,198	5,261	4,979	5,206	5,170	5,891
Female	53,696	5,322	4,852	4,602	4,261	4,228	4,120	4,317	4,361	4,011	4,372	4,433	4,817
White	102,312	9,910	9,151	8,824	8,227	8,185	7,893	8,225	8,285	7,718	8,283	8,328	9,283
Male	55,780	5,270	4,872	4,873	4,524	4,551	4,299	4,472	4,547	4,229	4,477	4,492	5,074
Female	46,532	4,640	4,179	3,951	3,703	3,634	3,594	3,753	3,738	3,489	3,806	3,836	4,209
All other	16,024	1,477	1,414	1,402	1,251	1,366	1,220	1,290	1,337	1,272	1,295	1,275	1,425
Male	8,860	795	741	751	693	772	694	726	714	750	729	678	817
Female	7,164	682	673	651	558	594	526	564	623	522	566	597	608
Black	15,596	1,433	1,373	1,364	1,224	1,330	1,185	1,261	1,311	1,234	1,266	1,228	1,387
Male	8,614	769	723	732	681	752	673	708	697	727	710	650	792
Female	6,982	664	650	632	543	578	512	553	614	507	556	578	595
Utah	9,049	877	771	817	719	771	691	714	745	698	752	769	725
Male	4,896	451	405	412	416	435	368	400	414	394	401	424	376
Female	4,153	426	366	405	303	336	323	314	331	304	351	345	349
White	8,815	861	747	797	704	752	665	695	728	685	735	744	702
Male	4,755	443	391	402	407	423	353	385	402	387	392	408	362
Female	4,060	418	356	395	297	329	312	310	326	298	343	336	340
All other	234	16	24	20	15	19	26	19	17	13	17	25	23
Male	141	8	14	10	9	12	15	15	12	7	9	16	14
Female	93	8	10	10	6	7	11	4	5	6	8	9	9
Black	54	4	6	6	3	1	3	6	4	3	4	8	6
Male	34	1	4	2	3	1	1	4	3	2	2	7	4
Female	20	3	2	4	-	-	2	2	1	1	2	1	2
Vermont	4,662	432	372	392	381	428	379	402	349	358	382	381	406
Male	2,384	222	188	195	179	231	203	210	190	185	207	189	185
Female	2,278	210	184	197	202	197	176	192	159	173	175	192	221
White	4,656	431	372	392	380	427	379	402	348	356	382	381	406
Male	2,378	221	188	195	178	230	203	210	189	183	207	189	185
Female	2,278	210	184	197	202	197	176	192	159	173	175	192	221
All other	6	1	-	-	1	1	-	-	1	2	-	-	-
Male	6	1	-	-	1	1	-	-	1	2	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	1	1	-	-	1	1	-	-	-
Male	4	-	-	-	1	1	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	45,277	4,178	4,022	4,131	3,639	3,606	3,537	3,555	3,568	3,556	3,685	3,643	4,157
Male	23,988	2,188	2,065	2,195	1,920	1,932	1,908	1,924	1,889	1,854	1,929	1,965	2,219
Female	21,289	1,990	1,957	1,936	1,719	1,674	1,629	1,631	1,679	1,702	1,756	1,678	1,938
White	35,357	3,257	3,173	3,236	2,784	2,864	2,737	2,759	2,775	2,785	2,906	2,829	3,252
Male	18,494	1,662	1,612	1,709	1,447	1,525	1,465	1,467	1,444	1,424	1,529	1,460	1,720
Female	16,863	1,595	1,561	1,527	1,337	1,339	1,272	1,292	1,331	1,361	1,377	1,369	1,532
All other	9,920	921	849	895	855	742	800	796	793	771	779	814	905
Male	5,494	526	453	486	473	407	443	457	445	430	400	475	499
Female	4,426	395	396	409	382	335	357	339	348	341	379	339	406
Black	9,711	899	837	883	834	726	784	760	780	751	753	794	890
Male	5,373	512	445	478	463	397	433	447	433	421	392	463	489
Female	4,338	387	392	405	371	329	351	333	347	330	361	331	401
Washington	34,504	3,144	2,997	3,062	2,906	2,935	2,616	2,817	2,630	2,601	2,959	2,751	3,086
Male	18,330	1,632	1,548	1,584	1,545	1,581	1,422	1,496	1,402	1,407	1,596	1,462	1,655
Female	16,174	1,512	1,449	1,478	1,361	1,354	1,194	1,321	1,228	1,194	1,363	1,289	1,431
White	32,921	2,995	2,872	2,926	2,779	2,806	2,486	2,682	2,496	2,486	2,819	2,614	2,960
Male	17,410	1,538	1,474	1,508	1,472	1,499	1,350	1,426	1,320	1,342	1,524	1,381	1,576
Female	15,511	1,457	1,398	1,418	1,307	1,307	1,136	1,256	1,176	1,144	1,295	1,233	1,384
All other	1,583	149	125	136	127	129	130	135	134	115	140	137	126
Male	920	94	74	76	73	82	72	70	82	65	72	81	79
Female	663	55	51	60	54	47	58	65	52	50	68	56	47
Black	716	58	61	67	55	54	62	60	56	52	67	64	60
Male	423	40	37	36	37	34	34	30	35	32	34	37	37
Female	293	18	24	31	18	20	28	30	21	20	33	27	23

Table 1-20. Deaths by Month, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
West Virginia	19,444	1,861	1,628	1,736	1,633	1,559	1,518	1,463	1,484	1,520	1,600	1,665	1,775
Male	10,385	998	860	920	902	865	816	774	778	797	831	897	947
Female	9,059	863	768	818	731	694	702	689	706	723	769	768	828
White	18,581	1,758	1,551	1,664	1,491	1,455	1,387	1,406	1,462	1,536	1,609	1,699	1,699
Male	9,936	947	815	885	863	830	788	732	741	760	806	862	907
Female	8,645	811	736	779	700	661	667	655	665	702	730	747	792
All other	863	103	77	74	70	68	63	76	78	58	64	56	76
Male	449	51	45	35	39	35	28	42	37	37	25	35	40
Female	414	52	32	39	31	33	35	34	41	21	39	21	36
Black	853	103	73	74	69	67	62	75	77	58	64	56	75
Male	442	51	43	35	38	34	28	41	36	37	25	35	39
Female	411	52	30	39	31	33	34	34	41	21	39	21	36
Wisconsin	41,492	3,953	3,595	3,644	3,323	3,326	3,129	3,214	3,076	3,215	3,614	3,540	3,863
Male	21,704	2,051	1,810	1,897	1,739	1,735	1,628	1,702	1,667	1,747	1,896	1,831	2,002
Female	19,788	1,902	1,785	1,747	1,585	1,591	1,501	1,512	1,409	1,468	1,718	1,709	1,861
White	40,145	3,615	3,489	3,540	3,226	3,209	3,014	3,101	2,981	3,111	3,488	3,444	3,727
Male	20,940	1,970	1,750	1,839	1,683	1,678	1,563	1,642	1,616	1,678	1,828	1,774	1,921
Female	19,205	1,645	1,739	1,701	1,543	1,531	1,451	1,459	1,365	1,435	1,660	1,670	1,806
All other	1,347	138	106	104	97	117	115	113	95	104	126	96	136
Male	764	81	60	58	55	57	65	60	51	71	68	57	81
Female	583	57	46	46	42	60	50	53	44	33	58	39	55
Black	1,075	116	80	78	78	98	90	86	73	84	102	79	111
Male	618	70	43	44	45	48	51	45	43	56	57	51	65
Female	457	46	37	34	33	50	39	41	30	28	45	28	46
Wyoming	3,279	297	295	279	278	271	252	286	298	229	277	245	272
Male	1,858	164	160	157	146	151	140	161	174	142	172	134	157
Female	1,421	133	135	122	132	120	112	125	124	87	105	111	115
White	3,191	281	290	275	271	266	245	281	288	220	267	242	265
Male	1,797	153	158	154	142	148	136	157	166	136	164	132	151
Female	1,394	128	132	121	129	118	109	124	122	84	103	110	114
All other	88	16	5	4	7	5	7	5	10	9	10	3	7
Male	61	11	2	3	4	3	4	4	8	6	8	2	6
Female	27	5	3	1	3	2	3	1	2	3	2	1	1
Black	25	5	2	2	3	1	1	-	1	1	5	1	3
Male	15	2	2	2	2	-	1	-	-	-	4	-	2
Female	10	3	-	-	1	1	-	-	1	1	1	1	1

Table 1-21. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1985

Area	All races			White			Black			Indian +		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
United States	2,086,440	1,097,758	988,682	1,819,054	950,455	868,599	244,207	133,610	110,597	7,154	4,181	2,973
Alabama	37,603	20,023	17,580	27,240	14,529	12,711	10,344	5,486	4,858	6	4	2
Alaska	2,068	1,345	723	1,441	942	499	66	41	25	529	342	187
Arizona	24,619	13,876	10,743	22,955	12,881	10,074	560	332	228	1,019	622	397
Arkansas	24,137	13,130	11,007	20,137	11,014	9,123	3,977	2,107	1,870	13	3	10
California	201,911	106,428	95,483	179,320	93,522	85,798	15,161	8,487	6,674	623	335	288
Colorado	20,236	10,607	9,629	19,403	10,179	9,224	678	345	333	59	33	26
Connecticut	28,170	14,257	13,913	26,505	13,340	13,165	1,610	889	721	9	5	4
Delaware	5,475	2,831	2,644	4,572	2,318	2,254	878	498	380	13	11	2
District of Columbia	6,981	3,710	3,271	1,802	826	976	5,139	2,855	2,284	3	-	3
Florida	121,108	66,694	54,414	108,226	59,564	48,662	12,680	7,022	5,658	47	25	22
Georgia	48,657	25,982	22,675	35,061	18,721	16,340	13,516	7,221	6,295	9	5	4
Hawaii	5,825	3,457	2,368	1,802	1,056	746	53	38	15	8	2	6
Idaho	7,115	3,899	3,216	7,005	3,837	3,168	20	15	5	67	36	31
Illinois	102,279	52,486	49,793	87,709	44,420	43,289	14,185	7,843	6,342	71	45	26
Indiana	48,195	25,046	23,149	44,590	23,091	21,499	3,569	1,935	1,634	5	1	4
Iowa	27,834	14,212	13,622	27,482	14,013	13,469	313	177	136	18	10	8
Kansas	22,057	11,244	10,813	20,965	10,667	10,298	1,009	528	481	52	27	25
Kentucky	34,865	18,601	16,264	32,106	17,169	14,937	2,732	1,423	1,309	5	3	2
Louisiana	37,029	19,864	17,165	35,217	13,551	11,666	11,709	6,246	5,463	33	23	10
Maine	11,420	5,834	5,486	11,373	5,905	5,468	22	10	12	18	13	5
Maryland	36,620	19,181	17,439	28,506	14,609	13,897	7,912	4,446	3,466	11	10	1
Massachusetts	55,593	27,232	28,361	53,599	26,151	27,448	1,781	950	831	27	13	14
Michigan	78,722	41,892	36,830	67,567	35,528	32,039	10,907	6,234	4,673	131	56	75
Minnesota	34,801	17,812	16,889	34,125	17,504	16,621	363	220	143	201	124	77
Mississippi	24,691	13,391	11,300	15,898	8,651	7,247	8,710	4,691	4,019	54	32	22
Missouri	50,368	25,887	24,481	45,272	23,131	22,141	5,019	2,714	2,305	26	20	6
Montana	6,724	3,720	3,004	6,429	3,543	2,886	8	3	5	278	168	110
Nebraska	14,903	7,745	7,158	14,433	7,479	6,954	381	217	164	76	40	36
Nevada	7,236	4,273	2,963	6,754	3,974	2,780	345	216	129	81	50	31
New Hampshire	8,483	4,278	4,205	8,454	4,267	4,187	17	9	8	2	-	2
New Jersey	71,128	36,905	34,223	62,571	32,136	30,435	8,241	4,591	3,650	36	21	15
New Mexico	9,783	5,562	4,201	8,951	5,047	3,904	187	114	73	604	392	212
New York	172,117	87,449	84,668	148,878	74,733	74,145	21,800	11,852	9,948	173	92	81
North Carolina	52,988	28,478	24,510	40,005	21,286	18,719	12,561	6,936	5,625	380	232	148
North Dakota	5,628	3,133	2,495	5,472	3,041	2,431	4	2	2	145	86	59
Ohio	98,941	50,726	48,215	88,910	45,326	43,584	9,903	5,324	4,579	37	19	18
Oklahoma	29,782	15,731	14,051	26,836	14,162	12,674	1,952	1,029	923	948	516	432
Oregon	23,896	12,871	11,025	23,328	12,527	10,801	301	182	119	119	72	47
Pennsylvania	123,854	63,398	60,456	112,425	57,200	55,225	11,240	6,085	5,155	19	13	6
Rhode Island	9,647	4,806	4,841	9,352	4,645	4,707	250	142	108	22	7	15
South Carolina	27,099	14,658	12,441	18,409	9,963	8,446	8,660	4,681	3,979	11	5	6
South Dakota	6,603	3,580	3,023	6,216	3,352	2,864	6	3	3	379	224	155
Tennessee	43,226	23,139	20,087	35,775	19,165	16,610	7,404	3,948	3,456	7	3	4
Texas	118,336	64,640	53,696	102,312	55,780	46,532	15,596	8,614	6,982	41	26	15
Utah	9,049	4,896	4,153	8,815	4,755	4,060	54	34	20	115	68	47
Vermont	4,662	2,384	2,278	4,656	2,378	2,278	4	4	-	1	1	-
Virginia	45,277	23,988	21,289	35,357	18,494	16,863	9,711	5,373	4,338	25	16	9
Washington	34,504	18,330	16,174	32,921	17,410	15,511	716	423	293	331	170	161
West Virginia	19,444	10,385	9,059	18,581	9,936	8,645	853	442	411	1	-	1
Wisconsin	41,492	21,704	19,788	40,145	20,940	19,205	1,075	618	457	204	114	90
Wyoming	3,279	1,858	1,421	3,191	1,797	1,394	25	15	10	62	46	16

SECTION 1 - GENERAL MORTALITY - PAGE 83

Table 1-21. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1985—Con.

Area	Chinese			Japanese			Filipino			Other Asian or Pacific Islander			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
United States	4,168	2,422	1,746	3,459	1,776	1,683	3,138	2,210	928	5,122	3,033	2,089	138	71	67
Alabama	1	1	-	2	-	2	1	1	-	9	2	7	-	-	-
Alaska	2	2	-	3	1	2	9	8	1	17	8	9	1	1	-
Arizona	37	17	20	6	1	5	14	8	6	28	15	13	-	-	-
Arkansas	7	3	4	-	-	-	1	-	-	2	2	-	-	-	-
California	2,013	1,150	863	1,367	686	681	1,827	1,273	554	1,545	947	596	55	28	27
Colorado	9	5	4	31	14	17	6	5	1	49	25	24	1	1	-
Connecticut	16	9	7	2	2	-	2	1	1	26	11	15	-	-	-
Delaware	4	2	2	-	-	-	1	-	1	3	-	3	4	2	2
District of Columbia	25	20	5	-	-	-	6	3	3	6	6	-	-	-	-
Florida	47	26	21	8	3	5	16	9	7	74	38	36	10	7	3
Georgia	17	6	11	2	-	2	5	2	3	47	27	20	-	-	-
Hawaii	382	202	180	1,622	903	719	800	609	191	1,158	647	511	-	-	-
Idaho	3	2	1	8	2	6	2	1	1	9	6	3	1	-	1
Illinois	104	59	45	52	23	29	35	21	14	119	73	46	4	2	2
Indiana	5	5	-	3	-	3	3	2	1	19	12	7	1	-	1
Iowa	4	3	1	1	-	1	-	-	-	16	9	7	-	-	-
Kansas	5	5	-	2	-	2	-	-	-	24	17	7	-	-	-
Kentucky	2	-	2	6	-	6	3	-	3	11	6	5	-	-	-
Louisiana	10	9	1	1	-	1	1	-	1	50	31	19	8	4	4
Maine	1	1	-	1	1	-	-	-	-	5	4	1	-	-	-
Maryland	48	24	24	10	5	5	21	14	7	111	72	39	1	1	-
Massachusetts	113	73	40	3	2	1	3	-	3	65	42	23	2	1	1
Michigan	35	24	11	6	2	4	15	10	5	60	37	23	1	1	-
Minnesota	27	14	13	5	1	4	9	6	3	71	43	28	-	-	-
Mississippi	13	6	7	-	-	-	2	-	2	14	11	3	-	-	-
Missouri	12	4	8	1	-	1	6	3	3	32	15	17	-	-	-
Montana	-	-	-	2	1	1	2	2	-	5	3	2	-	-	-
Nebraska	1	-	1	4	2	2	1	-	1	6	6	-	1	1	-
Nevada	2	1	1	-	-	-	14	10	4	39	21	18	1	1	-
New Hampshire	4	-	4	2	-	2	-	-	-	4	2	2	-	-	-
New Jersey	97	55	42	6	1	5	30	16	14	124	75	49	23	10	13
New Mexico	5	1	4	5	-	5	-	-	-	10	8	2	1	-	1
New York	748	462	286	34	19	15	51	33	18	421	254	167	12	4	8
North Carolina	6	3	3	7	1	6	2	-	2	25	19	6	2	1	1
North Dakota	1	1	-	-	-	-	4	2	2	2	1	1	-	-	-
Ohio	29	21	8	6	3	3	7	4	3	46	26	20	3	3	-
Oklahoma	6	3	3	2	-	2	5	2	3	33	19	14	-	-	-
Oregon	41	28	13	36	20	16	18	14	4	52	27	25	1	1	-
Pennsylvania	41	27	14	8	3	5	11	6	5	108	63	45	2	1	1
Rhode Island	8	4	4	2	-	2	-	-	-	13	8	5	-	-	-
South Carolina	1	1	-	3	1	2	5	3	2	10	4	6	-	-	-
South Dakota	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-
Tennessee	7	2	5	1	-	1	2	2	-	30	19	11	-	-	-
Texas	69	43	26	20	4	16	34	18	16	263	155	108	1	-	1
Utah	5	3	2	18	7	11	-	-	-	42	29	13	-	-	-
Vermont	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	38	24	14	9	4	5	40	26	14	97	51	46	-	-	-
Washington	97	63	34	142	60	82	116	90	26	179	113	66	2	1	1
West Virginia	2	1	1	-	-	-	4	3	1	3	3	-	-	-	-
Wisconsin	16	6	10	9	4	5	4	2	2	39	20	19	-	-	-
Wyoming	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

¹ Includes deaths among Aleuts and Eskimos.

² Includes 539 deaths among Hawaiians and Part-Hawaiians. (In addition there were 109 deaths among Hawaiians and Part-Hawaiians residing in other States.)

³ Includes 442 deaths among Hawaiians and Part-Hawaiians. (In addition there were 61 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
All causes	2,086,440	1,097,758	988,682	950,455	868,599	147,303	120,083	133,610	110,597
I. Infectious and parasitic diseases (001-139)									
Intestinal infectious diseases (001-009)	456	233	223	170	174	63	49	57	46
Cholera (001)	1	1	-	-	-	1	-	1	-
Due to <i>Vibrio cholerae</i> (001.0)	1	1	-	-	-	1	-	1	-
Due to <i>Vibrio cholerae</i> el tor (001.1)	-	-	-	-	-	-	-	-	-
Unspecified (001.9)	-	-	-	-	-	-	-	-	-
Typhoid and paratyphoid fevers (002)	-	-	-	-	-	-	-	-	-
Typhoid fever (002.0)	-	-	-	-	-	-	-	-	-
Paratyphoid fever A (002.1)	-	-	-	-	-	-	-	-	-
Paratyphoid fever B (002.2)	-	-	-	-	-	-	-	-	-
Paratyphoid fever C (002.3)	-	-	-	-	-	-	-	-	-
Paratyphoid fever, unspecified (002.9)	-	-	-	-	-	-	-	-	-
Other salmonella infections (003)	117	63	54	50	39	13	15	12	14
Salmonella gastroenteritis (003.0)	36	13	23	11	17	2	6	2	5
Salmonella septicemia (003.1)	60	36	24	26	15	10	9	10	9
Localized salmonella infections (003.2)	12	8	4	7	4	1	-	-	-
Other (003.8)	-	-	-	-	-	-	-	-	-
Unspecified (003.9)	9	6	3	6	3	-	-	-	-
Shigellosis (004)	17	11	6	7	6	4	-	4	-
Shigella dysenteriae (004.0)	2	2	-	2	-	-	-	-	-
Shigella flexneri (004.1)	-	-	-	-	-	-	-	-	-
Shigella boydii (004.2)	-	-	-	-	-	-	-	-	-
Shigella sonnei (004.3)	-	-	-	-	-	-	-	-	-
Other (004.8)	-	-	-	-	-	-	-	-	-
Unspecified (004.9)	15	9	6	5	6	4	-	4	-
Other food poisoning (bacterial) (005)	10	7	3	3	1	4	2	2	2
Staphylococcal food poisoning (005.0)	-	-	-	-	-	-	-	-	-
Botulism (005.1)	4	2	2	-	-	2	2	1	2
Food poisoning due to <i>Clostridium perfringens</i> (<i>Cl. welchii</i>) (005.2)	-	-	-	-	-	-	-	-	-
Food poisoning due to other <i>Clostridia</i> (005.3)	-	-	-	-	-	-	-	-	-
Food poisoning due to <i>Vibrio parahaemolyticus</i> (005.4)	-	-	-	-	-	-	-	-	-
Other bacterial food poisoning (005.8)	-	-	-	-	-	-	-	-	-
Food poisoning, unspecified (005.9)	6	5	1	3	1	2	-	1	-
Amebiasis (006)	10	5	5	3	4	2	1	2	1
Acute amebic dysentery without mention of abscess (006.0)	-	-	-	-	-	-	-	-	-
Chronic intestinal amebiasis without mention of abscess (006.1)	-	-	-	-	-	-	-	-	-
Amebic nondysenteric colitis (006.2)	-	-	-	-	-	-	-	-	-
Amebic liver abscess (006.3)	1	-	1	-	1	-	-	-	-
Amebic lung abscess (006.4)	1	1	-	-	-	1	-	1	-
Amebic brain abscess (006.5)	-	-	-	-	-	-	-	-	-
Amebic skin ulceration (006.6)	-	-	-	-	-	-	-	-	-
Amebic infection of other sites (006.8)	1	1	-	-	-	1	-	1	-
Amebiasis, unspecified (006.9)	7	3	4	3	3	-	1	-	1
Other protozoal intestinal diseases (007)	13	13	-	9	-	4	-	4	-
Balantidiasis (007.0)	-	-	-	-	-	-	-	-	-
Giardiasis (007.1)	-	-	-	-	-	-	-	-	-
Coccidiosis (007.2)	13	13	-	9	-	4	-	4	-
Intestinal trichomoniasis (007.3)	-	-	-	-	-	-	-	-	-
Other protozoal intestinal diseases (007.8)	-	-	-	-	-	-	-	-	-
Unspecified (007.9)	-	-	-	-	-	-	-	-	-
Intestinal infections due to other organisms (008)	124	55	69	47	63	8	6	6	5
<i>Escherichia coli</i> (008.0)	2	-	2	-	2	-	-	-	-
<i>Arizona</i> (008.1)	-	-	-	-	-	-	-	-	-
<i>Aerobacter aerogenes</i> (008.2)	-	-	-	-	-	-	-	-	-
<i>Proteus (mirabilis) (morganii)</i> (008.3)	-	-	-	-	-	-	-	-	-
Other specified bacteria (008.4)	10	5	5	5	5	-	-	-	-
Bacterial enteritis, unspecified (008.5)	9	5	4	3	4	2	-	1	-
Enteritis due to specified virus (008.6)	1	1	-	1	-	-	-	-	-
Other organism, not elsewhere classified (008.8)	102	44	58	38	52	6	6	5	5
Ill-defined intestinal infections (009)	164	78	86	51	61	27	25	26	24
Infectious colitis, enteritis, and gastroenteritis (009.0)	161	75	86	49	61	26	25	25	24
Infectious diarrhea (009.2)	3	3	-	2	-	1	-	1	-
Tuberculosis (010-018)	1,752	1,135	617	703	398	432	219	393	186
Primary tuberculous infection (010)	-	-	-	-	-	-	-	-	-
Primary tuberculous complex (010.0)	-	-	-	-	-	-	-	-	-
Tuberculous pleurisy in primary progressive tuberculosis (010.1)	-	-	-	-	-	-	-	-	-
Other primary progressive tuberculosis (010.8)	-	-	-	-	-	-	-	-	-
Unspecified (010.9)	-	-	-	-	-	-	-	-	-
Pulmonary tuberculosis (011)	1,354	913	441	577	296	336	145	305	123
Tuberculosis of lung, infiltrative (011.0)	-	-	-	-	-	-	-	-	-
Tuberculosis of lung, nodular (011.1)	-	-	-	-	-	-	-	-	-
Tuberculosis of lung with cavitation (011.2)	50	40	10	21	7	19	3	18	3
Tuberculosis of bronchus (011.3)	18	8	10	8	9	2	1	2	1
Tuberculous fibrosis of lung (011.4)	60	31	29	27	22	4	7	2	5
Tuberculous bronchiectasis (011.5)	11	5	6	3	5	2	1	1	-
Tuberculous pneumonia, any form (011.6)	155	116	39	67	25	49	14	45	14
Tuberculous pneumothorax (011.7)	8	5	3	4	3	1	-	1	-
Other pulmonary tuberculosis (011.8)	4	2	2	1	1	1	1	1	1
Unspecified (011.9)	1,048	706	342	448	224	258	118	235	99
Other respiratory tuberculosis (012)	14	10	4	8	1	2	3	1	3
Tuberculous pleurisy (012.0)	12	9	3	7	-	2	3	1	3

SECTION 1 - GENERAL MORTALITY - PAGE 85

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
All causes	873.9	945.0	806.6	960.0	837.1	858.6	638.1	976.8	727.7
I. Infectious and parasitic diseases (001-139)									
Intestinal infectious diseases (001-009)	0.2	0.2	0.2	0.2	0.2	0.4	0.3	0.4	0.3
Cholera (001)0	.0	-	-	-	.0	-	.0	-
Due to <i>Vibrio cholerae</i> (001.0)0	.0	-	-	-	.0	-	.0	-
Due to <i>Vibrio cholerae</i> el tor (001.1)	-	-	-	-	-	-	-	-	-
Unspecified (001.9)	-	-	-	-	-	-	-	-	-
Typhoid and paratyphoid fevers (002)	-	-	-	-	-	-	-	-	-
Typhoid fever (002.0)	-	-	-	-	-	-	-	-	-
Paratyphoid fever A (002.1)	-	-	-	-	-	-	-	-	-
Paratyphoid fever B (002.2)	-	-	-	-	-	-	-	-	-
Paratyphoid fever C (002.3)	-	-	-	-	-	-	-	-	-
Paratyphoid fever, unspecified (002.9)	-	-	-	-	-	-	-	-	-
Other salmonella infections (003)0	.1	.0	.1	.0	.1	.1	.1	.1
Salmonella gastroenteritis (003.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Salmonella septicemia (003.1)0	.0	.0	.0	.0	.1	.0	.1	.1
Localized salmonella infections (003.2)0	.0	.0	.0	.0	.0	-	-	-
Other (003.8)	-	-	-	-	-	-	-	-	-
Unspecified (003.9)0	.0	.0	.0	.0	-	-	-	-
Shigellosis (004)0	.0	.0	.0	.0	.0	-	.0	-
Shigella dysenteriae (004.0)0	.0	-	.0	-	-	-	-	-
Shigella flexneri (004.1)	-	-	-	-	-	-	-	-	-
Shigella boydii (004.2)	-	-	-	-	-	-	-	-	-
Shigella sonnei (004.3)	-	-	-	-	-	-	-	-	-
Other (004.8)	-	-	-	-	-	-	-	-	-
Unspecified (004.9)0	.0	.0	.0	.0	.0	-	.0	-
Other food poisoning (bacterial) (005)0	.0	.0	.0	.0	.0	.0	.0	.0
Staphylococcal food poisoning (005.0)	-	-	-	-	-	-	-	-	-
Botulism (005.1)0	.0	.0	-	-	.0	.0	.0	.0
Food poisoning due to <i>Clostridium perfringens</i> (Cl. welchii) (005.2)	-	-	-	-	-	-	-	-	-
Food poisoning due to other <i>Clostridia</i> (005.3)	-	-	-	-	-	-	-	-	-
Food poisoning due to <i>Vibrio parahaemolyticus</i> (005.4)	-	-	-	-	-	-	-	-	-
Other bacterial food poisoning (005.8)	-	-	-	-	-	-	-	-	-
Food poisoning, unspecified (005.9)0	.0	.0	.0	.0	.0	-	.0	-
Amebiasis (006)0	.0	.0	.0	.0	.0	.0	.0	.0
Acute amebic dysentery without mention of abscess (006.0)	-	-	-	-	-	-	-	-	-
Chronic intestinal amebiasis without mention of abscess (006.1)	-	-	-	-	-	-	-	-	-
Amebic nondysenteric colitis (006.2)	-	-	-	-	-	-	-	-	-
Amebic liver abscess (006.3)0	-	.0	-	.0	-	-	-	-
Amebic lung abscess (006.4)0	.0	-	-	-	.0	-	.0	-
Amebic brain abscess (006.5)	-	-	-	-	-	-	-	-	-
Amebic skin ulceration (006.6)	-	-	-	-	-	-	-	-	-
Amebic infection of other sites (006.8)0	.0	-	-	-	.0	-	.0	-
Amebiasis, unspecified (006.9)0	.0	.0	.0	.0	-	.0	-	.0
Other protozoal intestinal diseases (007)0	.0	-	.0	-	.0	-	.0	-
Balantidiasis (007.0)	-	-	-	-	-	-	-	-	-
Giardiasis (007.1)	-	-	-	-	-	-	-	-	-
Coccidiosis (007.2)0	.0	-	.0	-	.0	-	.0	-
Intestinal trichomoniasis (007.3)	-	-	-	-	-	-	-	-	-
Other protozoal intestinal diseases (007.8)	-	-	-	-	-	-	-	-	-
Unspecified (007.9)	-	-	-	-	-	-	-	-	-
Intestinal infections due to other organisms (008)1	.0	.1	.0	.1	.0	.0	.0	.0
<i>Escherichia coli</i> (008.0)0	-	.0	-	.0	-	-	-	-
Arizona (008.1)	-	-	-	-	-	-	-	-	-
<i>Aerobacter aerogenes</i> (008.2)	-	-	-	-	-	-	-	-	-
<i>Proteus</i> (mirabilis) (morganii) (008.3)	-	-	-	-	-	-	-	-	-
Other specified bacteria (008.4)0	.0	.0	.0	.0	-	-	-	-
Bacterial enteritis, unspecified (008.5)0	.0	.0	.0	.0	.0	-	.0	-
Enteritis due to specified virus (008.6)0	.0	-	.0	-	-	-	-	-
Other organism, not elsewhere classified (008.8)0	.0	.0	.0	.1	.0	.0	.0	.0
Ill-defined intestinal infections (009)1	.1	.1	.1	.1	.2	.1	.2	.2
Infectious colitis, enteritis, and gastroenteritis (009.0)1	.1	.1	.0	.1	.2	.1	.2	.2
Infectious diarrhea (009.2)0	.0	-	.0	-	.0	-	.0	-
Tuberculosis (010-018)7	1.0	.5	.7	.4	2.5	1.2	2.9	1.2
Primary tuberculous infection (010)	-	-	-	-	-	-	-	-	-
Primary tuberculous complex (010.0)	-	-	-	-	-	-	-	-	-
Tuberculous pleurisy in primary progressive tuberculosis (010.1)	-	-	-	-	-	-	-	-	-
Other primary progressive tuberculosis (010.8)	-	-	-	-	-	-	-	-	-
Unspecified (010.9)	-	-	-	-	-	-	-	-	-
Pulmonary tuberculosis (011)6	.8	.4	.6	.3	2.0	.8	2.2	.8
Tuberculosis of lung, infiltrative (011.0)	-	-	-	-	-	-	-	-	-
Tuberculosis of lung, nodular (011.1)0	.0	.0	.0	.0	.1	.0	.1	.0
Tuberculosis of lung with cavitation (011.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Tuberculosis of bronchus (011.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Tuberculosis fibrosis of lung (011.4)0	.0	.0	.0	.0	.0	.0	.0	-
Tuberculous bronchiectasis (011.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Tuberculous pneumonia, any form (011.6)1	.1	.0	.1	.0	.3	.1	.3	.1
Tuberculous pneumothorax (011.7)0	.0	.0	.0	.0	.0	-	.0	-
Other pulmonary tuberculosis (011.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (011.9)4	.6	.3	.5	.2	1.5	.6	1.7	.7
Other respiratory tuberculosis (012)0	.0	.0	.0	.0	.0	.0	.0	.0
Tuberculous pleurisy (012.0)0	.0	.0	.0	-	.0	.0	.0	-

SECTION 1 - GENERAL MORTALITY - PAGE 86

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number							
	All races			White		All other		
	Both sexes	Male	Female	Male	Female	Total		Black
						Male	Female	
Other respiratory tuberculosis-Con.								
Tuberculosis of intrathoracic lymph nodes (012.1)	1	1	-	1	-	-	-	-
Isolated tracheal or bronchial tuberculosis (012.2)	-	-	-	-	-	-	-	-
Tuberculous laryngitis (012.3)	-	-	-	-	-	-	-	-
Other (012.8)	1	-	1	-	1	-	-	-
Tuberculosis of meninges and central nervous system (013)	46	32	14	14	10	18	4	16
Tuberculous meningitis (013.0)	41	29	12	13	8	16	4	14
Tuberculoma of meninges (013.1)	-	-	-	-	-	-	-	-
Other (013.8)	3	1	2	-	2	1	-	1
Unspecified (013.9)	2	2	-	1	-	1	-	1
Tuberculosis of intestines, peritoneum, and mesenteric glands (014)	14	9	5	4	3	5	2	5
Tuberculosis of bones and joints (015)	48	25	23	22	18	3	5	3
Vertebral column (015.0)	46	24	22	21	18	3	4	3
Hip (015.1)	-	-	-	-	-	-	-	-
Knee (015.2)	-	-	-	-	-	-	-	-
Other bone (015.7)	-	-	-	-	-	-	-	-
Other joint (015.8)	1	-	1	-	-	-	1	-
Unspecified (015.9)	1	1	-	1	-	-	-	-
Tuberculosis of genitourinary system (016)	11	6	5	4	5	2	-	1
Kidney (016.0)	11	6	5	4	5	2	-	1
Other urinary organs (016.1)	-	-	-	-	-	-	-	-
Epididymis (016.2)	-	-	-	-	-	-	-	-
Other male genital organs (016.3)	-	-	-	-	-	-	-	-
Female genital organs (016.4)	-	-	-	-	-	-	-	-
Unspecified (016.9)	-	-	-	-	-	-	-	-
Tuberculosis of other organs (017)	67	22	45	16	29	6	16	6
Skin and subcutaneous cellular tissue (017.0)	47	10	37	9	26	1	11	1
Erythema nodosum with hypersensitivity reaction in tuberculosis (017.1)	-	-	-	-	-	-	-	-
Peripheral lymph nodes (017.2)	2	-	2	-	1	-	1	-
Eye (017.3)	-	-	-	-	-	-	-	-
Ear (017.4)	-	-	-	-	-	-	-	-
Thyroid gland (017.5)	-	-	-	-	-	-	-	-
Adrenal glands (017.6)	-	-	-	-	-	-	-	-
Spleen (017.7)	1	-	1	-	1	-	-	-
Other (017.8)	17	12	5	7	1	5	4	5
Miliary tuberculosis (018)	198	118	80	58	36	60	44	56
Acute (018.0)	3	1	2	-	2	1	-	1
Other (018.8)	-	-	-	-	-	-	-	-
Unspecified (018.9)	195	117	78	58	34	59	44	55
Zoonotic bacterial diseases (020-027)	137	73	64	63	56	10	8	7
Plague (020)	1	1	-	1	-	-	-	-
Subotic (020.0)	1	1	-	1	-	-	-	-
Cellulocutaneous (020.1)	-	-	-	-	-	-	-	-
Septicemic (020.2)	-	-	-	-	-	-	-	-
Primary pneumonic (020.3)	-	-	-	-	-	-	-	-
Secondary pneumonic (020.4)	-	-	-	-	-	-	-	-
Pneumonic, unspecified (020.5)	-	-	-	-	-	-	-	-
Other (020.8)	-	-	-	-	-	-	-	-
Unspecified (020.9)	-	-	-	-	-	-	-	-
Tularemia (021)	3	-	3	-	3	-	-	-
Anthrax (022)	-	-	-	-	-	-	-	-
Cutaneous anthrax (022.0)	-	-	-	-	-	-	-	-
Pulmonary anthrax (022.1)	-	-	-	-	-	-	-	-
Gastrointestinal anthrax (022.2)	-	-	-	-	-	-	-	-
Anthrax septicemia (022.3)	-	-	-	-	-	-	-	-
Other manifestations (022.8)	-	-	-	-	-	-	-	-
Unspecified (022.9)	-	-	-	-	-	-	-	-
Brucellosis (023)	1	-	1	-	1	-	-	-
Brucella melitensis (023.0)	-	-	-	-	-	-	-	-
Brucella abortus (023.1)	-	-	-	-	-	-	-	-
Brucella suis (023.2)	-	-	-	-	-	-	-	-
Brucella canis (023.3)	-	-	-	-	-	-	-	-
Other (023.8)	-	-	-	-	-	-	-	-
Unspecified (023.9)	1	-	1	-	1	-	-	-
Glanders (024)	-	-	-	-	-	-	-	-
Melioidosis (025)	-	-	-	-	-	-	-	-
Rat-bite fever (026)	-	-	-	-	-	-	-	-
Spirillary fever (026.0)	-	-	-	-	-	-	-	-
Streptobacillary fever (026.1)	-	-	-	-	-	-	-	-
Unspecified (026.9)	-	-	-	-	-	-	-	-
Other zoonotic bacterial diseases (027)	132	72	60	62	52	10	8	7
Listeriosis (027.0)	127	69	58	60	50	9	8	6
Erysipelothrix infection (027.1)	-	-	-	-	-	-	-	-
Pasteurellosis (027.2)	-	-	-	-	-	-	-	-
Other (027.8)	4	3	1	2	1	1	-	1
Unspecified (027.9)	1	-	1	-	1	-	-	-
Other bacterial diseases (030-041)	18,285	8,644	9,641	8,846	7,811	1,798	1,830	1,693
Leprosy (030)	-	-	-	-	-	-	-	-
Lepromatous (type L) (030.0)	2	2	-	1	-	1	-	-
Tuberculoid (type T) (030.1)	-	-	-	-	-	-	-	-
Indeterminate (group I) (030.2)	-	-	-	-	-	-	-	-
Borderline (group B) (030.3)	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 87

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other respiratory tuberculosis-Con.									
Tuberculosis of intrathoracic lymph nodes (012.1)	0.0	0.0	-	0.0	-	-	-	-	-
Isolated tracheal or bronchial tuberculosis (012.2)	-	-	-	-	-	-	-	-	-
Tuberculous laryngitis (012.3)	-	-	-	-	-	-	-	-	-
Other (012.8)	0	-	0.0	-	0.0	-	-	-	-
Tuberculosis of meninges and central nervous system (013)	0	0	0	0	0	0.1	0.0	0.1	0.0
Tuberculous meningitis (013.0)	0	0	0	0	0	1	0	1	0
Tuberculoma of meninges (013.1)	-	-	-	-	-	-	-	-	-
Other (013.8)	0	0	0	-	0	0	-	0	-
Unspecified (013.9)	0	0	-	0	-	0	-	0	-
Tuberculosis of intestines, peritoneum, and mesenteric glands (014)	0	0	0	0	0	0	0	0	0
Tuberculosis of bones and joints (015)	0	0	0	0	0	0	0	0	0
Vertebral column (015.0)	0	0	0	0	0	0	0	0	0
Hip (015.1)	-	-	-	-	-	-	-	-	-
Knee (015.2)	-	-	-	-	-	-	-	-	-
Other bone (015.7)	-	-	-	-	-	-	-	-	-
Other joint (015.8)	0	-	0	-	-	-	0	-	0
Unspecified (015.9)	0	0	-	0	-	-	-	-	-
Tuberculosis of genitourinary system (016)	0	0	0	0	0	0	-	0	-
Kidney (016.0)	0	0	0	0	0	0	-	0	-
Other urinary organs (016.1)	-	-	-	-	-	-	-	-	-
Epididymis (016.2)	-	-	...	-	...	-	...	-	...
Other male genital organs (016.3)	-	-	...	-	...	-	...	-	...
Female genital organs (016.4)	-	-	...	-	...	-	...	-
Unspecified (016.9)	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs (017)	0	0	0	0	0	0	1	0	1
Skin and subcutaneous cellular tissue (017.0)	0	0	0	0	0	0	1	0	1
Erythema nodosum with hypersensitivity reaction in tuberculosis (017.1)	-	-	-	-	-	-	-	-	-
Peripheral lymph nodes (017.2)	0	-	0	-	0	-	0	-	0
Eye (017.3)	-	-	-	-	-	-	-	-	-
Ear (017.4)	-	-	-	-	-	-	-	-	-
Thyroid gland (017.5)	-	-	-	-	-	-	-	-	-
Adrenal glands (017.6)	-	-	-	-	-	-	-	-	-
Spleen (017.7)	0	0	0	0	0	0	0	0	0
Other (017.8)	0	0	0	0	0	0	0	0	0
Miliary tuberculosis (018)	1	1	1	1	0	3	2	4	2
Acute (018.0)	0	0	0	-	0	0	-	0	-
Other (018.8)	-	-	-	-	-	-	-	-	-
Unspecified (018.9)	1	1	1	1	0	3	2	4	2
Zoonotic bacterial diseases (020-027)	1	1	1	1	1	1	0	1	0
Plague (020)	0	0	-	-	-	-	-	-	-
Bubonic (020.0)	0	0	-	0	-	-	-	-	-
Cellulocutaneous (020.1)	-	-	-	-	-	-	-	-	-
Septicemic (020.2)	-	-	-	-	-	-	-	-	-
Primary pneumonic (020.3)	-	-	-	-	-	-	-	-	-
Secondary pneumonic (020.4)	-	-	-	-	-	-	-	-	-
Pneumonic, unspecified (020.5)	-	-	-	-	-	-	-	-	-
Other (020.8)	-	-	-	-	-	-	-	-	-
Unspecified (020.9)	-	-	-	-	-	-	-	-	-
Tularemia (021)	0	-	0	-	0	-	-	-	-
Anthrax (022)	-	-	-	-	-	-	-	-	-
Cutaneous anthrax (022.0)	-	-	-	-	-	-	-	-	-
Pulmonary anthrax (022.1)	-	-	-	-	-	-	-	-	-
Gastrointestinal anthrax (022.2)	-	-	-	-	-	-	-	-	-
Anthrax septicemia (022.3)	-	-	-	-	-	-	-	-	-
Other manifestations (022.8)	-	-	-	-	-	-	-	-	-
Unspecified (022.9)	-	-	-	-	-	-	-	-	-
Brucellosis (023)	0	-	0	-	0	-	-	-	-
Brucella melitensis (023.0)	-	-	-	-	-	-	-	-	-
Brucella abortus (023.1)	-	-	-	-	-	-	-	-	-
Brucella suis (023.2)	-	-	-	-	-	-	-	-	-
Brucella canis (023.3)	-	-	-	-	-	-	-	-	-
Other (023.8)	-	-	-	-	-	-	-	-	-
Unspecified (023.9)	0	-	0	-	0	-	-	-	-
Glanders (024)	-	-	-	-	-	-	-	-	-
Melioidosis (025)	-	-	-	-	-	-	-	-	-
Rat-bite fever (026)	-	-	-	-	-	-	-	-	-
Spirillary fever (026.0)	-	-	-	-	-	-	-	-	-
Streptobacillary fever (026.1)	-	-	-	-	-	-	-	-	-
Unspecified (026.9)	-	-	-	-	-	-	-	-	-
Other zoonotic bacterial diseases (027)	1	1	0	1	1	1	0	1	0
Listeriosis (027.0)	1	1	0	1	0	1	0	0	0
Erysipelothrix infection (027.1)	-	-	-	-	-	-	-	-	-
Pasteurellosis (027.2)	0	0	0	0	0	0	-	0	-
Other (027.8)	0	-	0	-	0	-	-	-	-
Unspecified (027.9)	-	-	-	-	-	-	-	-	-
Other bacterial diseases (030-041)	7.7	7.4	7.9	6.9	7.5	10.5	9.7	12.4	11.4
Leprosy (030)	0	0	-	0	-	0	-	-	-
Lepromatous (type L) (030.0)	-	-	-	-	-	-	-	-	-
Tuberculoid (type T) (030.1)	-	-	-	-	-	-	-	-	-
Indeterminate (group I) (030.2)	-	-	-	-	-	-	-	-	-
Borderline (group B) (030.3)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 88

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Leprosy-Con.									
Other (030.8)	-	-	-	-	-	-	-	-	-
Unspecified (030.9)	2	2	-	1	-	1	-	-	-
Diseases due to other mycobacteria (031)	296	239	57	196	45	43	12	42	9
Pulmonary (031.0)	222	176	46	143	36	33	10	32	8
Cutaneous (031.1)	1	1	-	1	-	-	-	-	-
Other (031.8)	-	-	-	-	-	-	-	-	-
Unspecified (031.9)	73	62	11	52	9	10	2	10	1
Diphtheria (032)	-	-	-	-	-	-	-	-	-
Faucial diphtheria (032.0)	-	-	-	-	-	-	-	-	-
Nasopharyngeal diphtheria (032.1)	-	-	-	-	-	-	-	-	-
Anterior nasal diphtheria (032.2)	-	-	-	-	-	-	-	-	-
Laryngeal diphtheria (032.3)	-	-	-	-	-	-	-	-	-
Other (032.8)	-	-	-	-	-	-	-	-	-
Diphtheria, unspecified (032.9)	-	-	-	-	-	-	-	-	-
Whooping cough (033)	4	3	1	2	-	1	1	1	1
Bordetella pertussis (B. pertussis) (033.0)	-	-	-	-	-	-	-	-	-
Bordetella parapertussis (B. parapertussis) (033.1)	-	-	-	-	-	-	-	-	-
Other specified organism (033.8)	-	-	-	-	-	-	-	-	-
Whooping cough, unspecified organism (033.9)	4	3	1	2	-	1	1	1	1
Streptococcal sore throat and scarlatina (034)	4	1	3	1	3	-	-	-	-
Streptococcal sore throat (034.0)	3	1	2	1	2	-	-	-	-
Scarlatina (034.1)	1	-	1	-	1	-	-	-	-
Erysipelas (035)	5	2	3	2	2	-	1	-	1
Meningococcal infection (036)	257	127	130	107	103	20	27	19	25
Meningococcal meningitis (036.0)	88	37	51	32	39	5	12	5	11
Meningococcal encephalitis (036.1)	1	1	-	1	-	-	-	-	-
Meningococcal septicemia (036.2)	120	64	56	52	46	12	10	11	9
Waterhouse-Friderichsen syndrome, meningococcal (036.3)	43	22	21	19	17	3	4	3	4
Meningococcal carditis (036.4)	-	-	-	-	-	-	-	-	-
Other (036.8)	2	1	1	1	1	-	-	-	-
Unspecified (036.9)	3	2	1	2	-	-	1	-	1
Tetanus (037)	23	12	11	6	10	6	1	6	1
Septicemia (038)	17,182	8,017	9,165	6,321	7,419	1,696	1,746	1,595	1,662
Streptococcal septicemia (038.0)	179	85	94	59	74	26	20	24	20
Staphylococcal septicemia (038.1)	798	391	407	338	360	53	47	47	43
Pneumococcal septicemia (038.2)	152	75	77	56	50	19	27	16	25
Septicemia due to anaerobes (038.3)	68	36	32	33	26	3	6	2	5
Septicemia due to other gram-negative organisms (038.4)	1,805	895	910	720	730	175	180	163	171
Other specified septicemias (038.8)	103	53	50	41	43	12	7	12	7
Unspecified septicemia (038.9)	14,077	6,482	7,595	5,074	6,136	1,408	1,459	1,331	1,391
Actinomycotic infections (039)	69	43	26	39	23	4	3	4	2
Cutaneous (039.0)	-	-	-	-	-	-	-	-	-
Pulmonary (039.1)	35	25	10	24	9	1	1	1	1
Abdominal (039.2)	-	-	-	-	-	-	-	-	-
Cervicofacial (039.3)	-	-	-	-	-	-	-	-	-
Madura foot (039.4)	1	-	1	-	1	-	-	-	-
Of other specified sites (039.8)	5	2	3	2	2	-	1	-	1
Of unspecified site (039.9)	28	16	12	13	11	3	1	3	-
Other bacterial diseases (040)	158	61	97	51	78	10	19	10	19
Gas gangrene (040.0)	91	36	55	31	39	5	16	5	16
Rhinoscleroma (040.1)	-	-	-	-	-	-	-	-	-
Whipple's disease (040.2)	-	-	-	-	-	-	-	-	-
Neorobacillosis (040.3)	-	-	-	-	-	-	-	-	-
Other bacterial diseases (040.8)	67	25	42	20	39	5	3	5	3
Bacterial infection of unspecified site (041)	285	137	148	120	128	17	20	16	17
Streptococcus (041.0)	20	7	13	6	13	1	-	1	-
Staphylococcus (041.1)	65	36	29	32	24	4	5	4	5
Pneumococcus (041.2)	4	2	2	2	2	-	-	-	-
Friedlander's bacillus (041.3)	3	-	3	-	3	-	-	-	-
Escherichia coli (041.4)	8	3	5	3	5	-	-	-	-
Hemophilus influenzae (H. influenzae) (041.5)	22	7	15	4	11	3	4	2	3
Proteus (mirabilis) (morganii) (041.6)	8	3	5	2	4	1	1	1	1
Pseudomonas (041.7)	69	37	32	33	26	4	6	4	4
Other (041.8)	33	16	17	14	16	2	1	2	1
Bacterial infection, unspecified (041.9)	53	26	27	24	24	2	3	2	3
Poliomyelitis and other non-arthropod-borne viral diseases of central nervous system (045-049)	470	258	212	230	191	28	21	25	16
Acute poliomyelitis (045)	3	2	1	2	1	-	-	-	-
Acute paralytic poliomyelitis specified as bulbar (045.0)	-	-	-	-	-	-	-	-	-
Acute poliomyelitis with other paralysis (045.1)	-	-	-	-	-	-	-	-	-
Acute nonparalytic poliomyelitis (045.2)	-	-	-	-	-	-	-	-	-
Acute poliomyelitis, unspecified (045.9)	3	2	1	2	1	-	-	-	-
Slow virus infection of central nervous system (046)	270	140	130	134	121	6	9	6	6
Kuru (046.0)	-	-	-	-	-	-	-	-	-
Jakob-Creutzfeldt disease (046.1)	191	84	107	81	100	3	7	3	4
Subacute sclerosing panencephalitis (046.2)	15	9	6	9	6	-	-	-	-
Progressive multifocal leucoencephalopathy (046.3)	64	47	17	44	15	3	2	3	2
Other (046.8)	-	-	-	-	-	-	-	-	-
Unspecified (046.9)	-	-	-	-	-	-	-	-	-
Meningitis due to enterovirus (047)	24	15	9	13	6	2	3	2	3
Coxsackie virus (047.0)	-	-	-	-	-	-	-	-	-
ECHO virus (047.1)	-	-	-	-	-	-	-	-	-
Other (047.8)	-	-	-	-	-	-	-	-	-
Unspecified (047.9)	24	15	9	13	6	2	3	2	3

SECTION 1 - GENERAL MORTALITY - PAGE 89

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

[illegible]

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Poliomyelitis and other non-arthropod-borne viral diseases of central nervous system-Con.									
Other enterovirus diseases of central nervous system (048)	23	14	9	10	8	4	1	4	1
Other non-arthropod-borne viral diseases of central nervous system (049)	150	87	63	71	55	16	8	13	6
Lymphocytic choriomeningitis (049.0)	5	3	2	2	2	1	-	1	-
Meningitis due to adenovirus (049.1)	-	-	-	-	-	-	-	-	-
Other (049.8)	5	3	2	2	2	1	-	1	-
Unspecified (049.9)	140	81	59	67	51	14	8	11	-
Viral diseases accompanied by exanthem (050-057)	445	226	219	200	200	26	19	23	19
Smallpox (050)	-	-	-	-	-	-	-	-	-
Varicella major (050.0)	-	-	-	-	-	-	-	-	-
Alastrim (050.1)	-	-	-	-	-	-	-	-	-
Modified smallpox (050.2)	-	-	-	-	-	-	-	-	-
Smallpox, unspecified (050.9)	-	-	-	-	-	-	-	-	-
Cowpox and paravaccinia (051)	-	-	-	-	-	-	-	-	-
Cowpox (051.0)	-	-	-	-	-	-	-	-	-
Pseudocowpox (051.1)	-	-	-	-	-	-	-	-	-
Contagious pustular dermatitis (051.2)	-	-	-	-	-	-	-	-	-
Paravaccinia, unspecified (051.9)	-	-	-	-	-	-	-	-	-
Chickenpox (052)	68	44	24	39	17	5	7	3	7
Herpes zoster (053)	147	60	87	55	86	5	1	5	1
With meningitis (053.0)	1	1	-	1	-	-	-	-	-
With other nervous system complications (053.1)	15	5	10	5	10	-	-	-	-
With ophthalmic complications (053.2)	4	-	4	-	4	-	-	-	-
With other complications (053.7)	8	4	4	4	4	-	-	-	-
With unspecified complication (053.8)	-	-	-	-	-	-	-	-	-
Herpes zoster without mention of complication (053.9)	119	50	69	45	68	5	1	5	1
Herpes simplex (054)	223	120	103	105	92	15	11	14	11
Eczema herpeticum (054.0)	-	-	-	-	-	-	-	-	-
Genital herpes (054.1)	-	-	-	-	-	-	-	-	-
Herpetic gingivostomatitis (054.2)	-	-	-	-	-	-	-	-	-
Herpetic meningoencephalitis (054.3)	122	65	57	59	52	6	5	5	5
With ophthalmic complications (054.4)	-	-	-	-	-	-	-	-	-
Herpetic septicemia (054.5)	5	3	2	1	1	2	1	2	1
Herpetic whitlow (054.6)	-	-	-	-	-	-	-	-	-
With other complications (054.7)	45	25	20	24	19	1	1	1	1
With unspecified complication (054.8)	-	-	-	-	-	-	-	-	-
Herpes simplex without mention of complication (054.9)	51	27	24	21	20	6	4	6	4
Measles (055)	4	1	3	1	3	-	-	-	-
Postmeasles encephalitis (055.0)	1	-	1	-	1	-	-	-	-
Postmeasles pneumonia (055.1)	1	-	1	-	1	-	-	-	-
Postmeasles otitis (055.2)	-	-	-	-	-	-	-	-	-
With other complications (055.7)	1	1	-	1	-	-	-	-	-
With unspecified complication (055.8)	-	-	-	-	-	-	-	-	-
Measles without mention of complication (055.9)	1	-	1	-	1	-	-	-	-
Rubella (056)	1	1	-	-	-	1	-	1	-
With neurological complications (056.0)	-	-	-	-	-	-	-	-	-
With other complications (056.7)	-	-	-	-	-	-	-	-	-
With unspecified complication (056.8)	-	-	-	-	-	-	-	-	-
Rubella without mention of complication (056.9)	1	1	-	-	-	1	-	1	-
Other viral exanthemata (057)	2	-	2	-	2	-	-	-	-
Erythema infectiosum (fifth disease) (057.0)	1	-	1	-	1	-	-	-	-
Other (057.8)	1	-	1	-	1	-	-	-	-
Unspecified (057.9)	-	-	-	-	-	-	-	-	-
Arthropod-borne viral diseases (060-066)	4	3	1	2	1	1	-	-	-
Yellow fever (060)	-	-	-	-	-	-	-	-	-
Sylvatic (060.0)	-	-	-	-	-	-	-	-	-
Urban (060.1)	-	-	-	-	-	-	-	-	-
Unspecified (060.9)	-	-	-	-	-	-	-	-	-
Dengue (061)	1	1	-	-	-	1	-	-	-
Mosquito-borne viral encephalitis (062)	3	2	1	2	1	-	-	-	-
Japanese encephalitis (062.0)	-	-	-	-	-	-	-	-	-
Western equine encephalitis (062.1)	-	-	-	-	-	-	-	-	-
Eastern equine encephalitis (062.2)	-	-	-	-	-	-	-	-	-
St. Louis encephalitis (062.3)	-	-	-	-	-	-	-	-	-
Australian encephalitis (062.4)	3	2	1	2	1	-	-	-	-
California virus encephalitis (062.5)	-	-	-	-	-	-	-	-	-
Other (062.8)	-	-	-	-	-	-	-	-	-
Unspecified (062.9)	-	-	-	-	-	-	-	-	-
Tick-borne viral encephalitis (063)	-	-	-	-	-	-	-	-	-
Russian spring-summer (taiga) encephalitis (063.0)	-	-	-	-	-	-	-	-	-
Louping Ill (063.1)	-	-	-	-	-	-	-	-	-
Central European encephalitis (063.2)	-	-	-	-	-	-	-	-	-
Other (063.8)	-	-	-	-	-	-	-	-	-
Unspecified (063.9)	-	-	-	-	-	-	-	-	-
Viral encephallitis transmitted by other and unspecified arthropods (064)	-	-	-	-	-	-	-	-	-
Arthropod-borne hemorrhagic fever (065)	-	-	-	-	-	-	-	-	-
Crimean hemorrhagic fever (CHF Congo virus) (065.0)	-	-	-	-	-	-	-	-	-
Omsk hemorrhagic fever (065.1)	-	-	-	-	-	-	-	-	-
Kyasanur Forest disease (065.2)	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Poliomyelitis and other non-arthropod-borne viral diseases of central nervous system-Con.									
Other enterovirus diseases of central nervous system (048)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other non-arthropod-borne viral diseases of central nervous system (049)1	.1	.1	.1	.1	.1	.0	.1	.0
Lymphocytic choriomeningitis (049.0)0	.0	.0	.0	.0	.0	-	.0	-
Meningitis due to adenovirus (049.1)	-	-	-	-	-	-	-	-	-
Other (049.8)0	.0	.0	.0	.0	.0	-	.0	-
Unspecified (049.9)1	.1	.0	.1	.0	.1	.0	.1	.0
Viral diseases accompanied by exanthem (050-057)2	.2	.2	.2	.2	.2	.1	.2	.1
Smallpox (050)	-	-	-	-	-	-	-	-	-
Variola major (050.0)	-	-	-	-	-	-	-	-	-
Alastrim (050.1)	-	-	-	-	-	-	-	-	-
Modified smallpox (050.2)	-	-	-	-	-	-	-	-	-
Smallpox, unspecified (050.9)	-	-	-	-	-	-	-	-	-
Cowpox and paravaccinia (051)	-	-	-	-	-	-	-	-	-
Cowpox (051.0)	-	-	-	-	-	-	-	-	-
Pseudocowpox (051.1)	-	-	-	-	-	-	-	-	-
Contagious pustular dermatitis (051.2)	-	-	-	-	-	-	-	-	-
Paravaccinia, unspecified (051.9)	-	-	-	-	-	-	-	-	-
Chickenpox (052)0	.0	.0	.0	.0	.0	.0	.0	.0
Herpes zoster (053)1	.1	.1	.1	.1	.0	.0	.0	.0
With meningitis (053.0)0	.0	-	.0	-	-	-	-	-
With other nervous system complications (053.1)0	.0	.0	.0	.0	-	-	-	-
With ophthalmic complications (053.2)0	.0	.0	.0	.0	-	-	-	-
With other complications (053.7)0	.0	.0	.0	.0	-	-	-	-
With unspecified complication (053.8)	-	-	-	-	-	-	-	-	-
Herpes zoster without mention of complication (053.9)0	.0	.1	.0	.1	.0	.0	.0	.0
Herpes simplex (054)1	.1	.1	.1	.1	.1	.1	.1	.1
Eczema herpeticum (054.0)	-	-	-	-	-	-	-	-	-
Genital herpes (054.1)	-	-	-	-	-	-	-	-	-
Herpetic gingivostomatitis (054.2)	-	-	-	-	-	-	-	-	-
Herpetic meningoencephalitis (054.3)1	.1	.0	.1	.1	.0	.0	.0	.0
With ophthalmic complications (054.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Herpetic septicemia (054.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Herpetic whitlow (054.6)0	.0	.0	.0	.0	.0	.0	.0	.0
With other complications (054.7)0	.0	.0	.0	.0	.0	.0	.0	.0
With unspecified complication (054.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Herpes simplex without mention of complication (054.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Measles (055)0	.0	-	.0	.0	-	-	-	-
Postmeasles encephalitis (055.0)0	-	.0	-	.0	-	-	-	-
Postmeasles pneumonia (055.1)0	-	.0	-	.0	-	-	-	-
Postmeasles otitis (055.2)0	-	-	-	-	-	-	-	-
With other complications (055.7)0	.0	-	.0	-	-	-	-	-
With unspecified complication (055.8)0	-	-	-	-	-	-	-	-
Measles without mention of complication (055.9)0	-	.0	-	.0	-	-	-	-
Rubella (056)0	.0	-	-	-	.0	-	.0	-
With neurological complications (056.0)	-	-	-	-	-	-	-	-	-
With other complications (056.7)	-	-	-	-	-	-	-	-	-
With unspecified complication (056.8)	-	-	-	-	-	-	-	-	-
Rubella without mention of complication (056.9)0	.0	-	-	-	.0	-	.0	-
Other viral exanthemata (057)0	-	.0	-	.0	-	-	-	-
Eryth									

SECTION 1 - GENERAL MORTALITY - PAGE 93

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Arthropod-borne hemorrhagic fever-Con.									
Other tick-borne hemorrhagic fever (065.3)	-	-	-	-	-	-	-	-	-
Mosquito-borne hemorrhagic fever (065.4)	-	-	-	-	-	-	-	-	-
Other (065.8)	-	-	-	-	-	-	-	-	-
Unspecified (065.9)	-	-	-	-	-	-	-	-	-
Other arthropod-borne viral diseases (066)	-	-	-	-	-	-	-	-	-
Phlebotomus fever (066.0)	-	-	-	-	-	-	-	-	-
Tick-borne fever (066.1)	-	-	-	-	-	-	-	-	-
Venezuelian equine fever (066.2)	-	-	-	-	-	-	-	-	-
Other mosquito-borne fever (066.3)	-	-	-	-	-	-	-	-	-
Other (066.8)	-	-	-	-	-	-	-	-	-
Unspecified (066.9)	-	-	-	-	-	-	-	-	-
Other diseases due to viruses and Chlamydiae (070-079)	0.7	0.7	0.6	0.7	0.6	0.8	0.7	0.7	0.6
Viral hepatitis (070)	.4	.5	.3	.5	.3	.5	.5	.4	.4
Viral hepatitis A with hepatic coma (070.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Viral hepatitis A without mention of hepatic coma (070.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Viral hepatitis B with hepatic coma (070.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Viral hepatitis B without mention of hepatic coma (070.3)	.2	.2	.1	.2	.1	.3	.2	.2	.1
Other specified viral hepatitis with hepatic coma (070.4)	-	-	-	-	-	-	-	-	-
Other specified viral hepatitis without mention of hepatic coma (070.5)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified viral hepatitis with hepatic coma (070.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified viral hepatitis without mention of hepatic coma (070.9)	.1	.2	.1	.1	.1	.2	.2	.2	.2
Rabies (071)	-	-	-	-	-	-	-	-	-
Mumps (072)	-	-	-	-	-	-	-	-	-
Mumps orchitis (072.0)	-	-	-	-	-	-	-	-	-
Mumps meningitis (072.1)	-	-	-	-	-	-	-	-	-
Mumps encephalitis (072.2)	-	-	-	-	-	-	-	-	-
Mumps pancreatitis (072.3)	-	-	-	-	-	-	-	-	-
Mumps with other complications (072.7)	-	-	-	-	-	-	-	-	-
Mumps with unspecified complication (072.8)	-	-	-	-	-	-	-	-	-
Mumps without mention of complication (072.9)	-	-	-	-	-	-	-	-	-
Ornithosis (073)	.0	.0	-	.0	-	-	-	-	-
Specific diseases due to Coxsackie virus (074)	.0	.0	.0	.0	.0	.0	-	.0	-
Herpangina (074.0)	-	-	-	-	-	-	-	-	-
Epidemic pleurodynia (074.1)	-	-	-	-	-	-	-	.0	-
Coxsackie carditis (074.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Hand, foot, and mouth disease (074.3)	-	-	-	-	-	-	-	-	-
Other (074.8)	-	-	-	-	-	-	-	-	-
Infectious mononucleosis (075)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Trachoma (076)	-	-	-	-	-	-	-	-	-
Initial stage (076.0)	-	-	-	-	-	-	-	-	-
Active stage (076.1)	-	-	-	-	-	-	-	-	-
Unspecified (076.9)	-	-	-	-	-	-	-	-	-
Other diseases of conjunctiva due to viruses and Chlamydiae (077)	.0	.0	-	-	-	.0	-	.0	-
Inclusion conjunctivitis (077.0)	-	-	-	-	-	-	-	-	-
Epidemic keratoconjunctivitis (077.1)	-	-	-	-	-	-	-	-	-
Pharyngoconjunctival fever (077.2)	-	-	-	-	-	-	-	-	-
Other adenoviral conjunctivitis (077.3)	-	-	-	-	-	-	-	-	-
Epidemic hemorrhagic conjunctivitis (077.4)	-	-	-	-	-	-	-	-	-
Other viral conjunctivitis (077.8)	-	-	-	-	-	.0	-	.0	-
Unspecified (077.9)	.0	.0	-	-	-	-	-	-	-
Other diseases due to viruses and Chlamydiae (078)	.1	.2	.1	.2	.1	.2	.0	.2	.0
Molluscum contagiosum (078.0)	-	-	-	-	-	.0	-	.0	-
Viral warts (078.1)	.0	.0	-	-	-	-	-	-	-
Sweating fever (078.2)	-	-	-	-	-	-	-	-	-
Cat-scratch disease (078.3)	-	-	-	-	-	-	-	-	-
Foot and mouth disease (078.4)	-	-	-	.1	.0	.1	.0	.2	.0
Cytomegalic inclusion disease (078.5)	.1	.1	.0	-	-	-	-	-	-
Hemorrhagic nephrosonephritis (078.6)	-	-	-	-	-	-	-	-	-
Arenaviral hemorrhagic fever (078.7)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (078.8)	-	-	-	-	-	-	-	-	-
Viral infection of unspecified site (079)	.1	.1	.2	.1	.2	.1	.1	.1	.1
Adenovirus (079.0)	.0	.0	-	.0	-	-	-	-	-
ECHO virus (079.1)	.0	.0	-	.0	-	-	-	-	-
Coxsackie virus (079.2)	-	-	-	-	-	-	-	-	-
Rhinovirus (079.3)	.0	.0	.0	.0	.0	.0	-	.0	-
Other (079.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (079.9)	.1	.1	.2	.1	.2	.1	.1	.1	.1
Rickettsioses and other arthropod-borne diseases (080-088)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Louse-borne (epidemic) typhus (080)	-	-	-	-	-	-	-	-	-
Other typhus (081)	.0	-	.0	-	.0	-	-	-	-
Murine (endemic) typhus (081.0)	.0	-	.0	-	.0	-	-	-	-
Brill's disease (081.1)	-	-	-	-	-	-	-	-	-
Scrub typhus (081.2)	-	-	-	-	-	-	-	-	-
Unspecified (081.9)	-	-	-	-	-	-	-	-	-
Tick-borne rickettsioses (082)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Spotted fevers (082.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Boutonneuse fever (082.1)	-	-	-	-	-	-	-	-	-
North Asian tick fever (082.2)	-	-	-	-	-	-	-	-	-
Queensland tick typhus (082.3)	-	-	-	-	-	-	-	-	-
Other (082.8)	-	-	-	-	-	-	-	-	-
Unspecified (082.9)	-	-	-	-	-	-	-	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Rickettsioses and other arthropod-borne diseases-Con.									
Other rickettsioses (083)	2	1	1	1	-	-	1	-	1
Q-fever (083.0)	-	-	-	-	-	-	-	-	-
Trench fever (083.1)	-	-	-	-	-	-	-	-	-
Rickettsialpox (083.2)	-	-	-	-	-	-	-	-	-
Other (083.8)	-	-	-	-	-	-	-	-	-
Unspecified (083.9)	2	1	1	1	-	-	1	-	1
Malaria (084)	13	7	6	4	6	3	-	1	-
Falciparum malaria (malignant tertian) (084.0)	3	2	1	2	1	-	-	-	-
Vivax malaria (benign tertian) (084.1)	-	-	-	-	-	-	-	-	-
Quartan malaria (084.2)	-	-	-	-	-	-	-	-	-
Ovale malaria (084.3)	-	-	-	-	-	-	-	-	-
Other malaria (084.4)	-	-	-	-	-	-	-	-	-
Mixed (084.5)	-	-	-	-	-	-	-	-	-
Unspecified (084.6)	7	3	4	2	4	1	-	-	-
Induced malaria (084.7)	-	-	-	-	-	-	-	-	-
Blackwater fever (084.8)	2	1	1	-	1	1	-	-	-
Other pernicious complications of malaria (084.9)	1	1	-	-	-	1	-	1	-
Leishmaniasis (085)	-	-	-	-	-	-	-	-	-
Visceral (kala-azar) (085.0)	-	-	-	-	-	-	-	-	-
Cutaneous, urban (085.1)	-	-	-	-	-	-	-	-	-
Cutaneous, Asian desert (085.2)	-	-	-	-	-	-	-	-	-
Cutaneous, Ethiopian (085.3)	-	-	-	-	-	-	-	-	-
Cutaneous, American (085.4)	-	-	-	-	-	-	-	-	-
Mucocutaneous, American (085.5)	-	-	-	-	-	-	-	-	-
Unspecified (085.9)	-	-	-	-	-	-	-	-	-
Trypanosomiasis (086)	1	1	-	1	-	-	-	-	-
Chagas' disease with heart involvement (086.0)	1	1	-	1	-	-	-	-	-
Chagas' disease with other organ involvement (086.1)	-	-	-	-	-	-	-	-	-
Chagas' disease without mention of organ involvement (086.2)	-	-	-	-	-	-	-	-	-
Gambian trypanosomiasis (086.3)	-	-	-	-	-	-	-	-	-
Rhodesian trypanosomiasis (086.4)	-	-	-	-	-	-	-	-	-
African trypanosomiasis, unspecified (086.5)	-	-	-	-	-	-	-	-	-
Unspecified (086.9)	-	-	-	-	-	-	-	-	-
Relapsing fever (087)	-	-	-	-	-	-	-	-	-
Louse-borne (087.0)	-	-	-	-	-	-	-	-	-
Tick-borne (087.1)	-	-	-	-	-	-	-	-	-
Unspecified (087.9)	-	-	-	-	-	-	-	-	-
Other arthropod-borne diseases (088)	-	-	-	-	-	-	-	-	-
Bartonellosis (088.0)	-	-	-	-	-	-	-	-	-
Other (088.8)	-	-	-	-	-	-	-	-	-
Unspecified (088.9)	-	-	-	-	-	-	-	-	-
Syphilis and other venereal diseases (090-099)	86	52	34	30	21	22	13	21	12
Congenital syphilis (090)	12	6	6	3	4	3	2	3	1
Early congenital syphilis, symptomatic (090.0)	-	-	-	-	-	-	-	-	-
Early congenital syphilis, unspecified (090.2)	-	-	-	-	-	-	-	-	-
Syphilitic interstitial keratitis (090.3)	-	-	-	-	-	-	-	-	-
Juvenile neurosyphilis (090.4)	2	1	1	1	-	-	1	-	1
Other late congenital syphilis, symptomatic (090.5)	1	1	-	1	-	-	-	-	-
Late congenital syphilis, unspecified (090.7)	-	-	-	-	-	-	-	-	-
Congenital syphilis, unspecified (090.9)	9	4	5	1	4	3	1	3	-
Early syphilis, symptomatic (091)	-	-	-	-	-	-	-	-	-
Genital syphilis, primary (091.0)	-	-	-	-	-	-	-	-	-
Primary anal syphilis (091.1)	-	-	-	-	-	-	-	-	-
Other primary syphilis (091.2)	-	-	-	-	-	-	-	-	-
Secondary syphilis of skin or mucous membranes (091.3)	-	-	-	-	-	-	-	-	-
Adenopathy due to secondary syphilis (091.4)	-	-	-	-	-	-	-	-	-
Uveitis due to secondary syphilis (091.5)	-	-	-	-	-	-	-	-	-
Secondary syphilis of viscera and bone (091.6)	-	-	-	-	-	-	-	-	-
Secondary syphilis, relapse (091.7)	-	-	-	-	-	-	-	-	-
Other forms of secondary syphilis (091.8)	-	-	-	-	-	-	-	-	-
Unspecified secondary syphilis (091.9)	-	-	-	-	-	-	-	-	-
Cardiovascular syphilis (093)	27	19	8	10	5	9	3	8	3
Aneurysm of aorta, specified as syphilitic (093.0)	4	2	2	1	1	1	1	1	1
Syphilitic aortitis (093.1)	10	7	3	5	1	2	2	2	2
Syphilitic endocarditis (093.2)	6	5	1	1	1	4	-	4	-
Other (093.8)	4	4	-	3	-	1	-	1	-
Unspecified (093.9)	3	1	2	-	2	1	-	-	-
Neurosyphilis (094)	32	20	12	14	9	6	3	6	3
Tabes dorsalis (094.0)	4	2	2	1	2	1	-	1	-
General paresis (094.1)	8	5	3	4	3	1	-	1	-
Syphilitic meningitis (094.2)	1	1	-	1	-	-	-	-	-
Other (094.8)	3	1	2	-	2	1	-	1	-
Unspecified (094.9)	16	11	5	8	2	3	3	3	3
Other forms of late syphilis with symptoms (095)	-	-	-	-	-	-	-	-	-
Other and unspecified syphilis (097)	9	4	5	2	2	2	3	2	3
Late syphilis, unspecified (097.0)	7	3	4	2	1	1	3	1	3
Syphilis, unspecified (097.9)	2	1	1	-	1	1	-	1	-
Gonococcal infections (098)	2	1	1	1	-	-	1	-	1
Acute, of lower genitourinary tract (098.0)	1	1	-	-	-	-	-	-	-
Acute, of upper genitourinary tract (098.1)	-	-	-	-	-	-	-	-	-
Chronic, of lower genitourinary tract (098.2)	-	-	-	-	-	-	-	-	-
Chronic, of upper genitourinary tract (098.3)	-	-	-	-	-	-	-	-	-
Of eye (098.4)	-	-	-	-	-	-	-	-	-
Of joint (098.5)	-	-	-	-	-	-	-	-	-
Of pharynx (098.6)	-	-	-	-	-	-	-	-	-
Of anus and rectum (098.7)	-	-	-	-	-	-	-	-	-
Of other sites (098.8)	1	-	1	-	-	-	1	-	-

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Rickettsioses and other arthropod-borne diseases-Con.									
Other rickettsioses (083)	0.0	0.0	0.0	0.0	-	-	0.0	-	0.0
Q-fever (083.0)	-	-	-	-	-	-	-	-	-
Trench fever (083.1)	-	-	-	-	-	-	-	-	-
Rickettsialpox (083.2)	-	-	-	-	-	-	-	-	-
Other (083.8)	-	-	-	-	-	-	-	-	-
Unspecified (083.9)0	.0	.0	.0	-	-	.0	-	.0
Malaria (084)0	.0	.0	.0	0.0	0.0	-	0.0	-
Falciparum malaria (malignant tertian) (084.0)0	.0	.0	.0	.0	-	-	-	-
Vivax malaria (benign tertian) (084.1)	-	-	-	-	-	-	-	-	-
Quartan malaria (084.2)	-	-	-	-	-	-	-	-	-
Ovale malaria (084.3)	-	-	-	-	-	-	-	-	-
Other malaria (084.4)	-	-	-	-	-	-	-	-	-
Mixed (084.5)	-	-	-	-	-	-	-	-	-
Unspecified (084.6)0	.0	.0	.0	.0	.0	-	-	-
Induced malaria (084.7)	-	-	-	-	-	-	-	-	-
Blackwater fever (084.8)0	.0	.0	-	.0	.0	-	.0	-
Other pernicious complications of malaria (084.9)0	.0	-	-	-	.0	-	-	-
Leishmaniasis (085)	-	-	-	-	-	-	-	-	-
Visceral (kala-azar) (085.0)	-	-	-	-	-	-	-	-	-
Cutaneous, urban (085.1)	-	-	-	-	-	-	-	-	-
Cutaneous, Asian desert (085.2)	-	-	-	-	-	-	-	-	-
Cutaneous, Ethiopian (085.3)	-	-	-	-	-	-	-	-	-
Cutaneous, American (085.4)	-	-	-	-	-	-	-	-	-
Mucocutaneous, American (085.5)	-	-	-	-	-	-	-	-	-
Unspecified (085.9)	-	-	-	-	-	-	-	-	-
Trypanosomiasis (086)0	.0	-	.0	-	-	-	-	-
Chagas' disease with heart involvement (086.0)0	.0	-	.0	-	-	-	-	-
Chagas' disease with other organ involvement (086.1)	-	-	-	-	-	-	-	-	-
Chagas' disease without mention of organ involvement (086.2)	-	-	-	-	-	-	-	-	-
Gambian trypanosomiasis (086.3)	-	-	-	-	-	-	-	-	-
Rhodesian trypanosomiasis (086.4)	-	-	-	-	-	-	-	-	-
African trypanosomiasis, unspecified (086.5)	-	-	-	-	-	-	-	-	-
Unspecified (086.9)	-	-	-	-	-	-	-	-	-
Relapsing fever (087)	-	-	-	-	-	-	-	-	-
Louse-borne (087.0)	-	-	-	-	-	-	-	-	-
Tick-borne (087.1)	-	-	-	-	-	-	-	-	-
Unspecified (087.9)	-	-	-	-	-	-	-	-	-
Other arthropod-borne diseases (088)	-	-	-	-	-	-	-	-	-
Bartonellosis (088.0)	-	-	-	-	-	-	-	-	-
Other (088.8)	-	-	-	-	-	-	-	-	-
Unspecified (088.9)	-	-	-	-	-	-	-	-	-
Syphilis and other venereal diseases (090-099)0	.0	.0	.0	.0	.1	.1	.2	.1
Congenital syphilis (090)0	.0	.0	.0	.0	.0	.0	.0	.0
Early congenital syphilis, symptomatic (090.0)	-	-	-	-	-	-	-	-	-
Early congenital syphilis, unspecified (090.2)	-	-	-	-	-	-	-	-	-
Syphilitic interstitial keratitis (090.3)	-	-	-	-	-	-	-	-	-
Juvenile neurosyphilis (090.4)0	.0	.0	.0	-	-	.0	-	.0
Other late congenital syphilis, symptomatic (090.5)0	.0	-	.0	-	-	-	-	-
Late congenital syphilis, unspecified (090.7)	-	-	-	-	-	-	-	-	-
Congenital syphilis, unspecified (090.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Early syphilis, symptomatic (091)	-	-	-	-	-	-	-	-	-
Genital syphilis, primary (091.0)	-	-	-	-	-	-	-	-	-
Primary anal syphilis (091.1)	-	-	-	-	-	-	-	-	-
Other primary syphilis (091.2)	-	-	-	-	-	-	-	-	-
Secondary syphilis of skin or mucous membranes (091.3)	-	-	-	-	-	-	-	-	-
Adenopathy due to secondary syphilis (091.4)	-	-	-	-	-	-	-	-	-
Uveitis due to secondary syphilis (091.5)	-	-	-	-	-	-	-	-	-
Secondary syphilis of viscera and bone (091.6)	-	-	-	-	-	-	-	-	-
Secondary syphilis, relapse (091.7)	-	-	-	-	-	-	-	-	-
Other forms of secondary syphilis (091.8)	-	-	-	-	-	-	-	-	-
Unspecified secondary syphilis (091.9)	-	-	-	-	-	-	-	-	-
Cardiovascular syphilis (093)0	.0	.0	.0	.0	.1	.0	.1	.0
Aneurysm of aorta, specified as syphilitic (093.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Syphilitic aortitis (093.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Syphilitic endocarditis (093.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (093.8)0	.0	-	-	.0	.0	-	-	-
Unspecified (093.9)0	.0	.0	-	.0	.0	-	-	-
Neurosyphilis (094)0	.0	.0	.0	.0	.0	.0	.0	.0
Tabes dorsalis (094.0)0	.0	.0	.0	.0	.0	.0	.0	.0
General paresis (094.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Syphilitic meningitis (094.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (094.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (094.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Other forms of late syphilis with symptoms (095)	-	-	-	-	-	-	-	-	-
Other and unspecified syphilis (097)0	.0	.0	.0	.0	.0	.0	.0	.0
Late syphilis, unspecified (097.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Syphilis, unspecified (097.9)0	.0	.0	-	.0	.0	-	.0	-
Gonococcal infections (098)0	.0	.0	.0	-	-	.0	-	.0
Acute, of lower genitourinary tract (098.0)0	.0	-	.0	-	-	-	-	-
Acute, of upper genitourinary tract (098.1)	-	-	-	-	-	-	-	-	-
Chronic, of lower genitourinary tract (098.2)	-	-	-	-	-	-	-	-	-
Chronic, of upper genitourinary tract (098.3)	-	-	-	-	-	-	-	-	-
Of eye (098.4)	-	-	-	-	-	-	-	-	-
Of joint (098.5)	-	-	-	-	-	-	-	-	-
Of pharynx (098.6)	-	-	-	-	-	-	-	-	-
Of anus and rectum (098.7)	-	-	-	-	-	-	-	-	-
Of other sites (098.8)0	-	.0	-	-	-	.0	-	.0

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Syphilis and other venereal diseases-Con.									
Other venereal diseases (099)	4	2	2	-	1	2	1	2	-
Chancroid (099.0)	-	-	-	-	-	-	-	-	-
Lymphogranuloma venereum (099.1)	3	1	2	-	1	1	1	1	-
Granuloma inguinale (099.2)	-	-	-	-	-	-	-	-	-
Reiter's disease (099.3)	1	1	-	-	-	-	-	1	-
Other nongonococcal urethritis (099.4)	-	-	-	-	-	-	-	-	-
Other (099.8)	-	-	-	-	-	-	-	-	-
Unspecified (099.9)	-	-	-	-	-	-	-	-	-
Other spirochetat diseases (100-104)	5	1	4	1	4	-	-	-	-
Leptospirosis (100)	4	1	3	1	3	-	-	-	-
Leptospirosis icterohemorrhagica (100.0)	1	-	1	-	1	-	-	-	-
Other (100.8)	-	-	-	-	-	-	-	-	-
Unspecified (100.9)	3	1	2	1	2	-	-	-	-
Vincent's angina (101)	-	-	-	-	-	-	-	-	-
Yaws (102)	-	-	-	-	-	-	-	-	-
Initial lesions (102.0)	-	-	-	-	-	-	-	-	-
Multiple papillomata and wet crab yaws (102.1)	-	-	-	-	-	-	-	-	-
Other early skin lesions (102.2)	-	-	-	-	-	-	-	-	-
Hyperkeratosis (102.3)	-	-	-	-	-	-	-	-	-
Gummata and ulcers (102.4)	-	-	-	-	-	-	-	-	-
Gangosa (102.5)	-	-	-	-	-	-	-	-	-
Bone and joint lesions (102.6)	-	-	-	-	-	-	-	-	-
Other manifestations (102.7)	-	-	-	-	-	-	-	-	-
Yaws, unspecified (102.9)	-	-	-	-	-	-	-	-	-
Pinta (103)	-	-	-	-	-	-	-	-	-
Primary lesions (103.0)	-	-	-	-	-	-	-	-	-
Intermediate lesions (103.1)	-	-	-	-	-	-	-	-	-
Late lesions (103.2)	-	-	-	-	-	-	-	-	-
Mixed lesions (103.3)	-	-	-	-	-	-	-	-	-
Unspecified (103.9)	-	-	-	-	-	-	-	-	-
Other spirochetat infection (104)	1	-	1	-	1	-	-	-	-
Nonvenereal endemic syphilis (104.0)	-	-	-	-	-	-	-	-	-
Other (104.8)	-	-	-	-	-	-	-	-	-
Unspecified (104.9)	1	-	1	-	1	-	-	-	-
Mycoses (110-118)	1,724	1,097	627	846	497	251	130	225	110
Dermatophytosis (110)	-	-	-	-	-	-	-	-	-
Of scalp and beard (110.0)	-	-	-	-	-	-	-	-	-
Of nail (110.1)	-	-	-	-	-	-	-	-	-
Of hand (110.2)	-	-	-	-	-	-	-	-	-
Of groin and perianal area (110.3)	-	-	-	-	-	-	-	-	-
Of foot (110.4)	-	-	-	-	-	-	-	-	-
Of the body (110.5)	-	-	-	-	-	-	-	-	-
Deep-seated dermatophytosis (110.6)	-	-	-	-	-	-	-	-	-
Of other sites (110.8)	-	-	-	-	-	-	-	-	-
Of unspecified site (110.9)	-	-	-	-	-	-	-	-	-
Dermatomycosis, other and unspecified (111)	1	-	1	-	1	-	-	-	-
Pityriasis versicolor (111.0)	-	-	-	-	-	-	-	-	-
Tinea nigra (111.1)	-	-	-	-	-	-	-	-	-
Tinea blanca (111.2)	-	-	-	-	-	-	-	-	-
Black piedra (111.3)	-	-	-	-	-	-	-	-	-
Other (111.8)	-	-	-	-	-	-	-	-	-
Unspecified (111.9)	1	-	1	-	1	-	-	-	-
Candidiasis (112)	695	404	291	329	238	75	53	68	45
Of mouth (112.0)	7	6	1	4	1	2	-	2	-
Of vulva and vagina (112.1)	-	-	-	-	-	-	-	-	-
Of other urogenital sites (112.2)	3	-	3	-	3	-	-	-	-
Of skin and nails (112.3)	-	-	-	-	-	-	-	-	-
Of lung (112.4)	65	49	16	41	15	8	1	7	-
Disseminated (112.5)	497	277	220	223	174	54	46	50	40
Of other sites (112.8)	37	19	18	18	16	1	2	1	2
Of unspecified site (112.9)	86	53	33	43	29	10	4	8	3
Coccidioidomycosis (114)	73	52	21	42	15	10	6	6	2
Histoplasmosis (115)	70	54	16	43	11	11	5	11	5
Infection by Histoplasma capsulatum (115.0)	11	6	5	6	3	-	2	-	2
Infection by Histoplasma duboisii (115.1)	-	-	-	-	-	-	-	-	-
Unspecified (115.9)	59	48	11	37	8	11	3	11	3
Blastomycotic infection (116)	30	23	7	17	5	6	2	5	2
Blastomycosis (116.0)	29	22	7	16	5	6	2	5	2
Paracoccidioidomycosis (116.1)	1	1	-	1	-	-	-	-	-
Lobomycosis (116.2)	-	-	-	-	-	-	-	-	-
Other mycoses (117)	854	563	291	414	227	149	64	135	56
Rhinosporidiosis (117.0)	-	-	-	-	-	-	-	-	-
Sporotrichosis (117.1)	1	1	-	1	-	-	-	-	-
Chromoblastomycosis (117.2)	-	-	-	-	-	-	-	-	-
Aspergillosis (117.3)	172	107	65	90	49	17	16	14	15
Mycotic mycetomas (117.4)	-	-	-	-	-	-	-	-	-
Cryptococcosis (117.5)	357	290	67	198	48	92	19	85	17
Allescheriosis (Petriellidosis) (117.6)	1	-	1	-	1	-	-	-	-
Zygomycosis (Phycomycosis or Mucormycosis) (117.7)	42	23	19	13	15	10	4	10	4
Infection by dematiaceous fungi (Phaeohyphomycosis) (117.8)	1	1	-	-	-	1	-	1	-
Other and unspecified (117.9)	280	141	139	112	114	29	25	25	23
Opportunistic mycoses (118)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 97

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Syphilis and other venereal diseases-Con.									
Other venereal diseases (099)	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0
Chancroid (099.0)	-	-	-	-	-	-	-	-	-
Lymphogranuloma venereum (099.1)	0	0	0	-	0	0	0	0	0
Granuloma inguinale (099.2)	-	-	-	-	-	-	-	-	-
Reiter's disease (099.3)	0	0	-	-	-	0	-	0	-
Other nongonococcal urethritis (099.4)	-	-	-	-	-	-	-	-	-
Other (099.8)	-	-	-	-	-	-	-	-	-
Unspecified (099.9)	-	-	-	-	-	-	-	-	-
Other spirochetal diseases (100-104)	0	0	0	0.0	0	-	-	-	-
Leptospirosis (100)	0	0	0	0	0	-	-	-	-
Leptospirosis icterohemorrhagica (100.0)	0	-	0	-	0	-	-	-	-
Other (100.8)	-	-	-	-	-	-	-	-	-
Unspecified (100.9)	0	0	0	0	0	-	-	-	-
Vincent's angina (101)	-	-	-	-	-	-	-	-	-
Yaws (102)	-	-	-	-	-	-	-	-	-
Initial lesions (102.0)	-	-	-	-	-	-	-	-	-
Multiple papillomata and wet crab yaws (102.1)	-	-	-	-	-	-	-	-	-
Other early skin lesions (102.2)	-	-	-	-	-	-	-	-	-
Hyperkeratosis (102.3)	-	-	-	-	-	-	-	-	-
Gummata and ulcers (102.4)	-	-	-	-	-	-	-	-	-
Gangosa (102.5)	-	-	-	-	-	-	-	-	-
Bone and joint lesions (102.6)	-	-	-	-	-	-	-	-	-
Other manifestations (102.7)	-	-	-	-	-	-	-	-	-
Yaws, unspecified (102.9)	-	-	-	-	-	-	-	-	-
Pinta (103)	-	-	-	-	-	-	-	-	-
Primary lesions (103.0)	-	-	-	-	-	-	-	-	-
Intermediate lesions (103.1)	-	-	-	-	-	-	-	-	-
Late lesions (103.2)	-	-	-	-	-	-	-	-	-
Mixed lesions (103.3)	-	-	-	-	-	-	-	-	-
Unspecified (103.9)	-	-	-	-	-	-	-	-	-
Other spirochetal infection (104)	0	-	0	-	0	-	-	-	-
Nonvenereal endemic syphilis (104.0)	-	-	-	-	-	-	-	-	-
Other (104.8)	-	-	-	-	-	-	-	-	-
Unspecified (104.9)	0	-	0	-	0	-	-	-	-
Mycoses (110-118)7	.9	.5	.9	.5	1.5	.7	1.6	.7
Dermatophytosis (110)	-	-	-	-	-	-	-	-	-
Of scalp and beard (110.0)	-	-	-	-	-	-	-	-	-
Of nail (110.1)	-	-	-	-	-	-	-	-	-
Of hand (110.2)	-	-	-	-	-	-	-	-	-
Of groin and perianal area (110.3)	-	-	-	-	-	-	-	-	-
Of foot (110.4)	-	-	-	-	-	-	-	-	-
Of the body (110.5)	-	-	-	-	-	-	-	-	-
Deep-seated dermatophytosis (110.6)	-	-	-	-	-	-	-	-	-
Of other sites (110.8)	-	-	-	-	-	-	-	-	-
Of unspecified site (110.9)	-	-	-	-	-	-	-	-	-
Dermatormycosis, other and unspecified (111)	0	-	0	-	0	-	-	-	-
Pityriasis versicolor (111.0)	-	-	-	-	-	-	-	-	-
Tinea nigra (111.1)	-	-	-	-	-	-	-	-	-
Tinea blanca (111.2)	-	-	-	-	-	-	-	-	-
Black piedra (111.3)	-	-	-	-	-	-	-	-	-
Other (111.8)	-	-	-	-	-	-	-	-	-
Unspecified (111.9)	0	-	0	-	0	-	-	-	-
Candidiasis (112)3	.3	.2	.3	.2	.4	.3	.5	.3
Of mouth (112.0)	0	0	0	0	0	0	-	0	-
Of vulva and vagina (112.1)	-	-	-	-	-	-	-	-	-
Of other urogenital sites (112.2)	0	-	0	-	0	-	-	-	-
Of skin and nails (112.3)	-	-	-	-	-	-	-	-	-
Of lung (112.4)	0	0	0	0	0	0	0	.1	-
Disseminated (112.5)2	.2	.2	.2	.2	.3	.2	.4	.3
Of other sites (112.8)	0	0	0	0	0	0	0	0	0
Of unspecified site (112.9)	0	0	0	0	0	.1	0	.1	0
Coccidioidomycosis (114)	0	0	0	0	0	.1	0	0	0
Histoplasmosis (115)	0	0	0	0	0	.1	0	.1	0
Infection by Histoplasma capsulatum (115.0)	0	0	0	0	0	-	0	-	0
Infection by Histoplasma duboisii (115.1)	-	-	-	-	-	-	-	-	-
Unspecified (115.9)	0	0	0	0	0	.1	0	.1	0
Blastomycotic infection (116)	0	0	0	0	0	0	0	0	0
Blastomycosis (116.0)	0	0	0	0	0	0	0	0	0
Paracoccidioidomycosis (116.1)	0	0	-	0	-	-	-	-	-
Lobomycosis (116.2)	-	-	-	-	-	-	-	-	-
Other mycoses (117)4	.5	.2	.4	.2	.9	.3	1.0	.4
Rhinosporidiosis (117.0)	-	-	-	-	-	-	-	-	-
Sporotrichosis (117.1)	0	0	-	0	-	-	-	-	-
Chromoblastomycosis (117.2)	-	-	-	-	-	-	-	-	-
Aspergillosis (117.3)1	.1	.1	.1	0	.1	.1	.1	.1
Mycotic mycetomas (117.4)	-	-	-	-	-	-	-	-	-
Cryptococcosis (117.5)1	.2	.1	.2	0	.5	.1	.6	.1
Atlescheriosis (Petriellidosis) (117.6)	0	0	0	0	0	-	-	-	-
Zygomycosis (Phycomycosis or Mucormycosis) (117.7)	0	0	0	0	0	.1	0	.1	0
Infection by dematiaceous fungi (Phaeohyphomycosis) (117.8)	0	0	-	-	-	0	-	0	-
Other and unspecified (117.9)1	.1	.1	.1	.1	.2	.1	.2	.2
Opportunistic mycoses (118)	0	0	-	0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 98

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Helminthiasis (120-129)	41	29	12	24	11	5	1	2	-
Schistosomiasis (bilharziasis) (120)	3	2	1	2	1	-	-	-	-
Schistosoma hematobium (120.0)	-	-	-	-	-	-	-	-	-
Schistosoma mansoni (120.1)	-	-	-	-	-	-	-	-	-
Schistosoma japonicum (120.2)	-	-	-	-	-	-	-	-	-
Cutaneous (120.3)	-	-	-	-	-	-	-	-	-
Other (120.8)	-	-	-	-	-	-	-	-	-
Unspecified (120.9)	3	2	1	2	1	-	-	-	-
Other trematode infections (121)	2	2	-	1	-	1	-	-	-
Opisthorchiasis (121.0)	-	-	-	-	-	-	-	-	-
Clonorchiasis (121.1)	2	2	-	1	-	1	-	-	-
Paragonimiasis (121.2)	-	-	-	-	-	-	-	-	-
Fascioliasis (121.3)	-	-	-	-	-	-	-	-	-
Fasciolopsiasis (121.4)	-	-	-	-	-	-	-	-	-
Metagonimiasis (121.5)	-	-	-	-	-	-	-	-	-
Heterophyiasis (121.6)	-	-	-	-	-	-	-	-	-
Other (121.8)	-	-	-	-	-	-	-	-	-
Unspecified (121.9)	-	-	-	-	-	-	-	-	-
Echinococcosis (122)	4	3	1	1	1	2	-	-	-
Echinococcus granulosus infection of liver (122.0)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection of lung (122.1)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection of thyroid (122.2)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection, other (122.3)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection, unspecified (122.4)	-	-	-	-	-	-	-	-	-
Echinococcus multilocularis infection of liver (122.5)	-	-	-	-	-	-	-	-	-
Echinococcus multilocularis infection, other (122.6)	-	-	-	-	-	-	-	-	-
Echinococcus multilocularis infection, unspecified (122.7)	-	-	-	-	-	-	-	-	-
Echinococcosis, unspecified, of liver (122.8)	1	-	1	-	1	-	-	-	-
Echinococcosis, other and unspecified (122.9)	3	3	-	1	-	2	-	-	-
Other cestode infection (123)	11	9	2	8	2	1	-	1	-
Tenia solium infection, intestinal form (123.0)	-	-	-	-	-	-	-	-	-
Cysticercosis (123.1)	11	9	2	8	2	1	-	1	-
Tenia saginata infection (123.2)	-	-	-	-	-	-	-	-	-
Teniasis, unspecified (123.3)	-	-	-	-	-	-	-	-	-
Diphyllobothriasis, intestinal (123.4)	-	-	-	-	-	-	-	-	-
Sparganosis (larval diphyllobothriasis) (123.5)	-	-	-	-	-	-	-	-	-
Hymenolepiasis (123.6)	-	-	-	-	-	-	-	-	-
Other (123.8)	-	-	-	-	-	-	-	-	-
Unspecified (123.9)	-	-	-	-	-	-	-	-	-
Trichinosis (124)	1	1	-	1	-	-	-	-	-
Filarial infection and dracontiasis (125)	-	-	-	-	-	-	-	-	-
Bancroftian filariasis (125.0)	-	-	-	-	-	-	-	-	-
Malayan filariasis (125.1)	-	-	-	-	-	-	-	-	-
Loiasis (125.2)	-	-	-	-	-	-	-	-	-
Onchocerciasis (125.3)	-	-	-	-	-	-	-	-	-
Dipetalonemiasis (125.4)	-	-	-	-	-	-	-	-	-
Mansonella ozzardi infection (125.5)	-	-	-	-	-	-	-	-	-
Other specified filariasis (125.6)	-	-	-	-	-	-	-	-	-
Dracontiasis (125.7)	-	-	-	-	-	-	-	-	-
Unspecified filariasis (125.9)	-	-	-	-	-	-	-	-	-
Ancylostomiasis and necatoriasis (126)	2	-	2	-	2	-	-	-	-
Ancylostoma duodenale (126.0)	-	-	-	-	-	-	-	-	-
Necator americanus (126.1)	-	-	-	-	-	-	-	-	-
Ancylostoma braziliense (126.2)	-	-	-	-	-	-	-	-	-
Ancylostoma ceylanicum (126.3)	-	-	-	-	-	-	-	-	-
Other specified Ancylostoma (126.8)	-	-	-	-	-	-	-	-	-
Unspecified (126.9)	2	-	2	-	2	-	-	-	-
Other intestinal helminthiasis (127)	14	9	5	9	4	-	1	-	-
Ascariasis (127.0)	-	-	-	-	4	-	-	-	-
Anisakiasis (127.1)	-	-	-	-	-	-	-	-	-
Strongyloidiasis (127.2)	14	9	5	9	4	-	1	-	-
Trichuriasis (127.3)	-	-	-	-	-	-	-	-	-
Enterobiasis (127.4)	-	-	-	-	-	-	-	-	-
Capillariasis (127.5)	-	-	-	-	-	-	-	-	-
Trichostrongyliasis (127.6)	-	-	-	-	-	-	-	-	-
Other intestinal helminthiasis (127.7)	-	-	-	-	-	-	-	-	-
Mixed intestinal helminthiasis (127.8)	-	-	-	-	-	-	-	-	-
Intestinal helminthiasis, unspecified (127.9)	-	-	-	-	-	-	-	-	-
Other and unspecified helminthiasis (128)	2	1	1	-	1	1	-	1	-
Toxocarasis (128.0)	2	1	1	-	1	1	-	1	-
Gnathostomiasis (128.1)	-	-	-	-	-	-	-	-	-
Other (128.8)	-	-	-	-	-	-	-	-	-
Unspecified (128.9)	-	-	-	-	-	-	-	-	-
Intestinal parasitism, unspecified (129)	2	2	-	2	-	-	-	-	-
Other infectious and parasitic diseases (130-136)	2,658	1,961	697	1,475	432	488	265	461	257
Toxoplasmosis (130)	125	109	16	88	9	21	7	21	7
Trichomoniasis (131)	-	-	-	-	-	-	-	-	-
Urogenital trichomoniasis (131.0)	-	-	-	-	-	-	-	-	-
Other sites (131.8)	-	-	-	-	-	-	-	-	-
Unspecified (131.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 99

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Helminthiases (120-129)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Schistosomiasis (bilharziasis) (120)0	.0	.0	.0	.0	-	-	-	-
Schistosoma hematobium (120.0)	-	-	-	-	-	-	-	-	-
Schistosoma mansoni (120.1)	-	-	-	-	-	-	-	-	-
Schistosoma japonicum (120.2)	-	-	-	-	-	-	-	-	-
Cutaneous (120.3)	-	-	-	-	-	-	-	-	-
Other (120.8)	-	-	-	-	-	-	-	-	-
Unspecified (120.9)0	.0	.0	.0	.0	-	-	-	-
Other trematode infections (121)0	.0	-	.0	-	.0	-	-	-
Opisthorchiasis (121.0)	-	-	-	-	-	-	-	-	-
Clonorchiasis (121.1)0	.0	-	.0	-	.0	-	-	-
Paragonimiasis (121.2)	-	-	-	-	-	-	-	-	-
Fascioliasis (121.3)	-	-	-	-	-	-	-	-	-
Fasciolopsiasis (121.4)	-	-	-	-	-	-	-	-	-
Metagonimiasis (121.5)	-	-	-	-	-	-	-	-	-
Heterophyiasis (121.6)	-	-	-	-	-	-	-	-	-
Other (121.8)	-	-	-	-	-	-	-	-	-
Unspecified (121.9)	-	-	-	-	-	-	-	-	-
Echinococcosis (122)0	.0	.0	.0	.0	.0	-	-	-
Echinococcus granulosus infection of liver (122.0)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection of lung (122.1)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection of thyroid (122.2)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection, other (122.3)	-	-	-	-	-	-	-	-	-
Echinococcus granulosus infection, unspecified (122.4)	-	-	-	-	-	-	-	-	-
Echinococcus multilocularis infection of liver (122.5)	-	-	-	-	-	-	-	-	-
Echinococcus multilocularis infection, other (122.6)	-	-	-	-	-	-	-	-	-
Echinococcus multilocularis infection, unspecified (122.7)	-	-	-	-	-	-	-	-	-
Echinococcosis, unspecified, of liver (122.8)0	-	.0	-	.0	-	-	-	-
Echinococcosis, other and unspecified (122.9)0	.0	-	.0	-	.0	-	-	-
Other cestode infection (123)0	.0	.0	.0	.0	.0	-	.0	-
Tenia solium infection, intestinal form (123.0)	-	-	-	-	-	-	-	-	-
Cysticercosis (123.1)0	.0	.0	.0	.0	.0	-	.0	-
Tenia saginata infection (123.2)	-	-	-	-	-	-	-	-	-
Teniasis, unspecified (123.3)	-	-	-	-	-	-	-	-	-
Diphyllobothriasis, intestinal (123.4)	-	-	-	-	-	-	-	-	-
Sparganosis (larval diphyllobothriasis) (123.5)	-	-	-	-	-	-	-	-	-
Hymenolepiasis (123.6)	-	-	-	-	-	-	-	-	-
Other (123.8)	-	-	-	-	-	-	-	-	-
Unspecified (123.9)	-	-	-	-	-	-	-	-	-
Trichinosis (124)0	.0	-	.0	-	-	-	-	-
Filarial infection and dracontiasis (125)	-	-	-	-	-	-	-	-	-
Bancroftian filariasis (125.0)	-	-	-	-	-	-	-	-	-
Malayan filariasis (125.1)	-	-	-	-	-	-	-	-	-
Loiasis (125.2)	-	-	-	-	-	-	-	-	-
Onchocerciasis (125.3)	-	-	-	-	-	-	-	-	-
Dipetalonemiasis (125.4)	-	-	-	-	-	-	-	-	-
Mansonella ozzardi infection (125.5)	-	-	-	-	-	-	-	-	-
Other specified filariasis (125.6)	-	-	-	-	-	-	-	-	-
Dracontiasis (125.7)	-	-	-	-	-	-	-	-	-
Unspecified filariasis (125.9)	-	-	-	-	-	-	-	-	-
Ancylostomiasis and necatoriasis (126)0	-	.0	-	.0	-	-	-	-
Ancylostoma duodenale (126.0)	-	-	-	-	-	-	-	-	-
Necator americanus (126.1)	-	-	-	-	-	-	-	-	-
Ancylostoma braziliense (126.2)	-	-	-	-	-	-	-	-	-
Ancylostoma ceylanicum (126.3)	-	-	-	-	-	-	-	-	-
Other specified Ancylostoma (126.8)	-	-	-	-	-	-	-	-	-
Unspecified (126.9)0	-	.0	-	.0	-	-	-	-
Other intestinal helminthiases (127)0	.0	.0	.0	.0	-	.0	-	-
Ascariasis (127.0)	-	-	-	-	-	-	-	-	-
Anisakiasis (127.1)	-	-	-	-	-	-	-	-	-
Strongyloidiasis (127.2)0	.0	.0	.0	.0	-	.0	-	-
Trichuriasis (127.3)	-	-	-	-	-	-	-	-	-
Enterobiasis (127.4)	-	-	-	-	-	-	-	-	-
Capillariasis (127.5)	-	-	-	-	-	-	-	-	-
Trichostrongyliasis (127.6)	-	-	-	-	-	-	-	-	-
Other intestinal helminthiasis (127.7)	-	-	-	-	-	-	-	-	-
Mixed intestinal helminthiasis (127.8)	-	-	-	-	-	-	-	-	-
Intestinal helminthiasis, unspecified (127.9)	-	-	-	-	-	-	-	-	-
Other and unspecified helminthiases (128)0	.0	.0	-	.0	.0	-	.0	-
Toxocariasis (128.0)0	.0	.0	-	.0	.0	-	.0	-
Gnathostomiasis (128.1)	-	-	-	-	-	-	-	-	-
Other (128.8)	-	-	-	-	-	-	-	-	-
Unspecified (128.9)	-	-	-	-	-	-	-	-	-
Intestinal parasitism, unspecified (129)0	.0	-	.0	-	-	-	-	-
Other infectious and parasitic diseases (130-136)	1.1	1.7	.6	1.5	.4	2.8	1.4	3.4	1.7
Toxoplasmosis (130)1	.1	.0	.1	.0	.1	.0	.2	.0
Trichomoniasis (131)	-	-	-	-	-	-	-	-	-
Urogenital trichomoniasis (131.0)	-	-	-	-	-	-	-	-	-
Other sites (131.8)	-	-	-	-	-	-	-	-	-
Unspecified (131.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 100

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other infectious and parasitic diseases-Con.									
Pediculosis and phthirus infestation (132)	1	1	-	1	-	-	-	-	-
Pediculus capitis (head louse) (132.0)	-	-	-	-	-	-	-	-	-
Pediculus corporis (body louse) (132.1)	-	-	-	-	-	-	-	-	-
Phthirus pubis (pubic louse) (132.2)	-	-	-	-	-	-	-	-	-
Mixed (132.3)	-	-	-	-	-	-	-	-	-
Pediculosis, unspecified (132.9)	1	1	-	1	-	-	-	-	-
Acariasis (133)	-	-	-	-	-	-	-	-	-
Scabies (133.0)	-	-	-	-	-	-	-	-	-
Other (133.8)	-	-	-	-	-	-	-	-	-
Unspecified (133.9)	-	-	-	-	-	-	-	-	-
Other infestation (134)	-	-	-	-	-	-	-	-	-
Myiasis (134.0)	-	-	-	-	-	-	-	-	-
Other arthropod infestation (134.1)	-	-	-	-	-	-	-	-	-
Hirudiniasis (134.2)	-	-	-	-	-	-	-	-	-
Other (134.8)	-	-	-	-	-	-	-	-	-
Unspecified (134.9)	-	-	-	-	-	-	-	-	-
Sarcoidosis (135)	378	141	237	51	87	90	150	90	150
Other and unspecified infectious and parasitic diseases (136)	2,154	1,710	444	1,335	336	375	108	350	100
Ainhum (136.0)	-	-	-	-	-	-	-	-	-
Behcet's syndrome (136.1)	1	-	1	-	1	-	-	-	-
Specific infections by free-living amoebas (136.2)	-	-	-	-	-	-	-	-	-
Pneumocystosis (136.3)	1,808	1,564	244	1,214	169	350	75	330	72
Psoroptermiasis (136.4)	-	-	-	-	-	-	-	-	-
Sarcosporidiosis (136.5)	-	-	-	-	-	-	-	-	-
Other (136.8)	-	-	-	-	-	-	-	-	-
Unspecified (136.9)	345	146	199	121	166	25	33	20	28
Late effects of infectious and parasitic diseases (137-139)	347	164	183	142	159	22	24	16	16
Late effects of tuberculosis (137)	231	105	126	85	104	20	22	14	14
Late effects of respiratory or unspecified tuberculosis (137.0)	230	105	125	85	104	20	21	14	13
Late effects of central nervous system tuberculosis (137.1)	-	-	-	-	-	-	-	-	-
Late effects of genitourinary tuberculosis (137.2)	-	-	-	-	-	-	-	-	-
Late effects of tuberculosis of bones and joints (137.3)	-	-	-	-	-	-	-	-	-
Late effects of tuberculosis of other specified organs (137.4)	1	-	1	-	-	-	1	-	1
Late effects of acute poliomyelitis (138)	104	53	51	51	50	2	1	2	1
Late effects of other infectious and parasitic diseases (139)	12	6	6	6	5	-	1	-	1
Late effects of viral encephalitis (139.0)	2	2	-	2	-	-	-	-	-
Late effects of trachoma (139.1)	-	-	-	-	-	-	-	-	-
Late effects of other and unspecified infectious and parasitic diseases (139.8)	10	4	6	4	5	-	1	-	1
II. Neoplasms (140-239)									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,290	5,616	2,674	4,597	2,341	1,019	333	946	297
Malignant neoplasm of lip (140)	110	82	28	82	27	-	1	-	1
Upper lip, vermillion border (140.0)	5	1	4	1	4	-	-	-	-
Lower lip, vermillion border (140.1)	13	11	2	11	2	-	-	-	-
Upper lip, inner aspect (140.3)	-	-	-	-	-	-	-	-	-
Lower lip, inner aspect (140.4)	-	-	-	-	-	-	-	-	-
Lip, unspecified, inner aspect (140.5)	-	-	-	-	-	-	-	-	-
Commissure of lip (140.6)	-	-	-	-	-	-	-	-	-
Other (140.8)	-	-	-	-	-	-	-	-	-
Lip, unspecified, vermillion border (140.9)	92	70	22	70	21	-	1	-	1
Malignant neoplasm of tongue (141)	1,875	1,270	605	1,058	537	212	68	200	64
Base of tongue (141.0)	195	142	53	118	43	24	10	23	10
Dorsal surface of tongue (141.1)	2	1	1	1	1	-	-	-	-
Tip and lateral border of tongue (141.2)	2	2	-	2	-	-	-	-	-
Ventral surface of tongue (141.3)	-	-	-	-	-	-	-	-	-
Anterior two-thirds of tongue, part unspecified (141.4)	1	-	1	-	1	-	-	-	-
Junctional zone (141.5)	1	1	-	1	-	-	-	-	-
Lingual tonsil (141.6)	6	3	3	1	2	2	1	2	1
Other (141.8)	1	1	-	1	-	-	-	-	-
Tongue, unspecified (141.9)	1,667	1,120	547	934	490	186	57	175	53
Malignant neoplasms of major salivary glands (142)	584	347	237	322	215	25	22	20	19
Parotid gland (142.0)	440	267	173	250	158	17	15	15	12
Submandibular gland (142.1)	37	23	14	22	12	1	2	-	2
Sublingual gland (142.2)	2	-	2	-	2	-	-	-	-
Other (142.8)	-	-	-	-	-	-	-	-	-
Site unspecified (142.9)	105	57	48	50	43	7	5	5	5
Malignant neoplasm of gum (143)	164	91	73	83	62	8	11	7	11
Upper gum (143.0)	27	16	11	14	9	2	2	2	2
Lower gum (143.1)	70	40	30	37	24	3	6	3	6
Other (143.8)	-	-	-	-	-	-	-	-	-
Gum, unspecified (143.9)	67	35	32	32	29	3	3	2	3
Malignant neoplasm of floor of mouth (144)	406	289	117	240	104	49	13	49	11
Anterior portion (144.0)	1	-	1	-	1	-	-	-	-
Lateral portion (144.1)	1	-	1	-	-	-	1	-	1
Other (144.8)	-	-	-	-	-	-	-	-	-
Part unspecified (144.9)	404	289	115	240	103	49	12	49	10
Malignant neoplasms of other and unspecified parts of mouth (145)	1,316	798	518	652	463	146	55	138	52
Cheek mucosa (145.0)	52	29	23	25	18	4	5	3	4
Vestibule of mouth (145.1)	-	-	-	-	-	-	-	-	-
Hard palate (145.2)	27	14	13	11	12	3	1	3	1
Soft palate (145.3)	129	82	47	64	42	18	5	18	5
Uvula (145.4)	14	10	4	10	3	-	1	-	1
Palate, unspecified (145.5)	177	103	74	83	67	20	7	19	6
Retromolar area (145.6)	44	28	15	24	13	5	2	5	2

SECTION 1 - GENERAL MORTALITY - PAGE 101

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other infectious and parasitic diseases-Con.									
Pediculosis and phthirus infestation (132)	0.0	0.0	-	0.0	-	-	-	-	-
Pediculus capitis (head louse) (132.0)	-	-	-	-	-	-	-	-	-
Pediculus corporis (body louse) (132.1)	-	-	-	-	-	-	-	-	-
Phthirus pubis (pubic louse) (132.2)	-	-	-	-	-	-	-	-	-
Mixed (132.3)	-	-	-	-	-	-	-	-	-
Pediculosis, unspecified (132.9)0	.0	-	.0	-	-	-	-	-
Acariasis (133)	-	-	-	-	-	-	-	-	-
Scabies (133.0)	-	-	-	-	-	-	-	-	-
Other (133.8)	-	-	-	-	-	-	-	-	-
Unspecified (133.9)	-	-	-	-	-	-	-	-	-
Other infestation (134)	-	-	-	-	-	-	-	-	-
Myiasis (134.0)	-	-	-	-	-	-	-	-	-
Other arthropod infestation (134.1)	-	-	-	-	-	-	-	-	-
Hirudiniasis (134.2)	-	-	-	-	-	-	-	-	-
Other (134.8)	-	-	-	-	-	-	-	-	-
Unspecified (134.9)	-	-	-	-	-	-	-	-	-
Sarcoidosis (135)2	.1	0.2	.1	0.1	0.5	0.8	0.7	1.0
Other and unspecified infectious and parasitic diseases (136)9	1.5	.4	1.3	.3	2.2	.6	2.6	.7
Ainhum (136.0)	-	-	-	-	-	-	-	-	-
Behcet's syndrome (136.1)0	-	.0	-	.0	-	-	-	-
Specific infections by free-living amoebas (136.2)	-	-	-	-	-	-	-	-	-
Pneumocystosis (136.3)8	1.3	.2	1.2	.2	2.0	.4	2.4	.5
Psorospermiasis (136.4)	-	-	-	-	-	-	-	-	-
Sarcosporidiosis (136.5)	-	-	-	-	-	-	-	-	-
Other (136.8)	-	-	-	-	-	-	-	-	-
Unspecified (136.9)1	.1	.2	.1	.2	.1	.2	.1	.2
Late effects of infectious and parasitic diseases (137-139)1	.1	.1	.1	.2	.1	.1	.1	.1
Late effects of tuberculosis (137)1	.1	.1	.1	.1	.1	.1	.1	.1
Late effects of respiratory or unspecified tuberculosis (137.0)1	.1	.1	.1	.1	.1	.1	.1	.1
Late effects of central nervous system tuberculosis (137.1)	-	-	-	-	-	-	-	-	-
Late effects of genitourinary tuberculosis (137.2)	-	-	-	-	-	-	-	-	-
Late effects of tuberculosis of bones and joints (137.3)	-	-	-	-	-	-	-	-	-
Late effects of tuberculosis of other specified organs (137.4)0	-	.0	-	-	-	.0	-	.0
Late effects of acute poliomyelitis (138)0	.0	.0	.1	.0	.0	.0	.0	.0
Late effects of other infectious and parasitic diseases (139)0	.0	.0	.0	.0	-	.0	-	.0
Late effects of viral encephalitis (139.0)0	.0	-	.0	-	-	-	-	-
Late effects of trachoma (139.1)	-	-	-	-	-	-	-	-	-
Late effects of other and unspecified infectious and parasitic diseases (139.8)0	.0	.0	.0	.0	-	.0	-	.0
II. Neoplasms (140-239)									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3.5	4.8	2.2	4.6	2.3	5.9	1.8	6.9	2.0
Malignant neoplasm of lip (140)0	.1	.0	.1	.0	-	.0	-	.0
Upper lip, vermillion border (140.0)0	.0	.0	.0	.0	-	-	-	-
Lower lip, vermillion border (140.1)0	.0	.0	.0	.0	-	-	-	-
Upper lip, inner aspect (140.3)	-	-	-	-	-	-	-	-	-
Lower lip, inner aspect (140.4)	-	-	-	-	-	-	-	-	-
Lip, unspecified, inner aspect (140.5)	-	-	-	-	-	-	-	-	-
Commissure of lip (140.6)	-	-	-	-	-	-	-	-	-
Other (140.8)	-	-	-	-	-	-	-	-	-
Lip, unspecified, vermillion border (140.9)0	.1	.0	.1	.0	-	.0	-	.0
Malignant neoplasm of tongue (141)8	1.1	.5	1.1	.5	1.2	.4	1.5	.4
Base of tongue (141.0)1	.1	.0	.1	.0	.1	.1	.2	.1
Dorsal surface of tongue (141.1)0	.0	.0	.0	.0	-	-	-	-
Tip and lateral border of tongue (141.2)0	.0	.0	.0	-	-	-	-	-
Ventral surface of tongue (141.3)	-	-	-	-	-	-	-	-	-
Anterior two-thirds of tongue, part unspecified (141.4)	-	-	.0	-	.0	-	-	-	-
Junctional zone (141.5)0	.0	-	.0	-	-	-	-	-
Lingual tonsil (141.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (141.8)0	.0	-	.0	-	-	-	-	-
Tongue, unspecified (141.9)7	1.0	.4	.9	.5	1.1	.3	1.3	.3
Malignant neoplasms of major salivary glands (142)2	.3	.2	.3	.2	.1	.1	.1	.1
Parotid gland (142.0)2	.2	.1	.3	.2	.1	.1	.1	.1
Submandibular gland (142.1)0	.0	.0	.0	.0	.0	.0	-	.0
Sublingual gland (142.2)0	-	.0	-	.0	-	-	-	-
Other (142.8)	-	-	-	-	-	-	-	-	-
Site unspecified (142.9)0	.0	.0	.1	.0	.0	.0	.0	.0
Malignant neoplasm of gum (143)1	.1	.1	.1	.1	.0	.1	.1	.1
Upper gum (143.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Lower gum (143.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (143.8)	-	-	-	-	-	-	-	-	-
Gum, unspecified (143.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Malignant neoplasm of floor of mouth (144)2	.2	.1	.2	.1	.3	.1	.4	.1
Anterior portion (144.0)0	-	.0	-	.0	-	-	-	-
Lateral portion (144.1)0	-	.0	-	-	-	.0	-	.0
Other (144.8)	-	-	-	-	-	-	-	-	-
Part unspecified (144.9)2	.2	.1	.2	.1	.3	.1	.4	.1
Malignant neoplasms of other and unspecified parts of mouth (145)6	.7	.4	.7	.4	.9	.3	1.0	.3
Cheek mucosa (145.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Vestibule of mouth (145.1)	-	-	-	-	-	-	-	-	-
Hard palate (145.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Soft palate (145.3)1	.1	.0	.1	.0	.1	.0	.1	.0
Uvula (145.4)0	.0	.0	.0	.0	-	.0	-	.0
Palate, unspecified (145.5)1	.1	.1	.1	.1	.1	.0	.1	.0
Retromolar area (145.6)0	.0	.0	-	-	.0	.0	.0	.0

SECTION 1 - GENERAL MORTALITY - PAGE 102

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasms of other and unspecified parts of mouth-Con.									
Other (145.8)	-	-	-	-	-	-	-	-	-
Mouth, unspecified (145.9)	873	531	342	435	308	96	34	90	33
Malignant neoplasm of oropharynx (146)	1,076	780	296	598	247	182	49	176	45
Tonsil (146.0)	534	380	154	298	126	82	28	77	28
Tonsillar fossa (146.1)	48	36	12	31	12	5	-	5	-
Tonsillar pillars (anterior) (posterior) (146.2)	20	15	5	10	5	5	-	5	-
Vallecula (146.3)	2	2	-	-	-	2	-	2	-
Anterior aspect of epiglottis (146.4)	-	-	-	-	-	-	-	-	-
Junctional region (146.5)	-	-	-	-	-	-	-	-	-
Lateral wall of oropharynx (146.6)	-	-	-	-	-	-	-	-	-
Posterior wall of oropharynx (146.7)	-	-	-	-	-	-	-	-	-
Other (146.8)	1	1	-	1	-	-	-	-	-
Oropharynx, unspecified (146.9)	471	346	125	258	104	88	21	87	19
Malignant neoplasm of nasopharynx (147)	646	433	213	352	174	81	39	49	21
Superior wall (147.0)	1	1	-	1	-	-	-	-	-
Posterior wall (147.1)	12	8	4	8	3	-	1	-	1
Lateral wall (147.2)	-	-	-	-	-	-	-	-	-
Anterior wall (147.3)	-	-	-	-	-	-	-	-	-
Other (147.8)	-	-	-	-	-	-	-	-	-
Nasopharynx, unspecified (147.9)	633	424	209	343	171	81	38	49	20
Malignant neoplasm of hypopharynx (148)	658	510	148	400	133	110	15	104	15
Postcricoid region (148.0)	2	2	-	2	-	-	-	-	-
Pyrimiform sinus (148.1)	284	231	53	178	50	53	3	50	3
Aryepiglottic fold, hypopharyngeal aspect (148.2)	3	2	1	1	1	1	-	1	-
Posterior hypopharyngeal wall (148.3)	1	-	1	-	1	-	-	-	-
Other (148.8)	-	-	-	-	-	-	-	-	-
Hypopharynx, unspecified (148.9)	368	275	93	219	81	56	12	53	12
Malignant neoplasms of other and ill-defined sites within the lip, oral cavity, and pharynx (149)	1,455	1,016	439	810	379	206	60	203	58
Pharynx, unspecified (149.0)	1,455	1,016	439	810	379	206	60	203	58
Waldeyer's ring (149.1)	-	-	-	-	-	-	-	-	-
Other (149.8)	-	-	-	-	-	-	-	-	-
Ill-defined (149.9)	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	61,187	55,422	52,705	48,421	8,482	7,001	7,411	6,310
Malignant neoplasm of esophagus (150)	8,613	6,409	2,204	4,841	1,698	1,568	506	1,498	487
Cervical part (150.0)	24	14	10	12	10	2	-	2	-
Thoracic part (150.1)	4	3	1	2	1	1	-	1	-
Abdominal part (150.2)	-	-	-	-	-	-	-	-	-
Upper third (150.3)	21	17	4	12	3	5	1	5	1
Middle third (150.4)	35	25	10	17	7	8	3	8	3
Lower third (150.5)	126	105	21	99	16	6	5	6	5
Other (150.8)	-	-	-	-	-	-	-	-	-
Esophagus, unspecified (150.9)	8,403	6,245	2,158	4,699	1,661	1,548	497	1,476	478
Malignant neoplasm of stomach (151)	13,951	8,345	5,606	6,842	4,621	1,503	985	1,283	832
Cardia (151.0)	528	438	90	415	87	21	3	19	3
Pylorus (151.1)	6	3	3	2	2	1	1	1	-
Pyloric antrum (151.2)	12	6	6	6	6	-	-	-	-
Fundus of stomach (151.3)	15	14	1	14	1	-	-	-	-
Body of stomach (151.4)	5	3	2	2	1	1	1	1	1
Lesser curvature, unspecified (151.5)	2	1	1	1	1	-	-	-	-
Greater curvature, unspecified (151.6)	-	-	-	-	-	-	-	-	-
Other (151.8)	1	1	-	1	-	-	-	-	-
Stomach, unspecified (151.9)	13,384	7,881	5,503	6,401	4,523	1,480	980	1,242	828
Malignant neoplasm of small intestine, including duodenum (152)	839	473	366	398	318	75	48	67	42
Duodenum (152.0)	343	179	164	149	139	30	25	26	22
Jejunum (152.1)	57	30	27	26	22	4	5	4	4
Ileum (152.2)	75	47	28	43	26	4	2	3	2
Meckel's diverticulum (152.3)	4	3	1	3	1	-	-	-	-
Other (152.8)	-	-	-	-	-	-	-	-	-
Small intestine, unspecified (152.9)	360	214	146	177	130	37	18	34	14
Malignant neoplasm of colon (153)	48,256	23,351	24,905	20,916	22,111	2,435	2,794	2,173	2,617
Hepatic flexure (153.0)	49	21	28	20	23	1	5	1	5
Transverse colon (153.1)	347	141	206	133	182	8	24	7	23
Descending colon (153.2)	418	214	204	186	188	28	16	26	14
Sigmoid colon (153.3)	1,771	895	876	807	795	88	81	70	75
Cecum (153.4)	1,432	642	790	579	710	63	80	59	79
Appendix (153.5)	110	66	44	54	40	12	4	10	4
Ascending colon (153.6)	1,050	465	585	413	528	52	57	43	51
Splenic flexure (153.7)	68	33	35	27	32	6	3	5	3
Other (153.8)	2	1	1	1	1	-	-	-	-
Colon, unspecified (153.9)	43,009	20,873	22,136	18,696	19,612	2,177	2,524	1,952	2,363
Malignant neoplasms of rectum, rectosigmoid junction, and anus (154)	8,195	4,261	3,934	3,886	3,509	395	425	331	371
Rectosigmoid junction (154.0)	1,367	676	691	620	621	58	70	48	61
Rectum (154.1)	6,493	3,467	3,026	3,148	2,691	319	335	288	291
Anal canal (154.2)	20	9	11	8	10	1	1	1	1
Anus, unspecified (154.3)	212	75	137	59	122	18	15	13	14
Other (154.8)	103	34	69	31	65	3	4	3	4
Malignant neoplasms of liver and intrahepatic bile ducts (155)	6,809	4,025	2,784	3,212	2,375	813	409	578	316
Liver, primary (155.0)	3,117	2,088	1,029	1,579	846	509	183	337	127
Intrahepatic bile ducts (155.1)	855	410	445	362	398	48	47	31	34
Liver, not specified as primary or secondary (155.2)	2,837	1,527	1,310	1,271	1,131	256	179	210	155
Malignant neoplasms of gall bladder and extrahepatic bile ducts (156)	4,283	1,586	2,697	1,461	2,447	125	250	87	178
Gallbladder (156.0)	2,277	597	1,680	551	1,510	46	170	33	121
Extrahepatic bile ducts (156.1)	1,175	609	586	558	521	53	45	36	31
Ampulla of Vater (156.2)	304	146	158	138	147	8	11	6	7
Other (156.8)	-	-	-	-	-	-	-	-	-
Biliary tract, part unspecified (156.9)	527	234	293	216	269	18	24	12	19

SECTION 1 - GENERAL MORTALITY - PAGE 103

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate							
	All races			White		All other		
	Both sexes	Male	Female	Male	Female	Total		Black
						Male	Female	
Malignant neoplasms of other and unspecified parts of mouth-Con.								
Other (145.8)	-	-	-	-	-	-	-	-
Mouth, unspecified (145.9)	0.4	0.5	0.3	0.4	0.3	0.6	0.2	0.7
Malignant neoplasm of oropharynx (146)5	.7	.2	.6	.2	1.1	.3	1.3
Tonsil (146.0)2	.3	.1	.3	.1	.5	.1	.6
Tonsillar fossa (146.1)0	.0	.0	.0	.0	.0	-	.0
Tonsillar pillars (anterior) (posterior) (146.2)0	.0	.0	.0	.0	.0	-	.0
Vallecula (146.3)0	.0	-	-	-	.0	-	.0
Anterior aspect of epiglottis (146.4)	-	-	-	-	-	-	-	-
Junctional region (146.5)	-	-	-	-	-	-	-	-
Lateral wall of oropharynx (146.6)	-	-	-	-	-	-	-	-
Posterior wall of oropharynx (146.7)	-	-	-	-	-	-	-	-
Other (146.8)0	.0	-	.0	-	-	-	-
Oropharynx, unspecified (146.9)2	.3	.1	.3	.1	.5	.1	.6
Malignant neoplasm of nasopharynx (147)3	.4	.2	.4	.2	.5	.2	.4
Superior wall (147.0)0	.0	-	.0	-	-	-	-
Posterior wall (147.1)0	.0	.0	.0	.0	.0	-	.0
Lateral wall (147.2)	-	-	-	-	-	-	-	-
Anterior wall (147.3)	-	-	-	-	-	-	-	-
Other (147.8)	-	-	-	-	-	-	-	-
Nasopharynx, unspecified (147.9)3	.4	.2	.3	.2	.5	.2	.4
Malignant neoplasm of hypopharynx (148)3	.4	.1	.4	.1	.6	.1	.8
Postcricoid region (148.0)0	.0	-	.0	-	-	-	-
Pyriform sinus (148.1)1	.2	.0	.2	.0	.3	.0	.4
Aryepiglottic fold, hypopharyngeal aspect (148.2)0	.0	.0	.0	.0	.0	-	.0
Posterior hypopharyngeal wall (148.3)0	-	.0	-	.0	-	-	-
Other (148.8)	-	-	-	-	-	-	-	-
Hypopharynx, unspecified (148.9)2	.2	.1	.2	.1	.3	.1	.4
Malignant neoplasms of other and ill-defined sites within the lip, oral cavity, and pharynx (149)6	.9	.4	.8	.4	1.2	.3	1.5
Pharynx, unspecified (149.0)6	.9	.4	.8	.4	1.2	.3	1.5
Waldeyer's ring (149.1)	-	-	-	-	-	-	-	-
Other (149.8)	-	-	-	-	-	-	-	-
Ill-defined (149.9)	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	48.8	52.7	45.2	53.2	46.7	49.4	37.2	54.2
Malignant neoplasm of esophagus (150)	3.6	5.5	1.8	4.9	1.6	9.1	2.7	11.0
Cervical part (150.0)0	.0	.0	.0	.0	.0	-	.0
Thoracic part (150.1)0	.0	.0	.0	.0	.0	-	.0
Abdominal part (150.2)	-	-	-	-	-	-	-	-
Upper third (150.3)0	.0	.0	.0	.0	.0	.0	.0
Middle third (150.4)0	.0	.0	.0	.0	.0	.0	.1
Lower third (150.5)1	.1	.0	.1	.0	.0	.0	.0
Other (150.8)	-	-	-	-	-	-	-	-
Esophagus, unspecified (150.9)	3.5	5.4	1.8	4.7	1.6	9.0	2.6	10.8
Malignant neoplasm of stomach (151)	5.8	7.2	4.6	6.9	4.5	8.8	5.2	9.2
Cardia (151.0)2	.4	.1	.4	.1	.1	.0	.1
Pylorus (151.1)0	.0	.0	.0	.0	.0	.0	.0
Pyloric antrum (151.2)0	.0	.0	.0	.0	-	-	-
Fundus of stomach (151.3)0	.0	.0	.0	.0	.0	.0	.0
Body of stomach (151.4)0	.0	.0	.0	.0	.0	.0	.0
Lesser curvature, unspecified (151.5)0	.0	.0	.0	.0	-	-	-
Greater curvature, unspecified (151.6)0	-	-	.0	-	-	-	-
Other (151.8)0	.0	-	-	-	-	-	-
Stomach, unspecified (151.9)	5.6	6.8	4.5	6.5	4.4	8.6	5.2	9.1
Malignant neoplasm of small intestine, including duodenum (152)4	.4	.3	.4	.3	.4	.3	.5
Duodenum (152.0)1	.2	.1	.2	.1	.2	.1	.2
Jejunum (152.1)0	.0	.0	.0	.0	.0	.0	.0
Ileum (152.2)0	.0	.0	.0	.0	-	-	-
Meckel's diverticulum (152.3)0	.0	.0	.0	.0	-	-	-
Other (152.8)	-	-	-	-	-	-	-	-
Small intestine, unspecified (152.9)2	.2	.1	.2	.1	.2	.1	.2
Malignant neoplasm of colon (153)	20.2	20.1	20.3	21.1	21.3	14.2	14.8	15.9
Hepatic flexure (153.0)0	.0	.0	.0	.0	.0	.0	.0
Transverse colon (153.1)1	.1	.2	.1	.2	.0	.1	.2
Descending colon (153.2)2	.2	.2	.2	.2	.2	.1	.2
Sigmoid colon (153.3)7	.8	.7	.8	.8	.5	.4	.5
Cecum (153.4)6	.6	.6	.6	.7	.4	.4	.5
Appendix (153.5)0	.1	.0	.1	.0	.1	.0	.1
Ascending colon (153.6)4	.4	.5	.4	.5	.3	.3	.3
Splenic flexure (153.7)0	.0	.0	.0	.0	.0	.0	.0
Other (153.8)0	.0	.0	.0	.0	-	-	-
Colon, unspecified (153.9)	18.0	18.0	18.1	18.9	18.9	12.7	13.4	14.3
Malignant neoplasms of rectum, rectosigmoid junction, and anus (154)	3.4	3.7	3.2	3.9	3.4	2.3	2.3	2.4
Rectosigmoid junction (154.0)6	.6	.6	.6	.6	.3	.4	.3
Rectum (154.1)	2.7	3.0	2.5	3.2	2.6	1.9	1.8	2.0
Anal canal (154.2)0	.0	.0	.0	.0	.0	.0	.0
Anus, unspecified (154.3)1	.1	.1	.1	.1	.1	.1	.1
Other (154.8)0	.0	.1	.0	.1	.0	.0	.0
Malignant neoplasms of liver and intrahepatic bile ducts (155)	2.9	3.5	2.3	3.2	2.3	4.7	2.2	4.2
Liver, primary (155.0)	1.3	1.8	.8	1.6	.8	3.0	1.0	2.5
Intrahepatic bile ducts (155.1)4	.4	.4	.4	.4	.3	.2	.2
Liver, not specified as primary or secondary (155.2)	1.2	1.3	1.1	1.3	1.1	1.5	1.0	1.5
Malignant neoplasms of gall bladder and extrahepatic bile ducts (156)	1.8	1.4	2.2	1.5	2.4	.7	1.3	.6
Gallbladder (156.0)	1.0	.5	1.4	.6	1.5	.3	.9	.2
Extrahepatic bile ducts (156.1)5	.5	.5	.6	.5	.3	.2	.3
Ampulla of Vater (156.2)1	.1	.1	.1	.1	.0	.1	.0
Other (156.8)	-	-	-	-	-	-	-	-
Biliary tract, part unspecified (156.9)2	.2	.2	.2	.3	.1	.1	.1

SECTION 1 - GENERAL MORTALITY - PAGE 104

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasms of digestive organs and peritoneum-Con.									
Malignant neoplasm of pancreas (157)	23,102	11,542	11,560	10,070	10,103	1,472	1,457	1,327	1,350
Head of pancreas (157.0)	1,008	480	528	410	462	70	66	61	63
Body of pancreas (157.1)	52	25	27	23	21	2	6	1	5
Tail of pancreas (157.2)	61	36	25	32	22	4	3	4	3
Pancreatic duct (157.3)	7	4	3	3	2	1	1	1	1
Islets of Langerhans (157.4)	104	59	45	51	39	8	6	7	5
Other (157.8)	4	2	2	2	2	-	-	-	-
Part unspecified (157.9)	21,866	10,936	10,930	9,549	9,555	1,387	1,375	1,253	1,273
Malignant neoplasms of retroperitoneum and peritoneum (158)	547	286	261	259	238	27	23	25	21
Retroperitoneum (158.0)	345	195	150	177	139	18	11	16	10
Specified parts of peritoneum (158.8)	52	25	27	21	25	4	2	4	2
Peritoneum, unspecified (158.9)	150	66	84	61	74	5	10	5	9
Malignant neoplasms of other and ill-defined sites within the digestive organs and peritoneum (159)	2,014	909	1,105	840	1,001	69	104	62	96
Intestinal tract, part unspecified (159.0)	1,474	659	815	623	764	36	51	32	48
Spleen, not elsewhere classified (159.1)	12	5	7	4	6	1	1	1	-
Other (159.8)	3	-	3	-	3	-	-	-	-
Ill-defined (159.9)	525	245	280	213	228	32	52	29	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,311	87,513	39,798	76,567	35,945	10,946	3,853	10,193	3,536
Malignant neoplasms of nasal cavities, middle ear, and accessory sinuses (160)	473	286	187	236	165	50	22	45	17
Nasal cavities (160.0)	50	31	19	30	17	1	2	1	2
Auditory tube, middle ear, and mastoid air cells (160.1)	17	10	7	10	6	-	1	-	1
Maxillary sinus (160.2)	254	147	107	115	92	32	15	27	10
Ethmoidal sinus (160.3)	36	26	10	23	8	3	2	3	2
Frontal sinus (160.4)	8	5	3	4	3	1	-	1	-
Sphenoidal sinus (160.5)	18	13	5	11	5	2	-	2	-
Other (160.8)	1	-	1	-	1	-	-	-	-
Accessory sinus, unspecified (160.9)	89	54	35	43	33	11	2	11	2
Malignant neoplasm of larynx (161)	3,502	2,844	658	2,341	542	503	116	479	107
Glottis (161.0)	68	61	7	53	7	8	-	8	-
Supraglottis (161.1)	198	144	54	114	44	30	10	28	10
Subglottis (161.2)	10	7	3	4	1	3	2	3	2
Laryngeal cartilages (161.3)	4	4	-	4	-	-	-	-	-
Other (161.8)	-	-	-	-	-	-	-	-	-
Larynx, unspecified (161.9)	3,222	2,628	594	2,166	490	462	104	440	95
Malignant neoplasms of trachea, bronchus, and lung (162)	122,556	83,854	38,702	73,519	35,010	10,335	3,692	9,615	3,394
Trachea (162.0)	150	93	57	74	49	19	8	16	8
Main bronchus (162.2)	140	87	53	82	46	5	7	5	7
Upper lobe, bronchus or lung (162.3)	1,207	865	342	746	320	119	22	107	21
Middle lobe, bronchus or lung (162.4)	61	39	22	32	17	7	5	6	4
Lower lobe, bronchus or lung (162.5)	421	303	118	276	105	27	13	22	12
Other (162.8)	7	3	4	3	4	-	-	-	-
Bronchus and lung, unspecified (162.9)	120,570	82,464	38,106	72,306	34,469	10,158	3,637	9,459	3,342
Malignant neoplasm of pleura (163)	371	291	80	278	74	13	6	12	5
Parietal (163.0)	1	1	-	1	-	-	-	-	-
Visceral (163.1)	1	1	-	1	-	-	-	-	-
Other (163.8)	-	-	-	-	-	-	-	-	-
Pleura, unspecified (163.9)	369	289	80	276	74	13	6	12	5
Malignant neoplasms of thymus, heart, and mediastinum (164)	398	228	170	185	153	43	17	40	13
Thymus (164.0)	122	60	62	52	54	8	8	7	5
Heart (164.1)	57	33	24	23	22	10	2	10	2
Anterior mediastinum (164.2)	5	4	1	3	1	1	-	1	-
Posterior mediastinum (164.3)	2	2	-	2	-	-	-	-	-
Other (164.8)	-	-	-	-	-	-	-	-	-
Mediastinum, part unspecified (164.9)	212	129	83	105	76	24	7	22	6
Malignant neoplasms of other and ill-defined sites within the respiratory system and intrathoracic organs (165)	11	10	1	8	1	2	-	2	-
Upper respiratory tract, part unspecified (165.0)	5	5	-	4	-	1	-	1	-
Other (165.8)	-	-	-	-	-	-	-	-	-
Ill-defined sites within the respiratory system (165.9)	6	5	1	4	1	1	-	1	-
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	51,963	7,091	44,872	6,594	40,274	497	4,598	433	4,254
Malignant neoplasms of bone and articular cartilage (170)	1,093	624	469	544	417	80	52	69	42
Bones of skull and face (170.0)	80	42	38	36	30	6	8	5	5
Lower jaw bone (170.1)	76	42	34	39	32	3	2	3	2
Vertebral column, excluding sacrum and coccyx (170.2)	83	45	38	40	36	5	2	4	2
Ribs, sternum, and clavicle (170.3)	19	8	11	8	10	2	1	2	1
Long bones of upper limb and scapula (170.4)	32	19	13	19	13	-	-	-	-
Upper limb, short bones (170.5)	1	1	-	1	-	-	-	-	-
Pelvic bones, sacrum and coccyx (170.6)	79	37	42	35	35	2	7	2	6
Lower limb, long bones (170.7)	65	36	29	30	25	6	4	5	4
Lower limb, short bones (170.8)	2	1	1	1	1	-	-	-	-
Site unspecified (170.9)	656	393	263	337	235	56	28	48	22
Malignant neoplasms of connective and other soft tissue (171)	2,891	1,355	1,536	1,178	1,298	177	238	148	226
Head, face, and neck (171.0)	45	26	19	23	16	3	3	2	3
Upper limb, including shoulder (171.2)	50	25	25	22	25	3	-	3	-
Lower limb, including hip (171.3)	230	105	125	87	109	18	16	17	18
Thorax (171.4)	65	49	16	41	13	8	3	6	2
Abdomen (171.5)	146	69	77	65	67	4	10	2	9
Pelvis (171.6)	95	29	66	27	56	2	10	2	10
Trunk, unspecified (171.7)	18	12	6	9	6	3	-	2	-
Other (171.8)	2	-	2	-	1	-	1	-	1
Site unspecified (171.9)	2,240	1,040	1,200	904	1,005	136	195	114	185

SECTION 1 - GENERAL MORTALITY - PAGE 105

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasms of digestive organs and peritoneum-Con.									
Malignant neoplasm of pancreas (157)	9.7	9.9	9.4	10.2	9.7	8.6	7.7	9.7	8.9
Head of pancreas (157.0)4	.4	.4	.4	.4	.4	.4	.4	.4
Body of pancreas (157.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Tail of pancreas (157.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Pancreatic duct (157.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Islets of Langerhans (157.4)0	.1	.0	.1	.0	.0	.0	.1	.0
Other (157.8)0	.0	.0	.0	.0	-	-	-	-
Part unspecified (157.9)	9.2	9.4	8.9	9.6	9.2	8.1	7.3	9.2	8.4
Malignant neoplasms of retroperitoneum and peritoneum (158)2	.2	.2	.3	.2	.2	.1	.2	.1
Retroperitoneum (158.0)1	.2	.1	.2	.1	.1	.1	.1	.1
Specified parts of peritoneum (158.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Peritoneum, unspecified (158.9)1	.1	.1	.1	.1	.0	.1	.0	.1
Malignant neoplasms of other and ill-defined sites within the digestive organs and peritoneum (159)8	.8	.9	.8	1.0	.4	.6	.5	.6
Intestinal tract, part unspecified (159.0)6	.6	.7	.6	.7	.2	.3	.2	.3
Spleen, not elsewhere classified (159.1)0	.0	.0	.0	.0	.0	.0	.0	-
Other (159.8)0	-	.0	-	.0	-	-	-	-
Ill-defined (159.9)2	.2	.2	.2	.2	.2	.3	.2	.3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	53.3	75.3	32.5	77.3	34.6	63.8	20.5	74.5	23.3
Malignant neoplasms of nasal cavities, middle ear, and accessory sinuses (160)2	.2	.2	.2	.2	.3	.1	.3	.1
Nasal cavities (160.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Auditory tube, middle ear, and mastoid air cells (160.1)0	.0	.0	.0	.0	-	.0	-	.0
Maxillary sinus (160.2)1	.1	.1	.1	.1	.2	.1	.2	.1
Ethmoidal sinus (160.3)0	.0	.0	.0	.0	.0	-	.0	-
Frontal sinus (160.4)0	.0	.0	.0	.0	.0	-	.0	-
Sphenoidal sinus (160.5)0	-	.0	-	.0	-	-	-	-
Other (160.8)0	.0	.0	.0	.0	.1	.0	.1	.0
Accessory sinus, unspecified (160.9)0	-	-	-	-	-	-	-	-
Malignant neoplasm of larynx (161)	1.5	2.4	.5	2.4	.5	2.9	.6	3.5	.7
Glottis (161.0)0	.1	.0	.1	.0	.0	-	.1	-
Supraglottis (161.1)1	.1	.0	.1	.0	.2	.1	.2	.1
Subglottis (161.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Laryngeal cartilages (161.3)0	-	-	-	-	-	-	-	-
Other (161.8)0	-	-	-	-	-	-	-	-
Larynx, unspecified (161.9)	1.3	2.3	.5	2.2	.5	2.7	.6	3.2	.6
Malignant neoplasms of trachea, bronchus, and lung (162)	51.3	72.2	31.6	74.3	33.7	60.2	19.6	70.3	22.3
Trachea (162.0)1	.1	.0	.1	.0	.1	.0	.1	.1
Main bronchus (162.2)1	.1	.0	.1	.0	.0	.0	.0	.0
Upper lobe, bronchus or lung (162.3)5	.7	.3	.8	.3	.7	.1	.8	.1
Middle lobe, bronchus or lung (162.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Lower lobe, bronchus or lung (162.5)2	.3	.1	.3	.1	.2	.1	.2	.1
Other (162.8)0	.0	.0	.0	.0	-	-	-	-
Bronchus and lung, unspecified (162.9)	50.5	71.0	31.1	73.0	33.2	59.2	19.3	69.1	22.0
Malignant neoplasm of pleura (163)2	.3	.1	.3	.1	.1	.0	.1	.0
Parietal (163.0)0	.0	-	.0	-	-	-	-	-
Visceral (163.1)0	.0	-	-	-	-	-	-	-
Other (163.8)	-	-	-	-	-	-	-	-	-
Pleura, unspecified (163.9)2	.2	.1	.3	.1	.1	.0	.1	.0
Malignant neoplasms of thymus, heart, and mediastinum (164)2	.2	.1	.2	.1	.3	.1	.3	.1
Thymus (164.0)1	.1	.1	.1	.1	.0	.0	.1	.0
Heart (164.1)0	.0	.0	.0	.0	.1	.0	.1	.0
Anterior mediastinum (164.2)0	.0	.0	.0	.0	-	-	-	-
Posterior mediastinum (164.3)0	.0	-	.0	-	-	-	-	-
Other (164.8)	-	-	-	-	-	-	-	-	-
Mediastinum, part unspecified (164.9)1	.1	.1	.1	.1	.1	.0	.2	.0
Malignant neoplasms of other and ill-defined sites within the respiratory system and intrathoracic organs (165)0	.0	.0	.0	.0	.0	-	.0	-
Upper respiratory tract, part unspecified (165.0)0	.0	-	.0	-	.0	-	.0	-
Other (165.8)0	-	.0	.0	.0	.0	-	.0	-
Ill-defined sites within the respiratory system (165.9)0	.0	.0	.0	.0	-	-	-	-
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	21.8	6.1	36.6	6.7	38.8	2.9	24.4	3.2	28.0
Malignant neoplasms of bone and articular cartilage (170)5	.5	.4	.5	.4	.5	.3	.5	.3
Bones of skull and face (170.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Lower jaw bone (170.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Vertebral column, excluding sacrum and coccyx (170.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Ribs, sternum, and clavicle (170.3)0	.0	.0	.0	.0	-	-	-	-
Long bones of upper limb and scapula (170.4)0	.0	.0	.0	-	-	-	.0	.0
Upper limb, short bones (170.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Pelvic bones, sacrum and coccyx (170.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Lower limb, long bones (170.7)0	.0	.0	.0	.0	-	-	-	-
Lower limb, short bones (170.8)0	.0	.0	.0	.0	-	-	.4	.1
Site unspecified (170.9)3	.3	.2	.3	.2	.3	.1	.4	.1
Malignant neoplasms of connective and other soft tissue (171)	1.2	1.2	1.3	1.2	1.3	1.0	1.3	1.1	1.5
Head, face, and neck (171.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Upper limb, including shoulder (171.2)0	.0	.0	.0	.0	.0	-	.0	-
Lower limb, including hip (171.3)1	.1	.1	.1	.1	.1	.1	.1	.1
Thorax (171.4)0	.0	.0	.0	.0	.0	.0	.0	.1
Abdomen (171.5)1	.1	.1	.1	.1	.0	.1	.0	.1
Pelvis (171.6)0	.0	.1	.0	.1	.0	.1	.0	.1
Trunk, unspecified (171.7)0	.0	.0	.0	.0	.0	-	.0	-
Other (171.8)0	-	.0	-	.0	-	.0	-	.0
Site unspecified (171.9)9	.9	1.0	.9	1.0	.8	1.0	.8	1.2

SECTION 1 - GENERAL MORTALITY - PAGE 106

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasms of bone, connective tissue, skin, and breast-Con.									
Malignant melanoma of skin (172)	5,529	3,296	2,233	3,238	2,172	58	61	46	54
Lip (172.0)	3	1	2	1	2	-	-	-	-
Eye, including canthus (172.1)	-	-	-	-	-	-	-	-	-
Ear and external auricular canal (172.2)	23	19	4	19	4	-	-	-	-
Other and unspecified parts of face (172.3)	60	36	24	36	23	-	1	-	1
Scalp and neck (172.4)	88	56	32	56	32	-	-	-	-
Trunk, except scrotum (172.5)	183	134	49	132	48	2	1	1	1
Upper limb, including shoulder (172.6)	122	67	55	65	54	2	1	1	1
Lower limb, including hip (172.7)	151	84	67	61	80	3	7	2	7
Other (172.8)	1	1	-	1	-	-	-	-	-
Site unspecified (172.9)	4,898	2,918	1,980	2,867	1,929	51	51	42	44
Other malignant neoplasms of skin (173)	2,067	1,526	541	1,374	501	152	40	141	36
Skin of lip (173.0)	12	11	1	11	-	-	1	-	-
Eye, including canthus (173.1)	9	5	4	5	4	-	-	-	-
Ear and external auricular canal (173.2)	129	86	43	85	42	1	1	-	1
Skin of other and unspecified parts of face (173.3)	261	144	117	141	115	3	2	3	1
Scalp and skin of neck (173.4)	780	602	178	501	163	101	15	94	15
Skin of trunk, except scrotum (173.5)	55	36	19	31	15	5	4	5	4
Skin of upper limb, including shoulder (173.6)	44	29	15	29	15	-	-	-	-
Skin of lower limb, including hip (173.7)	54	25	29	22	22	3	7	3	7
Other (173.8)	1	1	-	1	-	-	-	-	-
Site unspecified (173.9)	722	587	135	548	125	39	10	36	8
Malignant neoplasm of female breast (174)	40,093	...	40,093	...	35,886	...	4,207	...	3,896
Nipple and areola (174.0)	2	...	2	...	2	...	-	...	-
Central portion (174.1)	-	...	-	...	-	...	-	...	-
Upper-inner quadrant (174.2)	-	...	-	...	-	...	-	...	-
Lower-inner quadrant (174.3)	-	...	-	...	-	...	-	...	-
Upper-outer quadrant (174.4)	-	...	-	...	-	...	-	...	-
Lower-outer quadrant (174.5)	-	...	-	...	-	...	-	...	-
Axillary tail (174.6)	-	...	-	...	-	...	-	...	-
Other (174.8)	1	...	1	...	1	...	-	...	-
Breast, unspecified (174.9)	40,090	...	40,090	...	35,883	...	4,207	...	3,896
Malignant neoplasm of male breast (175)	290	290	...	260	...	30	...	29	...
Malignant neoplasms of genitourinary organs (179-189)	68,587	38,804	29,783	33,213	26,057	5,591	3,726	5,293	3,424
Malignant neoplasm of uterus, part unspecified (179)	2,956	...	2,956	...	2,490	...	466	...	442
Malignant neoplasm of cervix uteri (180)	4,508	...	4,508	...	3,405	...	1,103	...	1,008
Endocervix (180.0)	46	...	46	...	38	...	8	...	8
Exocervix (180.1)	-	...	-	...	-	...	-	...	-
Other (180.8)	6	...	6	...	4	...	2	...	2
Cervix uteri, unspecified (180.9)	4,456	...	4,456	...	3,363	...	1,093	...	998
Malignant neoplasm of placenta (181)	21	...	21	...	16	...	5	...	4
Malignant neoplasm of body of uterus (182)	3,003	...	3,003	...	2,601	...	402	...	384
Corpus uteri, except isthmus (182.0)	3,003	...	3,003	...	2,601	...	402	...	384
Isthmus (182.1)	-	...	-	...	-	...	-	...	-
Other (182.8)	-	...	-	...	-	...	-	...	-
Malignant neoplasms of ovary and other uterine adnexa (183)	11,531	...	11,531	...	10,571	...	980	...	847
Ovary (183.0)	11,357	...	11,357	...	10,410	...	947	...	834
Fallopian tube (183.2)	169	...	169	...	157	...	12	...	12
Broad ligament (183.3)	-	...	-	...	-	...	-	...	-
Parametrium (183.4)	-	...	-	...	-	...	-	...	-
Round ligament (183.5)	-	...	-	...	-	...	-	...	-
Other (183.8)	3	...	3	...	2	...	1	...	1
Uterine adnexa, unspecified (183.9)	2	...	2	...	2	...	-	...	-
Malignant neoplasms of other and unspecified female genital organs (184)	1,062	...	1,062	...	937	...	125	...	118
Vagina (184.0)	404	...	404	...	348	...	56	...	51
Labia majora (184.1)	14	...	14	...	12	...	2	...	2
Labia minora (184.2)	-	...	-	...	-	...	-	...	-
Clitoris (184.3)	8	...	8	...	8	...	-	...	-
Vulva, unspecified (184.4)	556	...	556	...	509	...	47	...	45
Other (184.8)	23	...	23	...	19	...	4	...	4
Site unspecified (184.9)	57	...	57	...	41	...	16	...	16
Malignant neoplasm of prostate (185)	25,943	25,943	...	21,472	...	4,471	...	4,273	...
Malignant neoplasm of testis (186)	425	425	...	396	...	29	...	22	...
Undescended (186.0)	1	1	...	1	...	-	...	-	...
Other and unspecified (186.9)	424	424	...	395	...	29	...	22	...
Malignant neoplasms of penis and other male genital organs (187)	241	241	...	203	...	38	...	38	...
Prepuce (187.1)	-	-	...	-	...	-	...	-	...
Glans penis (187.2)	3	3	...	3	...	-	...	-	...
Body of penis (187.3)	1	1	...	1	...	-	...	-	...
Penis, part unspecified (187.4)	211	211	...	179	...	32	...	32	...
Epididymis (187.5)	-	-	...	-	...	-	...	-	...
Spermatic cord (187.6)	3	3	...	3	...	-	...	-	...
Scrotum (187.7)	7	7	...	5	...	2	...	2	...
Other (187.8)	1	1	...	1	...	-	...	-	...
Site unspecified (187.9)	15	15	...	11	...	4	...	2	...
Malignant neoplasm of bladder (188)	9,787	6,679	3,108	6,175	2,774	504	334	465	320
Trigone (188.0)	3	1	2	-	1	1	1	1	1
Dome (188.1)	3	2	1	2	1	-	-	-	-
Lateral wall (188.2)	-	-	-	-	-	-	-	-	-
Anterior wall (188.3)	-	-	-	-	-	-	-	-	-
Posterior wall (188.4)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 107

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasms of bone, connective tissue, skin, and breast-Con.									
Malignant melanoma of skin (172)	2.3	2.8	1.8	3.3	2.1	0.3	0.3	0.3	0.4
Lip (172.0)0	.0	.0	.0	.0	-	-	-	-
Eyelid, including canthus (172.1)	-	-	-	-	-	-	-	-	-
Ear and external auricular canal (172.2)0	.0	.0	.0	.0	-	-	-	-
Other and unspecified parts of face (172.3)0	.0	.0	.0	.0	-	.0	-	.0
Scalp and neck (172.4)0	.0	.0	.1	.0	-	-	.0	.0
Trunk, except scrotum (172.5)1	.1	.0	.1	.0	.0	.0	.0	.0
Upper limb, including shoulder (172.6)1	.1	.0	.1	.1	.0	.0	.0	.0
Lower limb, including hip (172.7)1	.1	.1	.1	.1	.0	.0	.0	.0
Other (172.8)0	.0	-	.0	-	-	-	-	-
Site unspecified (172.9)	2.1	2.5	1.6	2.9	1.9	.3	.3	.3	.3
Other malignant neoplasms of skin (173)9	1.3	.4	1.4	.5	.9	.2	1.0	.2
Skin of lip (173.0)0	.0	.0	.0	-	-	.0	-	-
Eyelid, including canthus (173.1)0	.0	.0	.0	.0	-	-	-	-
Ear and external auricular canal (173.2)1	.1	.0	.1	.0	.0	.0	.0	.0
Skin of other and unspecified parts of face (173.3)1	.1	.1	.1	.1	.0	.0	.0	.0
Scalp and skin of neck (173.4)3	.5	.1	.5	.2	.6	.1	.7	.1
Skin of trunk, except scrotum (173.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Skin of upper limb, including shoulder (173.6)0	.0	.0	.0	.0	-	-	-	-
Skin of lower limb, including hip (173.7)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (173.8)0	.0	-	.0	-	-	-	-	-
Site unspecified (173.9)3	.5	.1	.6	.1	.2	.1	.3	.1
Malignant neoplasm of female breast (174)	16.8	...	32.7	...	34.6	...	22.4	...	25.6
Nipple and areola (174.0)000	...	-	...	-
Central portion (174.1)	-	...	-	...	-	...	-	...	-
Upper-inner quadrant (174.2)	-	...	-	...	-	...	-	...	-
Lower-inner quadrant (174.3)	-	...	-	...	-	...	-	...	-
Upper-outer quadrant (174.4)	-	...	-	...	-	...	-	...	-
Lower-outer quadrant (174.5)	-	...	-	...	-	...	-	...	-
Axillary tail (174.6)	-	...	-	...	-	...	-	...	-
Other (174.8)000	...	-	...	-
Breast, unspecified (174.9)	16.8	...	32.7	...	34.6	...	22.4	...	25.6
Malignant neoplasm of male breast (175)1	.2322	...
Malignant neoplasms of genitourinary organs (179-189)	28.7	33.4	24.3	33.5	25.1	32.6	19.8	38.7	22.5
Malignant neoplasm of uterus, part unspecified (179)	1.2	...	2.4	...	2.4	...	2.5	...	2.9
Malignant neoplasm of cervix uteri (180)	1.9	...	3.7	...	3.3	...	5.9	...	6.8
Endocervix (180.0)00001
Exocervix (180.1)	-	...	-	...	-	...	-	...	-
Other (180.8)00000
Cervix uteri, unspecified (180.9)	1.9	...	3.6	...	3.2	...	5.8	...	6.6
Malignant neoplasm of placenta (181)00000
Malignant neoplasm of body of uterus (182)	1.3	...	2.4	...	2.5	...	2.1	...	2.5
Corpus uteri, except isthmus (182.0)	1.3	...	2.4	...	2.5	...	2.1	...	2.5
Isthmus (182.1)	-	...	-	...	-	...	-	...	-
Other (182.8)	-	...	-	...	-	...	-	...	-
Malignant neoplasms of ovary and other uterine adnexa (183)	4.8	...	9.4	...	10.2	...	5.1	...	5.6
Ovary (183.0)	4.8	...	9.3	...	10.0	...	5.0	...	5.5
Fallopian tube (183.2)11211
Broad ligament (183.3)	-	...	-	...	-	...	-	...	-
Parametrium (183.4)	-	...	-	...	-	...	-	...	-
Round ligament (183.5)	-	...	-	...	-	...	-	...	-
Other (183.8)00000
Uterine adnexa, unspecified (183.9)000	...	-	...	-
Malignant neoplasms of other and unspecified female genital organs (184)49978
Vagina (184.0)23333
Labia majora (184.1)00000
Labia minora (184.2)	-	...	-	...	-	...	-	...	-
Clitoris (184.3)000	...	-	...	-
Vulva, unspecified (184.4)25523
Other (184.8)00000
Site unspecified (184.9)00011
Malignant neoplasm of prostate (185)	10.9	22.3	...	21.7	...	26.1	...	31.2	...
Malignant neoplasm of testis (186)2	.4422	...
Undescended (186.0)0	.00	...	-	...	-	...
Other and unspecified (186.9)2	.4422	...
Malignant neoplasms of penis and other male genital organs (187)1	.2223	...
Prepuce (187.1)	-	-	...	-	...	-	...	-	...
Glans penis (187.2)0	.00	...	-	...	-	...
Body of penis (187.3)0	.00	...	-	...	-	...
Penis, part unspecified (187.4)1	.2222	...
Epididymis (187.5)	-	-	...	-	...	-	...	-	...
Spermatic cord (187.6)0	.00	...	-	...	-	...
Scrotum (187.7)0	.0000	...
Other (187.8)0	.00	...	-	...	-	...
Site unspecified (187.9)0	.0000	...
Malignant neoplasm of bladder (188)	4.1	5.7	2.5	6.2	2.7	2.9	1.8	3.4	2.1
Trigone (188.0)0	.0	.0	-	.0	.0	.0	.0	.0
Dome (188.1)0	.0	.0	.0	.0	-	-	-	-
Lateral wall (188.2)	-	-	-	-	-	-	-	-	-
Anterior wall (188.3)	-	-	-	-	-	-	-	-	-
Posterior wall (188.4)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 108

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasm of bladder-Con.									
Bladder neck (188.5)	5	4	1	4	1	-	-	-	-
Ureteric orifice (188.6)	1	1	-	1	-	-	-	-	-
Urachus (188.7)	9	4	5	4	4	-	1	-	1
Other (188.8)	-	-	-	-	-	-	-	-	-
Part unspecified (188.9)	9,766	6,667	3,099	6,164	2,767	503	332	464	318
Malignant neoplasms of kidney and other and unspecified urinary organs (189)	9,110	5,516	3,594	4,967	3,263	549	331	497	301
Kidney, except pelvis (189.0)	8,541	5,223	3,318	4,699	3,023	524	295	474	267
Renal pelvis (189.1)	119	65	54	61	50	4	4	3	4
Ureter (189.2)	277	150	127	145	115	5	12	4	10
Urethra (189.3)	138	57	81	43	61	14	20	14	20
Paraurethral glands (189.4)	2	1	1	-	1	1	-	1	-
Other (189.8)	-	-	-	-	-	-	-	-	-
Site unspecified (189.9)	33	20	13	19	13	1	-	1	-
Malignant neoplasms of other and unspecified sites (190-199)	46,325	24,161	22,164	21,135	19,651	3,026	2,513	2,753	2,282
Malignant neoplasm of eye (190)	252	118	134	109	130	9	4	9	4
Eyeball, except conjunctiva, cornea, retina, and choroid (190.0)	3	2	1	1	1	1	-	1	-
Orbit (190.1)	35	23	12	21	12	2	-	2	-
Lacrimal gland (190.2)	5	5	-	4	-	1	-	1	-
Conjunctiva (190.3)	1	1	-	1	-	-	-	-	-
Cornea (190.4)	-	-	-	-	-	-	-	-	-
Retina (190.5)	25	12	13	8	12	4	1	4	1
Choroid (190.6)	9	4	5	4	5	-	-	-	-
Lacrimal duct (190.7)	3	1	2	1	2	-	-	-	-
Other (190.8)	1	1	-	1	-	-	-	-	-
Part unspecified (190.9)	170	69	101	69	98	1	3	1	3
Malignant neoplasm of brain (191)	10,001	5,452	4,549	5,101	4,285	351	264	295	232
Cerebrum, except lobes and ventricles (191.0)	513	289	224	268	214	21	10	19	8
Frontal lobe (191.1)	296	177	119	171	107	6	12	5	10
Temporal lobe (191.2)	144	81	63	76	62	5	1	4	1
Parietal lobe (191.3)	157	80	77	75	72	5	5	4	4
Occipital lobe (191.4)	39	27	12	24	11	3	1	3	1
Ventricle (191.5)	22	13	9	12	9	1	-	1	-
Cerebellum (191.6)	207	121	86	105	71	16	15	13	11
Brain stem (191.7)	179	90	89	75	75	15	14	13	13
Other (191.8)	132	71	61	68	61	3	-	3	-
Brain, unspecified (191.9)	8,312	4,503	3,809	4,227	3,603	276	206	230	184
Malignant neoplasms of other and unspecified parts of nervous system (192)	264	128	136	111	115	17	21	14	18
Cranial nerves (192.0)	11	2	9	2	7	-	2	-	1
Cerebral meninges (192.1)	107	49	58	41	46	8	12	6	10
Spinal cord (192.2)	84	39	45	35	41	4	4	4	4
Spinal meninges (192.3)	1	1	-	1	-	-	-	-	-
Other (192.8)	-	-	-	-	-	-	-	-	-
Part unspecified (192.9)	61	37	24	32	21	5	3	4	3
Malignant neoplasm of thyroid gland (193)	957	348	609	315	527	33	82	27	65
Malignant neoplasms of other endocrine glands and related structures (194)	622	340	282	302	241	38	41	32	33
Suprarenal gland (194.0)	537	299	238	267	206	32	32	27	25
Parathyroid gland (194.1)	15	7	8	6	7	1	1	1	1
Pituitary gland and craniopharyngeal duct (194.3)	26	10	16	9	12	1	4	1	4
Pineal gland (194.4)	26	18	8	14	7	4	1	3	1
Carotid body (194.5)	1	-	-	-	1	-	-	-	-
Aortic body and other paraganglia (194.6)	7	-	7	-	5	-	2	-	1
Other (194.8)	-	-	-	-	-	-	-	-	-
Site unspecified (194.9)	10	6	4	6	3	-	1	-	1
Malignant neoplasms of other and ill-defined sites (195)	2,909	1,395	1,514	1,188	1,326	207	188	192	178
Head, face, and neck (195.0)	1,108	734	374	607	331	127	43	122	42
Thorax (195.1)	228	149	79	129	68	20	11	15	9
Abdomen (195.2)	1,210	418	792	367	697	51	95	47	88
Pelvis (195.3)	278	44	235	43	201	1	34	1	34
Upper limb (195.4)	17	11	6	11	6	-	-	-	-
Lower limb (195.5)	32	18	14	16	12	2	2	2	2
Other specified sites (195.8)	35	21	14	15	11	6	3	5	3
Malignant neoplasms without specification of site (199)	31,320	16,380	14,940	14,009	13,027	2,371	1,913	2,184	1,752
Disseminated (199.0)	2,809	1,382	1,417	1,150	1,227	242	190	231	180
Other (199.1)	28,511	14,988	13,523	12,859	11,800	2,129	1,723	1,953	1,572
Malignant neoplasms of lymphatic and hematopoietic tissues (200-206)	42,478	22,542	19,936	20,268	17,959	2,274	1,977	1,999	1,775
Lymphosarcoma and reticulosarcoma (200)	3,913	2,046	1,867	1,892	1,747	154	120	127	103
Reticulosarcoma (200.0)	1,938	971	965	902	911	69	54	57	44
Lymphosarcoma (200.1)	1,465	778	687	719	643	59	44	49	41
Burkitt's tumor (200.2)	155	117	38	105	35	12	3	11	2
Other named variants (200.8)	357	180	177	166	158	14	19	10	16
Hodgkin's disease (201)	1,778	1,033	745	922	666	111	79	104	70
Hodgkin's paraneoplasia (201.0)	1	-	1	-	1	-	-	-	-
Hodgkin's granuloma (201.1)	-	-	-	-	-	-	-	-	-
Hodgkin's sarcoma (201.2)	4	-	4	-	4	-	-	-	-
Lymphocytic-histiocytic predominance (201.4)	-	-	-	-	-	-	-	-	-
Nodular sclerosis (201.5)	23	16	7	14	7	2	-	2	-
Mixed cellularity (201.6)	9	5	4	5	4	-	-	-	-
Lymphocytic depletion (201.7)	20	12	8	12	7	-	1	-	-
Unspecified (201.9)	1,721	1,000	721	891	643	109	78	102	70
Other malignant neoplasms of lymphoid and histiocytic tissue (202)	11,649	6,086	5,563	5,655	5,174	431	389	382	334
Nodular lymphoma (202.0)	250	122	128	114	123	8	5	6	4
Mycosis fungoides (202.1)	164	94	70	81	55	13	15	12	15

SECTION 1 - GENERAL MORTALITY - PAGE 109

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Malignant neoplasm of bladder-Con.									
Bladder neck (188.5)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Ureteric orifice (188.6)0	.0	-	.0	-	-	-	-	-
Urachus (188.7)0	.0	.0	.0	.0	-	0.0	-	0.0
Other (188.8)	-	-	-	-	-	-	-	-	-
Part unspecified (188.9)	4.1	5.7	2.5	6.2	2.7	2.9	1.8	3.4	2.1
Malignant neoplasms of kidney and other and unspecified urinary organs (189)	3.8	4.7	2.9	5.0	3.1	3.2	1.8	3.6	2.0
Kidney, except pelvis (189.0)	3.6	4.5	2.7	4.7	2.9	3.1	1.6	3.5	1.8
Renal pelvis (189.1)0	.1	.0	.1	.0	.0	.0	.0	.0
Ureter (189.2)1	.1	.1	.1	.1	.0	.1	.1	.1
Urethra (189.3)1	.0	.1	.0	.1	.1	.1	.0	.1
Paraurethral glands (189.4)0	.0	.0	-	.0	.0	-	.0	-
Other (189.8)	-	-	-	-	-	-	-	-	-
Site unspecified (189.9)0	.0	.0	.0	.0	.0	-	.0	-
Malignant neoplasms of other and unspecified sites (190-199)	19.4	20.8	18.1	21.3	18.9	17.6	13.4	20.1	15.0
Malignant neoplasm of eye (190)1	.1	.1	.1	.1	.1	.0	.1	.0
Eyeball, except conjunctiva, cornea, retina, and choroid (190.0)0	.0	.0	.0	.0	.0	-	.0	-
Orbit (190.1)0	.0	.0	.0	.0	.0	-	.0	-
Lacrimal gland (190.2)0	.0	-	.0	-	.0	-	.0	-
Conjunctiva (190.3)0	.0	-	.0	-	-	-	-	-
Cornea (190.4)	-	-	-	-	-	-	-	-	-
Retina (190.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Choroid (190.6)0	.0	.0	.0	.0	-	-	-	-
Lacrimal duct (190.7)0	.0	.0	.0	.0	-	-	-	-
Other (190.8)0	.0	-	.0	-	-	-	-	-
Part unspecified (190.9)1	.1	.1	.1	.1	.0	.0	.0	.0
Malignant neoplasm of brain (191)	4.2	4.7	3.7	5.2	4.1	2.0	1.4	2.2	1.5
Cerebrum, except lobes and ventricles (191.0)2	.2	.2	.3	.2	.1	.1	.1	.1
Frontal lobe (191.1)1	.2	.1	.2	.1	.0	.1	.0	.1
Temporal lobe (191.2)1	.1	.1	.1	.1	.0	.0	.0	.0
Parietal lobe (191.3)1	.1	.1	.1	.1	.0	.0	.0	.0
Occipital lobe (191.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Ventricle (191.5)0	.0	.0	.0	.0	.0	-	.0	-
Cerebellum (191.6)1	.1	.1	.1	.1	.1	.1	.1	.1
Brain stem (191.7)1	.1	.1	.1	.1	.1	.1	.1	.1
Other (191.8)1	.1	.0	.1	.1	.0	-	.0	-
Brain, unspecified (191.9)	3.5	3.9	3.1	4.3	3.5	1.6	1.1	1.7	1.2
Malignant neoplasms of other and unspecified parts of nervous system (192)1	.1	.1	.1	.1	.1	.1	.1	.1
Cranial nerves (192.0)0	.0	.0	.0	.0	-	.0	-	.0
Cerebral meninges (192.1)0	.0	.0	.0	.0	.0	.1	.0	.1
Spinal cord (192.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Spinal meninges (192.3)0	.0	-	.0	-	-	-	-	-
Other (192.8)	-	-	-	-	-	-	-	-	-
Part unspecified (192.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Malignant neoplasm of thyroid gland (193)4	.3	.5	.3	.5	.2	.4	.2	.4
Malignant neoplasms of other endocrine glands and related structures (194)3	.3	.2	.3	.2	.2	.2	.2	.2
Suprarenal gland (194.0)2	.3	.2	.3	.2	.2	.2	.2	.2
Parathyroid gland (194.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Pituitary gland and craniopharyngeal duct (194.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Pineal gland (194.4)0	-	.0	-	-	-	-	-	-
Carotid body (194.5)0	-	.0	-	.0	-	.0	-	.0
Aortic body and other paraganglia (194.6)	-	-	-	-	-	-	-	-	-
Other (194.8)0	.0	.0	.0	.0	-	.0	-	.0
Site unspecified (194.9)									
Malignant neoplasms of other and ill-defined sites (195)	1.2	1.2	1.2	1.2	1.3	1.2	1.0	1.4	1.2
Head, face, and neck (195.0)5	.6	.3	.6	.3	.7	.2	.9	.3
Thorax (195.1)1	.1	.1	.1	.1	.1	.1	.1	.1
Abdomen (195.2)5	.4	.6	.4	.7	.3	.5	.3	.6
Pelvis (195.3)1	.0	.2	.0	.2	.0	.2	.0	.2
Upper limb (195.4)0	.0	.0	.0	.0	-	-	-	-
Lower limb (195.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Other specified sites (195.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Malignant neoplasms without specification of site (199)	13.1	14.1	12.2	14.1	12.6	13.8	10.2	16.0	11.5
Disseminated (199.0)	1.2	1.2	1.2	1.2	1.2	1.4	1.0	1.7	1.2
Other (199.1)	11.9	12.9	11.0	13.0	11.4	12.4	9.2	14.3	10.3
Malignant neoplasms of lymphatic and hematopoietic tissues (200-208)	17.8	19.4	16.3	20.5	17.3	13.3	10.5	14.6	11.7
Lymphosarcoma and reticulosarcoma (200)	1.6	1.8	1.5	1.9	1.7	.9	.6	.9	.7
Reticulosarcoma (200.0)8	.8	.8	.9	.9	.4	.3	.4	.3
Lymphosarcoma (200.1)6	.7	.6	.7	.6	.3	.2	.4	.3
Burkitt's tumor (200.2)1	.1	.0	.1	.0	.1	.0	.1	.0
Other named variants (200.8)1	.2	.1	.2	.2	.1	.1	.1	.1
Hodgkin's disease (201)7	.9	.6	.9	.6	.6	.4	.8	.5
Hodgkin's paraganuloma (201.0)0	-	.0	-	.0	-	-	-	-
Hodgkin's granuloma (201.1)	-	-	-	-	-	-	-	-	-
Hodgkin's sarcoma (201.2)0	-	-	-	.0	-	-	-	-
Lymphocytic-histiocytic predominance (201.4)	-	-	-	-	-	-	-	-	-
Nodular sclerosis (201.5)0	.0	.0	.0	.0	.0	-	.0	-
Mixed cellularity (201.6)0	.0	.0	.0	.0	-	-	-	-
Lymphocytic depletion (201.7)0	.0	.0	.0	.0	-	.0	-	-
Unspecified (201.9)7	.9	.6	.9	.6	.6	.4	.7	.5
Other malignant neoplasms of lymphoid and histiocytic tissue (202)	4.9	5.2	4.5	5.7	5.0	2.5	2.1	2.6	2.3
Nodular lymphoma (202.0)1	.1	.1	.1	.1	.0	.0	.0	.0
Mycosis fungoides (202.1)1	.1	.1	.1	.1	.1	.1	.1	.1

SECTION 1 - GENERAL MORTALITY - PAGE 110

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other malignant neoplasms of lymphoid and histiocytic tissue-Con.									
Sezary's disease (202.2)	11	7	4	7	4	-	-	-	-
Malignant histiocytosis (202.3)	55	29	26	25	19	4	7	3	6
Leukemic reticuloendotheliosis (202.4)	132	101	31	94	31	7	-	5	-
Letterer-Siwe disease (202.5)	3	-	3	-	3	-	-	-	-
Malignant mast-cell tumor (202.6)	2	-	2	-	2	-	-	-	-
Other lymphomas (202.8)	10,974	5,701	5,273	5,306	4,913	395	360	333	308
Other and unspecified (202.9)	58	32	26	28	24	4	2	3	1
Multiple myeloma and immunoproliferative neoplasms (203)	7,819	3,935	3,884	3,251	3,217	684	667	637	636
Multiple myeloma (203.0)	7,757	3,902	3,855	3,221	3,192	681	663	635	633
Plasma cell leukemia (203.1)	41	21	20	19	16	2	4	1	3
Other immunoproliferative neoplasms (203.8)	21	12	9	11	9	1	-	1	-
Lymphoid leukemia (204)	5,061	2,948	2,113	2,668	1,912	280	201	261	183
Acute (204.0)	1,420	801	619	707	540	94	70	79	57
Chronic (204.1)	3,243	1,925	1,318	1,760	1,201	165	117	163	112
Subacute (204.2)	8	3	5	3	5	-	-	-	-
Other (204.8)	2	-	2	-	2	-	-	-	-
Unspecified (204.9)	388	219	169	198	155	21	14	19	14
Myeloid leukemia (205)	7,506	3,964	3,542	3,583	3,219	381	323	312	271
Acute (205.0)	4,948	2,603	2,345	2,358	2,138	245	207	196	169
Chronic (205.1)	2,165	1,154	1,011	1,027	905	127	106	107	92
Subacute (205.2)	24	17	7	16	7	1	-	1	-
Myeloid sarcoma (205.3)	11	6	5	6	5	-	-	-	-
Other (205.8)	2	-	2	-	2	-	-	-	-
Unspecified (205.9)	356	184	172	176	162	8	10	8	10
Monocytic leukemia (206)	310	161	149	150	136	11	13	10	11
Acute (206.0)	245	124	121	116	109	8	12	7	10
Chronic (206.1)	18	9	9	9	9	-	-	-	-
Subacute (206.2)	3	2	1	2	1	-	-	-	-
Other (206.8)	-	-	-	-	-	-	-	-	-
Unspecified (206.9)	44	26	18	23	17	3	1	3	1
Other specified leukemia (207)	230	132	98	113	80	19	8	13	7
Acute erythremia and erythroleukemia (207.0)	144	79	65	69	57	10	8	6	7
Chronic erythremia (207.1)	-	-	-	-	-	-	-	-	-
Megakaryocytic leukemia (207.2)	27	18	9	15	9	3	-	3	-
Other (207.8)	59	35	24	29	24	6	-	4	-
Leukemia of unspecified cell type (208)	4,212	2,237	1,975	2,034	1,798	203	177	173	160
Acute (208.0)	2,387	1,244	1,143	1,139	1,049	105	94	86	82
Chronic (208.1)	162	79	83	72	77	7	6	7	5
Subacute (208.2)	19	12	7	12	6	-	1	-	1
Other (208.8)	38	22	16	20	16	2	-	1	-
Unspecified (208.9)	1,606	880	726	791	650	89	78	79	72
Benign neoplasms (210-229)	1,446	535	911	442	744	93	167	91	154
Benign neoplasms of lip, oral cavity, and pharynx (210)	6	3	3	3	2	-	1	-	1
Lip (210.0)	-	-	-	-	-	-	-	-	-
Tongue (210.1)	-	-	-	-	-	-	-	-	-
Major salivary glands (210.2)	2	-	2	-	1	-	1	-	1
Floor of mouth (210.3)	-	-	-	-	-	-	-	-	-
Other and unspecified parts of mouth (210.4)	-	-	-	-	-	-	-	-	-
Tonsil (210.5)	-	-	-	-	-	-	-	-	-
Other parts of oropharynx (210.6)	-	-	-	-	-	-	-	-	-
Nasopharynx (210.7)	1	1	-	1	-	-	-	-	-
Hypopharynx (210.8)	1	1	-	1	-	-	-	-	-
Pharynx, unspecified (210.9)	2	1	1	1	1	-	-	-	-
Benign neoplasms of other parts of digestive system (211)	108	55	53	47	47	8	6	7	5
Esophagus (211.0)	-	-	-	-	-	-	-	-	-
Stomach (211.1)	14	9	5	5	4	4	1	4	1
Small intestine, including duodenum (211.2)	2	2	-	1	-	1	-	1	-
Colon (211.3)	34	17	17	17	14	-	3	-	2
Rectum and anal canal (211.4)	6	3	3	3	3	-	-	-	-
Liver and biliary passages (211.5)	17	8	9	7	9	1	-	-	-
Pancreas, except islets of Langerhans (211.6)	10	4	6	4	6	-	-	-	-
Islets of Langerhans (211.7)	16	7	9	5	7	2	2	2	2
Retroperitoneum and peritoneum (211.8)	2	1	1	1	1	-	-	-	-
Other and unspecified site (211.9)	7	4	3	4	3	-	-	-	-
Benign neoplasms of respiratory and intrathoracic organs (212)	82	38	44	30	37	8	7	8	7
Nasal cavities, middle ear, and accessory sinuses (212.0)	1	-	1	-	1	-	-	-	-
Larynx (212.1)	7	5	2	4	2	1	-	1	-
Trachea (212.2)	4	4	-	4	-	-	-	-	-
Bronchus and lung (212.3)	15	5	10	4	8	1	2	1	2
Pleura (212.4)	1	-	1	-	1	-	-	-	-
Mediastinum (212.5)	3	-	3	-	3	-	-	-	-
Thymus (212.6)	17	11	6	8	5	3	1	3	1
Heart (212.7)	33	13	20	10	16	3	4	3	4
Other specified sites (212.8)	-	-	-	-	-	-	-	-	-
Site unspecified (212.9)	1	-	1	-	1	-	-	-	-
Benign neoplasms of bone and articular cartilage (213)	11	4	7	3	6	1	1	1	1
Bones of skull and face (213.0)	2	-	2	-	1	-	1	-	1
Lower jaw bone (213.1)	4	3	1	2	1	1	-	1	-
Vertebral column, excluding sacrum and coccyx (213.2)	1	1	-	1	-	-	-	-	-
Ribs, sternum, and clavicle (213.3)	-	-	-	-	-	-	-	-	-
Long bones of upper limb and scapula (213.4)	1	-	1	-	1	-	-	-	-
Upper limb, short bones (213.5)	-	-	1	-	1	-	-	-	-
Pelvic bones, sacrum and coccyx (213.6)	1	-	1	-	1	-	-	-	-
Lower limb, long bones (213.7)	-	-	-	-	-	-	-	-	-
Lower limb, short bones (213.8)	1	-	1	-	1	-	-	-	-
Site unspecified (213.9)	1	-	1	-	1	-	-	-	-
Lipoma (214)	11	5	6	4	4	1	2	1	2

SECTION 1 - GENERAL MORTALITY - PAGE 111

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other malignant neoplasms of lymphoid and histiocytic tissue-Con.									
Sezary's disease (202.2)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Malignant histiocytosis (202.3)	.0	.0	.0	.0	.0	0.0	0.0	0.0	0.0
Leukemic reticuloendotheliosis (202.4)	.1	.1	.0	.1	.0	.0	-	.0	-
Letterer-Siwe disease (202.5)	.0	-	.0	-	.0	-	-	-	-
Malignant mast-cell tumor (202.6)	.0	-	.0	-	.0	-	-	-	-
Other lymphomas (202.8)	4.6	4.9	4.3	5.4	4.7	2.3	1.9	2.4	2.0
Other and unspecified (202.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Multiple myeloma and immunoproliferative neoplasms (203)	3.3	3.4	3.2	3.3	3.1	4.0	3.5	4.7	4.2
Multiple myeloma (203.0)	3.2	3.4	3.1	3.3	3.1	4.0	3.5	4.6	4.2
Plasma cell leukemia (203.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other immunoproliferative neoplasms (203.8)	.0	.0	.0	.0	.0	.0	-	.0	-
Lymphoid leukemia (204)	2.1	2.5	1.7	2.7	1.8	1.6	1.1	1.9	1.2
Acute (204.0)	.6	.7	.5	.7	.5	.5	.4	.6	.4
Chronic (204.1)	1.4	1.7	1.1	1.8	1.2	1.0	.6	1.2	.7
Subacute (204.2)	.0	.0	.0	.0	.0	-	-	-	-
Other (204.8)	.0	-	.0	-	.0	-	-	-	-
Unspecified (204.9)	.2	.2	.1	.2	.1	.1	.1	.1	.1
Myeloid leukemia (205)	3.1	3.4	2.9	3.6	3.1	2.2	1.7	2.3	1.8
Acute (205.0)	2.1	2.2	1.9	2.4	2.1	1.4	1.1	1.4	1.1
Chronic (205.1)	.9	1.0	.8	1.0	.9	.7	.6	.8	.6
Subacute (205.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Myeloid sarcoma (205.3)	.0	.0	.0	.0	.0	-	-	-	-
Other (205.8)	.0	-	.0	-	.0	-	-	-	-
Unspecified (205.9)	.1	.2	.1	.2	.2	.0	.1	.1	.1
Monocytic leukemia (206)	.1	.1	.1	.2	.1	.1	.1	.1	.1
Acute (206.0)	.1	.1	.1	.1	.1	.0	.1	.1	.1
Chronic (206.1)	.0	.0	.0	.0	.0	-	-	-	-
Subacute (206.2)	.0	.0	.0	.0	.0	-	-	-	-
Other (206.8)	-	-	-	-	-	-	-	-	-
Unspecified (206.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other specified leukemia (207)	.1	.1	.1	.1	.1	.1	.0	.1	.0
Acute erythremia and erythroleukemia (207.0)	.1	.1	.1	.1	.1	.1	.0	.0	.0
Chronic erythremia (207.1)	-	-	-	-	-	-	-	-	-
Megakaryocytic leukemia (207.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Other (207.8)	.0	.0	.0	.0	.0	.0	-	.0	-
Leukemia of unspecified cell type (208)	1.8	1.9	1.6	2.1	1.7	1.2	.9	1.3	1.1
Acute (208.0)	1.0	1.1	.9	1.2	1.0	.6	.5	.6	.5
Chronic (208.1)	.1	.1	.1	.1	.1	.0	.0	.1	.0
Subacute (208.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Other (208.8)	.0	.0	.0	.0	.0	.0	-	.0	-
Unspecified (208.9)	.7	.8	.6	.8	.6	.5	.4	.6	.5
Benign neoplasms (210-229)	.6	.5	.7	.4	.7	.5	.9	.7	1.0
Benign neoplasms of lip, oral cavity, and pharynx (210)	.0	.0	.0	.0	.0	-	.0	-	.0
Lip (210.0)	-	-	-	-	-	-	-	-	-
Tongue (210.1)	-	-	-	-	-	-	-	-	-
Major salivary glands (210.2)	.0	-	.0	-	.0	-	.0	-	.0
Floor of mouth (210.3)	-	-	-	-	-	-	-	-	-
Other and unspecified parts of mouth (210.4)	-	-	-	-	-	-	-	-	-
Tonsil (210.5)	-	-	-	-	-	-	-	-	-
Other parts of oropharynx (210.6)	.0	.0	-	.0	-	-	-	-	-
Nasopharynx (210.7)	.0	.0	-	.0	-	-	-	-	-
Hypopharynx (210.8)	.0	.0	.0	.0	.0	-	-	-	-
Pharynx, unspecified (210.9)	.0	.0	-	-	-	-	-	-	-
Benign neoplasms of other parts of digestive system (211)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Esophagus (211.0)	-	-	-	-	-	-	-	-	-
Stomach (211.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Small intestine, including duodenum (211.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Colon (211.3)	.0	.0	.0	.0	.0	-	.0	-	.0
Rectum and anal canal (211.4)	.0	.0	.0	.0	.0	.0	-	-	-
Liver and biliary passages (211.5)	.0	.0	.0	.0	.0	.0	-	-	-
Pancreas, except islets of Langerhans (211.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Islets of Langerhans (211.7)	.0	.0	.0	.0	.0	-	-	-	-
Retropertoneum and peritoneum (211.8)	.0	.0	.0	.0	.0	-	-	-	-
Other and unspecified site (211.9)	.0	-	-	-	-	-	-	-	-
Benign neoplasms of respiratory and intrathoracic organs (212)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Nasal cavities, middle ear, and accessory sinuses (212.0)	.0	.0	.0	.0	.0	-	-	-	-
Larynx (212.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Trachea (212.2)	.0	.0	.0	.0	.0	-	.0	.0	.0
Bronchus and lung (212.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Pleura (212.4)	.0	-	.0	-	.0	-	-	-	-
Mediastinum (212.5)	.0	-	.0	-	.0	-	.0	.0	.0
Thymus (212.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Heart (212.7)	.0	.0	.0	.0	.0	-	-	-	-
Other specified sites (212.8)	.0	-	-	-	-	-	-	-	-
Site unspecified (212.9)	.0	-	.0	-	.0	-	-	-	-
Benign neoplasms of bone and articular cartilage (213)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Bones of skull and face (213.0)	.0	.0	.0	.0	.0	-	.0	-	.0
Lower jaw bone (213.1)	.0	.0	-	.0	.0	.0	-	.0	-
Vertebral column, excluding sacrum and coccyx (213.2)	.0	.0	-	.0	-	-	-	-	-
Ribs, sternum, and clavicle (213.3)	.0	-	-	-	.0	-	-	-	-
Long bones of upper limb and scapula (213.4)	.0	-	.0	-	-	-	-	-	-
Upper limb, short bones (213.5)	.0	-	-	-	.0	-	-	-	-
Pelvic bones, sacrum and coccyx (213.6)	.0	-	.0	-	-	-	-	-	-
Lower limb, long bones (213.7)	.0	-	-	-	.0	-	-	-	-
Lower limb, short bones (213.8)	.0	-	.0	-	.0	-	-	-	-
Site unspecified (213.9)	.0	-	.0	-	.0	-	-	-	-
Lipoma (214)	.0	.0	.0	.0	.0	.0	.0	.0	.0

SECTION 1 - GENERAL MORTALITY - PAGE 112

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Benign neoplasms-Con.									
Other benign neoplasms of connective and other soft tissue (215)	28	8	20	6	18	2	2	2	2
Head, face, and neck (215.0)	2	-	2	-	2	-	-	-	-
Upper limb, including shoulder (215.2)	-	-	-	-	-	-	-	-	-
Lower limb, including hip (215.3)	-	-	-	-	-	-	-	-	-
Thorax (215.4)	-	-	-	-	-	-	-	-	-
Abdomen (215.5)	2	2	-	2	-	-	-	-	-
Pelvis (215.6)	2	-	2	-	2	-	-	-	-
Trunk, unspecified (215.7)	-	-	-	-	-	-	-	-	-
Other specified sites (215.8)	-	-	-	-	-	-	-	-	-
Site unspecified (215.9)	22	6	16	4	14	2	2	2	2
Benign neoplasms of skin (216)	27	16	11	15	9	1	2	1	2
Skin of lip (216.0)	-	-	-	-	-	-	-	-	-
Eyelid, including canthus (216.1)	-	-	-	-	-	-	-	-	-
Ear and external auricular canal (216.2)	-	-	-	-	-	-	-	-	-
Skin of other and unspecified parts of face (216.3)	-	-	-	-	-	-	-	-	-
Scalp and skin of neck (216.4)	1	-	1	-	1	-	-	-	-
Skin of trunk, except scrotum (216.5)	3	1	2	1	2	-	-	-	-
Skin of upper limb, including shoulder (216.6)	-	-	-	-	-	-	-	-	-
Skin of lower limb, including hip (216.7)	2	1	1	1	1	-	-	-	-
Other (216.8)	-	-	-	-	-	-	-	-	-
Site unspecified (216.9)	21	14	7	13	5	1	2	1	2
Benign neoplasm of breast (217)	-	-	-	-	-	-	-	-	-
Uterine leiomyoma (218)	14	...	14	...	5	...	9	...	8
Other benign neoplasm of uterus (219)	3	...	3	...	1	...	2	...	2
Cervix uteri (219.0)	-	...	-	...	-	...	-	...	-
Corpus uteri (219.1)	-	...	-	...	-	...	-	...	-
Other specified parts (219.8)	-	...	-	...	-	...	-	...	-
Part unspecified (219.9)	3	...	3	...	1	...	2	...	2
Benign neoplasm of ovary (220)	17	...	17	...	17	...	-	...	-
Benign neoplasms of other female genital organs (221)	1	...	1	...	1	...	-	...	-
Uterine tube and ligaments (221.0)	-	...	-	...	-	...	-	...	-
Vagina (221.1)	1	...	1	...	1	...	-	...	-
Vulva (221.2)	-	...	-	...	-	...	-	...	-
Other specified sites (221.8)	-	...	-	...	-	...	-	...	-
Site unspecified (221.9)	-	...	-	...	-	...	-	...	-
Benign neoplasms of male genital organs (222)	1	1	...	-	...	1	...	1	...
Testis (222.0)	-	-	...	-	...	-	...	-	...
Penis (222.1)	-	-	...	-	...	-	...	-	...
Prostate (222.2)	1	1	...	-	...	1	...	1	...
Epididymis (222.3)	-	-	...	-	...	-	...	-	...
Scrotum (222.4)	-	-	...	-	...	-	...	-	...
Other specified sites (222.8)	-	-	...	-	...	-	...	-	...
Site unspecified (222.9)	-	-	...	-	...	-	...	-	...
Benign neoplasms of kidney and other urinary organs (223)	4	1	3	1	3	-	-	-	-
Kidney, except pelvis (223.0)	4	1	3	1	3	-	-	-	-
Renal pelvis (223.1)	-	-	-	-	-	-	-	-	-
Ureter (223.2)	-	-	-	-	-	-	-	-	-
Bladder (223.3)	-	-	-	-	-	-	-	-	-
Other specified sites (223.8)	-	-	-	-	-	-	-	-	-
Site unspecified (223.9)	-	-	-	-	-	-	-	-	-
Benign neoplasm of eye (224)	-	-	-	-	-	-	-	-	-
Eyeball, except conjunctiva, cornea, retina, and choroid (224.0)	-	-	-	-	-	-	-	-	-
Orbit (224.1)	-	-	-	-	-	-	-	-	-
Lacrimal gland (224.2)	-	-	-	-	-	-	-	-	-
Conjunctiva (224.3)	-	-	-	-	-	-	-	-	-
Cornea (224.4)	-	-	-	-	-	-	-	-	-
Retina (224.5)	-	-	-	-	-	-	-	-	-
Choroid (224.6)	-	-	-	-	-	-	-	-	-
Lacrimal duct (224.7)	-	-	-	-	-	-	-	-	-
Other specified parts (224.8)	-	-	-	-	-	-	-	-	-
Part unspecified (224.9)	-	-	-	-	-	-	-	-	-
Benign neoplasms of brain and other parts of nervous system (225)	892	299	593	252	486	47	107	46	98
Brain (225.0)	99	33	66	29	50	4	16	4	15
Cranial nerves (225.1)	48	15	33	14	32	1	1	1	-
Cerebral meninges (225.2)	735	246	489	204	401	42	88	41	81
Spinal cord (225.3)	4	2	2	2	2	-	-	-	-
Spinal meninges (225.4)	3	1	2	1	1	-	1	-	1
Other (225.8)	-	-	-	-	-	-	-	-	-
Part unspecified (225.9)	3	2	1	2	-	-	1	-	1
Benign neoplasm of thyroid gland (226)	4	1	3	1	2	-	1	-	1
Benign neoplasms of other endocrine glands and related structures (227)	137	50	87	35	65	15	22	15	22
Suprarenal gland (227.0)	28	7	21	6	15	1	6	1	6
Parathyroid gland (227.1)	14	4	10	2	9	2	1	2	1
Pituitary gland and craniopharyngeal duct (227.3)	95	39	56	27	41	12	15	12	15
Pineal gland (227.4)	-	-	-	-	-	-	-	-	-
Carotid body (227.5)	-	-	-	-	-	-	-	-	-
Aortic body and other paraganglia (227.6)	-	-	-	-	-	-	-	-	-
Other (227.8)	-	-	-	-	-	-	-	-	-
Site unspecified (227.9)	-	-	-	-	-	-	-	-	-
Hemangioma and lymphangioma, any site (228)	84	45	39	37	35	8	4	8	2
Hemangioma, any site (228.0)	46	20	26	16	24	4	2	4	1
Lymphangioma, any site (228.1)	38	25	13	21	11	4	2	4	1

SECTION 1 - GENERAL MORTALITY - PAGE 114

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

(Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975)

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Benign neoplasms-Con.									
Benign neoplasms of other and unspecified sites (229)	16	9	7	8	6	1	1	1	1
Lymph nodes (229.0)	-	-	-	-	-	-	-	-	-
Other specified sites (229.8)	6	1	5	1	5	-	-	-	-
Site unspecified (229.9)	10	8	2	7	1	1	1	1	1
Carcinoma in situ (230-234)	7	1	6	1	5	-	1	-	1
Carcinoma in situ of digestive organs (230)	3	-	3	-	2	-	1	-	1
Lip, oral cavity, and pharynx (230.0)	-	-	-	-	-	-	-	-	-
Esophagus (230.1)	-	-	-	-	-	-	-	-	-
Stomach (230.2)	-	-	-	-	-	-	-	-	-
Colon (230.3)	2	-	2	-	1	-	1	-	1
Rectum (230.4)	-	-	-	-	-	-	-	-	-
Anal canal (230.5)	-	-	-	-	-	-	-	-	-
Anus, unspecified (230.6)	-	-	-	-	-	-	-	-	-
Other and unspecified parts of intestine (230.7)	-	-	-	-	-	-	-	-	-
Liver and biliary system (230.8)	1	-	1	-	1	-	-	-	-
Other and unspecified digestive organs (230.9)	-	-	-	-	-	-	-	-	-
Carcinoma in situ of respiratory system (231)	2	-	2	-	2	-	-	-	-
Larynx (231.0)	-	-	-	-	-	-	-	-	-
Trachea (231.1)	-	-	-	-	-	-	-	-	-
Bronchus and lung (231.2)	2	-	2	-	2	-	-	-	-
Other specified parts (231.8)	-	-	-	-	-	-	-	-	-
Part unspecified (231.9)	-	-	-	-	-	-	-	-	-
Carcinoma in situ of skin (232)	1	1	-	1	-	-	-	-	-
Skin of lip (232.0)	-	-	-	-	-	-	-	-	-
Eyelid, including canthus (232.1)	-	-	-	-	-	-	-	-	-
Ear and external auricular canal (232.2)	-	-	-	-	-	-	-	-	-
Skin of other and unspecified parts of face (232.3)	-	-	-	-	-	-	-	-	-
Scalp and skin of neck (232.4)	-	-	-	-	-	-	-	-	-
Skin of trunk, except scrotum (232.5)	-	-	-	-	-	-	-	-	-
Skin of upper limb, including shoulder (232.6)	-	-	-	-	-	-	-	-	-
Skin of lower limb, including hip (232.7)	-	-	-	-	-	-	-	-	-
Other specified sites (232.8)	-	-	-	-	-	-	-	-	-
Site unspecified (232.9)	1	1	-	1	-	-	-	-	-
Carcinoma in situ of breast and genitourinary system (233)	-	-	-	-	-	-	-	-	-
Breast (233.0)	-	-	-	-	-	-	-	-	-
Cervix uteri (233.1)	-	-	-	-	-	-	-	-	-
Other and unspecified parts of uterus (233.2)	-	-	-	-	-	-	-	-	-
Other and unspecified female genital organs (233.3)	-	-	-	-	-	-	-	-	-
Prostate (233.4)	-	-	-	-	-	-	-	-	-
Penis (233.5)	-	-	-	-	-	-	-	-	-
Other and unspecified male genital organs (233.6)	-	-	-	-	-	-	-	-	-
Bladder (233.7)	-	-	-	-	-	-	-	-	-
Other and unspecified urinary organs (233.9)	-	-	-	-	-	-	-	-	-
Carcinoma in situ of other and unspecified sites (234)	1	-	1	-	1	-	-	-	-
Eye (234.0)	1	-	1	-	1	-	-	-	-
Other specified sites (234.8)	-	-	-	-	-	-	-	-	-
Site unspecified (234.9)	-	-	-	-	-	-	-	-	-
Neoplasms of uncertain behavior (235-238)	1,436	668	768	615	693	53	75	44	72
Neoplasms of uncertain behavior of digestive and respiratory systems (235)	118	47	71	46	63	1	8	1	8
Major salivary glands (235.0)	-	-	-	-	-	-	-	-	-
Lip, oral cavity, and pharynx (235.1)	1	1	-	1	-	-	-	-	-
Stomach, intestines, and rectum (235.2)	62	20	42	19	38	1	4	1	4
Liver and biliary passages (235.3)	16	6	10	6	8	-	2	-	2
Retropertoneum and peritoneum (235.4)	5	3	2	3	2	-	-	-	-
Other and unspecified digestive organs (235.5)	10	3	7	3	6	-	1	-	1
Larynx (235.6)	-	-	-	-	-	-	-	-	-
Trachea, bronchus, and lung (235.7)	21	11	10	11	9	-	1	-	1
Pleura, thymus, and mediastinum (235.8)	3	3	-	3	-	-	-	-	-
Other and unspecified respiratory organs (235.9)	-	-	-	-	-	-	-	-	-
Neoplasms of uncertain behavior of genitourinary organs (236)	7	2	5	1	5	1	-	1	-
Uterus (236.0)	1	-	1	-	1	-	-	-	-
Placenta (236.1)	-	-	-	-	-	-	-	-	-
Ovary (236.2)	4	-	4	-	4	-	-	-	-
Other and unspecified female genital organs (236.3)	-	-	-	-	-	-	-	-	-
Testis (236.4)	-	-	-	-	-	-	-	-	-
Prostate (236.5)	1	1	-	1	-	-	-	-	-
Other and unspecified male genital organs (236.6)	-	-	-	-	-	-	-	-	-
Bladder (236.7)	-	-	-	-	-	-	-	-	-
Other and unspecified urinary organs (236.9)	1	1	-	-	-	1	-	-	-
Neoplasms of uncertain behavior of endocrine glands and nervous system (237)	182	87	95	70	74	17	21	14	21
Pituitary gland and craniopharyngeal duct (237.0)	61	32	29	25	22	7	7	6	7
Pineal gland (237.1)	21	15	6	13	6	2	-	2	-
Suprarenal gland (237.2)	-	-	-	-	-	-	-	-	-
Paraganglia (237.3)	6	4	2	4	1	-	-	-	1
Other and unspecified endocrine glands (237.4)	4	1	3	1	2	-	1	-	1
Brain and spinal cord (237.5)	29	13	16	10	13	-	1	-	1
Meninges (237.6)	2	-	2	10	13	3	3	2	3
Neurofibromatosis (237.7)	58	22	36	17	2	-	-	-	-
Other and unspecified parts of nervous system (237.9)	1	-	1	-	27	5	9	4	9
Neoplasms of uncertain behavior of other and unspecified sites and tissues (238)	1,128	532	597	498	551	34	46	28	43
Bone and articular cartilage (238.0)	9	1	8	1	8	-	-	-	-
Connective and other soft tissue (238.1)	26	10	16	9	13	1	3	-	3
Skin (238.2)	-	-	-	-	-	-	-	-	-
Breast (238.3)	6	-	6	-	-	-	-	-	-
Polycythemia vera (238.4)	-	-	-	-	4	-	2	-	1
Histiocytic and mast cells (238.5)	310	143	167	139	160	4	7	3	6

SECTION 1 - GENERAL MORTALITY - PAGE 115

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Benign neoplasms-Con.									
Benign neoplasms of other and unspecified sites (229)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Lymph nodes (229.0)	-	-	-	-	-	-	-	-	-
Other specified sites (229.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Site unspecified (229.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Carcinoma in situ (230-234)	.0	.0	.0	.0	.0	-	.0	-	.0
Carcinoma in situ of digestive organs (230)	.0	-	.0	-	.0	-	.0	-	.0
Lip, oral cavity, and pharynx (230.0)	-	-	-	-	-	-	-	-	-
Esophagus (230.1)	-	-	-	-	-	-	-	-	-
Stomach (230.2)	-	-	-	-	-	-	-	-	-
Colon (230.3)	.0	-	.0	-	.0	-	.0	-	.0
Rectum (230.4)	-	-	-	-	-	-	-	-	-
Anal canal (230.5)	-	-	-	-	-	-	-	-	-
Anus, unspecified (230.6)	-	-	-	-	-	-	-	-	-
Other and unspecified parts of intestine (230.7)	-	-	-	-	-	-	-	-	-
Liver and biliary system (230.8)	.0	-	.0	-	.0	-	-	-	-
Other and unspecified digestive organs (230.9)	-	-	-	-	-	-	-	-	-
Carcinoma in situ of respiratory system (231)	.0	-	.0	-	.0	-	-	-	-
Larynx (231.0)	-	-	-	-	-	-	-	-	-
Trachea (231.1)	-	-	-	-	-	-	-	-	-
Bronchus and lung (231.2)	.0	-	.0	-	.0	-	-	-	-
Other specified parts (231.8)	-	-	-	-	-	-	-	-	-
Part unspecified (231.9)	-	-	-	-	-	-	-	-	-
Carcinoma in situ of skin (232)	.0	.0	-	.0	-	-	-	-	-
Skin of lip (232.0)	-	-	-	-	-	-	-	-	-
Eyelid, including canthus (232.1)	-	-	-	-	-	-	-	-	-
Ear and external auricular canal (232.2)	-	-	-	-	-	-	-	-	-
Skin of other and unspecified parts of face (232.3)	-	-	-	-	-	-	-	-	-
Scalp and skin of neck (232.4)	-	-	-	-	-	-	-	-	-
Skin of trunk, except scrotum (232.5)	-	-	-	-	-	-	-	-	-
Skin of upper limb, including shoulder (232.6)	-	-	-	-	-	-	-	-	-
Skin of lower limb, including hip (232.7)	-	-	-	-	-	-	-	-	-
Other specified sites (232.8)	-	-	-	-	-	-	-	-	-
Site unspecified (232.9)	.0	.0	-	.0	-	-	-	-	-
Carcinoma in situ of breast and genitourinary system (233)	-	-	-	-	-	-	-	-	-
Breast (233.0)	-	-	-	-	-	-	-	-	-
Cervix uteri (233.1)	-	...	-	...	-	...	-
Other and unspecified parts of uterus (233.2)	-	...	-	...	-	...	-
Other and unspecified female genital organs (233.3)	-	...	-	...	-	...	-
Prostate (233.4)	-	-	...	-	...	-	...	-	...
Penis (233.5)	-	-	...	-	...	-	...	-	...
Other and unspecified male genital organs (233.6)	-	-	...	-	...	-	...	-	...
Bladder (233.7)	-	-	-	-	-	-	-	-	-
Other and unspecified urinary organs (233.9)	-	-	-	-	-	-	-	-	-
Carcinoma in situ of other and unspecified sites (234)	.0	-	.0	-	.0	-	-	-	-
Eye (234.0)	.0	-	.0	-	.0	-	-	-	-
Other specified sites (234.8)	-	-	-	-	-	-	-	-	-
Site unspecified (234.9)	-	-	-	-	-	-	-	-	-
Neoplasms of uncertain behavior (235-238)	.6	.6	.6	.6	.7	.3	.4	.3	.5
Neoplasms of uncertain behavior of digestive and respiratory systems (235)	.0	.0	.1	.0	.1	.0	.0	.0	.1
Major salivary glands (235.0)	-	-	-	-	-	-	-	-	-
Lip, oral cavity, and pharynx (235.1)	.0	.0	-	.0	-	-	-	.0	.0
Stomach, intestines, and rectum (235.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Liver and biliary passages (235.3)	.0	.0	.0	.0	.0	-	.0	-	.0
Retropertoneum and peritoneum (235.4)	.0	.0	.0	.0	.0	-	.0	-	.0
Other and unspecified digestive organs (235.5)	.0	.0	.0	.0	.0	-	.0	-	.0
Larynx (235.6)	-	-	-	-	-	-	-	-	.0
Trachea, bronchus, and lung (235.7)	.0	.0	.0	.0	.0	-	.0	-	.0
Pleura, thymus, and mediastinum (235.8)	.0	.0	-	.0	-	-	-	-	-
Other and unspecified respiratory organs (235.9)	-	-	-	-	-	-	-	-	-
Neoplasms of uncertain behavior of genitourinary organs (236)	.0	.0	.0	.0	.0	.0	-	.0	-
Uterus (236.0)	.000	...	-	...	-
Placenta (236.1)	-	...	-	...	-	...	-	-	-
Ovary (236.2)	.000	...	-	...	-
Other and unspecified female genital organs (236.3)	-	...	-	...	-	...	-	-	-
Testis (236.4)	-	-	...	-	...	-	...	-	...
Prostate (236.5)	.0	.00	...	-	...	-	...
Other and unspecified male genital organs (236.6)	-	-	...	-	...	-	...	-	...
Bladder (236.7)	-	-	-	-	-	.0	-	.0	-
Other and unspecified urinary organs (236.9)	.0	.0	-	-	-	-	-	-	-
Neoplasms of uncertain behavior of endocrine glands and nervous system (237)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Pituitary gland and craniopharyngeal duct (237.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Pineal gland (237.1)	.0	.0	.0	.0	.0	.0	-	-	-
Suprarenal gland (237.2)	-	-	-	-	-	-	.0	-	.0
Paraganglia (237.3)	.0	.0	.0	.0	.0	-	.0	-	.0
Other and unspecified endocrine glands (237.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Brain and spinal cord (237.5)	.0	.0	.0	.0	.0	-	-	-	-
Meninges (237.6)	.0	.0	.0	.0	.0	.0	.0	.0	.1
Neurofibromatosis (237.7)	.0	.0	.0	.0	.0	-	-	-	-
Other and unspecified parts of nervous system (237.9)	.0	-	.0	-	.0	-	-	-	-
Neoplasms of uncertain behavior of other and unspecified sites and tissues (238)	.5	.5	.5	.5	.5	.2	.2	.2	.3
Bone and articular cartilage (238.0)	.0	.0	.0	.0	.0	-	-	-	.0
Connective and other soft tissue (238.1)	.0	.0	.0	.0	.0	.0	.0	-	.0
Skin (238.2)	-	-	.0	-	.0	-	.0	-	.0
Breast (238.3)	.0	-	.0	-	.0	.0	.0	.0	.0
Polycythemia vera (238.4)	.1	.1	.1	.1	.2	-	-	-	-
Histiocytic and mast cells (238.5)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 116

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neoplasms of uncertain behavior of other and unspecified sites and tissues-Con.									
Plasma cells (238.6)	43	24	19	23	17	1	2	1	2
Other lymphatic and hematopoietic tissues (238.7)	672	328	346	304	316	22	30	18	29
Other specified sites (238.8)	8	3	5	3	5	-	-	-	-
Site unspecified (238.9)	55	25	30	19	28	6	2	6	2
Neoplasms of unspecified nature (239)	3,810	1,804	2,006	1,574	1,765	230	241	197	217
Neoplasms of unspecified nature (239)	3,810	1,804	2,006	1,574	1,765	230	241	197	217
Digestive system (239.0)	330	160	170	132	142	28	28	25	25
Respiratory system (239.1)	360	208	152	188	138	20	14	17	12
Bone, soft tissue, and skin (239.2)	27	13	14	10	11	3	3	3	3
Breast (239.3)	3	-	3	-	2	-	1	-	1
Bladder (239.4)	37	18	19	17	17	1	2	1	2
Other genitourinary organs (239.5)	83	28	55	26	49	2	6	2	5
Brain (239.6)	2,470	1,152	1,318	1,020	1,173	132	145	110	130
Endocrine glands, and other parts of nervous system (239.7)	145	77	68	60	56	17	12	15	11
Other specified sites (239.8)	247	92	155	76	132	16	23	14	22
Site unspecified (239.9)	108	56	52	45	45	11	7	10	6
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)									
Disorders of thyroid gland (240-246)	741	162	579	133	494	29	85	26	78
Simple and unspecified goiter (240)	25	4	21	3	14	1	7	1	7
Goiter, specified as simple (240.0)	-	-	-	-	-	-	-	-	-
Goiter, unspecified (240.9)	25	4	21	3	14	1	7	1	7
Nontoxic nodular goiter (241)	7	1	6	1	3	-	3	-	3
Nontoxic uninodular goiter (241.0)	1	-	1	-	-	-	1	-	1
Nontoxic multinodular goiter (241.1)	3	1	2	1	1	-	1	-	1
Unspecified (241.9)	3	-	3	-	2	-	1	-	1
Thyrotoxicosis with or without goiter (242)	145	40	105	31	84	9	21	7	16
Toxic diffuse goiter (242.0)	14	5	9	3	9	2	-	2	-
Toxic uninodular goiter (242.1)	-	-	-	-	-	-	-	-	-
Toxic multinodular goiter (242.2)	1	-	1	-	1	-	-	-	-
Toxic nodular goiter, unspecified (242.3)	2	-	2	-	2	-	-	-	-
Thyrotoxicosis from ectopic thyroid nodule (242.4)	1	-	1	-	1	-	-	-	-
Thyrotoxicosis of other specified origin (242.8)	1	-	1	-	1	-	-	-	-
Thyrotoxicosis without mention of goiter or other cause (242.9)	126	35	91	28	70	7	21	5	16
Congenital hypothyroidism (243)	8	2	6	2	6	-	-	-	-
Acquired hypothyroidism (244)	534	111	423	93	371	18	52	17	50
Other postablative hypothyroidism (244.1)	-	-	-	-	-	-	-	-	-
Iodine hypothyroidism (244.2)	-	-	-	-	-	-	-	-	-
Other iatrogenic hypothyroidism (244.3)	-	-	-	-	-	-	-	-	-
Other (244.8)	-	-	-	-	-	-	-	-	-
Unspecified hypothyroidism (244.9)	534	111	423	93	371	18	52	17	50
Thyroiditis (245)	6	1	5	1	5	-	-	-	-
Acute thyroiditis (245.0)	1	-	1	-	1	-	-	-	-
Subacute thyroiditis (245.1)	-	-	-	-	-	-	-	-	-
Chronic lymphocytic thyroiditis (245.2)	4	1	3	1	3	-	-	-	-
Chronic fibrous thyroiditis (245.3)	-	-	-	-	-	-	-	-	-
Iatrogenic thyroiditis (245.4)	-	-	-	-	-	-	-	-	-
Other and unspecified chronic thyroiditis (245.8)	1	-	1	-	1	-	-	-	-
Unspecified (245.9)	-	-	-	-	-	-	-	-	-
Other disorders of thyroid (246)	16	3	13	2	11	1	2	1	2
Disorders of thyrocalcitonin secretion (246.0)	-	-	-	-	-	-	-	-	-
Dyshormonogenic goiter (246.1)	-	-	-	-	-	-	-	-	-
Cyst of thyroid (246.2)	-	-	-	-	-	-	-	-	-
Hemorrhage and infarction of thyroid (246.3)	-	-	-	-	-	-	-	-	-
Other (246.8)	2	1	1	1	1	-	-	-	-
Unspecified (246.9)	14	2	12	1	10	1	2	1	2
Diseases of other endocrine glands (250-259)	37,726	15,603	22,123	13,024	17,890	2,579	4,233	2,300	3,939
Diabetes mellitus (250)	36,969	15,263	21,706	12,758	17,547	2,505	4,159	2,230	3,874
Diabetes mellitus without mention of complication (250.0)	27,619	11,362	16,257	9,662	13,399	1,700	2,858	1,499	2,660
Diabetes with ketoacidosis (250.1)	1,686	697	989	541	755	156	234	148	219
Diabetes with coma (250.2)	1,351	525	826	387	619	138	207	133	202
Diabetes with renal manifestations (250.3)	2,583	1,093	1,490	863	1,112	230	378	196	341
Diabetes with ophthalmic manifestations (250.4)	80	44	46	44	42	-	4	-	3
Diabetes with neurological manifestations (250.5)	219	108	110	96	94	13	16	13	13
Diabetes with peripheral circulatory disorders (250.6)	2,439	1,089	1,350	911	1,073	178	277	156	282
Diabetes with other specified manifestations (250.7)	851	290	561	208	395	82	166	78	159
Diabetes with unspecified complications (250.9)	131	54	77	46	58	8	19	7	15
Other disorders of pancreatic internal secretion (251)	218	115	103	76	76	39	27	38	24
Hypoglycemic coma (251.0)	53	28	25	21	17	7	8	7	7
Other hyperinsulinism (251.1)	1	1	-	1	-	-	-	-	-
Hypoglycemia, unspecified (251.2)	148	77	71	45	53	32	18	31	16
Abnormality of secretion of glucagon (251.4)	-	-	-	-	-	-	-	-	-
Abnormality of secretion of gastrin (251.5)	16	9	7	9	6	-	1	-	1
Other (251.8)	-	-	-	-	-	-	-	-	-
Unspecified (251.9)	-	-	-	-	-	-	-	-	-
Disorders of parathyroid gland (252)	86	30	56	27	48	3	8	3	8
Hyperparathyroidism (252.0)	66	26	40	23	34	3	6	3	6
Hypoparathyroidism (252.1)	16	3	13	3	13	-	-	-	-
Other (252.8)	-	-	-	-	-	-	-	-	-
Unspecified (252.9)	4	1	3	1	1	-	2	-	2

SECTION 1 - GENERAL MORTALITY - PAGE 117

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neoplasms of uncertain behavior of other and unspecified sites and tissues-Con.									
Plasma cells (238.6)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other lymphatic and hematopoietic tissues (238.7)3	.3	.3	.3	.3	.1	.2	.1	.2
Other specified sites (238.8)0	.0	.0	.0	.0	-	-	-	-
Site unspecified (238.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Neoplasms of unspecified nature (239)	1.6	1.6	1.6	1.6	1.7	1.3	1.3	1.4	1.4
Neoplasms of unspecified nature (239)	1.6	1.6	1.6	1.6	1.7	1.3	1.3	1.4	1.4
Digestive system (239.0)1	.1	.1	.1	.1	.2	.1	.2	.2
Respiratory system (239.1)2	.2	.1	.2	.1	.1	.1	.1	.1
Bone, soft tissue, and skin (239.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Breast (239.3)0	-	.0	-	.0	-	.0	-	.0
Bladder (239.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Other genitourinary organs (239.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Brain (239.6)	1.0	1.0	1.1	1.0	1.1	.8	.8	.8	.9
Endocrine glands, and other parts of nervous system (239.7)1	.1	.1	.1	.1	.1	.1	.1	.1
Other specified sites (239.8)1	.1	.1	.1	.1	.1	.1	.1	.1
Site unspecified (239.9)0	.0	.0	.0	.0	.1	.0	.1	.0
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)									
Disorders of thyroid gland (240-246)3	.1	.5	.1	.5	.2	.5	.2	.5
Simple and unspecified goiter (240)0	.0	.0	.0	.0	.0	.0	.0	.0
Goiter, specified as simple (240.0)	-	-	-	-	-	-	-	-	-
Goiter, unspecified (240.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Nontoxic nodular goiter (241)0	.0	.0	.0	.0	-	.0	-	.0
Nontoxic uninodular goiter (241.0)0	-	.0	-	-	-	.0	-	.0
Nontoxic multinodular goiter (241.1)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (241.9)0	-	.0	-	.0	-	.0	-	.0
Thyrotoxicosis with or without goiter (242)1	.0	.1	.0	.1	.1	.1	.1	.1
Toxic diffuse goiter (242.0)0	.0	.0	.0	.0	.0	-	.0	-
Toxic uninodular goiter (242.1)	-	-	-	-	-	-	-	-	-
Toxic multinodular goiter (242.2)0	-	.0	-	.0	-	-	-	-
Toxic nodular goiter, unspecified (242.3)0	-	.0	-	.0	-	-	-	-
Thyrotoxicosis from ectopic thyroid nodule (242.4)0	-	.0	-	.0	-	-	-	-
Thyrotoxicosis of other specified origin (242.8)0	-	.0	-	.0	-	-	-	-
Thyrotoxicosis without mention of goiter or other cause (242.9)1	.0	.1	.0	.1	.0	.1	.0	.1
Congenital hypothyroidism (243)0	.0	.0	.0	.0	-	-	-	-
Acquired hypothyroidism (244)2	.1	.3	.1	.4	.1	.3	.1	.3
Other postablative hypothyroidism (244.1)	-	-	-	-	-	-	-	-	-
Iodine hypothyroidism (244.2)	-	-	-	-	-	-	-	-	-
Other iatrogenic hypothyroidism (244.3)	-	-	-	-	-	-	-	-	-
Other (244.8)	-	-	-	-	-	-	-	-	-
Unspecified hypothyroidism (244.9)2	.1	.3	.1	.4	.1	.3	.1	.3
Thyroiditis (245)0	.0	.0	.0	.0	-	-	-	-
Acute thyroiditis (245.0)0	-	.0	-	.0	-	-	-	-
Subacute thyroiditis (245.1)	-	-	-	-	-	-	-	-	-
Chronic lymphocytic thyroiditis (245.2)0	.0	.0	.0	.0	-	-	-	-
Chronic fibrous thyroiditis (245.3)	-	-	-	-	-	-	-	-	-
Iatrogenic thyroiditis (245.4)	-	-	-	-	-	-	-	-	-
Other and unspecified chronic thyroiditis (245.8)0	-	.0	-	.0	-	-	-	-
Unspecified (245.9)	-	-	-	-	-	-	-	-	-
Other disorders of thyroid (246)0	.0	.0	.0	.0	.0	.0	.0	.0
Disorders of thyrocalcitonin secretion (246.0)	-	-	-	-	-	-	-	-	-
Dyshormonogenic goiter (246.1)	-	-	-	-	-	-	-	-	-
Cyst of thyroid (246.2)	-	-	-	-	-	-	-	-	-
Hemorrhage and infarction of thyroid (246.3)	-	-	-	-	-	-	-	-	-
Other (246.8)0	.0	.0	.0	.0	-	-	-	-
Unspecified (246.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Diseases of other endocrine glands (250-259)	15.8	13.4	18.0	13.2	17.2	15.0	22.5	16.8	25.9
Diabetes mellitus (250)	15.5	13.1	17.7	12.9	16.9	14.6	22.1	16.3	25.5
Diabetes mellitus without mention of complication (250.0)	11.6	9.8	13.3	9.8	12.9	9.9	15.2	11.0	17.5
Diabetes with ketoacidosis (250.1)7	.6	.8	.5	.7	.9	1.2	1.1	1.4
Diabetes with coma (250.2)6	.5	.7	.4	.6	.8	1.1	1.0	1.3
Diabetes with renal manifestations (250.3)	1.1	.9	1.2	.9	1.1	1.3	2.0	1.4	2.2
Diabetes with ophthalmic manifestations (250.4)0	.0	.0	.0	.0	-	.0	-	.0
Diabetes with neurological manifestations (250.5)1	.1	.1	.1	.1	.1	.1	.1	.1
Diabetes with peripheral circulatory disorders (250.6)	1.0	.9	1.1	.9	1.0	1.0	1.5	1.1	1.7
Diabetes with other specified manifestations (250.7)4	.2	.5	.2	.4	.5	.9	.6	1.0
Diabetes with unspecified complications (250.9)1	.0	.1	.0	.1	.0	.1	.1	.1
Other disorders of pancreatic internal secretion (251)1	.1	.1	.1	.1	.2	.1	.3	.2
Hypoglycemic coma (251.0)0	.0	.0	.0	.0	.0	.0	.1	.0
Other hyperinsulinism (251.1)0	.0	-	.0	-	-	-	-	-
Hypoglycemia, unspecified (251.2)1	.1	.1	.0	.1	.2	.1	.2	.1
Abnormality of secretion of glucagon (251.4)	-	-	-	-	-	-	-	-	-
Abnormality of secretion of gastrin (251.5)0	.0	.0	.0	.0	-	.0	-	.0
Other (251.8)	-	-	-	-	-	-	-	-	-
Unspecified (251.9)	-	-	-	-	-	-	-	-	-
Disorders of parathyroid gland (252)0	.0	.0	.0	.0	.0	.0	.0	.1
Hyperparathyroidism (252.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Hypoparathyroidism (252.1)0	.0	.0	.0	.0	-	-	-	-
Other (252.8)	-	-	-	-	-	-	-	-	-
Unspecified (252.9)0	.0	.0	.0	.0	-	.0	-	.0

SECTION 1 - GENERAL MORTALITY - PAGE 118

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of other endocrine glands-Con.									
Disorders of the pituitary gland and its hypothalamic control (253)	161	60	101	50	85	10	16	8	14
Acromegaly and gigantism (253.0)	12	6	6	5	6	1	-	1	-
Other anterior pituitary hyperfunction (253.1)	-	-	-	-	-	-	-	-	-
Panhypopituitarism (253.2)	50	21	29	19	25	2	4	2	3
Pituitary dwarfism (253.3)	1	-	1	-	1	-	-	-	-
Other anterior pituitary disorders (253.4)	-	-	-	-	-	-	-	-	-
Diabetes insipidus (253.5)	16	9	7	8	5	1	2	-	2
Other disorders of neurohypophysis (253.6)	59	16	43	13	38	3	5	3	5
Iatrogenic pituitary disorders (253.7)	2	1	1	-	1	1	-	-	-
Other disorders of the pituitary and other syndromes of diencephalohypophyseal origin (253.8)	10	5	5	3	3	2	2	2	2
Unspecified (253.9)	11	2	9	2	6	-	3	-	2
Diseases of thymus gland (254)	9	3	6	3	4	-	2	-	2
Persistent hyperplasia of thymus (254.0)	6	3	3	3	2	-	1	-	1
Abscess of thymus (254.1)	-	-	-	-	-	-	-	-	-
Other (254.6)	3	-	3	-	2	-	1	-	1
Unspecified (254.9)	-	-	-	-	-	-	-	-	-
Disorders of adrenal glands (255)	199	93	106	81	92	12	14	12	11
Cushing's syndrome (255.0)	37	13	24	12	20	1	4	1	4
Hyperaldosteronism (255.1)	8	5	3	3	3	2	-	2	-
Adrenogenital disorders (255.2)	4	2	2	2	2	-	-	-	-
Other corticoadrenal overactivity (255.3)	2	1	1	1	1	-	-	-	-
Corticoadrenal insufficiency (255.4)	136	65	71	58	62	7	9	7	6
Other adrenal hypofunction (255.5)	1	-	1	-	1	-	-	-	-
Medulloadrenal hyperfunction (255.6)	-	-	-	-	-	-	-	-	-
Other (255.8)	9	6	3	4	2	2	1	2	1
Unspecified (255.9)	2	1	1	1	1	-	-	-	-
Ovarian dysfunction (256)	-	-	-	-	-	-	-	-	-
Hyperestrogenism (256.0)	-	-	-	-	-	-	-	-	-
Other ovarian hyperfunction (256.1)	-	-	-	-	-	-	-	-	-
Postablative ovarian failure (256.2)	-	-	-	-	-	-	-	-	-
Other ovarian failure (256.3)	-	-	-	-	-	-	-	-	-
Polycystic ovaries (256.4)	-	-	-	-	-	-	-	-	-
Other (256.8)	-	-	-	-	-	-	-	-	-
Unspecified (256.9)	-	-	-	-	-	-	-	-	-
Testicular dysfunction (257)	-	-	-	-	-	-	-	-	-
Testicular hyperfunction (257.0)	-	-	-	-	-	-	-	-	-
Postablative testicular hypofunction (257.1)	-	-	-	-	-	-	-	-	-
Other testicular hypofunction (257.2)	-	-	-	-	-	-	-	-	-
Other (257.8)	-	-	-	-	-	-	-	-	-
Unspecified (257.9)	-	-	-	-	-	-	-	-	-
Polyglandular dysfunction and related disorders (258)	6	2	4	1	4	1	-	1	-
Polyglandular activity in multiple endocrine adenomatosis (258.0)	-	-	-	-	-	-	-	-	-
Other combinations of endocrine dysfunction (258.1)	1	-	1	-	1	-	-	-	-
Other (258.8)	-	-	-	-	-	-	-	-	-
Polyglandular dysfunction, unspecified (258.9)	5	2	3	1	3	1	-	1	-
Other endocrine disorders (259)	78	37	41	28	34	9	7	8	6
Delay in sexual development and puberty, not elsewhere classified (259.0)	-	-	-	-	-	-	-	-	-
Precocious sexual development and puberty, not elsewhere classified (259.1)	-	-	-	-	-	-	-	-	-
Carcinoid syndrome (259.2)	18	6	12	5	10	1	2	1	1
Ectopic hormone secretion, not elsewhere classified (259.3)	-	-	-	-	-	-	-	-	-
Dwarfism, not elsewhere classified (259.4)	50	28	22	20	18	8	4	7	4
Other (259.8)	4	1	3	1	2	-	1	-	1
Unspecified (259.9)	6	2	4	2	4	-	-	-	-
Nutritional deficiencies (260-269)	2,874	1,086	1,788	916	1,574	170	214	149	200
Kwashiorkor (260)	43	15	28	12	25	3	3	3	2
Nutritional marasmus (261)	279	120	159	98	133	22	26	19	25
Other severe protein-calorie malnutrition (262)	10	3	7	3	7	-	-	-	-
Other and unspecified protein-calorie malnutrition (263)	2,388	875	1,513	747	1,339	128	174	111	163
Malnutrition of moderate degree (263.0)	-	-	-	-	-	-	-	-	-
Malnutrition of mild degree (263.1)	-	-	-	-	-	-	-	-	-
Arrested development following protein-calorie malnutrition (263.2)	1	-	1	-	1	-	-	-	-
Other protein-calorie malnutrition (263.8)	-	-	-	-	-	-	-	-	-
Unspecified (263.9)	2,387	875	1,512	747	1,338	128	174	111	163
Vitamin A deficiency (264)	1	-	1	-	1	-	-	-	-
With conjunctival xerosis (264.0)	-	-	-	-	-	-	-	-	-
With Bitot's spot and conjunctival xerosis (264.1)	-	-	-	-	-	-	-	-	-
With corneal xerosis (264.2)	-	-	-	-	-	-	-	-	-
With corneal ulceration and xerosis (264.3)	-	-	-	-	-	-	-	-	-
With keratomalacia (264.4)	-	-	-	-	-	-	-	-	-
With night blindness (264.5)	-	-	-	-	-	-	-	-	-
With xerophthalmic scars of cornea (264.6)	-	-	-	-	-	-	-	-	-
Other ocular manifestations of vitamin A deficiency (264.7)	-	-	-	-	-	-	-	-	-
Other manifestations of vitamin A deficiency (264.8)	-	-	-	-	-	-	-	-	-
Unspecified (264.9)	1	-	1	-	1	-	-	-	-
Thiamine and niacin deficiency states (265)	22	17	5	14	3	3	2	3	2
Beriberi (265.0)	4	4	-	3	3	1	-	1	-
Other and unspecified manifestations of thiamine deficiency (265.1)	16	13	3	11	3	2	-	2	-
Pellagra (265.2)	2	-	2	-	-	-	2	-	2
Deficiency of B-complex components (266)	4	2	2	2	2	-	-	-	-
Ariboflavinosis (266.0)	-	-	-	-	-	-	-	-	-
Vitamin B6 deficiency (266.1)	-	-	-	-	-	-	-	-	-
Other B-complex deficiencies (266.2)	4	2	2	-	-	-	-	-	-
Unspecified vitamin B deficiency (266.9)	-	-	-	2	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 119

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of other endocrine glands-Con.									
Disorders of the pituitary gland and its hypothalamic control (253)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Acromegaly and gigantism (253.0)	.0	.0	.0	.0	.0	.0	-	.0	-
Other anterior pituitary hyperfunction (253.1)	-	-	-	-	-	-	-	-	-
Panhypopituitarism (253.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Pituitary dwarfism (253.3)	.0	-	.0	-	.0	-	-	-	-
Other anterior pituitary disorders (253.4)	-	-	-	-	-	-	-	-	-
Diabetes insipidus (253.5)	.0	.0	.0	.0	.0	.0	.0	-	.0
Other disorders of neurohypophysis (253.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Iatrogenic pituitary disorders (253.7)	.0	.0	.0	-	.0	.0	-	-	-
Other disorders of the pituitary and other syndromes of diencephalohypophyseal origin (253.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (253.9)	.0	.0	.0	.0	.0	-	.0	-	.0
Diseases of thymus gland (254)	.0	.0	.0	.0	.0	-	.0	-	.0
Persistent hyperplasia of thymus (254.0)	.0	.0	.0	.0	.0	-	.0	-	.0
Abscess of thymus (254.1)	-	-	-	-	-	-	-	-	-
Other (254.8)	.0	-	.0	-	.0	-	.0	-	.0
Unspecified (254.9)	-	-	-	-	-	-	-	-	-
Disorders of adrenal glands (255)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Cushing's syndrome (255.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Hyperaldosteronism (255.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Adrenogenital disorders (255.2)	.0	.0	.0	.0	.0	-	-	-	-
Other corticoadrenal overactivity (255.3)	.0	.0	.0	.0	.0	-	-	-	-
Corticoadrenal insufficiency (255.4)	.1	.1	.1	.1	.1	.0	.0	.1	.0
Other adrenal hypofunction (255.5)	.0	-	.0	-	.0	-	-	-	-
Medullocortical hyperfunction (255.6)	-	-	-	-	-	-	-	-	-
Other (255.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (255.9)	.0	.0	.0	.0	.0	-	-	-	-
Ovarian dysfunction (256)	-	...	-	...	-	...	-	...	-
Hyperestrogenism (256.0)	-	...	-	...	-	...	-	...	-
Other ovarian hyperfunction (256.1)	-	...	-	...	-	...	-	...	-
Postablative ovarian failure (256.2)	-	...	-	...	-	...	-	...	-
Other ovarian failure (256.3)	-	...	-	...	-	...	-	...	-
Polycystic ovaries (256.4)	-	...	-	...	-	...	-	...	-
Other (256.8)	-	...	-	...	-	...	-	...	-
Unspecified (256.9)	-	...	-	...	-	...	-	...	-
Testicular dysfunction (257)	-	-	...	-	...	-	...	-	...
Testicular hyperfunction (257.0)	-	-	...	-	...	-	...	-	...
Postablative testicular hypofunction (257.1)	-	-	...	-	...	-	...	-	...
Other testicular hypofunction (257.2)	-	-	...	-	...	-	...	-	...
Other (257.8)	-	-	...	-	...	-	...	-	...
Unspecified (257.9)	-	-	...	-	...	-	...	-	...
Polyglandular dysfunction and related disorders (258)	.0	.0	.0	.0	.0	.0	-	.0	-
Polyglandular activity in multiple endocrine adenomatosis (258.0)	-	-	-	-	-	-	-	-	-
Other combinations of endocrine dysfunction (258.1)	.0	-	.0	-	.0	-	-	-	-
Other (258.8)	-	-	-	-	-	-	-	-	-
Polyglandular dysfunction, unspecified (258.9)	.0	.0	.0	.0	.0	.0	-	.0	-
Other endocrine disorders (259)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Delay in sexual development and puberty, not elsewhere classified (259.0)	-	-	-	-	-	-	-	-	-
Precocious sexual development and puberty, not elsewhere classified (259.1)	-	-	-	-	-	-	-	-	-
Carcinoid syndrome (259.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ectopic hormone secretion, not elsewhere classified (259.3)	-	-	-	-	-	-	-	-	-
Dwarfism, not elsewhere classified (259.4)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Other (259.8)	.0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (259.9)	.0	.0	.0	.0	.0	-	-	-	-
Nutritional deficiencies (260-269)	1.2	.9	1.5	.9	1.5	1.0	1.1	1.1	1.3
Kwashiorkor (260)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nutritional marasmus (261)	.1	.1	.1	.1	.1	.1	.1	.1	.2
Other severe protein-calorie malnutrition (262)	.0	.0	.0	.0	.0	-	-	-	-
Other and unspecified protein-calorie malnutrition (263)	1.0	.8	1.2	.8	1.3	.7	.9	.8	1.1
Malnutrition of moderate degree (263.0)	-	-	-	-	-	-	-	-	-
Malnutrition of mild degree (263.1)	-	-	-	-	-	-	-	-	-
Arrested development following protein-calorie malnutrition (263.2)	.0	-	.0	-	.0	-	-	-	-
Other protein-calorie malnutrition (263.8)	-	-	-	-	-	-	-	-	-
Unspecified (263.9)	1.0	.8	1.2	.8	1.3	.7	.9	.8	1.1
Vitamin A deficiency (264)	.0	-	.0	-	.0	-	-	-	-
With conjunctival xerosis (264.0)	-	-	-	-	-	-	-	-	-
With Bitot's spot and conjunctival xerosis (264.1)	-	-	-	-	-	-	-	-	-
With corneal xerosis (264.2)	-	-	-	-	-	-	-	-	-
With corneal ulceration and xerosis (264.3)	-	-	-	-	-	-	-	-	-
With keratomalacia (264.4)	-	-	-	-	-	-	-	-	-
With night blindness (264.5)	-	-	-	-	-	-	-	-	-
With xerophthalmic scars of cornea (264.6)	-	-	-	-	-	-	-	-	-
Other ocular manifestations of vitamin A deficiency (264.7)	-	-	-	-	-	-	-	-	-
Other manifestations of vitamin A deficiency (264.8)	-	-	-	-	-	-	-	-	-
Unspecified (264.9)	.0	-	.0	-	.0	-	-	-	-
Thiamine and niacin deficiency states (265)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Beriberi (265.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other and unspecified manifestations of thiamine deficiency (265.1)	.0	.0	.0	.0	.0	.0	-	.0	.0
Pellagra (265.2)	.0	-	.0	-	-	-	.0	-	.0
Deficiency of B-complex components (266)	.0	.0	.0	.0	.0	-	-	-	-
Ariboflavinosis (266.0)	-	-	-	-	-	-	-	-	-
Vitamin B6 deficiency (266.1)	-	-	-	-	-	-	-	-	-
Other B-complex deficiencies (266.2)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified vitamin B deficiency (266.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 120

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Nutritional deficiencies-Con.									
Ascorbic acid deficiency (267)	3	2	1	1	1	1	-	1	-
Vitamin D deficiency (268)	9	2	7	2	5	-	2	-	2
Rickets, active (268.0)	-	-	-	-	-	-	-	-	-
Rickets, late effect (268.1)	-	-	-	-	-	-	-	-	-
Osteomalacia (268.2)	9	2	7	2	5	-	2	-	2
Unspecified (268.9)	-	-	-	-	-	-	-	-	-
Other nutritional deficiencies (269)	115	50	65	37	58	13	7	12	6
Deficiency of vitamin K (269.0)	-	-	-	-	-	-	-	-	-
Deficiency of other vitamins (269.1)	-	-	-	-	-	-	-	-	-
Unspecified vitamin deficiency (269.2)	-	-	-	-	-	-	-	-	-
Mineral deficiency, not elsewhere classified (269.3)	-	-	-	-	-	-	-	-	-
Other nutritional deficiency (269.8)	4	3	1	2	1	1	-	1	-
Unspecified (269.9)	111	47	64	35	57	12	7	11	6
Other metabolic disorders and immunity disorders (270-279)	11,927	6,874	5,053	5,386	4,077	1,488	976	1,419	940
Disorders of amino-acid transport and metabolism (270)	91	53	38	49	34	4	4	2	4
Disturbances of amino-acid transport (270.0)	7	5	2	5	2	-	-	-	-
Phenylketonuria (270.1)	2	2	-	2	-	-	-	-	-
Other disturbances of aromatic amino-acid metabolism (270.2)	10	6	4	5	4	1	-	-	-
Disturbances of branched-chain amino-acid metabolism (270.3)	2	3	4	2	3	1	1	1	1
Disturbances of sulphur-bearing amino-acid metabolism (270.4)	7	2	-	2	-	-	-	-	-
Disturbances of histidine metabolism (270.5)	-	-	-	-	-	-	-	-	-
Disorders of urea cycle metabolism (270.6)	38	23	15	21	13	2	2	1	2
Other disturbances of straight-chain amino-acid metabolism (270.7)	18	8	10	6	10	-	-	-	-
Other (270.8)	5	3	2	3	1	-	1	-	1
Unspecified (270.9)	2	1	1	1	1	-	-	-	-
Disorders of carbohydrate transport and metabolism (271)	51	25	26	18	22	7	4	4	3
Glycogenosis (271.0)	31	14	17	11	14	3	3	1	3
Galactosemia (271.1)	1	1	-	-	-	1	-	1	-
Hereditary fructose intolerance (271.2)	1	-	1	-	1	-	-	-	-
Intestinal disaccharidase deficiencies and disaccharide malabsorption (271.3)	8	5	3	4	3	1	-	1	-
Renal glycosuria (271.4)	1	1	-	-	-	1	-	-	-
Other (271.8)	7	2	5	2	4	-	1	-	-
Unspecified (271.9)	2	2	-	1	-	1	-	1	-
Disorders of lipid metabolism (272)	383	213	170	194	162	19	8	14	8
Pure hypercholesterolemia (272.0)	133	71	62	68	61	3	1	1	1
Pure hyperglyceridemia (272.1)	24	11	13	11	12	-	1	-	1
Mixed hyperlipidemia (272.2)	1	1	-	1	-	-	-	-	-
Hyperchylomicronemia (272.3)	1	-	1	-	-	-	1	-	1
Other and unspecified hyperlipidemia (272.4)	178	106	72	96	70	10	2	8	2
Lipoprotein deficiencies (272.5)	2	2	-	1	-	1	-	1	-
Lipodystrophy (272.6)	1	1	-	-	-	1	-	1	-
Lipidoses (272.7)	34	16	18	12	16	4	2	3	2
Other disorders of lipid metabolism (272.8)	4	2	2	2	2	-	-	-	-
Unspecified disorders of lipid metabolism (272.9)	5	3	2	3	1	-	1	-	1
Disorders of plasma protein metabolism (273)	431	205	226	186	201	19	25	16	22
Polyclonal hypergammaglobulinemia (273.0)	-	-	-	-	-	-	-	-	-
Monoclonal paraproteinemia (273.1)	26	11	15	9	14	2	1	2	1
Other paraproteinemias (273.2)	69	34	35	29	35	5	-	5	-
Macroglobulinemia (273.3)	209	124	85	116	80	8	5	6	5
Other (273.8)	119	33	86	30	68	3	18	2	15
Unspecified (273.9)	8	3	5	2	4	1	1	1	1
Gout (274)	80	57	23	44	19	13	4	8	4
Gouty arthropathy (274.0)	20	13	7	10	7	3	-	2	-
Gouty nephropathy (274.1)	17	14	3	12	3	2	-	1	-
Gout with other manifestations (274.8)	-	-	-	-	-	-	-	-	-
Unspecified (274.9)	43	30	13	22	9	8	4	5	4
Disorders of mineral metabolism (275)	320	176	144	150	123	26	21	25	20
Disorders of iron metabolism (275.0)	164	100	64	93	58	7	6	6	5
Disorders of copper metabolism (275.1)	11	7	4	5	4	2	-	2	-
Disorders of magnesium metabolism (275.2)	7	4	3	2	2	2	1	2	1
Disorders of phosphorus metabolism (275.3)	9	6	3	4	3	2	-	2	-
Disorders of calcium metabolism (275.4)	129	59	70	46	56	13	14	13	14
Other (275.8)	-	-	-	-	-	-	-	-	-
Unspecified (275.9)	-	-	-	-	-	-	-	-	-
Disorders of fluid, electrolyte, and acid-base balance (276)	4,390	1,828	2,562	1,461	2,103	367	459	347	436
Hyperosmolality and/or hypernatremia (276.0)	124	58	66	44	48	14	18	13	18
Hypoosmolality and/or hyponatremia (276.1)	139	56	83	47	72	9	11	9	11
Acidosis (276.2)	862	438	424	339	324	99	100	93	94
Alkalosis (276.3)	12	5	7	3	4	2	3	2	3
Mixed acid-base balance disorder (276.4)	-	-	-	-	-	-	-	-	-
Volume depletion (276.5)	2,579	1,023	1,556	838	1,305	187	251	175	241
Fluid overload (276.6)	32	17	15	14	12	3	3	3	3
Hyperpotassemia (276.7)	180	90	90	70	68	20	22	19	22
Hypopotassemia (276.8)	109	34	75	29	64	5	11	5	8
Electrolyte and fluid disorders, not elsewhere classified (276.9)	353	107	246	79	206	28	40	28	36
Other and unspecified disorders of metabolism (277)	1,542	790	752	682	658	108	94	102	92
Cystic fibrosis (277.0)	457	232	225	227	222	5	3	4	3
Disorders of porphyrin metabolism (277.1)	9	3	6	3	4	-	2	-	2
Other disorders of purine and pyrimidine metabolism (277.2)	-	-	-	-	-	-	-	-	-
Amyloidosis (277.3)	552	283	259	233	208	-	-	-	-
Disorders of bilirubin excretion (277.4)	4	2	2	1	2	60	51	57	49
Mucopolysaccharidosis (277.5)	49	24	25	20	21	1	-	1	4
Other deficiencies of circulating enzymes (277.6)	107	64	43	62	42	4	4	4	4
Other (277.8)	57	28	29	23	27	2	1	2	1
Unspecified (277.9)	307	144	163	113	132	5	2	4	3

SECTION 1 - GENERAL MORTALITY - PAGE 121

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Nutritional deficiencies-Con.									
Ascorbic acid deficiency (267)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Vitamin D deficiency (268)0	.0	.0	.0	.0	-	0.0	-	0.0
Rickets, active (268.0)	-	-	-	-	-	-	-	-	-
Rickets, late effect (268.1)	-	-	-	-	-	-	-	-	-
Osteomalacia (268.2)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (268.9)	-	-	-	-	-	-	-	-	-
Other nutritional deficiencies (269)0	.0	.1	.0	.1	.1	.0	.1	.0
Deficiency of vitamin K (269.0)	-	-	-	-	-	-	-	-	-
Deficiency of other vitamins (269.1)	-	-	-	-	-	-	-	-	-
Unspecified vitamin deficiency (269.2)	-	-	-	-	-	-	-	-	-
Mineral deficiency, not elsewhere classified (269.3)	-	-	-	-	-	-	-	-	-
Other nutritional deficiency (269.8)0	.0	.0	.0	.0	.0	-	.0	-
Unspecified (269.9)0	.0	.1	.0	.1	.1	.0	.1	.0
Other metabolic disorders and immunity disorders (270-279)	5.0	5.9	4.1	5.4	3.9	8.7	5.2	10.4	6.2
Disorders of amino-acid transport and metabolism (270)0	.0	.0	.0	.0	.0	.0	.0	.0
Disturbances of amino-acid transport (270.0)0	.0	.0	.0	.0	-	-	-	-
Phenylketonuria (270.1)0	.0	.0	.0	-	-	-	-	-
Other disturbances of aromatic amino-acid metabolism (270.2)0	.0	.0	.0	.0	.0	-	-	-
Disturbances of branched-chain amino-acid metabolism (270.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Disturbances of sulphur-bearing amino-acid metabolism (270.4)0	.0	-	.0	-	-	-	-	-
Disturbances of histidine metabolism (270.5)	-	-	-	-	-	-	-	-	-
Disorders of urea cycle metabolism (270.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Other disturbances of straight-chain amino-acid metabolism (270.7)0	.0	.0	.0	.0	-	-	-	-
Other (270.8)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (270.9)0	.0	.0	.0	.0	-	-	-	-
Disorders of carbohydrate transport and metabolism (271)0	.0	.0	.0	.0	.0	.0	.0	.0
Glycogenosis (271.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Galactosemia (271.1)0	.0	-	-	-	.0	-	.0	-
Hereditary fructose intolerance (271.2)0	.0	.0	-	.0	-	-	-	-
Intestinal disaccharidase deficiencies and disaccharide malabsorption (271.3)0	.0	.0	.0	.0	.0	-	.0	-
Renal glycosuria (271.4)0	.0	-	-	-	.0	-	-	-
Other (271.8)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (271.9)0	.0	-	.0	-	.0	-	.0	-
Disorders of lipid metabolism (272)2	.2	.1	.2	.2	.1	.0	.1	.1
Pure hypercholesterolemia (272.0)1	.1	.1	.1	.1	.0	.0	.0	.0
Pure hyperglyceridemia (272.1)0	.0	.0	.0	.0	-	.0	-	.0
Mixed hyperlipidemia (272.2)0	.0	.0	.0	-	-	-	-	-
Hyperchylomicronemia (272.3)0	.0	.0	-	-	-	.0	-	.0
Other and unspecified hyperlipidemia (272.4)1	.1	.1	.1	.1	.1	.0	.1	.0
Lipoprotein deficiencies (272.5)0	.0	-	.0	-	.0	-	.0	-
Lipodystrophy (272.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Lipidoses (272.7)0	.0	.0	.0	.0	-	-	-	-
Other disorders of lipid metabolism (272.8)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified disorders of lipid metabolism (272.9)0	.0	.0	.0	.0	-	.0	-	.0
Disorders of plasma protein metabolism (273)2	.2	.2	.2	.2	.1	.1	.1	.1
Polyclonal hypergammaglobulinemia (273.0)	-	-	-	-	-	-	-	-	-
Monoclonal paraproteinemia (273.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Other paraproteinemias (273.2)0	.0	.0	.0	.0	.0	-	.0	-
Macroglobulinemia (273.3)1	.1	.1	.1	.1	.0	.0	.0	.0
Other (273.8)0	.0	.1	.0	.1	.0	.1	.0	.1
Unspecified (273.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Gout (274)0	.0	.0	.0	.0	.1	.0	.1	.0
Gouty arthropathy (274.0)0	.0	.0	.0	.0	.0	-	.0	-
Gouty nephropathy (274.1)0	.0	.0	.0	.0	.0	-	.0	-
Gout with other manifestations (274.8)	-	-	-	-	-	-	-	-	-
Unspecified (274.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Disorders of mineral metabolism (275)1	.2	.1	.2	.1	.2	.1	.2	.1
Disorders of iron metabolism (275.0)1	.1	.1	.1	.1	.0	.0	.0	.0
Disorders of copper metabolism (275.1)0	.0	.0	.0	.0	.0	-	.0	-
Disorders of magnesium metabolism (275.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Disorders of phosphorus metabolism (275.3)0	.0	.0	.0	.0	.0	-	.0	-
Disorders of calcium metabolism (275.4)1	.1	.1	.0	.1	.1	.1	.1	.1
Other (275.8)	-	-	-	-	-	-	-	-	-
Unspecified (275.9)	-	-	-	-	-	-	-	-	-
Disorders of fluid, electrolyte, and acid-base balance (276)	1.8	1.6	2.1	1.5	2.0	2.1	2.4	2.5	2.9
Hyperosmolality and/or hypernatremia (276.0)1	.0	.1	.0	.0	.1	.1	.1	.1
Hyposmolality and/or hyponatremia (276.1)1	.0	.1	.0	.1	.1	.1	.1	.1
Acidosis (276.2)4	.4	.3	.3	.3	.6	.5	.7	.6
Alkalosis (276.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Mixed acid-base balance disorder (276.4)	-	-	-	-	-	-	-	-	-
Volume depletion (276.5)	1.1	.9	1.3	.8	1.3	1.1	1.3	1.3	1.6
Fluid overload (276.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Hyperpotassemia (276.7)1	.1	.1	.1	.1	.1	.1	.1	.1
Hypopotassemia (276.8)0	.0	.1	.0	.1	.0	.1	.0	.1
Electrolyte and fluid disorders, not elsewhere classified (276.9)1	.1	.2	.1	.2	.2	.2	.2	.2
Other and unspecified disorders of metabolism (277)6	.7	.6	.7	.6	.6	.5	.7	.6
Cystic fibrosis (277.0)2	.2	.2	.2	.2	.0	.0	.0	.0
Disorders of porphyrin metabolism (277.1)0	.0	.0	.0	.0	-	-	-	-
Other disorders of purine and pyrimidine metabolism (277.2)	-	-	-	-	-	-	-	-	-
Amyloidosis (277.3)2	.3	.2	.2	.2	.3	.3	.4	.3
Disorders of bilirubin excretion (277.4)0	.0	.0	.0	.0	.0	-	.0	-
Mucopolysaccharidosis (277.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Other deficiencies of circulating enzymes (277.6)0	.1	.0	.1	.0	.0	.0	.0	.0
Other (277.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (277.9)1	.1	.1	.1	.1	.2	.2	.2	.2

SECTION 1 - GENERAL MORTALITY - PAGE 122

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other metabolic disorders and immunity disorders-Con.									
Obesity and other hyperalimentation (278)	1,136	467	669	395	503	72	166	67	164
Obesity (278.0)	1,042	426	616	361	459	65	157	62	155
Localized adiposity (278.1)	-	-	-	-	-	-	-	-	-
Hypervitaminosis A (278.2)	-	-	-	-	-	-	-	-	-
Hypercarotinemia (278.3)	1	1	-	1	-	-	-	-	-
Hypervitaminosis D (278.4)	-	-	-	-	-	-	-	-	-
Other (278.8)	93	40	53	33	44	7	9	5	9
Disorders involving the immune mechanism (279)	3,503	3,060	443	2,207	252	853	191	834	187
Deficiency of humoral immunity (279.0)	20	14	6	14	6	-	-	-	-
Deficiency of cell-mediated immunity (279.1)	3,104	2,805	299	2,003	130	802	169	786	166
Combined immunity deficiency (279.2)	44	25	19	21	17	4	2	4	2
Unspecified immunity deficiency (279.3)	276	187	89	145	73	42	16	39	15
Autoimmune disease, not elsewhere classified (279.4)	46	25	21	21	18	4	3	4	3
Other (279.8)	6	3	3	2	3	1	-	1	-
Unspecified (279.9)	7	1	6	1	5	-	1	-	1
IV. Diseases of the blood and blood-forming organs (280-289)									
Diseases of the blood and blood-forming organs (280-289)	7,691	3,714	3,977	3,092	3,323	622	654	581	599
Iron deficiency anemias (280)	75	29	46	27	42	2	4	2	3
Other deficiency anemias (281)	205	84	121	70	111	14	10	13	8
Pernicious anemia (281.0)	112	40	72	36	66	4	6	4	6
Other vitamin-B12-deficiency anemia (281.1)	4	2	2	2	2	-	-	-	-
Folate-deficiency anemia (281.2)	15	8	7	6	7	2	-	2	-
Other specified megaloblastic anemias, not elsewhere classified (281.3)	4	3	1	3	1	-	-	-	-
Protein-deficiency anemia (281.4)	-	-	-	-	-	-	-	-	-
Anemia associated with other specified nutritional deficiency (281.8)	6	5	1	4	1	1	-	1	-
Unspecified (281.9)	64	26	38	19	34	7	4	6	2
Hereditary hemolytic anemias (282)	554	265	269	82	99	203	170	197	168
Hereditary spherocytosis (282.0)	4	3	1	2	1	1	-	-	-
Hereditary elliptocytosis (282.1)	-	-	-	-	-	-	-	-	-
Anemia due to disorders of glutathione metabolism (282.2)	-	-	-	-	-	-	-	-	-
Other hemolytic anemias due to enzyme deficiency (282.3)	2	2	-	1	-	1	-	1	-
Thalassemias (282.4)	37	18	19	9	15	9	4	4	2
Sickle-cell trait (282.5)	5	4	1	-	-	4	1	4	1
Sickle-cell anemia (282.6)	339	181	158	3	2	178	156	178	156
Other hemoglobinopathies (282.7)	2	2	-	-	-	2	-	2	-
Other (282.8)	1	-	1	-	1	-	-	-	-
Unspecified (282.9)	164	75	89	67	80	8	9	8	9
Acquired hemolytic anemias (283)	175	69	106	62	95	7	11	4	10
Autoimmune hemolytic anemias (283.0)	101	44	57	41	50	3	7	2	7
Non-autoimmune hemolytic anemias (283.1)	34	15	19	14	16	1	3	-	2
Hemoglobinuria due to hemolysis from external causes (283.2)	14	2	12	2	11	-	1	-	1
Unspecified (283.9)	26	8	18	5	18	3	-	2	-
Aplastic anemia (284)	1,273	615	658	556	594	59	64	51	56
Constitutional aplastic anemia (284.0)	19	10	9	9	8	1	1	1	-
Other (284.8)	365	172	193	153	167	19	26	17	21
Unspecified (284.9)	889	433	456	394	419	39	37	33	35
Other and unspecified anemias (285)	1,412	551	861	467	726	84	135	78	127
Sideroblastic anemia (285.0)	185	91	94	85	90	6	4	5	3
Acute posthemorrhagic anemia (285.1)	8	2	6	2	6	-	-	-	-
Other specified anemias (285.8)	47	18	29	18	28	-	1	-	1
Anemia, unspecified (285.9)	1,172	440	732	362	602	78	130	73	123
Coagulation defects (286)	1,237	622	615	499	480	123	135	117	123
Congenital factor VIII disorder (286.0)	48	42	6	34	4	8	2	8	2
Congenital factor IX disorder (286.1)	4	4	-	4	-	-	-	-	-
Congenital factor XI deficiency (286.2)	-	-	-	-	-	-	-	-	-
Congenital deficiency of other clotting factors (286.3)	64	28	36	28	31	-	5	-	3
von Willebrand's disease (286.4)	13	5	8	3	6	2	2	2	2
Hemorrhagic disorder due to circulating anticoagulants (286.5)	5	3	2	2	1	1	1	1	1
Defibrination syndrome (286.6)	774	379	395	303	307	76	88	73	80
Acquired coagulation factor deficiency (286.7)	3	-	3	-	2	-	1	-	1
Other and unspecified coagulation defects (286.9)	326	161	165	125	129	36	36	33	34
Purpura and other hemorrhagic conditions (287)	716	323	393	296	341	27	52	25	44
Allergic purpura (287.0)	7	6	1	5	1	1	-	1	-
Qualitative platelet defects (287.1)	5	2	3	2	3	-	-	-	-
Other nonthrombocytopenic purpuras (287.2)	7	4	3	3	3	1	-	1	-
Primary thrombocytopenia (287.3)	250	102	148	99	128	3	20	3	15
Secondary thrombocytopenia (287.4)	4	1	3	1	3	-	-	-	-
Thrombocytopenia, unspecified (287.5)	366	177	189	159	162	18	27	16	24
Other specified hemorrhagic conditions (287.8)	-	-	-	-	-	-	-	-	-
Unspecified hemorrhagic conditions (287.9)	77	31	46	27	41	4	5	4	5
Diseases of white blood cells (288)	598	328	272	293	240	33	32	31	25
Agranulocytosis (288.0)	363	190	173	172	151	18	22	17	17
Functional disorders of neutrophil polymorphonuclears (288.1)	15	11	4	9	3	2	1	1	1
Genetic anomalies of leucocytes (288.2)	3	2	1	2	1	-	-	-	-
Eosinophilia (288.3)	14	10	4	6	3	4	1	4	1
Other (288.8)	202	113	89	104	81	9	8	9	6
Unspecified (288.9)	1	-	1	-	1	-	-	-	-
Other diseases of blood and blood-forming organs (289)	1,446	810	636	740	595	70	41	63	35
Secondary polycythemia (289.0)	8	3	5	3	5	-	-	-	-
Chronic lymphadenitis (289.1)	-	-	-	-	-	-	-	-	-
Nonspecific mesenteric lymphadenitis (289.2)	2	1	1	1	1	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 123

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other metabolic disorders and immunity disorders-Con.									
Obesity and other hyperalimentation (278)	0.5	0.4	0.5	0.4	0.5	0.4	0.9	0.5	1.1
Obesity (278.0)4	.4	.5	.4	.4	.4	.8	.5	1.0
Localized adiposity (278.1)	-	-	-	-	-	-	-	-	-
Hypervitaminosis A (278.2)	-	-	-	-	-	-	-	-	-
Hypercarotinemia (278.3)0	.0	-	.0	-	-	-	-	-
Hypervitaminosis D (278.4)	-	-	-	-	-	-	-	-	-
Other (278.8)0	.0	.0	.0	.0	.0	.0	.0	.1
Disorders involving the immune mechanism (279)	1.5	2.6	.4	2.2	.2	5.0	1.0	6.1	1.2
Deficiency of humoral immunity (279.0)0	.0	.0	.0	.0	-	-	-	-
Deficiency of cell-mediated immunity (279.1)	1.3	2.4	.2	2.0	.1	4.7	.9	5.7	1.1
Combined immunity deficiency (279.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified immunity deficiency (279.3)1	.2	.1	.1	.1	.2	.1	.3	.1
Autoimmune disease, not elsewhere classified (279.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (279.8)0	.0	.0	.0	.0	.0	-	.0	-
Unspecified (279.9)0	.0	.0	.0	.0	-	.0	-	.0
IV. Diseases of the blood and blood-forming organs (280-289)									
Diseases of the blood and blood-forming organs (280-289)	3.2	3.2	3.2	3.1	3.2	3.6	3.5	4.2	3.9
Iron deficiency anemias (280)0	.0	.0	.0	.0	.0	.0	.0	.0
Other deficiency anemias (281)1	.1	.1	.1	.1	.1	.1	.1	.1
Pernicious anemia (281.0)0	.0	.1	.0	.1	.0	.0	.0	.0
Other vitamin-B12-deficiency anemia (281.1)0	.0	.0	.0	.0	-	-	-	-
Folate-deficiency anemia (281.2)0	.0	.0	.0	.0	.0	-	.0	-
Other specified megaloblastic anemias, not elsewhere classified (281.3)0	.0	.0	.0	.0	-	-	-	-
Protein-deficiency anemia (281.4)	-	-	-	-	-	-	-	-	-
Anemia associated with other specified nutritional deficiency (281.8)0	.0	.0	.0	.0	.0	-	.0	-
Unspecified (281.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Hereditary hemolytic anemias (282)2	.2	.2	.1	.1	1.2	.9	1.4	1.1
Hereditary spherocytosis (282.0)0	.0	.0	.0	.0	.0	-	-	-
Hereditary elliptocytosis (282.1)	-	-	-	-	-	-	-	-	-
Anemia due to disorders of glutathione metabolism (282.2)	-	-	-	-	-	-	-	-	-
Other hemolytic anemias due to enzyme deficiency (282.3)0	.0	.0	.0	.0	.0	-	.0	-
Thalassemias (282.4)0	.0	.0	.0	.0	.1	.0	.0	.0
Sickle-cell trait (282.5)0	.0	.0	-	-	.0	.0	.0	.0
Sickle-cell anemia (282.6)1	.2	.1	.0	.0	1.0	.8	1.3	1.0
Other hemoglobinopathies (282.7)0	.0	-	-	-	.0	-	.0	-
Other (282.8)0	-	.0	-	.0	-	-	-	-
Unspecified (282.9)1	.1	.1	.1	.1	.0	.0	.1	.1
Acquired hemolytic anemias (283)1	.1	.1	.1	.1	.0	.1	.0	.1
Autoimmune hemolytic anemias (283.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Non-autoimmune hemolytic anemias (283.1)0	.0	.0	.0	.0	.0	-	-	-
Hemoglobinuria due to hemolysis from external causes (283.2)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (283.9)0	.0	.0	.0	.0	.0	-	.0	-
Aplastic anemia (284)5	.5	.5	.6	.6	.3	.3	.4	.4
Constitutional aplastic anemia (284.0)0	.0	.0	.0	.0	.0	.0	.0	-
Other (284.8)2	.1	.2	.2	.2	.1	.1	.1	.1
Unspecified (284.9)4	.4	.4	.4	.4	.2	.2	.2	.2
Other and unspecified anemias (285)6	.5	.7	.5	.7	.5	.7	.6	.8
Sideroblastic anemia (285.0)1	.1	.1	.1	.1	.0	.0	.0	.0
Acute posthemorrhagic anemia (285.1)0	.0	.0	.0	.0	-	-	-	-
Other specified anemias (285.8)0	.0	.0	.0	.0	-	.0	-	.0
Anemia, unspecified (285.9)5	.4	.6	.4	.6	.5	.7	.5	.8
Coagulation defects (286)5	.5	.5	.5	.5	.7	.7	.9	.8
Congenital factor VIII disorder (286.0)0	.0	.0	.0	.0	.0	.0	.1	.0
Congenital factor IX disorder (286.1)0	.0	-	.0	-	-	-	-	-
Congenital factor XI deficiency (286.2)	-	-	-	-	-	-	-	-	-
Congenital deficiency of other clotting factors (286.3)0	.0	.0	.0	.0	-	.0	-	.0
von Willebrand's disease (286.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Hemorrhagic disorder due to circulating anticoagulants (286.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Defibrination syndrome (286.6)3	.3	.3	.3	.3	.4	.5	.5	.5
Acquired coagulation factor deficiency (286.7)0	-	.0	-	.0	-	.0	-	.0
Other and unspecified coagulation defects (286.9)1	.1	.1	.1	.1	.2	.2	.2	.2
Purpura and other hemorrhagic conditions (287)3	.3	.3	.3	.3	.2	.3	.2	.3
Allergic purpura (287.0)0	.0	.0	.0	.0	.0	-	.0	-
Qualitative platelet defects (287.1)0	.0	.0	.0	.0	-	-	-	-
Other nonthrombocytopenic purpuras (287.2)0	.0	.0	.0	.0	.0	-	.0	-
Primary thrombocytopenia (287.3)1	.1	.1	.1	.1	.0	.1	.0	.1
Secondary thrombocytopenia (287.4)0	.0	.0	.0	.0	-	-	-	-
Thrombocytopenia, unspecified (287.5)2	.2	.2	.2	.2	.1	.1	.1	.2
Other specified hemorrhagic conditions (287.8)	-	-	-	-	-	-	-	-	-
Unspecified hemorrhagic conditions (287.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Diseases of white blood cells (288)3	.3	.2	.3	.2	.2	.2	.2	.2
Agranulocytosis (288.0)2	.2	.1	.2	.1	.1	.1	.1	.1
Functional disorders of neutrophil polymorphonuclears (288.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Genetic anomalies of leucocytes (288.2)0	.0	.0	.0	.0	-	-	-	-
Eosinophilia (288.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (288.8)1	.1	.1	.1	.1	.1	.0	.1	.0
Unspecified (288.9)0	-	.0	-	.0	-	-	-	-
Other diseases of blood and blood-forming organs (289)6	.7	.5	.7	.6	.4	.2	.5	.2
Secondary polycythemia (289.0)0	.0	.0	.0	.0	-	-	-	-
Chronic lymphadenitis (289.1)	-	-	-	-	-	-	-	-	-
Nonspecific mesenteric lymphadenitis (289.2)0	.0	.0	.0	.0	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 124

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other diseases of blood and blood-forming organs-Con.									
Lymphadenitis, unspecified, except mesenteric (289.3)	1	-	1	-	1	-	-	-	-
Hypersplenism (289.4)	30	11	19	10	17	1	2	1	-
Other diseases of spleen (289.5)	87	47	40	38	38	9	2	9	-
Familial polycythemia (289.6)	-	-	-	-	-	-	-	-	-
Methemoglobinemia (289.7)	2	1	1	1	1	-	-	-	-
Other (289.8)	1,225	708	517	653	482	55	35	48	2
Unspecified (289.9)	91	39	52	34	50	5	2	5	-
V. Mental disorders (290-319)									
Organic psychotic conditions (290-294)	4,261	1,718	2,543	1,508	2,371	210	172	199	15
Senile and presenile organic psychotic conditions (290)	3,810	1,368	2,442	1,257	2,293	111	149	103	13
Senile dementia, simple type (290.0)	2,296	748	1,548	696	1,447	52	101	49	13
Presenile dementia (290.1)	1,040	411	629	392	608	19	21	17	9
Senile dementia, depressed or paranoid type (290.2)	36	11	25	11	24	-	1	-	-
Senile dementia with acute confusional state (290.3)	5	2	3	2	3	-	-	-	-
Arteriosclerotic dementia (290.4)	427	195	232	155	206	40	26	37	2
Other (290.8)	2	-	2	-	2	-	-	-	-
Unspecified (290.9)	4	1	3	1	3	-	-	-	-
Alcoholic psychoses (291)	368	312	56	220	35	92	21	89	1
Delirium tremens (291.0)	165	149	16	109	9	40	7	39	-
Korsakov's psychosis, alcoholic (291.1)	12	9	3	7	2	2	1	2	-
Other alcoholic dementia (291.2)	50	44	6	35	5	9	1	8	-
Other alcoholic hallucinosis (291.3)	1	1	-	-	-	1	-	1	-
Pathological drunkenness (291.4)	-	-	-	-	-	-	-	-	-
Alcoholic jealousy (291.5)	-	-	-	-	-	-	-	-	-
Other (291.8)	129	101	28	63	17	38	11	37	9
Unspecified (291.9)	11	8	3	6	2	2	1	2	-
Drug psychoses (292)	11	7	4	6	4	1	-	1	-
Drug withdrawal syndrome (292.0)	11	7	4	6	4	1	-	1	-
Paranoid and/or hallucinatory states induced by drugs (292.1)	-	-	-	-	-	-	-	-	-
Pathological drug intoxication (292.2)	-	-	-	-	-	-	-	-	-
Other (292.8)	-	-	-	-	-	-	-	-	-
Unspecified (292.9)	-	-	-	-	-	-	-	-	-
Transient organic psychotic conditions (293)	8	4	4	4	4	-	-	-	-
Acute confusional state (293.0)	4	2	2	2	2	-	-	-	-
Subacute confusional state (293.1)	-	-	-	-	-	-	-	-	-
Other (293.8)	-	-	-	-	-	-	-	-	-
Unspecified (293.9)	4	2	2	2	2	-	-	-	-
Other organic psychotic conditions (chronic) (294)	64	27	37	21	35	6	2	6	2
Korsakov's psychosis or syndrome (nonalcoholic) (294.0)	8	6	2	3	2	3	-	3	-
Other (294.8)	-	-	-	-	-	-	-	-	-
Unspecified (294.9)	56	21	35	18	33	3	2	3	2
Other psychoses (295-299)	1,612	681	931	588	828	93	103	84	97
Schizophrenic psychoses (295)	199	89	110	73	97	16	13	14	12
Simple type (295.0)	47	19	28	18	25	1	3	1	3
Hebephrenic type (295.1)	2	1	1	1	-	-	1	-	1
Catatonic type (295.2)	15	4	11	2	9	2	2	2	2
Paranoid type (295.3)	11	5	6	5	5	-	1	-	1
Acute schizophrenic episode (295.4)	-	-	-	-	-	-	-	-	-
Latent schizophrenia (295.5)	-	-	-	-	-	-	-	-	-
Residual schizophrenia (295.6)	53	28	25	22	24	6	1	5	1
Schizoaffective type (295.7)	1	1	-	1	-	-	-	-	-
Other (295.8)	2	1	1	1	-	-	1	-	1
Unspecified (295.9)	68	30	38	23	34	7	4	6	3
Affective psychoses (296)	37	13	24	11	24	2	-	1	-
Manic-depressive psychosis, manic type (296.0)	1	1	-	-	-	1	-	1	-
Manic-depressive psychosis, depressed type (296.1)	26	9	17	9	17	-	-	-	-
Manic-depressive psychosis, circular type but currently manic (296.2)	1	-	1	-	1	-	-	-	-
Manic-depressive psychosis, circular type but currently depressed (296.3)	-	-	-	-	-	-	-	-	-
Manic-depressive psychosis, circular type, mixed (296.4)	-	-	-	-	-	-	-	-	-
Manic-depressive psychosis, circular type, current condition not specified (296.5)	-	-	-	-	-	-	-	-	-
Manic-depressive psychosis, other and unspecified (296.6)	6	2	4	1	4	1	-	-	-
Other (296.8)	-	-	-	-	-	-	-	-	-
Unspecified (296.9)	3	1	2	1	2	-	-	-	-
Paranoid states (297)	6	1	5	1	5	-	-	-	-
Paranoid state, simple (297.0)	-	-	-	-	-	-	-	-	-
Paranoia (297.1)	3	-	3	-	3	-	-	-	-
Paraphrenia (297.2)	-	-	-	-	-	-	-	-	-
Induced psychosis (297.3)	-	-	-	-	-	-	-	-	-
Other (297.8)	-	-	-	-	-	-	-	-	-
Unspecified (297.9)	3	1	2	1	2	-	-	-	-
Other nonorganic psychoses (298)	1,368	577	791	502	701	75	90	69	85
Depressive type (298.0)	-	-	-	-	-	-	-	-	-
Excitatory type (298.1)	-	-	-	-	-	-	-	-	-
Reactive confusion (298.2)	2	1	1	1	1	-	-	-	-
Acute paranoid reaction (298.3)	1	-	1	-	-	-	-	-	-
Psychogenic paranoid psychosis (298.4)	-	-	-	-	-	-	-	-	-
Other and unspecified reactive psychosis (298.8)	2	-	-	-	-	-	-	-	-
Unspecified psychosis (298.9)	1,363	576	787	501	697	75	90	69	85
Psychoses with origin specific to childhood (299)	2	1	1	1	1	-	-	-	-
Infantile autism (299.0)	2	1	1	1	1	-	-	-	-
Disintegrative psychosis (299.1)	-	-	-	-	-	-	-	-	-
Other (299.8)	-	-	-	-	-	-	-	-	-
Unspecified (299.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 125

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975)

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other diseases of blood and blood-forming organs-Con.									
Lymphadenitis, unspecified, except mesenteric (289.3)	0.0	-	0.0	-	0.0	-	-	-	-
Hypersplenism (289.4)	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0
Other diseases of spleen (289.5)	0	0	0	0	0	.1	.0	.1	0
Familial polycythemia (289.6)	-	-	-	-	-	-	-	-	-
Methemoglobinemia (289.7)	0	0	0	0	0	-	-	-	-
Other (289.8)	5	6	4	7	5	3	2	4	2
Unspecified (289.9)	0	0	0	0	0	0	0	0	0
V. Mental disorders (290-319)									
Organic psychotic conditions (290-294)	1.8	1.5	2.1	1.5	2.3	1.2	.9	1.5	1.0
Senile and presenile organic psychotic conditions (290)	1.6	1.2	2.0	1.3	2.2	.6	.8	.8	.9
Senile dementia, simple type (290.0)	1.0	.6	1.3	.7	1.4	.3	.5	.4	.6
Presenile dementia (290.1)	.4	.4	.5	.4	.6	.1	.1	.1	.1
Senile dementia, depressed or paranoid type (290.2)	0	0	0	0	0	-	0	-	-
Senile dementia with acute confusional state (290.3)	0	0	0	0	0	-	-	-	-
Arteriosclerotic dementia (290.4)	.2	.2	.2	.2	.2	.2	.1	.3	.2
Other (290.8)	0	-	0	-	0	-	-	-	-
Unspecified (290.9)	0	0	0	0	0	-	-	-	-
Alcoholic psychoses (291)	.2	.3	.0	.2	.0	.5	.1	.7	.1
Delirium tremens (291.0)	.1	.1	.0	.1	.0	.2	.0	.3	.0
Korsakov's psychosis, alcoholic (291.1)	0	0	0	0	0	0	0	0	0
Other alcoholic dementia (291.2)	0	0	0	0	0	.1	.0	.1	0
Other alcoholic hallucinosis (291.3)	0	0	-	-	-	0	-	0	-
Pathological drunkenness (291.4)	-	-	-	-	-	-	-	-	-
Alcoholic jealousy (291.5)	-	-	-	-	-	-	-	-	-
Other (291.8)	.1	.1	.0	.1	.0	.2	.1	.3	.1
Unspecified (291.9)	0	0	0	0	0	0	0	0	0
Drug psychoses (292)	0	0	0	0	0	0	-	0	-
Drug withdrawal syndrome (292.0)	0	0	0	0	0	0	-	0	-
Paranoid and/or hallucinatory states induced by drugs (292.1)	-	-	-	-	-	-	-	-	-
Pathological drug intoxication (292.2)	-	-	-	-	-	-	-	-	-
Other (292.8)	-	-	-	-	-	-	-	-	-
Unspecified (292.9)	-	-	-	-	-	-	-	-	-
Transient organic psychotic conditions (293)	0	0	0	0	0	-	-	-	-
Acute confusional state (293.0)	0	0	0	0	0	-	-	-	-
Subacute confusional state (293.1)	-	-	-	-	-	-	-	-	-
Other (293.8)	-	-	-	-	-	-	-	-	-
Unspecified (293.9)	0	0	0	0	0	-	-	-	-
Other organic psychotic conditions (chronic) (294)	0	0	0	0	0	0	0	0	0
Korsakov's psychosis or syndrome (nonalcoholic) (294.0)	0	0	0	0	0	0	-	0	-
Other (294.8)	-	-	-	-	-	-	-	-	-
Unspecified (294.9)	0	0	0	0	0	0	0	0	0
Other psychoses (295-299)	.7	.6	.8	.6	.8	.5	.5	.6	.6
Schizophrenic psychoses (295)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Simple type (295.0)	0	0	0	0	0	0	0	0	0
Hebephrenic type (295.1)	0	0	0	0	0	-	0	-	0
Catatonic type (295.2)	0	0	0	0	0	0	0	0	0
Paranoid type (295.3)	0	0	0	0	0	-	0	-	0
Acute schizophrenic episode (295.4)	-	-	-	-	-	-	-	-	-
Latent schizophrenia (295.5)	-	-	-	-	-	-	-	-	-
Residual schizophrenia (295.6)	0	0	0	0	0	0	0	0	0
Schizoaffective type (295.7)	0	0	0	0	0	-	-	-	-
Other (295.8)	0	0	0	0	0	0	0	0	0
Unspecified (295.9)	0	0	0	0	0	0	-	0	0
Affective psychoses (296)	0	0	0	0	0	0	-	0	-
Manic-depressive psychosis, manic type (296.0)	0	0	0	-	-	0	-	0	-
Manic-depressive psychosis, depressed type (296.1)	0	0	0	0	0	-	-	-	-
Manic-depressive psychosis, circular type but currently manic (296.2)	0	-	0	-	0	-	-	-	-
Manic-depressive psychosis, circular type but currently depressed (296.3)	-	-	-	-	-	-	-	-	-
Manic-depressive psychosis, circular type, mixed (296.4)	-	-	-	-	-	-	-	-	-
Manic-depressive psychosis, circular type, current condition not specified (296.5)	-	-	-	-	-	-	-	-	-
Manic-depressive psychosis, other and unspecified (296.6)	0	0	0	0	0	0	-	-	-
Other (296.8)	-	-	-	-	-	-	-	-	-
Unspecified (296.9)	0	0	0	0	0	-	-	-	-
Paranoid states (297)	0	0	0	0	0	-	-	-	-
Paranoid state, simple (297.0)	-	-	-	-	-	-	-	-	-
Paranoia (297.1)	0	-	0	-	0	-	-	-	-
Paraphrenia (297.2)	-	-	-	-	-	-	-	-	-
Induced psychosis (297.3)	-	-	-	-	-	-	-	-	-
Other (297.8)	-	-	-	-	0	-	-	-	-
Unspecified (297.9)	0	0	0	0	-	-	-	-	-
Other nonorganic psychoses (298)	.6	.5	.6	.5	.7	.4	.5	.5	.6
Depressive type (298.0)	-	-	-	-	-	-	-	-	-
Excitative type (298.1)	-	-	-	-	-	-	-	-	-
Reactive confusion (298.2)	0	0	0	0	0	-	-	-	-
Acute paranoid reaction (298.3)	0	-	0	-	-	-	-	-	-
Psychogenic paranoid psychosis (298.4)	-	-	-	-	0	-	-	-	-
Other and unspecified reactive psychosis (298.8)	0	-	0	-	-	-	-	-	-
Unspecified psychosis (298.9)	.6	.5	.6	.5	.7	.4	.5	.5	.6
Psychoses with origin specific to childhood (299)	0	0	0	0	0	-	-	-	-
Infantile autism (299.0)	0	0	0	0	0	-	-	-	-
Disintegrative psychosis (299.1)	-	-	-	-	-	-	-	-	-
Other (299.8)	-	-	-	-	-	-	-	-	-
Unspecified (299.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 126

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number							
	All races			White		All other		
	Both sexes	Male	Female	Male	Female	Total		Black
						Male	Female	
Neurotic disorders, personality disorders, and other nonpsychotic mental disorders (300-316)	12,365	7,131	5,234	5,099	4,379	2,032	855	1,912
Neurotic disorders (300)	67	35	32	29	30	6	2	5
Anxiety states (300.0)	6	4	2	4	2	-	-	2
Hysteria (300.1)	11	5	6	5	5	-	1	-
Phobic state (300.2)	-	-	-	-	-	-	-	1
Obsessive-compulsive disorders (300.3)	-	-	-	-	-	-	-	-
Neurotic depression (300.4)	25	11	14	10	14	1	-	-
Neurasthenia (300.5)	1	-	1	-	1	-	-	-
Depersonalization syndrome (300.6)	-	-	-	-	-	-	-	-
Hypochondriasis (300.7)	-	-	-	-	-	-	-	-
Other neurotic disorders (300.8)	-	-	-	-	-	-	-	-
Unspecified (300.9)	24	15	9	10	8	5	1	5
Personality disorders (301)	-	-	-	-	-	-	-	-
Paranoid personality disorder (301.0)	-	-	-	-	-	-	-	-
Affective personality disorder (301.1)	-	-	-	-	-	-	-	-
Schizoid personality disorder (301.2)	-	-	-	-	-	-	-	-
Explosive personality disorder (301.3)	-	-	-	-	-	-	-	-
Anankastic personality disorder (301.4)	-	-	-	-	-	-	-	-
Hysterical personality disorder (301.5)	-	-	-	-	-	-	-	-
Asthenic personality disorder (301.6)	-	-	-	-	-	-	-	-
Personality disorder with predominantly sociopathic or asocial manifestation (301.7)	-	-	-	-	-	-	-	-
Other personality disorders (301.8)	-	-	-	-	-	-	-	-
Unspecified (301.9)	-	-	-	-	-	-	-	-
Sexual deviations and disorders (302)	1	1	-	1	-	-	-	-
Homosexuality (302.0)	1	1	-	1	-	-	-	-
Bestiality (302.1)	-	-	-	-	-	-	-	-
Pedophilia (302.2)	-	-	-	-	-	-	-	-
Transvestism (302.3)	-	-	-	-	-	-	-	-
Exhibitionism (302.4)	-	-	-	-	-	-	-	-
Transsexualism (302.5)	-	-	-	-	-	-	-	-
Disorders of psychosexual identity (302.6)	-	-	-	-	-	-	-	-
Frigidity and impotence (302.7)	-	-	-	-	-	-	-	-
Other (302.8)	-	-	-	-	-	-	-	-
Unspecified (302.9)	-	-	-	-	-	-	-	-
Alcohol dependence syndrome (303)	4,188	3,225	963	2,206	660	1,019	303	953
Drug dependence (304)	1,165	908	257	463	118	445	139	441
Morphine type (304.0)	9	6	3	3	2	3	1	3
Barbiturate type (304.1)	-	-	-	-	-	-	-	-
Cocaine (304.2)	8	8	-	6	-	2	-	2
Cannabis (304.3)	-	-	-	-	-	-	-	-
Amphetamine type and other psychostimulants (304.4)	-	-	-	-	-	-	-	-
Hallucinogens (304.5)	-	-	-	-	-	-	-	-
Other (304.6)	9	5	4	5	4	-	-	-
Combinations of morphine type drug with any other (304.7)	-	-	-	-	-	-	-	-
Combinations excluding morphine type drug (304.8)	1	-	1	-	-	-	-	-
Unspecified (304.9)	1,138	889	249	449	111	440	138	436
Nondependent abuse of drugs (305)	1,274	963	311	632	205	331	106	299
Alcohol (305.0)	750	592	158	428	111	184	47	135
Tobacco (305.1)	119	70	49	60	46	10	3	9
Cannabis (305.2)	-	-	-	-	-	-	-	-
Hallucinogens (305.3)	-	-	-	-	-	-	-	-
Barbiturates and tranquilizers (305.4)	-	-	-	-	-	-	-	-
Morphine type (305.5)	11	9	2	6	1	3	1	3
Cocaine type (305.6)	18	11	7	7	3	4	4	3
Amphetamine type (305.7)	3	2	1	2	1	-	-	-
Antidepressants (305.8)	2	1	1	1	1	-	-	-
Other, mixed or unspecified (305.9)	370	278	92	128	41	150	51	149
Physiological malfunction arising from mental factors (306)	20	9	11	8	10	1	1	1
Musculoskeletal (306.0)	-	-	-	-	-	-	-	-
Respiratory (306.1)	4	3	1	3	1	-	-	-
Cardiovascular (306.2)	15	6	9	5	8	1	1	1
Skin (306.3)	-	-	-	-	-	-	-	-
Gastrointestinal (306.4)	1	-	1	-	1	-	-	-
Genitourinary (306.5)	-	-	-	-	-	-	-	-
Endocrine (306.6)	-	-	-	-	-	-	-	-
Organs of special sense (306.7)	-	-	-	-	-	-	-	-
Other (306.8)	-	-	-	-	-	-	-	-
Unspecified (306.9)	-	-	-	-	-	-	-	-
Special symptoms or syndromes not elsewhere classified (307)	172	57	115	52	103	5	12	5
Stammering and stuttering (307.0)	-	-	-	-	-	-	-	-
Anorexia nervosa (307.1)	73	20	53	17	51	3	2	3
Tics (307.2)	-	-	-	-	-	-	-	-
Stereotyped repetitive movements (307.3)	-	-	-	-	-	-	-	-
Specific disorders of sleep (307.4)	1	-	1	-	1	-	-	-
Other and unspecified disorders of eating (307.5)	67	22	45	22	42	-	3	-
Enuresis (307.6)	-	-	-	-	-	-	-	-
Encopresis (307.7)	-	-	-	-	-	-	-	-
Psychalgia (307.8)	-	-	-	-	-	-	-	-
Other and unspecified (307.9)	31	15	16	13	9	2	7	2
Acute reaction to stress (308)	59	31	28	27	26	4	2	3
Predominant disturbance of emotions (308.0)	2	1	1	1	-	-	1	-
Predominant disturbance of consciousness (308.1)	1	1	-	1	-	-	-	-
Predominant psychomotor disturbance (308.2)	-	-	-	-	-	-	-	-
Other (308.3)	1	1	-	1	-	-	-	-
Mixed (308.4)	-	-	-	-	-	-	-	-
Unspecified (308.9)	55	28	27	24	26	4	1	3

SECTION 1 - GENERAL MORTALITY - PAGE 127

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neurotic disorders, personality disorders, and other nonpsychotic mental disorders (300-316)	5.2	6.1	4.3	5.2	4.2	11.8	4.5	14.0	5.2
Neurotic disorders (300)0	.0	.0	.0	.0	.0	.0	.0	.0
Anxiety states (300.0)0	.0	.0	.0	.0	-	-	-	-
Hysteria (300.1)0	.0	.0	.0	.0	-	.0	-	.0
Phobic state (300.2)	-	-	-	-	-	-	-	-	-
Obsessive-compulsive disorders (300.3)	-	-	-	-	-	-	-	-	-
Neurotic depression (300.4)	-	.0	.0	.0	.0	.0	-	-	-
Neurasthenia (300.5)0	-	.0	-	.0	-	-	-	-
Depersonalization syndrome (300.6)	-	-	-	-	-	-	-	-	-
Hypochondriasis (300.7)	-	-	-	-	-	-	-	-	-
Other neurotic disorders (300.8)	-	-	-	-	-	-	-	-	-
Unspecified (300.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Personality disorders (301)	-	-	-	-	-	-	-	-	-
Paranoid personality disorder (301.0)	-	-	-	-	-	-	-	-	-
Affective personality disorder (301.1)	-	-	-	-	-	-	-	-	-
Schizoid personality disorder (301.2)	-	-	-	-	-	-	-	-	-
Explosive personality disorder (301.3)	-	-	-	-	-	-	-	-	-
Anankastic personality disorder (301.4)	-	-	-	-	-	-	-	-	-
Hysterical personality disorder (301.5)	-	-	-	-	-	-	-	-	-
Asthenic personality disorder (301.6)	-	-	-	-	-	-	-	-	-
Personality disorder with predominantly sociopathic or asocial manifestation (301.7)	-	-	-	-	-	-	-	-	-
Other personality disorders (301.8)	-	-	-	-	-	-	-	-	-
Unspecified (301.9)	-	-	-	-	-	-	-	-	-
Sexual deviations and disorders (302)0	.0	-	.0	-	-	-	-	-
Homosexuality (302.0)0	.0	-	.0	-	-	-	-	-
Bestiality (302.1)	-	-	-	-	-	-	-	-	-
Pedophilia (302.2)	-	-	-	-	-	-	-	-	-
Transvestism (302.3)	-	-	-	-	-	-	-	-	-
Exhibitionism (302.4)	-	-	-	-	-	-	-	-	-
Trans-sexualism (302.5)	-	-	-	-	-	-	-	-	-
Disorders of psychosexual identity (302.6)	-	-	-	-	-	-	-	-	-
Frigidity and impotence (302.7)	-	-	-	-	-	-	-	-	-
Other (302.8)	-	-	-	-	-	-	-	-	-
Unspecified (302.9)	-	-	-	-	-	-	-	-	-
Alcohol dependence syndrome (303)	1.8	2.8	.8	2.2	.6	5.9	1.6	7.0	1.8
Drug dependence (304)5	.8	.2	.5	.1	2.6	.7	3.2	.9
Morphine type (304.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Barbiturate type (304.1)	-	-	-	-	-	-	-	-	-
Cocaine (304.2)0	.0	-	.0	-	.0	-	.0	-
Cannabis (304.3)	-	-	-	-	-	-	-	-	-
Amphetamine type and other psychostimulants (304.4)	-	-	-	-	-	-	-	-	-
Hallucinogens (304.5)	-	-	-	-	-	-	-	-	-
Other (304.6)0	.0	.0	.0	.0	-	-	-	-
Combinations of morphine type drug with any other (304.7)	-	-	-	-	-	-	-	-	-
Combinations excluding morphine type drug (304.8)0	-	.0	-	.0	-	-	-	-
Unspecified (304.9)5	.8	.2	.5	.1	2.6	.7	3.2	.9
Nondependent abuse of drugs (305)5	.8	.3	.6	.2	1.9	.6	2.2	.6
Alcohol (305.0)3	.5	.1	.4	.1	1.0	.2	1.0	.2
Tobacco (305.1)0	.1	.0	.1	.0	.1	.0	.1	.0
Cannabis (305.2)	-	-	-	-	-	-	-	-	-
Hallucinogens (305.3)0	-	.0	-	.0	-	-	-	-
Barbiturates and tranquilizers (305.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Morphine type (305.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Cocaine type (305.6)0	.0	.0	.0	.0	-	-	-	-
Amphetamine type (305.7)0	.0	.0	.0	.0	-	-	-	-
Antidepressants (305.8)0	.0	.0	.0	.0	-	-	-	-
Other, mixed or unspecified (305.9)2	.2	.1	.1	.0	.9	.3	1.1	.3
Physiological malfunction arising from mental factors (306)0	.0	.0	.0	.0	.0	.0	.0	.0
Musculoskeletal (306.0)	-	-	-	-	-	-	-	-	-
Respiratory (306.1)0	.0	.0	.0	.0	-	-	-	-
Cardiovascular (306.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Skin (306.3)	-	-	.0	-	.0	-	-	-	-
Gastrointestinal (306.4)0	-	-	-	-	-	-	-	-
Genitourinary (306.5)	-	-	-	-	-	-	-	-	-
Endocrine (306.6)	-	-	-	-	-	-	-	-	-
Organs of special sense (306.7)	-	-	-	-	-	-	-	-	-
Other (306.8)	-	-	-	-	-	-	-	-	-
Unspecified (306.9)	-	-	-	-	-	-	-	-	-
Special symptoms or syndromes not elsewhere classified (307)1	.0	.1	.1	.1	.0	.1	.0	.1
Stammering and stuttering (307.0)	-	-	-	-	-	-	-	-	-
Anorexia nervosa (307.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Tics (307.2)	-	-	-	-	-	-	-	-	-
Stereotyped repetitive movements (307.3)	-	-	.0	-	.0	-	-	-	-
Specific disorders of sleep (307.4)0	.0	.0	.0	.0	-	.0	-	.0
Other and unspecified disorders of eating (307.5)	-	-	-	-	-	-	-	-	-
Enuresis (307.6)	-	-	-	-	-	-	-	-	-
Encopresis (307.7)	-	-	-	-	-	-	-	-	-
Psychalgia (307.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (307.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Acute reaction to stress (308)0	.0	.0	.0	.0	.0	.0	.0	.0
Predominant disturbance of emotions (308.0)0	.0	.0	.0	.0	-	-	-	-
Predominant disturbance of consciousness (308.1)	-	.0	-	-	-	-	-	-	-
Predominant psychomotor disturbance (308.2)	-	-	-	-	-	-	-	-	-
Other (308.3)0	.0	-	.0	-	-	-	-	-
Mixed (308.4)	-	-	-	-	-	-	-	-	-
Unspecified (308.9)0	.0	.0	.0	.0	.0	.0	.0	.0

SECTION 1 - GENERAL MORTALITY - PAGE 128

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neurotic disorders, personality disorders, and other nonpsychotic mental disorders-Con.									
Adjustment reaction (309)	3	2	1	2	1	-	-	-	-
Brief depressive reaction (309.0)	2	2	-	2	-	-	-	-	-
Prolonged depressive reaction (309.1)	-	-	-	-	-	-	-	-	-
With predominant disturbance of other emotions (309.2)	-	-	-	-	-	-	-	-	-
With predominant disturbance of conduct (309.3)	-	-	-	-	-	-	-	-	-
With mixed disturbance of emotions and conduct (309.4)	-	-	-	-	-	-	-	-	-
Other (309.8)	-	-	-	-	-	-	-	-	-
Unspecified (309.9)	1	-	1	-	1	-	-	-	-
Specific nonpsychotic mental disorders following organic brain damage (310)	5,152	1,793	3,359	1,576	3,077	217	282	203	266
Frontal lobe syndrome (310.0)	-	-	-	-	-	-	-	-	-
Cognitive or personality change of other type (310.1)	-	-	-	-	-	-	-	-	-
Postconcussional syndrome (310.2)	10	7	3	7	3	-	-	-	-
Other (310.8)	1	-	1	-	1	-	-	-	-
Unspecified (310.9)	5,141	1,786	3,355	1,569	3,073	217	282	203	266
Depressive disorder, not elsewhere classified (311)	256	102	154	99	146	3	8	1	7
Disturbance of conduct not elsewhere classified (312)	1	1	-	1	-	-	-	-	-
Unsocialized disturbance of conduct (312.0)	-	-	-	-	-	-	-	-	-
Socialized disturbance of conduct (312.1)	-	-	-	-	-	-	-	-	-
Compulsive conduct disorder (312.2)	-	-	-	-	-	-	-	-	-
Mixed disturbance of conduct and emotions (312.3)	-	-	-	-	-	-	-	-	-
Other (312.8)	-	-	-	-	-	-	-	-	-
Unspecified (312.9)	1	1	-	1	-	-	-	-	-
Disturbance of emotions specific to childhood and adolescence (313)	-	-	-	-	-	-	-	-	-
With anxiety and fearfulness (313.0)	-	-	-	-	-	-	-	-	-
With misery and unhappiness (313.1)	-	-	-	-	-	-	-	-	-
With sensitivity, shyness, and social withdrawal (313.2)	-	-	-	-	-	-	-	-	-
Relationship problems (313.3)	-	-	-	-	-	-	-	-	-
Other or mixed (313.8)	-	-	-	-	-	-	-	-	-
Unspecified (313.9)	-	-	-	-	-	-	-	-	-
Hyperkinetic syndrome of childhood (314)	2	1	1	1	1	-	-	-	-
Simple disturbance of activity and attention (314.0)	-	-	-	-	-	-	-	-	-
Hyperkinesis with developmental delay (314.1)	-	-	-	-	-	-	-	-	-
Hyperkinetic conduct disorder (314.2)	-	-	-	-	-	-	-	-	-
Other (314.8)	-	-	-	-	-	-	-	-	-
Unspecified (314.9)	2	1	1	1	1	-	-	-	-
Specific delays in development (315)	5	3	2	2	2	1	-	1	-
Specific reading retardation (315.0)	-	-	-	-	-	-	-	-	-
Specific arithmetical retardation (315.1)	-	-	-	-	-	-	-	-	-
Other specific learning difficulties (315.2)	-	-	-	-	-	-	-	-	-
Developmental speech or language disorder (315.3)	-	-	-	-	-	-	-	-	-
Specific motor retardation (315.4)	2	1	1	1	1	-	-	-	-
Mixed development disorder (315.5)	-	-	-	-	-	-	-	-	-
Other (315.8)	-	-	-	-	-	-	-	-	-
Unspecified (315.9)	3	2	1	1	1	1	-	1	-
Psychic factors associated with diseases classified elsewhere (316)	-	-	-	-	-	-	-	-	-
Mental retardation (317-319)	360	191	169	151	140	40	29	35	25
Mild mental retardation (317)	4	4	-	4	-	-	-	-	-
Other specified mental retardation (318)	127	61	66	48	57	13	9	12	8
Moderate mental retardation (318.0)	1	1	-	1	-	-	-	-	-
Severe mental retardation (318.1)	85	39	46	30	39	9	7	9	6
Profound mental retardation (318.2)	41	21	20	17	18	4	2	3	2
Unspecified mental retardation (319)	229	126	103	99	83	27	20	23	17
VI. Diseases of the nervous system and sense organs (320-389)									
Inflammatory diseases of the central nervous system (320-326)	1,752	953	799	688	603	265	196	237	178
Bacterial meningitis (320)	779	400	379	290	282	110	97	96	87
Hemophilus meningitis (320.0)	169	97	72	73	54	24	18	19	14
Pneumococcal meningitis (320.1)	218	108	110	79	77	29	33	27	30
Streptococcal meningitis (320.2)	76	28	48	19	36	9	12	6	12
Staphylococcal meningitis (320.3)	30	21	9	17	8	4	1	3	1
Meningitis due to other specified bacteria (320.8)	40	20	20	15	13	5	7	5	6
Meningitis due to unspecified bacterium (320.9)	246	126	120	87	94	39	26	36	24
Meningitis of unspecified cause (322)	427	234	193	161	138	73	55	67	51
Nonpyogenic meningitis (322.0)	2	2	-	2	-	-	-	-	-
Eosinophilic meningitis (322.1)	-	-	-	-	-	-	-	-	-
Chronic meningitis (322.2)	10	4	6	3	4	1	2	1	2
Meningitis, unspecified (322.9)	415	228	187	156	134	72	53	66	49
Encephalitis, myelitis, and encephalomyelitis (323)	284	148	136	118	113	30	23	26	21
Encephalitis following immunization procedures (323.5)	2	1	1	1	1	-	-	-	-
Other (323.8)	3	1	2	1	1	-	1	-	-
Unspecified cause (323.9)	279	146	133	116	111	30	22	26	21
Intracranial and intraspinal abscess (324)	216	146	70	102	54	44	16	41	15
Intracranial abscess (324.0)	185	129	56	89	42	40	14	37	13
Intraspinal abscess (324.1)	6	3	3	3	2	-	1	-	1
Of unspecified site (324.9)	25	14	11	10	10	4	1	4	1
Phlebitis and thrombophlebitis of intracranial venous sinuses (325)	17	7	10	6	8	1	2	1	1
Late effects of intracranial abscess or pyogenic infection (326)	29	16	11	11	8	7	3	6	3

SECTION 1 - GENERAL MORTALITY - PAGE 129

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neurotic disorders, personality disorders, and other nonpsychotic mental disorders-Con.									
Adjustment reaction (309)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Brief depressive reaction (309.0)0	.0	-	.0	-	-	-	-	-
Prolonged depressive reaction (309.1)	-	-	-	-	-	-	-	-	-
With predominant disturbance of other emotions (309.2)	-	-	-	-	-	-	-	-	-
With predominant disturbance of conduct (309.3)	-	-	-	-	-	-	-	-	-
With mixed disturbance of emotions and conduct (309.4)	-	-	-	-	-	-	-	-	-
Other (309.8)	-	-	-	-	-	-	-	-	-
Unspecified (309.9)0	-	.0	-	.0	-	-	-	-
Specific nonpsychotic mental disorders following organic brain damage (310)	2.2	1.5	2.7	1.6	3.0	1.3	1.5	1.5	1.8
Frontal lobe syndrome (310.0)	-	-	-	-	-	-	-	-	-
Cognitive or personality change of other type (310.1)	-	-	-	-	-	-	-	-	-
Postconcussional syndrome (310.2)0	.0	.0	.0	.0	-	-	-	-
Other (310.8)0	-	.0	-	.0	-	-	-	-
Unspecified (310.9)	2.2	1.5	2.7	1.6	3.0	1.3	1.5	1.5	1.8
Depressive disorder, not elsewhere classified (311)1	.1	.1	.1	.1	.0	.0	.0	.0
Disturbance of conduct not elsewhere classified (312)0	.0	-	.0	-	-	-	-	-
Unsocialized disturbance of conduct (312.0)	-	-	-	-	-	-	-	-	-
Socialized disturbance of conduct (312.1)	-	-	-	-	-	-	-	-	-
Compulsive conduct disorder (312.2)	-	-	-	-	-	-	-	-	-
Mixed disturbance of conduct and emotions (312.3)	-	-	-	-	-	-	-	-	-
Other (312.8)	-	-	-	-	-	-	-	-	-
Unspecified (312.9)0	.0	-	.0	-	-	-	-	-
Disturbance of emotions specific to childhood and adolescence (313)	-	-	-	-	-	-	-	-	-
With anxiety and fearfulness (313.0)	-	-	-	-	-	-	-	-	-
With misery and unhappiness (313.1)	-	-	-	-	-	-	-	-	-
With sensitivity, shyness, and social withdrawal (313.2)	-	-	-	-	-	-	-	-	-
Relationship problems (313.3)	-	-	-	-	-	-	-	-	-
Other or mixed (313.8)	-	-	-	-	-	-	-	-	-
Unspecified (313.9)	-	-	-	-	-	-	-	-	-
Hyperkinetic syndrome of childhood (314)0	.0	.0	.0	.0	-	-	-	-
Simple disturbance of activity and attention (314.0)	-	-	-	-	-	-	-	-	-
Hyperkinesis with developmental delay (314.1)	-	-	-	-	-	-	-	-	-
Hyperkinetic conduct disorder (314.2)	-	-	-	-	-	-	-	-	-
Other (314.8)	-	-	-	-	-	-	-	-	-
Unspecified (314.9)0	.0	.0	.0	.0	-	-	-	-
Specific delays in development (315)0	.0	.0	.0	.0	.0	-	.0	-
Specific reading retardation (315.0)	-	-	-	-	-	-	-	-	-
Specific arithmetical retardation (315.1)	-	-	-	-	-	-	-	-	-
Other specific learning difficulties (315.2)	-	-	-	-	-	-	-	-	-
Developmental speech or language disorder (315.3)	-	-	-	-	-	-	-	-	-
Specific motor retardation (315.4)0	.0	.0	.0	.0	-	-	-	-
Mixed development disorder (315.5)	-	-	-	-	-	-	-	-	-
Other (315.8)	-	-	-	-	-	-	-	-	-
Unspecified (315.9)0	.0	.0	.0	.0	.0	-	.0	-
Psychic factors associated with diseases classified elsewhere (316)	-	-	-	-	-	-	-	-	-
Mental retardation (317-319)2	.2	.1	.2	.1	.2	.2	.3	.2
Mild mental retardation (317)0	.0	-	.0	-	-	-	-	-
Other specified mental retardation (318)1	.1	.1	.0	.1	.1	.0	.1	.1
Moderate mental retardation (318.0)0	.0	-	.0	-	-	-	-	-
Severe mental retardation (318.1)0	.0	.0	.0	.0	.1	.0	.1	.0
Profound mental retardation (318.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified mental retardation (319)1	.1	.1	.1	.1	.2	.1	.2	.1
VI. Diseases of the nervous system and sense organs (320-389)									
Inflammatory diseases of the central nervous system (320-326)7	.8	.7	.7	.6	1.5	1.0	1.7	1.2
Bacterial meningitis (320)3	.3	.3	.3	.3	.6	.5	.7	.6
Hemophilus meningitis (320.0)1	.1	.1	.1	.1	.1	.1	.1	.1
Pneumococcal meningitis (320.1)1	.1	.1	.1	.1	.2	.2	.2	.2
Streptococcal meningitis (320.2)0	.0	.0	.0	.0	.1	.1	.1	.1
Staphylococcal meningitis (320.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Meningitis due to other specified bacteria (320.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Meningitis due to unspecified bacterium (320.9)1	.1	.1	.1	.1	.2	.1	.3	.2
Meningitis of unspecified cause (322)2	.2	.2	.2	.1	.4	.3	.5	.3
Nonpyogenic meningitis (322.0)0	.0	-	.0	-	-	-	-	-
Eosinophilic meningitis (322.1)	-	-	-	-	-	-	-	-	-
Chronic meningitis (322.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Meningitis, unspecified (322.9)2	.2	.2	.2	.1	.4	.3	.5	.3
Encephalitis, myelitis, and encephalomyelitis (323)1	.1	.1	.1	.1	.2	.1	.2	.1
Encephalitis following immunization procedures (323.5)0	.0	.0	.0	.0	-	-	-	-
Other (323.8)0	.0	.0	.0	.0	-	.0	-	-
Unspecified cause (323.9)1	.1	.1	.1	.1	.2	.1	.2	.1
Intracranial and intraspinal abscess (324)1	.1	.1	.1	.1	.3	.1	.3	.1
Intracranial abscess (324.0)1	.1	.0	.1	.0	.2	.1	.3	.1
Intraspinal abscess (324.1)0	.0	.0	.0	.0	-	.0	-	.0
Of unspecified site (324.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Phlebitis and thrombophlebitis of intracranial venous sinuses (325)0	.0	.0	.0	.0	.0	.0	.0	.0
Late effects of intracranial abscess or pyogenic infection (326)0	.0	.0	.0	.0	.0	.0	.0	.0

SECTION 1 - GENERAL MORTALITY - PAGE 130

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Hereditary and degenerative diseases of the central nervous system (330-337)	19,239	9,402	9,837	8,864	9,309	538	528	461	472
Cerebral degenerations usually manifest in childhood (330)	132	63	69	60	60	3	9	3	7
Leucodystrophy (330.0)	77	38	39	35	34	3	5	3	4
Cerebral lipidoses (330.1)	32	16	16	16	14	-	2	-	2
Other cerebral degenerations in childhood (330.8)	16	7	9	7	7	-	2	-	1
Unspecified (330.9)	7	2	5	2	5	-	-	-	-
Other cerebral degenerations (331)	9,733	4,258	5,475	3,999	5,174	259	301	225	277
Alzheimer's disease (331.0)	8,258	3,523	4,735	3,383	4,534	140	201	121	189
Pick's disease (331.1)	14	6	8	6	8	-	-	-	-
Senile degeneration of brain (331.2)	50	24	26	21	25	3	1	2	-
Communicating hydrocephalus (331.3)	11	6	5	4	4	2	1	2	-
Obstructive hydrocephalus (331.4)	622	340	282	276	217	64	65	56	58
Other cerebral degeneration (331.8)	84	47	37	34	28	13	9	9	8
Unspecified (331.9)	694	312	382	275	358	37	24	35	22
Parkinson's disease (332)	5,173	2,885	2,288	2,766	2,208	119	80	91	67
Paralysis agitans (332.0)	5,171	2,884	2,287	2,765	2,207	119	80	91	67
Secondary Parkinsonism (332.1)	2	1	1	1	1	-	-	-	-
Other extrapyramidal disease and abnormal movement disorders (333)	543	256	287	235	261	21	26	18	25
Other degenerative diseases of the basal ganglia (333.0)	150	74	76	68	65	6	11	5	10
Essential and other specified forms of tremor (333.1)	2	2	-	2	-	-	-	-	-
Myoclonus (333.2)	4	2	2	1	2	1	-	1	-
Tics of organic origin (333.3)	-	-	-	-	-	-	-	-	-
Huntington's chorea (333.4)	333	162	171	148	157	14	14	12	14
Other choreas (333.5)	7	2	5	2	5	-	-	-	-
Idiopathic torsion dystonia (333.6)	7	5	2	5	2	-	-	-	-
Symptomatic torsion dystonia (333.7)	1	-	1	-	1	-	-	-	-
Fragments of torsion dystonia (333.8)	28	4	24	4	23	-	1	-	1
Other and unspecified (333.9)	11	5	6	5	6	-	-	-	-
Spinocerebellar disease (334)	230	120	110	105	105	15	5	13	5
Friedreich's ataxia (334.0)	63	29	34	28	33	1	1	1	1
Hereditary spastic paraplegia (334.1)	3	1	2	1	2	-	-	-	-
Primary cerebellar degeneration (334.2)	10	6	4	6	4	-	-	-	-
Other cerebellar ataxia (334.3)	15	10	5	8	5	2	-	1	-
Other (334.8)	67	41	26	32	25	9	1	9	1
Unspecified (334.9)	72	33	39	30	36	3	3	2	3
Anterior horn cell disease (335)	3,265	1,747	1,518	1,641	1,426	106	92	96	77
Werdnig-Hoffmann disease (335.0)	154	79	75	72	69	7	6	6	3
Spinal muscular atrophy (335.1)	21	12	9	12	9	-	-	-	-
Motor neurone disease (335.2)	3,086	1,654	1,432	1,555	1,346	99	86	90	74
Other (335.8)	1	-	1	-	1	-	-	-	-
Unspecified (335.9)	3	2	1	2	1	-	-	-	-
Other diseases of spinal cord (336)	148	66	82	53	68	13	14	13	13
Syringomyelia and syringobulbia (336.0)	32	16	16	15	12	1	4	1	4
Vascular myelopathies (336.1)	31	15	16	11	14	4	2	4	2
Other myelopathy (336.8)	22	9	13	7	13	2	-	2	-
Unspecified diseases of spinal cord (336.9)	63	26	37	20	29	6	8	6	7
Disorders of the autonomic nervous system (337)	15	7	8	5	7	2	1	2	1
Idiopathic peripheral autonomic neuropathy (337.0)	2	1	1	-	1	1	-	1	-
Unspecified (337.9)	13	6	7	5	6	1	1	1	1
Other disorders of the central nervous system (340-349)	8,188	4,162	4,026	3,296	3,370	866	656	817	603
Multiple sclerosis (340)	1,531	582	949	522	851	60	98	58	92
Other demyelinating diseases of central nervous system (341)	127	43	84	39	76	4	8	3	7
Neuromyelitis optica (341.0)	2	-	2	-	-	-	2	-	2
Schilder's disease (341.1)	2	1	1	-	1	1	-	-	-
Other (341.8)	9	2	7	2	5	-	2	-	2
Unspecified (341.9)	114	40	74	37	70	3	4	3	3
Hemiplegia (342)	236	103	133	87	122	16	11	14	10
Flaccid hemiplegia (342.0)	1	-	1	-	1	-	-	-	-
Spastic hemiplegia (342.1)	2	1	1	1	1	-	-	-	-
Unspecified (342.9)	233	102	131	86	120	16	11	14	10
Infantile cerebral palsy (343)	518	305	213	243	163	62	50	56	46
Diplegic (343.0)	4	3	1	3	1	-	-	-	-
Hemiplegic (343.1)	-	-	-	-	-	-	-	-	-
Quadriplegic (343.2)	32	21	11	17	7	4	4	4	2
Monoplegic (343.3)	-	-	-	-	-	-	-	-	-
Infantile hemiplegia (343.4)	-	-	-	-	-	-	-	-	-
Other (343.8)	-	-	-	-	-	-	-	-	-
Unspecified (343.9)	482	281	201	223	155	58	46	52	44
Other paralytic syndromes (344)	642	370	272	302	248	68	24	64	21
Quadriplegia (344.0)	205	138	67	109	58	29	9	27	9
Paraplegia (344.1)	117	70	47	45	42	25	5	23	3
Diplegia of upper limbs (344.2)	2	1	1	1	1	-	-	-	-
Monoplegia of lower limb (344.3)	1	-	1	-	1	-	-	-	-
Monoplegia of upper limb (344.4)	-	-	-	-	-	-	-	-	-
Unspecified monoplegia (344.5)	-	-	-	-	-	-	-	-	-
Cauda equina syndrome (344.8)	93	49	44	43	43	6	1	6	1
Other (344.8)	162	81	81	78	77	5	4	5	4
Unspecified (344.9)	62	31	31	28	26	3	5	3	4
Epilepsy (345)	1,643	964	679	644	524	320	155	311	143
Generalized nonconvulsive epilepsy (345.0)	9	4	5	4	4	-	1	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 131

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Hereditary and degenerative diseases of the central nervous system (330-337)	8.1	8.1	8.0	9.0	9.0	3.1	2.8	3.4	3.1
Cerebral degenerations usually manifest in childhood (330)	.1	.1	.1	.1	.1	.0	.0	.0	.0
Leucodystrophy (330.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Cerebral lipidoses (330.1)	.0	.0	.0	.0	.0	-	.0	-	.0
Other cerebral degenerations in childhood (330.8)	.0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (330.9)	.0	.0	.0	.0	.0	-	-	-	-
Other cerebral degenerations (331)	4.1	3.7	4.5	4.0	5.0	1.5	1.6	1.6	1.8
Alzheimer's disease (331.0)	3.5	3.0	3.9	3.4	4.4	.8	1.1	.9	1.2
Pick's disease (331.1)	.0	.0	.0	.0	.0	-	-	-	-
Senile degeneration of brain (331.2)	.0	.0	.0	.0	.0	.0	.0	.0	-
Communicating hydrocephalus (331.3)	.0	.0	.0	.0	.0	.0	.0	.0	-
Obstructive hydrocephalus (331.4)	.3	.3	.2	.3	.2	.4	.3	.4	.4
Other cerebral degeneration (331.8)	.0	.0	.0	.0	.0	.1	.0	.1	.1
Unspecified (331.9)	.3	.3	.3	.3	.3	.2	.1	.3	.1
Parkinson's disease (332)	2.2	2.5	1.9	2.8	2.1	.7	.4	.7	.4
Paralysis agitans (332.0)	2.2	2.5	1.9	2.8	2.1	.7	.4	.7	.4
Secondary Parkinsonism (332.1)	.0	.0	.0	.0	.0	-	-	-	-
Other extrapyramidal disease and abnormal movement disorders (333)	.2	.2	.2	.2	.3	.1	.1	.1	.2
Other degenerative diseases of the basal ganglia (333.0)	.1	.1	.1	.1	.1	.0	.1	.0	.1
Essential and other specified forms of tremor (333.1)	.0	.0	-	.0	-	-	-	-	-
Myoclonus (333.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Tics of organic origin (333.3)	-	-	-	-	-	-	-	-	-
Huntington's chorea (333.4)	.1	.1	.1	.1	.2	.1	.1	.1	.1
Other choreas (333.5)	.0	.0	.0	.0	.0	-	-	-	-
Idiopathic torsion dystonia (333.6)	.0	.0	.0	.0	.0	-	-	-	-
Symptomatic torsion dystonia (333.7)	.0	-	.0	-	.0	-	-	-	-
Fragments of torsion dystonia (333.8)	.0	.0	.0	.0	.0	-	.0	-	.0
Other and unspecified (333.9)	.0	.0	.0	.0	.0	-	-	-	-
Spinocerebellar disease (334)	.1	.1	.1	.1	.1	.1	.0	.1	.0
Friedreich's ataxia (334.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Hereditary spastic paraplegia (334.1)	.0	.0	.0	.0	.0	-	-	-	-
Primary cerebellar degeneration (334.2)	.0	.0	.0	.0	.0	-	-	-	-
Other cerebellar ataxia (334.3)	.0	.0	.0	.0	.0	.0	-	.0	-
Other (334.8)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Unspecified (334.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Anterior horn cell disease (335)	1.4	1.5	1.2	1.7	1.4	.6	.5	.7	.5
Werdnig-Hoffmann disease (335.0)	.1	.1	.1	.1	.1	.0	-	.0	.0
Spinal muscular atrophy (335.1)	.0	.0	.0	.0	.0	-	-	-	-
Motor neurone disease (335.2)	1.3	1.4	1.2	1.6	1.3	.6	.5	.7	.5
Other (335.8)	.0	-	.0	-	.0	-	-	-	-
Unspecified (335.9)	.0	.0	.0	.0	.0	-	-	-	-
Other diseases of spinal cord (336)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Syringomyelia and syringobulbia (336.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Vascular myelopathies (336.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other myelopathy (336.8)	.0	.0	.0	.0	.0	-	-	.0	-
Unspecified diseases of spinal cord (336.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Disorders of the autonomic nervous system (337)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Idiopathic peripheral autonomic neuropathy (337.0)	.0	.0	.0	-	.0	-	-	.0	-
Unspecified (337.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other disorders of the central nervous system (340-349)	3.4	3.6	3.3	3.3	3.2	5.0	3.5	6.0	4.0
Multiple sclerosis (340)	.6	.5	.8	.5	.8	.3	.5	.4	.6
Other demyelinating diseases of central nervous system (341)	.1	.0	.1	.0	.1	.0	.0	.0	.0
Neuromyelitis optica (341.0)	.0	-	.0	-	-	-	.0	-	.0
Schilder's disease (341.1)	.0	.0	.0	-	.0	.0	-	-	-
Other (341.8)	.0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (341.9)	.0	.0	.1	.0	.1	.0	.0	.0	.0
Hemiplegia (342)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Flaccid hemiplegia (342.0)	.0	-	.0	-	.0	-	-	-	-
Spastic hemiplegia (342.1)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified (342.9)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Infantile cerebral palsy (343)	.2	.3	.2	.2	.2	.4	.3	.4	.3
Diplegic (343.0)	.0	.0	.0	.0	.0	-	-	-	-
Hemiplegic (343.1)	-	-	-	-	-	-	-	-	-
Quadriplegic (343.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Monoplegic (343.3)	-	-	-	-	-	-	-	-	-
Infantile hemiplegia (343.4)	-	-	-	-	-	-	-	-	-
Other (343.8)	-	-	-	-	-	-	-	-	-
Unspecified (343.9)	.2	.2	.2	.2	.1	.3	.2	.4	.3
Other paralytic syndromes (344)	.3	.3	.2	.3	.2	.4	.1	.5	.1
Quadriplegia (344.0)	.1	.1	.1	.1	.1	.2	.0	.2	.1
Paraplegia (344.1)	.0	.1	.0	.0	.0	.1	.0	.2	.0
Diplegia of upper limbs (344.2)	.0	.0	.0	.0	.0	-	-	-	-
Monoplegia of lower limb (344.3)	.0	-	-	-	-	-	-	-	-
Monoplegia of upper limb (344.4)	-	-	-	-	-	-	-	-	-
Unspecified monoplegia (344.5)	-	-	-	-	-	-	-	-	-
Cauda equina syndrome (344.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (344.8)	.1	.1	.1	.1	.1	.0	.0	.0	.0
Unspecified (344.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Epilepsy (345)	.7	.8	.6	.7	.5	1.9	.8	2.3	.9
Generalized nonconvulsive epilepsy (345.0)	.0	.0	.0	.0	.0	-	.0	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 132

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Epilepsy-Con.									
Generalized convulsive epilepsy (345.1)	379	227	152	160	125	67	27	64	25
Petit mal status (345.2)	2	-	2	-	1	-	1	-	1
Grand mal status (345.3)	530	297	233	179	166	118	67	116	61
Partial epilepsy with impairment of consciousness (345.4)	4	3	1	3	1	-	-	-	-
Partial epilepsy without mention of impairment of consciousness (345.5)	5	5	-	4	-	1	-	1	-
Infantile spasms (345.6)	3	2	1	2	1	-	-	-	-
Epilepsia partialis continua (345.7)	1	-	1	-	1	-	-	-	-
Other (345.8)	-	-	-	-	-	-	-	-	-
Unspecified (345.9)	710	426	284	292	225	134	59	130	55
Migraine (346)	7	4	3	4	2	-	1	-	1
Classical migraine (346.0)	-	-	-	-	-	-	-	-	-
Common migraine (346.1)	3	2	1	2	1	-	-	-	-
Variants of migraine (346.2)	-	-	-	-	-	-	-	-	-
Other (346.8)	1	1	-	1	-	-	-	-	-
Unspecified (346.9)	3	1	2	1	1	-	1	-	1
Cataplexy and narcolepsy (347)	3	1	2	-	2	1	-	1	-
Other conditions of brain (348)	3,151	1,628	1,523	1,310	1,229	318	294	297	272
Cerebral cysts (348.0)	42	27	15	23	12	4	3	4	2
Anoxic brain damage (348.1)	1,817	968	849	783	662	185	187	176	180
Benign intracranial hypertension (348.2)	60	28	32	22	28	6	4	6	3
Encephalopathy, unspecified (348.3)	449	228	221	189	183	39	38	36	34
Compression of brain (348.4)	71	34	37	19	31	15	6	13	4
Cerebral edema (348.5)	179	105	74	81	59	24	15	20	13
Other (348.8)	119	53	66	41	57	12	9	12	7
Unspecified (348.9)	414	185	229	152	197	33	32	30	29
Other and unspecified disorders of the nervous system (349)	330	162	168	145	153	17	15	13	11
Reaction to spinal or lumbar puncture (349.0)	-	-	-	-	-	-	-	-	-
Nervous system complications from surgically implanted device (349.1)	4	3	1	3	1	-	-	-	-
Disorders of meninges, not elsewhere classified (349.2)	-	-	-	-	-	-	-	-	-
Other (349.8)	222	102	120	92	112	10	8	8	6
Unspecified (349.9)	104	57	47	50	40	7	7	5	5
Disorders of the peripheral nervous system (350-359)	1,674	1,029	645	938	593	91	52	79	48
Trigeminal nerve disorders (350)	1	-	1	-	1	-	-	-	-
Other trigeminal neuralgia (350.1)	1	-	1	-	1	-	-	-	-
Atypical face pain (350.2)	-	-	-	-	-	-	-	-	-
Other (350.8)	-	-	-	-	-	-	-	-	-
Unspecified (350.9)	-	-	-	-	-	-	-	-	-
Facial nerve disorders (351)	1	-	1	-	1	-	-	-	-
Bell's palsy (351.0)	1	-	1	-	1	-	-	-	-
Geniculate ganglionitis (351.1)	-	-	-	-	-	-	-	-	-
Other (351.8)	-	-	-	-	-	-	-	-	-
Unspecified (351.9)	-	-	-	-	-	-	-	-	-
Disorders of other cranial nerves (352)	25	17	8	16	7	1	1	-	1
Disorders of olfactory (1st) nerve (352.0)	-	-	-	-	-	-	-	-	-
Glossopharyngeal neuralgia (352.1)	-	-	-	-	-	-	-	-	-
Other disorders of glossopharyngeal (9th) nerve (352.2)	2	2	-	2	-	-	-	-	-
Disorders of pneumogastric (10th) nerve (352.3)	5	2	3	2	3	-	-	-	-
Disorders of accessory (11th) nerve (352.4)	-	-	-	-	-	-	-	-	-
Disorders of hypoglossal (12th) nerve (352.5)	1	1	-	1	-	-	-	-	-
Multiple cranial nerve palsies (352.6)	5	4	1	4	1	-	-	-	-
Unspecified (352.9)	12	8	4	7	3	1	1	-	1
Nerve root and plexus disorders (353)	2	2	-	2	-	-	-	-	-
Brachial plexus lesions (353.0)	1	1	-	1	-	-	-	-	-
Lumbosacral plexus lesions (353.1)	-	-	-	-	-	-	-	-	-
Cervical root lesions, not elsewhere classified (353.2)	-	-	-	-	-	-	-	-	-
Thoracic root lesions, not elsewhere classified (353.3)	-	-	-	-	-	-	-	-	-
Lumbosacral root lesions, not elsewhere classified (353.4)	-	-	-	-	-	-	-	-	-
Neuralgic amyotrophy (353.5)	-	-	-	-	-	-	-	-	-
Phantom limb syndrome (353.6)	-	-	-	-	-	-	-	-	-
Other (353.8)	-	-	-	-	-	-	-	-	-
Unspecified (353.9)	1	1	-	1	-	-	-	-	-
Mononeuritis of upper limb and mononeuritis multiplex (354)	5	2	3	2	3	-	-	-	-
Carpal tunnel syndrome (354.0)	-	-	-	-	-	-	-	-	-
Other lesion of median nerve (354.1)	-	-	-	-	-	-	-	-	-
Lesion of ulnar nerve (354.2)	-	-	-	-	-	-	-	-	-
Lesion of radial nerve (354.3)	1	-	1	-	1	-	-	-	-
Causalgia (354.4)	-	-	-	-	-	-	-	-	-
Mononeuritis multiplex (354.5)	-	-	-	-	-	-	-	-	-
Other (354.8)	4	2	2	2	2	-	-	-	-
Unspecified (354.9)	-	-	-	-	-	-	-	-	-
Mononeuritis of lower limb (355)	28	12	16	12	13	-	3	-	3
Lesion of sciatic nerve (355.0)	-	-	-	-	-	-	-	-	-
Meralgia paraesthetica (355.1)	-	-	-	-	-	-	-	-	-
Lesion of femoral nerve (355.2)	-	-	-	-	-	-	-	-	-
Lesion of lateral popliteal nerve (355.3)	-	-	-	-	-	-	-	-	-
Lesion of medial popliteal nerve (355.4)	-	-	-	-	-	-	-	-	-
Tarsal tunnel syndrome (355.5)	-	-	-	-	-	-	-	-	-
Lesion of plantar nerve (355.6)	-	-	-	-	-	-	-	-	-
Other (355.7)	-	-	-	-	-	-	-	-	-
Unspecified mononeuritis of lower limb (355.8)	-	-	-	-	-	-	-	-	-
Mononeuritis of unspecified site (355.9)	28	12	16	12	13	-	3	-	3
Hereditary and idiopathic peripheral neuropathy (356)	268	155	113	138	108	17	5	14	4
Hereditary peripheral neuropathy (356.0)	-	-	-	-	-	-	-	-	-
Peroneal muscular atrophy (356.1)	14	8	6	8	5	-	1	-	1
Hereditary sensory neuropathy (356.2)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 133

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Epilepsy-Con.									
Generalized convulsive epilepsy (345.1)	0.2	0.2	0.1	0.2	0.1	0.4	0.1	0.5	0.2
Petit mal status (345.2)0	-	.0	-	.0	-	.0	-	.0
Grand mal status (345.3)2	.3	.2	.2	.2	.7	.4	.8	.4
Partial epilepsy with impairment of consciousness (345.4)0	.0	.0	.0	.0	-	-	-	-
Partial epilepsy without mention of impairment of consciousness (345.5)0	.0	-	.0	-	.0	-	.0	-
Infantile spasms (345.6)0	.0	.0	.0	.0	-	-	-	-
Epilepsia partialis continua (345.7)0	-	.0	-	.0	-	-	-	-
Other (345.8)	-	-	-	-	-	-	-	-	-
Unspecified (345.9)3	.4	.2	.3	.2	.8	.3	1.0	.4
Migraine (346)0	.0	.0	.0	.0	-	.0	-	.0
Classical migraine (346.0)	-	-	-	-	-	-	-	-	-
Common migraine (346.1)0	.0	.0	.0	.0	-	-	-	-
Variants of migraine (346.2)	-	-	-	-	-	-	-	-	-
Other (346.8)0	.0	-	.0	-	-	-	-	-
Unspecified (346.9)0	.0	.0	.0	.0	-	.0	-	.0
Cataplexy and narcolepsy (347)0	.0	.0	-	.0	.0	-	.0	-
Other conditions of brain (348)	1.3	1.4	1.2	1.3	1.2	1.9	1.6	2.2	1.8
Cerebral cysts (348.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Anoxic brain damage (348.1)8	.8	.7	.8	.6	1.1	1.0	1.3	1.2
Benign intracranial hypertension (348.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Encephalopathy, unspecified (348.3)2	.2	.2	.2	.2	.2	.2	.3	.2
Compression of brain (348.4)0	.0	.0	.0	.0	.1	.0	.1	.0
Cerebral edema (348.5)1	.1	.1	.1	.1	.1	.1	.1	.1
Other (348.8)0	.0	.1	.0	.1	.1	.0	.1	.0
Unspecified (348.9)2	.2	.2	.2	.2	.2	.2	.2	.2
Other and unspecified disorders of the nervous system (349)1	.1	.1	.1	.1	.1	.1	.1	.1
Reaction to spinal or lumbar puncture (349.0)	-	-	-	-	-	-	-	-	-
Nervous system complications from surgically implanted device (349.1)0	.0	.0	.0	.0	-	-	-	-
Disorders of meninges, not elsewhere classified (349.2)	-	-	-	-	-	-	-	-	-
Other (349.8)1	.1	.1	.1	.1	.1	.0	.1	.0
Unspecified (349.9)0	.0	.0	.1	.0	.0	.0	.0	.0
Disorders of the peripheral nervous system (350-359)7	.9	.5	.9	.6	.5	.3	.6	.3
Trigeminal nerve disorders (350)0	-	.0	-	.0	-	-	-	-
Other trigeminal neuralgia (350.1)0	-	.0	-	.0	-	-	-	-
Atypical face pain (350.2)	-	-	-	-	-	-	-	-	-
Other (350.8)	-	-	-	-	-	-	-	-	-
Unspecified (350.9)	-	-	-	-	-	-	-	-	-
Facial nerve disorders (351)0	-	.0	-	.0	-	-	-	-
Bell's palsy (351.0)0	-	.0	-	.0	-	-	-	-
Geniculate ganglionitis (351.1)	-	-	-	-	-	-	-	-	-
Other (351.8)	-	-	-	-	-	-	-	-	-
Unspecified (351.9)	-	-	-	-	-	-	-	-	-
Disorders of other cranial nerves (352)0	.0	.0	.0	.0	.0	.0	-	.0
Disorders of olfactory (1st) nerve (352.0)	-	-	-	-	-	-	-	-	-
Glossopharyngeal neuralgia (352.1)	-	-	-	-	-	-	-	-	-
Other disorders of glossopharyngeal (9th) nerve (352.2)0	.0	-	.0	-	-	-	-	-
Disorders of pneumogastric (10th) nerve (352.3)0	.0	.0	.0	.0	-	-	-	-
Disorders of accessory (11th) nerve (352.4)0	.0	-	.0	-	-	-	-	-
Disorders of hypoglossal (12th) nerve (352.5)0	.0	-	.0	-	-	-	-	-
Multiple cranial nerve palsies (352.6)0	.0	.0	.0	.0	.0	.0	-	.0
Unspecified (352.9)0	.0	.0	.0	.0	-	-	-	-
Nerve root and plexus disorders (353)0	.0	-	.0	-	-	-	-	-
Brachial plexus lesions (353.0)0	.0	-	.0	-	-	-	-	-
Lumbosacral plexus lesions (353.1)	-	-	-	-	-	-	-	-	-
Cervical root lesions, not elsewhere classified (353.2)	-	-	-	-	-	-	-	-	-
Thoracic root lesions, not elsewhere classified (353.3)	-	-	-	-	-	-	-	-	-
Lumbosacral root lesions, not elsewhere classified (353.4)	-	-	-	-	-	-	-	-	-
Neuralgic amyotrophy (353.5)	-	-	-	-	-	-	-	-	-
Phantom limb syndrome (353.6)	-	-	-	-	-	-	-	-	-
Other (353.8)	-	-	-	-	-	-	-	-	-
Unspecified (353.9)0	.0	-	.0	-	-	-	-	-
Mononeuritis of upper limb and mononeuritis multiplex (354)0	.0	.0	.0	.0	-	-	-	-
Carpal tunnel syndrome (354.0)	-	-	-	-	-	-	-	-	-
Other lesion of median nerve (354.1)	-	-	-	-	-	-	-	-	-
Lesion of ulnar nerve (354.2)	-	-	-	-	-	-	-	-	-
Lesion of radial nerve (354.3)0	-	.0	-	.0	-	-	-	-
Causalgia (354.4)	-	-	-	-	-	-	-	-	-
Mononeuritis multiplex (354.5)0	.0	.0	.0	.0	-	-	-	-
Other (354.8)	-	-	-	-	-	-	-	-	-
Unspecified (354.9)	-	-	-	-	-	-	-	-	-
Mononeuritis of lower limb (355)0	.0	.0	.0	.0	-	.0	-	.0
Lesion of sciatic nerve (355.0)	-	-	-	-	-	-	-	-	-
Meralgia paraesthetica (355.1)	-	-	-	-	-	-	-	-	-
Lesion of femoral nerve (355.2)	-	-	-	-	-	-	-	-	-
Lesion of lateral popliteal nerve (355.3)	-	-	-	-	-	-	-	-	-
Lesion of medial popliteal nerve (355.4)	-	-	-	-	-	-	-	-	-
Tarsal tunnel syndrome (355.5)	-	-	-	-	-	-	-	-	-
Lesion of plantar nerve (355.6)	-	-	-	-	-	-	-	-	-
Other (355.7)	-	-	-	-	-	-	-	-	-
Unspecified mononeuritis of lower limb (355.8)	-	-	-	-	-	-	-	-	-
Mononeuritis of unspecified site (355.9)0	.0	.0	.0	.0	-	.0	-	.0
Hereditary and idiopathic peripheral neuropathy (356)1	.1	.1	.1	.1	.1	.0	.1	.0
Hereditary peripheral neuropathy (356.0)	-	-	-	-	-	-	-	-	-
Peroneal muscular atrophy (356.1)0	.0	.0	.0	.0	-	.0	-	.0
Hereditary sensory neuropathy (356.2)0	.0	-	.0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 134

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Hereditary and idiopathic peripheral neuropathy-Con.									
Refsum's disease (356.3)	-	-	-	-	-	-	-	-	-
Idiopathic progressive polyneuropathy (356.4)	2	1	1	1	1	-	-	-	-
Other (356.8)	168	101	67	89	65	12	2	9	1
Unspecified (356.9)	83	44	39	39	37	5	2	5	2
Inflammatory and toxic neuropathy (357)	220	110	110	97	101	13	9	13	8
Acute infective polyneuritis (357.0)	207	104	103	92	94	12	9	12	8
Alcoholic polyneuropathy (357.5)	2	1	1	1	1	-	-	-	-
Polyneuropathy due to drugs (357.6)	-	-	-	-	-	-	-	-	-
Polyneuropathy due to other toxic agents (357.7)	1	1	-	1	-	-	-	-	-
Other (357.8)	1	-	1	-	1	-	-	-	-
Unspecified (357.9)	9	4	5	3	5	1	-	1	-
Myoneural disorders (358)	339	156	183	144	166	12	17	10	16
Myasthenia gravis (358.0)	234	107	127	98	120	9	7	7	7
Toxic myoneural disorders (358.2)	-	-	-	-	-	-	-	-	-
Other (358.8)	11	6	5	6	3	-	2	-	2
Unspecified (358.9)	94	43	51	40	43	3	8	3	7
Muscular dystrophies and other myopathies (359)	785	575	210	527	193	48	17	42	16
Congenital hereditary muscular dystrophy (359.0)	27	18	9	13	7	5	2	4	2
Hereditary progressive muscular dystrophy (359.1)	552	446	106	408	99	38	7	33	7
Myotonic disorders (359.2)	102	60	42	59	41	1	1	1	-
Familial periodic paralysis (359.3)	-	-	-	-	-	-	-	-	-
Toxic myopathy (359.4)	8	4	4	3	3	1	1	1	1
Other (359.8)	16	5	11	4	10	1	1	1	1
Unspecified (359.9)	80	42	38	40	33	2	5	2	5
Disorders of the eye and adnexa (360-379)	23	12	11	9	10	3	1	3	1
Disorders of the globe (360)	2	2	-	-	-	2	-	2	-
Purulent endophthalmitis (360.0)	2	2	-	-	-	2	-	2	-
Other endophthalmitis (360.1)	-	-	-	-	-	-	-	-	-
Degenerative disorders of globe (360.2)	-	-	-	-	-	-	-	-	-
Hypotony of eye (360.3)	-	-	-	-	-	-	-	-	-
Degenerated conditions of globe (360.4)	-	-	-	-	-	-	-	-	-
Retained (old) intraocular foreign body, magnetic (360.5)	-	-	-	-	-	-	-	-	-
Retained (old) intraocular foreign body, nonmagnetic (360.6)	-	-	-	-	-	-	-	-	-
Other disorders of globe (360.8)	-	-	-	-	-	-	-	-	-
Unspecified (360.9)	-	-	-	-	-	-	-	-	-
Retinal detachments and defects (361)	-	-	-	-	-	-	-	-	-
Retinal detachment with retinal defect (361.0)	-	-	-	-	-	-	-	-	-
Retinoschisis and retinal cysts (361.1)	-	-	-	-	-	-	-	-	-
Serous retinal detachment (361.2)	-	-	-	-	-	-	-	-	-
Retinal defects without detachment (361.3)	-	-	-	-	-	-	-	-	-
Other forms of retinal detachment (361.8)	-	-	-	-	-	-	-	-	-
Unspecified (361.9)	-	-	-	-	-	-	-	-	-
Other retinal disorders (362)	-	-	-	-	-	-	-	-	-
Other background retinopathy and retinal vascular changes (362.1)	-	-	-	-	-	-	-	-	-
Other proliferative retinopathy (362.2)	-	-	-	-	-	-	-	-	-
Retinal vascular occlusion (362.3)	-	-	-	-	-	-	-	-	-
Separation of retinal layers (362.4)	-	-	-	-	-	-	-	-	-
Degeneration of macula and posterior pole (362.5)	-	-	-	-	-	-	-	-	-
Peripheral retinal degenerations (362.6)	-	-	-	-	-	-	-	-	-
Hereditary retinal dystrophies (362.7)	-	-	-	-	-	-	-	-	-
Other retinal disorders (362.8)	-	-	-	-	-	-	-	-	-
Unspecified (362.9)	-	-	-	-	-	-	-	-	-
Chorioretinal inflammations and scars and other disorders of choroid (363)	1	-	1	-	1	-	-	-	-
Focal chorioretinitis and focal retinochoroiditis (363.0)	-	-	-	-	-	-	-	-	-
Disseminated chorioretinitis and disseminated retinochoroiditis (363.1)	-	-	-	-	-	-	-	-	-
Other and unspecified forms of chorioretinitis and retinochoroiditis (363.2)	1	-	1	-	1	-	-	-	-
Chorioretinal scars (363.3)	-	-	-	-	-	-	-	-	-
Chorioidal degenerations (363.4)	-	-	-	-	-	-	-	-	-
Hereditary chorioidal dystrophies (363.5)	-	-	-	-	-	-	-	-	-
Chorioidal hemorrhage and rupture (363.6)	-	-	-	-	-	-	-	-	-
Chorioidal detachment (363.7)	-	-	-	-	-	-	-	-	-
Other disorders of choroid (363.8)	-	-	-	-	-	-	-	-	-
Unspecified (363.9)	-	-	-	-	-	-	-	-	-
Disorders of iris and ciliary body (364)	-	-	-	-	-	-	-	-	-
Acute and subacute iridocyclitis (364.0)	-	-	-	-	-	-	-	-	-
Chronic iridocyclitis (364.1)	-	-	-	-	-	-	-	-	-
Certain types of iridocyclitis (364.2)	-	-	-	-	-	-	-	-	-
Unspecified iridocyclitis (364.3)	-	-	-	-	-	-	-	-	-
Vascular disorders of iris and ciliary body (364.4)	-	-	-	-	-	-	-	-	-
Degenerations of iris and ciliary body (364.5)	-	-	-	-	-	-	-	-	-
Cysts of iris, ciliary body, and anterior chamber (364.6)	-	-	-	-	-	-	-	-	-
Adhesions and disruptions of iris and ciliary body (364.7)	-	-	-	-	-	-	-	-	-
Other disorders of iris and ciliary body (364.8)	-	-	-	-	-	-	-	-	-
Unspecified (364.9)	-	-	-	-	-	-	-	-	-
Glaucoma (365)	3	1	2	1	2	-	-	-	-
Borderline glaucoma (365.0)	-	-	-	-	-	-	-	-	-
Open-angle glaucoma (365.1)	-	-	-	-	-	-	-	-	-
Primary angle-closure glaucoma (365.2)	-	-	-	-	-	-	-	-	-
Corticosteroid-induced glaucoma (365.3)	-	-	-	-	-	-	-	-	-
Glaucoma associated with congenital anomalies, with dystrophies, and with systemic syndromes (365.4)	-	-	-	-	-	-	-	-	-
Glaucoma associated with disorders of the lens (365.5)	-	-	-	-	-	-	-	-	-
Glaucoma associated with other ocular disorders (365.6)	-	-	-	-	-	-	-	-	-
Other glaucoma (365.8)	-	-	-	-	-	-	-	-	-
Unspecified (365.9)	3	1	2	1	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 135

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Hereditary and idiopathic peripheral neuropathy-Con.									
Refsum's disease (356.3)	-	-	-	-	-	-	-	-	-
Idiopathic progressive polyneuropathy (356.4)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Other (356.8)1	.1	.1	.1	.1	0.1	0.0	0.1	0.0
Unspecified (356.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Inflammatory and toxic neuropathy (357)1	.1	.1	.1	.1	.1	.0	.1	.1
Acute infective polyneuritis (357.0)1	.1	.1	.1	.1	.1	.0	.1	.1
Alcoholic polyneuropathy (357.5)0	.0	.0	.0	.0	-	-	-	-
Polyneuropathy due to drugs (357.6)	-	-	-	-	-	-	-	-	-
Polyneuropathy due to other toxic agents (357.7)0	.0	-	.0	-	-	-	-	-
Other (357.8)0	-	.0	-	.0	-	-	-	-
Unspecified (357.9)0	.0	.0	.0	.0	.0	-	.0	-
Myoneural disorders (358)1	.1	.1	.1	.2	.1	.1	.1	.1
Myasthenia gravis (358.0)1	.1	.1	.1	.1	.1	.0	.1	.0
Toxic myoneural disorders (358.2)	-	-	-	-	-	-	-	-	-
Other (358.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (358.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Muscular dystrophies and other myopathies (359)3	.5	.2	.5	.2	.3	.1	.3	.1
Congenital hereditary muscular dystrophy (359.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Hereditary progressive muscular dystrophy (359.1)2	.4	.1	.4	.1	.2	.0	.2	.0
Myotonic disorders (359.2)0	.1	.0	.1	.0	.0	.0	.0	.0
Familial periodic paralysis (359.3)	-	-	-	-	-	-	-	-	-
Toxic myopathy (359.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (359.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (359.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Disorders of the eye and adnexa (360-379)0	.0	.0	.0	.0	.0	.0	.0	.0
Disorders of the globe (360)0	.0	-	-	-	.0	-	.0	-
Purulent endophthalmitis (360.0)0	.0	-	-	-	.0	-	.0	-
Other endophthalmitis (360.1)	-	-	-	-	-	-	-	-	-
Degenerative disorders of globe (360.2)	-	-	-	-	-	-	-	-	-
Hypotony of eye (360.3)	-	-	-	-	-	-	-	-	-
Degenerated conditions of globe (360.4)	-	-	-	-	-	-	-	-	-
Retained (old) intraocular foreign body, magnetic (360.5)	-	-	-	-	-	-	-	-	-
Retained (old) intraocular foreign body, nonmagnetic (360.6)	-	-	-	-	-	-	-	-	-
Other disorders of globe (360.8)	-	-	-	-	-	-	-	-	-
Unspecified (360.9)	-	-	-	-	-	-	-	-	-
Retinal detachments and defects (361)	-	-	-	-	-	-	-	-	-
Retinal detachment with retinal defect (361.0)	-	-	-	-	-	-	-	-	-
Retinoschisis and retinal cysts (361.1)	-	-	-	-	-	-	-	-	-
Serous retinal detachment (361.2)	-	-	-	-	-	-	-	-	-
Retinal defects without detachment (361.3)	-	-	-	-	-	-	-	-	-
Other forms of retinal detachment (361.8)	-	-	-	-	-	-	-	-	-
Unspecified (361.9)	-	-	-	-	-	-	-	-	-
Other retinal disorders (362)	-	-	-	-	-	-	-	-	-
Other background retinopathy and retinal vascular changes (362.1)	-	-	-	-	-	-	-	-	-
Other proliferative retinopathy (362.2)	-	-	-	-	-	-	-	-	-
Retinal vascular occlusion (362.3)	-	-	-	-	-	-	-	-	-
Separation of retinal layers (362.4)	-	-	-	-	-	-	-	-	-
Degeneration of macula and posterior pole (362.5)	-	-	-	-	-	-	-	-	-
Peripheral retinal degenerations (362.6)	-	-	-	-	-	-	-	-	-
Hereditary retinal dystrophies (362.7)	-	-	-	-	-	-	-	-	-
Other retinal disorders (362.8)	-	-	-	-	-	-	-	-	-
Unspecified (362.9)	-	-	-	-	-	-	-	-	-
Chorioretinal inflammations and scars and other disorders of choroid (363)0	-	.0	-	.0	-	-	-	-
Focal chorioretinitis and focal retinochoroiditis (363.0)	-	-	-	-	-	-	-	-	-
Disseminated chorioretinitis and disseminated retinochoroiditis (363.1)	-	-	-	-	-	-	-	-	-
Other and unspecified forms of chorioretinitis and retinochoroiditis (363.2)0	-	.0	-	.0	-	-	-	-
Chorioretinal scars (363.3)	-	-	-	-	-	-	-	-	-
Choroidal degenerations (363.4)	-	-	-	-	-	-	-	-	-
Hereditary choroidal dystrophies (363.5)	-	-	-	-	-	-	-	-	-
Choroidal hemorrhage and rupture (363.6)	-	-	-	-	-	-	-	-	-
Choroidal detachment (363.7)	-	-	-	-	-	-	-	-	-
Other disorders of choroid (363.8)	-	-	-	-	-	-	-	-	-
Unspecified (363.9)	-	-	-	-	-	-	-	-	-
Disorders of iris and ciliary body (364)	-	-	-	-	-	-	-	-	-
Acute and subacute iridocyclitis (364.0)	-	-	-	-	-	-	-	-	-
Chronic iridocyclitis (364.1)	-	-	-	-	-	-	-	-	-
Certain types of iridocyclitis (364.2)	-	-	-	-	-	-	-	-	-
Unspecified iridocyclitis (364.3)	-	-	-	-	-	-	-	-	-
Vascular disorders of iris and ciliary body (364.4)	-	-	-	-	-	-	-	-	-
Degenerations of iris and ciliary body (364.5)	-	-	-	-	-	-	-	-	-
Cysts of iris, ciliary body, and anterior chamber (364.6)	-	-	-	-	-	-	-	-	-
Adhesions and disruptions of iris and ciliary body (364.7)	-	-	-	-	-	-	-	-	-
Other disorders of iris and ciliary body (364.8)	-	-	-	-	-	-	-	-	-
Unspecified (364.9)	-	-	-	-	-	-	-	-	-
Glaucoma (365)0	.0	.0	.0	.0	-	-	-	-
Borderline glaucoma (365.0)	-	-	-	-	-	-	-	-	-
Open-angle glaucoma (365.1)	-	-	-	-	-	-	-	-	-
Primary angle-closure glaucoma (365.2)	-	-	-	-	-	-	-	-	-
Corticosteroid-induced glaucoma (365.3)	-	-	-	-	-	-	-	-	-
Glaucoma associated with congenital anomalies, with dystrophies, and with systemic syndromes (365.4)	-	-	-	-	-	-	-	-	-
Glaucoma associated with disorders of the lens (365.5)	-	-	-	-	-	-	-	-	-
Glaucoma associated with other ocular disorders (365.6)	-	-	-	-	-	-	-	-	-
Other glaucoma (365.8)	-	-	-	-	-	-	-	-	-
Unspecified (365.9)0	.0	.0	.0	.0	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 136

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Disorders of the eye and adnexa-Con.									
Cataract (366)	3	2	1	2	1	-	-	-	-
Infantile, juvenile, and presenile cataract (366.0)	-	-	-	-	-	-	-	-	-
Senile cataract (366.1)	-	-	-	-	-	-	-	-	-
Traumatic cataract (366.2)	-	-	-	-	-	-	-	-	-
Cataract secondary to ocular disorders (366.3)	-	-	-	-	-	-	-	-	-
Cataract associated with other disorders (366.4)	-	-	-	-	-	-	-	-	-
After-cataract (366.5)	-	-	-	-	-	-	-	-	-
Other cataract (366.8)	-	-	-	-	-	-	-	-	-
Unspecified (366.9)	3	2	1	2	1	-	-	-	-
Disorders of refraction and accommodation (367)	-	-	-	-	-	-	-	-	-
Hypermetropia (367.0)	-	-	-	-	-	-	-	-	-
Myopia (367.1)	-	-	-	-	-	-	-	-	-
Astigmatism (367.2)	-	-	-	-	-	-	-	-	-
Anisometropia and aniseikonia (367.3)	-	-	-	-	-	-	-	-	-
Presbyopia (367.4)	-	-	-	-	-	-	-	-	-
Disorders of accommodation (367.5)	-	-	-	-	-	-	-	-	-
Other (367.8)	-	-	-	-	-	-	-	-	-
Unspecified (367.9)	-	-	-	-	-	-	-	-	-
Visual disturbances (368)	-	-	-	-	-	-	-	-	-
Amblyopia ex anopsia (368.0)	-	-	-	-	-	-	-	-	-
Subjective visual disturbances (368.1)	-	-	-	-	-	-	-	-	-
Diplopia (368.2)	-	-	-	-	-	-	-	-	-
Other disorders of binocular vision (368.3)	-	-	-	-	-	-	-	-	-
Visual field defects (368.4)	-	-	-	-	-	-	-	-	-
Color vision deficiencies (368.5)	-	-	-	-	-	-	-	-	-
Night blindness (368.6)	-	-	-	-	-	-	-	-	-
Other visual disturbances (368.8)	-	-	-	-	-	-	-	-	-
Unspecified (368.9)	-	-	-	-	-	-	-	-	-
Blindness and low vision (369)	2	1	1	1	1	-	-	-	-
Blindness, both eyes (369.0)	2	1	1	1	1	-	-	-	-
Blindness, one eye, low vision, other eye (369.1)	-	-	-	-	-	-	-	-	-
Low vision, both eyes (369.2)	-	-	-	-	-	-	-	-	-
Unqualified visual loss, both eyes (369.3)	-	-	-	-	-	-	-	-	-
Blindness, one eye (369.6)	-	-	-	-	-	-	-	-	-
Low vision, one eye (369.7)	-	-	-	-	-	-	-	-	-
Unqualified visual loss, one eye (369.8)	-	-	-	-	-	-	-	-	-
Unspecified visual loss (369.9)	-	-	-	-	-	-	-	-	-
Keratitis (370)	-	-	-	-	-	-	-	-	-
Corneal ulcer (370.0)	-	-	-	-	-	-	-	-	-
Other superficial keratitis without conjunctivitis (370.2)	-	-	-	-	-	-	-	-	-
Certain types of keratoconjunctivitis (370.3)	-	-	-	-	-	-	-	-	-
Other and unspecified keratoconjunctivitis (370.4)	-	-	-	-	-	-	-	-	-
Interstitial and deep keratitis (370.5)	-	-	-	-	-	-	-	-	-
Corneal neovascularization (370.6)	-	-	-	-	-	-	-	-	-
Other forms of keratitis (370.8)	-	-	-	-	-	-	-	-	-
Unspecified (370.9)	-	-	-	-	-	-	-	-	-
Corneal opacity and other disorders of cornea (371)	2	-	2	-	1	-	1	-	1
Corneal scars and opacities (371.0)	1	-	1	-	-	-	1	-	1
Corneal pigmentations and deposits (371.1)	-	-	-	-	-	-	-	-	-
Corneal edema (371.2)	-	-	-	-	-	-	-	-	-
Changes of corneal membranes (371.3)	-	-	-	-	-	-	-	-	-
Corneal degenerations (371.4)	1	-	1	-	1	-	-	-	-
Hereditary corneal dystrophies (371.5)	-	-	-	-	-	-	-	-	-
Keratoconus (371.6)	-	-	-	-	-	-	-	-	-
Other corneal deformities (371.7)	-	-	-	-	-	-	-	-	-
Other corneal disorders (371.8)	-	-	-	-	-	-	-	-	-
Unspecified (371.9)	-	-	-	-	-	-	-	-	-
Disorders of conjunctiva (372)	-	-	-	-	-	-	-	-	-
Acute conjunctivitis (372.0)	-	-	-	-	-	-	-	-	-
Chronic conjunctivitis (372.1)	-	-	-	-	-	-	-	-	-
Blepharoconjunctivitis (372.2)	-	-	-	-	-	-	-	-	-
Other and unspecified conjunctivitis (372.3)	-	-	-	-	-	-	-	-	-
Pterygium (372.4)	-	-	-	-	-	-	-	-	-
Conjunctival degenerations and deposits (372.5)	-	-	-	-	-	-	-	-	-
Conjunctival scars (372.6)	-	-	-	-	-	-	-	-	-
Conjunctival vascular disorders and cysts (372.7)	-	-	-	-	-	-	-	-	-
Other disorders of conjunctiva (372.8)	-	-	-	-	-	-	-	-	-
Unspecified (372.9)	-	-	-	-	-	-	-	-	-
Inflammation of eyelids (373)	-	-	-	-	-	-	-	-	-
Blepharitis (373.0)	-	-	-	-	-	-	-	-	-
Hordeolum and other deep inflammation of eyelid (373.1)	-	-	-	-	-	-	-	-	-
Chalazion (373.2)	-	-	-	-	-	-	-	-	-
Noninfectious dermatoses of eyelid (373.3)	-	-	-	-	-	-	-	-	-
Other (373.8)	-	-	-	-	-	-	-	-	-
Unspecified (373.9)	-	-	-	-	-	-	-	-	-
Other disorders of eyelids (374)	-	-	-	-	-	-	-	-	-
Entropion and trichiasis of eyelid (374.0)	-	-	-	-	-	-	-	-	-
Ectropion (374.1)	-	-	-	-	-	-	-	-	-
Lagophthalmos (374.2)	-	-	-	-	-	-	-	-	-
Ptosis of eyelid (374.3)	-	-	-	-	-	-	-	-	-
Other disorders affecting eyelid function (374.4)	-	-	-	-	-	-	-	-	-
Degenerative disorders of eyelids and periorcular area (374.5)	-	-	-	-	-	-	-	-	-
Other disorders of eyelid (374.8)	-	-	-	-	-	-	-	-	-
Unspecified (374.9)	-	-	-	-	-	-	-	-	-
Disorders of lacrimal system (375)	-	-	-	-	-	-	-	-	-
Dacryoadenitis (375.0)	-	-	-	-	-	-	-	-	-
Other disorders of lacrimal gland (375.1)	-	-	-	-	-	-	-	-	-
Epiphora (375.2)	-	-	-	-	-	-	-	-	-
Acute and unspecified inflammation of lacrimal passages (375.3)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 137

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Disorders of the eye and adnexa-Con.									
Cataract (366)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Infantile, juvenile, and presenile cataract (366.0)	-	-	-	-	-	-	-	-	-
Senile cataract (366.1)	-	-	-	-	-	-	-	-	-
Traumatic cataract (366.2)	-	-	-	-	-	-	-	-	-
Cataract secondary to ocular disorders (366.3)	-	-	-	-	-	-	-	-	-
Cataract associated with other disorders (366.4)	-	-	-	-	-	-	-	-	-
After-cataract (366.5)	-	-	-	-	-	-	-	-	-
Other cataract (366.8)	-	-	-	-	-	-	-	-	-
Unspecified (366.9)0	.0	.0	.0	.0	-	-	-	-
Disorders of refraction and accommodation (367)	-	-	-	-	-	-	-	-	-
Hypermetropia (367.0)	-	-	-	-	-	-	-	-	-
Myopia (367.1)	-	-	-	-	-	-	-	-	-
Astigmatism (367.2)	-	-	-	-	-	-	-	-	-
Anisometropia and aniseikonia (367.3)	-	-	-	-	-	-	-	-	-
Presbyopia (367.4)	-	-	-	-	-	-	-	-	-
Disorders of accommodation (367.5)	-	-	-	-	-	-	-	-	-
Other (367.8)	-	-	-	-	-	-	-	-	-
Unspecified (367.9)	-	-	-	-	-	-	-	-	-
Visual disturbances (368)	-	-	-	-	-	-	-	-	-
Amblyopia ex anopsia (368.0)	-	-	-	-	-	-	-	-	-
Subjective visual disturbances (368.1)	-	-	-	-	-	-	-	-	-
Diplopia (368.2)	-	-	-	-	-	-	-	-	-
Other disorders of binocular vision (368.3)	-	-	-	-	-	-	-	-	-
Visual field defects (368.4)	-	-	-	-	-	-	-	-	-
Color vision deficiencies (368.5)	-	-	-	-	-	-	-	-	-
Night blindness (368.6)	-	-	-	-	-	-	-	-	-
Other visual disturbances (368.8)	-	-	-	-	-	-	-	-	-
Unspecified (368.9)	-	-	-	-	-	-	-	-	-
Blindness and low vision (369)0	.0	.0	.0	.0	-	-	-	-
Blindness, both eyes (369.0)0	.0	.0	.0	.0	-	-	-	-
Blindness, one eye, low vision, other eye (369.1)	-	-	-	-	-	-	-	-	-
Low vision, both eyes (369.2)	-	-	-	-	-	-	-	-	-
Unqualified visual loss, both eyes (369.3)	-	-	-	-	-	-	-	-	-
Blindness, one eye (369.6)	-	-	-	-	-	-	-	-	-
Low vision, one eye (369.7)	-	-	-	-	-	-	-	-	-
Unqualified visual loss, one eye (369.8)	-	-	-	-	-	-	-	-	-
Unspecified visual loss (369.9)	-	-	-	-	-	-	-	-	-
Keratitis (370)	-	-	-	-	-	-	-	-	-
Corneal ulcer (370.0)	-	-	-	-	-	-	-	-	-
Other superficial keratitis without conjunctivitis (370.2)	-	-	-	-	-	-	-	-	-
Certain types of keratoconjunctivitis (370.3)	-	-	-	-	-	-	-	-	-
Other and unspecified keratoconjunctivitis (370.4)	-	-	-	-	-	-	-	-	-
Interstitial and deep keratitis (370.5)	-	-	-	-	-	-	-	-	-
Corneal neovascularization (370.6)	-	-	-	-	-	-	-	-	-
Other forms of keratitis (370.8)	-	-	-	-	-	-	-	-	-
Unspecified (370.9)	-	-	-	-	-	-	-	-	-
Corneal opacity and other disorders of cornea (371)0	-	.0	-	.0	-	0.0	-	0.0
Corneal scars and opacities (371.0)0	-	.0	-	-	-	.0	-	.0
Corneal pigmentations and deposits (371.1)	-	-	-	-	-	-	-	-	-
Corneal edema (371.2)	-	-	-	-	-	-	-	-	-
Changes of corneal membranes (371.3)	-	-	-	-	-	-	-	-	-
Corneal degenerations (371.4)0	-	.0	-	.0	-	-	-	-
Hereditary corneal dystrophies (371.5)	-	-	-	-	-	-	-	-	-
Keratoconus (371.6)	-	-	-	-	-	-	-	-	-
Other corneal deformities (371.7)	-	-	-	-	-	-	-	-	-
Other corneal disorders (371.8)	-	-	-	-	-	-	-	-	-
Unspecified (371.9)	-	-	-	-	-	-	-	-	-
Disorders of conjunctiva (372)	-	-	-	-	-	-	-	-	-
Acute conjunctivitis (372.0)	-	-	-	-	-	-	-	-	-
Chronic conjunctivitis (372.1)	-	-	-	-	-	-	-	-	-
Blepharoconjunctivitis (372.2)	-	-	-	-	-	-	-	-	-
Other and unspecified conjunctivitis (372.3)	-	-	-	-	-	-	-	-	-
Pterygium (372.4)	-	-	-	-	-	-	-	-	-
Conjunctival degenerations and deposits (372.5)	-	-	-	-	-	-	-	-	-
Conjunctival scars (372.6)	-	-	-	-	-	-	-	-	-
Conjunctival vascular disorders and cysts (372.7)	-	-	-	-	-	-	-	-	-
Other disorders of conjunctiva (372.8)	-	-	-	-	-	-	-	-	-
Unspecified (372.9)	-	-	-	-	-	-	-	-	-
Inflammation of eyelids (373)	-	-	-	-	-	-	-	-	-
Blepharitis (373.0)	-	-	-	-	-	-	-	-	-
Hordeolum and other deep inflammation of eyelid (373.1)	-	-	-	-	-	-	-	-	-
Chalazion (373.2)	-	-	-	-	-	-	-	-	-
Noninfectious dermatoses of eyelid (373.3)	-	-	-	-	-	-	-	-	-
Other (373.8)	-	-	-	-	-	-	-	-	-
Unspecified (373.9)	-	-	-	-	-	-	-	-	-
Other disorders of eyelids (374)	-	-	-	-	-	-	-	-	-
Entropion and trichiasis of eyelid (374.0)	-	-	-	-	-	-	-	-	-
Ectropion (374.1)	-	-	-	-	-	-	-	-	-
Lagophthalmos (374.2)	-	-	-	-	-	-	-	-	-
Ptosis of eyelid (374.3)	-	-	-	-	-	-	-	-	-
Other disorders affecting eyelid function (374.4)	-	-	-	-	-	-	-	-	-
Degenerative disorders of eyelids and periorcular area (374.5)	-	-	-	-	-	-	-	-	-
Other disorders of eyelid (374.8)	-	-	-	-	-	-	-	-	-
Unspecified (374.9)	-	-	-	-	-	-	-	-	-
Disorders of lacrimal system (375)	-	-	-	-	-	-	-	-	-
Dacryoadenitis (375.0)	-	-	-	-	-	-	-	-	-
Other disorders of lacrimal gland (375.1)	-	-	-	-	-	-	-	-	-
Epiphora (375.2)	-	-	-	-	-	-	-	-	-
Acute and unspecified inflammation of lacrimal passages (375.3)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 138

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Disorders of lacrimal system-Con.									
Chronic inflammation of lacrimal passages (375.4)	-	-	-	-	-	-	-	-	-
Stenosis and insufficiency of lacrimal passages (375.5)	-	-	-	-	-	-	-	-	-
Other changes of lacrimal passages (375.6)	-	-	-	-	-	-	-	-	-
Other disorders of lacrimal system (375.8)	-	-	-	-	-	-	-	-	-
Unspecified (375.9)	-	-	-	-	-	-	-	-	-
Disorders of the orbit (376)	7	3	4	3	4	-	-	-	-
Acute inflammation of orbit (376.0)	7	3	4	3	4	-	-	-	-
Chronic inflammatory disorders of orbit (376.1)	-	-	-	-	-	-	-	-	-
Other exophthalmic conditions (376.3)	-	-	-	-	-	-	-	-	-
Deformity of orbit (376.4)	-	-	-	-	-	-	-	-	-
Enophthalmos (376.5)	-	-	-	-	-	-	-	-	-
Retained (old) foreign body following penetrating wound of orbit (376.6)	-	-	-	-	-	-	-	-	-
Other disorders of orbit (376.8)	-	-	-	-	-	-	-	-	-
Unspecified (376.9)	-	-	-	-	-	-	-	-	-
Disorders of optic nerve and visual pathways (377)	-	-	-	-	-	-	-	-	-
Papilledema (377.0)	-	-	-	-	-	-	-	-	-
Optic atrophy (377.1)	-	-	-	-	-	-	-	-	-
Other disorders of optic disc (377.2)	-	-	-	-	-	-	-	-	-
Optic neuritis (377.3)	-	-	-	-	-	-	-	-	-
Other disorders of optic nerve (377.4)	-	-	-	-	-	-	-	-	-
Disorders of optic chiasm (377.5)	-	-	-	-	-	-	-	-	-
Disorders of other visual pathways (377.6)	-	-	-	-	-	-	-	-	-
Disorders of visual cortex (377.7)	-	-	-	-	-	-	-	-	-
Unspecified (377.9)	-	-	-	-	-	-	-	-	-
Strabismus and other disorders of binocular eye movements (378)	1	1	-	1	-	-	-	-	-
Convergent concomitant strabismus (378.0)	-	-	-	-	-	-	-	-	-
Divergent concomitant strabismus (378.1)	-	-	-	-	-	-	-	-	-
Intermittent heterotropia (378.2)	-	-	-	-	-	-	-	-	-
Other and unspecified heterotropia (378.3)	-	-	-	-	-	-	-	-	-
Heterophoria (378.4)	-	-	-	-	-	-	-	-	-
Paralytic strabismus (378.5)	-	-	-	-	-	-	-	-	-
Mechanical strabismus (378.6)	-	-	-	-	-	-	-	-	-
Other strabismus (378.7)	-	-	-	-	-	-	-	-	-
Other disorders of binocular eye movements (378.8)	-	-	-	-	-	-	-	-	-
Unspecified (378.9)	1	1	-	1	-	-	-	-	-
Other disorders of eye (379)	2	2	-	1	-	1	-	1	-
Scleritis and episcleritis (379.0)	-	-	-	-	-	-	-	-	-
Other disorders of sclera (379.1)	1	1	-	1	-	-	-	-	-
Disorders of vitreous body (379.2)	1	1	-	-	-	1	-	1	-
Aphakia and other disorders of lens (379.3)	-	-	-	-	-	-	-	-	-
Anomalies of pupillary function (379.4)	-	-	-	-	-	-	-	-	-
Nystagmus and other irregular eye movements (379.5)	-	-	-	-	-	-	-	-	-
Other disorders of eye and adnexa (379.8)	-	-	-	-	-	-	-	-	-
Unspecified (379.9)	-	-	-	-	-	-	-	-	-
Diseases of the ear and mastoid process (380-389)	81	46	35	44	30	2	5	1	3
Disorders of external ear (380)	7	6	1	6	-	-	1	-	-
Perichondritis of pinna (380.0)	-	-	-	-	-	-	-	-	-
Infective otitis externa (380.1)	7	6	1	6	-	-	1	-	-
Other otitis externa (380.2)	-	-	-	-	-	-	-	-	-
Noninfective disorders of pinna (380.3)	-	-	-	-	-	-	-	-	-
Impacted cerumen (380.4)	-	-	-	-	-	-	-	-	-
Acquired stenosis of external ear canal (380.5)	-	-	-	-	-	-	-	-	-
Other disorders of external ear (380.8)	-	-	-	-	-	-	-	-	-
Unspecified (380.9)	-	-	-	-	-	-	-	-	-
Nonsuppurative otitis media and Eustachian tube disorders (381)	1	1	-	1	-	-	-	-	-
Acute nonsuppurative otitis media (381.0)	-	-	-	-	-	-	-	-	-
Chronic serous otitis media (381.1)	-	-	-	-	-	-	-	-	-
Chronic mucoid otitis media (381.2)	-	-	-	-	-	-	-	-	-
Other and unspecified chronic nonsuppurative otitis media (381.3)	-	-	-	-	-	-	-	-	-
Nonsuppurative otitis media, not specified as acute or chronic (381.4)	-	-	-	-	-	-	-	-	-
Eustachian salpingitis (381.5)	-	-	-	-	-	-	-	-	-
Obstruction of Eustachian tube (381.6)	-	-	-	-	-	-	-	-	-
Patulous Eustachian tube (381.7)	-	-	-	-	-	-	-	-	-
Other disorders of Eustachian tube (381.8)	-	-	-	-	-	-	-	-	-
Unspecified Eustachian tube disorder (381.9)	1	1	-	1	-	-	-	-	-
Suppurative and unspecified otitis media (382)	46	25	21	24	17	1	4	-	3
Acute suppurative otitis media (382.0)	3	2	1	2	1	-	-	-	-
Chronic tubotympanic suppurative otitis media (382.1)	-	-	-	-	-	-	-	-	-
Chronic atticotympanic suppurative otitis media (382.2)	-	-	-	-	-	-	-	-	-
Unspecified chronic suppurative otitis media (382.3)	-	-	-	-	-	-	-	-	-
Unspecified suppurative otitis media (382.4)	-	-	-	-	-	-	-	-	-
Unspecified otitis media (382.9)	43	23	20	22	16	1	4	-	3
Mastoiditis and related conditions (383)	10	6	4	5	4	1	-	1	-
Acute mastoiditis (383.0)	2	1	1	1	1	-	-	-	-
Chronic mastoiditis (383.1)	2	2	-	2	-	-	-	-	-
Petrositis (383.2)	1	1	-	1	-	-	-	-	-
Other (383.8)	-	-	-	-	-	-	-	-	-
Unspecified mastoiditis (383.9)	5	2	3	1	3	1	-	1	-
Other disorders of tympanic membrane (384)	2	-	2	-	2	-	-	-	-
Acute myringitis without mention of otitis media (384.0)	-	-	-	-	-	-	-	-	-
Chronic myringitis without mention of otitis media (384.1)	-	-	-	-	-	-	-	-	-
Perforation of tympanic membrane (384.2)	1	-	1	-	1	-	-	-	-
Other (384.8)	-	-	-	-	-	-	-	-	-
Unspecified (384.9)	1	-	1	-	1	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 139

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Disorders of lacrimal system-Con.									
Chronic inflammation of lacrimal passages (375.4)	-	-	-	-	-	-	-	-	-
Stenosis and insufficiency of lacrimal passages (375.5)	-	-	-	-	-	-	-	-	-
Other changes of lacrimal passages (375.6)	-	-	-	-	-	-	-	-	-
Other disorders of lacrimal system (375.8)	-	-	-	-	-	-	-	-	-
Unspecified (375.9)	-	-	-	-	-	-	-	-	-
Disorders of the orbit (376)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Acute inflammation of orbit (376.0)0	.0	.0	.0	.0	-	-	-	-
Chronic inflammatory disorders of orbit (376.1)	-	-	-	-	-	-	-	-	-
Other exophthalmic conditions (376.3)	-	-	-	-	-	-	-	-	-
Deformity of orbit (376.4)	-	-	-	-	-	-	-	-	-
Enophthalmos (376.5)	-	-	-	-	-	-	-	-	-
Retained (old) foreign body following penetrating wound of orbit (376.6)	-	-	-	-	-	-	-	-	-
Other disorders of orbit (376.8)	-	-	-	-	-	-	-	-	-
Unspecified (376.9)	-	-	-	-	-	-	-	-	-
Disorders of optic nerve and visual pathways (377)	-	-	-	-	-	-	-	-	-
Papilledema (377.0)	-	-	-	-	-	-	-	-	-
Optic atrophy (377.1)	-	-	-	-	-	-	-	-	-
Other disorders of optic disc (377.2)	-	-	-	-	-	-	-	-	-
Optic neuritis (377.3)	-	-	-	-	-	-	-	-	-
Other disorders of optic nerve (377.4)	-	-	-	-	-	-	-	-	-
Disorders of optic chiasm (377.5)	-	-	-	-	-	-	-	-	-
Disorders of other visual pathways (377.6)	-	-	-	-	-	-	-	-	-
Disorders of visual cortex (377.7)	-	-	-	-	-	-	-	-	-
Unspecified (377.9)	-	-	-	-	-	-	-	-	-
Strabismus and other disorders of binocular eye movements (378)0	.0	-	.0	-	-	-	-	-
Convergent concomitant strabismus (378.0)	-	-	-	-	-	-	-	-	-
Divergent concomitant strabismus (378.1)	-	-	-	-	-	-	-	-	-
Intermittent heterotropia (378.2)	-	-	-	-	-	-	-	-	-
Other and unspecified heterotropia (378.3)	-	-	-	-	-	-	-	-	-
Heterophoria (378.4)	-	-	-	-	-	-	-	-	-
Paralytic strabismus (378.5)	-	-	-	-	-	-	-	-	-
Mechanical strabismus (378.6)	-	-	-	-	-	-	-	-	-
Other strabismus (378.7)	-	-	-	-	-	-	-	-	-
Other disorders of binocular eye movements (378.8)	-	-	-	-	-	-	-	-	-
Unspecified (378.9)0	.0	-	.0	-	-	-	-	-
Other disorders of eye (379)0	.0	-	.0	-	0.0	-	0.0	-
Scleritis and episcleritis (379.0)	-	-	-	-	-	-	-	-	-
Other disorders of sclera (379.1)0	.0	-	.0	-	-	-	-	-
Disorders of vitreous body (379.2)0	.0	-	-	-	.0	-	.0	-
Aphakia and other disorders of lens (379.3)	-	-	-	-	-	-	-	-	-
Anomalies of pupillary function (379.4)	-	-	-	-	-	-	-	-	-
Nystagmus and other irregular eye movements (379.5)	-	-	-	-	-	-	-	-	-
Other disorders of eye and adnexa (379.8)	-	-	-	-	-	-	-	-	-
Unspecified (379.9)	-	-	-	-	-	-	-	-	-
Diseases of the ear and mastoid process (380-389)0	.0	.0	.0	.0	.0	0.0	.0	0.0
Disorders of external ear (380)0	.0	.0	.0	-	-	-	-	-
Perichondritis of pinna (380.0)	-	-	-	-	-	-	-	-	-
Infective otitis externa (380.1)0	.0	.0	.0	-	-	.0	-	-
Other otitis externa (380.2)	-	-	-	-	-	-	-	-	-
Noninfective disorders of pinna (380.3)	-	-	-	-	-	-	-	-	-
Impacted cerumen (380.4)	-	-	-	-	-	-	-	-	-
Acquired stenosis of external ear canal (380.5)	-	-	-	-	-	-	-	-	-
Other disorders of external ear (380.8)	-	-	-	-	-	-	-	-	-
Unspecified (380.9)	-	-	-	-	-	-	-	-	-
Nonsuppurative otitis media and Eustachian tube disorders (381)0	.0	-	.0	-	-	-	-	-
Acute nonsuppurative otitis media (381.0)	-	-	-	-	-	-	-	-	-
Chronic serous otitis media (381.1)	-	-	-	-	-	-	-	-	-
Chronic mucoid otitis media (381.2)	-	-	-	-	-	-	-	-	-
Other and unspecified chronic nonsuppurative otitis media (381.3)	-	-	-	-	-	-	-	-	-
Nonsuppurative otitis media, not specified as acute or chronic (381.4)	-	-	-	-	-	-	-	-	-
Eustachian salpingitis (381.5)	-	-	-	-	-	-	-	-	-
Obstruction of Eustachian tube (381.6)	-	-	-	-	-	-	-	-	-
Patulous Eustachian tube (381.7)	-	-	-	-	-	-	-	-	-
Other disorders of Eustachian tube (381.8)	-	-	-	-	-	-	-	-	-
Unspecified Eustachian tube disorder (381.9)0	.0	-	.0	-	-	-	-	-
Suppurative and unspecified otitis media (382)0	.0	.0	.0	.0	.0	.0	-	.0
Acute suppurative otitis media (382.0)0	.0	.0	.0	.0	-	-	-	-
Chronic tubotympanic suppurative otitis media (382.1)	-	-	-	-	-	-	-	-	-
Chronic atticofacial suppurative otitis media (382.2)	-	-	-	-	-	-	-	-	-
Unspecified chronic suppurative otitis media (382.3)	-	-	-	-	-	-	-	-	-
Unspecified suppurative otitis media (382.4)	-	-	-	-	-	.0	.0	-	.0
Unspecified otitis media (382.9)0	.0	.0	.0	.0	-	-	-	-
Mastoiditis and related conditions (383)0	.0	.0	.0	.0	.0	-	.0	-
Acute mastoiditis (383.0)0	.0	.0	.0	.0	-	-	-	-
Chronic mastoiditis (383.1)0	.0	-	.0	-	-	-	-	-
Petrositis (383.2)0	.0	-	.0	-	-	-	-	-
Other (383.8)0	.0	.0	.0	.0	.0	-	.0	-
Unspecified mastoiditis (383.9)	-	-	-	-	-	-	-	-	-
Other disorders of tympanic membrane (384)0	-	.0	-	.0	-	-	-	-
Acute myringitis without mention of otitis media (384.0)	-	-	-	-	-	-	-	-	-
Chronic myringitis without mention of otitis media (384.1)	-	-	-	-	-	-	-	-	-
Perforation of tympanic membrane (384.2)0	-	.0	-	.0	-	-	-	-
Other (384.8)	-	-	-	-	-	-	-	-	-
Unspecified (384.9)0	-	.0	-	.0	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 140

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of the ear and mastoid process-Con.									
Other disorders of middle ear and mastoid (385)	6	4	2	4	2	-	-	-	-
Tympanosclerosis (385.0)	-	-	-	-	-	-	-	-	-
Adhesive middle ear disease (385.1)	-	-	-	-	-	-	-	-	-
Other acquired abnormality of ear ossicles (385.2)	-	-	-	-	-	-	-	-	-
Cholesteatoma of middle ear and mastoid (385.3)	4	3	1	3	1	-	-	-	-
Other (385.8)	1	1	-	1	-	-	-	-	-
Unspecified (385.9)	1	-	1	-	1	-	-	-	-
Vertiginous syndromes and other disorders of vestibular system (386)	4	3	1	3	1	-	-	-	-
Meniere's disease (386.0)	2	2	-	2	-	-	-	-	-
Other and unspecified peripheral vertigo (386.1)	-	-	-	-	-	-	-	-	-
Vertigo of central origin (386.2)	-	-	-	-	-	-	-	-	-
Labyrinthitis (386.3)	2	1	1	1	1	-	-	-	-
Labyrinthine fistula (386.4)	-	-	-	-	-	-	-	-	-
Labyrinthine dysfunction (386.5)	-	-	-	-	-	-	-	-	-
Other disorders of labyrinth (386.8)	-	-	-	-	-	-	-	-	-
Unspecified vertiginous syndromes and labyrinthine disorders (386.9)	-	-	-	-	-	-	-	-	-
Otosclerosis (387)	-	-	-	-	-	-	-	-	-
Otosclerosis involving oval window, nonobliterative (387.0)	-	-	-	-	-	-	-	-	-
Otosclerosis involving oval window, obliterative (387.1)	-	-	-	-	-	-	-	-	-
Cochlear otosclerosis (387.2)	-	-	-	-	-	-	-	-	-
Other (387.8)	-	-	-	-	-	-	-	-	-
Unspecified (387.9)	-	-	-	-	-	-	-	-	-
Other disorders of ear (388)	1	-	1	-	1	-	-	-	-
Degenerative and vascular disorders of ear (388.0)	-	-	-	-	-	-	-	-	-
Noise effects on inner ear (388.1)	-	-	-	-	-	-	-	-	-
Sudden hearing loss, unspecified (388.2)	-	-	-	-	-	-	-	-	-
Tinnitus (388.3)	-	-	-	-	-	-	-	-	-
Other abnormal auditory perception (388.4)	-	-	-	-	-	-	-	-	-
Disorders of acoustic nerve (388.5)	-	-	-	-	-	-	-	-	-
Otorrhea (388.6)	-	-	-	-	-	-	-	-	-
Otalgia (388.7)	-	-	-	-	-	-	-	-	-
Other (388.8)	-	-	-	-	-	-	-	-	-
Unspecified (388.9)	1	-	1	-	1	-	-	-	-
Deafness (389)	4	1	3	1	3	-	-	-	-
Conductive deafness (389.0)	-	-	-	-	-	-	-	-	-
Sensorineural deafness (389.1)	-	-	-	-	-	-	-	-	-
Mixed conductive and sensorineural deafness (389.2)	-	-	-	-	-	-	-	-	-
Deaf mutism, not elsewhere classified (389.7)	1	1	-	1	-	-	-	-	-
Other specified forms of deafness (389.8)	-	-	-	-	-	-	-	-	-
Unspecified deafness (389.9)	3	-	3	-	3	-	-	-	-
VII. Diseases of the circulatory system (390-459)									
Acute rheumatic fever (390-392)	56	33	23	29	17	4	6	4	6
Rheumatic fever without mention of heart involvement (390)	15	11	4	10	4	1	-	1	-
Rheumatic fever with heart involvement (391)	41	22	19	19	13	3	6	3	6
Acute rheumatic pericarditis (391.0)	36	22	14	19	8	3	6	3	6
Acute rheumatic endocarditis (391.1)	2	-	2	-	2	-	-	-	-
Acute rheumatic myocarditis (391.2)	-	-	-	-	-	-	-	-	-
Other acute rheumatic heart disease (391.8)	2	-	2	-	2	-	-	-	-
Acute rheumatic heart disease, unspecified (391.9)	1	-	1	-	1	-	-	-	-
Rheumatic chorea (392)	-	-	-	-	-	-	-	-	-
With heart involvement (392.0)	-	-	-	-	-	-	-	-	-
Without mention of heart involvement (392.9)	-	-	-	-	-	-	-	-	-
Chronic rheumatic heart disease (393-398)	6,537	2,109	4,428	1,905	4,075	204	353	170	292
Chronic rheumatic pericarditis (393)	3	2	1	2	1	-	-	-	-
Diseases of mitral valve (394)	2,935	909	2,026	828	1,870	81	156	66	123
Mitral stenosis (394.0)	672	214	758	199	715	15	43	14	31
Rheumatic mitral insufficiency (394.1)	168	67	101	65	92	2	9	2	8
Mitral stenosis with insufficiency (394.2)	118	30	88	25	83	5	5	3	2
Other and unspecified (394.9)	1,677	598	1,079	539	990	59	99	47	82
Diseases of aortic valve (395)	229	126	103	115	95	11	8	7	8
Rheumatic aortic stenosis (395.0)	97	45	52	44	51	1	1	-	1
Rheumatic aortic insufficiency (395.1)	46	24	22	21	18	3	4	2	4
Rheumatic aortic stenosis with insufficiency (395.2)	19	11	8	11	7	-	1	-	1
Other and unspecified (395.9)	67	46	21	39	19	7	2	5	2
Diseases of mitral and aortic valves (396)	957	358	599	321	551	37	48	32	39
Diseases of other endocardial structures (397)	456	147	309	128	285	19	24	16	22
Diseases of tricuspid valve (397.0)	69	31	38	23	32	8	6	8	6
Rheumatic diseases of pulmonary valve (397.1)	1	1	-	-	-	-	-	-	-
Rheumatic diseases of endocardium, valve unspecified (397.9)	386	115	271	105	253	10	18	8	16
Other rheumatic heart disease (398)	1,957	567	1,390	511	1,273	56	117	49	100
Rheumatic myocarditis (398.0)	5	2	3	-	3	2	-	1	-
Other and unspecified (398.9)	1,952	565	1,387	511	1,270	54	117	48	100
Hypertensive disease (401-404)	31,433	13,507	17,926	9,773	13,541	3,734	4,385	3,553	4,221
Essential hypertension (401)	3,635	1,519	2,116	1,143	1,646	376	470	366	450
Specified as malignant (401.0)	51	16	35	6	17	10	18	10	18
Specified as benign (401.1)	3	1	2	1	1	-	1	-	1
Not specified as malignant or benign (401.9)	3,581	1,502	2,079	1,136	1,628	366	451	356	431
Hypertensive heart disease (402)	20,882	8,970	11,912	6,322	8,981	2,648	2,931	2,515	2,827
Specified as malignant (402.0)	21	9	12	6	5	3	7	3	7
Specified as benign (402.1)	11	3	8	3	6	-	2	-	2
Not specified as malignant or benign (402.9)	20,850	8,958	11,892	6,313	8,970	2,645	2,922	2,512	2,818

SECTION 1 - GENERAL MORTALITY - PAGE 141

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of the ear and mastoid process-Con.									
Other disorders of middle ear and mastoid (385)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Tympanosclerosis (385.0)	-	-	-	-	-	-	-	-	-
Adhesive middle ear disease (385.1)	-	-	-	-	-	-	-	-	-
Other acquired abnormality of ear ossicles (385.2)	-	-	-	-	-	-	-	-	-
Cholesteatoma of middle ear and mastoid (385.3)0	.0	.0	.0	.0	-	-	-	-
Other (385.8)0	.0	-	.0	-	-	-	-	-
Unspecified (385.9)0	-	.0	-	.0	-	-	-	-
Vertiginous syndromes and other disorders of vestibular system (386)0	.0	.0	.0	.0	-	-	-	-
Meniere's disease (386.0)0	.0	-	.0	-	-	-	-	-
Other and unspecified peripheral vertigo (386.1)	-	-	-	-	-	-	-	-	-
Vertigo of central origin (386.2)	-	-	-	-	-	-	-	-	-
Labyrinthitis (386.3)0	.0	.0	.0	.0	-	-	-	-
Labyrinthine fistula (386.4)	-	-	-	-	-	-	-	-	-
Labyrinthine dysfunction (386.5)	-	-	-	-	-	-	-	-	-
Other disorders of labyrinth (386.8)	-	-	-	-	-	-	-	-	-
Unspecified vertiginous syndromes and labyrinthine disorders (386.9)	-	-	-	-	-	-	-	-	-
Otosclerosis (387)	-	-	-	-	-	-	-	-	-
Otosclerosis involving oval window, nonobliterative (387.0)	-	-	-	-	-	-	-	-	-
Otosclerosis involving oval window, obliterative (387.1)	-	-	-	-	-	-	-	-	-
Cochlear otosclerosis (387.2)	-	-	-	-	-	-	-	-	-
Other (387.8)	-	-	-	-	-	-	-	-	-
Unspecified (387.9)	-	-	-	-	-	-	-	-	-
Other disorders of ear (388)0	-	.0	-	.0	-	-	-	-
Degenerative and vascular disorders of ear (388.0)	-	-	-	-	-	-	-	-	-
Noise effects on inner ear (388.1)	-	-	-	-	-	-	-	-	-
Sudden hearing loss, unspecified (388.2)	-	-	-	-	-	-	-	-	-
Tinnitus (388.3)	-	-	-	-	-	-	-	-	-
Other abnormal auditory perception (388.4)	-	-	-	-	-	-	-	-	-
Disorders of acoustic nerve (388.5)	-	-	-	-	-	-	-	-	-
Otorrhea (388.6)	-	-	-	-	-	-	-	-	-
Otalgia (388.7)	-	-	-	-	-	-	-	-	-
Other (388.8)0	-	.0	-	.0	-	-	-	-
Unspecified (388.9)0	-	.0	-	.0	-	-	-	-
Deafness (389)0	.0	.0	.0	.0	-	-	-	-
Conductive deafness (389.0)	-	-	-	-	-	-	-	-	-
Sensorineural deafness (389.1)	-	-	-	-	-	-	-	-	-
Mixed conductive and sensorineural deafness (389.2)	-	-	-	-	-	-	-	-	-
Deaf mutism, not elsewhere classified (389.7)0	.0	-	.0	-	-	-	-	-
Other specified forms of deafness (389.8)0	-	.0	-	.0	-	-	-	-
Unspecified deafness (389.9)0	-	.0	-	.0	-	-	-	-
VII. Diseases of the circulatory system (390-459)									
Acute rheumatic fever (390-392)0	.0	.0	.0	.0	0.0	0.0	0.0	0.0
Rheumatic fever without mention of heart involvement (390)0	.0	.0	.0	.0	.0	-	.0	-
Rheumatic fever with heart involvement (391)0	.0	.0	.0	.0	.0	.0	.0	.0
Acute rheumatic pericarditis (391.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Acute rheumatic endocarditis (391.1)0	-	.0	-	.0	-	-	-	-
Acute rheumatic myocarditis (391.2)0	-	.0	-	.0	-	-	-	-
Other acute rheumatic heart disease (391.8)0	-	.0	-	.0	-	-	-	-
Acute rheumatic heart disease, unspecified (391.9)0	-	.0	-	.0	-	-	-	-
Rheumatic chorea (392)	-	-	-	-	-	-	-	-	-
With heart involvement (392.0)	-	-	-	-	-	-	-	-	-
Without mention of heart involvement (392.9)	-	-	-	-	-	-	-	-	-
Chronic rheumatic heart disease (393-398)	2.7	1.8	3.6	1.9	3.9	1.2	1.9	1.2	1.9
Chronic rheumatic pericarditis (393)0	.0	.0	.0	.0	-	-	-	-
Diseases of mitral valve (394)	1.2	.8	1.7	.8	1.8	.5	.8	.5	.8
Mitral stenosis (394.0)4	.2	.6	.2	.7	.1	.2	.1	.2
Rheumatic mitral insufficiency (394.1)1	.1	.1	.1	.1	.0	.0	.0	.1
Mitral stenosis with insufficiency (394.2)0	.0	.1	.0	.1	.0	.0	.0	.0
Other and unspecified (394.9)7	.5	.9	.5	.9	.3	.5	.3	.5
Diseases of aortic valve (395)1	.1	.1	.1	.1	.1	.0	.1	.1
Rheumatic aortic stenosis (395.0)0	.0	.0	.0	.0	.0	.0	-	.0
Rheumatic aortic insufficiency (395.1)0	.0	.0	.0	.0	.0	.0	-	.0
Rheumatic aortic stenosis with insufficiency (395.2)0	.0	.0	.0	.0	-	.0	.0	.0
Other and unspecified (395.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Diseases of mitral and aortic valves (396)4	.3	.5	.3	.5	.2	.3	.2	.3
Diseases of other endocardial structures (397)2	.1	.3	.1	.3	.1	.1	.1	.1
Diseases of tricuspid valve (397.0)0	.0	.0	.0	.0	.0	.0	.1	.0
Rheumatic diseases of pulmonary valve (397.1)0	.0	-	-	-	-	-	-	-
Rheumatic diseases of endocardium, valve unspecified (397.9)2	.1	.2	.1	.2	.1	.1	.1	.1
Other rheumatic heart disease (398)8	.5	1.1	.5	1.2	.3	.6	.4	.7
Rheumatic myocarditis (398.0)0	.0	.0	-	.0	-	-	.0	-
Other and unspecified (398.9)8	.5	1.1	.5	1.2	.3	.6	.4	.7
Hypertensive disease (401-404)	13.2	11.6	14.6	9.9	13.1	21.8	23.3	26.0	27.8
Essential hypertension (401)	1.5	1.3	1.7	1.2	1.6	2.2	2.5	2.7	3.0
Specified as malignant (401.0)0	.0	.0	.0	.0	.1	.1	.1	.1
Specified as benign (401.1)0	.0	.0	.0	.0	-	.0	-	.0
Not specified as malignant or benign (401.9)	1.5	1.3	1.7	1.1	1.6	2.1	2.4	2.6	2.8
Hypertensive heart disease (402)	8.7	7.7	9.7	6.4	8.7	15.4	15.6	18.4	18.6
Specified as malignant (402.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Specified as benign (402.1)0	.0	.0	.0	.0	-	.0	-	.0
Not specified as malignant or benign (402.9)	8.7	7.7	9.7	6.4	8.6	15.4	15.5	18.4	18.5

SECTION 1 - GENERAL MORTALITY - PAGE 142

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Hypertensive disease-Con.									
Hypertensive renal disease (403)	4,116	1,866	2,250	1,445	1,688	421	562	398	543
Specified as malignant (403.0)	61	23	38	11	21	12	17	12	17
Specified as benign (403.1)	9	4	5	2	3	2	2	2	2
Not specified as malignant or benign (403.9)	4,046	1,839	2,207	1,432	1,664	407	543	384	524
Hypertensive heart and renal disease (404)	2,800	1,152	1,648	863	1,226	289	422	274	401
Specified as malignant (404.0)	23	14	9	8	5	6	4	6	4
Specified as benign (404.1)	4	2	2	-	2	2	-	2	-
Not specified as malignant or benign (404.9)	2,773	1,136	1,637	855	1,219	281	418	266	397
Ischemic heart disease (410-414)	536,805	286,181	250,624	262,139	228,376	24,042	22,248	21,425	20,736
Acute myocardial infarction (410)	274,199	155,860	118,339	143,311	107,216	12,549	11,123	11,103	10,344
Other acute and subacute forms of ischemic heart disease (411)	3,969	2,381	1,588	2,060	1,334	321	254	304	245
Old myocardial infarction (412)	1,027	679	348	624	306	55	42	51	39
Angina pectoris (413)	928	436	492	402	437	34	55	33	52
Other forms of chronic ischemic heart disease (414)	256,682	126,825	129,857	115,742	119,083	11,083	10,774	9,934	10,056
Coronary atherosclerosis (414.0)	195,062	91,269	103,793	82,992	95,344	8,277	8,449	7,446	7,904
Aneurysm of heart (414.1)	399	237	162	218	147	19	15	16	10
Other (414.8)	7,130	4,529	2,601	4,157	2,355	372	246	325	228
Unspecified (414.9)	54,091	30,790	23,301	28,375	21,237	2,415	2,064	2,147	1,914
Diseases of pulmonary circulation (415-417)	12,397	5,885	6,512	4,833	5,403	1,052	1,109	1,015	1,065
Acute pulmonary heart disease (415)	10,342	4,872	5,470	3,976	4,520	896	950	871	926
Acute cor pulmonale (415.0)	17	8	9	6	9	2	-	2	-
Pulmonary embolism (415.1)	10,325	4,864	5,461	3,970	4,511	894	950	869	926
Chronic pulmonary heart disease (416)	2,017	994	1,023	839	864	155	159	143	139
Primary pulmonary hypertension (416.0)	985	421	564	332	451	89	113	81	97
Kyphoscoliotic heart disease (416.1)	98	28	70	25	68	3	2	3	1
Other (416.8)	-	-	-	-	-	-	-	-	-
Pulmonary heart disease, unspecified (416.9)	934	545	389	482	345	83	44	59	41
Other diseases of pulmonary circulation (417)	38	19	19	18	19	1	-	1	-
Arteriovenous fistula of pulmonary vessels (417.0)	-	-	-	-	-	-	-	-	-
Aneurysm of pulmonary artery (417.1)	14	6	8	6	8	-	-	-	-
Other (417.8)	13	6	7	6	7	-	-	-	-
Unspecified (417.9)	11	7	4	6	4	1	-	1	-
Other forms of heart disease (420-429)	191,692	93,878	97,814	79,283	84,700	14,595	13,114	13,579	12,375
Acute pericarditis (420)	80	44	36	35	30	9	6	8	6
Acute and subacute endocarditis (421)	927	555	372	438	308	117	64	108	61
Acute and subacute bacterial endocarditis (421.0)	910	542	368	428	305	114	63	105	60
Acute endocarditis, unspecified (421.9)	17	13	4	10	3	3	1	3	1
Acute myocarditis (422)	251	132	119	94	79	38	40	33	37
Other diseases of pericardium (423)	547	295	252	240	200	55	52	51	48
Hemopericardium (423.0)	36	19	17	16	15	3	2	3	2
Adhesive pericarditis (423.1)	19	13	6	10	5	3	1	3	1
Constrictive pericarditis (423.2)	77	51	26	46	23	5	3	5	3
Other (423.8)	16	7	9	6	8	1	1	1	1
Unspecified (423.9)	399	205	194	162	149	43	45	39	41
Other diseases of endocardium (424)	9,510	4,420	5,090	3,981	4,851	439	439	390	404
Mitral valve disorders (424.0)	1,506	571	935	522	860	49	75	45	68
Aortic valve disorders (424.1)	6,105	3,066	3,039	2,801	2,796	265	243	237	221
Tricuspid valve disorders, specified as nonrheumatic (424.2)	3	-	3	-	1	-	2	-	2
Pulmonary valve disorders (424.3)	17	9	8	8	7	1	1	1	1
Endocarditis, valve unspecified (424.9)	1,879	774	1,105	650	987	124	118	107	112
Cardiomyopathy (425)	15,437	9,750	5,687	7,733	4,599	2,017	1,088	1,865	1,016
Endomyocardial fibrosis (425.0)	8	4	4	3	3	1	1	1	1
Hypertrophic obstructive cardiomyopathy (425.1)	257	107	150	86	133	21	17	21	16
Obscure cardiomyopathy of Africa (425.2)	1	-	1	-	1	-	-	-	-
Endocardial fibroelastosis (425.3)	89	40	49	33	34	7	15	7	14
Other primary cardiomyopathies (425.4)	14,030	8,774	5,256	7,055	4,256	1,719	1,000	1,577	935
Alcoholic cardiomyopathy (425.5)	767	668	99	423	66	245	33	237	30
Secondary cardiomyopathy, unspecified (425.9)	285	157	128	133	106	24	22	22	20
Conduction disorders (426)	792	386	406	330	347	56	59	55	56
Atrioventricular block, complete (426.0)	315	143	172	129	152	14	20	14	19
Atrioventricular block, other and unspecified (426.1)	46	18	28	15	22	3	6	3	6
Left bundle branch hemiblock (426.2)	1	1	-	1	-	-	-	-	-
Other left bundle branch block (426.3)	26	13	13	11	9	2	4	2	4
Right bundle branch block (426.4)	9	2	7	2	6	-	1	-	1
Bundle branch block, unspecified (426.5)	5	2	3	2	3	-	-	-	-
Other heart block (426.6)	10	6	4	6	3	-	1	-	1
Anomalous atrioventricular excitation (426.7)	37	28	9	25	8	3	1	3	1
Other (426.8)	186	100	86	83	67	17	19	17	18
Unspecified (426.9)	157	73	84	56	77	17	7	16	6
Cardiac dysrhythmias (427)	50,026	25,651	24,375	21,504	20,461	4,147	3,914	3,896	3,720
Paroxysmal supraventricular tachycardia (427.0)	31	11	20	11	19	-	1	-	1
Paroxysmal ventricular tachycardia (427.1)	438	234	204	201	173	33	31	29	28
Paroxysmal tachycardia, unspecified (427.2)	1	-	1	-	1	-	-	-	-
Atrial fibrillation and flutter (427.3)	2,209	807	1,402	752	1,299	55	103	51	98
Ventricular fibrillation and flutter (427.4)	1,436	823	613	747	525	76	88	70	78
Cardiac arrest (427.5)	42,003	21,787	20,216	18,073	16,747	3,714	3,469	3,500	3,311
Premature beats (427.6)	104	71	33	57	26	14	7	14	7

SECTION 1 - GENERAL MORTALITY - PAGE 143

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Hypertensive disease-Con.									
Hypertensive renal disease (403)	1.7	1.6	1.8	1.5	1.6	2.5	3.0	2.9	3.6
Specified as malignant (403.0)	.0	.0	.0	.0	.0	.1	.1	.1	.1
Specified as benign (403.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Not specified as malignant or benign (403.9)	1.7	1.6	1.8	1.4	1.6	2.4	2.9	2.8	3.4
Hypertensive heart and renal disease (404)	1.2	1.0	1.3	.9	1.2	1.7	2.2	2.0	2.6
Specified as malignant (404.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Specified as benign (404.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Not specified as malignant or benign (404.9)	1.2	1.0	1.3	.9	1.2	1.6	2.2	1.9	2.6
Ischemic heart disease (410-414)	224.8	246.4	204.5	264.8	220.1	140.1	118.2	156.6	136.4
Acute myocardial infarction (410)	114.9	134.2	96.5	144.8	103.3	73.1	59.1	81.2	68.1
Other acute and subacute forms of ischemic heart disease (411)	1.7	2.0	1.3	2.1	1.3	1.9	1.3	2.2	1.6
Old myocardial infarction (412)	.4	.6	.3	.6	.3	.3	.2	.4	.3
Angina pectoris (413)	.4	.4	.4	.4	.4	.2	.3	.2	.3
Other forms of chronic ischemic heart disease (414)	107.5	109.2	105.9	116.9	114.8	64.6	57.3	72.6	66.2
Coronary atherosclerosis (414.0)	81.7	78.6	84.7	83.8	91.9	48.2	44.9	54.4	52.0
Aneurysm of heart (414.1)	.2	.2	.1	.2	.1	.1	.1	.1	.1
Other (414.8)	3.0	3.9	2.1	4.2	2.3	2.2	1.3	2.4	1.5
Unspecified (414.9)	22.7	26.5	19.0	28.7	20.5	14.1	11.0	15.7	12.6
Diseases of pulmonary circulation (415-417)	5.2	5.1	5.3	4.9	5.2	6.1	5.9	7.4	7.0
Acute pulmonary heart disease (415)	4.3	4.2	4.5	4.0	4.4	5.2	5.0	6.4	6.1
Acute cor pulmonale (415.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Pulmonary embolism (415.1)	4.3	4.2	4.5	4.0	4.3	5.2	5.0	6.4	6.1
Chronic pulmonary heart disease (416)	.8	.9	.8	.8	.8	.9	.8	1.0	.9
Primary pulmonary hypertension (416.0)	.4	.4	.5	.3	.4	.5	.6	.6	.6
Kyphoscoliotic heart disease (416.1)	.0	.0	.1	.0	.1	.0	.0	.0	.0
Other (416.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Pulmonary heart disease, unspecified (416.9)	.4	.5	.3	.5	.3	.4	.2	.4	.3
Other diseases of pulmonary circulation (417)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Arteriovenous fistula of pulmonary vessels (417.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aneurysm of pulmonary artery (417.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (417.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (417.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other forms of heart disease (420-429)	80.3	80.8	79.8	80.1	81.6	65.1	69.7	99.3	81.4
Acute pericarditis (420)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Acute and subacute endocarditis (421)	.4	.5	.3	.4	.3	.7	.3	.8	.4
Acute and subacute bacterial endocarditis (421.0)	.4	.5	.3	.4	.3	.7	.3	.8	.4
Acute endocarditis, unspecified (421.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Acute myocarditis (422)	.1	.1	.1	.1	.1	.2	.2	.2	.2
Other diseases of pericardium (423)	.2	.3	.2	.2	.2	.3	.3	.4	.3
Hemopericardium (423.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Adhesive pericarditis (423.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Constrictive pericarditis (423.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (423.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (423.9)	.2	.2	.2	.2	.1	.3	.2	.3	.3
Other diseases of endocardium (424)	4.0	3.8	4.2	4.0	4.5	2.6	2.3	2.9	2.7
Mitral valve disorders (424.0)	.6	.5	.8	.5	.8	.3	.4	.3	.4
Aortic valve disorders (424.1)	2.6	2.6	2.5	2.8	2.7	1.5	1.3	1.7	1.5
Tricuspid valve disorders, specified as nonrheumatic (424.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Pulmonary valve disorders (424.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Endocarditis, valve unspecified (424.9)	.8	.7	.9	.7	1.0	.7	.6	.8	.7
Cardiomyopathy (425)	6.5	8.4	4.6	7.8	4.4	11.8	5.8	13.6	6.7
Endomyocardial fibrosis (425.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Hypertrophic obstructive cardiomyopathy (425.1)	.1	.1	.1	.1	.1	.1	.1	.2	.1
Obscure cardiomyopathy of Africa (425.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Endocardial fibroelastosis (425.3)	.0	.0	.0	.0	.0	.0	.1	.1	.1
Other primary cardiomyopathies (425.4)	5.9	7.6	4.3	7.1	4.1	10.0	5.3	11.5	6.2
Alcoholic cardiomyopathy (425.5)	.3	.6	.1	.4	.1	1.4	.2	1.7	.2
Secondary cardiomyopathy, unspecified (425.9)	.1	.1	.1	.1	.1	.1	.1	.2	.1
Conduction disorders (426)	.3	.3	.3	.3	.3	.3	.3	.4	.4
Atrioventricular block, complete (426.0)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Atrioventricular block, other and unspecified (426.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Left bundle branch hemiblock (426.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other left bundle branch block (426.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Right bundle branch block (426.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Bundle branch block, unspecified (426.5)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other heart block (426.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Anomalous atrioventricular excitation (426.7)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (426.8)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Unspecified (426.9)	.1	.1	.1	.1	.1	.1	.0	.1	.0
Cardiac dysrhythmias (427)	21.0	22.1	19.8	21.7	19.7	24.2	20.8	28.5	24.5
Paroxysmal supraventricular tachycardia (427.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Paroxysmal ventricular tachycardia (427.1)	.2	.2	.2	.2	.2	.2	.2	.2	.2
Paroxysmal tachycardia, unspecified (427.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Atrial fibrillation and flutter (427.3)	.9	.7	1.1	.8	1.3	.3	.5	.4	.6
Ventricular fibrillation and flutter (427.4)	.6	.7	.5	.8	.5	.4	.5	.5	.5
Cardiac arrest (427.5)	17.6	18.8	16.5	18.3	16.1	21.6	18.4	25.6	21.8
Premature beats (427.6)	.0	.1	.0	.1	.0	.1	.0	.1	.0

SECTION 1 - GENERAL MORTALITY - PAGE 144

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Cardiac dysrhythmias-Con.									
Other (427.8)	499	217	282	180	242	37	40	32	39
Unspecified (427.9)	3,305	1,701	1,604	1,483	1,429	218	175	200	158
Heart failure (428)	37,747	15,860	21,887	13,911	19,489	1,949	2,398	1,825	2,252
Congestive heart failure (428.0)	31,807	12,996	18,811	11,480	16,849	1,516	1,962	1,418	1,841
Left heart failure (428.1)	243	105	138	95	125	10	13	10	12
Unspecified (428.9)	5,697	2,759	2,938	2,336	2,515	423	423	397	399
Ill-defined descriptions and complications of heart disease (429)	76,375	36,785	39,590	31,017	34,536	5,768	5,054	5,348	4,775
Myocarditis, unspecified (429.0)	826	358	468	282	398	76	70	67	65
Myocardial degeneration (429.1)	910	448	462	385	421	63	41	59	38
Cardiovascular disease, unspecified (429.2)	71,567	34,231	37,336	28,937	32,670	5,294	4,666	4,906	4,406
Cardiomegaly (429.3)	741	471	270	329	217	142	53	133	53
Rupture of chordae tendinae (429.5)	17	7	10	6	9	1	1	-	1
Rupture of papillary muscle (429.6)	4	3	1	3	-	-	1	-	-
Other (429.8)	101	48	53	39	44	9	9	8	8
Unspecified (429.9)	2,209	1,219	990	1,036	777	183	213	175	204
Cerebrovascular diseases (430-438)	153,050	60,780	92,270	51,965	81,067	8,815	11,203	8,000	10,341
Subarachnoid hemorrhage (430)	6,490	2,314	4,176	1,942	3,488	372	688	324	583
Intracerebral hemorrhage (431)	18,740	8,355	10,385	6,711	8,798	1,644	1,587	1,441	1,401
Other and unspecified intracranial hemorrhage (432)	1,988	996	992	762	770	234	222	216	200
Nontraumatic extradural hemorrhage (432.0)	3	2	1	1	1	1	-	1	-
Subdural hemorrhage (432.1)	370	224	146	176	125	48	21	48	18
Unspecified intracranial hemorrhage (432.9)	1,615	770	845	585	644	185	201	167	182
Occlusion and stenosis of precerebral arteries (433)	1,514	833	681	764	622	69	59	60	54
Basilar artery (433.0)	460	259	201	223	180	36	21	30	19
Carotid artery (433.1)	895	478	417	449	392	29	25	26	24
Vertebral artery (433.2)	39	28	11	27	10	1	1	1	1
Multiple and bilateral (433.3)	100	54	46	51	36	3	10	3	8
Other (433.8)	15	11	4	11	2	-	2	-	2
Unspecified (433.9)	5	3	2	3	2	-	-	-	-
Occlusion of cerebral arteries (434)	25,305	9,862	15,443	8,652	13,858	1,210	1,585	1,099	1,491
Cerebral thrombosis (434.0)	13,472	4,764	8,708	4,266	7,962	498	746	459	705
Cerebral embolism (434.1)	786	331	455	302	423	29	32	25	28
Unspecified (434.9)	11,047	4,767	6,280	4,084	5,473	683	807	615	758
Transient cerebral ischemia (435)	401	158	243	149	222	9	21	8	18
Acute but ill-defined cerebrovascular disease (436)	81,712	31,987	49,725	27,487	43,735	4,500	5,990	4,147	5,621
Other and ill-defined cerebrovascular diseases (437)	11,837	4,174	7,663	3,737	6,995	437	668	410	621
Cerebral atherosclerosis (437.0)	6,470	2,117	4,353	1,940	4,081	177	272	165	253
Other generalized ischemic cerebrovascular disease (437.1)	650	266	384	230	337	36	47	34	44
Hypertensive encephalopathy (437.2)	129	55	74	33	44	22	30	22	29
Cerebral aneurysm, nonruptured (437.3)	363	126	237	112	196	14	41	14	32
Cerebral arteritis (437.4)	48	10	38	9	32	1	6	1	6
Moyamoya disease (437.5)	11	3	8	2	4	1	4	1	2
Nonpyogenic thrombosis of intracranial venous sinus (437.6)	1	-	1	-	1	-	-	-	-
Other (437.8)	150	69	81	63	71	6	10	6	9
Unspecified (437.9)	4,015	1,528	2,487	1,348	2,229	180	258	167	246
Late effects of cerebrovascular diseases (438)	5,063	2,101	2,962	1,761	2,579	340	383	295	352
Diseases of arteries, arterioles, and capillaries (440-448)	45,909	22,682	23,227	20,851	21,191	1,831	2,036	1,629	1,883
Atherosclerosis (440)	23,926	9,062	14,864	8,251	13,770	811	1,094	758	1,022
Of aorta (440.0)	61	29	32	27	29	2	3	2	3
Of renal artery (440.1)	40	16	24	16	23	-	1	-	1
Of arteries of the extremities (440.2)	1,165	448	717	382	627	66	90	64	84
Of other specified arteries (440.8)	7	4	3	4	3	-	-	-	-
Generalized and unspecified (440.9)	22,653	8,565	14,088	7,822	13,088	743	1,000	692	934
Aortic aneurysm (441)	15,112	10,208	4,904	9,580	4,404	628	500	506	448
Dissecting aneurysm, any part (441.0)	2,597	1,517	1,080	1,352	930	165	150	136	131
Thoracic aneurysm, ruptured (441.1)	1,042	586	456	512	404	74	52	56	48
Thoracic aneurysm without mention of rupture (441.2)	457	234	223	207	189	27	34	23	32
Abdominal aneurysm, ruptured (441.3)	6,355	4,754	1,601	4,578	1,497	176	104	133	89
Abdominal aneurysm without mention of rupture (441.4)	1,686	1,172	514	1,118	475	54	39	47	38
Aortic aneurysm of unspecified site, ruptured (441.5)	2,345	1,555	790	1,456	708	99	82	82	73
Aortic aneurysm of unspecified site without mention of rupture (441.6)	630	390	240	357	201	33	39	29	37
Other aneurysm (442)	721	473	248	419	214	54	34	45	30
Of artery of upper extremity (442.0)	1	1	-	1	-	-	-	-	-
Of renal artery (442.1)	22	14	8	12	8	2	-	2	-
Of iliac artery (442.2)	159	140	19	121	13	19	6	16	6
Of artery of lower extremity (442.3)	53	37	16	33	13	4	3	4	3
Of other specified artery (442.8)	120	55	65	50	54	5	11	3	9
Of unspecified site (442.9)	366	226	140	202	126	24	14	20	12
Other peripheral vascular disease (443)	2,542	1,286	1,256	1,096	1,063	190	193	184	190
Raynaud's syndrome (443.0)	15	4	11	2	10	2	1	2	1
Thromboangiitis obliterans (Buerger's disease) (443.1)	33	20	13	17	11	3	2	3	2
Other (443.8)	27	10	17	8	14	2	3	2	3
Unspecified (443.9)	2,467	1,252	1,215	1,069	1,028	183	187	177	184
Arterial embolism and thrombosis (444)	1,508	617	891	564	820	53	71	47	64
Of abdominal aorta (444.0)	158	70	88	62	85	8	3	8	3
Of other aorta (444.1)	326	157	169	143	159	14	10	12	10
Of arteries of the extremities (444.2)	583	208	375	188	350	20	25	18	21
Of other specified artery (444.8)	154	63	91	61	81	2	10	2	9
Of unspecified artery (444.9)	287	119	168	110	145	9	23	7	21

SECTION 1 - GENERAL MORTALITY - PAGE 145

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Cardiac dysrhythmias-Con.									
Other (427.8)	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
Unspecified (427.9)	1.4	1.5	1.3	1.5	1.4	1.3	.9	1.5	1.0
Heart failure (428)	15.8	13.7	17.9	14.1	18.8	11.4	12.7	13.3	14.8
Congestive heart failure (428.0)	13.3	11.2	15.3	11.6	16.2	8.8	10.4	10.4	12.1
Left heart failure (428.1)1	.1	.1	.1	.1	.1	.1	.1	.1
Unspecified (428.9)	2.4	2.4	2.4	2.4	2.4	2.5	2.2	2.9	2.6
Ill-defined descriptions and complications of heart disease (429)	32.0	31.7	32.3	31.3	33.3	33.6	26.9	39.1	31.4
Myocarditis, unspecified (429.0)3	.3	.4	.3	.4	.4	.4	.5	.4
Myocardial degeneration (429.1)4	.4	.4	.4	.4	.4	.2	.4	.3
Cardiovascular disease, unspecified (429.2)	30.0	29.5	30.5	29.2	31.5	30.9	24.8	35.9	29.0
Cardiomegaly (429.3)3	.4	.2	.3	.2	.8	.3	1.0	.3
Rupture of chordae tendinae (429.5)0	.0	.0	.0	.0	.0	.0	-	.0
Rupture of papillary muscle (429.6)0	.0	.0	.0	-	-	.0	-	-
Other (429.8)0	.0	.0	.0	.0	.1	.0	.1	.1
Unspecified (429.9)9	1.0	.8	1.0	.7	1.1	1.1	1.3	1.3
Cerebrovascular diseases (430-438)	64.1	52.3	75.3	52.5	78.1	51.4	59.5	58.5	68.0
Subarachnoid hemorrhage (430)	2.7	2.0	3.4	2.0	3.4	2.2	3.7	2.4	3.8
Intracerebral hemorrhage (431)	7.8	7.2	8.5	6.8	8.5	9.6	8.4	10.5	9.2
Other and unspecified intracranial hemorrhage (432)8	.9	.8	.8	.7	1.4	1.2	1.6	1.3
Nontraumatic extradural hemorrhage (432.0)0	.0	.0	.0	.0	.0	-	.0	-
Subdural hemorrhage (432.1)2	.2	.1	.2	.1	.3	.1	.4	.1
Unspecified intracranial hemorrhage (432.9)7	.7	.7	.6	.6	1.1	1.1	1.2	1.2
Occlusion and stenosis of precerebral arteries (433)6	.7	.6	.8	.6	.4	.3	.4	.4
Basilar artery (433.0)2	.2	.2	.2	.2	.2	.1	.2	.1
Carotid artery (433.1)4	.4	.3	.5	.4	.2	.1	.2	.2
Vertebral artery (433.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Multiple and bilateral (433.3)0	.0	.0	.1	.0	.0	.1	.0	.1
Other (433.8)0	.0	.0	.0	.0	-	.0	-	.0
Unspecified (433.9)0	.0	.0	.0	.0	-	-	-	-
Occlusion of cerebral arteries (434)	10.6	8.5	12.6	8.7	13.4	7.1	8.4	8.0	9.8
Cerebral thrombosis (434.0)	5.6	4.1	7.1	4.3	7.7	2.9	4.0	3.4	4.6
Cerebral embolism (434.1)3	.3	.4	.3	.4	.2	.2	.2	.2
Unspecified (434.9)	4.6	4.1	5.1	4.1	5.3	4.0	4.3	4.5	5.0
Transient cerebral ischemia (435)2	.1	.2	.2	.2	.1	.1	.1	.1
Acute but ill-defined cerebrovascular disease (436)	34.2	27.5	40.6	27.8	42.1	26.2	31.8	30.3	37.0
Other and ill-defined cerebrovascular diseases (437)	5.0	3.6	6.3	3.8	6.7	2.5	3.5	3.0	4.1
Cerebral atherosclerosis (437.0)	2.7	1.8	3.6	2.0	3.9	1.0	1.4	1.2	1.7
Other generalized ischemic cerebrovascular disease (437.1)3	.2	.3	.2	.3	.2	.2	.2	.3
Hypertensive encephalopathy (437.2)1	.0	.1	.0	.1	.1	.2	.2	.2
Cerebral aneurysm, nonruptured (437.3)2	.1	.2	.1	.2	.1	.2	.1	.2
Cerebral arteritis (437.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Moyamoya disease (437.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Nonpyogenic thrombosis of intracranial venous sinus (437.6)0	-	.0	-	.0	-	-	-	-
Other (437.8)1	.1	.1	.1	.1	.0	.1	.0	.1
Unspecified (437.9)	1.7	1.3	2.0	1.4	2.1	1.0	1.4	1.2	1.6
Late effects of cerebrovascular diseases (438)	2.1	1.8	2.4	1.8	2.5	2.0	2.0	2.2	2.3
Diseases of arteries, arterioles, and capillaries (440-448)	19.2	19.5	18.9	21.1	20.4	10.7	10.8	11.9	12.4
Atherosclerosis (440)	10.0	7.8	12.1	8.3	13.3	4.7	5.8	5.5	6.7
Of aorta (440.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Of renal artery (440.1)0	.0	.0	.0	.0	-	-	-	.0
Of arteries of the extremities (440.2)5	.4	.6	.4	.6	.4	.5	.5	.6
Of other specified arteries (440.8)0	.0	.0	.0	.0	-	-	-	-
Generalized and unspecified (440.9)	9.5	7.4	11.5	7.9	12.6	4.3	5.3	5.1	6.1
Aortic aneurysm (441)	6.3	8.8	4.0	9.7	4.2	3.7	2.7	3.7	2.9
Dissecting aneurysm, any part (441.0)	1.1	1.3	.9	1.4	.9	1.0	.8	1.0	.9
Thoracic aneurysm, ruptured (441.1)4	.5	.4	.5	.4	.4	.3	.4	.3
Thoracic aneurysm without mention of rupture (441.2)2	.2	.2	.2	.2	.2	.2	.2	.2
Abdominal aneurysm, ruptured (441.3)	2.7	4.1	1.3	4.6	1.4	1.0	.6	1.0	.6
Abdominal aneurysm without mention of rupture (441.4)7	1.0	.4	1.1	.4	.3	.2	.3	.3
Aortic aneurysm of unspecified site, ruptured (441.5)	1.0	1.3	.6	1.5	.7	.6	.4	.6	.5
Aortic aneurysm of unspecified site without mention of rupture (441.6)3	.3	.2	.4	.2	.2	.2	.2	.2
Other aneurysm (442)3	.4	.2	.4	.2	.3	.2	.3	.2
Of artery of upper extremity (442.0)0	.0	-	.0	-	-	-	-	-
Of renal artery (442.1)0	.0	.0	.0	.0	.0	-	.0	-
Of iliac artery (442.2)1	.1	.0	.1	.0	.1	.0	.1	.0
Of artery of lower extremity (442.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Of other specified artery (442.8)1	.0	.1	.1	.1	.0	.1	.0	.1
Of unspecified site (442.9)2	.2	.1	.2	.1	.1	.1	.1	.1
Other peripheral vascular disease (443)	1.1	1.1	1.0	1.1	1.0	1.1	1.0	1.3	1.3
Raynaud's syndrome (443.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Thromboangiitis obliterans (Buerger's disease) (443.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (443.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (443.9)	1.0	1.1	1.0	1.1	1.0	1.1	1.0	1.3	1.2
Arterial embolism and thrombosis (444)6	.5	.7	.6	.8	.3	.4	.3	.4
Of abdominal aorta (444.0)1	.1	.1	.1	.1	.0	.0	.1	.0
Of other aorta (444.1)1	.1	.1	.1	.2	.1	.1	.1	.1
Of arteries of the extremities (444.2)2	.2	.3	.2	.3	.1	.1	.1	.1
Of other specified artery (444.8)1	.1	.1	.1	.1	.0	.1	.0	.1
Of unspecified artery (444.9)1	.1	.1	.1	.1	.1	.1	.1	.1

SECTION 1 - GENERAL MORTALITY - PAGE 146

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of arteries, arterioles, and capillaries-Con.									
Polyarteritis nodosa and allied conditions (446)	688	283	405	252	333	31	72	29	63
Polyarteritis nodosa (446.0)	114	64	50	58	44	6	6	6	3
Acute febrile mucocutaneous lymphnode syndrome (MCLS) (446.1)	12	9	3	9	3	-	-	-	-
Hypersensitivity angitis (446.2)	115	43	72	39	57	4	15	3	13
Lethal midline granuloma (446.3)	5	2	3	2	3	-	-	-	-
Wegener's granulomatosis (446.4)	134	73	61	69	58	4	3	4	2
Giant cell arteritis (446.5)	105	29	76	27	68	2	8	2	8
Thrombotic microangiopathy (446.6)	189	63	126	48	89	15	37	14	35
Takayasu disease (446.7)	14	-	14	-	11	-	3	-	2
Other disorders of arteries and arterioles (447)	1,362	733	629	670	559	63	70	59	64
Arteriovenous fistula, acquired (447.0)	15	8	7	5	3	3	4	3	3
Stricture of artery (447.1)	147	66	81	59	73	7	8	7	7
Rupture of artery (447.2)	297	216	81	199	75	17	6	17	5
Hyperplasia of renal artery (447.3)	-	-	-	-	-	-	-	-	-
Celiac artery compression syndrome (447.4)	1	-	1	-	1	-	-	-	-
Necrosis of artery (447.5)	5	1	4	1	3	-	1	-	1
Arteritis, unspecified (447.6)	504	202	302	191	271	11	31	9	28
Other (447.8)	14	7	7	6	6	1	1	-	1
Unspecified (447.9)	379	233	146	209	127	24	19	23	19
Diseases of capillaries (448)	50	20	30	19	28	1	2	1	2
Hereditary hemorrhagic telangiectasia (448.0)	27	6	21	6	20	-	1	-	1
Nevus, non-neoplastic (448.1)	-	-	-	-	-	-	-	-	-
Other and unspecified (448.9)	23	14	9	13	8	1	1	1	1
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	4,860	2,398	2,462	1,983	2,061	415	401	388	369
Phlebitis and thrombophlebitis (451)	1,683	754	929	645	806	109	123	107	117
Of superficial vessels of lower extremities (451.0)	1	-	1	-	-	-	1	-	1
Of deep vessels of lower extremities (451.1)	474	201	273	165	233	36	40	36	39
Of lower extremities, unspecified (451.2)	627	316	311	273	273	43	38	42	35
Of other sites (451.8)	47	17	30	16	25	1	5	1	4
Of unspecified site (451.9)	534	220	314	191	275	29	39	28	38
Portal vein thrombosis (452)	49	23	26	22	24	1	2	1	2
Other venous embolism and thrombosis (453)	384	177	207	144	171	33	36	32	35
Budd-Chiari syndrome (453.0)	52	25	27	20	26	5	1	4	1
Thrombophlebitis migrans (453.1)	3	2	1	2	1	-	-	-	-
Of vena cava (453.2)	58	28	30	25	25	3	5	3	5
Of renal vein (453.3)	27	16	11	9	8	7	3	7	3
Of other specified veins (453.8)	191	83	108	69	88	14	20	14	19
Of unspecified site (453.9)	53	23	30	19	23	4	7	4	7
Varicose veins of lower extremities (454)	167	78	89	69	71	9	18	9	17
With ulcer (454.0)	38	11	27	11	19	-	8	-	7
With inflammation (454.1)	19	7	12	7	11	-	1	-	1
With ulcer and inflammation (454.2)	6	3	3	2	3	1	-	1	-
Without mention of ulcer or inflammation (454.9)	104	57	47	49	38	8	9	8	9
Hemorrhoids (455)	22	16	6	16	6	-	-	-	-
Internal hemorrhoids without mention of complication (455.0)	-	-	-	-	-	-	-	-	-
Internal thrombosed hemorrhoids (455.1)	-	-	-	-	-	-	-	-	-
Internal hemorrhoids with other complication (455.2)	-	-	-	-	-	-	-	-	-
External hemorrhoids without mention of complication (455.3)	-	-	-	-	-	-	-	-	-
External thrombosed hemorrhoids (455.4)	-	-	-	-	-	-	-	-	-
External hemorrhoids with other complication (455.5)	-	-	-	-	-	-	-	-	-
Unspecified hemorrhoids without mention of complication (455.6)	16	13	3	13	3	-	-	-	-
Unspecified thrombosed hemorrhoids (455.7)	2	1	1	1	1	-	-	-	-
Unspecified hemorrhoids with other complication (455.8)	4	2	2	2	2	-	-	-	-
Residual hemorrhoidal skin tags (455.9)	-	-	-	-	-	-	-	-	-
Varicose veins of other sites (456)	497	326	171	255	146	71	25	65	22
Esophageal varices with bleeding (456.0)	384	249	135	196	117	53	18	50	17
Esophageal varices without mention of bleeding (456.1)	54	38	16	30	15	8	1	8	1
Sublingual varices (456.3)	-	-	-	-	-	-	-	-	-
Scrotal varices (456.4)	-	-	-	-	-	-	-	-	-
Pelvic varices (456.5)	-	-	-	-	-	-	-	-	-
Vulvar varices (456.6)	-	-	-	-	-	-	-	-	-
Other (456.8)	59	39	20	29	14	10	6	7	4
Noninfective disorders of lymphatic channels (457)	25	7	18	6	14	1	4	1	4
Other lymphedema (457.1)	12	4	8	3	6	1	2	1	2
Lymphangitis (457.2)	2	-	2	-	2	-	-	-	-
Other noninfective disorders of lymphatic channels (457.8)	11	3	8	3	6	-	2	-	2
Unspecified (457.9)	-	-	-	-	-	-	-	-	-
Hypotension (458)	1,045	533	512	419	409	114	103	102	92
Orthostatic hypotension (458.0)	14	4	10	3	7	1	3	1	3
Chronic hypotension (458.1)	2	2	-	2	-	-	-	-	-
Unspecified (458.9)	1,029	527	502	414	402	113	100	101	89
Other disorders of circulatory system (459)	988	484	504	407	414	77	90	71	80
Hemorrhage, unspecified (459.0)	484	239	245	202	197	37	48	34	42
Post-phlebotic syndrome (459.1)	-	-	-	-	-	-	-	-	-
Compression of vein (459.2)	42	25	17	18	12	7	5	7	5
Other (459.8)	48	21	27	17	25	4	2	4	1
Unspecified (459.9)	414	199	215	170	180	29	35	26	32
VIII. Diseases of the respiratory system (460-519)									
Acute respiratory infections (460-486)	955	462	493	376	441	86	52	78	50
Acute nasopharyngitis (common cold) (460)	8	4	4	2	1	2	3	2	2

SECTION 1 - GENERAL MORTALITY - PAGE 147

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of arteries, arterioles, and capillaries-Con.									
Polyarteritis nodosa and allied conditions (446)	0.3	0.2	0.3	0.3	0.3	0.2	0.4	0.2	0.4
Polyarteritis nodosa (446.0)0	.1	.0	.1	.0	.0	.0	.0	.0
Acute febrile mucocutaneous lymphnode syndrome (MCLS) (446.1)0	.0	.0	.0	.0	.0	.1	.0	.1
Hypersensitivity angitis (446.2)0	.0	.1	.0	.0	.0	.0	.0	.0
Lethal midline granuloma (446.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Wegener's granulomatosis (446.4)1	.1	.0	.1	.1	.0	.0	.0	.1
Giant cell arteritis (446.5)0	.0	.1	.0	.1	.1	.2	.1	.2
Thrombotic microangiopathy (446.6)1	.1	.1	.0	.1	.1	.0	.0	.0
Takayasu disease (446.7)0	.0	.0	.0	.0	.0	.0	.0	.0
Other disorders of arteries and arterioles (447)6	.6	.5	.7	.5	.4	.4	.4	.4
Arteriovenous fistula, acquired (447.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Stricture of artery (447.1)1	.1	.1	.1	.1	.0	.0	.1	.0
Rupture of artery (447.2)1	.2	.1	.2	.1	.1	.0	.1	.0
Hyperplasia of renal artery (447.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Celiac artery compression syndrome (447.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Necrosis of artery (447.5)2	.2	.2	.2	.3	.1	.2	.1	.2
Arteritis, unspecified (447.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (447.8)0	.0	.0	.0	.1	.1	.1	.2	.1
Unspecified (447.9)2	.2	.1	.2	.1	.1	.1	.2	.1
Diseases of capillaries (448)0	.0	.0	.0	.0	.0	.0	.0	.0
Hereditary hemorrhagic telangiectasia (448.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Nevus, non-neoplastic (448.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Other and unspecified (448.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	2.0	2.1	2.0	2.0	2.0	2.4	2.1	2.6	2.4
Phlebitis and thrombophlebitis (451)7	.6	.8	.7	.8	.5	.7	.8	.8
Of superficial vessels of lower extremities (451.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Of deep vessels of lower extremities (451.1)2	.2	.2	.2	.2	.2	.2	.3	.3
Of lower extremities, unspecified (451.2)3	.3	.3	.3	.3	.3	.2	.3	.2
Of other sites (451.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Of unspecified site (451.9)2	.2	.3	.2	.3	.2	.2	.2	.3
Portal vein thrombosis (452)0	.0	.0	.0	.0	.0	.0	.0	.0
Other venous embolism and thrombosis (453)2	.2	.2	.1	.2	.2	.2	.2	.2
Budd-Chiari syndrome (453.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Thrombophlebitis migrans (453.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Of vena cava (453.2)0	.0	.0	.0	.0	.0	.0	.1	.0
Of renal vein (453.3)0	.0	.0	.0	.0	.0	.0	.1	.1
Of other specified veins (453.8)1	.1	.1	.1	.1	.1	.1	.1	.1
Of unspecified site (453.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Varicose veins of lower extremities (454)1	.1	.1	.1	.1	.1	.1	.1	.1
With ulcer (454.0)0	.0	.0	.0	.0	.0	.0	.0	.0
With inflammation (454.1)0	.0	.0	.0	.0	.0	.0	.0	.0
With ulcer and inflammation (454.2)0	.0	.0	.0	.0	.0	.0	.1	.1
Without mention of ulcer or inflammation (454.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Hemorrhoids (455)0	.0	.0	.0	.0	.0	.0	.0	.0
Internal hemorrhoids without mention of complication (455.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Internal thrombosed hemorrhoids (455.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Internal hemorrhoids with other complication (455.2)0	.0	.0	.0	.0	.0	.0	.0	.0
External hemorrhoids without mention of complication (455.3)0	.0	.0	.0	.0	.0	.0	.0	.0
External thrombosed hemorrhoids (455.4)0	.0	.0	.0	.0	.0	.0	.0	.0
External hemorrhoids with other complication (455.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified hemorrhoids without mention of complication (455.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified thrombosed hemorrhoids (455.7)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified hemorrhoids with other complication (455.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Residual hemorrhoidal skin tags (455.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Varicose veins of other sites (456)2	.3	.1	.3	.1	.4	.1	.5	.1
Esophageal varices with bleeding (456.0)2	.2	.1	.2	.1	.3	.1	.4	.1
Esophageal varices without mention of bleeding (456.1)0	.0	.0	.0	.0	.0	.0	.1	.0
Sublingual varices (456.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Scrotal varices (456.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Pelvic varices (456.5)0	.0	.0	.0	.0	.0	.0	.0	.0
Vulvar varices (456.6)0	.0	.0	.0	.0	.1	.0	.1	.0
Other (456.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Noninfective disorders of lymphatic channels (457)0	.0	.0	.0	.0	.0	.0	.0	.0
Other lymphedema (457.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Lymphangitis (457.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Other noninfective disorders of lymphatic channels (457.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (457.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Hypotension (458)4	.5	.4	.4	.4	.7	.5	.7	.6
Orthostatic hypotension (458.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Chronic hypotension (458.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (458.9)4	.5	.4	.4	.4	.7	.5	.7	.6
Other disorders of circulatory system (459)4	.4	.4	.4	.4	.4	.5	.5	.5
Hemorrhage, unspecified (459.0)2	.2	.2	.2	.2	.2	.2	.2	.2
Post-phlebotic syndrome (459.1)0	.0	.0	.0	.0	.0	.0	.1	.0
Compression of vein (459.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (459.8)0	.0	.0	.0	.0	.2	.2	.2	.2
Unspecified (459.9)2	.2	.2	.2	.2	.2	.2	.2	.2
VIII. Diseases of the respiratory system (460-519)									
Acute respiratory infections (460-466)4	.4	.4	.4	.4	.5	.3	.6	.3
Acute nasopharyngitis (common cold) (460)0	.0	.0	.0	.0	.0	.0	.0	.0

SECTION 1 - GENERAL MORTALITY - PAGE 148

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Acute respiratory infections-Con.									
Acute sinusitis (461)	8	5	3	2	2	3	1	3	1
Maxillary (461.0)	-	-	-	-	-	-	-	-	-
Frontal (461.1)	-	-	-	-	-	-	-	-	-
Ethmoidal (461.2)	-	-	-	-	-	-	-	-	-
Sphenoidal (461.3)	1	-	1	-	1	-	-	-	-
Other (461.8)	1	-	1	-	-	-	1	-	1
Unspecified (461.9)	6	5	1	2	1	3	-	3	-
Acute pharyngitis (462)	14	3	11	3	11	-	-	-	-
Acute tonsillitis (463)	5	3	2	1	2	2	-	2	-
Acute laryngitis and tracheitis (464)	132	66	66	49	51	17	15	14	15
Acute laryngitis (464.0)	24	10	14	4	4	6	10	5	10
Acute tracheitis (464.1)	23	9	14	8	14	1	-	1	-
Acute laryngotracheitis (464.2)	11	7	4	5	4	2	-	2	-
Acute epiglottitis (464.3)	67	36	31	28	26	8	5	6	5
Croup (464.4)	7	4	3	4	3	-	-	-	-
Acute upper respiratory infections of multiple or unspecified sites (465)	188	78	110	61	100	17	10	16	10
Acute laryngopharyngitis (465.0)	4	3	1	1	1	2	-	2	-
Other multiple sites (465.8)	2	1	1	1	1	-	-	-	-
Unspecified site (465.9)	182	74	108	59	98	15	10	14	10
Acute bronchitis and bronchiolitis (466)	600	303	297	258	274	45	23	41	22
Acute bronchitis (466.0)	524	262	262	232	247	30	15	27	15
Acute bronchiolitis (466.1)	76	41	35	26	27	15	8	14	7
Other diseases of upper respiratory tract (470-478)	333	195	138	155	113	40	25	36	22
Deflected nasal septum (470)	3	2	1	2	-	-	1	-	1
Nasal polyps (471)	-	-	-	-	-	-	-	-	-
Polyp of nasal cavity (471.0)	-	-	-	-	-	-	-	-	-
Polypoid sinus degeneration (471.1)	-	-	-	-	-	-	-	-	-
Other polyp of sinus (471.8)	-	-	-	-	-	-	-	-	-
Unspecified (471.9)	-	-	-	-	-	-	-	-	-
Chronic pharyngitis and nasopharyngitis (472)	1	-	1	-	1	-	-	-	-
Chronic rhinitis (472.0)	1	-	1	-	1	-	-	-	-
Chronic pharyngitis (472.1)	-	-	-	-	-	-	-	-	-
Chronic nasopharyngitis (472.2)	-	-	-	-	-	-	-	-	-
Chronic sinusitis (473)	58	32	26	23	18	9	8	8	7
Maxillary (473.0)	4	2	2	1	1	1	1	1	1
Frontal (473.1)	6	2	4	-	3	2	1	2	1
Ethmoidal (473.2)	1	-	-	-	1	-	-	-	-
Sphenoidal (473.3)	4	3	1	2	1	1	-	1	-
Other (473.8)	6	4	2	2	1	2	1	2	1
Unspecified (473.9)	37	21	16	18	11	3	5	2	4
Chronic disease of tonsils and adenoids (474)	6	5	1	3	1	2	-	2	-
Chronic tonsillitis (474.0)	-	-	-	-	-	-	-	-	-
Hypertrophy of tonsils and adenoids (474.1)	2	2	-	1	-	1	-	1	-
Adenoid vegetations (474.2)	-	-	-	-	-	-	-	-	-
Other chronic disease of tonsils and adenoids (474.8)	1	1	-	-	-	1	-	1	-
Unspecified (474.9)	3	2	1	2	1	-	-	-	-
Peritonsillar abscess (475)	34	22	12	17	9	5	3	4	3
Chronic laryngitis and laryngotracheitis (476)	5	4	1	3	1	1	-	1	-
Chronic laryngitis (476.0)	2	2	-	2	-	-	-	-	-
Chronic laryngotracheitis (476.1)	3	2	1	1	1	1	-	1	-
Allergic rhinitis (477)	1	-	1	-	1	-	-	-	-
Due to pollen (477.0)	-	-	-	-	-	-	-	-	-
Due to other allergen (477.8)	-	-	-	-	-	-	-	-	-
Cause unspecified (477.9)	1	-	1	-	1	-	-	-	-
Other diseases of upper respiratory tract (478)	225	130	95	107	82	23	13	21	11
Hypertrophy of nasal turbinates (478.0)	-	-	-	-	-	-	-	-	-
Other diseases of nasal cavity and sinuses (478.1)	6	4	2	4	2	-	-	-	-
Other diseases of pharynx, not elsewhere classified (478.2)	82	53	29	46	29	7	-	7	-
Paralysis of vocal cords or larynx (478.3)	35	17	18	15	16	2	2	1	2
Polyp of vocal cord or larynx (478.4)	7	4	3	2	2	2	1	2	1
Other diseases of vocal cords (478.5)	3	1	2	1	1	-	1	-	1
Edema of larynx (478.6)	18	10	8	7	6	3	2	3	2
Other diseases of larynx, not elsewhere classified (478.7)	67	35	32	26	25	9	7	8	5
Upper respiratory tract hypersensitivity reaction, site unspecified (478.8)	-	-	-	-	-	-	-	-	-
Other and unspecified diseases of upper respiratory tract (478.9)	7	6	1	6	1	-	-	-	-
Pneumonia and influenza (480-487)	67,615	33,159	34,456	29,028	31,480	4,131	2,976	3,664	2,674
Viral pneumonia (480)	698	321	377	279	338	42	39	36	35
Pneumonia due to adenovirus (480.0)	3	1	2	-	2	1	-	1	-
Pneumonia due to respiratory syncytial virus (480.1)	5	4	1	2	1	2	-	2	-
Pneumonia due to parainfluenza virus (480.2)	1	-	1	-	-	-	1	-	1
Pneumonia due to other virus, not elsewhere classified (480.8)	7	3	4	3	3	-	-	-	-
Viral pneumonia, unspecified (480.9)	682	313	369	274	332	39	37	33	33
Pneumococcal pneumonia (481)	2,784	1,479	1,315	1,199	1,128	280	187	261	172
Other bacterial pneumonia (482)	3,084	1,727	1,357	1,499	1,189	228	168	205	152
Pneumonia due to Klebsiella pneumoniae (482.0)	426	252	174	218	149	34	25	29	20
Pneumonia due to Pseudomonas (482.1)	627	373	254	326	216	47	38	38	35
Pneumonia due to Hemophilus influenzae (H. influenzae) (482.2)	113	54	59	47	50	7	9	7	8

SECTION 1 - GENERAL MORTALITY - PAGE 149

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Acute respiratory infections-Con.									
Acute sinusitis (461)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maxillary (461.0)	-	-	-	-	-	-	-	-	-
Frontal (461.1)	-	-	-	-	-	-	-	-	-
Ethmoidal (461.2)	-	-	-	-	-	-	-	-	-
Sphenoidal (461.3)	0.0	-	0.0	-	0.0	-	0.0	-	0.0
Other (461.8)	0.0	-	0.0	-	0.0	-	-	-	-
Unspecified (461.9)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Acute pharyngitis (462)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Acute tonsillitis (463)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Acute laryngitis and tracheitis (464)	1.1	1.1	1.1	0.0	0.0	1.1	1.1	1.1	1.1
Acute laryngitis (464.0)	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1
Acute tracheitis (464.1)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Acute laryngotracheitis (464.2)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Acute epiglottitis (464.3)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Croup (464.4)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Acute upper respiratory infections of multiple or unspecified sites (465)	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Acute laryngopharyngitis (465.0)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Other multiple sites (465.8)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Unspecified site (465.9)	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Acute bronchitis and bronchiolitis (466)	3.3	3.3	2.2	3.3	3.3	3.3	1.1	3.3	1.1
Acute bronchitis (466.0)	2.2	2.2	2.2	2.2	2.2	2.2	1.1	2.2	1.1
Acute bronchiolitis (466.1)	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0
Other diseases of upper respiratory tract (470-478)	1.1	2.2	1.1	2.2	1.1	2.2	1.1	3.3	1.1
Deflected nasal septum (470)	0.0	0.0	0.0	0.0	-	-	0.0	-	0.0
Nasal polyps (471)	-	-	-	-	-	-	-	-	-
Polyp of nasal cavity (471.0)	-	-	-	-	-	-	-	-	-
Polypoid sinus degeneration (471.1)	-	-	-	-	-	-	-	-	-
Other polyp of sinus (471.8)	-	-	-	-	-	-	-	-	-
Unspecified (471.9)	-	-	-	-	-	-	-	-	-
Chronic pharyngitis and nasopharyngitis (472)	0.0	-	0.0	-	0.0	-	-	-	-
Chronic rhinitis (472.0)	0.0	-	0.0	-	0.0	-	-	-	-
Chronic pharyngitis (472.1)	-	-	-	-	-	-	-	-	-
Chronic nasopharyngitis (472.2)	-	-	-	-	-	-	-	-	-
Chronic sinusitis (473)	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0
Maxillary (473.0)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Frontal (473.1)	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0
Ethmoidal (473.2)	0.0	0.0	0.0	-	0.0	-	-	-	-
Sphenoidal (473.3)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other (473.8)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Unspecified (473.9)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chronic disease of tonsils and adenoids (474)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Chronic tonsillitis (474.0)	-	-	-	-	-	-	-	-	-
Hypertrophy of tonsils and adenoids (474.1)	0.0	0.0	-	0.0	-	0.0	-	0.0	-
Adenoid vegetations (474.2)	-	-	-	-	-	-	-	-	-
Other chronic disease of tonsils and adenoids (474.8)	0.0	0.0	-	-	-	0.0	-	0.0	-
Unspecified (474.9)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Peritonsillar abscess (475)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chronic laryngitis and laryngotracheitis (476)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Chronic laryngitis (476.0)	0.0	0.0	-	0.0	-	-	-	-	-
Chronic laryngotracheitis (476.1)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Allergic rhinitis (477)	0.0	-	0.0	-	0.0	-	-	-	-
Due to pollen (477.0)	-	-	-	-	-	-	-	-	-
Due to other allergen (477.8)	-	-	-	-	-	-	-	-	-
Cause unspecified (477.9)	0.0	-	0.0	-	0.0	-	-	-	-
Other diseases of upper respiratory tract (478)	1.1	1.1	1.1	1.1	1.1	1.1	1.1	2.2	1.1
Hypertrophy of nasal turbinates (478.0)	-	-	-	-	-	-	-	-	-
Other diseases of nasal cavity and sinuses (478.1)	0.0	0.0	0.0	0.0	0.0	0.0	-	1.1	-
Other diseases of pharynx, not elsewhere classified (478.2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Paralysis of vocal cords or larynx (478.3)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Polyp of vocal cord or larynx (478.4)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other diseases of vocal cords (478.5)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Edema of larynx (478.6)	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0
Other diseases of larynx, not elsewhere classified (478.7)	-	-	-	-	-	-	-	-	-
Upper respiratory tract hypersensitivity reaction, site unspecified (478.8)	-	-	-	-	-	-	-	-	-
Other and unspecified diseases of upper respiratory tract (478.9)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Pneumonia and influenza (480-487)	28.3	28.5	28.1	29.3	30.3	24.1	15.8	26.8	17.6
Viral pneumonia (480)	3.3	3.3	3.3	3.3	3.3	2.2	2.2	3.3	2.2
Pneumonia due to adenovirus (480.0)	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-
Pneumonia due to respiratory syncytial virus (480.1)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Pneumonia due to parainfluenza virus (480.2)	0.0	0.0	0.0	-	0.0	-	0.0	-	0.0
Pneumonia due to other virus, not elsewhere classified (480.8)	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0
Viral pneumonia, unspecified (480.9)	3.3	3.3	3.3	3.3	3.3	2.2	2.2	3.3	2.2
Pneumococcal pneumonia (481)	1.2	1.3	1.1	1.2	1.1	1.6	1.0	1.9	1.1
Other bacterial pneumonia (482)	1.3	1.5	1.1	1.5	1.1	1.3	.9	1.5	1.0
Pneumonia due to Klebsiella pneumoniae (482.0)	2.2	2.2	1.1	2.2	1.1	2.2	1.1	2.2	1.1
Pneumonia due to Pseudomonas (482.1)	3.3	3.3	2.2	3.3	2.2	3.3	2.2	3.3	2.2
Pneumonia due to Hemophilus influenzae (H. influenzae) (482.2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1

SECTION 1 - GENERAL MORTALITY - PAGE 150

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number							
	All races			White		All other		
	Both sexes	Male	Female	Male	Female	Total		Black
						Male	Female	
Other bacterial pneumonia-Con.								
Pneumonia due to Streptococcus (482.3)	240	138	102	113	88	25	14	22
Pneumonia due to Staphylococcus (482.4)	628	326	302	279	272	47	30	46
Pneumonia due to other specified bacteria (482.8)	297	185	112	154	100	31	12	28
Bacterial pneumonia, unspecified (482.9)	753	399	354	362	314	37	40	35
Pneumonia due to other specified organism (483)	91	58	33	47	31	11	2	10
Bronchopneumonia, organism unspecified (485)	9,853	4,831	5,022	4,119	4,555	712	467	647
Pneumonia, organism unspecified (486)	49,041	24,006	25,035	21,204	22,973	2,802	2,062	2,457
Influenza (487)	2,054	737	1,317	681	1,266	56	51	48
With pneumonia (487.0)	995	384	611	358	588	26	23	24
With other respiratory manifestations (487.1)	1,023	334	689	304	661	30	28	24
With other manifestations (487.8)	36	19	17	19	17	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,662	46,596	28,066	43,074	26,364	3,522	1,702	3,154
Bronchitis, not specified as acute or chronic (490)	579	255	324	241	300	14	24	10
Chronic bronchitis (491)	3,036	1,786	1,250	1,688	1,184	98	66	83
Simple chronic bronchitis (491.0)	69	46	23	44	21	2	2	2
Mucopurulent chronic bronchitis (491.1)	35	24	11	21	10	3	1	3
Obstructive chronic bronchitis (491.2)	2,229	1,359	870	1,286	832	73	38	62
Other chronic bronchitis (491.8)	27	13	14	12	9	1	5	1
Unspecified (491.9)	676	344	332	325	312	19	20	15
Emphysema (492)	14,150	9,375	4,775	8,766	4,587	609	188	523
Asthma (493)	3,880	1,551	2,329	1,140	1,886	411	443	371
Extrinsic asthma (493.0)	17	2	15	1	11	1	4	1
Intrinsic asthma (493.1)	15	3	12	2	12	1	-	1
Asthma, unspecified (493.9)	3,848	1,546	2,302	1,137	1,863	409	439	369
Bronchiectasis (494)	841	320	521	299	490	21	31	15
Extrinsic allergic alveolitis (495)	19	11	8	11	8	-	-	-
Farmers' lung (495.0)	8	7	1	7	1	-	-	-
Bagassosis (495.1)	-	-	-	-	-	-	-	-
Bird fanciers' lung (495.2)	1	1	-	1	-	-	-	-
Suberosis (495.3)	-	-	-	-	-	-	-	-
Maltworkers' lung (495.4)	-	-	-	-	-	-	-	-
Mushroom-workers' lung (495.5)	-	-	-	-	-	-	-	-
Maple-bark-strippers' lung (495.6)	-	-	-	-	-	-	-	-
"Ventilation" pneumonitis (495.7)	-	-	-	-	-	-	-	-
Other allergic pneumonitis (495.8)	1	-	-	-	-	-	-	-
Unspecified allergic alveolitis (495.9)	9	3	6	3	6	-	-	-
Chronic airways obstruction, not elsewhere classified (496)	52,157	33,298	18,859	30,929	17,909	2,369	950	2,152
Pneumoconioses and other lung diseases due to external agents (500-508)	7,849	4,615	3,034	4,050	2,668	565	366	524
Coalworkers' pneumoconiosis (500)	958	947	11	927	8	20	3	20
Asbestosis (501)	139	130	9	123	9	7	-	7
Pneumoconiosis due to other silica or silicates (502)	143	138	5	114	4	24	1	23
Pneumoconiosis due to other inorganic dust (503)	7	5	2	5	2	-	-	-
Pneumopathy due to inhalation of other dust (504)	4	2	2	2	2	-	-	-
Pneumoconiosis, unspecified (505)	104	101	3	91	3	10	-	8
Respiratory conditions due to chemical fumes and vapors (506)	31	19	12	16	11	3	1	3
Bronchitis and pneumonitis due to fumes and vapors (506.0)	22	12	10	10	9	2	1	2
Acute pulmonary edema due to fumes and vapors (506.1)	2	2	-	2	-	-	-	-
Upper respiratory inflammation due to fumes and vapors (506.2)	-	-	-	-	-	-	-	-
Other acute and subacute respiratory conditions due to fumes and vapors (506.3)	-	-	-	-	-	-	-	-
Chronic respiratory conditions due to fumes and vapors (506.4)	5	3	2	2	2	-	-	-
Unspecified (506.9)	2	2	-	2	-	1	-	1
Pneumonitis due to solids and liquids (507)	6,223	3,249	2,974	2,748	2,615	501	359	463
Due to inhalation of food or vomit (507.0)	6,214	3,246	2,968	2,745	2,609	501	359	463
Due to inhalation of oils and essences (507.1)	6	2	4	2	4	-	-	-
Other (507.8)	3	1	2	1	2	-	-	-
Respiratory conditions due to other and unspecified external agents (508)	40	24	16	24	14	-	2	-
Acute pulmonary manifestations due to radiation (508.0)	26	15	11	15	9	-	2	-
Chronic and other pulmonary manifestations due to radiation (508.1)	8	5	3	5	3	-	-	-
Other (508.8)	5	4	1	4	1	-	-	-
Unspecified (508.9)	1	-	1	-	1	-	-	-
Other diseases of respiratory system (510-519)	14,975	8,055	6,920	6,924	6,015	1,131	905	1,007
Empyema (510)	471	323	148	259	125	64	23	61
With fistula (510.0)	77	54	23	46	20	8	3	8
Without mention of fistula (510.9)	394	269	125	213	105	56	20	53
Pleurisy (511)	784	346	438	293	379	53	59	50
Without mention of effusion or current tuberculosis (511.0)	43	29	14	25	13	4	1	4
With effusion with mention of a bacterial cause other than tuberculosis (511.1)	-	-	-	-	-	-	-	-
Other specified forms of effusion, except tuberculous (511.8)	66	36	30	30	28	6	2	5
Unspecified pleural effusion (511.9)	675	281	394	238	338	43	56	41

SECTION 1 - GENERAL MORTALITY - PAGE 151

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other bacterial pneumonia-Con.									
Pneumonia due to Streptococcus (482.3)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Pneumonia due to Staphylococcus (482.4)	.3	.3	.2	.3	.3	.3	.2	.3	.2
Pneumonia due to other specified bacteria (482.8)	.1	.2	.1	.2	.1	.2	.1	.2	.1
Bacterial pneumonia, unspecified (482.9)	.3	.3	.3	.4	.3	.2	.2	.3	.2
Pneumonia due to other specified organism (483)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Bronchopneumonia, organism unspecified (485)	4.1	4.2	4.1	4.2	4.4	4.1	2.5	4.7	2.6
Pneumonia, organism unspecified (486)	20.5	20.7	20.4	21.4	22.1	16.3	11.0	18.0	12.1
Influenza (487)	.9	.8	1.1	.7	1.2	.3	.3	.4	.3
With pneumonia (487.0)	.4	.3	.5	.4	.6	.2	.1	.2	.1
With other respiratory manifestations (487.1)	.4	.3	.6	.3	.6	.2	.1	.2	.2
With other manifestations (487.8)	.0	.0	.0	.0	.0	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31.3	40.1	22.9	43.5	25.4	20.5	9.0	23.1	9.9
Bronchitis, not specified as acute or chronic (490)	.2	.2	.3	.2	.3	.1	.1	.1	.1
Chronic bronchitis (491)	1.3	1.5	1.0	1.7	1.1	.6	.4	.6	.4
Simple chronic bronchitis (491.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mucopurulent chronic bronchitis (491.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Obstructive chronic bronchitis (491.2)	.9	1.2	.7	1.3	.8	.4	.2	.5	.2
Other chronic bronchitis (491.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (491.9)	.3	.3	.3	.3	.3	.1	.1	.1	.1
Emphysema (492)	5.9	8.1	3.9	8.9	4.4	3.5	1.0	3.8	1.1
Asthma (493)	1.6	1.3	1.9	1.2	1.8	2.4	2.4	2.7	2.7
Extrinsic asthma (493.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Intrinsic asthma (493.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Asthma, unspecified (493.9)	1.6	1.3	1.9	1.1	1.8	2.4	2.3	2.7	2.7
Bronchiectasis (494)	.4	.3	.4	.3	.5	.1	.2	.1	.1
Extrinsic allergic alveolitis (495)	.0	.0	.0	.0	.0	-	-	-	-
Farmers' lung (495.0)	.0	.0	.0	.0	.0	-	-	-	-
Bagassosis (495.1)	-	-	-	-	-	-	-	-	-
Bird fanciers' lung (495.2)	.0	.0	-	.0	-	-	-	-	-
Suberosis (495.3)	-	-	-	-	-	-	-	-	-
Maltworkers' lung (495.4)	-	-	-	-	-	-	-	-	-
Mushroom-workers' lung (495.5)	-	-	-	-	-	-	-	-	-
Maple-bark-strippers' lung (495.6)	-	-	-	-	-	-	-	-	-
"Ventilation" pneumonitis (495.7)	-	-	-	-	-	-	-	-	-
Other allergic pneumonitis (495.8)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified allergic alveolitis (495.9)	.0	.0	.0	.0	.0	-	-	-	-
Chronic airways obstruction, not elsewhere classified (496)	21.8	28.7	15.4	31.2	17.3	13.8	5.0	15.7	5.5
Pneumoconioses and other lung diseases due to external agents (500-508)	3.2	4.0	2.5	4.1	2.6	3.3	1.9	3.8	2.2
Coalworkers' pneumoconiosis (500)	.4	.8	.0	.9	.0	.1	.0	.1	.0
Asbestosis (501)	.1	.1	.0	.1	.0	.0	-	.1	-
Pneumoconiosis due to other silica or silicates (502)	.1	.1	.0	.1	.0	.1	.0	.2	.0
Pneumoconiosis due to other inorganic dust (503)	.0	.0	.0	.0	.0	-	-	-	-
Pneumopathy due to inhalation of other dust (504)	.0	.0	.0	.0	.0	-	-	-	-
Pneumoconiosis, unspecified (505)	.0	.1	.0	.1	.0	.1	-	.1	-
Respiratory conditions due to chemical fumes and vapors (506)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Bronchitis and pneumonitis due to fumes and vapors (506.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Acute pulmonary edema due to fumes and vapors (506.1)	.0	.0	-	.0	-	-	-	-	-
Upper respiratory inflammation due to fumes and vapors (506.2)	-	-	-	-	-	-	-	-	-
Other acute and subacute respiratory conditions due to fumes and vapors (506.3)	-	-	-	-	-	-	-	.0	-
Chronic respiratory conditions due to fumes and vapors (506.4)	.0	.0	.0	.0	.0	.0	-	-	-
Unspecified (506.9)	.0	.0	-	.0	-	-	-	-	-
Pneumonitis due to solids and liquids (507)	2.6	2.8	2.4	2.8	2.5	2.9	1.9	3.4	2.2
Due to inhalation of food or vomit (507.0)	2.6	2.8	2.4	2.8	2.5	2.9	1.9	3.4	2.2
Due to inhalation of oils and essences (507.1)	.0	.0	.0	.0	.0	-	-	-	-
Other (507.8)	.0	.0	.0	.0	.0	-	-	-	-
Respiratory conditions due to other and unspecified external agents (508)	.0	.0	.0	.0	.0	-	.0	-	.0
Acute pulmonary manifestations due to radiation (508.0)	.0	.0	.0	.0	.0	-	.0	-	.0
Chronic and other pulmonary manifestations due to radiation (508.1)	.0	.0	.0	.0	.0	-	-	-	-
Other (508.8)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified (508.9)	.0	-	.0	-	.0	-	-	-	-
Other diseases of respiratory system (510-519)	6.3	6.9	5.6	7.0	5.8	6.6	4.8	7.4	5.3
Empyema (510)	.2	.3	.1	.3	.1	.4	.1	.4	.1
With fistula (510.0)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Without mention of fistula (510.9)	.2	.2	.1	.2	.1	.3	.1	.4	.1
Pleurisy (511)	.3	.3	.4	.3	.4	.3	.3	.4	.4
Without mention of effusion or current tuberculosis (511.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
With effusion with mention of a bacterial cause other than tuberculosis (511.1)	-	-	-	-	-	-	-	-	-
Other specified forms of effusion, except tuberculous (511.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified pleural effusion (511.9)	.3	.2	.3	.2	.3	.3	.3	.3	.3

SECTION 1 - GENERAL MORTALITY - PAGE 152

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other diseases of respiratory system-Con.									
Pneumothorax (512)	337	197	140	154	108	43	32	39	31
Abscess of lung and mediastinum (513)	712	472	240	336	190	136	50	128	46
Abscess of lung (513.0)	705	468	237	332	187	136	50	128	46
Abscess of mediastinum (513.1)	7	4	3	4	3	-	-	-	-
Pulmonary congestion and hypostasis (514)	1,058	490	568	419	488	71	80	64	78
Postinflammatory pulmonary fibrosis (515)	3,921	2,119	1,802	1,948	1,640	171	162	143	132
Other alveolar and parietoalveolar pneumopathy (516)	1,014	559	455	486	394	73	61	60	53
Pulmonary alveolar proteinosis (516.0)	6	4	2	3	1	1	1	1	1
Pulmonary alveolar microlithiasis (516.2)	1	1	-	1	-	-	-	-	-
Idiopathic fibrosing alveolitis (516.3)	176	91	85	86	80	5	5	5	4
Other (516.8)	831	463	368	396	313	67	55	54	48
Unspecified (516.9)	-	-	-	-	-	-	-	-	-
Other diseases of lung (518)	5,619	3,071	2,548	2,818	2,180	453	358	404	321
Pulmonary collapse (518.0)	200	100	100	73	86	27	14	25	14
Interstitial emphysema (518.1)	20	12	8	9	7	3	1	3	-
Compensatory emphysema (518.2)	-	-	-	-	-	-	-	-	-
Pulmonary eosinophilia (518.3)	275	174	101	149	82	25	19	22	16
Acute edema of lung, unspecified (518.4)	352	152	200	131	176	21	24	18	24
Pulmonary insufficiency following trauma and surgery (518.5)	1,388	722	666	578	524	144	142	129	131
Other diseases of lung, not elsewhere classified (518.8)	3,384	1,911	1,473	1,678	1,315	233	158	207	136
Other diseases of respiratory system (519)	1,059	478	581	411	501	67	80	58	73
Tracheostomy malfunction (519.0)	27	13	14	11	9	2	5	2	5
Other diseases of trachea and bronchus, not elsewhere classified (519.1)	250	110	140	88	107	22	33	19	32
Mediastinitis (519.2)	51	34	17	31	16	3	1	3	1
Other diseases of mediastinum, not elsewhere classified (519.3)	38	17	21	17	16	-	5	-	4
Disorders of diaphragm (519.4)	8	4	4	4	4	-	-	-	-
Other diseases of respiratory system, not elsewhere classified (519.8)	576	246	330	215	301	31	29	27	25
Unspecified (519.9)	109	54	55	45	48	9	7	7	6
IX. Diseases of the digestive system (520-579)									
Diseases of oral cavity, salivary glands, and jaws (520-529)	103	51	52	34	49	17	3	16	2
Disorders of tooth development and eruption (520)	-	-	-	-	-	-	-	-	-
Anodontia (520.0)	-	-	-	-	-	-	-	-	-
Supernumerary teeth (520.1)	-	-	-	-	-	-	-	-	-
Abnormalities of size and form (520.2)	-	-	-	-	-	-	-	-	-
Mottled teeth (520.3)	-	-	-	-	-	-	-	-	-
Disturbances of tooth formation (520.4)	-	-	-	-	-	-	-	-	-
Hereditary disturbances in tooth structure, not elsewhere classified (520.5)	-	-	-	-	-	-	-	-	-
Disturbances in tooth eruption (520.6)	-	-	-	-	-	-	-	-	-
Teething syndrome (520.7)	-	-	-	-	-	-	-	-	-
Other disorders of tooth development (520.8)	-	-	-	-	-	-	-	-	-
Unspecified (520.9)	-	-	-	-	-	-	-	-	-
Diseases of hard tissues of teeth (521)	2	2	-	2	-	-	-	-	-
Dental caries (521.0)	2	2	-	2	-	-	-	-	-
Excessive attrition (521.1)	-	-	-	-	-	-	-	-	-
Abrasion (521.2)	-	-	-	-	-	-	-	-	-
Erosion (521.3)	-	-	-	-	-	-	-	-	-
Pathological resorption (521.4)	-	-	-	-	-	-	-	-	-
Hypercementosis (521.5)	-	-	-	-	-	-	-	-	-
Ankylosis of teeth (521.6)	-	-	-	-	-	-	-	-	-
Post eruptive color changes (521.7)	-	-	-	-	-	-	-	-	-
Other diseases of hard tissues of teeth (521.8)	-	-	-	-	-	-	-	-	-
Unspecified (521.9)	-	-	-	-	-	-	-	-	-
Diseases of pulp and periapical tissues (522)	21	12	9	6	9	6	-	6	-
Pulpitis (522.0)	-	-	-	-	-	-	-	-	-
Necrosis of the pulp (522.1)	-	-	-	-	-	-	-	-	-
Pulp degeneration (522.2)	-	-	-	-	-	-	-	-	-
Abnormal hard tissue formation in pulp (522.3)	-	-	-	-	-	-	-	-	-
Acute apical periodontitis of pulpal origin (522.4)	6	3	3	3	3	-	-	-	-
Periapical abscess without sinus (522.5)	15	8	6	3	6	6	-	6	-
Chronic apical periodontitis (522.6)	-	-	-	-	-	-	-	-	-
Periapical abscess with sinus (522.7)	-	-	-	-	-	-	-	-	-
Radicular cyst (522.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (522.9)	-	-	-	-	-	-	-	-	-
Gingival and periodontal diseases (523)	6	3	3	2	3	1	-	1	-
Acute gingivitis (523.0)	-	-	-	-	-	-	-	-	-
Chronic gingivitis (523.1)	1	1	-	1	-	-	-	-	-
Gingival recession (523.2)	-	-	-	-	-	-	-	-	-
Acute periodontitis (523.3)	3	-	3	-	3	-	-	-	-
Chronic periodontitis (523.4)	1	1	-	-	-	1	-	1	-
Periodontosis (523.5)	-	-	-	-	-	-	-	-	-
Accretions on teeth (523.6)	-	-	-	-	-	-	-	-	-
Other periodontal diseases (523.8)	-	-	-	-	-	-	-	-	-
Unspecified (523.9)	1	1	-	1	-	-	-	-	-
Dentofacial anomalies, including malocclusion (524)	1	-	1	-	1	-	-	-	-
Major anomalies of jaw size (524.0)	1	-	1	-	1	-	-	-	-
Anomalies of relationship of jaw to cranial base (524.1)	-	-	-	-	-	-	-	-	-
Anomalies of dental arch relationship (524.2)	-	-	-	-	-	-	-	-	-
Anomalies of tooth position (524.3)	-	-	-	-	-	-	-	-	-
Malocclusion, unspecified (524.4)	-	-	-	-	-	-	-	-	-
Dentofacial functional abnormalities (524.5)	-	-	-	-	-	-	-	-	-
Temporomandibular joint disorders (524.6)	-	-	-	-	-	-	-	-	-
Other dentofacial anomalies (524.8)	-	-	-	-	-	-	-	-	-
Unspecified (524.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 153

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other diseases of respiratory system-Con.									
Pneumothorax (512)	0.1	0.2	0.1	0.2	0.1	0.3	0.2	0.3	0.2
Abscess of lung and mediastinum (513)3	.4	.2	.3	.2	.8	.3	.9	.3
Abscess of lung (513.0)3	.4	.2	.3	.2	.8	.3	.9	.3
Abscess of mediastinum (513.1)0	.0	.0	.0	.0	-	-	-	-
Pulmonary congestion and hypostasis (514)4	.4	.5	.4	.5	.4	.4	.5	.5
Postinflammatory pulmonary fibrosis (515)	1.6	1.8	1.5	2.0	1.6	1.0	.9	1.0	.9
Other alveolar and parietoalveolar pneumopathy (516)4	.5	.4	.5	.4	.4	.3	.4	.3
Pulmonary alveolar proteinosis (516.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Pulmonary alveolar microlithiasis (516.2)0	.0	-	.0	-	-	-	-	-
Idiopathic fibrosing alveolitis (516.3)1	.1	.1	.1	.1	.0	.0	.0	.0
Other (516.8)3	.4	.3	.4	.3	.4	.3	.4	.3
Unspecified (516.9)	-	-	-	-	-	-	-	-	-
Other diseases of lung (518)	2.4	2.6	2.1	2.6	2.1	2.6	1.9	3.0	2.1
Pulmonary collapse (518.0)1	.1	.1	.1	.1	.2	.1	.2	.1
Interstitial emphysema (518.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Compensatory emphysema (518.2)	-	-	-	-	-	-	-	-	-
Pulmonary eosinophilia (518.3)1	.1	.1	.2	.1	.1	.1	.1	.2
Acute edema of lung, unspecified (518.4)1	.1	.2	.1	.2	.1	.1	.1	.1
Pulmonary insufficiency following trauma and surgery (518.5)6	.6	.5	.6	.5	.8	.8	.8	.9
Other diseases of lung, not elsewhere classified (518.8)	1.4	1.6	1.2	1.7	1.3	1.4	.8	1.5	.9
Other diseases of respiratory system (519)4	.4	.5	.4	.5	.4	.4	.4	.5
Tracheostomy malfunction (519.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Other diseases of trachea and bronchus, not elsewhere classified (519.1)1	.1	.1	.1	.1	.1	.2	.1	.2
Mediastinitis (519.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Other diseases of mediastinum, not elsewhere classified (519.3)0	.0	.0	.0	.0	-	-	-	-
Disorders of diaphragm (519.4)2	.2	.3	.2	.3	.2	.2	.2	.2
Other diseases of respiratory system, not elsewhere classified (519.8)0	.0	.0	.0	.0	.1	.0	.1	.0
Unspecified (519.9)	-	-	-	-	-	-	-	-	-
IX. Diseases of the digestive system (520-579)									
Diseases of oral cavity, salivary glands, and jaws (520-529)0	.0	.0	.0	.0	.1	.0	.1	.0
Disorders of tooth development and eruption (520)	-	-	-	-	-	-	-	-	-
Anodontia (520.0)	-	-	-	-	-	-	-	-	-
Supernumerary teeth (520.1)	-	-	-	-	-	-	-	-	-
Abnormalities of size and form (520.2)	-	-	-	-	-	-	-	-	-
Mottled teeth (520.3)	-	-	-	-	-	-	-	-	-
Disturbances of tooth formation (520.4)	-	-	-	-	-	-	-	-	-
Hereditary disturbances in tooth structure, not elsewhere classified (520.5)	-	-	-	-	-	-	-	-	-
Disturbances in tooth eruption (520.6)	-	-	-	-	-	-	-	-	-
Teething syndrome (520.7)	-	-	-	-	-	-	-	-	-
Other disorders of tooth development (520.8)	-	-	-	-	-	-	-	-	-
Unspecified (520.9)	-	-	-	-	-	-	-	-	-
Diseases of hard tissues of teeth (521)0	.0	-	.0	-	-	-	-	-
Dental caries (521.0)0	.0	-	.0	-	-	-	-	-
Excessive attrition (521.1)	-	-	-	-	-	-	-	-	-
Erosion (521.2)	-	-	-	-	-	-	-	-	-
Pathological resorption (521.4)	-	-	-	-	-	-	-	-	-
Hypercementosis (521.5)	-	-	-	-	-	-	-	-	-
Ankylosis of teeth (521.6)	-	-	-	-	-	-	-	-	-
Postoperative color changes (521.7)	-	-	-	-	-	-	-	-	-
Other diseases of hard tissues of teeth (521.8)	-	-	-	-	-	-	-	-	-
Unspecified (521.9)	-	-	-	-	-	-	-	-	-
Diseases of pulp and periapical tissues (522)0	.0	.0	.0	.0	.0	-	.0	-
Pulpitis (522.0)	-	-	-	-	-	-	-	-	-
Necrosis of the pulp (522.1)	-	-	-	-	-	-	-	-	-
Pulp degeneration (522.2)	-	-	-	-	-	-	-	-	-
Abnormal hard tissue formation in pulp (522.3)0	.0	.0	.0	.0	.0	-	.0	-
Acute apical periodontitis of pulpal origin (522.4)0	.0	.0	.0	.0	.0	-	-	-
Periapical abscess without sinus (522.5)	-	-	-	-	-	-	-	-	-
Chronic apical periodontitis (522.6)	-	-	-	-	-	-	-	-	-
Periapical abscess with sinus (522.7)	-	-	-	-	-	-	-	-	-
Radicular cyst (522.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (522.9)	-	-	-	-	-	-	-	-	-
Gingival and periodontal diseases (523)0	.0	.0	.0	.0	.0	-	.0	-
Acute gingivitis (523.0)0	.0	-	.0	-	-	-	-	-
Chronic gingivitis (523.1)	-	-	-	-	-	-	-	-	-
Gingival recession (523.2)0	-	.0	-	.0	-	-	.0	-
Acute periodontitis (523.3)0	.0	-	-	-	-	-	-	-
Chronic periodontitis (523.4)	-	-	-	-	-	-	-	-	-
Periodontosis (523.5)	-	-	-	-	-	-	-	-	-
Accretions on teeth (523.6)	-	-	-	-	-	-	-	-	-
Other periodontal diseases (523.8)0	.0	-	.0	-	-	-	-	-
Unspecified (523.9)	-	-	-	-	-	-	-	-	-
Dentofacial anomalies, including malocclusion (524)0	-	.0	-	.0	-	-	-	-
Major anomalies of jaw size (524.0)0	-	.0	-	.0	-	-	-	-
Anomalies of relationship of jaw to cranial base (524.1)	-	-	-	-	-	-	-	-	-
Anomalies of dental arch relationship (524.2)	-	-	-	-	-	-	-	-	-
Anomalies of tooth position (524.3)	-	-	-	-	-	-	-	-	-
Malocclusion, unspecified (524.4)	-	-	-	-	-	-	-	-	-
Dentofacial functional abnormalities (524.5)	-	-	-	-	-	-	-	-	-
Temporomandibular joint disorders (524.6)	-	-	-	-	-	-	-	-	-
Other dentofacial anomalies (524.8)	-	-	-	-	-	-	-	-	-
Unspecified (524.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 154

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of oral cavity, salivary glands, and jaws-Con.									
Other diseases and conditions of the teeth and supporting structures (525)	1	1	-	1	-	-	-	-	-
Exfoliation of teeth due to systemic causes (525.0)	-	-	-	-	-	-	-	-	-
Loss of teeth due to accident, extraction or local periodontal disease (525.1)	-	-	-	-	-	-	-	-	-
Atrophy of edentulous alveolar ridge (525.2)	-	-	-	-	-	-	-	-	-
Retained dental root (525.3)	-	-	-	-	-	-	-	-	-
Other (525.8)	1	1	-	1	-	-	-	-	-
Unspecified (525.9)	-	-	-	-	-	-	-	-	-
Diseases of the jaws (526)	3	3	-	2	-	1	-	1	-
Developmental odontogenic cysts (526.0)	-	-	-	-	-	-	-	-	-
Fissural cysts of jaw (526.1)	-	-	-	-	-	-	-	-	-
Other cysts of jaws (526.2)	-	-	-	-	-	-	-	-	-
Central giant cell (reparative) granuloma (526.3)	-	-	-	-	-	-	-	-	-
Inflammatory conditions (526.4)	3	3	-	2	-	1	-	1	-
Alveolitis of jaw (526.5)	-	-	-	-	-	-	-	-	-
Other diseases of the jaws (526.8)	-	-	-	-	-	-	-	-	-
Unspecified (526.9)	-	-	-	-	-	-	-	-	-
Diseases of the salivary glands (527)	33	8	25	7	24	1	1	1	-
Atrophy (527.0)	-	-	-	-	-	-	-	-	-
Hypertrophy (527.1)	-	-	-	-	-	-	-	-	-
Sialoadenitis (527.2)	28	6	22	6	21	-	1	-	-
Abscess (527.3)	5	2	3	1	3	1	-	1	-
Fistula (527.4)	-	-	-	-	-	-	-	-	-
Sialolithiasis (527.5)	-	-	-	-	-	-	-	-	-
Mucocele (527.6)	-	-	-	-	-	-	-	-	-
Disturbance of salivary secretion (527.7)	-	-	-	-	-	-	-	-	-
Other (527.8)	-	-	-	-	-	-	-	-	-
Unspecified (527.9)	-	-	-	-	-	-	-	-	-
Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue (528)	33	20	13	12	12	8	1	7	1
Stomatitis (528.0)	5	2	3	2	3	-	-	-	-
Cancerum oris (528.1)	-	-	-	-	-	-	-	-	-
Oral aphthae (528.2)	-	-	-	-	-	-	-	-	-
Cellulitis and abscess (528.3)	9	6	3	3	3	3	-	2	-
Cysts (528.4)	1	-	1	-	1	-	-	-	-
Diseases of lips (528.5)	3	2	1	2	1	-	-	-	-
Leukoplakia of oral mucosa, including tongue (528.6)	-	-	-	-	-	-	-	-	-
Other disturbances of oral epithelium, including tongue (528.7)	-	-	-	-	-	-	-	-	-
Oral submucous fibrosis, including of tongue (528.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (528.9)	15	10	5	5	4	5	1	5	1
Diseases and other conditions of the tongue (529)	3	2	1	2	-	-	1	-	1
Glossitis (529.0)	-	-	-	-	-	-	-	-	-
Geographic tongue (529.1)	-	-	-	-	-	-	-	-	-
Median rhomboid glossitis (529.2)	-	-	-	-	-	-	-	-	-
Hypertrophy of tongue papillae (529.3)	-	-	-	-	-	-	-	-	-
Atrophy of tongue papillae (529.4)	-	-	-	-	-	-	-	-	-
Plicated tongue (529.5)	-	-	-	-	-	-	-	-	-
Glossodynia (529.6)	-	-	-	-	-	-	-	-	-
Other conditions of the tongue (529.8)	3	2	1	2	-	-	1	-	1
Unspecified (529.9)	-	-	-	-	-	-	-	-	-
Diseases of esophagus, stomach, and duodenum (530-537)	9,495	4,863	4,632	4,293	4,235	570	397	492	355
Diseases of esophagus (530)	1,600	886	704	801	648	95	56	87	53
Achalasia and cardiospasm (530.0)	84	42	42	37	36	5	6	4	6
Esophagitis (530.1)	316	175	141	154	126	21	15	19	14
Ulcer of esophagus (530.2)	89	58	33	50	29	6	4	5	4
Stricture and stenosis of esophagus (530.3)	327	180	147	152	161	8	6	7	6
Perforation of esophagus (530.4)	215	142	73	119	67	23	6	23	6
Dyskinesia of esophagus (530.5)	142	81	61	70	59	11	2	8	2
Diverticulum of esophagus, acquired (530.6)	66	34	32	34	30	-	2	-	2
Gastro-esophageal laceration-hemorrhage syndrome (530.7)	73	47	26	42	22	5	4	5	3
Other disorders of esophagus (530.8)	228	125	103	111	92	14	11	14	10
Unspecified (530.9)	60	34	26	32	26	2	-	2	-
Gastric ulcer (531)	2,115	979	1,136	834	1,032	145	104	127	90
Acute with hemorrhage (531.0)	35	23	12	22	12	1	-	1	-
Acute with perforation (531.1)	14	5	9	4	7	1	2	1	-
Acute with hemorrhage and perforation (531.2)	1	-	1	-	1	-	-	-	-
Acute without mention of hemorrhage or perforation (531.3)	8	7	1	6	1	1	-	1	-
Chronic or unspecified with hemorrhage (531.4)	1,064	536	528	462	477	74	51	63	46
Chronic or unspecified with perforation (531.5)	701	272	429	226	388	46	41	42	36
Chronic or unspecified with hemorrhage and perforation (531.6)	80	40	40	35	37	5	3	5	3
Chronic without mention of hemorrhage or perforation (531.7)	11	6	5	5	5	1	-	1	-
Unspecified as acute or chronic without mention of hemorrhage or perforation (531.9)	201	90	111	74	104	16	7	13	5
Duodenal ulcer (532)	2,279	1,223	1,056	1,091	967	132	89	111	74
Acute with hemorrhage (532.0)	28	14	14	12	13	2	1	1	1
Acute with perforation (532.1)	13	4	9	4	8	-	1	-	1
Acute with hemorrhage and perforation (532.2)	1	-	1	-	1	-	-	-	-
Acute without mention of hemorrhage or perforation (532.3)	7	4	3	2	3	2	-	2	-
Chronic or unspecified with hemorrhage (532.4)	1,040	600	440	544	404	56	36	45	31
Chronic or unspecified with perforation (532.5)	929	454	475	398	438	56	37	50	37
Chronic or unspecified with hemorrhage and perforation (532.6)	119	70	49	62	46	8	3	8	3
Chronic without mention of hemorrhage or perforation (532.7)	10	4	6	3	6	1	-	1	-
Unspecified as acute or chronic without mention of hemorrhage or perforation (532.9)	132	73	59	66	48	7	11	4	11

SECTION 1 - GENERAL MORTALITY - PAGE 155

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of oral cavity, salivary glands, and jaws-Con.									
Other diseases and conditions of the teeth and supporting structures (525)	0.0	0.0	-	0.0	-	-	-	-	-
Exfoliation of teeth due to systemic causes (525.0)	-	-	-	-	-	-	-	-	-
Loss of teeth due to accident, extraction or local periodontal disease (525.1)	-	-	-	-	-	-	-	-	-
Atrophy of edentulous alveolar ridge (525.2)	-	-	-	-	-	-	-	-	-
Retained dental root (525.3)	-	-	-	-	-	-	-	-	-
Other (525.8)0	.0	-	.0	-	-	-	-	-
Unspecified (525.9)	-	-	-	-	-	-	-	-	-
Diseases of the jaws (526)0	.0	-	.0	-	0.0	-	0.0	-
Developmental odontogenic cysts (526.0)	-	-	-	-	-	-	-	-	-
Fissural cysts of jaw (526.1)	-	-	-	-	-	-	-	-	-
Other cysts of jaws (526.2)	-	-	-	-	-	-	-	-	-
Central giant cell (reparative) granuloma (526.3)	-	-	-	-	-	-	-	-	-
Inflammatory conditions (526.4)0	.0	-	.0	-	.0	-	.0	-
Alveolitis of jaw (526.5)	-	-	-	-	-	-	-	-	-
Other diseases of the jaws (526.8)	-	-	-	-	-	-	-	-	-
Unspecified (526.9)	-	-	-	-	-	-	-	-	-
Diseases of the salivary glands (527)0	.0	0.0	.0	0.0	.0	0.0	.0	-
Atrophy (527.0)	-	-	-	-	-	-	-	-	-
Hypertrophy (527.1)	-	-	-	-	-	-	-	-	-
Sialoadenitis (527.2)0	.0	.0	.0	.0	-	.0	-	-
Abscess (527.3)0	.0	.0	.0	.0	.0	-	.0	-
Fistula (527.4)	-	-	-	-	-	-	-	-	-
Sialolithiasis (527.5)	-	-	-	-	-	-	-	-	-
Mucocele (527.6)	-	-	-	-	-	-	-	-	-
Disturbance of salivary secretion (527.7)	-	-	-	-	-	-	-	-	-
Other (527.8)	-	-	-	-	-	-	-	-	-
Unspecified (527.9)	-	-	-	-	-	-	-	-	-
Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue (528)0	.0	.0	.0	.0	.0	.0	.1	0.0
Stomatitis (528.0)0	.0	.0	.0	.0	-	-	-	-
Cancrum oris (528.1)	-	-	-	-	-	-	-	-	-
Oral aphthae (528.2)0	.0	.0	.0	.0	.0	-	.0	-
Cellulitis and abscess (528.3)0	.0	.0	.0	.0	-	-	-	-
Cysts (528.4)0	.0	.0	.0	.0	-	-	-	-
Diseases of lips (528.5)	-	-	-	-	-	-	-	-	-
Leukoplakia of oral mucosa, including tongue (528.6)	-	-	-	-	-	-	-	-	-
Other disturbances of oral epithelium, including tongue (528.7)	-	-	-	-	-	-	-	-	-
Oral submucous fibrosis, including of tongue (528.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Other and unspecified (528.9)	-	-	-	-	-	-	-	-	-
Diseases and other conditions of the tongue (529)0	.0	.0	.0	-	-	.0	-	.0
Glossitis (529.0)	-	-	-	-	-	-	-	-	-
Geographic tongue (529.1)	-	-	-	-	-	-	-	-	-
Median rhomboid glossitis (529.2)	-	-	-	-	-	-	-	-	-
Hypertrophy of tongue papillae (529.3)	-	-	-	-	-	-	-	-	-
Atrophy of tongue papillae (529.4)	-	-	-	-	-	-	-	-	-
Plicated tongue (529.5)	-	-	-	-	-	-	.0	-	.0
Glossodynia (529.6)0	.0	.0	.0	-	-	-	-	-
Other conditions of the tongue (529.8)	-	-	-	-	-	-	-	-	-
Unspecified (529.9)	-	-	-	-	-	-	-	-	-
Diseases of esophagus, stomach, and duodenum (530-537)	4.0	4.2	3.8	4.3	4.1	3.3	2.1	3.6	2.3
Diseases of esophagus (530)7	.8	.6	.8	.6	.6	.3	.6	.3
Achalasia and cardiospasm (530.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Esophagitis (530.1)1	.2	.0	.2	.1	.1	.1	.1	.1
Ulcer of esophagus (530.2)0	.0	.0	.1	.0	.0	.0	.0	.0
Stricture and stenosis of esophagus (530.3)1	.1	.1	.2	.2	.0	.0	.1	.0
Perforation of esophagus (530.4)1	.1	.1	.1	.1	.1	.0	.2	.0
Dyskinesia of esophagus (530.5)1	.1	.0	.1	.1	.1	.0	.1	.0
Diverticulum of esophagus, acquired (530.6)0	.0	.0	.0	.0	.0	-	-	.0
Gastro-esophageal laceration-hemorrhage syndrome (530.7)0	.0	.0	.0	.0	.0	.0	.0	.0
Other disorders of esophagus (530.8)1	.1	.1	.1	.1	.1	.1	.1	.1
Unspecified (530.9)0	.0	.0	.0	.0	.0	-	.0	-
Gastric ulcer (531)9	.8	.9	.8	1.0	.8	.6	.9	.6
Acute with hemorrhage (531.0)0	.0	.0	.0	.0	.0	-	.0	-
Acute with perforation (531.1)0	.0	.0	.0	.0	.0	.0	.0	-
Acute with hemorrhage and perforation (531.2)0	.0	.0	.0	.0	.0	-	.0	-
Acute without mention of hemorrhage or perforation (531.3)0	.0	.0	.0	.0	.0	.0	.0	-
Chronic or unspecified with hemorrhage (531.4)4	.5	.4	.5	.4	.3	.5	.3	.2
Chronic or unspecified with perforation (531.5)2	.3	.2	.2	.4	.2	.3	.2	.0
Chronic or unspecified with hemorrhage and perforation (531.6)0	.0	.0	.0	.0	.0	.0	.0	.0
Chronic without mention of hemorrhage or perforation (531.7)0	.0	.0	.0	.0	.0	.0	.1	.0
Unspecified as acute or chronic without mention of hemorrhage or perforation (531.9)1	.1	.1	.1	.1	.1	.0	.0	.0
Duodenal ulcer (532)	1.0	1.1	.9	1.1	.9	.8	.5	.8	.5
Acute with hemorrhage (532.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Acute with perforation (532.1)0	.0	.0	.0	.0	-	.0	-	.0
Acute with hemorrhage and perforation (532.2)0	.0	.0	.0	.0	.0	-	.0	-
Acute without mention of hemorrhage or perforation (532.3)0	.0	.0	.0	.0	.0	-	.0	-
Chronic or unspecified with hemorrhage (532.4)4	.5	.4	.5	.4	.3	.2	.3	.2
Chronic or unspecified with perforation (532.5)4	.4	.4	.4	.4	.3	.2	.4	.2
Chronic or unspecified with hemorrhage and perforation (532.6)0	.1	.0	.1	.0	.0	.0	.1	.0
Chronic without mention of hemorrhage or perforation (532.7)0	.0	.0	.0	.0	.0	-	.0	-
Unspecified as acute or chronic without mention of hemorrhage or perforation (532.9)1	.1	.0	.1	.0	.0	.1	.0	.1

SECTION 1 - GENERAL MORTALITY - PAGE 156

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of esophagus, stomach, and duodenum-Con.									
Peptic ulcer, site unspecified (533)	2,251	1,128	1,123	1,022	1,038	106	85	90	79
Acute with hemorrhage (533.0)	24	11	13	9	13	2	-	2	-
Acute with perforation (533.1)	1	1	-	1	-	-	-	-	-
Acute with hemorrhage and perforation (533.2)	-	-	-	-	-	-	-	-	-
Acute without mention of hemorrhage or perforation (533.3)	3	1	2	1	1	-	1	-	1
Chronic or unspecified with hemorrhage (533.4)	1,284	666	618	606	576	60	42	48	38
Chronic or unspecified with perforation (533.5)	593	270	323	243	298	27	25	24	23
Chronic or unspecified with hemorrhage and perforation (533.6)	65	32	33	27	29	5	4	4	4
Chronic without mention of hemorrhage or perforation (533.7)	9	5	4	4	2	1	2	1	2
Unspecified as acute or chronic without mention of hemorrhage or perforation (533.9)	272	142	130	131	119	11	11	11	11
Gastrojejunal ulcer (534)	70	46	24	43	22	3	2	3	2
Acute with hemorrhage (534.0)	1	1	-	1	-	-	-	-	-
Acute with perforation (534.1)	1	1	-	1	-	-	-	-	-
Acute with hemorrhage and perforation (534.2)	-	-	-	-	-	-	-	-	-
Acute without mention of hemorrhage or perforation (534.3)	-	-	-	-	-	-	-	-	-
Chronic or unspecified with hemorrhage (534.4)	43	28	15	28	13	-	2	-	2
Chronic or unspecified with perforation (534.5)	12	6	6	5	6	1	-	1	-
Chronic or unspecified with hemorrhage and perforation (534.6)	6	5	1	4	1	1	-	1	-
Chronic without mention of hemorrhage or perforation (534.7)	-	-	-	-	-	-	-	-	-
Unspecified as acute or chronic without mention of hemorrhage or perforation (534.9)	7	5	2	4	2	1	-	1	-
Gastritis and duodenitis (535)	641	349	292	292	263	57	29	47	27
Acute gastritis (535.0)	81	39	42	35	37	4	5	2	4
Atrophic gastritis (535.1)	29	13	16	9	15	4	1	4	1
Gastric mucosal hypertrophy (535.2)	4	3	1	2	1	1	-	1	-
Alcoholic gastritis (535.3)	61	48	13	37	12	11	1	10	1
Other gastritis (535.4)	189	106	83	87	75	19	8	17	8
Unspecified gastritis and gastroduodenitis (535.5)	266	129	137	113	123	16	14	12	13
Duodenitis (535.6)	11	11	-	9	-	2	-	1	-
Disorders of function of stomach (536)	115	44	71	38	66	6	5	5	5
Achlorhydria (536.0)	-	-	-	-	-	-	-	-	-
Acute dilatation of stomach (536.1)	8	2	6	1	6	1	-	-	-
Habit vomiting (536.2)	4	2	2	1	2	1	-	1	-
Dyspepsia and other disorders of function of stomach (536.8)	51	18	33	17	31	1	2	1	2
Unspecified (536.9)	52	22	30	19	27	3	3	3	3
Other disorders of stomach and duodenum (537)	424	198	226	172	199	26	27	22	25
Adult hypertrophic pyloric stenosis (537.0)	131	56	75	52	71	4	4	4	4
Gastric diverticulum (537.1)	1	-	1	-	1	-	-	-	-
Chronic duodenal ileus (537.2)	1	-	1	-	1	-	-	-	-
Other obstruction of duodenum (537.3)	14	6	8	5	7	1	1	1	1
Fistula of stomach or duodenum (537.4)	43	21	22	20	22	1	-	1	-
Gastroparesis (537.5)	-	-	-	-	-	-	-	-	-
Hourglass stricture or stenosis of stomach (537.6)	-	-	-	-	-	-	-	-	-
Other (537.8)	87	40	47	29	38	11	9	8	8
Unspecified (537.9)	147	75	72	66	59	9	13	8	12
Appendicitis (540-543)	501	276	225	217	179	59	46	57	42
Acute appendicitis (540)	454	246	208	197	165	49	43	47	39
With generalized peritonitis (540.0)	401	215	186	170	148	45	38	43	34
With peritoneal abscess (540.1)	29	14	15	13	12	1	3	1	3
Without mention of peritonitis (540.9)	24	17	7	14	5	3	2	3	2
Appendicitis, unqualified (541)	45	30	15	20	12	10	3	10	3
Other appendicitis (542)	1	-	1	-	1	-	-	-	-
Other diseases of appendix (543)	1	-	1	-	1	-	-	-	-
Hernia of abdominal cavity (550-553)	1,391	573	818	512	748	61	70	54	62
Inguinal hernia (550)	248	196	52	168	50	28	2	28	2
Inguinal hernia with gangrene (550.0)	27	22	5	20	5	2	-	2	-
Inguinal hernia with obstruction without mention of gangrene (550.1)	164	120	44	100	42	20	2	20	2
Inguinal hernia without mention of obstruction or gangrene (550.9)	57	54	3	48	3	6	-	6	-
Other hernia of abdominal cavity, with gangrene (551)	95	32	63	25	55	7	8	5	6
Femoral with gangrene (551.0)	11	2	9	2	7	-	2	-	2
Umbilical with gangrene (551.1)	6	3	3	3	3	-	-	-	-
Ventral (incisional) with gangrene (551.2)	35	6	29	4	28	2	1	2	1
Diaphragmatic with gangrene (551.3)	8	1	7	1	7	-	-	-	-
Of other specified sites with gangrene (551.6)	11	7	4	6	2	1	2	1	1
Of unspecified site with gangrene (551.9)	24	13	11	9	8	4	3	2	2
Other hernia of abdominal cavity with obstruction, without mention of gangrene (552)	484	160	324	141	293	19	31	16	28
Femoral with obstruction (552.0)	75	14	61	11	59	3	2	2	2
Umbilical with obstruction (552.1)	41	9	32	8	28	1	4	1	4
Ventral (incisional) with obstruction (552.2)	125	28	97	26	83	2	14	2	12
Diaphragmatic with obstruction (552.3)	87	28	59	22	56	6	3	5	3
Of other specified sites with obstruction (552.6)	19	6	13	5	12	1	1	1	1
Of unspecified site with obstruction (552.9)	137	75	62	69	55	6	7	5	6
Other hernia of abdominal cavity without mention of obstruction or gangrene (553)	564	185	379	178	350	7	29	5	26
Femoral (553.0)	7	1	6	1	5	-	1	-	1
Umbilical (553.1)	38	20	18	19	16	1	2	1	2
Ventral (incisional) (553.2)	93	25	68	23	55	2	13	-	12
Diaphragmatic (553.3)	346	96	250	94	243	2	7	2	6
Of other specified sites (553.6)	7	-	7	-	4	-	3	-	2
Of unspecified site (553.9)	73	43	30	41	27	2	3	2	3
Noninfective enteritis and colitis (555-558)	7,621	2,940	4,681	2,600	4,304	340	377	302	352
Regional enteritis (555)	332	119	213	111	201	8	12	8	11

SECTION 1 - GENERAL MORTALITY - PAGE 157

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of esophagus, stomach, and duodenum-Con.									
Peptic ulcer, site unspecified (533)	0.9	1.0	0.9	1.0	1.0	0.6	0.5	0.7	0.5
Acute with hemorrhage (533.0)	0	0	0	0	0	-	-	-	-
Acute with perforation (533.1)	0	0	-	0	-	-	-	-	-
Acute with hemorrhage and perforation (533.2)	-	0	0	0	0	-	0	-	0
Acute without mention of hemorrhage or perforation (533.3)	0	0	0	0	0	-	-	-	-
Chronic or unspecified with hemorrhage (533.4)	0.5	0.6	0.5	0.6	0.6	0.3	0.2	0.4	0.3
Chronic or unspecified with perforation (533.5)	0.2	0.2	0.3	0.2	0.3	0.2	0.1	0.2	0.2
Chronic or unspecified with hemorrhage and perforation (533.6)	0	0	0	0	0	0	0	0	0
Chronic without mention of hemorrhage or perforation (533.7)	0	0	0	0	0	0	0	0	0
Unspecified as acute or chronic without mention of hemorrhage or perforation (533.9)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Gastrojejunal ulcer (534)	0	0	0	0	0	0	0	0	0
Acute with hemorrhage (534.0)	0	0	-	0	-	-	-	-	-
Acute with perforation (534.1)	0	0	-	0	-	-	-	-	-
Acute with hemorrhage and perforation (534.2)	-	-	-	-	-	-	-	-	-
Acute without mention of hemorrhage or perforation (534.3)	0	0	0	0	0	-	0	-	0
Chronic or unspecified with hemorrhage (534.4)	0	0	0	0	0	0	-	0	-
Chronic or unspecified with perforation (534.5)	0	0	0	0	0	0	-	0	-
Chronic or unspecified with hemorrhage and perforation (534.6)	0	0	-	-	-	-	-	-	-
Chronic without mention of hemorrhage or perforation (534.7)	0	0	0	0	0	0	-	0	-
Unspecified as acute or chronic without mention of hemorrhage or perforation (534.9)	0	0	0	0	0	0	-	0	-
Gastritis and duodenitis (535)	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2
Acute gastritis (535.0)	0	0	0	0	0	0	0	0	0
Atrophic gastritis (535.1)	0	0	0	0	0	0	-	0	-
Gastric mucosal hypertrophy (535.2)	0	0	0	0	0	0	-	0	-
Alcoholic gastritis (535.3)	0	0	0	0	0	0.1	0	0.1	0
Other gastritis (535.4)	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
Unspecified gastritis and gastroduodenitis (535.5)	0	0	0	0	0	0.1	0.1	0.1	0.1
Duodenitis (535.6)	0	0	-	0	-	0	-	0	-
Disorders of function of stomach (536)	0	0	0.1	0	0.1	0	0	0	0
Achlorhydria (536.0)	-	-	-	-	-	-	-	-	-
Acute dilatation of stomach (536.1)	0	0	0	0	0	0	-	0	-
Habit vomiting (536.2)	0	0	0	0	0	0	0	0	0
Dyspepsia and other disorders of function of stomach (536.8)	0	0	0	0	0	0	0	0	0
Unspecified (536.9)	0	0	0	0	0	0	0	0	0
Other disorders of stomach and duodenum (537)	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Adult hypertrophic pyloric stenosis (537.0)	0.1	0	0.1	0.1	0.1	0	0	0	0
Gastric diverticulum (537.1)	0	0	0	0	0	0	-	-	-
Chronic duodenal ileus (537.2)	0	0	0	0	0	0	0	0	0
Other obstruction of duodenum (537.3)	0	0	0	0	0	0	0	0	0
Fistula of stomach or duodenum (537.4)	0	0	-	-	-	-	-	-	-
Gastroparesis (537.5)	0	0	-	-	-	-	-	-	-
Hourglass stricture or stenosis of stomach (537.6)	0	0	0	0	0	0.1	0	0.1	0
Other (537.8)	0	0	0	0	0	0.1	0.1	0.1	0.1
Unspecified (537.9)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Appendicitis (540-543)	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.3
Acute appendicitis (540)	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2
With generalized peritonitis (540.0)	0	0	0	0	0	0	0	0	0
With peritoneal abscess (540.1)	0	0	0	0	0	0	0	0	0
Without mention of peritonitis (540.9)	0	0	0	0	0	0	0	0	0
Appendicitis, unqualified (541)	0	0	0	0	0	0.1	0	0.1	0
Other appendicitis (542)	0	0	0	0	0	-	-	-	-
Other diseases of appendix (543)	0	0	0	0	0	-	-	-	-
Hernia of abdominal cavity (550-553)	0.6	0.5	0.7	0.5	0.7	0.4	0.4	0.4	0.4
Inguinal hernia (550)	0.1	0.2	0	0.2	0	0.2	0	0.2	0
Inguinal hernia with gangrene (550.0)	0	0	0	0	0	0	0	0	0
Inguinal hernia with obstruction without mention of gangrene (550.1)	0.1	0.1	0	0.1	0	0.1	0	0.1	0
Inguinal hernia without mention of obstruction or gangrene (550.9)	0	0	0	0	0	0	0	0	0
Other hernia of abdominal cavity, with gangrene (551)	0	0	0.1	0	0.1	0	0	0	0
Femoral with gangrene (551.0)	0	0	0	0	0	0	0	0	0
Umbilical with gangrene (551.1)	0	0	0	0	0	0	0	0	0
Ventral (incisional) with gangrene (551.2)	0	0	0	0	0	0	0	0	0
Diaphragmatic with gangrene (551.3)	0	0	0	0	0	0	0	0	0
Of other specified sites with gangrene (551.8)	0	0	0	0	0	0	0	0	0
Of unspecified site with gangrene (551.9)	0	0	0	0	0	0	0	0	0
Other hernia of abdominal cavity with obstruction, without mention of gangrene (552)	0.2	0.1	0.3	0.1	0.3	0.1	0.2	0.1	0.2
Femoral with obstruction (552.0)	0	0	0	0	0	0	0	0	0
Umbilical with obstruction (552.1)	0	0	0	0	0	0	0	0	0
Ventral (incisional) with obstruction (552.2)	0.1	0	0.1	0	0.1	0	0.1	0	0.1
Diaphragmatic with obstruction (552.3)	0	0	0	0	0	0	0	0	0
Of other specified sites with obstruction (552.8)	0	0	0	0	0	0	0	0	0
Of unspecified site with obstruction (552.9)	0.1	0.1	0.1	0.1	0.1	0	0	0	0
Other hernia of abdominal cavity without mention of obstruction or gangrene (553)	0.2	0.2	0.3	0.2	0.3	0	0.2	0	0.2
Femoral (553.0)	0	0	0	0	0	0	0	0	0
Umbilical (553.1)	0	0	0	0	0	0	0	0	0
Ventral (incisional) (553.2)	0	0	0.1	0	0.1	0	0.1	0	0.1
Diaphragmatic (553.3)	0.1	0.1	0.2	0	0.2	0	0	0	0
Of other specified sites (553.8)	0	0	0	0	0	0	0	0	0
Of unspecified site (553.9)	0	0	0	0	0	0	0	0	0
Noninfective enteritis and colitis (555-558)	3.2	2.5	3.8	2.6	4.1	2.0	2.0	2.2	2.3
Regional enteritis (555)	0.1	0.1	0.2	0.1	0.2	0	0.1	0.1	0.1

SECTION 1 - GENERAL MORTALITY - PAGE 158

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Regional enteritis-Con.									
Small intestine (555.0)	18	8	10	8	9	-	1	-	1
Large intestine (555.1)	37	12	25	10	22	2	3	2	2
Small intestine with large intestine (555.2)	1	1	-	1	-	-	-	-	-
Unspecified site (555.9)	276	98	178	92	170	6	8	6	8
Idiopathic proctocolitis (556)	296	145	151	127	138	18	13	16	12
Vascular insufficiency of intestine (557)	5,998	2,319	3,679	2,057	3,395	262	284	231	267
Acute (557.0)	4,584	1,765	2,819	1,585	2,610	180	209	158	196
Chronic (557.1)	281	111	170	100	159	11	11	10	11
Unspecified (557.9)	1,133	443	690	372	626	71	64	63	60
Other noninfective gastroenteritis and colitis (558)	995	357	638	305	570	52	68	47	62
Other diseases of intestines and peritoneum (560-569)	10,682	4,033	6,649	3,415	5,932	618	717	573	689
Intestinal obstruction without mention of hernia (560)	3,970	1,467	2,503	1,199	2,224	268	279	252	269
Intussusception (560.0)	27	15	12	10	8	5	4	4	4
Paralytic ileus (560.1)	242	93	149	79	135	14	14	13	14
Volvulus (560.2)	592	297	295	233	260	64	35	60	33
Impaction of intestine (560.3)	147	49	98	44	87	5	11	5	11
Other intestinal obstruction (560.8)	356	120	236	96	211	24	25	22	25
Unspecified intestinal obstruction (560.9)	2,606	893	1,713	737	1,523	156	190	148	182
Diverticula of intestine (562)	2,933	913	2,020	834	1,858	79	162	74	157
Small intestine (562.0)	37	12	25	11	23	1	2	1	2
Colon (562.1)	2,896	901	1,995	823	1,835	78	160	73	155
Functional digestive disorders, not elsewhere classified (564)	168	67	101	56	90	11	11	9	10
Constipation (564.0)	31	14	17	12	14	2	3	1	3
Irritable colon (564.1)	63	27	36	24	32	3	4	2	4
Other postoperative functional disorders (564.4)	-	-	-	-	-	-	-	-	-
Functional diarrhea (564.5)	-	-	-	-	-	-	-	-	-
Anal spasm (564.6)	-	-	-	-	-	-	-	-	-
Megacolon, other than Hirschsprung's (564.7)	41	15	28	12	25	3	1	3	1
Other functional disorders of intestine (564.8)	27	10	17	8	16	2	1	2	1
Unspecified (564.9)	6	1	5	-	3	1	2	1	1
Anal fissure and fistula (565)	25	10	15	6	12	4	3	4	3
Anal fissure (565.0)	3	1	2	-	2	1	-	1	-
Anal fistula (565.1)	22	9	13	6	10	3	3	3	3
Abscess of anal and rectal regions (566)	143	57	86	50	75	7	11	7	11
Peritonitis (567)	1,342	641	701	531	587	110	114	100	111
Pneumococcal peritonitis (567.1)	2	1	1	1	1	-	-	-	-
Other suppurative peritonitis (567.2)	481	263	218	216	173	47	45	43	42
Other peritonitis (567.8)	11	6	5	6	4	-	1	-	1
Unspecified (567.9)	846	371	477	308	409	63	68	57	68
Other disorders of peritoneum (568)	249	117	132	95	108	22	24	21	22
Peritoneal adhesions (568.0)	157	71	86	59	76	12	10	12	8
Other (568.8)	82	42	40	32	28	10	12	9	12
Unspecified (568.9)	10	4	6	4	4	-	2	-	2
Other disorders of intestine (569)	1,852	761	1,091	644	978	117	113	106	106
Anal and rectal polyp (569.0)	1	-	-	1	-	-	-	-	-
Rectal prolapse (569.1)	23	4	19	4	19	-	-	-	-
Stenosis of rectum and anus (569.2)	3	2	1	1	1	-	-	-	-
Hemorrhage of rectum and anus (569.3)	83	29	54	21	49	1	-	1	-
Other disorders of rectum and anus (569.4)	58	32	26	25	23	7	5	7	5
Abscess of intestine (569.5)	29	11	18	9	23	3	3	7	3
Other (569.8)	1,256	514	742	436	673	78	69	68	65
Unspecified (569.9)	399	168	231	147	195	21	36	21	33
Other diseases of digestive system (570-579)	45,012	26,642	18,370	22,248	15,407	4,394	2,963	3,939	2,637
Acute and subacute necrosis of liver (570)	443	228	215	185	174	43	41	37	37
Chronic liver disease and cirrhosis (571)	26,767	17,244	9,523	14,321	7,871	2,923	1,652	2,616	1,439
Alcoholic fatty liver (571.0)	1,077	779	298	405	156	374	142	361	138
Acute alcoholic hepatitis (571.1)	766	506	260	420	201	86	59	83	52
Alcoholic cirrhosis of liver (571.2)	7,466	5,338	2,128	4,468	1,680	870	448	775	392
Alcoholic liver damage, unspecified (571.3)	1,979	1,506	473	1,182	329	344	144	305	120
Chronic hepatitis (571.4)	888	384	504	340	449	44	55	34	44
Cirrhosis of liver without mention of alcohol (571.5)	12,910	7,841	5,069	6,884	4,417	957	652	828	568
Biliary cirrhosis (571.6)	423	74	349	84	326	10	23	9	12
Other chronic nonalcoholic liver disease (571.8)	976	642	334	436	224	206	110	196	100
Unspecified chronic liver disease without mention of alcohol (571.9)	282	174	108	142	89	32	19	25	15
Liver abscess and sequelae of chronic liver disease (572)	3,876	2,275	1,601	1,870	1,260	405	341	374	313
Abscess of liver (572.0)	180	95	85	73	65	22	20	18	17
Portal pyemia (572.1)	3	1	2	1	1	-	1	-	1
Hepatic coma (572.2)	492	290	202	231	154	59	48	53	46
Portal hypertension (572.3)	160	101	59	81	51	20	8	20	7
Hepatorenal syndrome (572.4)	700	449	251	373	209	76	42	72	39
Other sequelae of chronic liver disease (572.8)	2,341	1,339	1,002	1,111	780	228	222	211	203
Other disorders of liver (573)	1,464	871	593	710	452	181	141	141	132
Chronic passive congestion of liver (573.0)	26	15	11	12	7	3	4	3	4
Hepatitis unspecified (573.3)	600	336	264	293	214	43	50	33	48
Hepatic infarction (573.4)	28	15	13	10	11	5	2	5	1
Other (573.8)	165	93	72	78	57	15	15	13	14
Unspecified (573.9)	645	412	233	317	183	95	70	87	65
Cholelithiasis (574)	1,302	573	729	520	656	53	73	45	60
Calculus of gallbladder with acute cholecystitis (574.0)	157	65	92	60	81	5	11	5	10
Calculus of gallbladder with other cholecystitis (574.1)	266	119	147	109	129	10	18	10	14

SECTION 1 - GENERAL MORTALITY - PAGE 159

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Regional enteritis-Con.									
Small intestine (555.0)	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0
Large intestine (555.1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Small intestine with large intestine (555.2)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Unspecified site (555.9)	.1	.1	.1	.1	.2	0	0	0	.1
Idiopathic proctocolitis (556)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Vascular insufficiency of intestine (557)	2.5	2.0	3.0	2.1	3.3	1.5	1.5	1.7	1.8
Acute (557.0)	1.9	1.5	2.3	1.6	2.5	1.0	1.1	1.2	1.3
Chronic (557.1)	.1	.1	.1	.1	.2	.1	.1	.1	.1
Unspecified (557.9)	.5	.4	.6	.4	.6	.4	.3	.5	.4
Other noninfective gastroenteritis and colitis (559)	.4	.3	.5	.3	.5	.3	.4	.3	.4
Other diseases of intestines and peritoneum (560-569)	4.5	3.5	5.4	3.4	5.7	3.6	3.8	4.2	4.5
Intestinal obstruction without mention of hernia (560)	1.7	1.3	2.0	1.2	2.1	1.6	1.5	1.8	1.8
Intussusception (560.0)	0	0	0	0	0	0	0	0	0
Paralytic ileus (560.1)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Volvulus (560.2)	.2	.3	.2	.2	.3	.4	.2	.4	.2
Impaction of intestine (560.3)	.1	0	.1	0	.1	0	.1	0	.1
Other intestinal obstruction (560.8)	.1	.1	.2	.1	.2	.1	.1	.2	.2
Unspecified intestinal obstruction (560.9)	1.1	.8	1.4	.7	1.5	.9	1.0	1.1	1.2
Diverticula of intestine (562)	1.2	.8	1.6	.8	1.8	.5	.9	.5	1.0
Small intestine (562.0)	0	0	0	0	0	0	0	0	0
Colon (562.1)	1.2	.8	1.6	.8	1.8	.5	.9	.5	1.0
Functional digestive disorders, not elsewhere classified (564)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Constipation (564.0)	0	0	0	0	0	0	0	0	0
Irritable colon (564.1)	0	0	0	0	0	0	0	0	0
Other postoperative functional disorders (564.4)	-	-	-	-	-	-	-	-	-
Functional diarrhea (564.5)	-	-	-	-	-	-	-	-	-
Anal spasm (564.6)	-	-	-	-	-	-	-	-	-
Megacolon, other than Hirschsprung's (564.7)	0	0	0	0	0	0	0	0	0
Other functional disorders of intestine (564.8)	0	0	0	0	0	0	0	0	0
Unspecified (564.9)	0	0	0	0	0	0	0	0	0
Anal fissure and fistula (565)	0	0	0	0	0	0	0	0	0
Anal fissure (565.0)	0	0	0	0	0	0	0	0	0
Anal fistula (565.1)	0	0	0	0	0	0	0	0	0
Abscess of anal and rectal regions (566)	.1	0	.1	.1	.1	0	.1	.1	.1
Peritonitis (567)	.6	.6	.6	.5	.6	.6	.6	.7	.7
Pneumococcal peritonitis (567.1)	0	0	0	0	0	-	-	-	-
Other suppurative peritonitis (567.2)	.2	.2	.2	.2	.2	.3	.2	.3	.3
Other peritonitis (567.8)	0	0	0	0	0	-	0	-	0
Unspecified (567.9)	.4	.3	.4	.3	.4	.4	.4	.4	.4
Other disorders of peritoneum (568)	.1	.1	.1	.1	.1	.1	.1	.2	.1
Peritoneal adhesions (568.0)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Other (568.8)	0	0	0	0	0	.1	.1	.1	.1
Unspecified (568.9)	0	0	0	0	0	-	0	-	0
Other disorders of intestine (569)	.8	.7	.9	.7	.9	.7	.6	.8	.7
Anal and rectal polyp (569.0)	0	0	0	0	0	-	-	-	-
Rectal prolapse (569.1)	0	0	0	0	0	-	-	-	-
Stenosis of rectum and anus (569.2)	0	0	0	0	0	0	0	.1	0
Hemorrhage of rectum and anus (569.3)	0	0	0	0	0	0	0	.1	0
Other disorders of rectum and anus (569.4)	0	0	0	0	0	0	-	0	-
Abscess of intestine (569.5)	.5	.4	.6	.4	.6	.5	.4	.5	.4
Other (569.8)	.2	.1	.2	.1	.2	.1	.2	.2	.2
Unspecified (569.9)									
Other diseases of digestive system (570-579)	18.9	22.9	15.0	22.5	14.8	25.6	15.7	28.8	17.3
Acute and subacute necrosis of liver (570)	.2	.2	.2	.2	.2	.3	.2	.3	.2
Chronic liver disease and cirrhosis (571)	11.2	14.8	7.8	14.5	7.6	17.0	8.8	19.1	9.5
Alcoholic fatty liver (571.0)	.5	.7	.2	.4	.2	2.2	.8	2.6	.9
Acute alcoholic hepatitis (571.1)	.3	.4	.2	.4	.2	.5	.3	.6	.3
Alcoholic cirrhosis of liver (571.2)	3.1	4.6	1.7	4.5	1.6	5.1	2.4	5.7	2.6
Alcoholic liver damage, unspecified (571.3)	.8	1.3	.4	1.2	.3	2.0	.8	2.2	.8
Chronic hepatitis (571.4)	.4	.3	.4	.3	.4	.3	.3	.2	.3
Cirrhosis of liver without mention of alcohol (571.5)	5.4	6.8	4.1	7.0	4.3	5.6	3.5	6.1	3.7
Biliary cirrhosis (571.6)	.2	.1	.3	.1	.3	.1	.1	.1	.1
Other chronic nonalcoholic liver disease (571.8)	.4	.6	.3	.4	.2	1.2	.6	1.4	.7
Unspecified chronic liver disease without mention of alcohol (571.9)	.1	.1	.1	.1	.1	.2	.1	.2	.1
Liver abscess and sequelae of chronic liver disease (572)	1.6	2.0	1.3	1.9	1.2	2.4	1.8	2.7	2.1
Abscess of liver (572.0)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Portal pyemia (572.1)	0	0	0	0	0	-	0	-	0
Hepatic coma (572.2)	.2	.2	.2	.2	.2	.3	.3	.4	.3
Portal hypertension (572.3)	.1	.1	0	.1	0	.1	0	.1	0
Hepatorenal syndrome (572.4)	.3	.4	.2	.4	.2	.4	.2	.5	.3
Other sequelae of chronic liver disease (572.8)	1.0	1.2	.8	1.1	.8	1.3	1.2	1.5	1.3
Other disorders of liver (573)	.6	.7	.5	.7	.4	.9	.7	1.0	.9
Chronic passive congestion of liver (573.0)	0	0	0	0	0	0	0	0	0
Hepatitis unspecified (573.3)	.3	.3	.2	.3	.2	.3	.3	.2	.3
Hepatic infarction (573.4)	0	0	0	0	0	0	0	0	0
Other (573.8)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Unspecified (573.9)	.3	.4	.2	.3	.2	.6	.4	.6	.4
Cholelithiasis (574)	.5	.5	.6	.5	.6	.3	.4	.3	.4
Calculus of gallbladder with acute cholecystitis (574.0)	.1	.1	.1	.1	.1	0	.1	0	.1
Calculus of gallbladder with other cholecystitis (574.1)	.1	.1	.1	.1	.1	.1	.1	.1	.1

SECTION 1 - GENERAL MORTALITY - PAGE 160

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Cholelithiasis-Con.									
Calculus of gallbladder without mention of cholecystitis (574.2)	556	246	310	221	282	25	28	22	24
Calculus of bile duct with acute cholecystitis (574.3)	25	10	15	9	14	1	1	1	-
Calculus of bile duct with other cholecystitis (574.4)	28	14	14	12	11	2	3	1	3
Calculus of bile duct without mention of cholecystitis (574.5)	270	119	151	109	139	10	12	6	9
Other disorders of gallbladder (575)	1,673	795	878	709	775	86	103	73	92
Acute cholecystitis (575.0)	674	354	320	310	282	44	38	39	36
Other cholecystitis (575.1)	459	184	275	162	241	22	34	17	28
Obstruction of gallbladder (575.2)	3	1	2	1	2	-	-	-	-
Hydrops of gallbladder (575.3)	12	4	8	4	8	-	-	-	-
Perforation of gallbladder (575.4)	96	55	41	50	40	5	1	4	1
Fistula of gallbladder (575.5)	14	6	8	6	6	-	2	-	2
Cholesterosis of gallbladder (575.6)	-	-	-	-	-	-	-	-	-
Other (575.8)	28	17	11	15	8	2	3	2	3
Unspecified (575.9)	387	174	213	161	188	13	25	11	22
Other disorders of biliary tract (576)	979	454	525	398	463	56	62	45	52
Cholangitis (576.1)	424	198	226	172	200	26	26	19	24
Obstruction of bile duct (576.2)	281	133	148	121	130	12	18	11	14
Perforation of bile duct (576.3)	3	1	2	1	2	-	-	-	-
Fistula of bile duct (576.4)	9	4	5	4	5	-	-	-	-
Spasm of sphincter of Oddi (576.5)	-	-	-	-	-	-	-	-	-
Other (576.8)	221	100	121	85	105	15	16	12	13
Unspecified (576.9)	41	18	23	15	21	3	2	3	1
Diseases of pancreas (577)	2,679	1,479	1,200	1,191	1,004	288	196	267	178
Acute pancreatitis (577.0)	2,236	1,225	1,011	1,015	854	210	157	194	143
Chronic pancreatitis (577.1)	237	141	96	83	75	58	21	55	19
Cyst and pseudocyst of pancreas (577.2)	88	55	33	45	28	10	5	10	4
Other diseases of pancreas (577.8)	65	31	34	25	27	6	7	4	7
Unspecified (577.9)	53	27	26	23	20	4	6	4	6
Gastrointestinal hemorrhage (578)	5,710	2,684	3,026	2,308	2,677	376	349	338	328
Hematemesis (578.0)	30	12	18	11	14	1	4	1	4
Melena (578.1)	9	3	6	3	6	-	-	-	-
Hemorrhage of gastrointestinal tract, unspecified (578.9)	5,671	2,669	3,002	2,294	2,657	375	345	337	324
Intestinal malabsorption (579)	119	39	80	36	75	3	5	3	5
Celiac disease (579.0)	12	7	5	7	5	-	-	-	-
Tropical sprue (579.1)	6	4	2	4	2	-	-	-	-
Pancreatic steatorrhea (579.4)	-	-	-	-	-	-	-	-	-
Other (579.8)	6	3	3	3	2	-	1	-	1
Unspecified (579.9)	95	25	70	22	66	3	4	3	4
X. Diseases of the genitourinary system (580-629)									
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,349	10,551	10,798	8,482	8,564	2,069	2,234	1,935	2,105
Acute glomerulonephritis (580)	121	56	65	48	57	8	8	6	7
With lesion of proliferative glomerulonephritis (580.0)	1	-	1	-	1	-	-	-	-
With lesion of rapidly progressive glomerulonephritis (580.4)	-	-	-	-	-	-	-	-	-
With other specified pathological lesion in kidney (580.8)	5	2	3	2	3	-	-	-	-
Unspecified (580.9)	115	54	61	46	53	8	8	6	7
Nephrotic syndrome (581)	227	103	124	82	99	21	25	21	24
With lesion of proliferative glomerulonephritis (581.0)	-	-	-	-	-	-	-	-	-
With lesion of membranous glomerulonephritis (581.1)	2	2	-	2	-	-	-	-	-
With lesion of membranoproliferative glomerulonephritis (581.2)	-	-	-	-	-	-	-	-	-
With lesion of minimal change glomerulonephritis (581.3)	2	2	-	2	-	-	-	-	-
With other specified pathological lesion in kidney (581.8)	1	-	1	-	1	-	-	-	-
Unspecified (581.9)	222	99	123	78	98	21	25	21	24
Chronic glomerulonephritis (582)	1,112	545	567	412	445	133	122	128	116
With lesion of proliferative glomerulonephritis (582.0)	1	-	1	-	1	-	-	-	-
With lesion of membranous glomerulonephritis (582.1)	2	1	1	1	-	-	1	-	1
With lesion of membranoproliferative glomerulonephritis (582.2)	-	-	-	-	-	-	-	-	-
With lesion of rapidly progressive glomerulonephritis (582.4)	-	-	-	-	-	-	-	-	-
With other specified pathological lesion in kidney (582.8)	45	17	28	15	25	2	3	2	3
Unspecified (582.9)	1,064	527	537	396	419	131	118	126	112
Nephritis and nephropathy, not specified as acute or chronic (583)	406	197	209	170	187	27	22	24	15
With lesion of proliferative glomerulonephritis (583.0)	6	5	1	4	1	1	-	1	-
With lesion of membranous glomerulonephritis (583.1)	21	12	9	11	8	1	1	1	-
With lesion of membranoproliferative glomerulonephritis (583.2)	12	5	7	5	7	-	-	-	-
With lesion of rapidly progressive glomerulonephritis (583.4)	9	4	5	4	5	-	-	-	-
With lesion of renal cortical necrosis (583.6)	4	1	3	1	3	-	-	-	-
With lesion of renal medullary necrosis (583.7)	6	-	6	-	6	-	-	-	-
With other specified pathological lesion in kidney (583.8)	79	37	42	30	37	7	5	7	3
With unspecified pathological lesion in kidney (583.9)	269	133	136	115	120	18	16	15	12
Acute renal failure (584)	3,862	1,866	1,796	1,524	1,508	342	288	315	270
With lesion of tubular necrosis (584.5)	333	170	163	153	142	17	21	13	20
With lesion of renal cortical necrosis (584.6)	3	1	2	1	2	-	-	-	-
With lesion of renal medullary (papillary) necrosis (584.7)	8	4	4	3	4	1	-	1	-
With other specified pathological lesion in kidney (584.8)	1	-	1	-	1	-	-	-	-
Unspecified (584.9)	3,317	1,691	1,626	1,367	1,359	324	267	301	250
Chronic renal failure (585)	4,817	2,453	2,364	1,866	1,663	587	701	555	681
Renal failure, unspecified (586)	10,908	5,288	5,620	4,346	4,562	942	1,058	877	1,006
Renal sclerosis, unspecified (587)	47	28	19	25	17	3	2	3	2
Disorders resulting from impaired renal function (588)	46	14	32	9	24	5	8	5	6
Renal osteodystrophy (588.0)	10	4	6	3	5	1	1	1	1
Nephrogenic diabetes insipidus (588.1)	3	3	-	3	-	-	-	-	-
Other (588.8)	33	7	26	3	19	4	7	4	7
Unspecified (588.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 161

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Cholelithiasis-Con.									
Calculus of gallbladder without mention of cholecystitis (574.2)	0.2	0.2	0.3	0.2	0.3	0.1	0.1	0.2	0.2
Calculus of bile duct with acute cholecystitis (574.3)	0	0	0	0	0	0	0	0	0
Calculus of bile duct with other cholecystitis (574.4)	0	0	0	0	0	0	0	0	0
Calculus of bile duct without mention of cholecystitis (574.5)	.1	.1	.1	.1	.1	.1	.1	.0	.1
Other disorders of gallbladder (575)	.7	.7	.7	.7	.7	.5	.5	.5	.6
Acute cholecystitis (575.0)	.3	.3	.3	.3	.3	.3	.2	.3	.2
Other cholecystitis (575.1)	.2	.2	.2	.2	.2	.1	.2	.1	.2
Obstruction of gallbladder (575.2)	0	0	0	0	0	-	-	-	-
Obstruction of gallbladder (575.3)	0	0	0	0	0	-	-	-	-
Hydrops of gallbladder (575.4)	0	0	0	.1	0	0	0	0	0
Perforation of gallbladder (575.5)	0	0	0	0	0	-	-	-	-
Fistula of gallbladder (575.6)	0	0	0	0	0	-	-	-	-
Cholesterolosis of gallbladder (575.6)	0	0	0	0	0	0	0	0	0
Other (575.8)	0	0	0	0	0	0	0	0	0
Unspecified (575.9)	.2	.1	.2	.2	.2	.1	.1	.1	.1
Other disorders of biliary tract (576)	.4	.4	.4	.4	.4	.3	.3	.3	.3
Cholangitis (576.1)	.2	.2	.2	.2	.2	.2	.1	.1	.2
Obstruction of bile duct (576.2)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Perforation of bile duct (576.3)	0	0	0	0	0	-	-	-	-
Fistula of bile duct (576.4)	0	0	0	0	0	-	-	-	-
Spasm of sphincter of Oddi (576.5)	0	0	0	0	0	-	-	-	-
Other (576.8)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Unspecified (576.9)	0	0	0	0	0	0	0	0	0
Diseases of pancreas (577)	1.1	1.3	1.0	1.2	1.0	1.7	1.0	2.0	1.2
Acute pancreatitis (577.0)	.9	1.1	.8	1.0	.8	1.2	.8	1.4	.9
Chronic pancreatitis (577.1)	.1	.1	.1	.1	.1	.3	.1	.4	.1
Cyst and pseudocyst of pancreas (577.2)	0	0	0	0	0	.1	0	.1	0
Other diseases of pancreas (577.8)	0	0	0	0	0	0	0	0	0
Unspecified (577.9)	0	0	0	0	0	0	0	0	0
Gastrointestinal hemorrhage (578)	2.4	2.3	2.5	2.3	2.6	2.2	1.9	2.5	2.2
Hematemesis (578.0)	0	0	0	0	0	0	0	0	0
Melena (578.1)	0	0	0	0	0	-	-	-	-
Hemorrhage of gastrointestinal tract, unspecified (578.9)	2.4	2.3	2.4	2.3	2.6	2.2	1.8	2.5	2.1
Intestinal malabsorption (579)	0	0	.1	0	.1	0	0	0	0
Celiac disease (579.0)	0	0	0	0	0	-	-	-	-
Tropical sprue (579.1)	0	0	0	0	0	-	-	-	-
Pancreatic steatorrhea (579.4)	0	0	0	0	0	-	-	-	0
Other (579.8)	0	0	0	0	0	-	-	-	0
Unspecified (579.9)	0	0	.1	0	.1	0	0	0	0
X. Diseases of the genitourinary system (580-529)									
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8.9	9.1	8.8	8.6	8.3	12.1	11.9	14.1	13.9
Acute glomerulonephritis (580)	.1	0	.1	0	.1	0	0	0	0
With lesion of proliferative glomerulonephritis (580.0)	0	0	0	0	0	-	-	-	-
With lesion of rapidly progressive glomerulonephritis (580.4)	0	0	0	0	0	-	-	-	-
With other specified pathological lesion in kidney (580.8)	0	0	0	0	.1	0	0	0	0
Unspecified (580.9)	0	0	0	0	0	0	0	0	0
Nephrotic syndrome (581)	.1	.1	.1	.1	.1	.1	.1	.2	.2
With lesion of proliferative glomerulonephritis (581.0)	0	0	0	0	0	-	-	-	-
With lesion of membranous glomerulonephritis (581.1)	0	0	0	0	0	-	-	-	-
With lesion of membranoproliferative glomerulonephritis (581.2)	0	0	0	0	0	-	-	-	-
With lesion of minimal change glomerulonephritis (581.3)	0	0	0	0	0	-	-	-	-
With other specified pathological lesion in kidney (581.8)	0	0	0	0	0	-	-	-	-
Unspecified (581.9)	.1	.1	.1	.1	.1	.1	.1	.2	.2
Chronic glomerulonephritis (582)	.5	.5	.5	.4	.4	.8	.6	.9	.8
With lesion of proliferative glomerulonephritis (582.0)	0	0	0	0	0	-	-	-	-
With lesion of membranous glomerulonephritis (582.1)	0	0	0	0	0	-	-	-	-
With lesion of membranoproliferative glomerulonephritis (582.2)	0	0	0	0	0	-	-	-	-
With lesion of rapidly progressive glomerulonephritis (582.4)	0	0	0	0	0	0	0	0	0
With other specified pathological lesion in kidney (582.8)	0	0	0	0	0	0	0	0	0
Unspecified (582.9)	.4	.5	.4	.4	.4	.8	.6	.9	.7
Nephritis and nephropathy, not specified as acute or chronic (583)	.2	.2	.2	.2	.2	.2	.1	.2	.1
With lesion of proliferative glomerulonephritis (583.0)	0	0	0	0	0	0	0	0	0
With lesion of membranous glomerulonephritis (583.1)	0	0	0	0	0	0	0	0	0
With lesion of membranoproliferative glomerulonephritis (583.2)	0	0	0	0	0	0	0	0	0
With lesion of rapidly progressive glomerulonephritis (583.4)	0	0	0	0	0	0	0	0	0
With lesion of renal cortical necrosis (583.6)	0	0	0	0	0	0	0	0	0
With lesion of renal medullary necrosis (583.7)	0	0	0	0	0	0	0	0	0
With other specified pathological lesion in kidney (583.8)	0	0	0	0	0	0	0	0	0
With unspecified pathological lesion in kidney (583.9)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Acute renal failure (584)	1.5	1.6	1.5	1.5	1.5	2.0	1.5	2.3	1.8
With lesion of tubular necrosis (584.5)	.1	.1	.1	.2	.1	.1	.1	.1	.1
With lesion of renal cortical necrosis (584.8)	0	0	0	0	0	-	-	-	-
With lesion of renal medullary (papillary) necrosis (584.7)	0	0	0	0	0	0	0	0	0
With other specified pathological lesion in kidney (584.8)	0	0	0	0	0	0	0	0	0
Unspecified (584.9)	1.4	1.5	1.3	1.4	1.3	1.9	1.4	2.2	1.6
Chronic renal failure (585)	2.0	2.1	1.9	1.9	1.6	3.4	3.7	4.1	4.3
Renal failure, unspecified (586)	4.6	4.6	4.6	4.4	4.4	5.5	5.6	6.4	6.6
Renal sclerosis, unspecified (587)	0	0	0	0	0	0	0	0	0
Disorders resulting from impaired renal function (588)	0	0	0	0	0	0	0	0	0
Renal osteodystrophy (588.0)	0	0	0	0	0	0	0	0	0
Nephrogenic diabetes insipidus (588.1)	0	0	0	0	0	0	0	0	0
Other (588.8)	0	0	0	0	0	0	0	0	0
Unspecified (588.9)	0	0	0	0	0	0	0	0	0

SECTION 1 - GENERAL MORTALITY - PAGE 162

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Nephritis, nephrotic syndrome, and nephrosis-Con.									
Small kidney of unknown cause (589)	3	1	2	-	2	1	-	1	-
Unilateral (589.0)	-	-	-	-	-	-	-	-	-
Bilateral (589.1)	1	-	1	-	1	-	-	-	-
Unspecified (589.9)	2	1	1	-	1	1	-	1	-
Other diseases of urinary system (590-599)	14,486	5,951	8,535	4,924	7,275	1,027	1,260	968	1,178
Infections of kidney (590)	1,982	691	1,291	582	1,126	109	165	103	146
Chronic pyelonephritis and chronic pyonephrosis (590.0)	559	201	358	166	304	35	54	35	51
Acute pyelonephritis and acute pyonephrosis (590.1)	393	148	245	130	210	18	35	18	27
Renal and perinephric abscess (590.2)	108	34	74	23	63	11	11	9	11
Pyeloureteritis cystica (590.3)	-	-	-	-	-	-	-	-	-
Pyelonephritis or pyonephrosis, not specified as acute or chronic (590.8)	870	282	588	239	525	43	63	39	55
Infection of kidney, unspecified (590.9)	52	26	26	24	24	2	2	2	2
Hydronephrosis (591)	75	40	35	33	28	7	7	7	6
Calculus of kidney and ureter (592)	389	155	234	127	204	28	30	21	28
Calculus of kidney (592.0)	334	123	211	101	186	22	25	15	24
Calculus of ureter (592.1)	36	24	12	20	9	4	3	4	2
Urinary calculus, unspecified (592.9)	19	8	11	6	9	2	2	2	2
Other disorders of kidney and ureter (593)	2,211	1,125	1,086	815	787	310	289	295	281
Nephrotosis (593.0)	1	1	-	1	-	-	-	-	-
Hypertrophy of kidney (593.1)	-	-	-	-	-	-	-	-	-
Cyst of kidney, acquired (593.2)	4	1	3	1	1	-	2	-	1
Stricture or kinking of ureter (593.3)	9	6	3	4	3	2	-	2	-
Other ureteric obstruction (593.4)	87	52	35	42	31	10	4	10	3
Hydroureter (593.5)	3	3	-	3	-	-	-	-	-
Postural proteinuria (593.6)	1	1	-	1	-	-	-	-	-
Vesicoureteric reflux (593.7)	4	2	2	2	2	-	-	-	-
Other (593.8)	212	94	118	84	109	10	9	10	8
Unspecified (593.9)	1,890	965	925	677	641	288	284	273	269
Calculus of lower urinary tract (594)	11	4	7	3	6	1	1	1	-
Calculus in diverticulum of bladder (594.0)	-	-	-	-	-	-	-	-	-
Other calculus in bladder (594.1)	9	3	6	2	5	1	1	1	-
Calculus in urethra (594.2)	2	1	1	1	1	-	-	-	-
Other lower urinary tract calculus (594.8)	-	-	-	-	-	-	-	-	-
Unspecified (594.9)	-	-	-	-	-	-	-	-	-
Cystitis (595)	202	77	125	63	114	14	11	13	11
Acute cystitis (595.0)	23	5	18	4	17	1	1	1	1
Chronic interstitial cystitis (595.1)	4	-	4	-	4	-	-	-	-
Other chronic cystitis (595.2)	42	14	28	13	27	1	1	1	1
Trigonitis (595.3)	-	-	-	-	-	-	-	-	-
Other (595.8)	11	3	8	3	5	-	3	-	3
Unspecified (595.9)	122	55	67	43	61	12	6	11	6
Other disorders of bladder (596)	200	107	93	91	78	16	15	16	14
Bladder-neck obstruction (596.0)	41	37	4	33	3	4	1	4	1
Intestineovesical fistula (596.1)	86	32	54	30	46	2	8	2	8
Vesical fistula, not elsewhere classified (596.2)	2	2	-	2	-	-	-	-	-
Diverticulum of bladder (596.3)	4	3	1	2	1	1	-	1	-
Atony of bladder (596.4)	11	3	8	2	7	1	1	1	-
Other functional disorders of bladder (596.5)	5	4	1	4	1	-	-	-	-
Rupture of bladder, nontraumatic (596.6)	19	9	10	7	10	2	-	2	-
Hemorrhage into bladder wall (596.7)	-	-	-	-	-	-	-	-	-
Other (596.8)	13	6	7	3	3	3	4	3	4
Unspecified (596.9)	19	11	8	8	7	3	1	3	1
Urethritis, not sexually transmitted, and urethral syndrome (597)	9	9	-	8	-	1	-	1	-
Urethral abscess (597.0)	7	7	-	6	-	1	-	1	-
Other urethritis (597.8)	2	2	-	2	-	-	-	-	-
Urethral stricture (598)	51	43	8	28	8	15	-	15	-
Infective (598.0)	-	-	-	-	-	-	-	-	-
Traumatic (598.1)	-	-	-	-	-	-	-	-	-
Postoperative (598.2)	-	-	-	-	-	-	-	-	-
Other (598.8)	-	-	-	-	-	-	-	-	-
Unspecified (598.9)	51	43	8	28	8	15	-	15	-
Other disorders of urethra and urinary tract (599)	9,356	3,700	5,656	3,174	4,924	526	732	496	692
Urinary tract infection, site not specified (599.0)	9,016	3,453	5,563	2,961	4,840	492	723	462	683
Urethral fistula (599.1)	5	4	1	3	1	1	-	1	-
Urethral diverticulum (599.2)	1	1	-	1	-	-	-	-	-
Urethral caruncle (599.3)	1	-	1	-	-	-	1	-	1
Urethral false passage (599.4)	-	-	-	-	-	-	-	-	-
Prolapsed urethral mucosa (599.5)	-	-	-	-	-	-	-	-	-
Urinary obstruction, unspecified (599.6)	257	207	50	177	47	30	3	30	3
Hematuria (599.7)	37	15	22	13	20	2	2	2	2
Other (599.8)	5	3	2	3	2	-	-	-	-
Unspecified (599.9)	34	17	17	16	14	1	3	1	3
Diseases of male genital organs (600-608)	748	748	...	640	...	108	...	103	...
Hyperplasia of prostate (600)	479	479	...	422	...	57	...	55	...
Inflammatory diseases of prostate (601)	48	48	...	40	...	8	...	8	...
Acute prostatitis (601.0)	7	7	...	6	...	1	...	1	...
Chronic prostatitis (601.1)	9	9	...	8	...	1	...	1	...
Abscess of prostate (601.2)	6	6	...	5	...	1	...	1	...
Prostatocystitis (601.3)	-	-	...	-	...	-	...	-	...
Other (601.8)	1	1	...	1	...	-	...	-	...
Unspecified (601.9)	25	25	...	20	...	5	...	5	...

SECTION 1 - GENERAL MORTALITY - PAGE 163

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Nephritis, nephrotic syndrome, and nephrosis-Con.									
Small kidney of unknown cause (589)	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-
Unilateral (589.0)	-	-	-	-	-	-	-	-	-
Bilateral (589.1)	0	0	0	-	0	-	-	0	-
Unspecified (589.9)	0	0	0	-	0	0	-	-	-
Other diseases of urinary system (590-599)	6.1	5.1	7.0	5.0	7.0	6.0	6.7	7.1	7.8
Infections of kidney (590)8	.6	1.1	.6	1.1	.6	.9	.8	1.0
Chronic pyelonephritis and chronic pyonephrosis (590.0)2	.2	.3	.2	.3	.2	.3	.3	.3
Acute pyelonephritis and acute pyonephrosis (590.1)2	.1	.2	.1	.2	.1	.2	.1	.2
Renal and perinephric abscess (590.2)	0	0	.1	0	.1	.1	-	.1	.1
Pyeloureteritis cystica (590.3)	-	-	-	-	-	-	-	-	-
Pyelonephritis or pyonephrosis, not specified as acute or chronic (590.8)4	.2	.5	.2	.5	.3	.3	.3	.4
Infection of kidney, unspecified (590.9)	0	0	0	0	0	0	0	0	0
Hydronephrosis (591)	0	0	0	0	0	0	0	.1	0
Calculus of kidney and ureter (592)2	.1	.2	.1	.2	.2	.2	.2	.2
Calculus of kidney (592.0)1	.1	.2	.1	.2	.1	.1	.1	.2
Calculus of ureter (592.1)	0	0	0	0	0	0	0	0	0
Urinary calculus, unspecified (592.9)	0	0	0	0	0	0	0	0	0
Other disorders of kidney and ureter (593)9	1.0	.9	.8	.8	1.8	1.6	2.2	1.8
Nephrotosis (593.0)	0	0	-	0	-	-	-	-	-
Hypertrophy of kidney (593.1)	0	0	0	0	0	-	0	-	0
Cyst of kidney, acquired (593.2)	0	0	0	0	0	0	-	0	-
Stricture or kinking of ureter (593.3)	0	0	0	0	0	.1	0	.1	0
Other ureteric obstruction (593.4)	0	0	-	0	-	-	-	-	-
Hydroureter (593.5)	0	0	-	0	-	-	-	-	-
Postural proteinuria (593.6)	0	0	0	0	0	-	-	-	-
Vesicoureteric reflux (593.7)1	.1	.1	.1	.1	.1	.1	.1	.1
Other (593.8)8	.8	.8	.7	.6	1.7	1.5	2.0	1.8
Unspecified (593.9)	0	0	0	0	0	0	0	0	-
Calculus of lower urinary tract (594)	0	0	0	0	0	0	0	0	-
Calculus in diverticulum of bladder (594.0)	0	0	0	0	0	0	0	0	-
Other calculus in bladder (594.1)	0	0	0	0	0	-	-	-	-
Calculus in urethra (594.2)	0	0	0	0	0	-	-	-	-
Other lower urinary tract calculus (594.8)	-	-	-	-	-	-	-	-	-
Unspecified (594.9)	-	-	-	-	-	-	-	-	-
Cystitis (595)1	.1	.1	.1	.1	.1	.1	.1	.1
Acute cystitis (595.0)	0	0	0	0	0	0	0	0	0
Chronic interstitial cystitis (595.1)	0	0	0	0	0	0	0	0	0
Other chronic cystitis (595.2)	0	0	-	-	-	-	-	-	-
Trigonitis (595.3)	0	0	0	0	0	-	0	-	0
Other (595.8)1	0	.1	0	.1	.1	0	.1	0
Unspecified (595.9)	0	0	0	0	0	0	0	0	0
Other disorders of bladder (596)1	.1	.1	.1	.1	.1	.1	.1	.1
Bladder-neck obstruction (596.0)	0	0	0	0	0	0	0	0	.1
Intestinovesical fistula (596.1)	0	0	0	0	0	0	0	0	-
Vesical fistula, not elsewhere classified (596.2)	0	0	0	0	0	0	0	0	-
Diverticulum of bladder (596.3)	0	0	0	0	0	0	0	0	-
Atony of bladder (596.4)	0	0	0	0	0	0	0	0	-
Other functional disorders of bladder (596.5)	0	0	0	0	0	0	0	0	-
Rupture of bladder, nontraumatic (596.6)	0	0	-	-	-	-	-	-	-
Hemorrhage into bladder wall (596.7)	0	0	0	0	0	0	0	0	0
Other (596.8)	0	0	0	0	0	0	0	0	0
Unspecified (596.9)	0	0	0	0	0	0	0	0	0
Urethritis, not sexually transmitted, and urethral syndrome (597)	0	0	-	0	-	0	-	0	-
Urethral abscess (597.0)	0	0	-	0	-	0	-	0	-
Other urethritis (597.8)	0	0	0	0	0	.1	-	.1	-
Urethral stricture (598)	0	0	0	0	0	-	-	-	-
Infective (598.0)	-	-	-	-	-	-	-	-	-
Traumatic (598.1)	-	-	-	-	-	-	-	-	-
Postoperative (598.2)	-	-	-	-	-	-	-	-	-
Other (598.8)	0	0	0	0	0	.1	-	.1	-
Unspecified (598.9)	0	0	0	0	0	-	-	-	-
Other disorders of urethra and urinary tract (599)	3.9	3.2	4.6	3.2	4.7	3.1	3.9	3.6	4.6
Urinary tract infection, site not specified (599.0)	3.8	3.0	4.5	3.0	4.7	2.9	3.8	3.4	4.5
Urethral fistula (599.1)	0	0	0	0	0	0	-	0	-
Urethral diverticulum (599.2)	0	0	0	0	0	-	-	-	0
Urethral caruncle (599.3)	0	0	0	0	0	-	-	-	-
Urethral false passage (599.4)	0	0	0	0	0	-	-	-	-
Prolapsed urethral mucosa (599.5)	0	0	0	0	0	0	0	0	0
Urinary obstruction, unspecified (599.6)1	.2	0	.2	0	.2	0	.2	0
Hematuria (599.7)	0	0	0	0	0	0	0	0	0
Other (599.8)	0	0	0	0	0	0	0	0	0
Unspecified (599.9)	0	0	0	0	0	0	0	0	0
Diseases of male genital organs (600-608)3	.6668	...
Hyperplasia of prostate (600)2	.4434	...
Inflammatory diseases of prostate (601)	0	0	...	0	...	0	...	0	...
Acute prostatitis (601.0)	0	0	...	0	...	0	...	0	...
Chronic prostatitis (601.1)	0	0	...	0	...	0	...	0	...
Abscess of prostate (601.2)	0	0	...	0	...	0	...	0	...
Prostatocystitis (601.3)	0	0	...	0	...	0	...	0	...
Other (601.8)	0	0	...	0	...	0	...	0	...
Unspecified (601.9)	0	0	...	0	...	0	...	0	...

SECTION 1 - GENERAL MORTALITY - PAGE 164

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Diseases of male genital organs-Con.									
Other disorders of prostate (602)	143	143	...	119	...	24	...	23	...
Calculus of prostate (602.0)	2	2	...	2	...	-	...	-	...
Congestion or hemorrhage of prostate (602.1)	2	2	...	1	...	1	...	-	...
Atrophy of prostate (602.2)	-	-	...	-	...	-	...	-	...
Other (602.8)	2	2	...	-	...	2	...	2	...
Unspecified (602.9)	137	137	...	116	...	21	...	21	...
Hydrocele (603)	3	3	...	3	...	-	...	-	...
Encysted hydrocele (603.0)	-	-	...	-	...	-	...	-	...
Infected hydrocele (603.1)	-	-	...	-	...	-	...	-	...
Other (603.8)	-	-	...	-	...	-	...	-	...
Unspecified (603.9)	3	3	...	3	...	-	...	-	...
Orchitis and epididymitis (604)	12	12	...	9	...	3	...	3	...
Orchitis, epididymitis, and epididymo-orchitis, with abscess (604.0)	1	1	...	-	...	1	...	1	...
Orchitis, epididymitis, and epididymo-orchitis, without mention of abscess (604.9)	11	11	...	9	...	2	...	2	...
Redundant prepuce and phimosis (605)	-	-	...	-	...	-	...	-	...
Infertility, male (606)	-	-	...	-	...	-	...	-	...
Disorders of penis (607)	12	12	...	9	...	3	...	3	...
Leukoplakia of penis (607.0)	-	-	...	-	...	-	...	-	...
Balanoposthitis (607.1)	3	3	...	3	...	-	...	-	...
Other inflammatory disorders of penis (607.2)	7	7	...	4	...	3	...	3	...
Priapism (607.3)	1	1	...	1	...	-	...	-	...
Other (607.8)	-	-	...	-	...	-	...	-	...
Unspecified (607.9)	1	1	...	1	...	-	...	-	...
Other disorders of male genital organs (608)	51	51	...	38	...	13	...	11	...
Seminal vesiculitis (608.0)	1	1	...	-	...	1	...	1	...
Spermatocele (608.1)	-	-	...	-	...	-	...	-	...
Torsion of testis (608.2)	-	-	...	-	...	-	...	-	...
Atrophy of testis (608.3)	1	1	...	1	...	-	...	-	...
Other inflammatory disorders of male genital organs (608.4)	33	33	...	25	...	8	...	7	...
Other (608.8)	11	11	...	8	...	3	...	2	...
Unspecified (608.9)	5	5	...	4	...	1	...	1	...
Disorders of breast (610-611)	40	-	40	-	33	-	7	-	7
Benign mammary dysplasias (610)	-	-	-	-	-	-	-	-	-
Solitary cyst of breast (610.0)	-	-	-	-	-	-	-	-	-
Diffuse cystic mastopathy (610.1)	-	-	-	-	-	-	-	-	-
Fibroadenosis of breast (610.2)	-	-	-	-	-	-	-	-	-
Fibrosclerosis of breast (610.3)	-	-	-	-	-	-	-	-	-
Mammary duct ectasia (610.4)	-	-	-	-	-	-	-	-	-
Other (610.8)	-	-	-	-	-	-	-	-	-
Mammary dysplasia, unspecified (610.9)	-	-	-	-	-	-	-	-	-
Other disorders of breast (611)	40	-	40	-	33	-	7	-	7
Inflammatory disease of breast (611.0)	6	-	6	-	2	-	4	-	4
Hypertrophy of breast (611.1)	-	-	-	-	-	-	-	-	-
Fissure of nipple (611.2)	-	-	-	-	-	-	-	-	-
Fat necrosis of breast (611.3)	-	-	-	-	-	-	-	-	-
Atrophy of breast (611.4)	-	-	-	-	-	-	-	-	-
Galactoceles (611.5)	-	...	-	...	-	-	-	...	-
Galactorrhea not associated with childbirth (611.6)	-	...	-	...	-	-	-	...	-
Signs and symptoms in breast (611.7)	-	-	-	-	-	-	-	-	-
Other (611.8)	-	-	-	-	-	-	-	-	-
Unspecified (611.9)	34	-	34	-	31	-	3	-	3
Inflammatory disease of female pelvic organs (614-616)	152	...	152	...	121	...	31	...	31
Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum (614)	126	...	126	...	99	...	27	...	27
Acute salpingitis and oophoritis (614.0)	2	...	2	...	1	...	1	...	1
Chronic salpingitis and oophoritis (614.1)	-	...	-	...	-	...	-	...	-
Salpingitis and oophoritis, not specified as acute, subacute, or chronic (614.2)	15	...	15	...	7	...	8	...	8
Acute parametritis and pelvic cellulitis (614.3)	-	...	-	...	-	...	-	...	-
Chronic or unspecified parametritis and pelvic cellulitis (614.4)	82	...	82	...	70	...	12	...	12
Acute or unspecified pelvic peritonitis, female (614.5)	4	...	4	...	2	...	2	...	2
Pelvic peritoneal adhesions, female (614.6)	6	...	6	...	4	...	2	...	2
Other chronic pelvic peritonitis, female (614.7)	-	...	-	...	-	...	-	...	-
Other specified inflammatory disease of female pelvic organs and tissues (614.8)	1	...	1	...	1	...	-	...	-
Unspecified inflammatory disease of female pelvic organs and tissues (614.9)	16	...	16	...	14	...	2	...	2
Inflammatory diseases of uterus, except cervix (615)	15	...	15	...	13	...	2	...	2
Acute (615.0)	-	...	-	...	-	...	-	...	-
Chronic (615.1)	-	...	-	...	-	...	-	...	-
Unspecified (615.9)	15	...	15	...	13	...	2	...	2
Inflammatory disease of cervix, vagina, and vulva (616)	11	...	11	...	9	...	2	...	2
Cervicitis and endocervicitis (616.0)	2	...	2	...	2	...	-	...	-
Vaginitis and vulvovaginitis (616.1)	4	...	4	...	3	...	1	...	1
Cyst of Bartholin's gland (616.2)	1	...	1	...	1	...	-	...	-
Abscess of Bartholin's gland (616.3)	-	...	-	...	-	...	-	...	-
Other abscess of vulva (616.4)	3	...	3	...	2	...	1	...	1
Ulceration of vulva (616.5)	-	...	-	...	-	...	-	...	-
Other (616.8)	-	...	-	...	-	...	-	...	-
Unspecified (616.9)	1	...	1	...	1	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 165

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

[illegible]

SECTION 1 - GENERAL MORTALITY - PAGE 166

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other disorders of female genital tract (617-629)	113	...	113	...	98	...	15	...	14
Endometriosis (617)	-	...	-	...	-	...	-	...	-
Uterus (617.0)	-	...	-	...	-	...	-	...	-
Ovary (617.1)	-	...	-	...	-	...	-	...	-
Fallopian tube (617.2)	-	...	-	...	-	...	-	...	-
Pelvic peritoneum (617.3)	-	...	-	...	-	...	-	...	-
Rectovaginal septum and vagina (617.4)	-	...	-	...	-	...	-	...	-
Intestine (617.5)	-	...	-	...	-	...	-	...	-
Endometriosis in scar or skin (617.6)	-	...	-	...	-	...	-	...	-
Other specified sites (617.8)	-	...	-	...	-	...	-	...	-
Site unspecified (617.9)	-	...	-	...	-	...	-	...	-
Genital prolapse (618)	9	...	9	...	9	...	-	...	-
Prolapse of vaginal walls without mention of uterine prolapse (618.0)	3	...	3	...	3	...	-	...	-
Uterine prolapse without mention of vaginal wall prolapse (618.1)	3	...	3	...	3	...	-	...	-
Uterovaginal prolapse, incomplete (618.2)	-	...	-	...	-	...	-	...	-
Uterovaginal prolapse, complete (618.3)	1	...	1	...	1	...	-	...	-
Uterovaginal prolapse, unspecified (618.4)	-	...	-	...	-	...	-	...	-
Prolapse of vaginal vault after hysterectomy (618.5)	-	...	-	...	-	...	-	...	-
Vaginal enterocoele, congenital or acquired (618.6)	1	...	1	...	1	...	-	...	-
Old laceration of muscles of pelvic floor (618.7)	-	...	-	...	-	...	-	...	-
Other (618.8)	1	...	1	...	1	...	-	...	-
Unspecified (618.9)	-	...	-	...	-	...	-	...	-
Fistulae involving female genital tract (619)	51	...	51	...	42	...	9	...	8
Urinary - genital tract fistulae, female (619.0)	8	...	8	...	7	...	1	...	1
Digestive - genital tract fistulae, female (619.1)	40	...	40	...	32	...	8	...	7
Genital tract - skin fistulae, female (619.2)	1	...	1	...	1	...	-	...	-
Other (619.8)	-	...	-	...	-	...	-	...	-
Unspecified fistula involving female genital tract (619.9)	2	...	2	...	2	...	-	...	-
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (620)	26	...	26	...	24	...	2	...	2
Follicular cyst of ovary (620.0)	-	...	-	...	-	...	-	...	-
Corpus luteum cyst or hematoma (620.1)	1	...	1	...	1	...	-	...	-
Other and unspecified ovarian cyst (620.2)	17	...	17	...	15	...	2	...	2
Acquired atrophy of ovary and fallopian tube (620.3)	-	...	-	...	-	...	-	...	-
Prolapse or hernia of ovary and fallopian tube (620.4)	-	...	-	...	-	...	-	...	-
Torsion of ovary, ovarian pedicle or fallopian tube (620.5)	1	...	1	...	1	...	-	...	-
Broad ligament laceration syndrome (620.6)	-	...	-	...	-	...	-	...	-
Hematoma of broad ligament (620.7)	-	...	-	...	-	...	-	...	-
Other (620.8)	-	...	-	...	-	...	-	...	-
Unspecified (620.9)	7	...	7	...	7	...	-	...	-
Disorders of uterus, not elsewhere classified (621)	7	...	7	...	6	...	1	...	1
Polyp of corpus uteri (621.0)	-	...	-	...	-	...	-	...	-
Chronic subinvolution of uterus (621.1)	-	...	-	...	-	...	-	...	-
Hypertrophy of uterus (621.2)	-	...	-	...	-	...	-	...	-
Endometrial cystic hyperplasia (621.3)	-	...	-	...	-	...	-	...	-
Hematometra (621.4)	-	...	-	...	-	...	-	...	-
Intrauterine synechiae (621.5)	-	...	-	...	-	...	-	...	-
Malposition of uterus (621.6)	-	...	-	...	-	...	-	...	-
Chronic inversion of uterus (621.7)	-	...	-	...	-	...	-	...	-
Other (621.8)	3	...	3	...	3	...	-	...	-
Unspecified disorders of uterus (621.9)	4	...	4	...	3	...	1	...	1
Noninflammatory disorders of cervix (622)	1	...	1	...	1	...	-	...	-
Erosion and ectropion of cervix (622.0)	-	...	-	...	-	...	-	...	-
Dysplasia of cervix (uteri) (622.1)	-	...	-	...	-	...	-	...	-
Leukoplakia of cervix (uteri) (622.2)	-	...	-	...	-	...	-	...	-
Old laceration of cervix (622.3)	-	...	-	...	-	...	-	...	-
Stricture and stenosis of cervix (622.4)	-	...	-	...	-	...	-	...	-
Incompetence of cervix (622.5)	-	...	-	...	-	...	-	...	-
Hypertrophic elongation of cervix (622.6)	-	...	-	...	-	...	-	...	-
Mucous polyp of cervix (622.7)	-	...	-	...	-	...	-	...	-
Other (622.8)	-	...	-	...	-	...	-	...	-
Unspecified (622.9)	1	...	1	...	1	...	-	...	-
Noninflammatory disorders of vagina (623)	8	...	8	...	7	...	1	...	1
Dysplasia of vagina (623.0)	-	...	-	...	-	...	-	...	-
Leukoplakia of vagina (623.1)	-	...	-	...	-	...	-	...	-
Stricture or atresia of vagina (623.2)	-	...	-	...	-	...	-	...	-
Tight hymenal ring (623.3)	-	...	-	...	-	...	-	...	-
Old vaginal laceration (623.4)	-	...	-	...	-	...	-	...	-
Leukorrhea, not specified as infective (623.5)	-	...	-	...	-	...	-	...	-
Vaginal hematoma (623.6)	-	...	-	...	-	...	-	...	-
Polyp of vagina (623.7)	-	...	-	...	-	...	-	...	-
Other (623.8)	8	...	8	...	7	...	1	...	1
Unspecified (623.9)	-	...	-	...	-	...	-	...	-
Noninflammatory disorders of vulva and perineum (624)	-	...	-	...	-	...	-	...	-
Dystrophy of vulva (624.0)	-	...	-	...	-	...	-	...	-
Atrophy of vulva (624.1)	-	...	-	...	-	...	-	...	-
Hypertrophy of clitoris (624.2)	-	...	-	...	-	...	-	...	-
Hypertrophy of labia (624.3)	-	...	-	...	-	...	-	...	-
Old laceration or scarring of vulva (624.4)	-	...	-	...	-	...	-	...	-
Hematoma of vulva (624.5)	-	...	-	...	-	...	-	...	-
Polyp of labia and vulva (624.6)	-	...	-	...	-	...	-	...	-
Other (624.8)	-	...	-	...	-	...	-	...	-
Unspecified (624.9)	-	...	-	...	-	...	-	...	-
Pain and other symptoms associated with female genital organs (625)	2	...	2	...	2	...	-	...	-
Dyspareunia (625.0)	-	...	-	...	-	...	-	...	-
Vaginismus (625.1)	-	...	-	...	-	...	-	...	-
Mittelschmerz (625.2)	-	...	-	...	-	...	-	...	-
Dysmenorrhea (625.3)	-	...	-	...	-	...	-	...	-
Premenstrual tension syndromes (625.4)	-	...	-	...	-	...	-	...	-
Pelvic congestion syndrome (625.5)	-	...	-	...	-	...	-	...	-
Stress incontinence, female (625.6)	-	...	-	...	-	...	-	...	-
Other (625.8)	-	...	-	...	-	...	-	...	-
Unspecified (625.9)	2	...	2	...	2	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 167

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other disorders of female genital tract (617-629)	0.0	...	0.1	...	0.1	...	0.1	...	0.1
Endometriosis (617)	-	...	-	...	-	...	-	...	-
Uterus (617.0)	-	...	-	...	-	...	-	...	-
Ovary (617.1)	-	...	-	...	-	...	-	...	-
Fallopian tube (617.2)	-	...	-	...	-	...	-	...	-
Pelvic peritoneum (617.3)	-	...	-	...	-	...	-	...	-
Rectovaginal septum and vagina (617.4)	-	...	-	...	-	...	-	...	-
Intestine (617.5)	-	...	-	...	-	...	-	...	-
Endometriosis in scar or skin (617.6)	-	...	-	...	-	...	-	...	-
Other specified sites (617.8)	-	...	-	...	-	...	-	...	-
Site unspecified (617.9)	-	...	-	...	-	...	-	...	-
Genital prolapse (618)000	...	-	...	-
Prolapse of vaginal walls without mention of uterine prolapse (618.0)000	...	-	...	-
Uterine prolapse without mention of vaginal wall prolapse (618.1)000	...	-	...	-
Uterovaginal prolapse, incomplete (618.2)000	...	-	...	-
Uterovaginal prolapse, complete (618.3)000	...	-	...	-
Uterovaginal prolapse, unspecified (618.4)	-	...	-	...	-	...	-	...	-
Prolapse of vaginal vault after hysterectomy (618.5)	-	...	-	...	-	...	-	...	-
Vaginal enterocele, congenital or acquired (618.6)000	...	-	...	-
Old laceration of muscles of pelvic floor (618.7)000	...	-	...	-
Other (618.8)	-	...	-	...	-	...	-	...	-
Unspecified (618.9)	-	...	-	...	-	...	-	...	-
Fistulae involving female genital tract (619)00001
Urinary - genital tract fistulae, female (619.0)00000
Digestive - genital tract fistulae, female (619.1)00000
Genital tract - skin fistulae, female (619.2)000	...	-	...	-
Other (619.8)	-	...	-	...	-	...	-	...	-
Unspecified fistula involving female genital tract (619.9)000	...	-	...	-
Noninflammatory disorders of ovary, fallopian tube, and broad ligament (620)00000
Follicular cyst of ovary (620.0)	-	...	-	...	-	...	-	...	-
Corpus luteum cyst or hematoma (620.1)00000
Other and unspecified ovarian cyst (620.2)	-	...	-	...	-	...	-	...	-
Acquired atrophy of ovary and fallopian tube (620.3)	-	...	-	...	-	...	-	...	-
Prolapse or hernia of ovary and fallopian tube (620.4)000	...	-	...	-
Torsion of ovary, ovarian pedicle or fallopian tube (620.5)	-	...	-	...	-	...	-	...	-
Broad ligament laceration syndrome (620.6)	-	...	-	...	-	...	-	...	-
Hematoma of broad ligament (620.7)	-	...	-	...	-	...	-	...	-
Other (620.8)000	...	-	...	-
Unspecified (620.9)	-	...	-	...	-	...	-	...	-
Disorders of uterus, not elsewhere classified (621)00000
Polyp of corpus uteri (621.0)	-	...	-	...	-	...	-	...	-
Chronic subinvolution of uterus (621.1)	-	...	-	...	-	...	-	...	-
Hypertrophy of uterus (621.2)	-	...	-	...	-	...	-	...	-
Endometrial cystic hyperplasia (621.3)	-	...	-	...	-	...	-	...	-
Hematometra (621.4)	-	...	-	...	-	...	-	...	-
Intrauterine synechiae (621.5)	-	...	-	...	-	...	-	...	-
Malposition of uterus (621.6)	-	...	-	...	-	...	-	...	-
Chronic inversion of uterus (621.7)	-	...	-	...	-	...	-	...	-
Other (621.8)00000
Unspecified disorders of uterus (621.9)	-	...	-	...	-	...	-	...	-
Noninflammatory disorders of cervix (622)000	...	-	...	-
Erosion and ectropion of cervix (622.0)	-	...	-	...	-	...	-	...	-
Dysplasia of cervix (uteri) (622.1)	-	...	-	...	-	...	-	...	-
Leukoplakia of cervix (uteri) (622.2)	-	...	-	...	-	...	-	...	-
Old laceration of cervix (622.3)	-	...	-	...	-	...	-	...	-
Stricture and stenosis of cervix (622.4)	-	...	-	...	-	...	-	...	-
Incompetence of cervix (622.5)	-	...	-	...	-	...	-	...	-
Hypertrophic elongation of cervix (622.6)	-	...	-	...	-	...	-	...	-
Mucous polyp of cervix (622.7)	-	...	-	...	-	...	-	...	-
Other (622.8)000	...	-	...	-
Unspecified (622.9)	-	...	-	...	-00
Noninflammatory disorders of vagina (623)00000
Dysplasia of vagina (623.0)	-	...	-	...	-	...	-	...	-
Leukoplakia of vagina (623.1)	-	...	-	...	-	...	-	...	-
Stricture or atresia of vagina (623.2)	-	...	-	...	-	...	-	...	-
Tight hymenal ring (623.3)	-	...	-	...	-	...	-	...	-
Old vaginal laceration (623.4)	-	...	-	...	-	...	-	...	-
Leukorrhea, not specified as infective (623.5)	-	...	-	...	-	...	-	...	-
Vaginal hematoma (623.6)	-	...	-	...	-	...	-	...	-
Polyp of vagina (623.7)00000
Other (623.8)	-	...	-	...	-	...	-	...	-
Unspecified (623.9)	-	...	-	...	-	...	-	...	-
Noninflammatory disorders of vulva and perineum (624)	-	...	-	...	-	...	-	...	-
Dystrophy of vulva (624.0)	-	...	-	...	-	...	-	...	-
Atrophy of vulva (624.1)	-	...	-	...	-	...	-	...	-
Hypertrophy of clitoris (624.2)	-	...	-	...	-	...	-	...	-
Hypertrophy of labia (624.3)	-	...	-	...	-	...	-	...	-
Old laceration or scarring of vulva (624.4)	-	...	-	...	-	...	-	...	-
Hematoma of vulva (624.5)	-	...	-	...	-	...	-	...	-
Polyp of labia and vulva (624.6)	-	...	-	...	-	...	-	...	-
Other (624.8)	-	...	-	...	-	...	-	...	-
Unspecified (624.9)000	...	-	...	-
Pain and other symptoms associated with female genital organs (625)000	...	-	...	-
Dyspareunia (625.0)	-	...	-	...	-	...	-	...	-
Vaginismus (625.1)	-	...	-	...	-	...	-	...	-
Mittelschmerz (625.2)	-	...	-	...	-	...	-	...	-
Dysmenorrhea (625.3)	-	...	-	...	-	...	-	...	-
Premenstrual tension syndromes (625.4)	-	...	-	...	-	...	-	...	-
Pelvic congestion syndrome (625.5)	-	...	-	...	-	...	-	...	-
Stress incontinence, female (625.6)	-	...	-	...	-	...	-	...	-
Other (625.8)000	...	-	...	-
Unspecified (625.9)	-	...	-	...	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 168

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other disorders of female genital tract-Con.									
Disorders of menstruation and other abnormal bleeding from female genital tract (626)	5	...	5	...	3	...	2	...	2
Absence of menstruation (626.0)	-	...	-	...	-	...	-	...	-
Scanty or infrequent menstruation (626.1)	-	...	-	...	-	...	-	...	-
Excessive or frequent menstruation (626.2)	-	...	-	...	-	...	-	...	-
Puberty bleeding (626.3)	-	...	-	...	-	...	-	...	-
Irregular menstrual cycle (626.4)	-	...	-	...	-	...	-	...	-
Ovulation bleeding (626.5)	-	...	-	...	-	...	-	...	-
Metrorrhagia (626.6)	-	...	-	...	-	...	-	...	-
Postcoital bleeding (626.7)	-	...	-	...	-	...	-	...	-
Other (626.8)	2	...	2	...	1	...	1	...	1
Unspecified (626.9)	3	...	3	...	2	...	1	...	1
Menopausal and postmenopausal disorders (627)	-	...	-	...	-	...	-	...	-
Premenopausal menorrhagia (627.0)	-	...	-	...	-	...	-	...	-
Postmenopausal bleeding (627.1)	-	...	-	...	-	...	-	...	-
Menopausal or female climacteric states (627.2)	-	...	-	...	-	...	-	...	-
Postmenopausal atrophic vaginitis (627.3)	-	...	-	...	-	...	-	...	-
States associated with artificial menopause (627.4)	-	...	-	...	-	...	-	...	-
Other (627.8)	-	...	-	...	-	...	-	...	-
Unspecified (627.9)	-	...	-	...	-	...	-	...	-
Infertility, female (628)	-	...	-	...	-	...	-	...	-
Associated with anovulation (628.0)	-	...	-	...	-	...	-	...	-
Of tubal origin (628.2)	-	...	-	...	-	...	-	...	-
Of uterine origin (628.3)	-	...	-	...	-	...	-	...	-
Of cervical or vaginal origin (628.4)	-	...	-	...	-	...	-	...	-
Of other specified origin (628.8)	-	...	-	...	-	...	-	...	-
Of unspecified origin (628.9)	-	...	-	...	-	...	-	...	-
Other disorders of female genital organs (629)	4	...	4	...	4	...	-	...	-
Hematocoele, female (629.0)	-	...	-	...	-	...	-	...	-
Hydrocoele, canal of Nuck (629.1)	-	...	-	...	-	...	-	...	-
Other (629.8)	1	...	1	...	1	...	-	...	-
Unspecified (629.9)	3	...	3	...	3	...	-	...	-
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)									
Pregnancy with abortive outcome (630-636)	49	...	49	...	19	...	30	...	28
Hydatidiform mole (630)	3	...	3	...	3	...	-	...	-
Other abnormal product of conception (631)	1	...	1	...	1	...	-	...	-
Missed abortion (632)	-	...	-	...	-	...	-	...	-
Ectopic pregnancy (633)	33	...	33	...	11	...	22	...	21
Abdominal pregnancy (633.0)	-	...	-	...	-	...	-	...	-
Tubal pregnancy (633.1)	8	...	8	...	2	...	6	...	5
Ovarian pregnancy (633.2)	1	...	1	...	1	...	-	...	-
Other ectopic pregnancy (633.8)	1	...	1	...	-	...	1	...	1
Unspecified (633.9)	23	...	23	...	8	...	15	...	15
Spontaneous abortion (634)	-	...	-	...	-	...	-	...	-
Complicated by genital tract and pelvic infection (634.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (634.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (634.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (634.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (634.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (634.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (634.6)	-	...	-	...	-	...	-	...	-
With other specified complications (634.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (634.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (634.9)	-	...	-	...	-	...	-	...	-
Legally induced abortion (635)	2	...	2	...	-	...	2	...	2
Complicated by genital tract and pelvic infection (635.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (635.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (635.2)	2	...	2	...	-	...	2	...	2
Complicated by renal failure (635.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (635.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (635.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (635.6)	-	...	-	...	-	...	-	...	-
With other specified complications (635.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (635.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (635.9)	-	...	-	...	-	...	-	...	-
Illegally induced abortion (636)	1	...	1	...	1	...	-	...	-
Complicated by genital tract and pelvic infection (636.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (636.1)	1	...	1	...	1	...	-	...	-
Complicated by damage to pelvic organs and tissues (636.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (636.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (636.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (636.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (636.6)	-	...	-	...	-	...	-	...	-
With other specified complications (636.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (636.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (636.9)	-	...	-	...	-	...	-	...	-
Unspecified abortion (637)	9	...	9	...	3	...	6	...	5
Complicated by genital tract and pelvic infection (637.0)	3	...	3	...	1	...	2	...	2
Complicated by delayed or excessive hemorrhage (637.1)	1	...	1	...	-	...	1	...	1
Complicated by damage to pelvic organs and tissues (637.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (637.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (637.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (637.5)	1	...	1	...	1	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 169

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other disorders of female genital tract-Con.									
Disorders of menstruation and other abnormal bleeding from female genital tract (626)	0.0	...	0.0	...	0.0	...	0.0	...	0.0
Absence of menstruation (626.0)	-	...	-	...	-	...	-	...	-
Scanty or infrequent menstruation (626.1)	-	...	-	...	-	...	-	...	-
Excessive or frequent menstruation (626.2)	-	...	-	...	-	...	-	...	-
Puberty bleeding (626.3)	-	...	-	...	-	...	-	...	-
Irregular menstrual cycle (626.4)	-	...	-	...	-	...	-	...	-
Ovulation bleeding (626.5)	-	...	-	...	-	...	-	...	-
Melrorrhagia (626.6)	-	...	-	...	-	...	-	...	-
Postcoital bleeding (626.7)	-	...	-	...	-	...	0	...	0
Other (626.8)	0	...	0	...	0	...	0	...	0
Unspecified (626.9)	0	...	0	...	0	...	0	...	0
Menopausal and postmenopausal disorders (627)	-	...	-	...	-	...	-	...	-
Premenopausal menorrhagia (627.0)	-	...	-	...	-	...	-	...	-
Postmenopausal bleeding (627.1)	-	...	-	...	-	...	-	...	-
Menopausal or female climacteric states (627.2)	-	...	-	...	-	...	-	...	-
Postmenopausal atrophic vaginitis (627.3)	-	...	-	...	-	...	-	...	-
States associated with artificial menopause (627.4)	-	...	-	...	-	...	-	...	-
Other (627.8)	-	...	-	...	-	...	-	...	-
Unspecified (627.9)	-	...	-	...	-	...	-	...	-
Infertility, female (628)	-	...	-	...	-	...	-	...	-
Associated with anovulation (628.0)	-	...	-	...	-	...	-	...	-
Of tubal origin (628.2)	-	...	-	...	-	...	-	...	-
Of uterine origin (628.3)	-	...	-	...	-	...	-	...	-
Of cervical or vaginal origin (628.4)	-	...	-	...	-	...	-	...	-
Of other specified origin (628.8)	-	...	-	...	-	...	-	...	-
Of unspecified origin (628.9)	-	...	-	...	-	...	-	...	-
Other disorders of female genital organs (629)	0	...	0	...	0	...	-	...	-
Hematocele, female (629.0)	-	...	-	...	-	...	-	...	-
Hydrocele, canal of Nuck (629.1)	0	...	0	...	0	...	-	...	-
Other (629.8)	0	...	0	...	0	...	-	...	-
Unspecified (629.9)	0	...	0	...	0	...	-	...	-
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)									
Pregnancy with abortive outcome (630-638)	0	...	0	...	0	...	2	...	2
Hydatidiform mole (630)	0	...	0	...	0	...	-	...	-
Other abnormal product of conception (631)	0	...	0	...	0	...	-	...	-
Missed abortion (632)	-	...	-	...	-	...	-	...	-
Ectopic pregnancy (633)	0	...	0	...	0	...	1	...	1
Abdominal pregnancy (633.0)	0	...	0	...	0	...	0	...	0
Tubal pregnancy (633.1)	0	...	0	...	0	...	0	...	0
Ovarian pregnancy (633.2)	0	...	0	...	0	...	0	...	0
Other ectopic pregnancy (633.8)	0	...	0	...	0	...	1	...	1
Unspecified (633.9)	0	...	0	...	0	...	-	...	-
Spontaneous abortion (634)	-	...	-	...	-	...	-	...	-
Complicated by genital tract and pelvic infection (634.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (634.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (634.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (634.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (634.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (634.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (634.6)	-	...	-	...	-	...	-	...	-
With other specified complications (634.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (634.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (634.9)	-	...	-	...	-	...	0	...	0
Legally induced abortion (635)	0	...	0	...	-	...	-	...	-
Complicated by genital tract and pelvic infection (635.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (635.1)	0	...	0	...	-	...	0	...	0
Complicated by damage to pelvic organs and tissues (635.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (635.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (635.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (635.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (635.6)	-	...	-	...	-	...	-	...	-
With other specified complications (635.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (635.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (635.9)	-	...	-	...	-	...	-	...	-
Illegally induced abortion (636)	0	...	0	...	0	...	-	...	-
Complicated by genital tract and pelvic infection (636.0)	0	...	0	...	0	...	-	...	-
Complicated by delayed or excessive hemorrhage (636.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (636.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (636.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (636.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (636.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (636.6)	-	...	-	...	-	...	-	...	-
With other specified complications (636.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (636.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (636.9)	-	...	-	...	-	...	0	...	0
Unspecified abortion (637)	0	...	0	...	0	...	0	...	0
Complicated by genital tract and pelvic infection (637.0)	0	...	0	...	0	...	0	...	0
Complicated by delayed or excessive hemorrhage (637.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (637.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (637.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (637.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (637.5)	0	...	0	...	0	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 170

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Unspecified abortion-Con.									
Complicated by embolism (637.6)	1	...	1	...	1	...	-	...	-
With other specified complications (637.7)	2	...	2	...	-	...	2	...	1
With unspecified complications (637.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (637.9)	1	...	1	...	-	...	1	...	1
Failed attempted abortion (638)	-	...	-	...	-	...	-	...	-
Complicated by genital tract and pelvic infection (638.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (638.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (638.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (638.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (638.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (638.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (638.6)	-	...	-	...	-	...	-	...	-
With other specified complications (638.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (638.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (638.9)	-	...	-	...	-	...	-	...	-
Complications mainly related to pregnancy (640-648)	79	...	79	...	47	...	32	...	29
Hemorrhage in early pregnancy (640)	-	...	-	...	-	...	-	...	-
Antepartum hemorrhage, abruptio placentae, and placenta praevia (641)	23	...	23	...	14	...	9	...	8
Hypertension complicating pregnancy, childbirth, and the puerperium (642)	32	...	32	...	16	...	16	...	14
Benign essential hypertension complicating pregnancy, childbirth, and the puerperium (642.0)	-	...	-	...	-	...	-	...	-
Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium (642.1)	-	...	-	...	-	...	-	...	-
Other pre-existing hypertension complicating pregnancy, childbirth, and the puerperium (642.2)	-	...	-	...	-	...	-	...	-
Transient hypertension of pregnancy (642.3)	-	...	-	...	-	...	-	...	-
Mild or unspecified pre-eclampsia (642.4)	11	...	11	...	3	...	8	...	7
Severe pre-eclampsia (642.5)	2	...	2	...	1	...	1	...	1
Eclampsia (642.6)	13	...	13	...	8	...	5	...	5
Pre-eclampsia or eclampsia superimposed on pre-existing hypertension (642.7)	1	...	1	...	1	...	-	...	-
Unspecified hypertension complicating pregnancy, childbirth, and the puerperium (642.9)	5	...	5	...	3	...	2	...	1
Excessive vomiting in pregnancy (643)	1	...	1	...	-	...	1	...	1
Early or threatened labor (644)	1	...	1	...	-	...	1	...	1
Prolonged pregnancy (645)	-	...	-	...	-	...	-	...	-
Other complications of pregnancy, not elsewhere classified (646)	8	...	8	...	7	...	1	...	1
Papryaceous fetus (646.0)	-	...	-	...	-	...	-	...	-
Edema or excessive weight gain in pregnancy without mention of hypertension (646.1)	1	...	1	...	1	...	-	...	-
Unspecified renal disease in pregnancy without mention of hypertension (646.2)	-	...	-	...	-	...	-	...	-
Habitual aborter (646.3)	-	...	-	...	-	...	-	...	-
Peripheral neuritis in pregnancy (646.4)	-	...	-	...	-	...	-	...	-
Asymptomatic bacteriuria in pregnancy (646.5)	-	...	-	...	-	...	-	...	-
Infections of genitourinary tract in pregnancy (646.6)	1	...	1	...	1	...	-	...	-
Liver disorders in pregnancy (646.7)	3	...	3	...	2	...	1	...	1
Other specified complications of pregnancy (646.8)	-	...	-	...	-	...	-	...	-
Unspecified complication of pregnancy (646.9)	3	...	3	...	3	...	-	...	-
Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (647)	2	...	2	...	2	...	-	...	-
Syphilis (647.0)	-	...	-	...	-	...	-	...	-
Gonorrhea (647.1)	-	...	-	...	-	...	-	...	-
Other venereal diseases (647.2)	-	...	-	...	-	...	-	...	-
Tuberculosis (647.3)	-	...	-	...	-	...	-	...	-
Malaria (647.4)	-	...	-	...	-	...	-	...	-
Rubella (647.5)	-	...	-	...	-	...	-	...	-
Other viral diseases (647.6)	-	...	-	...	-	...	-	...	-
Other specified infective and parasitic diseases (647.8)	2	...	2	...	2	...	-	...	-
Unspecified infection or infestation (647.9)	-	...	-	...	-	...	-	...	-
Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (648)	12	...	12	...	8	...	4	...	4
Diabetes mellitus (648.0)	-	...	-	...	-	...	-	...	-
Thyroid dysfunction (648.1)	-	...	-	...	-	...	-	...	-
Anemia (648.2)	1	...	1	...	-	...	1	...	1
Drug dependence (648.3)	-	...	-	...	-	...	-	...	-
Mental disorders (648.4)	-	...	-	...	-	...	-	...	-
Congenital cardiovascular disorders (648.5)	1	...	1	...	1	...	-	...	-
Other cardiovascular diseases (648.6)	8	...	8	...	6	...	2	...	2
Bone and joint disorders of back, pelvis, and lower limbs (648.7)	-	...	-	...	-	...	-	...	-
Abnormal glucose tolerance (648.8)	-	...	-	...	-	...	-	...	-
Other (648.9)	2	...	2	...	1	...	1	...	1
Normal delivery, and other indications for care in pregnancy, labor, and delivery (650-659)	3	...	3	...	1	...	2	...	2
Delivery in a completely normal case (650)	-	...	-	...	-	...	-	...	-
Multiple gestation (651)	-	...	-	...	-	...	-	...	-
Malposition and malpresentation of fetus (652)	1	...	1	...	-	...	1	...	1
Disproportion (653)	-	...	-	...	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 171

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Unspecified abortion-Con.									
Complicated by embolism (637.6)	0.0	...	0.0	...	0.0	...	-	...	-
With other specified complications (637.7)00	...	-	...	0.0	...	0.0
With unspecified complications (637.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (637.9)00	...	-00
Failed attempted abortion (638)	-	...	-	...	-	...	-	...	-
Complicated by genital tract and pelvic infection (638.0)	-	...	-	...	-	...	-	...	-
Complicated by delayed or excessive hemorrhage (638.1)	-	...	-	...	-	...	-	...	-
Complicated by damage to pelvic organs and tissues (638.2)	-	...	-	...	-	...	-	...	-
Complicated by renal failure (638.3)	-	...	-	...	-	...	-	...	-
Complicated by metabolic disorder (638.4)	-	...	-	...	-	...	-	...	-
Complicated by shock (638.5)	-	...	-	...	-	...	-	...	-
Complicated by embolism (638.6)	-	...	-	...	-	...	-	...	-
With other specified complications (638.7)	-	...	-	...	-	...	-	...	-
With unspecified complications (638.8)	-	...	-	...	-	...	-	...	-
Without mention of complication (638.9)	-	...	-	...	-	...	-	...	-
Complications mainly related to pregnancy (640-648)01022
Hemorrhage in early pregnancy (640)	-	...	-	...	-	...	-	...	-
Antepartum hemorrhage, abruptio placentae, and placenta praevia (641)00001
Hypertension complicating pregnancy, childbirth, and the puerperium (642)00011
Benign essential hypertension complicating pregnancy, childbirth, and the puerperium (642.0)	-	...	-	...	-	...	-	...	-
Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium (642.1)	-	...	-	...	-	...	-	...	-
Other pre-existing hypertension complicating pregnancy, childbirth, and the puerperium (642.2)	-	...	-	...	-	...	-	...	-
Transient hypertension of pregnancy (642.3)	-	...	-000
Mild or unspecified pre-eclampsia (642.4)00000
Severe pre-eclampsia (642.5)00000
Eclampsia (642.6)000	...	-	...	-
Pre-eclampsia or eclampsia superimposed on pre-existing hypertension (642.7)00000
Unspecified hypertension complicating pregnancy, childbirth, and the puerperium (642.9)000	...	-	...	-
Excessive vomiting in pregnancy (643)00	...	-00
Early or threatened labor (644)00	...	-00
Prolonged pregnancy (645)	-	...	-	...	-	...	-	...	-
Other complications of pregnancy, not elsewhere classified (646)00000
Papryaceous fetus (646.0)	-	...	-	...	-	...	-	...	-
Edema or excessive weight gain in pregnancy without mention of hypertension (646.1)000	...	-	...	-
Unspecified renal disease in pregnancy without mention of hypertension (646.2)	-	...	-	...	-	...	-	...	-
Habitual aborter (646.3)	-	...	-	...	-	...	-	...	-
Peripheral neuritis in pregnancy (646.4)	-	...	-	...	-	...	-	...	-
Asymptomatic bacteriuria in pregnancy (646.5)000	...	-	...	-
Infections of genitourinary tract in pregnancy (646.6)00000
Liver disorders in pregnancy (646.7)	-	...	-	...	-	...	-	...	-
Other specified complications of pregnancy (646.8)	-00	...	-	...	-
Unspecified complication of pregnancy (646.9)000	...	-	...	-
Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (647)000	...	-	...	-
Syphilis (647.0)	-	...	-	...	-	...	-	...	-
Gonorrhea (647.1)	-	...	-	...	-	...	-	...	-
Other venereal diseases (647.2)	-	...	-	...	-	...	-	...	-
Tuberculosis (647.3)	-	...	-	...	-	...	-	...	-
Malaria (647.4)	-	...	-	...	-	...	-	...	-
Rubella (647.5)	-	...	-	...	-	...	-	...	-
Other viral diseases (647.6)000	...	-	...	-
Other specified infective and parasitic diseases (647.8)	-	...	-	...	-	...	-	...	-
Unspecified infection or infestation (647.9)	-	...	-	...	-	...	-	...	-
Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (648)00000
Diabetes mellitus (648.0)	-	...	-	...	-	...	-	...	-
Thyroid dysfunction (648.1)00	...	-00
Anemia (648.2)	-	...	-	...	-	...	-	...	-
Drug dependence (648.3)	-	...	-	...	-	...	-	...	-
Mental disorders (648.4)000	...	-	...	-
Congenital cardiovascular disorders (648.5)00000
Other cardiovascular diseases (648.6)	-	...	-	...	-	...	-	...	-
Bone and joint disorders of back, pelvis, and lower limbs (648.7)	-	...	-	...	-	...	-	...	-
Abnormal glucose tolerance (648.8)00000
Other (648.9)	-	...	-	...	-	...	-	...	-
Normal delivery, and other indications for care in pregnancy, labor, and delivery (650-659)00000
Delivery in a completely normal case (650)	-	...	-	...	-	...	-	...	-
Multiple gestation (651)	-	...	-	...	-	...	-	...	-
Malposition and malpresentation of fetus (652)00	...	-00
Disproportion (653)	-	...	-	...	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY - PAGE 172

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Normal delivery, and other indications for care in pregnancy, labor, and delivery-Con.									
Abnormality of organs and soft tissues of pelvis (654)	1	...	1	...	1	...	-	...	-
Known or suspected fetal abnormality affecting management of mother (655)	-	...	-	...	-	...	-	...	-
Other fetal and placental problems affecting management of mother (656)	-	...	-	...	-	...	-	...	-
Polyhydramnios (657)	-	...	-	...	-	...	-	...	-
Other problems associated with amniotic cavity and membranes (658)	1	...	1	...	-	...	1	...	1
Other indications for care or intervention related to labor and delivery and not elsewhere classified (659)	-	...	-	...	-	...	-	...	-
Complications occurring mainly in the course of labor and delivery (660-669)	73	...	73	...	34	...	39	...	33
Obstructed labor (660)	-	...	-	...	-	...	-	...	-
Abnormality of forces of labor (661)	2	...	2	...	-	...	2	...	2
Long labor (662)	1	...	1	...	1	...	-	...	-
Umbilical cord complications (663)	1	...	1	...	-	...	1	...	1
Trauma to perineum and vulva during delivery (664)	-	...	-	...	-	...	-	...	-
Other obstetrical trauma (665)	7	...	7	...	3	...	4	...	3
Postpartum hemorrhage (666)	17	...	17	...	7	...	10	...	7
Retained placenta or membranes without hemorrhage (667)	1	...	1	...	1	...	-	...	-
Complications of the administration of anesthetic or other sedation in labor and delivery (668)	1	...	1	...	-	...	1	...	1
Other complications of labor and delivery, not elsewhere classified (669)	43	...	43	...	22	...	21	...	19
Complications of the puerperium (670-676)	91	...	91	...	55	...	36	...	32
Major puerperal infection (670)	11	...	11	...	8	...	3	...	3
Venous complications in pregnancy and the puerperium (671)	9	...	9	...	6	...	3	...	3
Pyrexia of unknown origin during the puerperium (672)	-	...	-	...	-	...	-	...	-
Obstetrical pulmonary embolism (673)	38	...	38	...	23	...	15	...	12
Other and unspecified complications of the puerperium, not elsewhere classified (674)	33	...	33	...	18	...	15	...	14
Infections of the breast and nipple associated with childbirth (675)	-	...	-	...	-	...	-	...	-
Other disorders of the breast associated with childbirth and disorders of lactation (676)	-	...	-	...	-	...	-	...	-
XII. Diseases of the skin and subcutaneous tissue (680-709)									
Infections of skin and subcutaneous tissue (680-686)	772	309	463	244	394	65	69	57	67
Carbuncle and furuncle (680)	6	2	4	1	3	1	1	1	1
Face (680.0)	-	-	-	-	-	-	-	-	-
Neck (680.1)	-	-	-	-	-	-	-	-	-
Trunk (680.2)	2	-	2	-	2	-	-	-	-
Upper arm and forearm (680.3)	-	-	-	-	-	-	-	-	-
Hand (680.4)	-	-	-	-	-	-	-	-	-
Buttock (680.5)	-	-	-	-	-	-	-	-	-
Leg, except foot (680.6)	-	-	-	-	-	-	-	-	-
Foot (680.7)	-	-	-	-	-	-	-	-	-
Other specified site (680.8)	-	-	-	-	-	-	-	-	-
Unspecified site (680.9)	4	2	2	1	1	1	1	1	1
Cellulitis and abscess of finger and toe (681)	3	-	3	-	2	-	1	-	1
Finger (681.0)	-	-	-	-	-	-	-	-	-
Toe (681.1)	2	-	2	-	1	-	1	-	1
Unspecified digit (681.9)	1	-	1	-	1	-	-	-	-
Other cellulitis and abscess (682)	605	246	359	198	309	48	50	42	48
Face (682.0)	20	10	10	9	10	1	-	1	-
Neck (682.1)	10	8	2	6	2	2	-	1	-
Trunk (682.2)	111	50	61	40	51	10	10	8	9
Upper arm and forearm (682.3)	32	16	16	12	15	4	1	3	1
Hand, except fingers (682.4)	6	6	-	5	-	1	-	-	-
Buttock (682.5)	15	4	11	3	10	1	1	1	19
Leg, except foot (682.6)	180	67	113	53	94	14	19	13	-
Foot, except toes (682.7)	33	16	17	13	17	3	-	3	-
Other specified site (682.8)	7	2	5	2	4	-	1	-	17
Unspecified site (682.9)	191	67	124	55	106	12	18	12	-
Acute lymphadenitis (683)	2	1	1	-	1	1	-	1	-
Impetigo (684)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 174

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Infections of skin and subcutaneous tissue-Con.									
Pilonidal cyst (685)	-	-	-	-	-	-	-	-	-
With abscess (685.0)	-	-	-	-	-	-	-	-	-
Without mention of abscess (685.1)	-	-	-	-	-	-	-	-	-
Other local infections of skin and subcutaneous tissue (686)	156	60	96	45	79	15	17	13	17
Pyoderma (686.0)	4	2	2	2	2	-	-	-	-
Pyogenic granuloma (686.1)	12	7	5	6	5	1	-	1	-
Other local infections of skin and subcutaneous tissue (686.8)	1	-	1	-	-	-	1	-	1
Unspecified local infections of skin and subcutaneous tissue (686.9)	139	51	88	37	72	14	16	12	16
Other inflammatory conditions of skin and subcutaneous tissue (690-699)	329	113	216	85	172	28	44	27	40
Erythemasquamous dermatosis (690)	-	-	-	-	-	-	-	-	-
Atopic dermatitis and related conditions (691)	2	-	2	-	1	-	1	-	1
Diaper or napkin rash (691.0)	2	-	2	-	1	-	1	-	1
Other (691.8)	-	-	-	-	-	-	-	-	-
Contact dermatitis and other eczema (692)	15	5	10	4	7	1	3	1	3
Due to detergents (692.0)	-	-	-	-	-	-	-	-	-
Due to oils and greases (692.1)	-	-	-	-	-	-	-	-	-
Due to solvents (692.2)	-	-	-	-	-	-	-	-	-
Due to drugs and medicaments in contact with skin (692.3)	-	-	-	-	-	-	-	-	-
Due to other chemical products (692.4)	-	-	-	-	-	-	-	-	-
Due to food in contact with skin (692.5)	-	-	-	-	-	-	-	-	-
Due to plants (except food) (692.6)	-	-	-	-	-	-	-	-	-
Due to solar radiation (692.7)	-	-	-	-	-	-	-	-	-
Due to other specified agents (692.8)	-	-	-	-	-	-	-	-	-
Unspecified cause (692.9)	15	5	10	4	7	1	3	1	3
Dermatitis due to substances taken internally (693)	1	-	1	-	1	-	-	-	-
Due to drugs and medicaments (693.0)	-	-	-	-	-	-	-	-	-
Due to food (693.1)	1	-	1	-	1	-	-	-	-
Due to other specified substance (693.8)	-	-	-	-	-	-	-	-	-
Due to unspecified substance (693.9)	-	-	-	-	-	-	-	-	-
Bullous dermatoses (694)	105	38	67	33	63	5	4	5	4
Dermatitis herpetiformis (694.0)	2	2	-	1	-	1	-	1	-
Subcorneal pustular dermatosis (694.1)	-	-	-	-	-	-	-	-	-
Juvenile dermatitis herpetiformis (694.2)	-	-	-	-	-	-	-	-	-
Impetigo herpetiformis (694.3)	-	-	-	-	-	-	-	-	-
Pemphigus (694.4)	56	16	40	15	38	1	2	1	2
Pemphigoid (694.5)	47	20	27	17	25	3	2	3	2
Benign mucous membrane pemphigoid (694.6)	-	-	-	-	-	-	-	-	-
Other bullous dermatoses (694.8)	-	-	-	-	-	-	-	-	-
Unspecified (694.9)	-	-	-	-	-	-	-	-	-
Erythematous conditions (695)	189	59	130	37	95	22	35	21	31
Toxic erythema (695.0)	-	-	-	-	-	-	-	-	-
Erythema multiforme (695.1)	83	35	48	21	32	14	16	14	16
Erythema nodosum (695.2)	-	-	-	-	-	-	-	-	-
Rosacea (695.3)	-	-	-	-	-	-	-	-	-
Lupus erythematosus (695.4)	84	11	73	9	55	2	18	2	14
Other erythematous conditions (695.8)	19	11	8	5	8	6	-	5	-
Unspecified (695.9)	3	2	1	2	-	-	1	-	1
Psoriasis and similar disorders (696)	17	11	6	11	5	-	1	-	1
Psoriatic arthropathy (696.0)	-	-	-	-	-	-	-	-	-
Other psoriasis (696.1)	16	10	6	10	5	-	1	-	1
Parapsoriasis (696.2)	-	-	-	-	-	-	-	-	-
Pityriasis rosea (696.3)	-	-	-	-	-	-	-	-	-
Pityriasis rubra pilaris (696.4)	1	1	-	1	-	-	-	-	-
Other and unspecified pityriasis (696.5)	-	-	-	-	-	-	-	-	-
Other (696.8)	-	-	-	-	-	-	-	-	-
Lichen (697)	-	-	-	-	-	-	-	-	-
Lichen planus (697.0)	-	-	-	-	-	-	-	-	-
Lichen nitidus (697.1)	-	-	-	-	-	-	-	-	-
Other lichen, not elsewhere classified (697.8)	-	-	-	-	-	-	-	-	-
Unspecified (697.9)	-	-	-	-	-	-	-	-	-
Pruritus and related conditions (698)	-	-	-	-	-	-	-	-	-
Pruritis ani (698.0)	-	-	-	-	-	-	-	-	-
Pruritis of genital organs (698.1)	-	-	-	-	-	-	-	-	-
Prurigo (698.2)	-	-	-	-	-	-	-	-	-
Lichenification and lichen simplex chronicus (698.3)	-	-	-	-	-	-	-	-	-
Dermatitis factitia (artefacta) (698.4)	-	-	-	-	-	-	-	-	-
Other pruritic conditions (698.8)	-	-	-	-	-	-	-	-	-
Unspecified (698.9)	-	-	-	-	-	-	-	-	-
Other diseases of skin and subcutaneous tissue (700-709)	2,751	1,020	1,731	723	1,203	297	528	290	509
Corns and callosities (700)	1	-	1	-	1	-	-	-	-
Other hypertrophic and atrophic conditions of skin (701)	3	2	1	2	1	-	-	-	-
Circumscribed scleroderma (701.0)	1	1	-	1	-	-	-	-	-
Keratoderma, acquired (701.1)	-	-	1	-	1	-	-	-	-
Acquired acanthosis nigricans (701.2)	-	-	-	-	-	-	-	-	-
Striae atrophicae (701.3)	-	-	-	-	-	-	-	-	-
Keloid scar (701.4)	-	-	-	-	-	-	-	-	-
Other abnormal granulation tissue (701.5)	-	-	-	-	-	-	-	-	-
Other hypertrophic and atrophic conditions of skin (701.8)	1	1	-	1	-	-	-	-	-
Unspecified (701.9)	-	-	-	-	-	-	-	-	-
Other dermatoses (702)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 175

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Infections of skin and subcutaneous tissue-Con.									
Pilonidal cyst (685)	-	-	-	-	-	-	-	-	-
With abscess (685.0)	-	-	-	-	-	-	-	-	-
Without mention of abscess (685.1)	-	-	-	-	-	-	-	-	-
Other local infections of skin and subcutaneous tissue (686)	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1
Pyoderma (686.0)0	.0	.0	.0	.0	-	-	-	-
Pyogenic granuloma (686.1)0	.0	.0	.0	.0	.0	-	.0	-
Other local infections of skin and subcutaneous tissue (686.8)0	-	.0	-	-	-	.0	.1	.1
Unspecified local infections of skin and subcutaneous tissue (686.9)1	.0	.1	.0	.1	.1	.1	.1	.1
Other inflammatory conditions of skin and subcutaneous tissue (690-698)1	.1	.2	.1	.2	.2	.2	.2	.3
Erythematous squamous dermatosis (690)	-	-	-	-	-	-	-	-	-
Atopic dermatitis and related conditions (691)0	-	.0	-	.0	-	.0	-	.0
Diaper or napkin rash (691.0)0	-	.0	-	.0	-	.0	-	.0
Other (691.8)	-	-	-	-	-	-	-	-	-
Contact dermatitis and other eczema (692)0	.0	.0	.0	.0	.0	.0	.0	.0
Due to detergents (692.0)	-	-	-	-	-	-	-	-	-
Due to oils and greases (692.1)	-	-	-	-	-	-	-	-	-
Due to solvents (692.2)	-	-	-	-	-	-	-	-	-
Due to drugs and medicaments in contact with skin (692.3)	-	-	-	-	-	-	-	-	-
Due to other chemical products (692.4)	-	-	-	-	-	-	-	-	-
Due to food in contact with skin (692.5)	-	-	-	-	-	-	-	-	-
Due to plants (except food) (692.6)	-	-	-	-	-	-	-	-	-
Due to solar radiation (692.7)	-	-	-	-	-	-	-	-	-
Due to other specified agents (692.8)	-	-	-	-	-	-	-	-	-
Unspecified cause (692.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Dermatitis due to substances taken internally (693)0	-	.0	-	.0	-	-	-	-
Due to drugs and medicaments (693.0)	-	-	-	-	-	-	-	-	-
Due to food (693.1)0	-	.0	-	.0	-	-	-	-
Due to other specified substance (693.8)	-	-	-	-	-	-	-	-	-
Due to unspecified substance (693.9)	-	-	-	-	-	-	-	-	-
Bullous dermatoses (694)0	.0	.1	.0	.1	.0	.0	.0	.0
Dermatitis herpetiformis (694.0)0	.0	-	.0	-	.0	-	.0	-
Subcorneal pustular dermatosis (694.1)	-	-	-	-	-	-	-	-	-
Juvenile dermatitis herpetiformis (694.2)	-	-	-	-	-	-	-	-	-
Impetigo herpetiformis (694.3)0	.0	.0	.0	.0	.0	.0	.0	.0
Pemphigus (694.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Pemphigoid (694.5)	-	-	-	-	-	-	-	-	-
Benign mucous membrane pemphigoid (694.6)	-	-	-	-	-	-	-	-	-
Other bullous dermatoses (694.8)	-	-	-	-	-	-	-	-	-
Unspecified (694.9)	-	-	-	-	-	-	-	-	-
Erythematous conditions (695)1	.1	.1	.0	.1	.1	.2	.2	.2
Toxic erythema (695.0)	-	-	-	-	-	-	-	-	-
Erythema multiforme (695.1)0	.0	.0	.0	.0	.1	.1	.1	.1
Erythema nodosum (695.2)	-	-	-	-	-	-	-	-	-
Rosacea (695.3)	-	-	.1	.0	.1	.0	.1	.0	.1
Lupus erythematosus (695.4)0	.0	.0	.0	.0	.0	-	.0	-
Other erythematous conditions (695.8)0	.0	.0	.0	-	-	.0	-	.0
Unspecified (695.9)	-	-	-	-	-	-	-	-	-
Psoriasis and similar disorders (696)0	.0	.0	.0	.0	-	.0	-	.0
Psoriatic arthropathy (696.0)	-	-	-	-	-	-	-	-	-
Other psoriasis (696.1)0	.0	.0	.0	.0	-	.0	-	.0
Parapsoriasis (696.2)	-	-	-	-	-	-	-	-	-
Pityriasis rosea (696.3)0	.0	-	.0	-	-	-	-	-
Pityriasis rubra pilaris (696.4)	-	-	-	-	-	-	-	-	-
Other and unspecified pityriasis (696.5)	-	-	-	-	-	-	-	-	-
Other (696.8)	-	-	-	-	-	-	-	-	-
Lichen (697)	-	-	-	-	-	-	-	-	-
Lichen planus (697.0)	-	-	-	-	-	-	-	-	-
Lichen nitidus (697.1)	-	-	-	-	-	-	-	-	-
Other lichen, not elsewhere classified (697.8)	-	-	-	-	-	-	-	-	-
Unspecified (697.9)	-	-	-	-	-	-	-	-	-
Pruritus and related conditions (698)	-	-	-	-	-	-	-	-	-
Pruritis ani (698.0)	-	-	-	-	-	-	-	-	-
Pruritis of genital organs (698.1)	-	-	-	-	-	-	-	-	-
Prurigo (698.2)	-	-	-	-	-	-	-	-	-
Lichenification and lichen simplex chronicus (698.3)	-	-	-	-	-	-	-	-	-
Dermatitis factitia (artefacta) (698.4)	-	-	-	-	-	-	-	-	-
Other pruritic conditions (698.8)	-	-	-	-	-	-	-	-	-
Unspecified (698.9)	-	-	-	-	-	-	-	-	-
Other diseases of skin and subcutaneous tissue (700-709)	1.2	.9	1.4	.7	1.2	1.7	2.8	2.1	3.3
Corns and callosities (700)0	-	.0	-	.0	-	-	-	-
Other hypertrophic and atrophic conditions of skin (701)0	.0	.0	.0	.0	-	-	-	-
Circumscribed scleroderma (701.0)0	-	.0	-	.0	-	-	-	-
Keratoderma, acquired (701.1)	-	-	-	-	-	-	-	-	-
Acquired acanthosis nigricans (701.2)	-	-	-	-	-	-	-	-	-
Striae atrophicae (701.3)	-	-	-	-	-	-	-	-	-
Keloid scar (701.4)	-	-	-	-	-	-	-	-	-
Other abnormal granulation tissue (701.5)0	.0	-	.0	-	-	-	-	-
Other hypertrophic and atrophic conditions of skin (701.8)	-	-	-	-	-	-	-	-	-
Unspecified (701.9)0	.0	-	.0	-	-	-	-	-
Other dermatoses (702)0	.0	-	.0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 176

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other diseases of skin and subcutaneous tissue-Con.									
Diseases of nail (703)	-	-	-	-	-	-	-	-	-
Ingrowing nail (703.0)	-	-	-	-	-	-	-	-	-
Other diseases of nail (703.8)	-	-	-	-	-	-	-	-	-
Unspecified (703.9)	-	-	-	-	-	-	-	-	-
Diseases of hair and hair follicles (704)	1	1	-	-	-	1	-	1	-
Alopecia (704.0)	1	1	-	-	-	1	-	1	-
Hirsutism (704.1)	-	-	-	-	-	-	-	-	-
Abnormalities of the hair (704.2)	-	-	-	-	-	-	-	-	-
Variations in hair color (704.3)	-	-	-	-	-	-	-	-	-
Other diseases of hair and hair follicles (704.8)	-	-	-	-	-	-	-	-	-
Unspecified (704.9)	-	-	-	-	-	-	-	-	-
Disorders of sweat glands (705)	4	3	1	2	-	1	1	1	1
Anhidrosis (705.0)	1	-	1	-	-	-	1	-	1
Prickly heat (705.1)	-	-	-	-	-	-	-	-	-
Other disorders of sweat glands (705.8)	3	3	-	2	-	1	-	1	-
Unspecified (705.9)	-	-	-	-	-	-	-	-	-
Diseases of sebaceous glands (706)	1	1	-	1	-	-	-	-	-
Acne varioliformis (706.0)	-	-	-	-	-	-	-	-	-
Other acne (706.1)	-	-	-	-	-	-	-	-	-
Sebaceous cyst (706.2)	-	-	-	-	-	-	-	-	-
Seborrhea (706.3)	-	-	-	-	-	-	-	-	-
Other disorders of sebaceous glands (706.8)	1	1	-	1	-	-	-	-	-
Unspecified (706.9)	-	-	-	-	-	-	-	-	-
Chronic ulcer of skin (707)	2,725	1,007	1,718	713	1,192	294	526	287	507
Decubitus ulcer (707.0)	2,518	926	1,592	639	1,090	287	502	280	485
Ulcer of lower limbs, except decubitus (707.1)	114	43	71	39	58	4	13	4	12
Chronic ulcer of other specified sites (707.8)	30	12	18	10	12	2	6	2	6
Chronic ulcer of unspecified site (707.9)	63	26	37	25	32	1	5	1	4
Urticaria (708)	-	-	-	-	-	-	-	-	-
Allergic urticaria (708.0)	-	-	-	-	-	-	-	-	-
Idiopathic urticaria (708.1)	-	-	-	-	-	-	-	-	-
Urticaria due to cold and heat (708.2)	-	-	-	-	-	-	-	-	-
Dermatographic urticaria (708.3)	-	-	-	-	-	-	-	-	-
Vibratory urticaria (708.4)	-	-	-	-	-	-	-	-	-
Cholinergic urticaria (708.5)	-	-	-	-	-	-	-	-	-
Other specified urticaria (708.8)	-	-	-	-	-	-	-	-	-
Unspecified (708.9)	-	-	-	-	-	-	-	-	-
Other disorders of skin and subcutaneous tissue (709)	15	5	10	4	9	1	1	1	1
Dyschromia (709.0)	-	-	-	-	-	-	-	-	-
Vascular disorders of skin (709.1)	-	-	-	-	-	-	-	-	-
Scar conditions and fibrosis of skin (709.2)	-	-	-	-	-	-	-	-	-
Degenerative skin disorders (709.3)	-	-	-	-	-	-	-	-	-
Foreign body granuloma of skin and subcutaneous tissue (709.4)	-	-	-	-	-	-	-	-	-
Other diseases of skin (709.8)	1	1	-	1	-	-	-	-	-
Unspecified (709.9)	14	4	10	3	9	1	1	1	1
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)									
Arthropathies and related disorders (710-719)	4,496	1,195	3,301	1,015	2,729	180	572	160	510
Diffuse diseases of connective tissue (710)	2,285	539	1,746	424	1,291	115	455	101	408
Systemic lupus erythematosus (710.0)	1,072	185	887	137	585	48	302	42	270
Systemic sclerosis (710.1)	801	213	588	170	492	43	96	37	85
Sicca syndrome (710.2)	36	9	28	7	26	1	2	-	2
Dermatomyositis (710.3)	80	26	54	22	48	4	6	4	5
Polymyositis (710.4)	180	84	96	70	69	14	27	13	27
Other (710.8)	9	1	8	1	5	-	3	-	3
Unspecified (710.9)	107	22	85	17	66	5	19	5	16
Arthropathy associated with infections (711)	104	44	60	33	52	11	8	11	7
Pyogenic arthritis (711.0)	101	43	58	32	50	11	8	11	7
Unspecified infective arthritis (711.9)	3	1	2	1	2	-	-	-	-
Crystal arthropathies (712)	-	-	-	-	-	-	-	-	-
Other crystal arthropathies (712.8)	-	-	-	-	-	-	-	-	-
Unspecified crystal arthropathy (712.9)	-	-	-	-	-	-	-	-	-
Rheumatoid arthritis and other inflammatory polyarthropathies (714)	1,497	440	1,057	407	1,002	33	55	28	44
Rheumatoid arthritis (714.0)	1,339	376	963	345	910	31	53	26	43
Felty's syndrome (714.1)	38	15	23	15	23	-	-	-	-
Other rheumatoid arthritis with visceral or systemic involvement (714.2)	7	1	6	1	6	-	-	-	-
Juvenile chronic polyarthritis (714.3)	12	4	8	4	8	-	-	-	-
Chronic posttraumatic arthropathy (714.4)	-	-	-	-	-	-	-	-	-
Other (714.8)	101	44	57	42	55	2	2	2	1
Unspecified (714.9)	-	-	-	-	-	-	-	-	-
Osteoarthritis and allied disorders (715)	372	109	263	103	235	6	28	6	27
Generalized (715.0)	15	4	11	4	10	-	1	-	1
Localized, primary (715.1)	-	-	-	-	-	-	-	-	-
Localized, secondary (715.2)	-	-	-	-	-	-	-	-	-
Localized, not specified whether primary or secondary (715.3)	43	22	21	20	18	2	3	2	3
Involving or with mention of more than one site but not specified as generalized (715.8)	-	-	-	-	-	-	-	-	-
Unspecified whether generalized or localized (715.9)	314	83	231	79	207	4	24	4	23
Other and unspecified arthropathies (716)	209	55	154	43	134	12	20	11	19
Kaschin-Beck disease (716.0)	-	-	-	-	-	-	-	-	-
Traumatic arthropathy (716.1)	-	-	-	-	-	-	-	-	-
Allergic arthritis (716.2)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 177

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other diseases of skin and subcutaneous tissue-Con.									
Diseases of nail (703)	-	-	-	-	-	-	-	-	-
Ingrowing nail (703.0)	-	-	-	-	-	-	-	-	-
Other diseases of nail (703.8)	-	-	-	-	-	-	-	-	-
Unspecified (703.9)	-	-	-	-	-	-	-	-	-
Diseases of hair and hair follicles (704)	0.0	0.0	-	-	-	0.0	-	0.0	-
Alopecia (704.0)0	.0	-	-	-	.0	-	.0	-
Hirsutism (704.1)	-	-	-	-	-	-	-	-	-
Abnormalities of the hair (704.2)	-	-	-	-	-	-	-	-	-
Variations in hair color (704.3)	-	-	-	-	-	-	-	-	-
Other diseases of hair and hair follicles (704.8)	-	-	-	-	-	-	-	-	-
Unspecified (704.9)	-	-	-	-	-	-	-	-	-
Disorders of sweat glands (705)0	.0	0.0	0.0	-	.0	0.0	.0	0.0
Anhidrosis (705.0)0	-	.0	-	-	-	.0	-	.0
Prickly heat (705.1)	-	-	-	-	-	-	-	-	-
Other disorders of sweat glands (705.8)0	.0	-	.0	-	.0	-	.0	-
Unspecified (705.9)	-	-	-	-	-	-	-	-	-
Diseases of sebaceous glands (706)0	.0	-	.0	-	-	-	-	-
Acne varioliformis (706.0)	-	-	-	-	-	-	-	-	-
Other acne (706.1)	-	-	-	-	-	-	-	-	-
Sebaceous cyst (706.2)	-	-	-	-	-	-	-	-	-
Seborrhea (706.3)	-	-	-	-	-	-	-	-	-
Other disorders of sebaceous glands (706.8)0	.0	-	.0	-	-	-	-	-
Unspecified (706.9)	-	-	-	-	-	-	-	-	-
Chronic ulcer of skin (707)	1.1	.9	1.4	.7	1.1	1.7	2.8	2.1	3.3
Decubitus ulcer (707.0)	1.1	.8	1.3	.6	1.1	1.7	2.7	2.0	3.2
Ulcer of lower limbs, except decubitus (707.1)0	.0	.1	.0	.1	.0	.1	.0	.1
Chronic ulcer of other specified sites (707.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Chronic ulcer of unspecified site (707.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Urticaria (708)	-	-	-	-	-	-	-	-	-
Allergic urticaria (708.0)	-	-	-	-	-	-	-	-	-
Idiopathic urticaria (708.1)	-	-	-	-	-	-	-	-	-
Urticaria due to cold and heat (708.2)	-	-	-	-	-	-	-	-	-
Dermatographic urticaria (708.3)	-	-	-	-	-	-	-	-	-
Vibratory urticaria (708.4)	-	-	-	-	-	-	-	-	-
Cholinergic urticaria (708.5)	-	-	-	-	-	-	-	-	-
Other specified urticaria (708.8)	-	-	-	-	-	-	-	-	-
Unspecified (708.9)	-	-	-	-	-	-	-	-	-
Other disorders of skin and subcutaneous tissue (709)0	.0	.0	.0	.0	.0	.0	.0	.0
Dyschromia (709.0)	-	-	-	-	-	-	-	-	-
Vascular disorders of skin (709.1)	-	-	-	-	-	-	-	-	-
Scar conditions and fibrosis of skin (709.2)	-	-	-	-	-	-	-	-	-
Degenerative skin disorders (709.3)	-	-	-	-	-	-	-	-	-
Foreign body granuloma of skin and subcutaneous tissue (709.4)0	.0	-	.0	-	-	-	-	-
Other diseases of skin (709.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (709.9)0	.0	.0	.0	.0	.0	.0	.0	.0
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)	1.9	1.0	2.7	1.0	2.6	1.0	3.0	1.2	3.4
Arthropathies and related disorders (710-719)	1.0	.5	1.4	.4	1.2	.7	2.4	.7	2.7
Diffuse diseases of connective tissue (710)4	.2	.7	.1	.6	.3	1.6	.3	1.8
Systemic lupus erythematosus (710.0)3	.2	.5	.2	.5	.3	.5	.3	.6
Systemic sclerosis (710.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Sicca syndrome (710.2)0	.0	.0	.0	.0	.0	.1	.1	.2
Dermatomyositis (710.3)1	.1	.1	.1	.1	.1	.1	.1	.1
Polymyositis (710.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Other (710.8)0	.0	.1	.0	.1	.0	.1	.0	.1
Unspecified (710.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Arthropathy associated with infections (711)0	.0	.0	.0	.1	.1	.0	.1	.0
Pyogenic arthritis (711.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified infective arthritis (711.9)0	.0	.0	.0	.0	-	-	-	-
Crystal arthropathies (712)	-	-	-	-	-	-	-	-	-
Other crystal arthropathies (712.8)	-	-	-	-	-	-	-	-	-
Unspecified crystal arthropathy (712.9)	-	-	-	-	-	-	-	-	-
Rheumatoid arthritis and other inflammatory polyarthropathies (714)6	.4	.9	.4	1.0	.2	.3	.2	.3
Rheumatoid arthritis (714.0)6	.3	.8	.3	.9	.2	.3	.2	.3
Felty's syndrome (714.1)0	.0	.0	.0	.0	-	-	-	-
Other rheumatoid arthritis with visceral or systemic involvement (714.2)0	.0	.0	.0	.0	-	-	-	-
Juvenile chronic polyarthritis (714.3)	-	-	-	-	-	-	-	-	-
Chronic posttraumatic arthropathy (714.4)0	.0	.0	.0	.1	.0	.0	.0	.0
Other (714.8)	-	-	-	-	-	-	-	-	-
Unspecified (714.9)	-	-	-	-	-	-	-	-	-
Osteoarthritis and allied disorders (715)2	.1	.2	.1	.2	.0	.1	.0	.2
Generalized (715.0)0	.0	.0	.0	.0	-	.0	-	.0
Localized, primary (715.1)	-	-	-	-	-	-	-	-	-
Localized, secondary (715.2)0	.0	.0	.0	.0	.0	.0	.0	.0
Localized, not specified whether primary or secondary (715.3)	-	-	-	-	-	-	-	-	-
Involving or with mention of more than one site but not specified as generalized (715.8)1	.1	.2	.1	.2	.0	.1	.0	.2
Unspecified whether generalized or localized (715.9)	-	-	-	-	-	-	-	-	-
Other and unspecified arthropathies (716)1	.0	.1	.0	.1	.1	.1	.1	.1
Kaschin-Beck disease (716.0)	-	-	-	-	-	-	-	-	-
Traumatic arthropathy (716.1)	-	-	-	-	-	-	-	-	-
Allergic arthritis (716.2)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 178

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other and unspecified arthropathies-Con.									
Climacteric arthritis (716.3)	-	-	-	-	-	-	-	-	-
Transient arthropathy (716.4)	-	-	-	-	-	-	-	-	-
Unspecified polyarthropathy or polyarthritis (716.5)	6	3	3	3	2	-	1	-	1
Unspecified monoarthritis (716.6)	-	-	-	-	-	-	-	-	-
Other specified arthropathy (716.8)	-	-	-	-	-	-	-	-	-
Unspecified (716.9)	203	52	151	40	132	12	19	11	18
Internal derangement of knee (717)	-	-	-	-	-	-	-	-	-
Old bucket handle tear of medial meniscus (717.0)	-	-	-	-	-	-	-	-	-
Derangement of anterior horn of medial meniscus (717.1)	-	-	-	-	-	-	-	-	-
Derangement of posterior horn of medial meniscus (717.2)	-	-	-	-	-	-	-	-	-
Other and unspecified derangement of medial meniscus (717.3)	-	-	-	-	-	-	-	-	-
Derangement of lateral meniscus (717.4)	-	-	-	-	-	-	-	-	-
Derangement of meniscus, not elsewhere classified (717.5)	-	-	-	-	-	-	-	-	-
Loose body in knee (717.6)	-	-	-	-	-	-	-	-	-
Chondromalacia patellae (717.7)	-	-	-	-	-	-	-	-	-
Other (717.8)	-	-	-	-	-	-	-	-	-
Unspecified (717.9)	-	-	-	-	-	-	-	-	-
Other derangement of joint (718)	16	6	10	4	7	2	3	2	2
Articular cartilage disorder (718.0)	-	-	-	-	-	-	-	-	-
Loose body in joint (718.1)	-	-	-	-	-	-	-	-	-
Pathological dislocation (718.2)	1	1	-	-	-	1	-	1	-
Recurrent dislocation of joint (718.3)	2	1	1	1	-	-	1	-	-
Contracture of joint (718.4)	9	2	7	1	5	1	2	1	2
Ankylosis of joint (718.5)	1	-	1	-	1	-	-	-	-
Unspecified protrusio acetabuli (718.6)	-	-	-	-	-	-	-	-	-
Other joint derangement, not elsewhere classified (718.8)	-	-	-	-	-	-	-	-	-
Unspecified (718.9)	3	2	1	2	1	-	-	-	-
Other and unspecified disorder of joint (719)	13	2	11	1	8	1	3	1	3
Effusion of joint (719.0)	1	1	-	-	-	1	-	1	-
Hemarthrosis (719.1)	1	-	1	-	-	-	1	-	1
Villonodular synovitis (719.2)	-	-	-	-	-	-	-	-	-
Palindromic rheumatism (719.3)	-	-	-	-	-	-	-	-	-
Pain in joint (719.4)	1	-	1	-	1	-	-	-	-
Stiffness of joint, not elsewhere classified (719.5)	-	-	-	-	-	-	-	-	-
Other symptoms referable to joint (719.6)	-	-	-	-	-	-	-	-	-
Difficulty in walking (719.7)	-	-	-	-	-	-	-	-	-
Other (719.8)	1	1	-	1	-	-	-	-	-
Unspecified (719.9)	9	-	9	-	7	-	2	-	2
Dorsopathies (720-724)	167	105	62	93	54	12	8	12	6
Ankylosing spondylitis and other inflammatory spondylopathies (720)	53	43	10	39	10	4	-	4	-
Ankylosing spondylitis (720.0)	49	39	10	36	10	3	-	3	-
Spinal enthesopathy (720.1)	-	-	-	-	-	-	-	-	-
Sacroiliitis, not elsewhere classified (720.2)	-	-	-	-	-	-	-	-	-
Other inflammatory spondylopathies (720.8)	-	-	-	-	-	-	-	-	-
Unspecified inflammatory spondylopathy (720.9)	4	4	-	3	-	1	-	1	-
Spondylosis and allied disorders (721)	63	36	27	31	24	5	3	5	2
Cervical spondylosis without myelopathy (721.0)	20	14	6	11	4	3	2	3	2
Cervical spondylosis with myelopathy (721.1)	19	12	7	11	7	1	-	1	-
Thoracic spondylosis without myelopathy (721.2)	-	-	-	-	-	-	-	-	-
Lumbosacral spondylosis without myelopathy (721.3)	2	-	2	-	2	-	-	-	-
Thoracic or lumbar spondylosis with myelopathy (721.4)	1	-	1	-	1	-	-	-	-
Kissing spine (721.5)	-	-	-	-	-	-	-	-	-
Ankylosing vertebral hyperostosis (721.6)	-	-	-	-	-	-	-	-	-
Traumatic spondylopathy (721.7)	-	-	-	-	-	-	-	-	-
Other (721.8)	-	-	-	-	-	-	-	-	-
Spondylosis of unspecified site (721.9)	21	10	11	9	10	1	1	1	-
Intervertebral disc disorders (722)	34	18	16	17	12	1	4	1	3
Displacement of cervical intervertebral disc without myelopathy (722.0)	3	2	1	1	-	1	1	1	1
Displacement of thoracic or lumbar intervertebral disc without myelopathy (722.1)	5	3	2	3	1	-	1	-	1
Displacement of intervertebral disc, site unspecified, without myelopathy (722.2)	3	2	1	2	1	-	-	-	-
Schmorl's nodes (722.3)	-	-	-	-	-	-	-	-	-
Degeneration of cervical intervertebral disc (722.4)	3	2	1	2	1	-	-	-	-
Degeneration of thoracic or lumbar intervertebral disc (722.5)	4	1	3	1	3	-	-	-	-
Degeneration of intervertebral disc, site unspecified (722.6)	9	2	7	2	5	-	2	-	1
Intervertebral disc disorder with myelopathy (722.7)	1	1	-	1	-	-	-	-	-
Postlaminectomy syndrome (722.8)	-	-	-	-	-	-	-	-	-
Other and unspecified disc disorder (722.9)	6	5	1	5	1	-	-	-	-
Other disorders of cervical region (723)	6	4	2	3	2	1	-	1	-
Spinal stenosis in cervical region (723.0)	3	2	1	2	1	-	-	-	-
Cervicalgia (723.1)	1	-	1	-	1	-	-	-	-
Cervicocranial syndrome (723.2)	-	-	-	-	-	-	-	-	-
Cervicobrachial syndrome (diffuse) (723.3)	-	-	-	-	-	-	-	-	-
Brachial neuritis or radiculitis, not otherwise specified (723.4)	-	-	-	-	-	-	-	-	-
Torticollis, unspecified (723.5)	1	1	-	1	-	-	-	-	-
Panniculitis specified as affecting neck (723.6)	-	-	-	-	-	-	-	-	-
Ossification of posterior longitudinal ligament in cervical region (723.7)	-	-	-	-	-	-	-	-	-
Other syndromes affecting cervical region (723.8)	1	1	-	-	-	1	-	1	-
Unspecified disorders and symptoms referable to neck (723.9)	-	-	-	-	-	-	-	-	-
Other and unspecified disorders of back (724)	11	4	7	3	6	1	1	1	1
Spinal stenosis, other than cervical (724.0)	2	1	1	1	-	-	1	-	1
Pain in thoracic spine (724.1)	-	-	-	-	-	-	-	-	-
Lumbago (724.2)	-	-	-	-	-	-	-	-	-
Sciatica (724.3)	2	1	1	1	1	-	-	-	-
Thoracic or lumbosacral neuritis or radiculitis, not otherwise specified (724.4)	1	-	-	-	-	-	-	-	-
Backache, unspecified (724.5)	3	1	2	1	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 179

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other and unspecified arthropathies-Con.									
Climacteric arthritis (716.3)	-	-	-	-	-	-	-	-	-
Transient arthropathy (716.4)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
Unspecified polyarthropathy or polyarthritis (716.5)	-	-	-	-	-	-	-	-	-
Unspecified monoarthritis (716.6)	-	-	-	-	-	-	-	-	-
Other specified arthropathy (716.8)	-	-	-	-	-	-	-	-	-
Unspecified (716.9)	.1	.0	.1	.0	.1	0.1	.1	0.1	.1
Internal derangement of knee (717)	-	-	-	-	-	-	-	-	-
Old bucket handle tear of medial meniscus (717.0)	-	-	-	-	-	-	-	-	-
Derangement of anterior horn of medial meniscus (717.1)	-	-	-	-	-	-	-	-	-
Derangement of posterior horn of medial meniscus (717.2)	-	-	-	-	-	-	-	-	-
Other and unspecified derangement of medial meniscus (717.3)	-	-	-	-	-	-	-	-	-
Derangement of lateral meniscus (717.4)	-	-	-	-	-	-	-	-	-
Derangement of meniscus, not elsewhere classified (717.5)	-	-	-	-	-	-	-	-	-
Loose body in knee (717.6)	-	-	-	-	-	-	-	-	-
Chondromalacia patellae (717.7)	-	-	-	-	-	-	-	-	-
Other (717.8)	-	-	-	-	-	-	-	-	-
Unspecified (717.9)	-	-	-	-	-	-	-	-	-
Other derangement of joint (718)	0	.0	.0	.0	0	.0	.0	0	.0
Articular cartilage disorder (718.0)	-	-	-	-	-	-	-	-	-
Loose body in joint (718.1)	-	-	-	-	-	-	-	-	-
Pathological dislocation (718.2)	0	.0	.0	.0	-	.0	.0	.0	-
Recurrent dislocation of joint (718.3)	0	.0	.0	.0	-	0	.0	.0	.0
Contracture of joint (718.4)	-	-	-	-	-	-	-	-	-
Ankylosis of joint (718.5)	0	-	.0	-	0	-	-	-	-
Unspecified protrusio acetabuli (718.6)	-	-	-	-	-	-	-	-	-
Other joint derangement, not elsewhere classified (718.8)	-	-	-	-	-	-	-	-	-
Unspecified (718.9)	.0	.0	.0	.0	.0	-	-	-	-
Other and unspecified disorder of joint (719)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Effusion of joint (719.0)	.0	.0	.0	-	-	.0	-	.0	.0
Hemarthrosis (719.1)	0	-	.0	-	-	-	.0	-	-
Villonodular synovitis (719.2)	-	-	-	-	-	-	-	-	-
Palindromic rheumatism (719.3)	-	-	-	-	-	-	-	-	-
Pain in joint (719.4)	0	-	.0	-	.0	-	-	-	-
Stiffness of joint, not elsewhere classified (719.5)	-	-	-	-	-	-	-	-	-
Other symptoms referable to joint (719.6)	-	-	-	-	-	-	-	-	-
Difficulty in walking (719.7)	0	.0	-	0	-	-	-	-	-
Other (719.8)	0	-	.0	-	.0	-	.0	-	.0
Unspecified (719.9)	0	-	.0	-	.0	-	-	-	-
Dorsopathies (720-724)	.1	.1	.1	.1	.1	.1	.0	.1	.0
Ankylosing spondylitis and other inflammatory spondylopathies (720)	0	.0	.0	0	.0	.0	-	0	-
Ankylosing spondylitis (720.0)	0	.0	.0	0	.0	.0	-	0	-
Spinal enthesopathy (720.1)	-	-	-	-	-	-	-	-	-
Sacroiliitis, not elsewhere classified (720.2)	-	-	-	-	-	-	-	-	-
Other inflammatory spondylopathies (720.8)	-	.0	-	0	-	.0	-	.0	-
Unspecified inflammatory spondylopathy (720.9)	0	-	-	-	-	-	-	-	-
Spondylosis and allied disorders (721)	0	.0	.0	0	.0	.0	.0	.0	0
Cervical spondylosis without myelopathy (721.0)	0	.0	.0	0	.0	.0	.0	.0	.0
Cervical spondylosis with myelopathy (721.1)	0	.0	.0	0	.0	-	-	-	-
Thoracic spondylosis without myelopathy (721.2)	-	-	-	-	-	-	-	-	-
Lumbosacral spondylosis without myelopathy (721.3)	0	-	.0	-	.0	-	-	-	-
Thoracic or lumbar spondylosis with myelopathy (721.4)	-	-	-	-	-	-	-	-	-
Kissing spine (721.5)	-	-	-	-	-	-	-	-	-
Ankylosing vertebral hyperostosis (721.6)	-	-	-	-	-	-	-	-	-
Traumatic spondylopathy (721.7)	-	-	-	-	-	-	-	-	-
Other (721.8)	-	-	-	0	.0	.0	.0	.0	-
Spondylosis of unspecified site (721.9)	0	.0	.0	0	.0	-	-	-	-
Intervertebral disc disorders (722)	0	.0	.0	0	.0	.0	.0	.0	.0
Displacement of cervical intervertebral disc without myelopathy (722.0)	-	-	.0	0	.0	.0	.0	.0	.0
Displacement of thoracic or lumbar intervertebral disc without myelopathy (722.1)	-	-	.0	0	.0	-	-	.0	-
Displacement of intervertebral disc, site unspecified, without myelopathy (722.2)	0	.0	.0	0	.0	-	-	-	-
Schmorl's nodes (722.3)	-	-	-	-	-	-	-	-	-
Degeneration of cervical intervertebral disc (722.4)	-	.0	.0	0	.0	-	-	-	-
Degeneration of thoracic or lumbar intervertebral disc (722.5)	0	.0	.0	0	.0	-	.0	-	.0
Degeneration of intervertebral disc, site unspecified (722.6)	0	.0	-	0	.0	-	-	-	-
Intervertebral disc disorder with myelopathy (722.7)	0	.0	-	-	-	-	-	-	-
Postlaminectomy syndrome (722.8)	0	-	-	-	-	-	-	-	-
Other and unspecified disc disorder (722.9)	0	.0	.0	0	.0	-	-	-	-
Other disorders of cervical region (723)	0	.0	.0	0	.0	.0	-	.0	-
Spinal stenosis in cervical region (723.0)	0	-	.0	-	.0	-	-	-	-
Cervicalgia (723.1)	-	-	-	-	-	-	-	-	-
Cervicocranial syndrome (723.2)	-	-	-	-	-	-	-	-	-
Cervicobrachial syndrome (diffuse) (723.3)	-	-	-	-	-	-	-	-	-
Brachial neuritis or radiculitis, not otherwise specified (723.4)	-	-	-	-	-	-	-	-	-
Torticollis, unspecified (723.5)	0	.0	-	0	-	-	-	-	-
Panniculitis specified as affecting neck (723.6)	-	-	-	-	-	-	-	-	-
Ossification of posterior longitudinal ligament in cervical region (723.7)	-	-	-	-	-	.0	-	.0	-
Other syndromes affecting cervical region (723.8)	0	.0	-	-	-	-	-	-	-
Unspecified disorders and symptoms referable to neck (723.9)	-	-	-	-	-	-	-	-	-
Other and unspecified disorders of back (724)	0	.0	.0	0	.0	.0	.0	.0	.0
Spinal stenosis, other than cervical (724.0)	0	-	-	-	-	-	-	-	-
Pain in thoracic spine (724.1)	-	-	-	-	-	-	-	-	-
Lumbago (724.2)	-	-	-	0	.0	-	-	-	-
Sciatica (724.3)	0	.0	.0	-	-	-	-	-	-
Thoracic or lumbosacral neuritis or radiculitis, not otherwise specified (724.4)	0	-	-	0	.0	-	-	-	-
Backache, unspecified (724.5)	0	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 180

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other and unspecified disorders of back-Con.	-	-	-	-	-	-	-	-	-
Disorders of sacrum (724.6)	-	-	-	-	-	-	-	-	-
Disorders of coccyx (724.7)	-	-	-	-	-	-	-	-	-
Other symptoms referable to back (724.8)	-	-	-	-	-	-	-	-	-
Unspecified back disorders (724.9)	3	1	2	-	2	1	-	1	-
Rheumatism, excluding the back (725-729)	383	160	223	119	157	41	66	40	62
Polymyalgia rheumatica (725)	28	5	23	4	21	1	2	1	1
Peripheral enthesopathies and allied syndromes (726)	2	1	1	-	1	1	-	1	-
Adhesive capsulitis of shoulder (726.0)	-	-	-	-	-	-	-	-	-
Rotator cuff syndrome of shoulder and allied disorders (726.1)	-	-	-	-	-	-	-	-	-
Other affections of shoulder region, not elsewhere classified (726.2)	-	-	-	-	-	-	-	-	-
Enthesopathy of elbow region (726.3)	1	1	-	-	-	1	-	1	-
Enthesopathy of wrist and carpus (726.4)	-	-	-	-	-	-	-	-	-
Enthesopathy of hip region (726.5)	-	-	-	-	-	-	-	-	-
Enthesopathy of knee (726.6)	-	-	-	-	-	-	-	-	-
Enthesopathy of ankle and tarsus (726.7)	-	-	-	-	-	-	-	-	-
Other peripheral enthesopathies (726.8)	-	-	-	-	-	-	-	-	-
Unspecified enthesopathy (726.9)	1	-	1	-	1	-	-	-	-
Other disorders of synovium, tendon, and bursa (727)	4	1	3	1	3	-	-	-	-
Synovitis and tenosynovitis (727.0)	-	-	-	-	-	-	-	-	-
Bunion (727.1)	-	-	-	-	-	-	-	-	-
Specific bursitis often of occupational origin (727.2)	-	-	-	-	-	-	-	-	-
Other bursitis (727.3)	1	-	1	-	1	-	-	-	-
Ganglion and cyst of synovium, tendon, and bursa (727.4)	1	-	1	-	1	-	-	-	-
Rupture of synovium (727.5)	-	-	-	-	-	-	-	-	-
Rupture of tendon, nontraumatic (727.6)	-	-	-	-	-	-	-	-	-
Other (727.8)	-	-	-	-	-	-	-	-	-
Unspecified (727.9)	2	1	1	1	1	-	-	-	-
Disorders of muscle, ligament, and fascia (728)	138	79	59	60	53	19	6	18	6
Infective myositis (728.0)	-	-	-	-	-	-	-	-	-
Muscular calcification and ossification (728.1)	1	-	1	-	1	-	-	-	-
Muscular wasting and disuse atrophy, not elsewhere classified (728.2)	13	7	6	7	6	-	-	-	-
Other specific muscle disorders (728.3)	4	3	1	3	1	-	-	-	-
Laxity of ligament (728.4)	-	-	-	-	-	-	-	-	-
Hypermobility syndrome (728.5)	-	-	-	-	-	-	-	-	-
Contracture of palmar fascia (728.6)	-	-	-	-	-	-	-	-	-
Other fibromatoses (728.7)	-	-	-	-	-	-	-	-	-
Other disorders of muscle, ligament, and fascia (728.8)	84	55	29	37	25	18	4	17	4
Unspecified (728.9)	36	14	22	13	20	1	2	1	2
Other disorders of soft tissues (729)	211	74	137	54	79	20	58	20	55
Rheumatism, unspecified, and fibrositis (729.0)	2	1	1	1	1	-	-	-	-
Myalgia and myositis, unspecified (729.1)	17	6	11	6	5	-	6	-	6
Neuralgia, neuritis, and radiculitis, unspecified (729.2)	2	1	1	1	1	-	-	-	-
Panniculitis, unspecified (729.3)	7	-	7	-	7	-	-	-	-
Fasciitis, unspecified (729.4)	178	64	114	44	62	20	52	20	49
Pain in limb (729.5)	2	2	-	2	-	-	-	-	-
Residual foreign body in soft tissue (729.6)	-	-	-	-	-	-	-	-	-
Other symptoms referable to limbs (729.8)	2	-	2	-	2	-	-	-	-
Other and unspecified disorders of soft tissue (729.9)	1	-	1	-	1	-	-	-	-
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)	1,210	389	821	328	750	61	71	56	64
Osteomyelitis, periostitis, and other infections involving bone (730)	379	184	195	147	152	37	43	34	42
Acute osteomyelitis (730.0)	6	4	2	4	2	-	-	-	-
Chronic osteomyelitis (730.1)	32	17	15	15	13	2	2	2	2
Unspecified osteomyelitis (730.2)	335	158	177	124	136	34	41	31	40
Periostitis without mention of osteomyelitis (730.3)	-	-	-	-	-	-	-	-	-
Unspecified infection of bone (730.9)	6	5	1	4	1	1	-	1	-
Osteitis deformans and osteopathies associated with other disorders classified elsewhere (731)	59	25	34	23	31	2	3	2	3
Osteitis deformans without mention of bone tumor (731.0)	58	25	33	23	30	2	3	2	3
Hypertrophic pulmonary osteoarthropathy (731.2)	1	-	1	-	1	-	-	-	-
Osteochondropathies (732)	3	2	1	1	1	1	-	1	-
Juvenile osteochondrosis of spine (732.0)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of hip and pelvis (732.1)	2	1	1	1	1	-	-	-	-
Nontraumatic slipped upper femoral epiphysis (732.2)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of upper extremity (732.3)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of lower extremity, excluding foot (732.4)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of foot (732.5)	-	-	-	-	-	-	-	-	-
Other juvenile osteochondrosis (732.6)	-	-	-	-	-	-	-	-	-
Osteochondritis dissecans (732.7)	-	-	-	-	-	-	-	-	-
Other specified forms of osteochondropathy (732.8)	-	-	-	-	-	-	-	-	-
Unspecified osteochondropathy (732.9)	1	1	-	-	-	1	-	1	-
Other disorders of bone and cartilage (733)	496	104	392	92	380	12	12	11	8
Osteoporosis (733.0)	353	51	302	47	283	4	9	3	5
Pathological fracture (733.1)	79	20	59	16	58	4	1	4	1
Cyst of bone (733.2)	2	-	2	-	2	-	-	-	-
Hyperostosis of skull (733.3)	-	-	-	-	-	-	-	-	-
Aseptic necrosis of bone (733.4)	6	3	3	3	2	-	1	-	1
Osteitis condensans (733.5)	-	-	-	-	-	-	-	-	-
Tietze's disease (733.6)	-	-	-	-	-	-	-	-	-
Algoneurodystrophy (733.7)	-	-	-	-	-	-	-	-	-
Malunion and nonunion of fracture (733.8)	8	3	5	2	5	1	-	1	-
Other and unspecified (733.9)	48	27	21	24	20	3	1	3	1
Flat foot (734)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 181

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other and unspecified disorders of back-Con.									
Disorders of sacrum (724.6)	-	-	-	-	-	-	-	-	-
Disorders of coccyx (724.7)	-	-	-	-	-	-	-	-	-
Other symptoms referable to back (724.8)	-	-	-	-	-	-	-	-	-
Unspecified back disorders (724.9)	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-
Rheumatism, excluding the back (725-729)2	.1	.2	0.1	.2	.2	0.4	.3	0.4
Polymyalgia rheumatica (725)0	.0	.0	.0	.0	.0	.0	.0	-
Peripheral enthesopathies and allied syndromes (726)0	.0	.0	-	.0	.0	-	.0	-
Adhesive capsulitis of shoulder (726.0)	-	-	-	-	-	-	-	-	-
Rotator cuff syndrome of shoulder and allied disorders (726.1)	-	-	-	-	-	-	-	-	-
Other affections of shoulder region, not elsewhere classified (726.2)	-	-	-	-	-	-	-	-	-
Enthesopathy of elbow region (726.3)0	.0	-	-	-	.0	-	.0	-
Enthesopathy of wrist and carpus (726.4)	-	-	-	-	-	-	-	-	-
Enthesopathy of hip region (726.5)	-	-	-	-	-	-	-	-	-
Enthesopathy of knee (726.6)	-	-	-	-	-	-	-	-	-
Enthesopathy of ankle and tarsus (726.7)	-	-	-	-	-	-	-	-	-
Other peripheral enthesopathies (726.8)	-	-	-	-	-	-	-	-	-
Unspecified enthesopathy (726.9)0	-	.0	-	.0	-	-	-	-
Other disorders of synovium, tendon, and bursa (727)0	.0	.0	.0	.0	-	-	-	-
Synovitis and tenosynovitis (727.0)	-	-	-	-	-	-	-	-	-
Bunion (727.1)	-	-	-	-	-	-	-	-	-
Specific bursitis often of occupational origin (727.2)	-	-	-	-	-	-	-	-	-
Other bursitis (727.3)0	-	.0	-	.0	-	-	-	-
Ganglion and cyst of synovium, tendon, and bursa (727.4)0	-	.0	-	.0	-	-	-	-
Rupture of synovium (727.5)	-	-	-	-	-	-	-	-	-
Rupture of tendon, nontraumatic (727.6)	-	-	-	-	-	-	-	-	-
Other (727.8)	-	-	-	-	-	-	-	-	-
Unspecified (727.9)0	.0	.0	.0	.0	-	-	-	-
Disorders of muscle, ligament, and fascia (728)1	.1	.0	.1	.1	.1	.0	.1	.0
Infective myositis (728.0)	-	-	-	-	-	-	-	-	-
Muscular calcification and ossification (728.1)0	-	.0	-	.0	-	-	-	-
Muscular wasting and disuse atrophy, not elsewhere classified (728.2)0	.0	.0	.0	.0	-	-	-	-
Other specific muscle disorders (728.3)0	.0	.0	.0	.0	-	-	-	-
Laxity of ligament (728.4)	-	-	-	-	-	-	-	-	-
Hypermobility syndrome (728.5)	-	-	-	-	-	-	-	-	-
Contracture of palmar fascia (728.6)	-	-	-	-	-	-	-	-	-
Other fibromatoses (728.7)0	.0	.0	.0	.0	.1	.0	.1	.0
Other disorders of muscle, ligament, and fascia (728.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (728.9)	-	-	-	-	-	-	-	-	-
Other disorders of soft tissues (729)1	.1	.1	.1	.1	.1	.3	.1	.4
Rheumatism, unspecified, and fibrositis (729.0)0	.0	.0	.0	.0	-	-	-	-
Myalgia and myositis, unspecified (729.1)0	.0	.0	.0	.0	-	.0	-	.0
Neuralgia, neuritis, and radiculitis, unspecified (729.2)0	.0	.0	.0	.0	-	-	-	-
Panniculitis, unspecified (729.3)0	-	.0	-	-	-	-	-	-
Fasciitis, unspecified (729.4)1	.1	.1	.0	.1	.1	.3	.1	.3
Pain in limb (729.5)0	.0	-	.0	-	-	-	-	-
Residual foreign body in soft tissue (729.6)	-	-	-	-	-	-	-	-	-
Other symptoms referable to limbs (729.8)0	-	.0	-	.0	-	-	-	-
Other and unspecified disorders of soft tissue (729.9)0	-	.0	-	.0	-	-	-	-
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)5	.3	.7	.3	.7	.4	.4	.4	.4
Osteomyelitis, periostitis, and other infections involving bone (730)2	.2	.2	.1	.1	.2	.2	.2	.3
Acute osteomyelitis (730.0)0	.0	.0	.0	.0	-	-	-	-
Chronic osteomyelitis (730.1)0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified osteomyelitis (730.2)1	.1	.1	.1	.1	.2	.2	.2	.3
Periostitis without mention of osteomyelitis (730.3)	-	-	-	-	-	-	-	-	-
Unspecified infection of bone (730.9)0	.0	.0	.0	.0	.0	-	.0	-
Osteitis deformans and osteopathies associated with other disorders classified elsewhere (731)0	.0	.0	.0	.0	.0	.0	.0	.0
Osteitis deformans without mention of bone tumor (731.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Hypertrophic pulmonary osteoarthropathy (731.2)0	-	.0	-	.0	-	-	-	-
Osteochondropathies (732)0	.0	.0	.0	.0	.0	-	.0	-
Juvenile osteochondrosis of spine (732.0)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of hip and pelvis (732.1)0	.0	.0	.0	.0	-	-	-	-
Nontraumatic slipped upper femoral epiphysis (732.2)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of upper extremity (732.3)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of lower extremity, excluding foot (732.4)	-	-	-	-	-	-	-	-	-
Juvenile osteochondrosis of foot (732.5)	-	-	-	-	-	-	-	-	-
Other juvenile osteochondrosis (732.6)	-	-	-	-	-	-	-	-	-
Osteochondritis dissecans (732.7)	-	-	-	-	-	-	-	-	-
Other specified forms of osteochondropathy (732.8)0	.0	-	-	-	.0	-	.0	-
Unspecified osteochondropathy (732.9)	-	-	-	-	-	-	-	-	-
Other disorders of bone and cartilage (733)2	.1	.3	.1	.4	.1	.1	.1	.1
Osteoporosis (733.0)1	.0	.2	.0	.3	.0	.0	.0	.0
Pathological fracture (733.1)0	.0	.0	.0	.1	.0	.0	.0	.0
Cyst of bone (733.2)	-	-	-	-	-	-	-	-	-
Hyperostosis of skull (733.3)0	.0	.0	.0	.0	-	.0	-	.0
Aseptic necrosis of bone (733.4)	-	-	-	-	-	-	-	-	-
Osteitis condensans (733.5)	-	-	-	-	-	-	-	-	-
Tietze's disease (733.6)	-	-	-	-	-	-	-	-	-
Algoneurodystrophy (733.7)0	.0	.0	.0	.0	.0	-	.0	-
Malunion and nonunion of fracture (733.8)0	.0	.0	.0	.0	.0	.0	.0	.0
Other and unspecified (733.9)	-	-	-	-	-	-	-	-	-
Flat foot (734)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 182

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Osteopathies, chondropathies, and acquired musculoskeletal deformities-Con.									
Acquired deformities of toe (735)	-	-	-	-	-	-	-	-	-
Hallux valgus, acquired (735.0)	-	-	-	-	-	-	-	-	-
Hallux varus, acquired (735.1)	-	-	-	-	-	-	-	-	-
Hallux rigidus (735.2)	-	-	-	-	-	-	-	-	-
Hallux malleus (735.3)	-	-	-	-	-	-	-	-	-
Other hammer toe, acquired (735.4)	-	-	-	-	-	-	-	-	-
Clawtoe, acquired (735.5)	-	-	-	-	-	-	-	-	-
Other (735.8)	-	-	-	-	-	-	-	-	-
Unspecified (735.9)	-	-	-	-	-	-	-	-	-
Other acquired deformities of limbs (736)	2	1	1	1	-	-	1	-	1
Acquired deformities of forearm, excluding fingers (736.0)	-	-	-	-	-	-	-	-	-
Mallet finger (736.1)	-	-	-	-	-	-	-	-	-
Other acquired deformities of finger (736.2)	-	-	-	-	-	-	-	-	-
Acquired deformities of hip (736.3)	-	-	-	-	-	-	-	-	-
Genu valgum or varum, acquired (736.4)	-	-	-	-	-	-	-	-	-
Genu recurvatum, acquired (736.5)	-	-	-	-	-	-	-	-	-
Other acquired deformities of knee (736.6)	-	-	-	-	-	-	-	-	-
Other acquired deformities of ankle and foot (736.7)	-	-	-	-	-	-	-	-	-
Acquired deformities of other parts of limbs (736.8)	1	-	1	-	-	-	1	-	1
Acquired deformity of limb, site unspecified (736.9)	1	1	-	1	-	-	-	-	-
Curvature of spine (737)	253	68	185	59	175	9	10	8	9
Adolescent postural kyphosis (737.0)	-	-	-	-	-	-	-	-	-
Kyphosis, acquired (737.1)	53	8	45	7	45	1	-	1	-
Lordosis, acquired (postural) (737.2)	-	-	-	-	-	-	-	-	-
Kyphoscoliosis and scoliosis (737.3)	200	60	140	52	130	8	10	7	9
Other (737.8)	-	-	-	-	-	-	-	-	-
Unspecified (737.9)	-	-	-	-	-	-	-	-	-
Other acquired deformity (738)	18	5	13	5	11	-	2	-	1
Acquired deformity of nose (738.0)	-	-	-	-	-	-	-	-	-
Other acquired deformity of head (738.1)	-	-	-	-	-	-	-	-	-
Acquired deformity of neck (738.2)	-	-	-	-	-	-	-	-	-
Acquired deformity of chest and rib (738.3)	14	4	10	4	9	-	1	-	-
Acquired spondylolisthesis (738.4)	2	1	1	1	-	-	1	-	1
Other acquired deformity of back or spine (738.5)	-	-	-	-	-	-	-	-	-
Acquired deformity of pelvis (738.6)	-	-	-	-	-	-	-	-	-
Cauliflower ear (738.7)	-	-	-	-	-	-	-	-	-
Acquired deformity of other specified site (738.8)	-	-	-	-	-	-	-	-	-
Acquired deformity of unspecified site (738.9)	2	-	2	-	2	-	-	-	-
Nonallopathic lesions, not elsewhere classified (739)	-	-	-	-	-	-	-	-	-
Head region (739.0)	-	-	-	-	-	-	-	-	-
Cervical region (739.1)	-	-	-	-	-	-	-	-	-
Thoracic region (739.2)	-	-	-	-	-	-	-	-	-
Lumbar region (739.3)	-	-	-	-	-	-	-	-	-
Sacral region (739.4)	-	-	-	-	-	-	-	-	-
Pelvic region (739.5)	-	-	-	-	-	-	-	-	-
Lower extremities (739.6)	-	-	-	-	-	-	-	-	-
Upper extremities (739.7)	-	-	-	-	-	-	-	-	-
Rib cage (739.8)	-	-	-	-	-	-	-	-	-
Abdomen and other (739.9)	-	-	-	-	-	-	-	-	-
XIV. Congenital anomalies (740-759)									
Congenital anomalies (740-759)	12,783	6,895	5,888	5,674	4,763	1,221	1,125	1,046	962
Anencephalus and similar anomalies (740)	698	298	400	255	354	43	46	25	35
Anencephalus (740.0)	692	297	395	255	349	42	46	25	35
Craniorachischisis (740.1)	2	1	1	-	1	1	-	-	-
Iniencephaly (740.2)	4	-	4	-	4	-	-	-	-
Spina bilida (741)	187	97	90	81	81	16	9	16	8
With hydrocephalus (741.0)	111	59	52	47	48	12	4	12	4
Without mention of hydrocephalus (741.9)	76	38	38	34	33	4	5	4	4
Other congenital anomalies of nervous system (742)	874	447	427	356	349	91	78	84	65
Encephalocele (742.0)	85	37	48	32	39	5	9	5	7
Microcephalus (742.1)	96	43	53	33	46	10	7	9	7
Reduction deformities of brain (742.2)	83	34	59	26	49	8	10	8	7
Congenital hydrocephalus (742.3)	319	181	138	133	107	48	31	43	25
Other specified anomalies of brain (742.4)	60	23	37	21	28	2	9	2	7
Other specified anomalies of spinal cord (742.5)	78	52	26	50	24	2	2	2	2
Other specified anomalies of nervous system (742.8)	20	17	3	15	3	2	-	2	-
Unspecified anomalies of brain, spinal cord, and nervous system (742.9)	123	60	63	46	53	14	10	13	10
Congenital anomalies of eye (743)	8	5	3	1	2	4	1	2	1
Anophthalmos (743.0)	-	-	-	-	-	-	-	-	-
Microphthalmos (743.1)	2	1	1	-	1	1	-	1	-
Buphthalmos (743.2)	-	-	-	-	-	-	-	-	-
Congenital cataract and lens anomalies (743.3)	-	-	-	-	-	-	-	-	-
Coloboma and other anomalies of anterior segments (743.4)	-	-	-	-	-	-	-	-	-
Congenital anomalies of posterior segment (743.5)	-	-	-	-	-	-	-	-	-
Congenital anomalies of eyelids, lacrimal system, and orbit (743.6)	-	-	-	-	-	-	-	-	-
Other specified anomalies of eye (743.8)	5	3	2	-	1	3	1	1	1
Unspecified anomalies of eye (743.9)	1	1	-	1	-	-	-	-	-
Congenital anomalies of ear, face, and neck (744)	2	1	1	1	1	-	-	-	-
Anomalies of ear causing impairment of hearing (744.0)	-	-	-	-	-	-	-	-	-
Accessory auricle (744.1)	-	-	-	-	-	-	-	-	-
Other specified anomalies of ear (744.2)	-	-	-	-	-	-	-	-	-
Unspecified anomalies of ear (744.3)	-	-	-	-	-	-	-	-	-
Branchial cleft, cyst or fistula: preauricular sinus (744.4)	-	-	-	-	-	-	-	-	-
Webbing of neck (744.5)	-	-	-	-	-	-	-	-	-
Other specified anomalies of face and neck (744.8)	1	-	1	-	1	-	-	-	-
Unspecified anomalies of face and neck (744.9)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 183

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Osteopathies, chondropathies, and acquired musculoskeletal deformities-Con.									
Acquired deformities of toe (735)	-	-	-	-	-	-	-	-	-
Hallux valgus, acquired (735.0)	-	-	-	-	-	-	-	-	-
Hallux varus, acquired (735.1)	-	-	-	-	-	-	-	-	-
Hallux rigidus (735.2)	-	-	-	-	-	-	-	-	-
Hallux malleus (735.3)	-	-	-	-	-	-	-	-	-
Other hammer toe, acquired (735.4)	-	-	-	-	-	-	-	-	-
Clawtoe, acquired (735.5)	-	-	-	-	-	-	-	-	-
Other (735.8)	-	-	-	-	-	-	-	-	-
Unspecified (735.9)	-	-	-	-	-	-	-	-	-
Other acquired deformities of limbs (736)	0.0	0.0	0.0	0.0	-	-	0.0	-	0.0
Acquired deformities of forearm, excluding fingers (736.0)	-	-	-	-	-	-	-	-	-
Mallet finger (736.1)	-	-	-	-	-	-	-	-	-
Other acquired deformities of finger (736.2)	-	-	-	-	-	-	-	-	-
Acquired deformities of hip (736.3)	-	-	-	-	-	-	-	-	-
Genu valgum or varum, acquired (736.4)	-	-	-	-	-	-	-	-	-
Genu recurvatum, acquired (736.5)	-	-	-	-	-	-	-	-	-
Other acquired deformities of knee (736.6)	-	-	-	-	-	-	-	-	-
Other acquired deformities of ankle and foot (736.7)	-	-	-	-	-	-	-	-	-
Acquired deformities of other parts of limbs (736.8)	0	-	0	-	-	-	0	-	0
Acquired deformity of limb, site unspecified (736.9)	0	0	-	0	-	-	-	-	-
Curvature of spine (737)	1	1	2	1	0.2	0.1	1	0.1	1
Adolescent postural kyphosis (737.0)	-	-	-	-	-	-	-	-	-
Kyphosis, acquired (737.1)	0	0	0	0	0	0	-	0	-
Lordosis, acquired (postural) (737.2)	-	-	-	-	-	-	-	-	-
Kyphoscoliosis and scoliosis (737.3)	1	1	1	1	1	0	1	1	1
Other (737.8)	-	-	-	-	-	-	-	-	-
Unspecified (737.9)	-	-	-	-	-	-	-	-	-
Other acquired deformity (738)	0	0	0	0	0	-	0	-	0
Acquired deformity of nose (738.0)	-	-	-	-	-	-	-	-	-
Other acquired deformity of head (738.1)	-	-	-	-	-	-	-	-	-
Acquired deformity of neck (738.2)	-	-	-	-	-	-	-	-	-
Acquired deformity of chest and rib (738.3)	0	0	0	0	0	-	0	-	0
Acquired spondylolisthesis (738.4)	0	0	0	0	-	-	0	-	0
Other acquired deformity of back or spine (738.5)	-	-	-	-	-	-	-	-	-
Acquired deformity of pelvis (738.6)	-	-	-	-	-	-	-	-	-
Cauliflower ear (738.7)	-	-	-	-	-	-	-	-	-
Acquired deformity of other specified site (738.8)	-	-	-	-	-	-	-	-	-
Acquired deformity of unspecified site (738.9)	0	-	0	-	0	-	-	-	-
Nonallopathic lesions, not elsewhere classified (739)	-	-	-	-	-	-	-	-	-
Head region (739.0)	-	-	-	-	-	-	-	-	-
Cervical region (739.1)	-	-	-	-	-	-	-	-	-
Thoracic region (739.2)	-	-	-	-	-	-	-	-	-
Lumbar region (739.3)	-	-	-	-	-	-	-	-	-
Sacral region (739.4)	-	-	-	-	-	-	-	-	-
Pelvic region (739.5)	-	-	-	-	-	-	-	-	-
Lower extremities (739.6)	-	-	-	-	-	-	-	-	-
Upper extremities (739.7)	-	-	-	-	-	-	-	-	-
Rib cage (739.8)	-	-	-	-	-	-	-	-	-
Abdomen and other (739.9)	-	-	-	-	-	-	-	-	-
XIV. Congenital anomalies (740-759)									
Congenital anomalies (740-759)	5.4	5.9	4.8	5.7	4.6	7.1	6.0	7.6	6.3
Anencephalus and similar anomalies (740)	3	3	3	3	3	3	2	2	2
Anencephalus (740.0)	3	3	3	3	3	2	2	2	2
Craniorachischisis (740.1)	0	0	0	-	0	0	-	-	-
Iniencephaly (740.2)	0	-	0	-	0	-	-	-	-
Spina bifida (741)	1	1	1	1	1	1	0	1	1
With hydrocephalus (741.0)	0	1	0	0	0	1	0	1	0
Without mention of hydrocephalus (741.9)	0	0	0	0	0	0	0	0	0
Other congenital anomalies of nervous system (742)	4	4	3	4	3	5	4	6	4
Encephalocele (742.0)	0	0	0	0	0	0	0	0	0
Microcephalus (742.1)	0	0	0	0	0	1	0	1	0
Reduction deformities of brain (742.2)	0	0	0	0	0	0	1	1	0
Congenital hydrocephalus (742.3)	1	2	1	1	1	3	2	3	2
Other specified anomalies of brain (742.4)	0	0	0	0	0	0	0	0	0
Other specified anomalies of spinal cord (742.5)	0	0	0	1	0	0	0	0	0
Other specified anomalies of nervous system (742.8)	0	0	0	0	0	0	-	0	-
Unspecified anomalies of brain, spinal cord, and nervous system (742.9)	1	1	1	0	1	1	1	1	1
Congenital anomalies of eye (743)	0	0	0	0	0	0	0	0	0
Anophthalmos (743.0)	-	-	-	-	-	-	-	-	-
Microphthalmos (743.1)	0	0	0	-	0	0	-	0	-
Buphthalmos (743.2)	-	-	-	-	-	-	-	-	-
Congenital cataract and lens anomalies (743.3)	-	-	-	-	-	-	-	-	-
Coloboma and other anomalies of anterior segments (743.4)	-	-	-	-	-	-	-	-	-
Congenital anomalies of posterior segment (743.5)	-	-	-	-	-	-	-	-	-
Congenital anomalies of eyelids, lacrimal system, and orbit (743.6)	-	-	-	-	-	-	-	-	-
Other specified anomalies of eye (743.8)	0	0	0	-	0	0	0	0	0
Unspecified anomalies of eye (743.9)	0	0	-	0	-	-	-	-	-
Congenital anomalies of ear, face, and neck (744)	0	0	0	0	0	-	-	-	-
Anomalies of ear causing impairment of hearing (744.0)	-	-	-	-	-	-	-	-	-
Accessory auricle (744.1)	-	-	-	-	-	-	-	-	-
Other specified anomalies of ear (744.2)	-	-	-	-	-	-	-	-	-
Unspecified anomalies of ear (744.3)	-	-	-	-	-	-	-	-	-
Branchial cleft, cyst or fistula; preauricular sinus (744.4)	-	-	-	-	-	-	-	-	-
Webbing of neck (744.5)	-	-	-	-	-	-	-	-	-
Other specified anomalies of face and neck (744.8)	0	-	0	-	0	-	-	-	-
Unspecified anomalies of face and neck (744.9)	0	0	-	0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 184

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Congenital anomalies-Con.									
Bulbus cordis anomalies and anomalies of cardiac septal closure (745)	1,479	758	721	644	598	114	123	87	105
Common truncus (745.0)	123	66	57	59	47	7	10	6	10
Transposition of great vessels (745.1)	224	147	77	129	71	18	6	13	5
Tetralogy of Fallot (745.2)	245	130	115	105	95	25	20	21	17
Common ventricle (745.3)	75	47	28	39	23	8	5	7	4
Ventricular septal defect (745.4)	380	194	186	163	155	31	31	19	27
Ostium secundum type atrial septal defect (745.5)	240	83	157	75	129	8	28	7	23
Endocardial cushion defects (745.6)	172	79	93	64	71	15	22	12	18
Cor biloculare (745.7)	-	-	-	-	-	-	-	-	-
Other (745.8)	3	2	1	2	1	-	-	-	-
Unspecified defect of septal closure (745.9)	17	10	7	8	6	2	1	2	1
Other congenital anomalies of heart (746)	2,953	1,706	1,247	1,396	974	310	273	266	240
Anomalies of pulmonary valve (746.0)	31	13	18	11	13	2	5	2	4
Tricuspid atresia and stenosis, congenital (746.1)	68	28	40	22	33	6	7	5	5
Ebstein's anomaly (746.2)	51	24	27	22	23	2	4	-	3
Congenital stenosis of aortic valve (746.3)	75	50	25	45	21	5	4	4	3
Congenital insufficiency of aortic valve (746.4)	54	39	15	38	15	1	-	1	-
Congenital mitral stenosis (746.5)	15	9	6	9	6	-	-	-	-
Congenital mitral insufficiency (746.6)	5	2	3	2	2	-	1	-	1
Hypoplastic left heart syndrome (746.7)	673	425	248	366	187	59	61	51	58
Other specified anomalies of heart (746.8)	389	230	159	178	125	52	34	45	32
Unspecified anomalies of heart (746.9)	1,592	886	706	703	549	183	157	158	134
Other congenital anomalies of circulatory system (747)	1,320	728	592	589	459	139	133	127	120
Patent ductus arteriosus (747.0)	114	58	56	43	37	15	19	15	17
Coarctation of aorta (747.1)	132	83	49	75	44	8	5	7	4
Other anomalies of aorta (747.2)	32	17	15	16	10	1	5	1	4
Anomalies of pulmonary artery (747.3)	123	68	55	53	44	15	11	11	11
Anomalies of great veins (747.4)	76	50	26	42	25	8	1	7	1
Absence or hypoplasia of umbilical artery (747.5)	-	-	-	-	-	-	-	-	-
Other anomalies of peripheral vascular system (747.6)	120	63	57	54	52	9	5	9	5
Other specified anomalies of circulatory system (747.8)	419	213	206	182	168	31	38	26	33
Unspecified anomalies of circulatory system (747.9)	304	176	128	124	79	52	49	51	45
Congenital anomalies of respiratory system (748)	1,137	705	432	555	340	150	92	134	79
Choanal atresia (748.0)	1	-	1	-	-	-	1	-	1
Other anomalies of nose (748.1)	2	1	1	1	1	-	-	-	-
Web of larynx (748.2)	1	1	-	1	-	-	-	-	-
Other anomalies of larynx, trachea, and bronchus (748.3)	68	50	18	36	10	14	8	12	6
Congenital cystic lung (748.4)	9	6	3	6	3	-	-	-	-
Agenesis, hypoplasia, and dysplasia of lung (748.5)	960	584	376	459	300	125	76	111	67
Other anomalies of lung (748.6)	78	53	25	44	21	9	4	9	4
Other specified anomalies of respiratory system (748.8)	5	1	4	1	3	-	1	-	1
Unspecified anomalies of respiratory system (748.9)	13	9	4	7	2	2	2	2	-
Cleft palate and cleft lip (749)	14	10	4	7	4	3	-	2	-
Cleft palate (749.0)	11	7	4	4	4	3	-	2	-
Cleft lip (749.1)	-	-	-	-	-	-	-	-	-
Cleft palate with cleft lip (749.2)	3	3	-	3	-	-	-	-	-
Other congenital anomalies of upper alimentary tract (750)	80	50	30	42	28	8	2	7	2
Tongue tie (750.0)	-	-	-	-	-	-	-	-	-
Other anomalies of tongue (750.1)	2	1	1	1	1	-	-	-	-
Other specified anomalies of mouth and pharynx (750.2)	1	1	-	-	-	-	-	1	-
Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3)	33	20	13	19	12	1	1	1	1
Other specified anomalies of esophagus (750.4)	29	17	12	13	11	4	1	3	1
Congenital hypertrophic pyloric stenosis (750.5)	5	5	-	4	-	1	-	1	-
Congenital hiatus hernia (750.6)	4	3	1	2	1	1	-	1	-
Other specified anomalies of stomach (750.7)	-	-	-	-	-	-	-	-	-
Other specified anomalies of upper alimentary tract (750.8)	-	-	-	-	-	-	-	-	-
Unspecified anomalies of upper alimentary tract (750.9)	6	3	3	3	3	-	-	-	-
Other congenital anomalies of digestive system (751)	210	115	95	94	67	21	28	20	24
Meckel's diverticulum (751.0)	8	4	4	3	4	1	-	1	-
Atresia and stenosis of small intestine (751.1)	15	6	9	6	4	-	5	-	4
Atresia and stenosis of large intestine, rectum, and anal canal (751.2)	9	7	2	7	2	-	-	-	-
Hirschsprung's disease and other congenital functional disorders of colon (751.3)	22	16	6	12	5	4	1	4	1
Anomalies of intestinal fixation (751.4)	21	10	11	8	9	2	2	2	2
Other anomalies of intestine (751.5)	25	17	8	14	7	3	1	3	1
Anomalies of gall bladder, bile ducts, and liver (751.6)	105	51	54	41	36	10	18	9	15
Anomalies of pancreas (751.7)	2	2	-	1	-	1	-	1	-
Other specified anomalies of digestive system (751.8)	2	2	-	2	-	-	-	-	-
Unspecified anomalies of digestive system (751.9)	1	-	1	-	-	-	1	-	1
Congenital anomalies of genital organs (752)	14	7	7	4	6	3	1	3	1
Anomalies of ovaries (752.0)	1	...	1	...	1	...	-	...	-
Anomalies of fallopian tubes and broad ligaments (752.1)	-	...	-	...	-	...	-	...	-
Doubling of uterus (752.2)	1	...	1	...	1	...	-	...	-
Other anomalies of uterus (752.3)	1	...	1	...	1	...	-	...	-
Anomalies of cervix, vagina, and external female genitalia (752.4)	-	...	-	...	-	...	-	...	-
Undescended testicle (752.5)	2	2	...	1	...	1	...	1	...
Hypospadias and epispadias (752.6)	-	-	...	-	...	-	...	-	...
Indeterminate sex and pseudohermaphroditism (752.7)	3	2	1	-	-	2	1	2	1
Other specified anomalies of genital organs (752.8)	2	1	1	1	1	-	-	-	-
Unspecified anomalies of genital organs (752.9)	4	2	2	2	2	-	-	-	-
Congenital anomalies of urinary system (753)	873	505	368	439	297	66	71	61	65
Renal agenesis and dysgenesis (753.0)	430	282	148	247	114	35	34	32	31
Cystic kidney disease (753.1)	379	185	194	164	163	21	31	19	29
Obstructive defects of renal pelvis and ureter (753.2)	11	8	3	7	3	1	-	1	-
Other specified anomalies of kidney (753.3)	10	5	5	3	4	2	1	2	1
Other specified anomalies of ureter (753.4)	-	-	-	-	-	-	-	-	-
Exstrophy of urinary bladder (753.5)	3	2	1	2	-	-	1	-	1
Atresia and stenosis of urethra and bladder neck (753.6)	2	1	1	1	1	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 185

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Congenital anomalies-Con.									
Bulbus cordis anomalies and anomalies of cardiac septal closure (745)	0.6	0.7	0.6	0.7	0.6	0.7	0.7	0.6	0.7
Common truncus (745.0)	.1	.1	.0	.1	.0	.1	.1	.0	.1
Transposition of great vessels (745.1)	.1	.1	.1	.1	.1	.1	.1	.2	.1
Tetralogy of Fallot (745.2)	.1	.1	.1	.1	.1	.1	.1	.1	.0
Common ventricle (745.3)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Ventricular septal defect (745.4)	.2	.2	.2	.2	.1	.2	.2	.1	.2
Ostium secundum type atrial septal defect (745.5)	.1	.1	.1	.1	.1	.0	.1	.1	.1
Endocardial cushion defects (745.6)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Cor biloculare (745.7)	-	-	-	-	-	-	-	-	-
Other (745.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified defect of septal closure (745.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other congenital anomalies of heart (746)	1.2	1.5	1.0	1.4	.9	1.8	1.5	1.9	1.6
Anomalies of pulmonary valve (746.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Tricuspid atresia and stenosis, congenital (746.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ebstein's anomaly (746.2)	.0	.0	.0	.0	.0	.0	.0	-	.0
Congenital stenosis of aortic valve (746.3)	.0	.0	.0	.0	.0	.0	.0	.0	-
Congenital insufficiency of aortic valve (746.4)	.0	.0	.0	.0	.0	.0	-	.0	-
Congenital mitral stenosis (746.5)	.0	.0	.0	.0	.0	-	-	-	.0
Congenital mitral insufficiency (746.6)	.0	.0	.0	.0	.0	-	.0	-	-
Hypoplastic left heart syndrome (746.7)	.3	.4	.2	.4	.2	.3	.3	.4	.4
Other specified anomalies of heart (746.8)	.2	.2	.1	.2	.1	.3	.2	.3	.2
Unspecified anomalies of heart (746.9)	.7	.8	.6	.7	.5	1.1	.8	1.2	.9
Other congenital anomalies of circulatory system (747)	.6	.6	.5	.6	.4	.8	.7	.9	.8
Patent ductus arteriosus (747.0)	.0	.0	.0	.0	.0	.1	.1	.1	.1
Coarctation of aorta (747.1)	.1	.1	.0	.1	.0	.0	.0	.1	.0
Other anomalies of aorta (747.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Anomalies of pulmonary artery (747.3)	.1	.1	.0	.1	.0	.1	.1	.1	.1
Anomalies of great veins (747.4)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Absence or hypoplasia of umbilical artery (747.5)	-	-	-	-	-	-	-	-	-
Other anomalies of peripheral vascular system (747.6)	.1	.1	.0	.1	.1	.1	.0	.1	.0
Other specified anomalies of circulatory system (747.8)	.2	.2	.2	.2	.2	.2	.2	.2	.2
Unspecified anomalies of circulatory system (747.9)	.1	.2	.1	.1	.1	.3	.3	.4	.3
Congenital anomalies of respiratory system (748)	.5	.6	.4	.6	.3	.9	.5	1.0	.5
Choanal atresia (748.0)	.0	-	.0	-	-	-	.0	-	.0
Other anomalies of nose (748.1)	.0	.0	.0	.0	.0	-	-	-	-
Web of larynx (748.2)	.0	.0	-	.0	-	-	-	-	-
Other anomalies of larynx, trachea, and bronchus (748.3)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Congenital cystic lung (748.4)	.0	.0	.0	.0	.0	-	-	-	-
Agenesis, hypoplasia, and dysplasia of lung (748.5)	.4	.5	.3	.5	.3	.7	.4	.8	.4
Other anomalies of lung (748.6)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Other specified anomalies of respiratory system (748.8)	.0	.0	.0	.0	.0	-	.0	-	.0
Unspecified anomalies of respiratory system (748.9)	.0	.0	.0	.0	.0	.0	.0	.0	-
Cleft palate and cleft lip (749)	.0	.0	.0	.0	.0	.0	-	.0	-
Cleft palate (749.0)	.0	.0	.0	.0	.0	.0	-	.0	-
Cleft lip (749.1)	-	-	-	-	-	-	-	-	-
Cleft palate with cleft lip (749.2)	.0	.0	-	.0	-	-	-	-	-
Other congenital anomalies of upper alimentary tract (750)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Tongue tie (750.0)	-	-	-	-	-	-	-	-	-
Other anomalies of tongue (750.1)	.0	.0	.0	.0	.0	-	-	.0	-
Other specified anomalies of mouth and pharynx (750.2)	.0	.0	-	-	-	.0	-	-	-
Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other specified anomalies of esophagus (750.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Congenital hypertrophic pyloric stenosis (750.5)	.0	.0	.0	.0	.0	.0	-	.0	-
Congenital hiatus hernia (750.6)	-	-	-	-	-	-	-	-	-
Other specified anomalies of stomach (750.7)	-	-	-	-	-	-	-	-	-
Other specified anomalies of upper alimentary tract (750.8)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified anomalies of upper alimentary tract (750.9)	.0	.0	.0	.0	.0	-	-	-	-
Other congenital anomalies of digestive system (751)	.1	.1	.1	.1	.1	.1	.1	.1	.2
Meckel's diverticulum (751.0)	.0	.0	.0	.0	.0	.0	-	.0	-
Atresia and stenosis of small intestine (751.1)	.0	.0	.0	.0	.0	.0	-	-	.0
Atresia and stenosis of large intestine, rectum, and anal canal (751.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Hirschsprung's disease and other congenital functional disorders of colon (751.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Anomalies of intestinal fixation (751.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other anomalies of intestine (751.5)	.0	.0	.0	.0	.0	.1	.1	.1	.1
Anomalies of gall bladder, bile ducts, and liver (751.6)	.0	.0	-	.0	-	.0	-	.0	-
Anomalies of pancreas (751.7)	.0	.0	-	.0	-	-	-	-	-
Other specified anomalies of digestive system (751.8)	.0	-	.0	-	-	-	.0	-	.0
Unspecified anomalies of digestive system (751.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Congenital anomalies of genital organs (752)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Anomalies of ovaries (752.0)	.000	...	-	...	-
Anomalies of fallopian tubes and broad ligaments (752.1)	.000	...	-	...	-
Doubling of uterus (752.2)	.000	...	-	...	-
Other anomalies of uterus (752.3)	.0	...	-	...	-	...	-	...	-
Anomalies of cervix, vagina, and external female genitalia (752.4)	.0	.0000	...
Undescended testicle (752.5)	-	-	...	-	...	-	...	-	...
Hypospadias and epispadias (752.6)	.0	.0	.0	-	-	.0	.0	.0	.0
Indeterminate sex and pseudohermaphroditism (752.7)	.0	.0	.0	.0	.0	-	-	-	-
Other specified anomalies of genital organs (752.8)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified anomalies of genital organs (752.9)	.0	.0	.0	.0	.0	-	-	-	-
Congenital anomalies of urinary system (753)	.4	.4	.3	.4	.3	.4	.4	.4	.4
Renal agenesis and dysgenesis (753.0)	.2	.2	.1	.2	.1	.2	.2	.2	.2
Cystic kidney disease (753.1)	.2	.2	.0	.0	.0	.0	-	.0	-
Obstructive defects of renal pelvis and ureter (753.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other specified anomalies of kidney (753.3)	.0	.0	-	-	-	-	-	-	-
Other specified anomalies of ureter (753.4)	.0	.0	.0	.0	-	-	.0	-	.0
Exstrophy of urinary bladder (753.5)	.0	.0	.0	.0	.0	-	-	-	-
Atresia and stenosis of urethra and bladder neck (753.6)	.0	.0	.0	.0	.0	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 186

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Congenital anomalies of urinary system-Con.									
Anomalies of urachus (753.7)	3	3	-	2	-	1	-	1	-
Other specified anomalies of bladder and urethra (753.8)	3	1	2	1	2	-	-	-	-
Unspecified anomalies of urinary system (753.9)	32	18	14	12	10	6	4	6	3
Certain congenital musculoskeletal deformities (754)									
Of skull, face, and jaw (754.0)	10	3	7	3	7	-	-	-	-
Of sternocleidomastoid muscle (754.1)	-	-	-	-	-	-	-	-	-
Of spine (754.2)	3	-	3	-	3	-	-	-	-
Congenital dislocation of hip (754.3)	1	1	-	1	-	-	-	-	-
Congenital genu recurvatum and bowing of long bones of leg (754.4)	-	-	-	-	-	-	-	-	-
Varus deformities of feet (754.5)	-	-	-	-	-	-	-	-	-
Valgus deformities of feet (754.6)	-	-	-	-	-	-	-	-	-
Other deformities of feet (754.7)	-	-	-	-	-	-	-	-	-
Other (754.8)	6	2	4	2	4	-	-	-	-
Other congenital anomalies of limbs (755)									
Polydactyly (755.0)	18	9	9	6	7	3	2	3	1
Syndactyly (755.1)	-	-	-	-	-	-	-	-	-
Reduction deformities of upper limb (755.2)	1	1	-	1	-	-	-	-	-
Reduction deformities of lower limb (755.3)	-	-	-	-	-	-	-	-	-
Reduction deformities, unspecified limb (755.4)	2	2	-	2	-	-	-	-	-
Other anomalies of upper limb, including shoulder girdle (755.5)	3	3	-	1	-	2	-	2	-
Other anomalies of lower limb, including pelvic girdle (755.6)	1	-	1	-	1	-	-	-	-
Other specified anomalies of unspecified limb (755.8)	11	3	8	2	6	1	2	1	1
Unspecified anomalies of unspecified limb (755.9)	-	-	-	-	-	-	-	-	-
Other congenital musculoskeletal anomalies (756)									
Anomalies of skull and face bones (756.0)	721	385	336	322	286	63	50	48	43
Anomalies of spine (756.1)	33	13	20	9	15	4	5	4	4
Cervical rib (756.2)	39	13	26	11	23	2	3	2	3
Other anomalies of ribs and sternum (756.3)	-	-	-	-	-	-	-	-	-
Chondrodystrophy (756.4)	10	8	2	7	2	1	-	-	-
Osteodystrophies (756.5)	26	11	15	8	14	3	1	1	1
Anomalies of diaphragm (756.6)	75	38	37	33	31	5	6	4	6
Anomalies of abdominal wall (756.7)	432	234	198	199	173	35	25	26	20
Other specified anomalies of muscle, tendon, fascia, and connective tissue (756.8)	77	54	23	42	15	12	8	10	8
Unspecified anomalies of musculoskeletal system (756.9)	18	10	8	9	7	1	1	1	-
Other congenital anomalies of the integument (757)	11	4	7	4	6	-	1	-	1
Hereditary edema of legs (757.0)	37	23	14	20	10	3	4	3	3
Ichthyosis congenita (757.1)	1	-	1	-	1	-	-	-	-
Dermatoglyphic anomalies (757.2)	4	2	2	1	1	1	1	1	1
Other specified anomalies of skin (757.3)	-	-	-	-	-	-	-	-	-
Specified anomalies of hair (757.4)	32	21	11	19	8	2	3	2	2
Specified anomalies of nails (757.5)	-	-	-	-	-	-	-	-	-
Specified anomalies of breast (757.6)	-	-	-	-	-	-	-	-	-
Other specified anomalies of the integument (757.8)	-	-	-	-	-	-	-	-	-
Unspecified anomalies of the integument (757.9)	-	-	-	-	-	-	-	-	-
Chromosomal anomalies (758)									
Down's syndrome (758.0)	1,117	488	629	407	511	81	118	68	93
Patau's syndrome (758.1)	275	140	135	119	119	21	16	17	12
Edwards' syndrome (758.2)	252	124	128	101	102	23	26	19	21
Autosomal deletion syndromes (758.3)	447	170	277	140	219	30	58	26	46
Balanced autosomal translocation in normal individual (758.4)	13	4	9	4	5	-	4	-	4
Other conditions due to autosomal anomalies (758.5)	-	-	-	-	-	-	-	-	-
Gonadal dysgenesis (758.6)	36	17	19	16	17	1	2	1	1
Klinefelter's syndrome (758.7)	9	4	5	3	3	1	2	1	1
Other conditions due to sex chromosome anomalies (758.8)	1	1	-	1	-	-	-	-	-
Conditions due to anomaly of unspecified chromosome (758.9)	4	-	4	-	4	-	-	-	-
Other and unspecified congenital anomalies (759)	80	28	52	23	42	5	10	4	8
Other and unspecified congenital anomalies (759)									
Anomalies of spleen (759.0)	1,031	555	476	452	382	103	94	90	77
Anomalies of adrenal gland (759.1)	23	14	9	13	8	1	1	1	-
Anomalies of other endocrine glands (759.2)	9	8	1	6	1	2	-	2	-
Situs inversus (759.3)	1	1	-	1	-	-	-	-	-
Conjoined twins (759.4)	12	6	6	6	5	-	1	-	1
Tuberous sclerosis (759.5)	47	13	34	9	27	4	7	4	5
Other hamartomas, not elsewhere classified (759.6)	19	11	8	7	6	4	2	4	2
Multiple congenital anomalies, so described (759.7)	19	4	15	4	13	-	2	-	2
Other specified anomalies (759.8)	569	303	266	243	206	60	60	51	50
Congenital anomaly, unspecified (759.9)	253	157	96	132	84	25	12	22	9
XV. Certain conditions originating in the perinatal period (760-779)	79	39	40	32	31	7	9	6	8
Certain conditions originating in the perinatal period (760-779)									
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	19,246	11,084	8,152	7,404	5,230	3,690	2,922	3,458	2,738
Maternal hypertensive disorders (760.0)	108	66	42	46	25	20	17	19	15
Maternal renal and urinary tract diseases (760.1)	24	13	11	6	7	7	4	6	4
Maternal infections (760.2)	4	1	3	1	3	-	-	-	-
Other chronic maternal circulatory and respiratory diseases (760.3)	17	10	7	6	4	4	3	4	3
Maternal nutritional disorders (760.4)	2	1	1	1	1	-	-	-	-
Maternal injury (760.5)	-	-	-	-	-	-	-	-	-
Surgical operation on mother (760.6)	17	10	7	6	5	4	2	4	2
Noxious influences transmitted via placenta or breast milk (760.7)	1	1	-	-	-	-	-	-	-
Other (760.8)	11	6	5	4	2	2	3	2	3
Unspecified (760.9)	31	23	8	20	3	3	5	3	3
Newborn affected by maternal complications of pregnancy (761)	1	1	-	1	-	-	-	-	-
Incompetent cervix (761.0)	1,335	728	607	504	408	224	199	213	186
Premature rupture of membranes (761.1)	167	99	88	74	68	25	20	25	19
Oligohydramnios (761.2)	335	190	145	130	95	60	50	58	46
Polyhydramnios (761.3)	22	17	5	15	5	2	-	1	-
	45	19	26	16	24	3	2	2	1

SECTION 1 - GENERAL MORTALITY - PAGE 187

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Congenital anomalies of urinary system-Con.									
Anomalies of urachus (753.7)	0.0	0.0	-	0.0	-	0.0	-	0.0	-
Other specified anomalies of bladder and urethra (753.8)	.0	.0	0.0	.0	0.0	.0	.0	.0	0.0
Unspecified anomalies of urinary system (753.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Certain congenital musculoskeletal deformities (754)	.0	.0	.0	.0	.0	-	-	-	-
Of skull, face, and jaw (754.0)	-	-	-	-	-	-	-	-	-
Of sternocleidomastoid muscle (754.1)	-	-	-	-	-	-	-	-	-
Of spine (754.2)	.0	.0	.0	.0	.0	-	-	-	-
Congenital dislocation of hip (754.3)	.0	.0	.0	.0	.0	-	-	-	-
Congenital genu recurvatum and bowing of long bones of leg (754.4)	.0	.0	.0	.0	.0	-	-	-	-
Varus deformities of feet (754.5)	-	-	-	-	-	-	-	-	-
Valgus deformities of feet (754.6)	-	-	-	-	-	-	-	-	-
Other deformities of feet (754.7)	-	-	-	-	-	-	-	-	-
Other (754.8)	.0	.0	.0	.0	.0	-	-	-	-
Other congenital anomalies of limbs (755)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Polydactyly (755.0)	-	-	-	-	-	-	-	-	-
Syndactyly (755.1)	.0	.0	-	.0	-	-	-	-	-
Reduction deformities of upper limb (755.2)	.0	.0	-	.0	-	-	-	-	-
Reduction deformities of lower limb (755.3)	.0	.0	-	.0	-	-	-	-	-
Reduction deformities, unspecified limb (755.4)	.0	.0	-	.0	-	-	-	.0	-
Other anomalies of upper limb, including shoulder girdle (755.5)	.0	.0	-	.0	-	-	-	-	-
Other anomalies of lower limb, including pelvic girdle (755.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other specified anomalies of unspecified limb (755.8)	-	-	-	-	-	-	-	-	-
Unspecified anomalies of unspecified limb (755.9)	-	-	-	-	-	-	-	-	-
Other congenital musculoskeletal anomalies (756)	.3	.3	.3	.3	.3	.4	.3	.4	.3
Anomalies of skull and face bones (756.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Anomalies of spine (756.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Cervical rib (756.2)	.0	.0	-	.0	-	.0	-	-	-
Other anomalies of ribs and sternum (756.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Chondrodystrophy (756.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Osteodystrophies (756.5)	.2	.2	.2	.2	.2	.2	.1	.2	.1
Anomalies of diaphragm (756.6)	.0	.0	.0	.0	.0	.1	.0	.1	.1
Anomalies of abdominal wall (756.7)	.0	.0	.0	.0	.0	.0	.0	.0	-
Other specified anomalies of muscle, tendon, fascia, and connective tissue (756.8)	.0	.0	.0	.0	.0	-	.0	-	.0
Unspecified anomalies of musculoskeletal system (756.9)	.0	.0	-	.0	-	-	-	-	-
Congenital anomalies of the integument (757)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Hereditary edema of legs (757.0)	.0	-	.0	-	.0	-	-	-	-
Ichthyosis congenita (757.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dermatoglyphic anomalies (757.2)	.0	.0	-	.0	-	.0	.0	.0	.0
Other specified anomalies of skin (757.3)	.0	-	-	-	-	-	-	-	-
Specified anomalies of hair (757.4)	-	-	-	-	-	-	-	-	-
Specified anomalies of nails (757.5)	-	-	-	-	-	-	-	-	-
Specified anomalies of breast (757.6)	-	-	-	-	-	-	-	-	-
Other specified anomalies of the integument (757.8)	-	-	-	-	-	-	-	-	-
Unspecified anomalies of the integument (757.9)	-	-	-	-	-	-	-	-	-
Chromosomal anomalies (758)	.5	.4	.5	.4	.5	.5	.6	.5	.6
Down's syndrome (758.0)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Patau's syndrome (758.1)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Edwards' syndrome (758.2)	.2	.1	.2	.1	.2	.2	.3	.2	.3
Autosomal deletion syndromes (758.3)	.0	.0	.0	.0	.0	-	.0	-	.0
Balanced autosomal translocation in normal individual (758.4)	-	-	-	-	-	-	-	-	-
Other conditions due to autosomal anomalies (758.5)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Gonadal dysgenesis (758.6)	.0	.0	.0	.0	.0	-	-	-	-
Klinefelter's syndrome (758.7)	.0	.0	-	.0	-	-	-	-	-
Other conditions due to sex chromosome anomalies (758.8)	.0	.0	.0	.0	.0	.0	.1	.0	.1
Conditions due to anomaly of unspecified chromosome (758.9)	.0	.0	.0	.0	.0	.0	.1	.0	.1
Other and unspecified congenital anomalies (759)	.4	.5	.4	.5	.4	.6	.5	.7	.5
Anomalies of spleen (759.0)	.0	.0	.0	.0	.0	.0	.0	.0	-
Anomalies of adrenal gland (759.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Anomalies of other endocrine glands (759.2)	.0	.0	.0	.0	.0	-	-	-	-
Situs inversus (759.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Conjoined twins (759.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Tuberous sclerosis (759.5)	.0	.0	.0	.0	.0	-	.0	-	.0
Other hamartoses, not elsewhere classified (759.6)	.2	.2	.2	.2	.2	.3	.3	.4	.3
Multiple congenital anomalies, so described (759.7)	.2	.1	.2	.1	.1	.1	.1	.2	.1
Other specified anomalies (759.8)	.1	.0	.0	.0	.0	.0	.0	.0	.1
Congenital anomaly, unspecified (759.9)	.0	.0	.0	.0	.0	.0	.0	.0	-
XV. Certain conditions originating in the perinatal period (760-779)									
Certain conditions originating in the perinatal period (760-779)	8.1	9.6	6.7	7.5	5.0	21.5	15.5	25.3	18.0
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	.0	.1	.0	.0	.0	.1	.1	.1	.1
Maternal hypertensive disorders (760.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Maternal renal and urinary tract diseases (760.1)	.0	.0	.0	.0	.0	-	-	-	-
Maternal infections (760.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other chronic maternal circulatory and respiratory diseases (760.3)	.0	.0	.0	.0	.0	-	-	-	-
Maternal nutritional disorders (760.4)	.0	.0	.0	.0	.0	-	-	-	-
Maternal injury (760.5)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Surgical operation on mother (760.6)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Noxious influences transmitted via placenta or breast milk (760.7)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (760.8)	.0	.0	-	.0	-	-	-	-	-
Unspecified (760.9)	.0	.0	-	.0	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	.6	.6	.5	.5	.4	1.3	1.1	1.6	1.2
Incompetent cervix (761.0)	.1	.1	.1	.1	.1	.1	.1	.2	.1
Premature rupture of membranes (761.1)	.1	.2	.1	.1	.1	.3	.3	.4	.3
Oligohydramnios (761.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Polyhydramnios (761.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0

SECTION 1 - GENERAL MORTALITY - PAGE 188

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Newborn affected by maternal complications of pregnancy-Con.									
Ectopic pregnancy (761.4)	1	1	-	1	-	-	-	-	-
Multiple pregnancy (761.5)	693	367	326	248	206	119	120	116	114
Maternal death (761.6)	6	2	4	2	2	-	2	-	2
Malpresentation before labor (761.7)	4	2	2	1	-	1	2	1	1
Other (761.8)	41	30	11	16	8	14	3	12	3
Unspecified (761.9)	1	1	-	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	892	503	389	366	285	137	104	126	99
Placenta previa (762.0)	58	37	21	28	18	9	3	6	2
Other forms of placental separation and hemorrhage (762.1)	446	257	189	203	139	54	50	51	48
Other and unspecified morphological and functional abnormalities of placenta (762.2)	38	27	11	18	8	9	3	8	3
Placental transfusion syndromes (762.3)	18	10	8	9	7	1	1	1	1
Prolapsed cord (762.4)	36	22	14	14	10	8	4	8	4
Other compression of umbilical cord (762.5)	34	17	17	13	12	4	5	4	5
Other and unspecified conditions of umbilical cord (762.6)	13	9	4	8	4	1	-	1	-
Chorioamnionitis (762.7)	247	123	124	72	86	51	38	47	36
Other abnormalities of chorion and amnion (762.8)	2	1	1	1	1	-	-	-	-
Unspecified abnormality of chorion and amnion (762.9)	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	82	44	38	34	28	10	10	8	10
Breech delivery and extraction (763.0)	26	18	8	15	6	3	2	3	2
Other malpresentation, malposition, and disproportion during labor and delivery (763.1)	11	5	6	3	3	2	3	1	3
Forceps delivery (763.2)	1	-	1	-	1	-	-	-	-
Delivery by vacuum extractor (763.3)	-	-	-	-	-	-	-	-	-
Cesarean delivery (763.4)	-	-	-	-	-	-	-	-	-
Maternal anesthesia and analgesia (763.5)	-	-	-	-	-	-	-	-	-
Precipitate delivery (763.6)	23	12	11	8	9	4	2	3	2
Abnormal uterine contractions (763.7)	1	-	1	-	1	-	-	-	-
Other complications of labor and delivery (763.8)	19	9	10	8	8	1	2	1	2
Unspecified (763.9)	1	-	1	-	-	-	1	-	1
Slow fetal growth and fetal malnutrition (764)	36	22	14	14	7	8	7	8	7
"Light-for-dates" without mention of fetal malnutrition (764.0)	22	12	10	5	4	7	6	7	6
"Light-for-dates" with signs of fetal malnutrition (764.1)	-	-	-	-	-	-	-	-	-
Fetal malnutrition without mention of "light-for-dates" (764.2)	-	-	-	-	-	-	-	-	-
Fetal growth retardation, unspecified (764.9)	14	10	4	9	3	1	1	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	3,266	1,805	1,461	1,056	812	749	649	714	616
Extreme immaturity (765.0)	2,076	1,136	940	639	515	497	425	472	405
Other preterm infants (765.1)	1,190	669	521	417	297	252	224	242	211
Disorders relating to long gestation and high birthweight (766)	1	1	-	-	-	1	-	-	-
Exceptionally large baby (766.0)	-	-	-	-	-	-	-	-	-
Other "heavy-for-dates" infants (766.1)	1	1	-	-	-	1	-	-	-
Post-term infant, not "heavy-for-dates" (766.2)	-	-	-	-	-	-	-	-	-
Birth trauma (767)	334	198	136	131	95	67	41	61	39
Subdural and cerebral hemorrhage (767.0)	303	180	123	120	89	60	34	54	32
Injuries to scalp (767.1)	-	-	-	-	-	-	-	-	-
Fracture of clavicle (767.2)	2	1	1	-	-	1	1	1	1
Other injuries to skeleton (767.3)	4	3	1	2	1	1	-	1	-
Injury to spine and spinal cord (767.4)	-	-	-	-	-	-	-	-	-
Facial nerve injury (767.5)	-	-	-	-	-	-	-	-	-
Injury to brachial plexus (767.6)	-	-	-	-	-	-	-	-	-
Other cranial and peripheral nerve injuries (767.7)	-	-	-	-	-	-	-	-	-
Other (767.8)	15	11	4	8	1	3	3	3	3
Unspecified (767.9)	10	3	7	1	4	2	3	2	3
Intrauterine hypoxia and birth asphyxia (768)	1,188	641	547	435	369	206	178	190	169
Fetal distress before onset of labor, in liveborn infant (768.2)	-	-	-	-	-	-	-	-	-
Fetal distress first noted during labor, in liveborn infant (768.3)	-	-	-	-	-	-	-	-	-
Fetal distress, unspecified, in liveborn infant (768.4)	233	122	111	83	86	39	25	32	23
Severe birth asphyxia (768.5)	120	59	61	36	39	23	22	21	22
Mild or moderate birth asphyxia (768.6)	1	-	1	-	-	-	1	-	1
Unspecified birth asphyxia in liveborn infant (768.9)	834	460	374	316	244	144	130	137	123
Respiratory distress syndrome (769)	3,703	2,339	1,364	1,735	982	604	382	558	356
Other respiratory conditions of newborn (770)	3,840	2,246	1,594	1,527	1,037	719	557	660	511
Congenital pneumonia (770.0)	31	21	10	16	10	5	-	5	-
Massive aspiration syndrome (770.1)	284	174	110	119	76	55	34	45	30
Interstitial emphysema and related conditions (770.2)	327	193	134	144	96	49	38	49	35
Pulmonary hemorrhage (770.3)	124	66	58	35	30	31	28	31	25
Primary atelectasis (770.4)	531	288	243	195	159	93	84	82	78
Other and unspecified atelectasis (770.5)	134	73	61	41	32	32	29	31	29
Transitory tachypnea of newborn (770.6)	-	-	-	-	-	-	-	-	-
Chronic respiratory disease arising in the perinatal period (770.7)	674	423	251	289	154	134	97	118	87
Other respiratory problems after birth (770.8)	1,733	1,007	726	687	479	320	247	289	227
Unspecified (770.9)	2	1	1	1	1	-	-	-	-
Infections specific to the perinatal period (771)	969	551	418	372	291	179	127	173	119
Congenital rubella (771.0)	6	3	3	1	3	2	-	1	-
Congenital cytomegalovirus infection (771.1)	26	15	11	10	7	5	4	5	4
Other congenital infections (771.2)	35	19	16	15	14	4	2	4	1
Tetanus neonatorum (771.3)	-	-	-	-	-	-	-	-	-
Omphalitis of newborn (771.4)	5	3	2	3	1	-	1	-	1
Neonatal infective mastitis (771.5)	1	-	1	-	1	-	-	-	-
Neonatal conjunctivitis and dacryocystitis (771.6)	-	-	-	-	-	-	-	-	-
Neonatal Candida infection (771.7)	6	4	2	3	2	1	-	1	-
Other infection specific to the perinatal period (771.8)	890	507	383	340	263	167	120	162	113
Neonatal hemorrhage (772)	369	222	147	147	92	75	55	74	51
Fetal blood loss (772.0)	14	9	5	9	4	-	1	-	1
Intraventricular hemorrhage (772.1)	310	191	119	123	75	68	44	67	41
Subarachnoid hemorrhage (772.2)	6	4	2	2	1	2	1	2	1

SECTION 1 - GENERAL MORTALITY - PAGE 189

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Newborn affected by maternal complications of pregnancy-Con.									
Ectopic pregnancy (761.4)	0.0	0.0	-	0.0	-	-	-	-	-
Multiple pregnancy (761.5)	.3	.3	0.3	.3	0.2	0.7	0.6	0.8	0.8
Maternal death (761.6)	0	0	0	0	0	-	0	-	0
Malpresentation before labor (761.7)	0	0	0	0	0	0	0	0	0
Other (761.8)	0	0	0	0	0	1	0	1	0
Unspecified (761.9)	0	0	-	0	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	.4	.4	.3	.4	.3	.8	.6	.9	.7
Placenta previa (762.0)	0	0	0	0	0	1	0	0	0
Other forms of placental separation and hemorrhage (762.1)	2	2	2	2	1	3	3	4	3
Other and unspecified morphological and functional abnormalities of placenta (762.2)	0	0	0	0	0	1	0	1	0
Placental transfusion syndromes (762.3)	0	0	0	0	0	0	0	0	0
Prolapsed cord (762.4)	0	0	0	0	0	0	0	1	0
Other compression of umbilical cord (762.5)	0	0	0	0	0	0	0	0	0
Other and unspecified conditions of umbilical cord (762.6)	0	0	0	0	0	0	0	0	0
Chorioamnionitis (762.7)	1	1	1	1	1	3	2	3	2
Other abnormalities of chorion and amnion (762.8)	0	0	0	0	0	-	-	-	-
Unspecified abnormality of chorion and amnion (762.9)	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	0	0	0	0	0	1	1	1	1
Breech delivery and extraction (763.0)	0	0	0	0	0	0	0	0	0
Other malpresentation, malposition, and disproportion during labor and delivery (763.1)	0	0	0	0	0	0	0	0	0
Forceps delivery (763.2)	0	-	0	-	0	-	-	-	-
Delivery by vacuum extractor (763.3)	-	-	-	-	-	-	-	-	-
Cesarean delivery (763.4)	-	-	-	-	-	-	-	-	-
Maternal anesthesia and analgesia (763.5)	-	-	-	-	-	-	-	-	-
Precipitate delivery (763.6)	0	0	0	0	0	0	0	0	0
Abnormal uterine contractions (763.7)	0	-	0	-	0	-	-	-	-
Other complications of labor and delivery (763.8)	0	0	0	0	0	0	0	0	0
Unspecified (763.9)	0	-	0	-	0	-	0	-	0
Slow fetal growth and fetal malnutrition (764)	0	0	0	0	0	0	0	1	0
"Light-for-dates" without mention of fetal malnutrition (764.0)	0	0	0	0	0	0	0	1	0
"Light-for-dates" with signs of fetal malnutrition (764.1)	-	-	-	-	-	-	-	-	-
Fetal malnutrition without mention of "light-for-dates" (764.2)	-	-	-	-	-	-	-	-	-
Fetal growth retardation, unspecified (764.9)	0	0	0	0	0	0	0	0	0
Disorders relating to short gestation and unspecified low birthweight (765)	1.4	1.6	1.2	1.1	.8	4.4	3.4	5.2	4.1
Extreme immaturity (765.0)	.9	1.0	.8	.6	.5	2.9	2.3	3.5	2.7
Other preterm infants (765.1)	.5	.6	.4	.4	.3	1.5	1.2	1.8	1.4
Disorders relating to long gestation and high birthweight (766)	0	0	-	-	-	0	-	-	-
Exceptionally large baby (766.0)	-	-	-	-	-	-	-	-	-
Other "heavy-for-dates" infants (766.1)	0	0	-	-	-	0	-	-	-
Post-term infant, not "heavy-for-dates" (766.2)	-	-	-	-	-	-	-	-	-
Birth trauma (767)	.1	.2	.1	.1	.1	.4	.2	.4	.3
Subdural and cerebral hemorrhage (767.0)	.1	.2	.1	.1	.1	.3	.2	.4	.2
Injuries to scalp (767.1)	-	-	-	-	-	-	-	-	-
Fracture of clavicle (767.2)	0	0	0	0	0	0	0	0	0
Other injuries to skeleton (767.3)	0	0	0	0	0	0	-	0	-
Injury to spine and spinal cord (767.4)	-	-	-	-	-	-	-	-	-
Facial nerve injury (767.5)	-	-	-	-	-	-	-	-	-
Injury to brachial plexus (767.6)	-	-	-	-	-	-	-	-	-
Other cranial and peripheral nerve injuries (767.7)	0	0	0	0	0	0	0	0	0
Other (767.8)	0	0	0	0	0	0	0	0	0
Unspecified (767.9)	0	0	0	0	0	0	0	0	0
Intrauterine hypoxia and birth asphyxia (768)	.5	.6	.4	.4	.4	1.2	.9	1.4	1.1
Fetal distress before onset of labor, in liveborn infant (768.2)	-	-	-	-	-	-	-	-	-
Fetal distress first noted during labor, in liveborn infant (768.3)	-	-	-	-	-	-	-	-	-
Fetal distress, unspecified, in liveborn infant (768.4)	1	1	1	1	1	2	1	2	2
Severe birth asphyxia (768.5)	1	1	0	0	0	1	1	2	1
Mild or moderate birth asphyxia (768.6)	0	-	0	-	-	-	0	-	0
Unspecified birth asphyxia in liveborn infant (768.9)	3	4	3	3	2	8	7	10	8
Respiratory distress syndrome (769)	1.6	2.0	1.1	1.8	.9	3.5	2.0	4.1	2.3
Other respiratory conditions of newborn (770)	1.6	1.9	1.3	1.5	1.0	4.2	3.0	4.8	3.4
Congenital pneumonia (770.0)	0	0	0	0	0	0	-	0	-
Massive aspiration syndrome (770.1)	1	1	1	1	1	3	2	3	2
Interstitial emphysema and related conditions (770.2)	1	2	1	1	1	3	2	4	2
Pulmonary hemorrhage (770.3)	1	1	0	0	0	2	1	2	2
Primary atelectasis (770.4)	2	2	2	2	2	5	4	6	5
Other and unspecified atelectasis (770.5)	1	1	0	0	0	2	2	2	2
Transitory tachypnea of newborn (770.6)	-	-	-	-	-	-	-	-	-
Chronic respiratory disease arising in the perinatal period (770.7)	3	4	2	3	1	8	5	9	6
Other respiratory problems after birth (770.8)	7	9	6	7	5	19	13	22	15
Unspecified (770.9)	0	0	0	0	0	-	-	-	-
Infections specific to the perinatal period (771)	.4	.5	.3	.4	.3	1.0	.7	1.3	.9
Congenital rubella (771.0)	0	0	0	0	0	0	0	0	0
Congenital cytomegalovirus infection (771.1)	0	0	0	0	0	0	0	0	0
Other congenital infections (771.2)	0	0	-	-	-	-	-	-	-
Tetanus neonatorum (771.3)	0	0	0	0	0	-	0	-	0
Omphalitis of newborn (771.4)	0	0	0	0	0	-	-	-	-
Neonatal infective mastitis (771.5)	0	0	0	-	0	-	-	-	-
Neonatal conjunctivitis and dacryocystitis (771.6)	0	0	0	0	0	0	-	0	-
Neonatal Candida infection (771.7)	0	0	0	0	0	0	-	-	-
Other infection specific to the perinatal period (771.8)	4	4	3	3	3	10	6	12	9
Neonatal hemorrhage (772)	.2	.2	.1	.1	.1	.4	.3	.5	.4
Fetal blood loss (772.0)	0	0	0	0	0	0	-	0	-
Intraventricular hemorrhage (772.1)	1	2	1	1	1	4	2	5	3
Subarachnoid hemorrhage (772.2)	0	0	0	0	0	0	0	0	0

SECTION 1 - GENERAL MORTALITY - PAGE 190

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neonatal hemorrhage-Con.									
Umbilical hemorrhage after birth (772.3)	-	-	-	-	-	-	-	-	-
Gastrointestinal hemorrhage (772.4)	-	-	-	-	-	-	-	-	-
Adrenal hemorrhage (772.5)	5	5	-	4	-	1	-	-	-
Cutaneous hemorrhage (772.6)	1	1	-	1	-	-	-	1	-
Other (772.8)	12	6	6	4	2	2	4	2	3
Unspecified (772.9)	21	6	15	4	10	2	5	2	5
Hemolytic disease of newborn, due to isoimmunization (773)									
Hemolytic disease due to Rh isoimmunization (773.0)	34	17	17	11	15	6	2	3	2
Hemolytic disease due to ABO isoimmunization (773.1)	15	10	5	8	4	2	1	1	1
Hemolytic disease due to other and unspecified isoimmunization (773.2)	1	1	-	1	-	-	-	-	-
Hydrops fetalis due to isoimmunization (773.3)	16	5	11	2	10	3	1	2	1
Kernicterus due to isoimmunization (773.4)	2	1	1	-	1	1	-	-	-
Late anemia due to isoimmunization (773.5)	-	-	-	-	-	-	-	-	-
Other perinatal jaundice (774)									
Perinatal jaundice from other excessive hemolysis (774.1)	19	12	7	8	4	4	3	3	3
Neonatal jaundice associated with preterm delivery (774.2)	1	-	1	-	1	-	-	-	-
Neonatal jaundice due to delayed conjugation from other causes (774.3)	-	-	-	-	-	-	-	-	-
Perinatal jaundice due to hepatocellular damage (774.4)	-	-	-	-	-	-	-	-	-
Perinatal jaundice from other causes (774.5)	13	9	4	5	2	4	2	3	2
Unspecified fetal and neonatal jaundice (774.6)	-	-	-	-	-	-	-	-	-
Kernicterus not due to isoimmunization (774.7)	3	1	2	1	1	-	1	-	1
Endocrine and metabolic disturbances specific to the newborn (775)									
Syndrome of "infant of a diabetic mother" (775.0)	2	2	-	2	-	-	-	-	-
Neonatal diabetes mellitus (775.1)	15	4	11	2	7	2	4	2	4
Neonatal myasthenia gravis (775.2)	6	1	5	-	4	1	1	1	1
Neonatal thyrotoxicosis (775.3)	2	1	1	1	1	-	-	-	-
Hypocalcemia and hypomagnesemia of newborn (775.4)	-	-	-	-	-	-	-	-	-
Other transitory neonatal electrolyte disturbances (775.5)	-	-	-	-	-	-	-	-	-
Neonatal hypoglycemia (775.6)	3	1	2	-	-	-	-	-	-
Late metabolic acidosis of newborn (775.7)	1	1	-	1	-	1	2	1	2
Other transitory neonatal endocrine and metabolic disturbances (775.8)	2	-	2	-	1	-	1	-	1
Unspecified (775.9)	1	-	-	-	-	-	-	-	-
Hematological disorders of newborn (776)									
Hemorrhagic disease of newborn (776.0)	77	43	34	33	23	10	11	9	9
Transient neonatal thrombocytopenia (776.1)	9	3	6	3	6	-	-	-	-
Disseminated intravascular coagulation in newborn (776.2)	-	-	-	-	-	-	-	-	-
Other transient neonatal disorders of coagulation (776.3)	49	33	16	24	11	9	5	8	4
Polycthemia neonatorum (776.4)	2	1	1	1	1	-	-	-	-
Congenital anemia (776.5)	-	-	-	-	-	-	-	-	-
Anemia of prematurity (776.6)	3	1	2	1	1	-	1	-	1
Transient neonatal neutropenia (776.7)	12	4	8	3	4	1	4	1	4
Other specified transient hematological disorders (776.8)	1	-	1	-	-	-	1	-	-
Unspecified (776.9)	1	1	-	1	-	-	-	-	-
Perinatal disorders of digestive system (777)									
Meconium obstruction (777.1)	321	169	152	99	81	70	71	64	66
Intestinal obstruction due to inspissated milk (777.2)	1	1	-	1	-	-	-	-	-
Hematemesis and melena due to swallowed maternal blood (777.3)	1	1	-	1	-	-	-	-	-
Transitory ileus of newborn (777.4)	-	-	-	-	-	-	-	-	-
Necrotizing enterocolitis in fetus or newborn (777.5)	-	-	-	-	-	-	-	-	-
Perinatal intestinal perforation (777.6)	302	155	147	88	79	67	68	62	64
Other (777.8)	16	12	4	9	2	3	2	2	2
Unspecified (777.9)	1	-	1	-	-	-	1	-	-
Conditions involving the integument and temperature regulation of newborn (778)									
Hydrops fetalis not due to isoimmunization (778.0)	148	80	68	65	55	15	13	12	8
Sclerema neonatorum (778.1)	136	73	63	59	51	14	12	11	7
Cold injury syndrome of newborn (778.2)	1	1	-	1	-	-	-	-	-
Other hypothermia of newborn (778.3)	1	-	1	-	-	-	1	-	1
Other disturbances of temperature regulation of newborn (778.4)	8	5	3	4	3	1	-	1	-
Other and unspecified edema of newborn (778.5)	-	-	-	-	-	-	-	-	-
Congenital hydrocele (778.6)	1	1	-	1	-	-	-	-	-
Breast engorgement in newborn (778.7)	-	-	-	-	-	-	-	-	-
Other (778.8)	-	-	-	-	-	-	-	-	-
Unspecified (778.9)	1	-	1	-	1	-	-	-	-
Other and ill-defined conditions originating in the perinatal period (779)									
Convulsions in newborn (779.0)	2,509	1,403	1,106	819	614	584	492	561	468
Other and unspecified cerebral irritability in newborn (779.1)	9	5	4	3	3	2	1	2	1
Cerebral depression, coma, and other abnormal cerebral signs (779.2)	4	-	1	-	-	-	1	-	1
Feeding problems in newborn (779.3)	4	1	3	-	2	1	1	1	1
Drug reactions and intoxications specific to newborn (779.4)	-	-	4	-	2	-	2	-	2
Drug withdrawal syndrome in newborn (779.5)	1	-	1	-	-	-	-	-	-
Termination of pregnancy (779.6)	-	-	-	-	-	-	-	-	-
Other (779.8)	47	24	23	16	12	8	11	8	9
Unspecified (779.9)	2,419	1,359	1,060	790	587	569	473	547	451
XVI. Symptoms, signs, and ill-defined conditions (780-799)									
Symptoms (780-789)									
General symptoms (780)	2,044	1,054	990	785	805	269	185	260	177
Coma and stupor (780.0)	640	374	266	218	189	156	77	152	74
Hallucinations (780.1)	20	7	13	4	11	3	2	2	1
Syncope and collapse (780.2)	-	-	-	-	-	-	-	-	-
Convulsions (780.3)	17	13	4	10	4	3	-	2	7
Dizziness and giddiness (780.4)	552	328	224	182	152	146	72	144	70

SECTION 1 - GENERAL MORTALITY - PAGE 191

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Neonatal hemorrhage-Con.									
Umbilical hemorrhage after birth (772.3)	-	-	-	-	-	-	-	-	-
Gastrointestinal hemorrhage (772.4)	-	-	-	-	-	-	-	-	-
Adrenal hemorrhage (772.5)	0.0	0.0	-	0.0	-	0.0	-	0.0	-
Cutaneous hemorrhage (772.6)	0	0	-	0	-	0	-	0	-
Other (772.8)	0	0	0.0	0	0.0	0	0.0	0	0.0
Unspecified (772.9)	0	0	0	0	0	0	0	0	0
Hemolytic disease of newborn, due to isoimmunization (773)	0	0	0	0	0	0	0	0	0
Hemolytic disease due to Rh isoimmunization (773.0)	0	0	0	0	0	0	0	0	0
Hemolytic disease due to ABO isoimmunization (773.1)	0	0	-	0	-	-	-	-	-
Hemolytic disease due to other and unspecified isoimmunization (773.2)	0	0	0	0	0	0	0	0	0
Hydrops fetalis due to isoimmunization (773.3)	0	0	0	-	0	0	-	-	-
Kernicterus due to isoimmunization (773.4)	-	-	-	-	-	-	-	-	-
Late anemia due to isoimmunization (773.5)	-	-	-	-	-	-	-	-	-
Other perinatal jaundice (774)	0	0	0	0	0	0	0	0	0
Perinatal jaundice from other excessive hemolysis (774.1)	0	-	-	-	0	-	-	-	-
Neonatal jaundice associated with preterm delivery (774.2)	-	-	-	-	-	-	-	-	-
Neonatal jaundice due to delayed conjugation from other causes (774.3)	-	-	-	-	-	-	-	-	-
Perinatal jaundice due to hepatocellular damage (774.4)	0	0	0	0	0	0	0	0	0
Perinatal jaundice from other causes (774.5)	-	-	-	-	-	-	-	-	-
Unspecified fetal and neonatal jaundice (774.6)	0	0	0	-	0	-	0	-	0
Kernicterus not due to isoimmunization (774.7)	0	0	-	0	-	-	-	-	-
Endocrine and metabolic disturbances specific to the newborn (775)	0	0	0	0	0	0	0	0	0
Syndrome of "infant of a diabetic mother" (775.0)	0	0	0	0	0	0	0	0	0
Neonatal diabetes mellitus (775.1)	0	0	0	0	0	-	-	-	-
Neonatal myasthenia gravis (775.2)	-	-	-	-	-	-	-	-	-
Neonatal thyrotoxicosis (775.3)	-	-	-	-	-	-	-	-	-
Hypocalcemia and hypomagnesemia of newborn (775.4)	-	-	-	-	-	-	-	-	-
Other transitory neonatal electrolyte disturbances (775.5)	0	0	0	-	-	0	0	0	0
Neonatal hypoglycemia (775.6)	0	0	-	0	-	-	-	-	-
Late metabolic acidosis of newborn (775.7)	0	-	0	-	0	-	0	-	0
Other transitory neonatal endocrine and metabolic disturbances (775.8)	-	-	-	-	-	-	-	-	-
Unspecified (775.9)	0	-	0	-	0	-	-	-	-
Hematological disorders of newborn (776)	0	0	0	0	0	1	1	1	1
Hemorrhagic disease of newborn (776.0)	0	0	0	0	0	-	-	-	-
Transient neonatal thrombocytopenia (776.1)	0	0	0	0	0	-	-	-	-
Disseminated intravascular coagulation in newborn (776.2)	0	0	0	0	0	1	0	1	0
Other transient neonatal disorders of coagulation (776.3)	-	0	0	0	-	-	-	-	-
Polycythemia neonatorum (776.4)	0	0	0	0	0	-	0	-	0
Congenital anemia (776.5)	0	0	0	0	0	0	0	0	0
Anemia of prematurity (776.6)	0	0	0	-	-	-	0	-	-
Transient neonatal neutropenia (776.7)	0	-	0	-	-	-	0	-	-
Other specified transient hematological disorders (776.8)	-	-	-	-	-	-	-	-	-
Unspecified (776.9)	0	0	-	0	-	-	-	-	-
Perinatal disorders of digestive system (777)	1	1	1	1	1	4	4	5	4
Meconium obstruction (777.1)	0	0	-	0	-	-	-	-	-
Intestinal obstruction due to inspissated milk (777.2)	0	0	-	0	-	-	-	-	-
Hematemesis and melena due to swallowed maternal blood (777.3)	-	-	-	-	-	-	-	-	-
Transitory ileus of newborn (777.4)	1	1	1	1	1	4	4	5	4
Necrotizing enterocolitis in fetus or newborn (777.5)	0	0	0	0	0	0	0	0	0
Perinatal intestinal perforation (777.6)	0	-	0	-	-	-	0	-	-
Other (777.8)	-	-	-	-	-	-	-	-	-
Unspecified (777.9)	-	-	-	-	-	-	-	-	-
Conditions involving the integument and temperature regulation of newborn (778)	1	1	1	1	1	1	1	1	1
Hydrops fetalis not due to isoimmunization (778.0)	1	1	1	1	0	1	1	1	0
Sclerema neonatorum (778.1)	0	0	-	0	-	-	-	-	-
Cold injury syndrome of newborn (778.2)	0	0	0	-	-	-	0	-	0
Other hypothermia of newborn (778.3)	0	0	0	0	0	0	-	0	-
Other disturbances of temperature regulation of newborn (778.4)	-	-	-	-	-	-	-	-	-
Other and unspecified edema of newborn (778.5)	0	0	-	0	-	-	-	-	-
Congenital hydrocele (778.6)	-	-	-	-	-	-	-	-	-
Breast engorgement in newborn (778.7)	-	-	-	-	-	-	-	-	-
Other (778.8)	-	-	-	-	-	-	-	-	-
Unspecified (778.9)	0	-	0	-	0	-	-	-	-
Other and ill-defined conditions originating in the perinatal period (779)	1.1	1.2	.9	.8	.6	3.4	2.6	4.1	3.1
Convulsions in newborn (779.0)	0	0	0	0	0	0	0	0	0
Other and unspecified cerebral irritability in newborn (779.1)	0	0	0	-	-	-	0	-	0
Cerebral depression, coma, and other abnormal cerebral signs (779.2)	0	0	0	0	0	0	0	0	0
Feeding problems in newborn (779.3)	0	-	0	-	0	-	0	-	0
Drug reactions and intoxications specific to newborn (779.4)	-	-	-	-	-	-	-	-	-
Drug withdrawal syndrome in newborn (779.5)	0	0	0	0	0	0	1	1	1
Termination of pregnancy (779.6)	0	0	0	0	0	0	2.5	4.0	3.0
Other (779.8)	1.0	1.2	.9	.8	.6	3.3	2.5	4.0	3.0
Unspecified (779.9)	0	0	0	0	0	0	0	0	0
XVI. Symptoms, signs, and ill-defined conditions (780-799)									
Symptoms (780-789)9	.9	.8	.8	.8	1.6	1.0	1.9	1.2
General symptoms (780)3	.3	.2	.2	.2	.9	.4	1.1	.5
Coma and stupor (780.0)	0	0	0	0	0	0	0	0	0
Hallucinations (780.1)	-	-	-	-	-	-	-	-	-
Syncope and collapse (780.2)	0	0	0	0	0	0	-	0	-
Convulsions (780.3)2	.3	.2	.2	.1	.9	.4	1.1	.5
Dizziness and giddiness (780.4)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 192

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number							
	All races			White		All other		
	Both sexes	Male	Female	Male	Female	Total		Black
						Male	Female	
General symptoms-Con.								
Sleep disturbances (780.5)	-	-	-	-	-	-	-	-
Pyrexia of unknown origin (780.6)	43	22	21	19	18	3	3	3
Malaise and fatigue (780.7)	5	2	3	2	3	-	-	-
Hyperhidrosis (780.8)	-	-	-	-	-	-	-	-
Other (780.9)	3	2	1	1	1	1	-	1
Symptoms involving nervous and musculoskeletal systems (781)	9	2	7	2	6	-	1	-
Abnormal involuntary movements (781.0)	-	-	-	-	-	-	-	1
Disturbances of sensation of smell and taste (781.1)	-	-	-	-	-	-	-	-
Abnormality of gait (781.2)	-	-	-	-	-	-	-	-
Lack of coordination (781.3)	1	-	1	-	1	-	-	-
Transient paralysis of limb (781.4)	-	-	-	-	-	-	-	-
Clubbing of fingers (781.5)	-	-	-	-	-	-	-	-
Meningismus (781.6)	-	-	-	-	-	-	-	-
Tetany (781.7)	-	-	-	-	-	-	-	-
Other (781.9)	8	2	6	2	5	-	1	-
Symptoms involving skin and other integumentary tissue (782)	7	4	3	4	3	-	-	-
Disturbance of skin sensation (782.0)	-	-	-	-	-	-	-	-
Rash and other nonspecific skin eruption (782.1)	-	-	-	-	-	-	-	-
Localized superficial swelling, mass, or lump (782.2)	-	-	-	-	-	-	-	-
Edema (782.3)	2	1	1	1	1	-	-	-
Jaundice unspecified, not of newborn (782.4)	4	3	1	3	1	-	-	-
Cyanosis (782.5)	-	-	-	-	-	-	-	-
Pallor and flushing (782.6)	-	-	-	-	-	-	-	-
Spontaneous ecchymoses (782.7)	1	-	1	-	1	-	-	-
Changes in skin texture (782.8)	-	-	-	-	-	-	-	-
Other (782.9)	-	-	-	-	-	-	-	-
Symptoms concerning nutrition, metabolism, and development (783)	16	5	11	3	9	2	2	2
Anorexia (783.0)	9	2	7	2	6	-	1	-
Abnormal weight gain (783.1)	-	-	-	-	-	-	-	1
Abnormal loss of weight (783.2)	2	-	2	-	2	-	-	-
Feeding difficulties and mismanagement (783.3)	-	-	-	-	-	-	-	-
Lack of expected normal physiological development (783.4)	4	2	2	-	1	2	1	1
Polydipsia (783.5)	-	-	-	-	-	-	-	-
Polyphagia (783.6)	-	-	-	-	-	-	-	-
Other (783.9)	1	1	-	1	-	-	-	-
Symptoms involving head and neck (784)	2	-	2	-	1	-	1	-
Headache (784.0)	1	-	1	-	1	-	-	-
Throat pain (784.1)	-	-	-	-	-	-	-	-
Swelling, mass, or lump in head and neck (784.2)	1	-	1	-	-	-	1	-
Aphasia (784.3)	-	-	-	-	-	-	-	1
Voice disturbance (784.4)	-	-	-	-	-	-	-	-
Other speech disturbance (784.5)	-	-	-	-	-	-	-	-
Other symbolic dysfunction (784.6)	-	-	-	-	-	-	-	-
Epistaxis (784.7)	-	-	-	-	-	-	-	-
Hemorrhage from throat (784.8)	-	-	-	-	-	-	-	-
Other (784.9)	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system (785)	1,133	561	572	467	501	94	71	90
Tachycardia, unspecified (785.0)	4	2	2	1	2	1	-	-
Palpitations (785.1)	-	-	-	-	-	-	-	1
Functional and undiagnosed cardiac murmurs (785.2)	1	-	1	-	1	-	-	-
Other abnormal heart sounds (785.3)	-	-	-	-	-	-	-	-
Gangrene (785.4)	57	27	30	22	25	5	5	5
Shock without mention of trauma (785.5)	1,069	530	539	442	473	88	66	84
Enlargement of lymph nodes (785.6)	2	2	-	2	-	-	-	-
Other (785.9)	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and other chest symptoms (786)	159	77	82	65	61	12	21	11
Dyspnea and respiratory abnormalities (786.0)	96	45	51	37	38	8	13	8
Stridor (786.1)	-	-	-	-	-	-	-	-
Cough (786.2)	-	-	-	-	-	-	-	-
Hemoptysis (786.3)	56	29	27	25	19	4	8	3
Abnormal sputum (786.4)	-	-	-	-	-	-	-	-
Chest pain (786.5)	7	3	4	3	4	-	-	-
Swelling, mass, or lump in chest (786.6)	-	-	-	-	-	-	-	-
Abnormal chest sounds (786.7)	-	-	-	-	-	-	-	-
Hiccough (786.8)	-	-	-	-	-	-	-	-
Other (786.9)	-	-	-	-	-	-	-	-
Symptoms involving digestive system (787)	4	1	3	1	2	-	1	-
Nausea and vomiting (787.0)	3	1	2	1	1	-	1	-
Heartburn (787.1)	-	-	-	-	-	-	-	-
Dysphagia (787.2)	1	-	1	-	1	-	-	-
Flatulence, eructation, and gas pain (787.3)	-	-	-	-	-	-	-	-
Visible peristalsis (787.4)	-	-	-	-	-	-	-	-
Abnormal bowel sounds (787.5)	-	-	-	-	-	-	-	-
Incontinence of feces (787.6)	-	-	-	-	-	-	-	-
Abnormal feces (787.7)	-	-	-	-	-	-	-	-
Other (787.9)	-	-	-	-	-	-	-	-
Symptoms involving urinary system (788)	-	-	-	-	-	-	-	-
Renal colic (788.0)	-	-	-	-	-	-	-	-
Dysuria (788.1)	-	-	-	-	-	-	-	-
Retention of urine (788.2)	-	-	-	-	-	-	-	-
Incontinence of urine (788.3)	-	-	-	-	-	-	-	-
Frequency of urination and polyuria (788.4)	-	-	-	-	-	-	-	-
Oliguria and anuria (788.5)	-	-	-	-	-	-	-	-
Other abnormality of urination (788.6)	-	-	-	-	-	-	-	-
Urethral discharge (788.7)	-	-	-	-	-	-	-	-
Extravasation of urine (788.8)	-	-	-	-	-	-	-	-
Other (788.9)	-	-	-	-	-	-	-	-
Other symptoms involving abdomen and pelvis (789)	74	30	44	25	38	5	11	5
Abdominal pain (789.0)	35	12	23	10	19	2	4	2
Hepatomegaly (789.1)	3	2	1	2	1	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 193

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
General symptoms-Con.									
Sleep disturbances (780.5)	-	-	-	-	-	-	-	-	-
Pyrexia of unknown origin (780.6)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaise and fatigue (780.7)0	.0	.0	.0	.0	-	-	-	-
Hyperhidrosis (780.8)	-	-	-	-	-	-	-	-	-
Other (780.9)0	.0	.0	.0	.0	.0	-	.0	-
Symptoms involving nervous and musculoskeletal systems (781)0	.0	.0	.0	.0	-	.0	-	.0
Abnormal involuntary movements (781.0)	-	-	-	-	-	-	-	-	-
Disturbances of sensation of smell and taste (781.1)	-	-	-	-	-	-	-	-	-
Abnormality of gait (781.2)	-	-	-	-	-	-	-	-	-
Lack of coordination (781.3)0	-	.0	-	.0	-	-	-	-
Transient paralysis of limb (781.4)	-	-	-	-	-	-	-	-	-
Clubbing of fingers (781.5)	-	-	-	-	-	-	-	-	-
Meningismus (781.6)	-	-	-	-	-	-	-	-	-
Tetany (781.7)	-	-	-	-	-	-	-	-	-
Other (781.9)0	.0	.0	.0	.0	-	.0	-	.0
Symptoms involving skin and other integumentary tissue (782)0	.0	.0	.0	.0	-	-	-	-
Disturbance of skin sensation (782.0)	-	-	-	-	-	-	-	-	-
Rash and other nonspecific skin eruption (782.1)	-	-	-	-	-	-	-	-	-
Localized superficial swelling, mass, or lump (782.2)	-	-	-	-	-	-	-	-	-
Edema (782.3)0	.0	.0	.0	.0	-	-	-	-
Jaundice unspecified, not of newborn (782.4)0	.0	.0	.0	.0	-	-	-	-
Cyanosis (782.5)	-	-	-	-	-	-	-	-	-
Pallor and flushing (782.6)	-	-	-	-	-	-	-	-	-
Spontaneous ecchymoses (782.7)0	-	.0	-	.0	-	-	-	-
Changes in skin texture (782.8)	-	-	-	-	-	-	-	-	-
Other (782.9)	-	-	-	-	-	-	-	-	-
Symptoms concerning nutrition, metabolism, and development (783)0	.0	.0	.0	.0	.0	.0	.0	.0
Anorexia (783.0)0	.0	.0	.0	.0	-	.0	-	.0
Abnormal weight gain (783.1)	-	-	-	-	-	-	-	-	-
Abnormal loss of weight (783.2)0	-	.0	-	.0	-	-	-	-
Feeding difficulties and mismanagement (783.3)	-	-	-	-	-	-	-	-	-
Lack of expected normal physiological development (783.4)0	.0	.0	-	.0	.0	.0	.0	.0
Polydipsia (783.5)	-	-	-	-	-	-	-	-	-
Polyphagia (783.6)	-	-	-	-	-	-	-	-	-
Other (783.9)0	.0	-	.0	-	-	-	-	-
Symptoms involving head and neck (784)0	-	.0	-	.0	-	.0	-	.0
Headache (784.0)0	-	.0	-	.0	-	-	-	-
Throat pain (784.1)	-	-	-	-	-	-	-	-	-
Swelling, mass, or lump in head and neck (784.2)0	-	.0	-	-	-	.0	-	.0
Aphasia (784.3)	-	-	-	-	-	-	-	-	-
Voice disturbance (784.4)	-	-	-	-	-	-	-	-	-
Other speech disturbance (784.5)	-	-	-	-	-	-	-	-	-
Other symbolic dysfunction (784.6)	-	-	-	-	-	-	-	-	-
Epistaxis (784.7)	-	-	-	-	-	-	-	-	-
Hemorrhage from throat (784.8)	-	-	-	-	-	-	-	-	-
Other (784.9)	-	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system (785)5	.5	.5	.5	.5	.5	.4	.7	.5
Tachycardia, unspecified (785.0)0	.0	.0	.0	.0	.0	-	.0	-
Palpitations (785.1)	-	-	-	-	-	-	-	-	-
Functional and undiagnosed cardiac murmurs (785.2)0	-	.0	-	.0	-	-	-	-
Other abnormal heart sounds (785.3)	-	-	-	-	-	-	-	-	-
Gangrene (785.4)0	.0	.0	.0	.0	.0	.0	.0	.0
Shock without mention of trauma (785.5)4	.5	.4	.4	.5	.5	.4	.6	.4
Enlargement of lymph nodes (785.6)0	.0	-	.0	-	-	-	-	-
Other (785.9)	-	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and other chest symptoms (786)1	.1	.1	.1	.1	.1	.1	.1	.1
Dyspnea and respiratory abnormalities (786.0)0	.0	.0	.0	.0	.0	.1	.1	.1
Stridor (786.1)	-	-	-	-	-	-	-	-	-
Cough (786.2)0	.0	.0	.0	.0	.0	.0	.0	.1
Hemoptysis (786.3)	-	-	-	-	-	-	-	-	-
Abnormal sputum (786.4)0	.0	.0	.0	.0	-	-	-	-
Chest pain (786.5)	-	-	-	-	-	-	-	-	-
Swelling, mass, or lump in chest (786.6)	-	-	-	-	-	-	-	-	-
Abnormal chest sounds (786.7)	-	-	-	-	-	-	-	-	-
Hiccough (786.8)	-	-	-	-	-	-	-	-	-
Other (786.9)	-	-	-	-	-	-	-	-	-
Symptoms involving digestive system (787)0	.0	.0	.0	.0	-	.0	-	-
Nausea and vomiting (787.0)0	.0	.0	.0	.0	-	.0	-	-
Heartburn (787.1)	-	-	-	-	-	-	-	-	-
Dysphagia (787.2)0	-	.0	-	.0	-	-	-	-
Fatulence, eructation, and gas pain (787.3)	-	-	-	-	-	-	-	-	-
Visible peristalsis (787.4)	-	-	-	-	-	-	-	-	-
Abnormal bowel sounds (787.5)	-	-	-	-	-	-	-	-	-
Incontinence of feces (787.6)	-	-	-	-	-	-	-	-	-
Abnormal feces (787.7)	-	-	-	-	-	-	-	-	-
Other (787.9)	-	-	-	-	-	-	-	-	-
Symptoms involving urinary system (788)	-	-	-	-	-	-	-	-	-
Renal colic (788.0)	-	-	-	-	-	-	-	-	-
Dysuria (788.1)	-	-	-	-	-	-	-	-	-
Retention of urine (788.2)	-	-	-	-	-	-	-	-	-
Incontinence of urine (788.3)	-	-	-	-	-	-	-	-	-
Frequency of urination and polyuria (788.4)	-	-	-	-	-	-	-	-	-
Oliguria and anuria (788.5)	-	-	-	-	-	-	-	-	-
Other abnormality of urination (788.6)	-	-	-	-	-	-	-	-	-
Urethral discharge (788.7)	-	-	-	-	-	-	-	-	-
Extravasation of urine (788.8)	-	-	-	-	-	-	-	-	-
Other (788.9)	-	-	-	-	-	-	-	-	-
Other symptoms involving abdomen and pelvis (789)0	.0	.0	.0	.0	.0	.1	.0	.1
Abdominal pain (789.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Hepatomegaly (789.1)0	.0	.0	.0	.0	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 194

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other symptoms involving abdomen and pelvis-Con.									
Splenomegaly (789.2)	-	-	-	-	-	-	-	-	-
Abdominal or pelvic swelling, mass, or lump (789.3)	6	2	4	2	1	-	3	-	3
Abdominal rigidity (789.4)	-	-	-	-	-	-	-	-	-
Ascites (789.5)	7	2	5	-	3	2	2	2	2
Other (789.9)	23	12	11	11	9	1	2	1	1
Nonspecific abnormal findings (790-796)	33	18	15	14	13	4	2	4	2
Nonspecific findings on examination of blood (790)	27	17	10	13	9	4	1	4	1
Abnormality of red blood cells (790.0)	-	-	-	-	-	-	-	-	-
Elevated sedimentation rate (790.1)	-	-	-	-	-	-	-	-	-
Abnormal glucose tolerance test (790.2)	-	-	-	-	-	-	-	-	-
Excessive blood level of alcohol (790.3)	12	11	1	10	-	1	1	1	1
Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase (790.4)	-	-	-	-	-	-	-	-	-
Other nonspecific abnormal serum enzyme levels (790.5)	-	-	-	-	-	-	-	-	-
Other abnormal blood chemistry (790.6)	-	-	-	-	-	-	-	-	-
Bacteremia, unspecified (790.7)	10	4	6	1	6	3	-	3	-
Viremia, unspecified (790.8)	5	2	3	2	3	-	-	-	-
Other (790.9)	-	-	-	-	-	-	-	-	-
Nonspecific findings on examination of urine (791)	5	1	4	1	3	-	1	-	1
Proteinuria (791.0)	-	-	-	-	-	-	-	-	-
Chyluria (791.1)	-	-	-	-	-	-	-	-	-
Hemoglobinuria (791.2)	-	-	-	-	-	-	-	-	-
Myoglobinuria (791.3)	-	-	-	-	-	-	-	-	-
Biliuria (791.4)	-	-	-	-	-	-	-	-	-
Glycosuria (791.5)	-	-	-	-	-	-	-	-	-
Acetonuria (791.6)	-	-	-	-	-	-	-	-	-
Other cells and casts in urine (791.7)	-	-	-	-	-	-	-	-	-
Other (791.9)	5	1	4	1	3	-	1	-	1
Nonspecific abnormal findings in other body substances (792)	-	-	-	-	-	-	-	-	-
Cerebrospinal fluid (792.0)	-	-	-	-	-	-	-	-	-
Stool contents (792.1)	-	-	-	-	-	-	-	-	-
Semen (792.2)	-	-	-	-	-	-	-	-	-
Amniotic fluid (792.3)	-	-	-	-	-	-	-	-	-
Saliva (792.4)	-	-	-	-	-	-	-	-	-
Other (792.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal findings on radiological and other examination of body structure (793)	-	-	-	-	-	-	-	-	-
Skull and head (793.0)	-	-	-	-	-	-	-	-	-
Lung field (793.1)	-	-	-	-	-	-	-	-	-
Other intrathoracic organ (793.2)	-	-	-	-	-	-	-	-	-
Biliary tract (793.3)	-	-	-	-	-	-	-	-	-
Gastrointestinal tract (793.4)	-	-	-	-	-	-	-	-	-
Genitourinary organs (793.5)	-	-	-	-	-	-	-	-	-
Abdominal area, including retroperitoneum (793.6)	-	-	-	-	-	-	-	-	-
Musculoskeletal system (793.7)	-	-	-	-	-	-	-	-	-
Breast (793.8)	-	-	-	-	-	-	-	-	-
Other (793.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal results of function studies (794)	1	-	1	-	1	-	-	-	-
Brain and central nervous system (794.0)	1	-	1	-	1	-	-	-	-
Peripheral nervous system and special senses (794.1)	-	-	-	-	-	-	-	-	-
Pulmonary (794.2)	-	-	-	-	-	-	-	-	-
Cardiovascular (794.3)	-	-	-	-	-	-	-	-	-
Kidney (794.4)	-	-	-	-	-	-	-	-	-
Thyroid (794.5)	-	-	-	-	-	-	-	-	-
Other endocrine function study (794.6)	-	-	-	-	-	-	-	-	-
Basal metabolism (794.7)	-	-	-	-	-	-	-	-	-
Liver (794.8)	-	-	-	-	-	-	-	-	-
Other (794.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal histological and immunological findings (795)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal Papanicolaou smear of cervix (795.0)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal Papanicolaou smear of other origin (795.1)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal findings on chromosomal analysis (795.2)	-	-	-	-	-	-	-	-	-
Nonspecific positive culture findings (795.3)	-	-	-	-	-	-	-	-	-
Other nonspecific abnormal histological findings (795.4)	-	-	-	-	-	-	-	-	-
Nonspecific reaction to tuberculin test (795.5)	-	-	-	-	-	-	-	-	-
False positive serological test for syphilis (795.6)	-	-	-	-	-	-	-	-	-
Other nonspecific immunological findings (795.7)	-	-	-	-	-	-	-	-	-
Other nonspecific abnormal findings (796)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal toxicological findings (796.0)	-	-	-	-	-	-	-	-	-
Abnormal reflex (796.1)	-	-	-	-	-	-	-	-	-
Elevated blood pressure reading without diagnosis of hypertension (796.2)	-	-	-	-	-	-	-	-	-
Nonspecific low blood pressure reading (796.3)	-	-	-	-	-	-	-	-	-
Other abnormal clinical findings (796.4)	-	-	-	-	-	-	-	-	-
Other (796.9)	-	-	-	-	-	-	-	-	-
Ill-defined and unknown causes of mortality (797-799)	28,883	16,398	12,485	12,541	9,678	3,857	2,807	3,565	2,618
Senility without mention of psychosis (797)	1,349	414	935	333	839	81	96	74	87
Sudden death, cause unknown (798)	5,753	3,544	2,209	2,593	1,506	951	703	821	613
Sudden infant death syndrome (798.0)	5,315	3,278	2,037	2,390	1,367	888	670	775	582
Instantaneous death (798.1)	352	220	132	168	108	52	24	39	23
Death occurring in less than 24 hours from onset of symptoms, not otherwise explained (798.2)	5	4	1	3	1	1	-	-	-
Unattended death (798.9)	81	42	39	32	30	10	9	7	8
Other ill-defined and unknown causes of mortality (799)	21,781	12,440	9,341	9,615	7,333	2,825	2,008	2,670	1,918
Asphyxia (799.0)	49	35	14	28	10	7	4	5	3
Respiratory failure (799.1)	3,124	1,491	1,633	1,277	1,425	214	208	193	193

SECTION 1 - GENERAL MORTALITY - PAGE 195

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other symptoms involving abdomen and pelvis-Con.									
Splenomegaly (789.2)	-	-	-	-	-	-	-	-	-
Abdominal or pelvic swelling, mass, or lump (789.3)	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0
Abdominal rigidity (789.4)	-	-	-	-	-	-	-	-	-
Ascites (789.5)0	.0	.0	-	.0	0.0	.0	0.0	.0
Other (789.9)0	.0	.0	.0	.0	.0	.0	.0	.0
Nonspecific abnormal findings (790-796)0	.0	.0	.0	.0	.0	.0	.0	.0
Nonspecific findings on examination of blood (790)0	.0	.0	.0	.0	.0	.0	.0	.0
Abnormality of red blood cells (790.0)	-	-	-	-	-	-	-	-	-
Elevated sedimentation rate (790.1)	-	-	-	-	-	-	-	-	-
Abnormal glucose tolerance test (790.2)	-	-	-	-	-	-	-	-	-
Excessive blood level of alcohol (790.3)0	.0	.0	.0	-	.0	.0	.0	.0
Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase (790.4)	-	-	-	-	-	-	-	-	-
Other nonspecific abnormal serum enzyme levels (790.5)	-	-	-	-	-	-	-	-	-
Other abnormal blood chemistry (790.6)	-	-	.0	.0	.0	.0	-	.0	-
Bacteremia, unspecified (790.7)0	.0	-	.0	.0	-	-	-	-
Viremia, unspecified (790.8)0	.0	.0	.0	.0	-	-	-	-
Other (790.9)	-	-	-	-	-	-	-	-	-
Nonspecific findings on examination of urine (791)0	.0	.0	.0	.0	-	.0	-	.0
Proteinuria (791.0)	-	-	-	-	-	-	-	-	-
Chyluria (791.1)	-	-	-	-	-	-	-	-	-
Hemoglobinuria (791.2)	-	-	-	-	-	-	-	-	-
Myoglobinuria (791.3)	-	-	-	-	-	-	-	-	-
Biliuria (791.4)	-	-	-	-	-	-	-	-	-
Glycosuria (791.5)	-	-	-	-	-	-	-	-	-
Acetonuria (791.6)	-	-	-	-	-	-	-	-	-
Other cells and casts in urine (791.7)0	.0	.0	.0	.0	-	.0	-	.0
Other (791.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal findings in other body substances (792)	-	-	-	-	-	-	-	-	-
Cerebrospinal fluid (792.0)	-	-	-	-	-	-	-	-	-
Stool contents (792.1)	-	-	-	-	-	-	-	-	-
Semen (792.2)	-	-	-	-	-	-	-	-	-
Amniotic fluid (792.3)	-	-	-	-	-	-	-	-	-
Saliva (792.4)	-	-	-	-	-	-	-	-	-
Other (792.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal findings on radiological and other examination of body structure (793)	-	-	-	-	-	-	-	-	-
Skull and head (793.0)	-	-	-	-	-	-	-	-	-
Lung field (793.1)	-	-	-	-	-	-	-	-	-
Other intrathoracic organ (793.2)	-	-	-	-	-	-	-	-	-
Biliary tract (793.3)	-	-	-	-	-	-	-	-	-
Gastrointestinal tract (793.4)	-	-	-	-	-	-	-	-	-
Genitourinary organs (793.5)	-	-	-	-	-	-	-	-	-
Abdominal area, including retroperitoneum (793.6)	-	-	-	-	-	-	-	-	-
Musculoskeletal system (793.7)	-	-	-	-	-	-	-	-	-
Breast (793.8)	-	-	-	-	-	-	-	-	-
Other (793.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal results of function studies (794)0	-	.0	-	.0	-	-	-	-
Brain and central nervous system (794.0)0	-	.0	-	.0	-	-	-	-
Peripheral nervous system and special senses (794.1)	-	-	-	-	-	-	-	-	-
Pulmonary (794.2)	-	-	-	-	-	-	-	-	-
Cardiovascular (794.3)	-	-	-	-	-	-	-	-	-
Kidney (794.4)	-	-	-	-	-	-	-	-	-
Thyroid (794.5)	-	-	-	-	-	-	-	-	-
Other endocrine function study (794.6)	-	-	-	-	-	-	-	-	-
Basal metabolism (794.7)	-	-	-	-	-	-	-	-	-
Liver (794.8)	-	-	-	-	-	-	-	-	-
Other (794.9)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal histological and immunological findings (795)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal Papanicolaou smear of cervix (795.0)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal Papanicolaou smear of other origin (795.1)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal findings on chromosomal analysis (795.2)	-	-	-	-	-	-	-	-	-
Nonspecific positive culture findings (795.3)	-	-	-	-	-	-	-	-	-
Other nonspecific abnormal histological findings (795.4)	-	-	-	-	-	-	-	-	-
Nonspecific reaction to tuberculin test (795.5)	-	-	-	-	-	-	-	-	-
False positive serological test for syphilis (795.6)	-	-	-	-	-	-	-	-	-
Other nonspecific immunological findings (795.7)	-	-	-	-	-	-	-	-	-
Other nonspecific abnormal findings (796)	-	-	-	-	-	-	-	-	-
Nonspecific abnormal toxicological findings (796.0)	-	-	-	-	-	-	-	-	-
Abnormal reflex (796.1)	-	-	-	-	-	-	-	-	-
Elevated blood pressure reading without diagnosis of hypertension (796.2)	-	-	-	-	-	-	-	-	-
Nonspecific low blood pressure reading (796.3)	-	-	-	-	-	-	-	-	-
Other abnormal clinical findings (796.4)	-	-	-	-	-	-	-	-	-
Other (796.9)	-	-	-	-	-	-	-	-	-
Ill-defined and unknown causes of mortality (797-799)	12.1	14.1	10.2	12.7	9.3	22.5	14.9	26.1	17.2
Senility without mention of psychosis (797)6	.4	.8	.3	.8	.5	.5	.5	.6
Sudden death, cause unknown (798)	2.4	3.1	1.8	2.6	1.5	5.5	3.7	6.0	4.0
Sudden infant death syndrome (798.0)	2.2	2.8	1.7	2.4	1.3	5.2	3.6	5.7	3.8
Instantaneous death (798.1)1	.2	.1	.2	.1	.3	.1	.3	.2
Death occurring in less than 24 hours from onset of symptoms, not otherwise explained (798.2)0	.0	.0	.0	.0	.0	-	-	-
Unattended death (798.9)0	.0	.0	.0	.0	.1	.0	.1	.1
Other ill-defined and unknown causes of mortality (799)	9.1	10.7	7.6	9.7	7.1	16.5	10.7	19.5	12.6
Asphyxia (799.0)0	.0	.0	.0	.0	.0	.0	.0	.0
Respiratory failure (799.1)	1.3	1.3	1.3	1.3	1.4	1.2	1.1	1.4	1.3

SECTION 1 - GENERAL MORTALITY - PAGE 196

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other ill-defined and unknown causes of mortality-Con.									
Nervousness (799.2)	-	-	-	-	-	-	-	-	-
Debility, unspecified (799.3)	44	17	27	15	27	2	-	2	-
Cachexia (799.4)	45	18	27	16	26	2	1	2	1
Other ill-defined conditions (799.8)	157	72	85	60	74	12	11	9	10
Other unknown and unspecified cause (799.9)	18,362	10,807	7,555	8,219	5,771	2,588	1,784	2,459	1,711
Supplementary classification of external causes of injury and poisoning (E800-E999)									
Railway accidents (E800-E807)	551	480	71	371	60	109	11	97	8
Railway accident involving collision with rolling stock (E800)	5	5	-	5	-	-	-	-	-
Railway employee (E800.0)	5	5	-	5	-	-	-	-	-
Passenger on railway (E800.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E800.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E800.3)	-	-	-	-	-	-	-	-	-
Other specified person (E800.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E800.9)	-	-	-	-	-	-	-	-	-
Railway accident involving collision with other object (E801)	9	9	-	7	-	2	-	2	-
Railway employee (E801.0)	1	1	-	1	-	-	-	-	-
Passenger on railway (E801.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E801.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E801.3)	6	6	-	5	-	1	-	1	-
Other specified person (E801.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E801.9)	2	2	-	1	-	1	-	1	-
Railway accident involving derailment without antecedent collision (E802)	5	5	-	4	-	1	-	1	-
Railway employee (E802.0)	2	2	-	1	-	1	-	1	-
Passenger on railway (E802.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E802.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E802.3)	-	-	-	-	-	-	-	-	-
Other specified person (E802.8)	1	1	-	1	-	-	-	-	-
Unspecified person (E802.9)	2	2	-	2	-	-	-	-	-
Railway accident involving explosion, fire, or burning (E803)	1	1	-	1	-	-	-	-	-
Railway employee (E803.0)	-	-	-	-	-	-	-	-	-
Passenger on railway (E803.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E803.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E803.3)	-	-	-	-	-	-	-	-	-
Other specified person (E803.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E803.9)	1	1	-	1	-	-	-	-	-
Fall in, on, or from railway train (E804)	31	27	4	21	3	6	1	5	1
Railway employee (E804.0)	5	4	1	2	1	2	-	2	-
Passenger on railway (E804.1)	4	2	2	2	1	-	1	-	1
Pedestrian (E804.2)	2	1	1	1	1	-	-	-	-
Pedal cyclist (E804.3)	-	-	-	-	-	-	-	-	-
Other specified person (E804.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E804.9)	20	20	-	16	-	4	-	3	-
Hit by rolling stock (E805)	488	421	67	325	57	96	10	85	7
Railway employee (E805.0)	12	12	-	11	-	1	-	1	-
Passenger on railway (E805.1)	2	2	-	2	-	-	-	-	-
Pedestrian (E805.2)	445	380	65	293	55	87	10	76	7
Pedal cyclist (E805.3)	2	-	2	-	2	-	-	-	-
Other specified person (E805.8)	2	2	-	1	-	1	-	1	-
Unspecified person (E805.9)	25	25	-	18	-	7	-	7	-
Other specified railway accident (E806)	5	5	-	4	-	1	-	1	-
Railway employee (E806.0)	1	1	-	1	-	-	-	-	-
Passenger on railway (E806.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E806.2)	2	2	-	2	-	-	-	-	-
Pedal cyclist (E806.3)	-	-	-	-	-	-	-	-	-
Other specified person (E806.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E806.9)	2	2	-	1	-	1	-	1	-
Railway accident of unspecified nature (E807)	7	7	-	4	-	3	-	3	-
Railway employee (E807.0)	-	-	-	-	-	-	-	-	-
Passenger on railway (E807.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E807.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E807.3)	-	-	-	-	-	-	-	-	-
Other specified person (E807.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E807.9)	7	7	-	4	-	3	-	3	-
Motor vehicle traffic accidents (E810-E819)	44,822	31,592	13,230	27,119	11,594	4,473	1,636	3,602	1,239
Motor vehicle traffic accident involving collision with train (E810)	538	373	185	330	150	43	15	35	13
Motor vehicle traffic accident involving re-entrant collision with another motor vehicle (E811)	37	22	15	20	14	2	1	-	-
Other motor vehicle traffic accident involving collision with another motor vehicle (E812)	18,887	10,969	5,918	9,704	5,324	1,265	594	1,024	472
Motor vehicle traffic accident involving collision with other vehicle (E813)	843	706	137	587	118	119	19	101	13
Motor vehicle traffic accident involving collision with pedestrian (E814)	7,157	4,931	2,226	3,748	1,770	1,183	456	969	350
Other motor vehicle traffic accident involving collision on the highway (E815)	6,086	4,792	1,294	4,221	1,150	571	144	458	114

SECTION 1 - GENERAL MORTALITY - PAGE 197

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other ill-defined and unknown causes of mortality-Con.									
Nervousness (799.2)	-	-	-	-	-	-	-	-	-
Debility, unspecified (799.3)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Cachexia (799.4)0	.0	.0	.0	.0	.0	0.0	.0	0.0
Other ill-defined conditions (799.8)1	.1	.1	.1	.1	.1	.1	.1	.1
Other unknown and unspecified cause (799.9)	7.7	9.3	6.2	8.3	5.6	15.1	9.5	18.0	11.3
Supplementary classification of external causes of injury and poisoning (E800-E999)									
Railway accidents (E800-E807)2	.4	.1	.4	.1	.6	.1	.7	.1
Railway accident involving collision with rolling stock (E800)0	.0	-	.0	-	-	-	-	-
Railway employee (E800.0)0	.0	-	.0	-	-	-	-	-
Passenger on railway (E800.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E800.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E800.3)	-	-	-	-	-	-	-	-	-
Other specified person (E800.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E800.9)	-	-	-	-	-	-	-	-	-
Railway accident involving collision with other object (E801)0	.0	-	.0	-	.0	-	.0	-
Railway employee (E801.0)0	.0	-	.0	-	-	-	-	-
Passenger on railway (E801.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E801.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E801.3)0	.0	-	.0	-	.0	-	.0	-
Other specified person (E801.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E801.9)0	.0	-	.0	-	.0	-	.0	-
Railway accident involving derailment without antecedent collision (E802)0	.0	-	.0	-	.0	-	.0	-
Railway employee (E802.0)0	.0	-	.0	-	.0	-	.0	-
Passenger on railway (E802.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E802.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E802.3)	-	-	-	-	-	-	-	-	-
Other specified person (E802.8)0	.0	-	.0	-	-	-	-	-
Unspecified person (E802.9)0	.0	-	.0	-	-	-	-	-
Railway accident involving explosion, fire, or burning (E803)0	.0	-	.0	-	-	-	-	-
Railway employee (E803.0)	-	-	-	-	-	-	-	-	-
Passenger on railway (E803.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E803.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E803.3)	-	-	-	-	-	-	-	-	-
Other specified person (E803.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E803.9)0	.0	-	.0	-	-	-	-	-
Fall in, on, or from railway train (E804)0	.0	.0	.0	.0	.0	.0	.0	.0
Railway employee (E804.0)0	.0	.0	.0	.0	.0	-	.0	-
Passenger on railway (E804.1)0	.0	.0	.0	.0	-	.0	-	.0
Pedestrian (E804.2)0	.0	.0	.0	.0	-	-	-	-
Pedal cyclist (E804.3)	-	-	-	-	-	-	-	-	-
Other specified person (E804.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E804.9)0	.0	-	.0	-	.0	-	.0	-
Hit by rolling stock (E805)2	.4	.1	.3	.1	.6	.1	.6	.0
Railway employee (E805.0)0	.0	-	.0	-	.0	-	.0	-
Passenger on railway (E805.1)0	.0	-	.0	-	-	-	-	-
Pedestrian (E805.2)2	.3	.1	.3	.1	.5	.1	.6	.0
Pedal cyclist (E805.3)0	-	.0	-	.0	-	-	-	-
Other specified person (E805.8)0	.0	-	.0	-	.0	-	.0	-
Unspecified person (E805.9)0	.0	-	.0	-	.0	-	.1	-
Other specified railway accident (E806)0	.0	-	.0	-	.0	-	.0	-
Railway employee (E806.0)0	.0	-	.0	-	-	-	-	-
Passenger on railway (E806.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E806.2)0	.0	-	.0	-	-	-	-	-
Pedal cyclist (E806.3)	-	-	-	-	-	-	-	-	-
Other specified person (E806.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E806.9)0	.0	-	.0	-	.0	-	.0	-
Railway accident of unspecified nature (E807)0	.0	-	.0	-	.0	-	.0	-
Railway employee (E807.0)	-	-	-	-	-	-	-	-	-
Passenger on railway (E807.1)	-	-	-	-	-	-	-	-	-
Pedestrian (E807.2)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E807.3)	-	-	-	-	-	-	-	-	-
Other specified person (E807.8)	-	-	-	-	-	-	-	.0	-
Unspecified person (E807.9)0	.0	-	.0	-	.0	-	-	-
Motor vehicle traffic accidents (E810-E819)	18.8	27.2	10.8	27.4	11.2	26.1	8.7	26.3	8.2
Motor vehicle traffic accident involving collision with train (E810)2	.3	.1	.3	.1	.3	.1	.3	.1
Motor vehicle traffic accident involving re-entrant collision with another motor vehicle (E811)0	.0	.0	.0	.0	.0	.0	-	-
Other motor vehicle traffic accident involving collision with another motor vehicle (E812)	7.1	9.4	4.8	9.8	5.1	7.4	3.2	7.5	3.1
Motor vehicle traffic accident involving collision with other vehicle (E813)4	.6	.1	.6	.1	.7	.1	.7	.1
Motor vehicle traffic accident involving collision with pedestrian (E814)	3.0	4.2	1.8	3.8	1.7	6.9	2.4	7.1	2.3
Other motor vehicle traffic accident involving collision on the highway (E815)	2.5	4.1	1.1	4.3	1.1	3.3	.8	3.3	.8

SECTION 1 - GENERAL MORTALITY - PAGE 198

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Motor vehicle traffic accidents-Con.									
Motor vehicle traffic accident due to loss of control without collision on the highway (E816)	7,120	5,431	1,689	4,774	1,496	657	193	504	118
Noncollision motor vehicle traffic accident while boarding or alighting (E817)	9	5	4	4	4	1	-	1	-
Other noncollision motor vehicle traffic accident (E818)	931	679	252	559	215	120	37	102	19
Motor vehicle traffic accident of unspecified nature (E819)	5,214	3,684	1,530	3,172	1,353	512	177	408	142
Motor vehicle nontraffic accidents (E820-E825)	1,079	851	228	775	201	76	27	57	18
Nontraffic accident involving motor-driven snow vehicle (E820)	51	44	7	43	7	1	-	-	-
Nontraffic accident involving other off-road motor vehicle (E821)	225	196	29	187	27	9	2	4	1
Other motor vehicle nontraffic accident involving collision with moving object (E822)	467	337	130	296	115	41	15	34	9
Other motor vehicle nontraffic accident involving collision with stationary object (E823)	61	48	13	44	12	4	1	4	1
Other motor vehicle nontraffic accident while boarding or alighting (E824)	8	-	8	-	7	-	1	-	1
Other motor vehicle nontraffic accident of other and unspecified nature (E825)	267	226	41	205	33	21	8	15	6
Other road vehicle accidents (E826-E829)	231	164	67	140	65	24	2	19	1
Pedal cycle accident (E826)	110	94	16	75	15	19	1	17	-
Pedestrian (E826.0)	7	5	2	5	2	-	-	-	-
Pedal cyclist (E826.1)	93	82	11	65	10	17	1	15	-
Rider of animal (E826.2)	-	-	-	-	-	-	-	-	-
Occupant of animal-drawn vehicle (E826.3)	-	-	-	-	-	-	-	-	-
Occupant of streetcar (E826.4)	-	-	-	-	-	-	-	-	-
Other specified person (E826.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E826.9)	10	7	3	5	3	2	-	2	-
Animal-drawn vehicle accident (E827)	8	4	4	4	4	-	-	-	-
Pedestrian (E827.0)	1	-	1	-	1	-	-	-	-
Pedal cyclist (E827.1)	-	-	-	-	-	-	-	-	-
Rider of animal (E827.2)	1	-	1	-	1	-	-	-	-
Occupant of animal-drawn vehicle (E827.3)	4	3	1	3	1	-	-	-	-
Occupant of streetcar (E827.4)	-	-	-	-	-	-	-	-	-
Other specified person (E827.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E827.9)	2	1	1	1	1	-	-	-	-
Accident involving animal being ridden (E828)	108	61	47	58	46	5	1	2	1
Pedestrian (E828.0)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E828.1)	1	1	-	1	-	-	-	-	-
Rider of animal (E828.2)	105	59	46	54	45	5	1	2	1
Occupant of animal-drawn vehicle (E828.3)	-	-	-	-	-	-	-	-	-
Occupant of streetcar (E828.4)	-	-	-	-	-	-	-	-	-
Other specified person (E828.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E828.9)	2	1	1	1	1	-	-	-	-
Other road vehicle accidents (E829)	5	5	-	5	-	-	-	-	-
Pedestrian (E829.0)	2	2	-	2	-	-	-	-	-
Pedal cyclist (E829.1)	-	-	-	-	-	-	-	-	-
Rider of animal (E829.2)	-	-	-	-	-	-	-	-	-
Occupant of animal-drawn vehicle (E829.3)	-	-	-	-	-	-	-	-	-
Occupant of streetcar (E829.4)	-	-	-	-	-	-	-	-	-
Other specified person (E829.8)	1	1	-	1	-	-	-	-	-
Unspecified person (E829.9)	2	2	-	2	-	-	-	-	-
Water transport accidents (E830-E838)	1,111	1,012	99	854	87	158	12	119	4
Accident to watercraft causing submersion (E830)	401	370	31	316	26	54	5	38	1
Occupant of small boat, unpowered (E830.0)	89	81	8	78	8	3	-	3	-
Occupant of small boat, powered (E830.1)	15	13	2	12	2	1	-	-	-
Occupant of other watercraft, crew (E830.2)	9	9	-	7	-	2	-	2	-
Occupant of other watercraft, other than crew (E830.3)	4	4	-	4	-	-	-	-	-
Water skier (E830.4)	-	-	-	-	-	-	-	-	-
Swimmer (E830.5)	1	1	-	1	-	-	-	-	-
Dockers, stevedores (E830.6)	-	-	-	-	-	-	-	-	-
Other specified person (E830.8)	1	1	-	1	-	-	-	-	-
Unspecified person (E830.9)	282	261	21	213	16	48	5	33	1
Accident to watercraft causing other injury (E831)	67	54	13	51	12	3	1	2	-
Occupant of small boat, unpowered (E831.0)	6	6	-	6	-	-	-	-	-
Occupant of small boat, powered (E831.1)	13	10	3	9	2	1	1	-	-
Occupant of other watercraft, crew (E831.2)	3	3	-	3	-	-	-	-	-
Occupant of other watercraft, other than crew (E831.3)	-	-	-	-	-	-	-	-	-
Water skier (E831.4)	-	-	-	-	-	-	-	-	-
Swimmer (E831.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E831.6)	-	-	-	-	-	-	-	-	-
Other specified person (E831.8)	2	1	1	-	1	1	-	1	-
Unspecified person (E831.9)	43	34	9	33	9	1	-	1	-
Other accidental submersion or drowning in water transport accident (E832)	508	476	32	383	27	93	5	77	2
Occupant of small boat, unpowered (E832.0)	59	53	6	35	5	18	1	15	-
Occupant of small boat, powered (E832.1)	22	21	1	20	1	1	-	1	-
Occupant of other watercraft, crew (E832.2)	27	26	1	21	1	5	-	4	-
Occupant of other watercraft, other than crew (E832.3)	-	-	-	-	-	-	-	-	-
Water skier (E832.4)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 199

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Motor vehicle traffic accidents-Con.									
Motor vehicle traffic accident due to loss of control without collision on the highway (E816)	3.0	4.7	1.4	4.8	1.4	3.8	1.0	3.7	0.8
Noncollision motor vehicle traffic accident while boarding or alighting (E817)	.0	.0	.0	.0	.0	.0	-	.0	-
Other noncollision motor vehicle traffic accident (E818)	.4	.6	.2	.6	.2	.7	.2	.7	.1
Motor vehicle traffic accident of unspecified nature (E819)	2.2	3.2	1.2	3.2	1.3	3.0	.9	3.0	.9
Motor vehicle nontraffic accidents (E820-E825)	.5	.7	.2	.8	.2	.4	.1	.4	.1
Nontraffic accident involving motor-driven snow vehicle (E820)	.0	.0	.0	.0	.0	.0	-	-	-
Nontraffic accident involving other off-road motor vehicle (E821)	.1	.2	.0	.2	.0	.1	.0	.0	.0
Other motor vehicle nontraffic accident involving collision with moving object (E822)	.2	.3	.1	.3	.1	.2	.1	.2	.1
Other motor vehicle nontraffic accident involving collision with stationary object (E823)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other motor vehicle nontraffic accident while boarding or alighting (E824)	.0	-	.0	-	.0	-	.0	-	.0
Other motor vehicle nontraffic accident of other and unspecified nature (E825)	.1	.2	.0	.2	.0	.1	.0	.1	.0
Other road vehicle accidents (E826-E829)	.1	.1	.1	.1	.1	.1	.0	.1	.0
Pedal cycle accident (E826)	.0	.1	.0	.1	.0	.1	.0	.1	-
Pedestrian (E826.0)	.0	.0	.0	.0	.0	-	-	-	-
Pedal cyclist (E826.1)	.0	.1	.0	.1	.0	.1	.0	.1	-
Rider of animal (E826.2)	-	-	-	-	-	-	-	-	-
Occupant of animal-drawn vehicle (E826.3)	-	-	-	-	-	-	-	-	-
Occupant of streetcar (E826.4)	-	-	-	-	-	-	-	-	-
Other specified person (E826.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E826.9)	.0	.0	.0	.0	.0	.0	-	.0	-
Animal-drawn vehicle accident (E827)	.0	.0	.0	.0	.0	-	-	-	-
Pedestrian (E827.0)	.0	-	.0	-	.0	-	-	-	-
Pedal cyclist (E827.1)	-	-	-	-	-	-	-	-	-
Rider of animal (E827.2)	.0	-	.0	-	.0	-	-	-	-
Occupant of animal-drawn vehicle (E827.3)	.0	.0	.0	.0	.0	-	-	-	-
Occupant of streetcar (E827.4)	-	-	-	-	-	-	-	-	-
Other specified person (E827.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E827.9)	.0	.0	.0	.0	.0	-	-	-	-
Accident involving animal being ridden (E828)	.0	.1	.0	.1	.0	.0	.0	.0	.0
Pedestrian (E828.0)	-	-	-	-	-	-	-	-	-
Pedal cyclist (E828.1)	.0	.0	-	.0	-	-	-	-	-
Rider of animal (E828.2)	.0	.1	.0	.1	.0	.0	.0	.0	.0
Occupant of animal-drawn vehicle (E828.3)	-	-	-	-	-	-	-	-	-
Occupant of streetcar (E828.4)	-	-	-	-	-	-	-	-	-
Other specified person (E828.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E828.9)	.0	.0	.0	.0	.0	-	-	-	-
Other road vehicle accidents (E829)	.0	.0	-	.0	-	-	-	-	-
Pedestrian (E829.0)	.0	.0	-	.0	-	-	-	-	-
Pedal cyclist (E829.1)	-	-	-	-	-	-	-	-	-
Rider of animal (E829.2)	-	-	-	-	-	-	-	-	-
Occupant of animal-drawn vehicle (E829.3)	-	-	-	-	-	-	-	-	-
Occupant of streetcar (E829.4)	-	-	-	-	-	-	-	-	-
Other specified person (E829.8)	.0	.0	-	.0	-	-	-	-	-
Unspecified person (E829.9)	.0	.0	-	.0	-	-	-	-	-
Water transport accidents (E830-E838)	.5	.9	.1	.9	.1	.9	.1	.9	.0
Accident to watercraft causing submersion (E830)	.2	.3	.0	.3	.0	.3	.0	.3	.0
Occupant of small boat, unpowered (E830.0)	.0	.1	.0	.1	.0	.0	-	.0	-
Occupant of small boat, powered (E830.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Occupant of other watercraft, crew (E830.2)	.0	.0	-	.0	-	.0	-	.0	-
Occupant of other watercraft, other than crew (E830.3)	.0	.0	-	.0	-	-	-	-	-
Water skier (E830.4)	-	-	-	-	-	-	-	-	-
Swimmer (E830.5)	.0	.0	-	.0	-	-	-	-	-
Dockers, stevedores (E830.6)	-	-	-	-	-	-	-	-	-
Other specified person (E830.8)	.0	.0	-	.0	-	-	-	.0	-
Unspecified person (E830.9)	.1	.2	.0	.2	.0	.3	.0	.2	.0
Accident to watercraft causing other injury (E831)	.0	.0	.0	.1	.0	.0	.0	.0	-
Occupant of small boat, unpowered (E831.0)	.0	.0	-	.0	-	-	-	-	-
Occupant of small boat, powered (E831.1)	.0	.0	.0	.0	.0	.0	.0	-	-
Occupant of other watercraft, crew (E831.2)	.0	.0	-	.0	-	-	-	-	-
Occupant of other watercraft, other than crew (E831.3)	-	-	-	-	-	-	-	-	-
Water skier (E831.4)	-	-	-	-	-	-	-	-	-
Swimmer (E831.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E831.6)	-	-	-	-	-	-	-	-	-
Other specified person (E831.8)	.0	.0	.0	.0	.0	.0	-	.0	-
Unspecified person (E831.9)	.0	.0	.0	.0	.0	.0	-	.0	-
Other accidental submersion or drowning in water transport accident (E832)	.2	.4	.0	.4	.0	.5	.0	.6	.0
Occupant of small boat, unpowered (E832.0)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Occupant of small boat, powered (E832.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Occupant of other watercraft, crew (E832.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Occupant of other watercraft, other than crew (E832.3)	-	-	-	-	-	-	-	-	-
Water skier (E832.4)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 201

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other accidental submersion or drowning in water transport accident-Con.									
Swimmer (E832.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E832.6)	-	-	-	-	-	-	-	-	-
Other specified person (E832.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E832.9)	0.2	0.3	0.0	0.3	0.0	0.4	0.0	0.4	0.0
Fall on stairs or ladders in water transport (E833)	-	-	-	-	-	-	-	-	-
Occupant of small boat, unpowered (E833.0)	-	-	-	-	-	-	-	-	-
Occupant of small boat, powered (E833.1)	-	-	-	-	-	-	-	-	-
Occupant of other watercraft, crew (E833.2)	-	-	-	-	-	-	-	-	-
Occupant of other watercraft, other than crew (E833.3)	-	-	-	-	-	-	-	-	-
Water skier (E833.4)	-	-	-	-	-	-	-	-	-
Swimmer (E833.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E833.6)	-	-	-	-	-	-	-	-	-
Other specified person (E833.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E833.9)	-	-	-	-	-	-	-	-	-
Other fall from one level to another in water transport (E834)	0	0	-	0	-	0	-	-	-
Occupant of small boat, unpowered (E834.0)	-	-	-	-	-	-	-	-	-
Occupant of small boat, powered (E834.1)	-	-	-	-	-	-	-	-	-
Occupant of other watercraft, crew (E834.2)	0	0	-	0	-	-	-	-	-
Occupant of other watercraft, other than crew (E834.3)	-	-	-	-	-	-	-	-	-
Water skier (E834.4)	-	-	-	-	-	-	-	-	-
Swimmer (E834.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E834.6)	-	-	-	-	-	-	-	-	-
Other specified person (E834.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E834.9)	0	0	-	0	-	0	-	-	-
Other and unspecified fall in water transport (E835)	0	0	-	0	-	-	-	-	-
Occupant of small boat, unpowered (E835.0)	0	0	-	0	-	-	-	-	-
Occupant of small boat, powered (E835.1)	-	-	-	-	-	-	-	-	-
Occupant of other watercraft, crew (E835.2)	0	0	-	0	-	-	-	-	-
Occupant of other watercraft, other than crew (E835.3)	-	-	-	-	-	-	-	-	-
Water skier (E835.4)	0	0	-	0	-	-	-	-	-
Swimmer (E835.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E835.6)	-	-	-	-	-	-	-	-	-
Other specified person (E835.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E835.9)	0	0	-	0	-	-	-	-	-
Machinery accident in water transport (E836)	0	0	-	0	-	-	-	-	-
Occupant of small boat, unpowered (E836.0)	-	-	-	-	-	-	-	-	-
Occupant of small boat, powered (E836.1)	0	0	-	0	-	-	-	-	-
Occupant of other watercraft, crew (E836.2)	-	-	-	-	-	-	-	-	-
Occupant of other watercraft, other than crew (E836.3)	-	-	-	-	-	-	-	-	-
Water skier (E836.4)	-	-	-	-	-	-	-	-	-
Swimmer (E836.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E836.6)	-	-	-	-	-	-	-	-	-
Other specified person (E836.8)	0	0	-	0	-	-	-	-	-
Unspecified person (E836.9)	-	-	-	-	-	-	-	-	-
Explosion, fire, or burning in watercraft (E837)	0	0	0	0	0	0	0	0	0
Occupant of small boat, unpowered (E837.0)	-	-	-	-	-	-	-	-	-
Occupant of small boat, powered (E837.1)	0	0	-	0	-	-	-	-	-
Occupant of other watercraft, crew (E837.2)	0	0	-	0	-	-	-	-	-
Occupant of other watercraft, other than crew (E837.3)	-	-	-	-	-	-	-	-	-
Water skier (E837.4)	-	-	-	-	-	-	-	-	-
Swimmer (E837.5)	-	-	-	-	-	-	-	-	-
Dockers, stevedores (E837.6)	-	-	-	-	-	-	-	-	-
Other specified person (E837.8)	-	-	-	-	-	-	-	-	-
Unspecified person (E837.9)	0	0	0	0	0	0	0	0	0
Other and unspecified water transport accident (E838)	0	1	0	1	0	0	-	0	-
Occupant of small boat, unpowered (E838.0)	-	-	-	-	-	-	-	-	-
Occupant of small boat, powered (E838.1)	0	0	0	0	0	-	-	0	-
Occupant of other watercraft, crew (E838.2)	0	0	0	0	0	-	-	-	-
Occupant of other watercraft, other than crew (E838.3)	0	0	0	0	0	-	-	-	-
Water skier (E838.4)	0	0	0	0	0	-	-	-	-
Swimmer (E838.5)	0	0	0	0	0	-	-	-	-
Dockers, stevedores (E838.6)	-	-	-	-	-	-	-	-	-
Other specified person (E838.8)	0	0	0	1	0	0	-	-	-
Unspecified person (E838.9)	-	-	-	-	-	-	-	-	-
Air and space transport accidents (E840-E845)6	1.0	.2	1.1	.3	.2	.1	.1	.1
Accident to powered aircraft at takeoff or landing (E840)1	.1	.1	.2	.1	.0	.1	.0	.1
Occupant of spacecraft (E840.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E840.1)	0	0	0	0	0	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E840.2)	0	0	0	0	0	0	-	0	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E840.3)1	0	.1	.1	.1	.0	.1	0	.1
Occupant of commercial aircraft (powered) in surface to air transport (E840.4)	0	0	0	0	0	-	-	-	-
Occupant of other powered aircraft (E840.5)	0	0	0	0	0	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E840.6)	-	-	-	-	-	-	-	-	-
Parachutist (military) (other) (E840.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E840.8)	0	0	-	0	-	-	-	-	-
Other person (E840.9)	0	0	-	0	-	-	-	-	-
Accident to powered aircraft, other and unspecified (E841)5	.8	.2	.9	.2	.1	.0	.1	.0
Occupant of spacecraft (E841.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E841.1)	0	.1	0	.1	0	.0	-	.0	-
Crew of commercial aircraft (powered) in surface to surface transport (E841.2)0	.1	.0	.1	0	.0	-	.0	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E841.3)3	.4	.1	.5	.1	.1	.0	.0	.0
Occupant of commercial aircraft (powered) in surface to air transport (E841.4)	0	0	0	0	0	-	-	-	-
Occupant of other powered aircraft (E841.5)1	.2	0	.2	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E841.6)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 202

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accident to powered aircraft, other and unspecified-Con.									
Parachutist (military) (other) (E841.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E841.8)	-	-	-	-	-	-	-	-	-
Other person (E841.9)	19	18	1	18	1	-	-	-	-
Accident to unpowered aircraft (E842)	18	17	1	17	1	-	-	-	-
Occupant of spacecraft (E842.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E842.1)	-	-	-	-	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E842.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E842.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E842.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E842.5)	1	1	-	1	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E842.6)	17	16	1	16	1	-	-	-	-
Parachutist (military) (other) (E842.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E842.8)	-	-	-	-	-	-	-	-	-
Other person (E842.9)	-	-	-	-	-	-	-	-	-
Fall in, on, or from aircraft (E843)	6	5	1	5	1	-	-	-	-
Occupant of spacecraft (E843.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E843.1)	-	-	-	-	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E843.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E843.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E843.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E843.5)	1	1	-	1	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E843.6)	3	2	1	2	1	-	-	-	-
Parachutist (military) (other) (E843.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E843.8)	2	2	-	2	-	-	-	-	-
Other person (E843.9)	-	-	-	-	-	-	-	-	-
Other specified air transport accidents (E844)	34	27	7	27	7	-	-	-	-
Occupant of spacecraft (E844.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E844.1)	1	1	-	1	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E844.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E844.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E844.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E844.5)	1	-	1	-	1	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E844.6)	-	-	-	-	-	-	-	-	-
Parachutist (military) (other) (E844.7)	22	16	6	16	6	-	-	-	-
Ground crew, airline employee (E844.8)	4	4	-	4	-	-	-	-	-
Other person (E844.9)	6	6	-	6	-	-	-	-	-
Accident involving spacecraft (E845)	-	-	-	-	-	-	-	-	-
Occupant of spacecraft (E845.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E845.1)	-	-	-	-	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E845.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E845.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E845.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E845.5)	-	-	-	-	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E845.6)	-	-	-	-	-	-	-	-	-
Parachutist (military) (other) (E845.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E845.8)	-	-	-	-	-	-	-	-	-
Other person (E845.9)	-	-	-	-	-	-	-	-	-
Vehicle accidents not elsewhere classifiable (E846-E848)	27	24	3	23	2	1	1	-	1
Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment (E846)	12	12	-	11	-	1	-	-	-
Accidents involving cable cars not running on rails (E847)	1	1	-	1	-	-	-	-	-
Accidents involving other vehicles not elsewhere classified (E848)	14	11	3	11	2	-	1	-	1
Accidental poisoning by drugs, medicaments, and biologicals (E850-E859)	3,612	2,509	1,103	2,090	894	419	209	388	192
Accidental poisoning by analgesics, antipyretics, antirheumatics (E850)	1,209	994	215	838	173	156	42	147	38
Opiates and related narcotics (E850.0)	867	762	105	636	78	126	27	121	25
Salicylates (E850.1)	58	28	30	27	30	1	-	1	-
Aromatic analgesics, not elsewhere classified (E850.2)	41	12	29	11	25	1	4	1	3
Pyrazole derivatives (E850.3)	-	-	-	-	-	-	-	-	-
Antirheumatics (antiphlogistics) (E850.4)	3	1	2	1	1	-	1	-	1
Other non-narcotic analgesics (E850.5)	78	57	21	53	17	4	4	2	3
Other (E850.8)	158	131	27	107	21	24	6	22	6
Unspecified (E850.9)	4	3	1	3	1	-	-	-	-
Accidental poisoning by barbiturates (E851)	42	20	22	18	19	2	3	2	3
Accidental poisoning by other sedatives and hypnotics (E852)	32	15	17	14	15	1	2	1	2
Chloral hydrate group (E852.0)	4	4	-	3	-	1	-	1	-
Paraldehyde (E852.1)	-	-	-	-	-	-	-	-	-
Bromine compounds (E852.2)	-	-	-	-	-	-	-	-	-
Methaqualone compounds (E852.3)	1	1	-	1	-	-	-	-	-
Glutethimide group (E852.4)	3	2	1	2	-	-	1	-	1
Mixed sedatives, not elsewhere classified (E852.5)	9	3	6	3	5	-	1	-	1
Other (E852.8)	13	4	9	4	9	-	-	-	-
Unspecified (E852.9)	2	1	1	1	1	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 203

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accident to powered aircraft, other and unspecified-Con.									
Parachutist (military) (other) (E841.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E841.8)	-	-	-	-	-	-	-	-	-
Other person (E841.9)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Accident to unpowered aircraft (E842)0	.0	.0	.0	.0	-	-	-	-
Occupant of spacecraft (E842.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E842.1)	-	-	-	-	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E842.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E842.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E842.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E842.5)0	.0	-	.0	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E842.6)0	.0	.0	.0	.0	-	-	-	-
Parachutist (military) (other) (E842.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E842.8)	-	-	-	-	-	-	-	-	-
Other person (E842.9)	-	-	-	-	-	-	-	-	-
Fall in, on, or from aircraft (E843)0	.0	.0	.0	.0	-	-	-	-
Occupant of spacecraft (E843.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E843.1)	-	-	-	-	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E843.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E843.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E843.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E843.5)0	.0	-	.0	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E843.6)	-	-	-	-	-	-	-	-	-
Parachutist (military) (other) (E843.7)0	.0	.0	.0	.0	-	-	-	-
Ground crew, airline employee (E843.8)	-	-	-	-	-	-	-	-	-
Other person (E843.9)0	.0	-	.0	-	-	-	-	-
Other specified air transport accidents (E844)0	.0	.0	.0	.0	-	-	-	-
Occupant of spacecraft (E844.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E844.1)0	.0	-	.0	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E844.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E844.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E844.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E844.5)0	-	.0	-	.0	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E844.6)	-	-	-	-	-	-	-	-	-
Parachutist (military) (other) (E844.7)0	.0	.0	.0	.0	-	-	-	-
Ground crew, airline employee (E844.8)0	.0	-	.0	-	-	-	-	-
Other person (E844.9)0	.0	-	.0	-	-	-	-	-
Accident involving spacecraft (E845)	-	-	-	-	-	-	-	-	-
Occupant of spacecraft (E845.0)	-	-	-	-	-	-	-	-	-
Occupant of military aircraft, any (E845.1)	-	-	-	-	-	-	-	-	-
Crew of commercial aircraft (powered) in surface to surface transport (E845.2)	-	-	-	-	-	-	-	-	-
Other occupant of commercial aircraft (powered) in surface to surface transport (E845.3)	-	-	-	-	-	-	-	-	-
Occupant of commercial aircraft (powered) in surface to air transport (E845.4)	-	-	-	-	-	-	-	-	-
Occupant of other powered aircraft (E845.5)	-	-	-	-	-	-	-	-	-
Occupant of unpowered aircraft, except parachutist (E845.6)	-	-	-	-	-	-	-	-	-
Parachutist (military) (other) (E845.7)	-	-	-	-	-	-	-	-	-
Ground crew, airline employee (E845.8)	-	-	-	-	-	-	-	-	-
Other person (E845.9)	-	-	-	-	-	-	-	-	-
Vehicle accidents not elsewhere classifiable (E846-E848)0	.0	.0	.0	.0	0.0	0.0	-	0.0
Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment (E846)0	.0	-	.0	-	.0	-	-	-
Accidents involving cable cars not running on rails (E847)0	.0	-	.0	-	-	-	-	-
Accidents involving other vehicles not elsewhere classified (E848)0	.0	.0	.0	.0	-	.0	-	.0
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	1.5	2.2	.9	2.1	.9	2.4	1.1	2.8	1.3
Accidental poisoning by analgesics, antipyretics, antirheumatics (E850)5	.9	.2	.8	.2	.9	.2	1.1	.3
Opiates and related narcotics (E850.0)4	.7	.1	.6	.1	.7	.1	.9	.2
Salicylates (E850.1)0	.0	.0	.0	.0	.0	-	.0	-
Aromatic analgesics, not elsewhere classified (E850.2)0	.0	-	-	-	.0	.0	.0	.0
Pyrazole derivatives (E850.3)	-	-	-	-	-	-	-	-	-
Antirheumatics (antiphlogistics) (E850.4)0	.0	.0	.0	.0	-	.0	-	.0
Other non-narcotic analgesics (E850.5)0	.0	.0	.1	.0	.0	.0	.0	.0
Other (E850.8)1	.1	0	.1	0	.1	.0	.2	.0
Unspecified (E850.9)0	.0	.0	.0	.0	-	-	-	-
Accidental poisoning by barbiturates (E851)0	.0	.0	.0	.0	.0	.0	.0	.0
Accidental poisoning by other sedatives and hypnotics (E852)0	.0	.0	.0	.0	.0	.0	.0	.0
Chloral hydrate group (E852.0)0	.0	-	.0	-	.0	-	-	-
Paraldehyde (E852.1)	-	-	-	-	-	-	-	-	-
Bromine compounds (E852.2)	-	-	-	-	-	-	-	-	-
Methaqualone compounds (E852.3)0	.0	-	.0	-	-	.0	-	.0
Glutethimide group (E852.4)0	.0	.0	.0	.0	-	.0	-	.0
Mixed sedatives, not elsewhere classified (E852.5)0	.0	.0	.0	.0	-	-	-	-
Other (E852.8)0	.0	.0	.0	.0	-	-	-	-
Unspecified (E852.9)0	.0	.0	.0	.0	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 204

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidental poisoning by drugs, medicaments, and biologicals-Con.									
Accidental poisoning by tranquilizers (E853)	102	57	45	51	40	6	5	4	4
Phenothiazine-based tranquilizers (E853.0)	31	11	20	8	17	3	3	3	2
Butyrophenone-based tranquilizers (E853.1)	4	2	2	2	2	-	-	-	-
Benzodiazepine-based tranquilizers (E853.2)	57	41	16	38	14	3	2	1	2
Other (E853.8)	8	2	6	2	6	-	-	-	-
Unspecified (E853.9)	2	1	1	1	1	-	-	-	-
Accidental poisoning by other psychotropic agents (E854)	165	83	82	71	71	12	11	11	10
Antidepressants (E854.0)	128	60	68	51	60	9	8	9	8
Psychodysleptics (hallucinogens) (E854.1)	5	4	1	3	1	1	-	-	-
Psychostimulants (E854.2)	32	19	13	17	10	2	3	2	2
Central nervous system stimulants (E854.3)	-	-	-	-	-	-	-	-	-
Accidental poisoning by other drugs acting on central and autonomic nervous systems (E855)	448	348	100	275	74	73	26	68	24
Anticonvulsant and anti-Parkinsonism drugs (E855.0)	19	12	7	8	5	4	2	4	1
Other central nervous system depressants (E855.1)	20	17	3	17	1	-	2	-	1
Local anesthetics (E855.2)	390	305	85	238	67	67	18	62	18
Parasympathomimetics (cholinergics) (E855.3)	-	-	-	-	-	-	-	-	-
Parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics (E855.4)	1	1	-	-	-	1	-	1	-
Sympathomimetics (adrenergics) (E855.5)	4	3	1	3	-	-	1	-	1
Sympatholytics (antiadrenergics) (E855.6)	-	-	-	-	-	-	-	-	-
Other (E855.8)	12	8	4	7	1	1	3	1	3
Unspecified (E855.9)	2	2	-	2	-	-	-	-	-
Accidental poisoning by antibiotics (E856)	50	24	26	22	23	2	3	2	3
Accidental poisoning by anti-infectives (E857)	4	3	1	3	1	-	-	-	-
Accidental poisoning by other drugs (E858)	1,560	965	595	798	478	167	117	153	108
Hormones and synthetic substitutes (E858.0)	34	18	16	16	12	2	4	2	4
Primarily systemic agents (E858.1)	26	15	11	13	10	2	1	2	1
Agents primarily affecting blood constituents (E858.2)	25	12	13	8	11	4	2	3	2
Agents primarily affecting cardiovascular system (E858.3)	225	96	129	80	103	16	26	13	25
Agents primarily affecting gastrointestinal system (E858.4)	7	4	3	1	3	3	2	3	1
Water, mineral, and uric acid metabolism drugs (E858.5)	68	38	30	33	22	5	8	4	8
Agents primarily acting on the smooth and skeletal muscles and respiratory system (E858.6)	21	14	7	12	5	2	2	2	1
Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological, and dental drugs (E858.7)	8	4	4	3	3	1	1	-	-
Other (E858.8)	550	378	172	312	135	66	37	61	33
Unspecified (E858.9)	596	386	210	320	176	66	34	63	33
Accidental poisoning by other solid and liquid substances, gases, and vapors (E860-E869)	1,558	1,150	408	908	298	242	110	224	100
Accidental poisoning by alcohol, not elsewhere classified (E860)	305	230	75	142	43	88	32	81	28
Alcoholic beverages (E860.0)	4	4	-	3	-	1	-	1	-
Other and unspecified ethyl alcohol and its products (E860.1)	171	128	43	75	24	53	19	47	17
Methyl alcohol (E860.2)	15	10	5	9	2	1	3	-	2
Isopropyl alcohol (E860.3)	14	10	4	9	2	1	2	1	2
Fusel oil (E860.4)	-	-	-	-	-	-	-	-	-
Other (E860.8)	3	3	-	-	-	3	-	3	-
Unspecified (E860.9)	98	75	23	46	15	29	8	29	7
Accidental poisoning by cleansing and polishing agents, disinfectants, paints, and varnishes (E861)	10	8	2	6	1	2	1	1	1
Synthetic detergents and shampoos (E861.0)	1	-	1	-	1	-	-	-	-
Soap products (E861.1)	-	-	-	-	-	-	-	-	-
Polishes (E861.2)	2	1	1	1	-	-	1	-	1
Other cleansing and polishing agents (E861.3)	1	1	-	1	-	-	-	-	-
Disinfectants (E861.4)	2	2	-	1	-	1	-	1	-
Lead paints (E861.5)	-	-	-	-	-	-	-	-	-
Other paints and varnishes (E861.6)	4	4	-	3	-	1	-	-	-
Unspecified (E861.9)	-	-	-	-	-	-	-	-	-
Accidental poisoning by petroleum products, other solvents, and their vapors, not elsewhere classified (E862)	75	64	11	52	9	12	2	11	2
Petroleum solvents (E862.0)	-	-	-	-	-	-	-	-	-
Petroleum fuels and cleaners (E862.1)	19	17	2	13	1	4	1	4	1
Lubricating oils (E862.2)	-	-	-	-	-	-	-	-	-
Petroleum solids (E862.3)	-	-	-	-	-	-	-	-	-
Other solvents (E862.4)	54	47	7	39	6	8	1	7	1
Unspecified (E862.9)	2	-	2	-	2	-	-	-	-
Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers (E863)	21	19	2	15	2	4	-	4	-
Insecticides of organochlorine compounds (E863.0)	-	-	-	-	-	-	-	-	-
Insecticides of organophosphorus compounds (E863.1)	10	9	1	6	1	3	-	3	-
Carbamates (E863.2)	-	-	-	-	-	-	-	-	-
Mixtures of insecticides (E863.3)	-	-	-	-	-	-	-	-	-
Other and unspecified insecticides (E863.4)	4	3	1	3	1	-	-	-	-
Herbicides (E863.5)	1	1	-	1	-	-	-	-	-
Fungicides (E863.6)	-	-	-	-	-	-	-	-	-
Rodenticides (E863.7)	2	2	-	1	-	1	-	1	-
Fumigants (E863.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (E863.9)	4	4	-	4	-	-	-	-	-
Accidental poisoning by corrosives and caustics, not elsewhere classified (E864)	11	4	7	4	5	-	2	-	2
Corrosive aromatics (E864.0)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 205

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidental poisoning by drugs, medicaments, and biologicals-Con.									
Accidental poisoning by tranquilizers (E853)	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Phenothiazine-based tranquilizers (E853.0)	0	0	0	0	0	0	0	0	0
Butyrophenone-based tranquilizers (E853.1)	0	0	0	0	0	-	-	-	-
Benzodiazepine-based tranquilizers (E853.2)	0	0	0	0	0	0	0	0	0
Other (E853.8)	0	0	0	0	0	-	-	-	-
Unspecified (E853.9)	0	0	0	0	0	-	-	-	-
Accidental poisoning by other psychotropic agents (E854)1	.1	.1	.1	.1	.1	.1	.1	.1
Antidepressants (E854.0)1	.1	.1	.1	.1	.1	.0	.1	.1
Psychodysleptics (hallucinogens) (E854.1)	0	0	0	0	0	0	-	-	-
Psychostimulants (E854.2)	0	0	0	0	0	0	0	0	0
Central nervous system stimulants (E854.3)	-	-	-	-	-	-	-	-	-
Accidental poisoning by other drugs acting on central and autonomic nervous systems (E855)	2	.3	.1	.3	.1	.4	.1	.5	.2
Anticonvulsant and anti-Parkinsonism drugs (E855.0)	0	0	0	0	0	0	0	0	0
Other central nervous system depressants (E855.1)	0	0	0	0	0	-	0	-	0
Local anesthetics (E855.2)	2	.3	.1	.2	.1	.4	.1	.5	.1
Parasympathomimetics (cholinergics) (E855.3)	-	-	-	-	-	-	-	-	-
Parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics (E855.4)	0	0	0	0	0	0	-	0	-
Sympathomimetics (adrenergics) (E855.5)	0	0	0	0	0	-	0	-	0
Sympatholytics (antiadrenergics) (E855.6)	-	-	-	-	-	-	-	-	-
Other (E855.8)	0	0	0	0	0	0	0	0	0
Unspecified (E855.9)	0	0	-	0	-	-	-	-	-
Accidental poisoning by antibiotics (E856)	0	0	0	0	0	0	0	0	0
Accidental poisoning by anti-infectives (E857)	0	0	0	0	0	-	-	-	-
Accidental poisoning by other drugs (E858)7	.8	.5	.8	.5	1.0	.6	1.1	.7
Hormones and synthetic substitutes (E858.0)	0	0	0	0	0	0	0	0	0
Primarily systemic agents (E858.1)	0	0	0	0	0	0	0	0	0
Agents primarily affecting blood constituents (E858.2)	0	0	0	0	0	0	0	0	0
Agents primarily affecting cardiovascular system (E858.3)1	.1	.1	.1	.1	.1	.1	.1	.2
Agents primarily affecting gastrointestinal system (E858.4)	0	0	0	0	0	0	0	0	0
Water, mineral, and uric acid metabolism drugs (E858.5)	0	0	0	0	0	0	0	0	.1
Agents primarily acting on the smooth and skeletal muscles and respiratory system (E858.6)	0	0	0	0	0	0	0	0	0
Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological, and dental drugs (E858.7)	2	.3	.1	.3	.1	.4	.2	.4	.2
Other (E858.8)	2	.3	.1	.3	.1	.4	.2	.5	.2
Unspecified (E858.9)	2	.3	.2	.3	.2	.4	.2	.5	.2
Accidental poisoning by other solid and liquid substances, gases, and vapors (E860-E869)7	1.0	.3	.9	.3	1.4	.6	1.6	.7
Accidental poisoning by alcohol, not elsewhere classified (E860)1	.2	.1	.1	.0	.5	.2	.6	.2
Alcoholic beverages (E860.0)	0	0	0	0	0	0	-	0	-
Other and unspecified ethyl alcohol and its products (E860.1)1	.1	0	.1	0	.3	.1	.3	.1
Methyl alcohol (E860.2)	0	0	0	0	0	0	0	0	0
Isopropyl alcohol (E860.3)	0	0	0	0	0	0	0	0	0
Fusel oil (E860.4)	0	0	0	0	0	0	0	0	0
Other (E860.8)	0	0	0	0	0	0	0	0	0
Unspecified (E860.9)	0	.1	0	0	0	.2	0	.2	0
Accidental poisoning by cleansing and polishing agents, disinfectants, paints, and varnishes (E861)	0	0	0	0	0	0	0	0	0
Synthetic detergents and shampoos (E861.0)	0	0	0	0	0	-	-	-	-
Soap products (E861.1)	0	0	0	0	0	-	0	-	0
Polishes (E861.2)	0	0	0	0	0	-	-	-	-
Other cleansing and polishing agents (E861.3)	0	0	0	0	0	0	-	0	-
Disinfectants (E861.4)	0	0	0	0	0	-	-	-	-
Lead paints (E861.5)	0	0	0	0	0	0	-	-	-
Other paints and varnishes (E861.6)	0	0	0	0	0	-	-	-	-
Unspecified (E861.9)	-	-	-	-	-	-	-	-	-
Accidental poisoning by petroleum products, other solvents, and their vapors, not elsewhere classified (E862)	0	.1	0	.1	0	.1	0	.1	0
Petroleum solvents (E862.0)	0	0	0	0	0	-	-	-	-
Petroleum fuels and cleaners (E862.1)	0	0	0	0	0	0	0	0	0
Lubricating oils (E862.2)	-	-	-	-	-	-	-	-	-
Petroleum solids (E862.3)	-	-	0	-	0	0	0	.1	0
Other solvents (E862.4)	0	0	0	0	0	0	-	-	-
Unspecified (E862.9)	0	-	0	-	0	-	-	-	-
Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers (E863)	0	0	0	0	0	0	-	0	-
Insecticides of organochlorine compounds (E863.0)	-	-	-	-	0	0	-	0	-
Insecticides of organophosphorus compounds (E863.1)	0	0	0	0	0	-	-	-	-
Carbamates (E863.2)	-	-	-	-	-	-	-	-	-
Mixtures of insecticides (E863.3)	0	0	0	0	0	-	-	-	-
Other and unspecified insecticides (E863.4)	0	0	0	0	0	-	-	-	-
Herbicides (E863.5)	0	0	-	-	-	-	-	-	-
Fungicides (E863.6)	0	0	-	0	-	0	-	0	-
Rodenticides (E863.7)	0	0	-	-	-	-	-	-	-
Fumigants (E863.8)	0	0	-	0	-	-	-	-	-
Other and unspecified (E863.9)	0	0	-	-	-	-	-	-	-
Accidental poisoning by corrosives and caustics, not elsewhere classified (E864)	0	0	0	0	0	-	0	-	0
Corrosive aromatics (E864.0)	0	0	-	0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 206

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidental poisoning by corrosives and caustics, not elsewhere classified-Con.									
Acids (E864.1)	2	1	1	1	1	-	-	-	-
Caustic alkalis (E864.2)	4	2	2	2	2	-	-	-	-
Other (E864.3)	2	-	2	-	1	-	1	-	-
Unspecified (E864.4)	2	-	2	-	1	-	1	-	-
Accidental poisoning from foodstuffs and poisonous plants (E865)	6	2	4	1	2	1	2	1	2
Meat (E865.0)	1	-	-	-	-	-	-	-	-
Shellfish (E865.1)	1	1	-	-	-	1	-	1	-
Other fish (E865.2)	1	-	1	-	-	-	1	-	-
Berries and seeds (E865.3)	-	-	-	-	-	-	-	-	-
Other plants (E865.4)	3	1	2	1	1	-	1	-	-
Mushrooms and other fungi (E865.5)	1	-	1	-	1	-	-	-	-
Other food (E865.8)	-	-	-	-	-	-	-	-	-
Unspecified (E865.9)	-	-	-	-	-	-	-	-	-
Accidental poisoning by other and unspecified solid and liquid substances (E866)	51	36	15	28	9	8	6	6	5
Lead and its compounds and fumes (E866.0)	8	4	4	2	-	2	4	2	4
Mercury and its compounds and fumes (E866.1)	-	-	-	-	-	-	-	-	-
Antimony and its compounds and fumes (E866.2)	-	-	-	-	-	-	-	-	-
Arsenic and its compounds and fumes (E866.3)	3	3	-	3	-	-	-	-	-
Other metals and their compounds and fumes (E866.4)	13	6	7	6	6	-	1	-	-
Plant foods and fertilizers (E866.5)	-	-	-	-	-	-	-	-	-
Glues and adhesives (E866.6)	1	1	-	-	-	1	-	-	-
Cosmetics (E866.7)	-	-	-	-	-	-	-	-	-
Other (E866.8)	9	8	1	7	1	1	-	1	-
Unspecified (E866.9)	17	14	3	10	2	4	1	3	1
Accidental poisoning by gas distributed by pipeline (E867)	49	30	19	21	15	9	4	9	4
Accidental poisoning by other utility gas and other carbon monoxide (E868)	880	652	228	550	177	102	51	96	46
Liquefied petroleum gas distributed in mobile containers (E868.0)	34	27	7	24	7	3	-	2	-
Other and unspecified utility gas (E868.1)	18	12	6	9	5	3	1	3	1
Motor vehicle exhaust gas (E868.2)	488	383	105	333	80	50	25	47	21
Carbon monoxide from incomplete combustion of other domestic fuels (E868.3)	126	79	47	60	32	19	15	18	14
Carbon monoxide from other sources (E868.8)	12	9	3	8	3	1	-	1	-
Unspecified carbon monoxide (E868.9)	202	142	60	116	50	26	10	25	10
Accidental poisoning by other gases and vapors (E869)	150	105	45	89	35	16	10	15	10
Nitrogen oxides (E869.0)	4	4	-	4	-	-	-	-	-
Sulphur dioxide (E869.1)	-	-	-	-	-	-	-	-	-
Freon (E869.2)	12	10	2	10	1	-	1	-	1
Lacrimogenic gas (tear gas) (E869.3)	-	-	-	-	-	-	-	-	-
Other specified gases and vapors (E869.8)	125	85	40	69	31	16	9	15	9
Unspecified gases and vapors (E869.9)	9	6	3	6	3	-	-	-	-
Misadventures to patients during surgical and medical care (E870-E876)	260	136	124	97	106	39	18	33	16
Accidental cut, puncture, perforation, or hemorrhage during medical care (E870)	183	90	93	68	77	22	16	17	14
Surgical operation (E870.0)	59	26	33	21	28	5	5	2	4
Infusion or transfusion (E870.1)	3	2	1	2	1	-	-	-	-
Kidney dialysis or other perfusion (E870.2)	4	3	1	2	-	-	1	1	1
Injection or vaccination (E870.3)	3	1	2	1	2	1	-	-	-
Endoscopic examination (E870.4)	10	5	5	3	4	2	1	2	-
Aspiration of fluid or tissue, puncture, and catheterization (any except heart catheterization) (E870.5)	31	14	17	12	12	2	5	2	5
Heart catheterization (E870.6)	21	10	11	5	11	5	-	4	-
Administration of enema (E870.7)	5	2	3	1	3	1	-	1	-
Other (E870.8)	43	26	17	20	15	6	2	5	2
Unspecified (E870.9)	4	1	3	1	1	-	2	-	2
Foreign object left in body during procedure (E871)	4	3	1	2	1	1	-	1	-
Surgical operation (E871.0)	4	3	1	2	1	1	-	1	-
Infusion or transfusion (E871.1)	-	-	-	-	-	-	-	-	-
Kidney dialysis or other perfusion (E871.2)	-	-	-	-	-	-	-	-	-
Injection or vaccination (E871.3)	-	-	-	-	-	-	-	-	-
Endoscopic examination (E871.4)	-	-	-	-	-	-	-	-	-
Aspiration of fluid or tissue, puncture, and catheterization (any except heart catheterization) (E871.5)	-	-	-	-	-	-	-	-	-
Heart catheterization (E871.6)	-	-	-	-	-	-	-	-	-
Removal of catheter or packing (E871.7)	-	-	-	-	-	-	-	-	-
Other (E871.8)	-	-	-	-	-	-	-	-	-
Unspecified (E871.9)	-	-	-	-	-	-	-	-	-
Failure of sterile precautions during procedure (E872)	-	-	-	-	-	-	-	-	-
Surgical operation (E872.0)	-	-	-	-	-	-	-	-	-
Infusion or transfusion (E872.1)	-	-	-	-	-	-	-	-	-
Kidney dialysis and other perfusion (E872.2)	-	-	-	-	-	-	-	-	-
Injection or vaccination (E872.3)	-	-	-	-	-	-	-	-	-
Endoscopic examination (E872.4)	-	-	-	-	-	-	-	-	-
Aspiration of fluid or tissue, puncture, and catheterization (any except heart catheterization) (E872.5)	-	-	-	-	-	-	-	-	-
Heart catheterization (E872.6)	-	-	-	-	-	-	-	-	-
Other (E872.8)	-	-	-	-	-	-	-	-	-
Unspecified (E872.9)	-	-	-	-	-	-	-	-	-
Failure in dosage (E873)	3	1	2	-	2	1	-	1	-
Excessive amount of blood or other fluid during transfusion or infusion (E873.0)	1	-	1	-	1	-	-	-	-
Incorrect dilution of fluid during infusion (E873.1)	-	-	-	-	-	-	-	-	-
Overdose of radiation in therapy (E873.2)	1	-	1	-	1	-	-	-	-
Inadvertent exposure of patient to radiation during medical care (E873.3)	-	-	-	-	-	-	-	-	-
Failure in dosage in electroshock or insulin-shock therapy (E873.4)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 208

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Failure in dosage-Con.									
Inappropriate (too hot or too cold) temperature in local application and packing (E873.5)	-	-	-	-	-	-	-	-	-
Nonadministration of necessary drug or medicament (E873.6)	-	-	-	-	-	-	-	-	-
Other (E873.8)	1	1	-	-	-	1	-	1	-
Unspecified (E873.9)	-	-	-	-	-	-	-	-	-
Mechanical failure of instrument or apparatus during procedure (E874)	8	5	3	4	3	1	-	1	-
Surgical operation (E874.0)	1	1	-	1	-	-	-	-	-
Infusion and transfusion (E874.1)	3	1	2	1	2	-	-	-	-
Kidney dialysis and other perfusion (E874.2)	-	-	-	-	-	-	-	-	-
Endoscopic examination (E874.3)	-	-	-	-	-	-	-	-	-
Aspiration of fluid or tissue, puncture, and catheterization (any except heart catheterization) (E874.4)	1	1	-	-	-	1	-	1	-
Heart catheterization (E874.5)	-	-	-	-	-	-	-	-	-
Other (E874.8)	3	2	1	2	1	-	-	-	-
Unspecified (E874.9)	-	-	-	-	-	-	-	-	-
Contaminated or infected blood, other fluid, drug, or biological substance (E875)	3	2	1	2	1	-	-	-	-
Contaminated substance transfused or infused (E875.0)	3	2	1	2	1	-	-	-	-
Contaminated substance injected or used for vaccination (E875.1)	-	-	-	-	-	-	-	-	-
Contaminated drug or biological substance administered by other means (E875.2)	-	-	-	-	-	-	-	-	-
Other (E875.8)	-	-	-	-	-	-	-	-	-
Unspecified (E875.9)	-	-	-	-	-	-	-	-	-
Other and unspecified misadventures during medical care (E876)	59	35	24	21	22	14	2	13	2
Mismatched blood in transfusion (E876.0)	4	1	3	1	3	-	-	-	-
Wrong fluid in infusion (E876.1)	1	1	-	1	-	-	-	-	-
Failure in suture and ligature during surgical operation (E876.2)	-	-	-	-	-	-	-	-	-
Endotracheal tube wrongly placed during anesthetic procedure (E876.3)	7	5	2	1	2	4	-	4	-
Failure to introduce or to remove other tube or instrument (E876.4)	-	-	-	-	-	-	-	-	-
Performance of inappropriate operation (E876.5)	1	1	-	1	-	-	-	-	-
Other specified misadventures (E876.8)	42	25	17	17	15	8	2	8	2
Unspecified misadventure (E876.9)	4	2	2	-	2	2	-	1	-
Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure (E878-E879)	2,414	1,174	1,240	987	1,045	187	195	170	179
Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation (E878)	1,989	971	1,018	813	857	158	161	143	146
Surgical operation with transplant of whole organ (E878.0)	17	11	6	8	5	3	1	3	1
Surgical operation with implant of artificial internal device (E878.1)	208	98	112	88	105	8	7	8	7
Surgical operation with anastomosis, bypass, or graft with natural or artificial tissues used as implant (E878.2)	165	93	72	83	60	10	12	8	11
Surgical operation with formation of external stoma (E878.3)	140	72	68	53	54	19	14	16	11
Other restorative surgery (E878.4)	90	44	46	39	43	5	3	4	3
Amputation of limb(s) (E878.5)	287	151	146	116	100	35	46	33	43
Removal of other organ (partial) (total) (E878.6)	177	83	94	69	82	14	12	11	11
Other (E878.8)	238	114	124	95	106	19	18	17	14
Unspecified (E878.9)	657	307	350	262	302	45	48	43	45
Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication (E879)	425	203	222	174	188	29	34	27	33
Cardiac catheterization (E879.0)	24	16	8	16	8	-	-	-	-
Kidney dialysis (E879.1)	16	10	6	8	5	2	1	2	1
Radiological procedure and radiotherapy (E879.2)	7	3	4	2	3	1	1	1	1
Shock therapy (E879.3)	-	-	-	-	-	-	-	-	-
Aspiration of fluid (E879.4)	2	2	-	1	-	1	-	1	-
Insertion of gastric or duodenal sound (E879.5)	-	-	-	-	-	-	-	-	-
Urinary catheterization (E879.6)	129	60	69	53	64	7	5	7	5
Blood sampling (E879.7)	-	-	-	-	-	-	-	-	-
Other (E879.8)	238	108	130	91	103	17	27	15	26
Unspecified (E879.9)	9	4	5	3	5	1	-	1	-
Accidental falls (E880-E886)	12,001	6,392	5,609	5,579	5,219	813	390	711	337
Fall on or from stairs or steps (E880)	1,176	667	509	585	473	82	36	76	33
Escalator (E880.0)	1	-	1	-	1	-	-	-	-
Other stairs or steps (E880.9)	1,175	667	508	585	472	82	36	76	33
Fall on or from ladders or scaffolding (E881)	348	325	23	292	22	33	1	30	-
Fall from ladder (E881.0)	257	234	23	215	22	19	1	18	-
Fall from scaffolding (E881.1)	91	91	-	77	-	14	-	12	-
Fall from or out of building or other structure (E882)	661	586	75	480	63	106	12	89	12
Fall into hole or other opening in surface (E883)	120	113	7	101	7	12	-	11	-
Accident from diving or jumping into water (swimming pool) (E883.0)	42	42	-	40	-	2	-	2	-
Accidental fall into well (E883.1)	3	3	-	3	-	-	-	-	-
Accidental fall into storm drain or manhole (E883.2)	2	2	-	2	-	-	-	-	-
Fall into other hole or other opening in surface (E883.9)	73	66	7	56	7	10	-	9	-
Other falls from one level to another (E884)	1,060	715	345	627	304	88	41	70	34
Fall from playground equipment (E884.0)	10	8	2	5	2	3	-	3	-
Fall from cliff (E884.1)	137	120	17	114	17	6	-	1	-
Fall from chair or bed (E884.2)	440	196	244	181	225	15	19	14	17
Other falls from one level to another (E884.9)	473	391	82	327	60	64	22	52	17
Fall on same level from slipping, tripping, or stumbling (E885)	404	204	200	191	185	13	15	10	13
Fall on same level from collision, pushing, or shoving, by or with other person (E886)	7	6	1	4	1	2	-	2	-
In sports (E886.0)	6	5	1	3	1	2	-	2	-
Other and unspecified (E886.9)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 209

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Failure in dosage-Con.									
Inappropriate (too hot or too cold) temperature in local application and packing (E873.5)	-	-	-	-	-	-	-	-	-
Nonadministration of necessary drug or medicament (E873.6)	-	-	-	-	-	-	-	-	-
Other (E873.8)	0.0	0.0	-	-	-	0.0	-	0.0	-
Unspecified (E873.9)	-	-	-	-	-	-	-	-	-
Mechanical failure of instrument or apparatus during procedure (E874)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Surgical operation (E874.0)	0.0	0.0	-	0.0	-	-	-	-	-
Infusion and transfusion (E874.1)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Kidney dialysis and other perfusion (E874.2)	-	-	-	-	-	-	-	-	-
Endoscopic examination (E874.3)	-	-	-	-	-	-	-	-	-
Aspiration of fluid or tissue, puncture, and catheterization (any except heart catheterization) (E874.4)	0.0	0.0	-	-	-	0.0	-	0.0	-
Heart catheterization (E874.5)	-	-	-	-	-	-	-	-	-
Other (E874.8)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Unspecified (E874.9)	-	-	-	-	-	-	-	-	-
Contaminated or infected blood, other fluid, drug, or biological substance (E875)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Contaminated substance transfused or infused (E875.0)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Contaminated substance injected or used for vaccination (E875.1)	-	-	-	-	-	-	-	-	-
Contaminated drug or biological substance administered by other means (E875.2)	-	-	-	-	-	-	-	-	-
Other (E875.8)	-	-	-	-	-	-	-	-	-
Unspecified (E875.9)	-	-	-	-	-	-	-	-	-
Other and unspecified misadventures during medical care (E876)	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
Mismatched blood in transfusion (E876.0)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Wrong fluid in infusion (E876.1)	0.0	0.0	-	0.0	-	-	-	-	-
Failure in suture and ligature during surgical operation (E876.2)	-	-	-	-	-	-	-	-	-
Endotracheal tube wrongly placed during anesthetic procedure (E876.3)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Failure to introduce or to remove other tube or instrument (E876.4)	-	-	-	-	-	-	-	-	-
Performance of inappropriate operation (E876.5)	0.0	0.0	-	0.0	-	-	-	-	-
Other specified misadventures (E876.8)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Unspecified misadventure (E876.9)	0.0	0.0	0.0	-	0.0	0.0	-	0.0	-
Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure (E878-E879)	1.0	1.0	1.0	1.0	1.0	1.1	1.0	1.2	1.2
Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation (E878)	0.8	0.8	0.8	0.8	0.8	0.9	0.9	1.0	1.0
Surgical operation with transplant of whole organ (E878.0)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Surgical operation with implant of artificial internal device (E878.1)	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0
Surgical operation with anastomosis, bypass, or graft with natural or artificial tissues used as implant (E878.2)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Surgical operation with formation of external stoma (E878.3)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other restorative surgery (E878.4)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Amputation of limb(s) (E878.5)	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3
Removal of other organ (partial) (total) (E878.6)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other (E878.8)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Unspecified (E878.9)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication (E879)	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Cardiac catheterization (E879.0)	0.0	0.0	0.0	0.0	0.0	-	-	-	-
Kidney dialysis (E879.1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Radiological procedure and radiotherapy (E879.2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Shock therapy (E879.3)	-	-	-	-	-	-	-	-	-
Aspiration of fluid (E879.4)	0.0	0.0	-	0.0	-	0.0	-	0.0	-
Insertion of gastric or duodenal sound (E879.5)	-	-	-	-	-	-	-	-	-
Urinary catheterization (E879.6)	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0
Blood sampling (E879.7)	-	-	-	-	-	-	-	-	-
Other (E879.8)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
Unspecified (E879.9)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Accidental falls (E880-E888)	5.0	5.5	4.6	5.6	5.0	4.7	2.1	5.2	2.2
Fall on or from stairs or steps (E880)	0.5	0.6	0.4	0.6	0.5	0.5	0.2	0.6	0.2
Escalator (E880.0)	0.0	-	0.0	-	0.0	-	-	-	-
Other stairs or steps (E880.9)	0.5	0.6	0.4	0.6	0.5	0.5	0.2	0.6	0.2
Fall on or from ladders or scaffolding (E881)	0.1	0.3	0.0	0.3	0.0	0.2	0.0	0.2	-
Fall from ladder (E881.0)	0.1	0.2	0.0	0.2	0.0	0.1	0.0	0.1	-
Fall from scaffolding (E881.1)	0.0	0.1	-	0.1	-	0.1	-	0.1	-
Fall from or out of building or other structure (E882)	0.3	0.5	0.1	0.5	0.1	0.6	0.1	0.7	0.1
Fall into hole or other opening in surface (E883)	0.1	0.1	0.0	0.1	0.0	0.1	-	0.1	-
Accident from diving or jumping into water (swimming pool) (E883.0)	0.0	0.0	-	0.0	-	0.0	-	0.0	-
Accidental fall into well (E883.1)	0.0	0.0	-	0.0	-	-	-	-	-
Accidental fall into storm drain or manhole (E883.2)	0.0	0.0	-	0.0	-	-	-	-	-
Fall into other hole or other opening in surface (E883.9)	0.0	0.1	0.0	0.1	0.0	0.1	-	0.1	-
Other falls from one level to another (E884)	0.4	0.6	0.3	0.6	0.3	0.5	0.2	0.5	0.2
Fall from playground equipment (E884.0)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Fall from cliff (E884.1)	0.1	0.1	0.0	0.1	0.0	0.0	-	0.0	-
Fall from chair or bed (E884.2)	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
Other falls from one level to another (E884.9)	0.2	0.3	0.1	0.3	0.1	0.4	0.1	0.4	0.1
Fall on same level from slipping, tripping, or stumbling (E885)	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
Fall on same level from collision, pushing, or shoving, by or with other person (E886)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
In sports (E886.0)	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	-
Other and unspecified (E886.9)	0.0	0.0	-	0.0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 210

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidental falls-Con.									
Fracture, cause unspecified (E887)	2,986	1,114	1,872	1,020	1,772	94	100	83	83
Other and unspecified falls (E888)	5,239	2,662	2,577	2,279	2,392	383	185	340	162
Accidents caused by fire and flames (E890-E899)	4,938	3,008	1,930	2,135	1,326	873	604	825	575
Conflagration in private dwelling (E890)	3,964	2,372	1,592	1,645	1,069	727	523	688	498
Explosion caused by conflagration (E890.0)	3	3	-	2	-	1	-	1	-
Fumes from combustion of polyvinylchloride (PVC) and similar material in conflagration (E890.1)	-	-	-	-	-	-	-	-	-
Other smoke and fumes from conflagration (E890.2)	2,900	1,703	1,197	1,193	814	510	383	479	362
Burning caused by conflagration (E890.3)	902	568	334	384	207	184	127	176	123
Other accident resulting from conflagration (E890.8)	97	61	36	43	27	18	9	18	9
Unspecified (E890.9)	62	37	25	23	21	14	4	14	4
Conflagration in other and unspecified building or structure (E891)	186	141	45	117	39	24	6	21	6
Explosion caused by conflagration (E891.0)	-	-	-	-	-	-	-	-	-
Fumes from combustion of polyvinylchloride (PVC) and similar material in conflagration (E891.1)	1	1	-	1	-	-	-	-	-
Other smoke and fumes from conflagration (E891.2)	98	75	23	54	19	21	4	18	4
Burning caused by conflagration (E891.3)	52	41	11	38	10	3	1	3	1
Other accident resulting from conflagration (E891.8)	27	21	6	21	5	-	1	-	1
Unspecified (E891.9)	8	3	5	3	5	-	-	-	-
Conflagration not in building or structure (E892)	52	45	7	40	5	5	2	4	1
Accident caused by ignition of clothing (E893)	232	106	126	79	98	27	28	25	27
From controlled fire in private dwelling (E893.0)	104	36	68	24	49	12	19	10	18
From controlled fire in other building or structure (E893.1)	6	4	2	4	2	-	-	-	-
From controlled fire not in building or structure (E893.2)	23	18	5	13	4	5	1	5	1
From other sources (E893.8)	65	32	33	26	30	6	3	6	3
Unspecified (E893.9)	34	16	18	12	13	4	5	4	5
Ignition of highly inflammable material (E894)	69	60	9	51	9	9	-	9	-
Accident caused by controlled fire in private dwelling (E895)	42	26	16	18	12	8	4	8	4
Accident caused by controlled fire in other and unspecified building or structure (E896)	5	5	-	4	-	1	-	1	-
Accident caused by controlled fire not in building or structure (E897)	16	13	3	12	1	1	2	1	2
Accident caused by other specified fire and flames (E898)	117	82	35	62	25	20	10	19	9
Burning bedclothes (E898.0)	29	21	8	18	5	3	3	3	3
Other (E898.1)	88	61	27	44	20	17	7	16	6
Accident caused by unspecified fire (E899)	255	158	97	107	68	51	29	49	28
Accidents due to natural and environmental factors (E900-E909)	1,904	1,296	608	871	453	425	155	366	139
Excessive heat (E900)	226	146	80	97	55	49	25	45	24
Due to weather conditions (E900.0)	113	76	37	56	29	20	8	17	8
Of manmade origin (E900.1)	14	4	10	4	9	-	1	-	1
Of unspecified origin (E900.9)	99	66	33	37	17	29	16	28	15
Excessive cold (E901)	1,010	719	291	398	189	321	102	281	91
Due to weather conditions (E901.0)	519	387	132	207	77	180	55	154	47
Of manmade origin (E901.1)	2	-	2	-	1	-	1	-	1
Other (E901.8)	13	8	5	7	4	1	1	1	1
Of unspecified origin (E901.9)	478	324	152	184	107	140	45	126	42
High and low air pressure and changes in air pressure (E902)	11	11	-	11	-	-	-	-	-
Residence or prolonged visit at high altitude (E902.0)	1	1	-	1	-	-	-	-	-
In aircraft (E902.1)	-	-	-	-	-	-	-	-	-
Due to diving (E902.2)	5	5	-	5	-	-	-	-	-
Due to other specified causes (E902.8)	-	-	-	-	-	-	-	-	-
Unspecified (E902.9)	5	5	-	5	-	-	-	-	-
Travel and motion (E903)	-	-	-	-	-	-	-	-	-
Hunger, thirst, exposure, neglect (E904)	195	118	77	84	63	34	14	25	11
Abandonment or neglect of infants and helpless persons (E904.0)	8	3	5	1	4	2	1	2	1
Lack of food (E904.1)	91	40	51	33	45	7	6	6	6
Lack of water (E904.2)	-	-	-	-	-	-	-	-	-
Exposure (to weather conditions), not elsewhere classified (E904.3)	96	75	21	50	14	25	7	17	4
Privation, unqualified (E904.9)	-	-	-	-	-	-	-	-	-
Venomous animals and plants as the cause of poisoning and toxic reactions (E905)	55	39	16	37	15	2	1	2	1
Venomous snakes and lizards (E905.0)	4	3	1	3	1	-	-	-	-
Venomous spiders (E905.1)	4	1	3	1	3	-	-	-	-
Scorpion (E905.2)	-	-	-	-	-	-	-	-	-
Hornets, wasps, and bees (E905.3)	41	32	9	30	8	2	1	2	1
Centipede and venomous millipede (tropical) (E905.4)	-	-	-	-	-	-	-	-	-
Other venomous arthropods (E905.5)	4	2	2	2	2	-	-	-	-
Venomous marine animals and plants (E905.6)	-	-	-	-	-	-	-	-	-
Poisoning and toxic reactions caused by other plants (E905.7)	-	-	-	-	-	-	-	-	-
Other specified (E905.8)	1	-	1	-	1	-	-	-	-
Unspecified (E905.9)	1	1	-	1	-	-	-	-	-
Other injury caused by animals (E906)	101	65	36	63	34	2	2	2	2
Dog bite (E906.0)	15	7	8	7	7	-	1	-	1
Rat bite (E906.1)	-	-	-	-	-	-	-	-	-
Bite of nonvenomous snakes and lizards (E906.2)	-	-	-	-	-	-	-	-	-
Bite of other animal except arthropod (E906.3)	3	1	2	1	2	-	-	-	-
Bite of nonvenomous arthropod (E906.4)	7	5	2	4	2	1	-	1	1
Other specified injury caused by animal (E906.8)	67	46	21	45	20	1	1	1	1
Unspecified (E906.9)	9	6	3	6	3	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 211

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidental falls-Con.									
Fracture, cause unspecified (E887)	1.3	1.0	1.5	1.0	1.7	0.5	0.5	0.6	0.5
Other and unspecified falls (E888)	2.2	2.3	2.1	2.3	2.3	2.2	1.0	2.5	1.1
Accidents caused by fire and flames (E890-E899)	2.1	2.6	1.6	2.2	1.3	5.1	3.2	6.0	3.8
Conflagration in private dwelling (E890)	1.7	2.0	1.3	1.7	1.0	4.2	2.8	5.0	3.3
Explosion caused by conflagration (E890.0)	.0	.0	-	.0	-	.0	-	.0	-
Fumes from combustion of polyvinylchloride (PVC) and similar material in conflagration (E890.1)	-	-	-	-	-	-	-	-	-
Other smoke and fumes from conflagration (E890.2)	1.2	1.5	1.0	1.2	.8	3.0	2.0	3.5	2.4
Burning caused by conflagration (E890.3)	.4	.5	.3	.4	.2	1.1	.7	1.3	.8
Other accident resulting from conflagration (E890.8)	.0	.1	.0	.0	.0	.1	.0	.1	.0
Unspecified (E890.9)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Conflagration in other and unspecified building or structure (E891)	.1	.1	.0	.1	.0	.1	.0	.2	.0
Explosion caused by conflagration (E891.0)	-	-	-	-	-	-	-	-	-
Fumes from combustion of polyvinylchloride (PVC) and similar material in conflagration (E891.1)	.0	.0	-	.0	-	.0	-	.0	-
Other smoke and fumes from conflagration (E891.2)	.0	.1	.0	.1	.0	.1	.0	.1	.0
Burning caused by conflagration (E891.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other accident resulting from conflagration (E891.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (E891.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Conflagration not in building or structure (E892)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Accident caused by ignition of clothing (E893)	.1	.1	.1	.1	.1	.2	.1	.2	.2
From controlled fire in private dwelling (E893.0)	.0	.0	.1	.0	.0	.1	.1	.1	.1
From controlled fire in other building or structure (E893.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
From controlled fire not in building or structure (E893.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
From other sources (E893.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (E893.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ignition of highly inflammable material (E894)	.0	.1	.0	.1	.0	.1	-	.1	-
Accident caused by controlled fire in private dwelling (E895)	.0	.0	.0	.0	.0	.0	.0	.1	.0
Accident caused by controlled fire in other and unspecified building or structure (E896)	.0	.0	-	.0	-	.0	-	.0	-
Accident caused by controlled fire not in building or structure (E897)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Accident caused by other specified fire and flames (E898)	.0	.1	.0	.1	.0	.1	.1	.1	.1
Burning bedclothes (E898.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (E898.1)	.0	.1	.0	.0	.0	.1	.0	.1	.0
Accident caused by unspecified fire (E899)	.1	.1	.1	.1	.1	.3	.2	.4	.2
Accidents due to natural and environmental factors (E900-E909)	.8	1.1	.5	.9	.4	2.5	.8	2.7	.9
Excessive heat (E900)	.1	.1	.1	.1	.1	.3	.1	.3	.2
Due to weather conditions (E900.0)	.0	.1	.0	.1	.0	.1	.0	.1	.1
Of manmade origin (E900.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Of unspecified origin (E900.9)	.0	.1	.0	.0	.0	.2	.1	.2	.1
Excessive cold (E901)	.4	.6	.2	.4	.2	1.9	.5	2.1	.6
Due to weather conditions (E901.0)	.2	.3	.1	.2	.1	1.0	.3	1.1	.3
Of manmade origin (E901.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (E901.8)	.0	.0	.0	.0	.0	.0	.0	.9	.3
Of unspecified origin (E901.9)	.2	.3	.1	.2	.1	.8	.2	.9	.3
High and low air pressure and changes in air pressure (E902)	.0	.0	-	.0	-	-	-	-	-
Residence or prolonged visit at high altitude (E902.0)	.0	.0	-	.0	-	-	-	-	-
In aircraft (E902.1)	.0	.0	-	.0	-	-	-	-	-
Due to diving (E902.2)	.0	-	-	-	-	-	-	-	-
Due to other specified causes (E902.8)	.0	.0	-	.0	-	-	-	-	-
Unspecified (E902.9)	-	-	-	-	-	-	-	-	-
Travel and motion (E903)	-	-	-	-	-	-	-	-	-
Hunger, thirst, exposure, neglect (E904)	.1	.1	.1	.1	.1	.2	.1	.2	.1
Abandonment or neglect of infants and helpless persons (E904.0)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Lack of food (E904.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Lack of water (E904.2)	.0	.1	.0	.1	.0	.1	.0	.1	.0
Exposure (to weather conditions), not elsewhere classified (E904.3)	-	-	-	-	-	-	-	-	-
Privation, unqualified (E904.9)	-	-	-	-	-	-	-	-	-
Venomous animals and plants as the cause of poisoning and toxic reactions (E905)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Venomous snakes and lizards (E905.0)	.0	.0	.0	.0	.0	.0	-	-	-
Venomous spiders (E905.1)	.0	-	-	-	-	-	-	-	-
Scorpion (E905.2)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Hornets, wasps, and bees (E905.3)	-	-	-	-	-	-	-	-	-
Centipede and venomous millipede (tropical) (E905.4)	.0	.0	.0	.0	.0	.0	-	-	-
Other venomous arthropods (E905.5)	-	-	-	-	-	-	-	-	-
Venomous marine animals and plants (E905.6)	-	-	-	-	-	-	-	-	-
Poisoning and toxic reactions caused by other plants (E905.7)	.0	-	.0	-	.0	-	-	-	-
Other specified (E905.8)	.0	.0	-	.0	-	-	-	-	-
Unspecified (E905.9)	.0	.1	.0	.1	.0	.0	.0	.0	.0
Other injury caused by animals (E906)	.0	.0	.0	.0	.0	.0	-	-	-
Dog bite (E906.0)	-	-	-	-	-	-	-	-	-
Rat bite (E906.1)	-	-	-	-	-	-	-	-	-
Bite of nonvenomous snakes and lizards (E906.2)	.0	.0	.0	.0	.0	.0	-	.0	.0
Bite of other animal except arthropod (E906.3)	.0	.0	.0	.0	.0	.0	-	.0	.0
Bite of nonvenomous arthropod (E906.4)	.0	.0	.0	.0	.0	.0	-	.0	.0
Other specified injury caused by animal (E906.8)	.0	.0	.0	.0	.0	.0	-	-	-
Unspecified (E906.9)	.0	.0	.0	.0	.0	.0	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 212

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidents due to natural and environmental factors-Con.									
Lightning (E907)	85	77	8	66	6	11	2	9	1
Cataclysmic storms and floods resulting from storms (E908)	198	102	96	96	87	6	9	2	9
Cataclysmic earth surface movements and eruptions (E909)	23	19	4	19	4	-	-	-	-
Accidents caused by submersion, suffocation, and foreign bodies (E910-E915)	8,917	6,266	2,651	4,884	2,182	1,382	469	1,196	402
Accidental drowning and submersion (E910)	4,407	3,565	842	2,660	671	905	171	776	135
While water skiing (E910.0)	8	8	-	8	-	-	-	-	-
While engaged in other sport or recreational activity with diving equipment (E910.1)	45	39	6	37	6	2	-	2	-
While engaged in other sport or recreational activity without diving equipment (E910.2)	1,028	930	98	676	70	254	28	221	22
While swimming or diving for purposes other than recreation or sport (E910.3)	64	62	2	48	1	14	1	14	1
In bathtub (E910.4)	353	163	190	129	159	34	31	24	26
Other (E910.8)	2,104	1,719	385	1,259	302	460	83	398	67
Unspecified (E910.9)	805	644	161	503	133	141	28	117	19
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation (E911)	1,663	946	717	799	613	147	104	126	69
Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation (E912)	1,888	1,035	853	804	693	231	160	208	150
Accidental mechanical suffocation (E913)	920	697	223	602	190	95	33	82	27
In bed or cradle (E913.0)	167	97	70	80	62	17	8	14	8
By plastic bag (E913.1)	39	25	14	22	14	3	-	2	-
Due to lack of air (in closed place) (E913.2)	21	17	4	14	1	3	3	3	1
By falling earth or other substance (E913.3)	132	129	3	111	2	18	1	16	1
Other specified means (E913.8)	410	328	82	292	69	36	13	32	12
Unspecified (E913.9)	151	101	50	83	42	18	8	15	5
Foreign body accidentally entering eye and adnexa (E914)	1	1	-	1	-	-	-	-	-
Foreign body accidentally entering other orifice (E915)	38	22	16	18	15	4	1	4	1
Other accidents (E916-E928)	7,757	6,413	1,344	5,464	1,107	949	237	831	193
Struck accidentally by falling object (E916)	903	851	52	716	47	135	5	125	4
Striking against or struck accidentally by objects or persons (E917)	255	214	41	192	36	22	5	20	5
In sports (E917.0)	42	39	3	36	3	3	-	3	-
Caused by a crowd, by collective fear or panic (E917.1)	-	-	-	-	-	-	-	-	-
In running water (E917.2)	-	-	-	-	-	-	-	-	-
Other (E917.9)	213	175	38	156	33	19	5	17	5
Caught accidentally in or between objects (E918)	105	93	12	79	7	14	5	8	5
Accidents caused by machinery (E919)	1,288	1,235	53	1,138	47	97	6	89	3
Agricultural machines (E919.0)	693	661	32	625	32	36	-	34	-
Mining and earth-drilling machinery (E919.1)	91	91	-	88	-	3	-	3	-
Lifting machines and appliances (E919.2)	218	207	11	175	8	32	3	30	1
Metalworking machines (E919.3)	13	13	-	12	-	1	-	1	-
Woodworking and forming machines (E919.4)	9	9	-	9	-	-	-	-	-
Prime movers, except electrical motors (E919.5)	1	1	-	-	-	1	-	1	-
Transmission machinery (E919.6)	10	10	-	10	-	-	-	-	-
Earth moving, scraping, and other excavating machines (E919.7)	87	86	1	82	1	4	-	3	-
Other (E919.8)	104	99	5	86	2	13	3	11	2
Unspecified (E919.9)	62	58	4	51	4	7	-	6	-
Accidents caused by cutting and piercing instruments or objects (E920)	132	117	15	88	11	29	4	28	3
Powered lawn mower (E920.0)	6	4	2	4	1	-	1	-	1
Other powered hand tools (E920.1)	16	16	-	13	-	3	-	3	-
Powered household appliances and implements (E920.2)	1	1	-	1	-	-	-	-	-
Knives, swords, and daggers (E920.3)	11	8	3	4	3	4	-	4	-
Other hand tools and implements (E920.4)	1	1	-	1	-	-	-	-	-
Other (E920.8)	67	62	5	45	4	17	1	16	1
Unspecified (E920.9)	30	25	5	20	3	5	2	5	1
Accident caused by explosion of pressure vessel (E921)	49	46	3	35	3	11	-	8	-
Boilers (E921.0)	8	8	-	3	-	5	-	3	-
Gas cylinders (E921.1)	5	4	1	4	1	-	-	-	-
Other (E921.8)	31	29	2	24	2	5	-	4	-
Unspecified (E921.9)	5	5	-	4	-	1	-	1	-
Accident caused by firearm missile (E922)	1,649	1,415	234	1,160	186	255	48	213	38
Handgun (E922.0)	190	167	23	145	19	22	4	21	4
Shotgun (automatic) (E922.1)	215	197	18	163	16	34	2	26	1
Hunting rifle (E922.2)	113	95	18	87	17	8	1	7	1
Military firearms (E922.3)	1	1	-	1	-	-	-	-	-
Other (E922.8)	5	4	1	4	1	-	-	-	-
Unspecified (E922.9)	1,125	951	174	760	133	191	41	159	33
Accident caused by explosive material (E923)	296	245	51	209	48	36	3	32	1
Fireworks (E923.0)	11	8	3	8	3	-	-	-	-
Blasting materials (E923.1)	6	6	-	6	-	-	-	-	-
Explosive gases (E923.2)	138	115	23	98	23	17	-	15	-
Other (E923.6)	61	50	11	41	9	9	2	8	1
Unspecified (E923.9)	80	66	14	56	13	10	1	9	-

SECTION 1 - GENERAL MORTALITY - PAGE 213

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Accidents due to natural and environmental factors-Con.									
Lightning (E907)	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0
Cataclysmic storms and floods resulting from storms (E908)1	.1	.1	.1	.1	.0	.0	.0	.1
Cataclysmic earth surface movements and eruptions (E909)0	.0	.0	.0	.0	-	-	-	-
Accidents caused by submersion, suffocation, and foreign bodies (E910-E915)	3.7	5.4	2.2	4.9	2.1	8.1	2.5	8.7	2.6
Accidental drowning and submersion (E910)	1.8	3.1	.7	2.7	.6	5.3	.9	5.7	.9
While water skiing (E910.0)0	.0	-	.0	-	-	-	-	-
While engaged in other sport or recreational activity with diving equipment (E910.1)0	.0	.0	.0	.0	.0	-	.0	.1
While engaged in other sport or recreational activity without diving equipment (E910.2)4	.8	.1	.7	.1	1.5	.1	1.6	.0
While swimming or diving for purposes other than recreation or sport (E910.3)0	.1	.0	.0	.0	.1	.0	.1	.2
In bathtub (E910.4)1	.1	.2	.1	.2	.2	.2	.2	.4
Other (E910.8)9	1.5	.3	1.3	.3	2.7	.4	2.9	.4
Unspecified (E910.9)3	.6	.1	.5	.1	.8	.1	.9	.1
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation (E911)7	.8	.6	.8	.6	.9	.6	.9	.6
Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation (E912)8	.9	.7	.8	.7	1.3	.9	1.5	1.0
Accidental mechanical suffocation (E913)4	.6	.2	.6	.2	.6	.2	.6	.2
In bed or cradle (E913.0)1	.1	.1	.1	.1	.1	.0	.1	.1
By plastic bag (E913.1)0	.0	.0	.0	.0	.0	-	.0	.0
Due to lack of air (in closed place) (E913.2)0	.0	.0	.0	.0	.0	.0	.0	.0
By falling earth or other substance (E913.3)1	.1	.0	.1	.0	.1	.0	.1	.0
Other specified means (E913.8)2	.3	.1	.3	.1	.2	.1	.2	.1
Unspecified (E913.9)1	.1	.0	.1	.0	.1	.0	.1	.0
Foreign body accidentally entering eye and adnexa (E914)0	.0	-	.0	-	-	-	-	-
Foreign body accidentally entering other orifice (E915)0	.0	.0	.0	.0	.0	.0	.0	.0
Other accidents (E916-E928)	3.2	5.5	1.1	5.5	1.1	5.5	1.3	6.1	1.3
Struck accidentally by falling object (E916)4	.7	.0	.7	.0	.8	.0	.9	.0
Striking against or struck accidentally by objects or persons (E917)1	.2	.0	.2	.0	.1	.0	.1	.0
In sports (E917.0)0	.0	.0	.0	.0	.0	-	-	-
Caused by a crowd, by collective fear or panic (E917.1)	-	-	-	-	-	-	-	-	-
In running water (E917.2)1	.2	.0	.2	.0	.1	.0	.1	.0
Other (E917.9)0	.1	.0	.1	.0	.1	.0	.1	.0
Caught accidentally in or between objects (E918)5	1.1	.0	1.1	.0	.6	.0	.7	.0
Accidents caused by machinery (E919)3	.6	.0	.6	.0	.2	-	.2	-
Agricultural machines (E919.0)0	.1	-	.1	-	.0	-	.0	-
Mining and earth-drilling machinery (E919.1)1	.2	.0	.2	.0	.2	.0	.2	.0
Lifting machines and appliances (E919.2)0	-	-	.0	-	.0	-	.0	-
Metalworking machines (E919.3)0	.0	-	.0	-	-	-	.0	-
Woodworking and forming machines (E919.4)0	.0	-	-	-	.0	-	-	-
Prime movers, except electrical motors (E919.5)0	.0	-	.0	-	-	-	.0	-
Transmission machinery (E919.6)0	.1	.0	.1	.0	.0	-	.1	.0
Earth moving, scraping, and other excavating machines (E919.7)0	.1	.0	.1	.0	.1	.0	.0	-
Other (E919.8)0	.0	.0	.1	.0	.0	-	.0	-
Unspecified (E919.9)1	.1	.0	.1	.0	.2	.0	.2	.0
Accidents caused by cutting and piercing instruments or objects (E920)0	.0	.0	.0	.0	-	.0	-	.0
Powered lawn mower (E920.0)0	.0	-	.0	-	.0	-	.0	-
Other powered hand tools (E920.1)0	.0	-	.0	-	-	-	-	-
Powered household appliances and implements (E920.2)0	.0	.0	.0	.0	.0	-	.0	-
Knives, swords, and daggers (E920.3)0	.0	-	.0	-	-	-	-	-
Other hand tools and implements (E920.4)0	.1	.0	.0	.0	.1	.0	.1	.0
Other (E920.8)0	.0	.0	.0	.0	.0	.0	.0	-
Unspecified (E920.9)0	.0	.0	.0	.0	.1	-	.1	-
Accident caused by explosion of pressure vessel (E921)0	.0	.0	.0	-	.0	-	.0	-
Boilers (E921.0)0	.0	.0	.0	.0	-	-	-	-
Gas cylinders (E921.1)0	.0	.0	.0	.0	.0	-	.0	-
Other (E921.8)0	.0	-	.0	-	.0	-	.0	-
Unspecified (E921.9)7	1.2	.2	1.2	.2	1.5	.3	1.6	.3
Accident caused by firearm missile (E922)1	.1	.0	.1	.0	.1	.0	.2	.0
Handgun (E922.0)1	.2	.0	.2	.0	.2	.0	.2	.0
Shotgun (automatic) (E922.1)0	.1	.0	.1	.0	.0	.0	.1	-
Hunting rifle (E922.2)0	.0	-	.0	-	-	-	-	-
Military firearms (E922.3)0	.0	.0	.0	.0	-	-	-	-
Other (E922.8)0	.8	.1	.8	.1	1.1	.2	1.2	.1
Unspecified (E922.9)1	.2	.0	.2	.0	.2	.0	.2	.0
Accident caused by explosive material (E923)0	.0	.0	.0	.0	-	-	-	-
Fireworks (E923.0)0	.0	-	.0	-	-	-	-	-
Blasting materials (E923.1)1	.1	.0	.1	.0	.1	-	.1	-
Explosive gases (E923.2)0	.0	.0	.0	.0	.1	.0	.1	.0
Other (E923.8)0	.0	.0	.0	.0	.1	.0	.1	.0
Unspecified (E923.9)0	.1	.0	.1	.0	.1	.0	.1	.0

SECTION 1 - GENERAL MORTALITY - PAGE 214

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other accidents-Con.									
Accident caused by hot substance or object, caustic or corrosive material, and steam (E924)	176	98	78	68	53	30	25	28	23
Hot liquids and vapors, including steam (E924.0)	139	73	66	50	45	23	21	21	19
Caustic and corrosive substances (E924.1)	9	6	1	5	1	3	-	3	-
Other (E924.8)	26	16	10	13	6	3	4	3	4
Unspecified (E924.9)	2	1	1	-	1	1	-	1	-
Accident caused by electric current (E925)	802	742	60	671	48	71	12	62	9
Domestic wiring and appliances (E925.0)	146	114	32	102	28	12	4	11	2
Electric power generating plants, distribution stations, transmission lines (E925.1)	196	187	9	168	4	19	5	17	4
Industrial wiring, appliances, and electrical machinery (E925.2)	69	68	1	66	1	2	-	2	-
Other (E925.8)	250	240	10	216	7	24	3	20	3
Unspecified (E925.9)	141	133	8	119	8	14	-	12	-
Exposure to radiation (E926)	-	-	-	-	-	-	-	-	-
Radiofrequency radiation (E926.0)	-	-	-	-	-	-	-	-	-
Infrared heaters and lamps (E926.1)	-	-	-	-	-	-	-	-	-
Visible and ultraviolet light sources (E926.2)	-	-	-	-	-	-	-	-	-
X-rays and other electromagnetic ionizing radiation (E926.3)	-	-	-	-	-	-	-	-	-
Lasers (E926.4)	-	-	-	-	-	-	-	-	-
Radioactive isotopes (E926.5)	-	-	-	-	-	-	-	-	-
Other specified (E926.8)	-	-	-	-	-	-	-	-	-
Unspecified (E926.9)	-	-	-	-	-	-	-	-	-
Overexertion and strenuous movements (E927)	28	27	1	23	1	4	-	3	-
Other and unspecified environmental and accidental causes (E928)	2,074	1,330	744	1,085	620	245	124	215	102
Prolonged stay in weightless environment (E928.0)	-	-	-	-	-	-	-	-	-
Exposure to noise (E928.1)	-	-	-	-	-	-	-	-	-
Vibration (E928.2)	-	-	-	-	-	-	-	-	-
Other (E928.8)	23	17	6	17	6	-	-	-	-
Unspecified accidents (E928.9)	2,051	1,313	738	1,068	614	245	124	215	102
Late effects of accidental injury (E929)	689	457	212	366	187	91	25	85	20
Late effects of accidental injury (E929)	689	457	212	366	187	91	25	85	20
Late effects of motor vehicle accident (E929.0)	189	138	51	113	45	25	6	23	5
Late effects of other transport accident (E929.1)	7	5	2	5	2	-	-	-	-
Late effects of accidental poisoning (E929.2)	12	10	2	9	2	1	-	1	-
Late effects of accidental fall (E929.3)	194	107	87	90	80	17	7	15	6
Late effects of accident caused by fire (E929.4)	5	4	1	4	-	-	1	-	-
Late effects of accident due to natural and environmental factors (E929.5)	5	3	2	3	-	-	2	-	-
Late effects of other accidents (E929.8)	46	38	8	26	7	12	1	12	-
Late effects of unspecified accident (E929.9)	211	152	59	116	51	36	8	34	6
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	178	95	83	81	67	14	16	14	10
Antibiotics (E930)	11	6	5	5	5	1	-	1	-
Penicillins (E930.0)	6	4	2	3	2	1	-	1	-
Antifungal antibiotics (E930.1)	-	-	-	-	-	-	-	-	-
Chloramphenicol group (E930.2)	-	-	-	-	-	-	-	-	-
Erythromycin and other macrolides (E930.3)	1	-	1	-	1	-	-	-	-
Tetracycline group (E930.4)	-	-	-	-	-	-	-	-	-
Cefalosporin group (E930.5)	2	2	-	2	-	-	-	-	-
Antimycobacterial antibiotics (E930.6)	1	-	1	-	1	-	-	-	-
Antineoplastic antibiotics (E930.7)	1	-	1	-	1	-	-	-	-
Other specified antibiotics (E930.8)	-	-	-	-	-	-	-	-	-
Unspecified (E930.9)	-	-	-	-	-	-	-	-	-
Other anti-infectives (E931)	2	-	2	-	1	-	1	-	-
Sulfonamides (E931.0)	-	-	-	-	-	-	-	-	-
Arsenical anti-infectives (E931.1)	-	-	-	-	-	-	-	-	-
Heavy metal anti-infectives (E931.2)	-	-	-	-	-	-	-	-	-
Quinoline and hydroxyquinoline derivatives (E931.3)	-	-	-	-	-	-	-	-	-
Antimalarials and drugs acting on other blood protozoa (E931.4)	2	-	2	-	1	-	1	-	-
Other antiprotozoal drugs (E931.5)	-	-	-	-	-	-	-	-	-
Anthelmintics (E931.6)	-	-	-	-	-	-	-	-	-
Antiviral drugs (E931.7)	-	-	-	-	-	-	-	-	-
Other antimycobacterial drugs (E931.8)	-	-	-	-	-	-	-	-	-
Other and unspecified anti-infectives (E931.9)	-	-	-	-	-	-	-	-	-
Hormones and synthetic substitutes (E932)	2	2	-	2	-	-	-	-	-
Adrenal cortical steroids (E932.0)	-	-	-	-	-	-	-	-	-
Androgens and anabolic congeners (E932.1)	-	-	-	-	-	-	-	-	-
Ovarian hormones and synthetic substitutes (E932.2)	-	-	-	-	-	-	-	-	-
Insulins and antidiabetic agents (E932.3)	2	2	-	2	-	-	-	-	-
Anterior pituitary hormones (E932.4)	-	-	-	-	-	-	-	-	-
Posterior pituitary hormones (E932.5)	-	-	-	-	-	-	-	-	-
Parathyroid and parathyroid derivatives (E932.6)	-	-	-	-	-	-	-	-	-
Thyroid and thyroid derivatives (E932.7)	-	-	-	-	-	-	-	-	-
Antithyroid agents (E932.8)	-	-	-	-	-	-	-	-	-
Other and unspecified hormones and synthetic substitutes (E932.9)	-	-	-	-	-	-	-	-	-
Primarily systemic agents (E933)	3	2	1	2	1	-	-	-	-
Antiallergic and antiemetic drugs (E933.0)	2	2	-	2	-	-	-	-	-
Antineoplastic and immunosuppressive drugs (E933.1)	1	-	1	-	1	-	-	-	-
Acidifying agents (E933.2)	-	-	-	-	-	-	-	-	-
Alkalinizing agents (E933.3)	-	-	-	-	-	-	-	-	-
Enzymes, not elsewhere classified (E933.4)	-	-	-	-	-	-	-	-	-
Vitamins, not elsewhere classified (E933.5)	-	-	-	-	-	-	-	-	-
Other systemic agents, not elsewhere classified (E933.8)	-	-	-	-	-	-	-	-	-
Unspecified (E933.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 215

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Other accidents-Con.									
Accident caused by hot substance or object, caustic or corrosive material, and steam (E924)	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2
Hot liquids and vapors, including steam (E924.0)	.1	.1	.1	.1	.0	.1	.1	.2	.1
Caustic and corrosive substances (E924.1)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other (E924.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified (E924.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Accident caused by electric current (E925)	.3	.6	.0	.7	.0	.4	.1	.5	.1
Domestic wiring and appliances (E925.0)	.1	.1	.0	.1	.0	.1	.0	.1	.0
Electric power generating plants, distribution stations, transmission lines (E925.1)	.1	.2	.0	.2	.0	.1	.0	.1	.0
Industrial wiring, appliances, and electrical machinery (E925.2)	.0	.1	.0	.1	.0	.0	.0	.0	.0
Other (E925.8)	.1	.2	.0	.2	.0	.1	.0	.1	.0
Unspecified (E925.9)	.1	.1	.0	.1	.0	.1	.0	.1	.0
Exposure to radiation (E926)	-	-	-	-	-	-	-	-	-
Radiofrequency radiation (E926.0)	-	-	-	-	-	-	-	-	-
Infrared heaters and lamps (E926.1)	-	-	-	-	-	-	-	-	-
Visible and ultraviolet light sources (E926.2)	-	-	-	-	-	-	-	-	-
X-rays and other electromagnetic ionizing radiation (E926.3)	-	-	-	-	-	-	-	-	-
Lasers (E926.4)	-	-	-	-	-	-	-	-	-
Radioactive isotopes (E926.5)	-	-	-	-	-	-	-	-	-
Other specified (E926.8)	-	-	-	-	-	-	-	-	-
Unspecified (E926.9)	-	-	-	-	-	-	-	-	-
Overexertion and strenuous movements (E927)	.0	.0	.0	.0	.0	.0	-	.0	-
Other and unspecified environmental and accidental causes (E928)	.9	1.1	.6	1.1	.6	1.4	.7	1.6	.7
Prolonged stay in weightless environment (E928.0)	-	-	-	-	-	-	-	-	-
Exposure to noise (E928.1)	-	-	-	-	-	-	-	-	-
Vibration (E928.2)	-	-	-	-	-	-	-	-	-
Other (E928.8)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified accidents (E928.9)	.9	1.1	.6	1.1	.6	1.4	.7	1.6	.7
Late effects of accidental injury (E929)	.3	.4	.2	.4	.2	.5	.1	.6	.1
Late effects of accidental injury (E929)	.3	.4	.2	.4	.2	.5	.1	.6	.1
Late effects of motor vehicle accident (E929.0)	.1	.1	.0	.1	.0	.1	.0	.2	.0
Late effects of other transport accident (E929.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Late effects of accidental poisoning (E929.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Late effects of accidental fall (E929.3)	.1	.1	.1	.1	.1	.1	.0	.1	.0
Late effects of accident caused by fire (E929.4)	.0	.0	.0	.0	.0	-	.0	-	.0
Late effects of accident due to natural and environmental factors (E929.5)	.0	.0	.0	.0	.0	.1	.0	.1	.0
Late effects of other accidents (E929.8)	.0	.0	.0	.0	.0	.2	.0	.2	.0
Late effects of unspecified accident (E929.9)	.1	.1	.0	.1	.0	.2	.0	.2	.0
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	.1	.1	.1	.1	.1	.1	.1	.1	.1
Antibiotics (E930)	.0	.0	.0	.0	.0	.0	-	.0	-
Penicillins (E930.0)	.0	.0	.0	.0	.0	.0	-	.0	-
Antifungal antibiotics (E930.1)	-	-	-	-	-	-	-	-	-
Chloramphenicol group (E930.2)	-	-	.0	-	.0	-	-	-	-
Erythromycin and other macrolides (E930.3)	.0	-	-	-	-	-	-	-	-
Tetracycline group (E930.4)	.0	.0	-	.0	-	-	-	-	-
Cephalosporin group (E930.5)	.0	-	.0	-	.0	-	-	-	-
Antimycobacterial antibiotics (E930.6)	.0	.0	-	.0	-	-	-	-	-
Antineoplastic antibiotics (E930.7)	.0	-	-	-	-	-	-	-	-
Other specified antibiotics (E930.8)	-	-	-	-	-	-	-	-	-
Unspecified (E930.9)	.0	-	.0	.0	-	-	.0	-	.0
Other anti-infectives (E931)	.0	-	-	-	-	-	-	-	-
Sulfonamides (E931.0)	-	-	-	-	-	-	-	-	-
Arsenical anti-infectives (E931.1)	-	-	-	-	-	-	-	-	-
Heavy metal anti-infectives (E931.2)	-	-	-	-	-	-	-	-	-
Quinoline and hydroxyquinoline derivatives (E931.3)	-	-	-	-	-	-	-	-	-
Antimalarials and drugs acting on other blood protozoa (E931.4)	.0	-	.0	-	.0	-	.0	-	.0
Other antiprotozoal drugs (E931.5)	-	-	-	-	-	-	-	-	-
Anthelmintics (E931.6)	-	-	-	-	-	-	-	-	-
Antiviral drugs (E931.7)	-	-	-	-	-	-	-	-	-
Other antimycobacterial drugs (E931.8)	-	-	-	-	-	-	-	-	-
Other and unspecified anti-infectives (E931.9)	-	-	-	-	-	-	-	-	-
Hormones and synthetic substitutes (E932)	.0	.0	-	.0	-	-	-	-	-
Adrenal cortical steroids (E932.0)	-	-	-	-	-	-	-	-	-
Androgens and anabolic congeners (E932.1)	-	-	-	-	-	-	-	-	-
Ovarian hormones and synthetic substitutes (E932.2)	-	-	-	-	-	-	-	-	-
Insulins and antidiabetic agents (E932.3)	.0	.0	-	.0	-	-	-	-	-
Anterior pituitary hormones (E932.4)	-	-	-	-	-	-	-	-	-
Posterior pituitary hormones (E932.5)	-	-	-	-	-	-	-	-	-
Parathyroid and parathyroid derivatives (E932.6)	-	-	-	-	-	-	-	-	-
Thyroid and thyroid derivatives (E932.7)	-	-	-	-	-	-	-	-	-
Antithyroid agents (E932.8)	-	-	-	-	-	-	-	-	-
Other and unspecified hormones and synthetic substitutes (E932.9)	-	-	-	-	-	-	-	-	-
Primarily systemic agents (E933)	.0	.0	.0	.0	.0	-	-	-	-
Antiallergic and antiemetic drugs (E933.0)	.0	.0	-	.0	-	-	-	-	-
Antineoplastic and immunosuppressive drugs (E933.1)	.0	-	.0	-	.0	-	-	-	-
Acidifying agents (E933.2)	-	-	-	-	-	-	-	-	-
Alkalinizing agents (E933.3)	-	-	-	-	-	-	-	-	-
Enzymes, not elsewhere classified (E933.4)	-	-	-	-	-	-	-	-	-
Vitamins, not elsewhere classified (E933.5)	-	-	-	-	-	-	-	-	-
Other systemic agents, not elsewhere classified (E933.8)	-	-	-	-	-	-	-	-	-
Unspecified (E933.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 216

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use-Con.									
Agents primarily affecting blood constituents (E934)	11	5	6	4	5	1	1	1	1
Iron and its compounds (E934.0)	1	-	1	-	1	-	-	-	-
Liver preparations and other antianemic agents (E934.1)	-	-	-	-	-	-	-	-	-
Anticoagulants (E934.2)	2	-	2	-	1	-	1	-	1
Vitamin K (phytonadione) (E934.3)	-	-	-	-	-	-	-	-	-
Fibrinolytic-affecting drugs (E934.4)	-	-	-	-	-	-	-	-	-
Anticoagulant antagonists and other coagulants (E934.5)	4	2	2	2	2	-	-	-	-
Gamma globulin (E934.6)	2	1	1	-	1	1	-	1	-
Natural blood and blood products (E934.7)	1	1	-	1	-	-	-	-	-
Other (E934.8)	1	1	-	1	-	-	-	-	-
Unspecified (E934.9)	-	-	-	-	-	-	-	-	-
Analgesics, antipyretics, and antirheumatics (E935)	9	4	5	4	5	-	-	-	-
Opiates and related narcotics (E935.0)	3	2	1	2	1	-	-	-	-
Salicylates (E935.1)	3	1	2	1	2	-	-	-	-
Aromatic analgesics, not elsewhere classified (E935.2)	-	-	-	-	-	-	-	-	-
Pyrazole derivatives (E935.3)	-	-	-	-	-	-	-	-	-
Antirheumatics (antiphlogistics) (E935.4)	1	-	1	-	1	-	-	-	-
Other non-narcotic analgesics (E935.5)	-	-	-	-	-	-	-	-	-
Other (E935.8)	2	1	1	1	1	-	-	-	-
Unspecified (E935.9)	-	-	-	-	-	-	-	-	-
Anticonvulsants and anti-Parkinsonism drugs (E936)	4	-	4	-	4	-	-	-	-
Oxazolidine derivatives (E936.0)	1	-	1	-	1	-	-	-	-
Hydantoin derivatives (E936.1)	1	-	1	-	1	-	-	-	-
Succinimides (E936.2)	-	-	-	-	-	-	-	-	-
Other and unspecified anticonvulsants (E936.3)	2	-	2	-	2	-	-	-	-
Anti-Parkinsonism drugs (E936.4)	-	-	-	-	-	-	-	-	-
Sedatives and hypnotics (E937)	1	1	-	1	-	-	-	-	-
Barbiturates (E937.0)	1	1	-	1	-	-	-	-	-
Chloral hydrate group (E937.1)	-	-	-	-	-	-	-	-	-
Paraldehyde (E937.2)	-	-	-	-	-	-	-	-	-
Bromine compounds (E937.3)	-	-	-	-	-	-	-	-	-
Methaqualone compounds (E937.4)	-	-	-	-	-	-	-	-	-
Glutethimide group (E937.5)	-	-	-	-	-	-	-	-	-
Mixed sedatives, not elsewhere classified (E937.6)	-	-	-	-	-	-	-	-	-
Other (E937.8)	-	-	-	-	-	-	-	-	-
Unspecified (E937.9)	-	-	-	-	-	-	-	-	-
Other central nervous system depressants (E938)	18	8	10	7	5	1	5	1	5
Central nervous system muscle-tone depressants (E938.0)	-	-	-	-	-	-	-	-	-
Halothane (E938.1)	1	-	1	-	-	-	1	-	-
Other gaseous anesthetics (E938.2)	-	-	-	-	-	-	-	-	-
Intravenous anesthetics (E938.3)	-	-	-	-	-	-	-	-	-
Other and unspecified general anesthetics (E938.4)	-	-	-	-	-	-	-	-	-
Surface and infiltration anesthetics (E938.5)	4	2	2	2	-	-	2	-	-
Peripheral nerve- and plexus-blocking anesthetics (E938.6)	-	-	-	-	-	-	-	-	-
Spinal anesthetics (E938.7)	1	1	-	1	-	-	-	-	-
Other and unspecified local anesthetics (E938.9)	12	5	7	4	5	1	2	1	5
Psychotropic agents (E939)	7	4	3	3	3	1	-	1	-
Antidepressants (E939.0)	1	-	1	-	1	-	-	-	-
Phenothiazine-based tranquilizers (E939.1)	1	1	-	1	-	-	-	-	-
Butyrophenone-based tranquilizers (E939.2)	-	-	-	-	-	-	-	-	-
Other antipsychotics, neuroleptics, and major tranquilizers (E939.3)	5	3	2	2	2	1	-	1	-
Benzodiazepine-based tranquilizers (E939.4)	-	-	-	-	-	-	-	-	-
Other tranquilizers (E939.5)	-	-	-	-	-	-	-	-	-
Psychodysleptics (hallucinogens) (E939.6)	-	-	-	-	-	-	-	-	-
Psychostimulants (E939.7)	-	-	-	-	-	-	-	-	-
Other psychotropic agents (E939.8)	-	-	-	-	-	-	-	-	-
Unspecified (E939.9)	-	-	-	-	-	-	-	-	-
Central nervous system stimulants (E940)	1	1	-	1	-	-	-	-	-
Analeptics (E940.0)	-	-	-	-	-	-	-	-	-
Opiate antagonists (E940.1)	-	-	-	-	-	-	-	-	-
Other (E940.8)	-	-	-	-	-	-	-	-	-
Unspecified (E940.9)	1	1	-	1	-	-	-	-	-
Drugs primarily affecting the autonomic nervous system (E941)	-	-	-	-	-	-	-	-	-
Parasympathomimetics (cholinergics) (E941.0)	-	-	-	-	-	-	-	-	-
Parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics (E941.1)	-	-	-	-	-	-	-	-	-
Sympathomimetics (adrenergics) (E941.2)	-	-	-	-	-	-	-	-	-
Sympatholytics (antiadrenergics) (E941.3)	-	-	-	-	-	-	-	-	-
Unspecified (E941.9)	-	-	-	-	-	-	-	-	-
Agents primarily affecting the cardiovascular system (E942)	5	3	2	3	2	-	-	-	-
Cardiac rhythm regulators (E942.0)	2	1	1	1	1	-	-	-	-
Cardiotonic glycosides and drugs of similar action (E942.1)	3	2	1	2	1	-	-	-	-
Antilipemic and antiarteriosclerotic drugs (E942.2)	-	-	-	-	-	-	-	-	-
Ganglion-blocking agents (E942.3)	-	-	-	-	-	-	-	-	-
Coronary vasodilators (E942.4)	-	-	-	-	-	-	-	-	-
Other vasodilators (E942.5)	-	-	-	-	-	-	-	-	-
Other antihypertensive agents (E942.6)	-	-	-	-	-	-	-	-	-
Antivaricose drugs, including sclerosing agents (E942.7)	-	-	-	-	-	-	-	-	-
Capillary-active drugs (E942.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (E942.9)	-	-	-	-	-	-	-	-	-
Agents primarily affecting gastrointestinal system (E943)	-	-	-	-	-	-	-	-	-
Antacids and anti-gastric-secretion drugs (E943.0)	-	-	-	-	-	-	-	-	-
Irritant cathartics (E943.1)	-	-	-	-	-	-	-	-	-
Emollient cathartics (E943.2)	-	-	-	-	-	-	-	-	-
Other cathartics, including intestinal atonia drugs (E943.3)	-	-	-	-	-	-	-	-	-
Digestants (E943.4)	-	-	-	-	-	-	-	-	-
Antidiarrheal drugs (E943.5)	-	-	-	-	-	-	-	-	-
Emetics (E943.6)	-	-	-	-	-	-	-	-	-
Other (E943.8)	-	-	-	-	-	-	-	-	-
Unspecified (E943.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 217

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use-Con.									
Agents primarily affecting blood constituents (E934)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Iron and its compounds (E934.0)	0	-	0	-	0	-	-	-	-
Liver preparations and other antianemic agents (E934.1)	-	-	-	-	-	-	-	-	-
Anticoagulants (E934.2)	0	-	0	-	0	-	0	-	0
Vitamin K (phytonadione) (E934.3)	-	-	-	-	-	-	-	-	-
Fibrinolysis-affecting drugs (E934.4)	-	-	-	-	-	-	-	-	-
Anticoagulant antagonists and other coagulants (E934.5)	-	0	0	0	0	-	-	-	-
Gamma globulin (E934.6)	0	0	0	-	-	0	-	0	-
Natural blood and blood products (E934.7)	0	0	-	0	-	-	-	-	-
Other (E934.8)	0	0	-	0	-	-	-	-	-
Unspecified (E934.9)	-	-	-	-	-	-	-	-	-
Analgesics, antipyretics, and antirheumatics (E935)	0	0	0	0	0	-	-	-	-
Opiates and related narcotics (E935.0)	0	0	0	0	0	-	-	-	-
Salicylates (E935.1)	0	0	0	0	0	-	-	-	-
Aromatic analgesics, not elsewhere classified (E935.2)	-	-	-	-	-	-	-	-	-
Pyrazole derivatives (E935.3)	-	-	-	-	-	-	-	-	-
Antirheumatics (antiphlogistics) (E935.4)	0	-	0	-	0	-	-	-	-
Other non-narcotic analgesics (E935.5)	-	-	-	-	-	-	-	-	-
Other (E935.8)	0	0	0	0	0	-	-	-	-
Unspecified (E935.9)	-	-	-	-	-	-	-	-	-
Anticonvulsants and anti-Parkinsonism drugs (E936)	0	-	0	-	0	-	-	-	-
Oxazolidine derivatives (E936.0)	0	-	0	-	0	-	-	-	-
Hydantoin derivatives (E936.1)	0	-	0	-	0	-	-	-	-
Succinimides (E936.2)	-	-	-	-	-	-	-	-	-
Other and unspecified anticonvulsants (E936.3)	0	-	0	-	0	-	-	-	-
Anti-Parkinsonism drugs (E936.4)	-	-	-	-	-	-	-	-	-
Sedatives and hypnotics (E937)	0	0	-	0	-	-	-	-	-
Barbiturates (E937.0)	0	0	-	0	-	-	-	-	-
Chloral hydrate group (E937.1)	-	-	-	-	-	-	-	-	-
Paraldehyde (E937.2)	-	-	-	-	-	-	-	-	-
Bromine compounds (E937.3)	-	-	-	-	-	-	-	-	-
Methaqualone compounds (E937.4)	-	-	-	-	-	-	-	-	-
Glutethimide group (E937.5)	-	-	-	-	-	-	-	-	-
Mixed sedatives, not elsewhere classified (E937.6)	-	-	-	-	-	-	-	-	-
Other (E937.8)	-	-	-	-	-	-	-	-	-
Unspecified (E937.9)	-	-	-	-	-	-	-	-	-
Other central nervous system depressants (E938)	0	0	0	0	0	0	0	0	0
Central nervous system muscle-tone depressants (E938.0)	-	-	-	-	-	-	-	-	-
Halothane (E938.1)	0	-	0	-	-	-	-	0	-
Other gaseous anesthetics (E938.2)	-	-	-	-	-	-	-	-	-
Intravenous anesthetics (E938.3)	-	-	-	-	-	-	-	-	-
Other and unspecified general anesthetics (E938.4)	-	-	-	-	-	-	-	-	-
Surface and infiltration anesthetics (E938.5)	0	0	0	0	-	-	0	-	0
Peripheral nerve- and plexus-blocking anesthetics (E938.6)	-	-	-	-	-	-	-	-	-
Spinal anesthetics (E938.7)	0	0	-	0	-	-	-	-	-
Other and unspecified local anesthetics (E938.9)	0	0	0	0	0	0	0	0	0
Psychotropic agents (E939)	0	0	0	0	0	0	-	0	-
Antidepressants (E939.0)	-	-	0	-	0	-	-	-	-
Phenothiazine-based tranquilizers (E939.1)	0	-	-	0	-	-	-	-	-
Butyrophenone-based tranquilizers (E939.2)	-	-	-	-	-	-	-	-	-
Other antipsychotics, neuroleptics, and major tranquilizers (E939.3)	0	-	0	0	0	0	-	0	-
Benzodiazepine-based tranquilizers (E939.4)	-	-	-	-	-	-	-	-	-
Other tranquilizers (E939.5)	-	-	-	-	-	-	-	-	-
Psychodysleptics (hallucinogens) (E939.6)	-	-	-	-	-	-	-	-	-
Psychostimulants (E939.7)	-	-	-	-	-	-	-	-	-
Other psychotropic agents (E939.8)	-	-	-	-	-	-	-	-	-
Unspecified (E939.9)	-	-	-	-	-	-	-	-	-
Central nervous system stimulants (E940)	0	0	-	0	-	-	-	-	-
Analeptics (E940.0)	-	-	-	-	-	-	-	-	-
Opiate antagonists (E940.1)	-	-	-	-	-	-	-	-	-
Other (E940.8)	-	-	-	-	-	-	-	-	-
Unspecified (E940.9)	0	0	-	0	-	-	-	-	-
Drugs primarily affecting the autonomic nervous system (E941)	-	-	-	-	-	-	-	-	-
Parasympathomimetics (cholinergics) (E941.0)	-	-	-	-	-	-	-	-	-
Parasympatholytics (anticholinergics and antimuscarinics) and spasmolytics (E941.1)	-	-	-	-	-	-	-	-	-
Sympathomimetics (adrenergics) (E941.2)	-	-	-	-	-	-	-	-	-
Sympatholytics (antiadrenergics) (E941.3)	-	-	-	-	-	-	-	-	-
Unspecified (E941.9)	-	-	-	-	-	-	-	-	-
Agents primarily affecting the cardiovascular system (E942)	0	0	0	0	0	-	-	-	-
Cardiac rhythm regulators (E942.0)	0	0	0	0	0	-	-	-	-
Cardiotonic glycosides and drugs of similar action (E942.1)	0	0	0	0	0	-	-	-	-
Antilipemic and antiarteriosclerotic drugs (E942.2)	-	-	-	-	-	-	-	-	-
Antilipemic	-	-	-	-	-	-	-	-	-
Ganglion-blocking agents (E942.3)	-	-	-	-	-	-	-	-	-
Coronary vasodilators (E942.4)	-	-	-	-	-	-	-	-	-
Other vasodilators (E942.5)	-	-	-	-	-	-	-	-	-
Other antihypertensive agents (E942.6)	-	-	-	-	-	-	-	-	-
Antivascular drugs, including sclerosing agents (E942.7)	-	-	-	-	-	-	-	-	-
Capillary-active drugs (E942.8)	-	-	-	-	-	-	-	-	-
Other and unspecified (E942.9)	-	-	-	-	-	-	-	-	-
Agents primarily affecting gastrointestinal system (E943)	-	-	-	-	-	-	-	-	-
Antacids and anti-gastric-secretion drugs (E943.0)	-	-	-	-	-	-	-	-	-
Irritant cathartics (E943.1)	-	-	-	-	-	-	-	-	-
Emollient cathartics (E943.2)	-	-	-	-	-	-	-	-	-
Other cathartics, including intestinal atonia drugs (E943.3)	-	-	-	-	-	-	-	-	-
Digestants (E943.4)	-	-	-	-	-	-	-	-	-
Antidiarrheal drugs (E943.5)	-	-	-	-	-	-	-	-	-
Emetics (E943.6)	-	-	-	-	-	-	-	-	-
Other (E943.8)	-	-	-	-	-	-	-	-	-
Unspecified (E943.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 218

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number							
	All races			White		All other		
	Both sexes	Male	Female	Male	Female	Total		Black
						Male	Female	
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use-Con.								
Water, mineral, and uric acid metabolism drugs (E944)	1	1	-	1	-	-	-	-
Mercurial diuretics (E944.0)	-	-	-	-	-	-	-	-
Purine derivative diuretics (E944.1)	-	-	-	-	-	-	-	-
Carbonic acid anhydrase inhibitors (E944.2)	-	-	-	-	-	-	-	-
Saluretics (E944.3)	-	-	-	-	-	-	-	-
Other diuretics (E944.4)	-	-	-	-	-	-	-	-
Electrolytic, caloric, and water-balance agents (E944.5)	-	-	-	-	-	-	-	-
Other mineral salts, not elsewhere classified (E944.6)	-	-	-	-	-	-	-	-
Uric acid metabolism drugs (E944.7)	1	1	-	1	-	-	-	-
Agents primarily acting on the smooth and skeletal muscles and respiratory system (E945)	1	-	1	-	1	-	-	-
Oxytocic agents (E945.0)	-	-	-	-	-	-	-	-
Smooth muscle relaxants (E945.1)	-	-	-	-	-	-	-	-
Skeletal muscle relaxants (E945.2)	-	-	-	-	-	-	-	-
Other and unspecified drugs acting on muscles (E945.3)	-	-	-	-	-	-	-	-
Antitussives (E945.4)	-	-	-	-	-	-	-	-
Expectorants (E945.5)	-	-	-	-	-	-	-	-
Anti-common-cold drugs (E945.6)	-	-	-	-	-	-	-	-
Antiasthmatics (E945.7)	-	-	-	-	-	-	-	-
Other and unspecified respiratory drugs (E945.8)	1	-	1	-	1	-	-	-
Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological, and dental drugs (E946)	7	5	2	5	1	-	-	-
Local anti-infectives and anti-inflammatory drugs (E946.0)	6	5	1	5	1	-	1	1
Antipruritics (E946.1)	-	-	-	-	-	-	-	-
Local astringents and local detergents (E946.2)	-	-	-	-	-	-	-	-
Emollients, demulcents, and protectants (E946.3)	-	-	-	-	-	-	-	-
Keratolytics, keratoplastics, other hair treatment drugs and preparations (E946.4)	1	-	1	-	-	-	-	-
Eye anti-infectives and other eye drugs (E946.5)	-	-	-	-	-	-	1	1
Anti-infective and other drugs and preparations for ear, nose, and throat (E946.6)	-	-	-	-	-	-	-	-
Dental drugs topically applied (E946.7)	-	-	-	-	-	-	-	-
Other (E946.8)	-	-	-	-	-	-	-	-
Unspecified (E946.9)	-	-	-	-	-	-	-	-
Other and unspecified drugs and medicaments (E947)	93	52	41	42	33	10	8	10
Dietetics (E947.0)	1	1	-	1	-	-	-	8
Lipotropic drugs (E947.1)	-	-	-	-	-	-	-	-
Antidotes and chelating agents, not elsewhere classified (E947.2)	-	-	-	-	-	-	-	-
Alcohol deterrents (E947.3)	-	-	-	-	-	-	-	-
Pharmaceutical excipients (E947.4)	-	-	-	-	-	-	-	-
Other drugs and medicaments (E947.8)	42	26	16	21	13	5	3	5
Unspecified drug or medicament (E947.9)	50	25	25	20	20	5	5	5
Bacterial vaccines (E948)	2	1	1	1	1	-	-	-
BCG vaccine (E948.0)	-	-	-	-	-	-	-	-
Typhoid and paratyphoid (E948.1)	-	-	-	-	-	-	-	-
Cholera (E948.2)	-	-	-	-	-	-	-	-
Plague (E948.3)	-	-	-	-	-	-	-	-
Tetanus (E948.4)	-	-	-	-	-	-	-	-
Diphtheria (E948.5)	-	-	-	-	-	-	-	-
Pertussis vaccine, including combinations with a pertussis component (E948.6)	1	1	-	1	-	-	-	-
Other and unspecified bacterial vaccines (E948.8)	1	-	1	-	1	-	-	-
Mixed bacterial vaccines, except combinations with a pertussis component (E948.9)	-	-	-	-	-	-	-	-
Other vaccines and biological substances (E949)	-	-	-	-	-	-	-	-
Smallpox vaccine (E949.0)	-	-	-	-	-	-	-	-
Rabies vaccine (E949.1)	-	-	-	-	-	-	-	-
Typhus vaccine (E949.2)	-	-	-	-	-	-	-	-
Yellow fever vaccine (E949.3)	-	-	-	-	-	-	-	-
Measles vaccine (E949.4)	-	-	-	-	-	-	-	-
Poliomyelitis vaccine (E949.5)	-	-	-	-	-	-	-	-
Other and unspecified viral and rickettsial vaccines (E949.6)	-	-	-	-	-	-	-	-
Mixed viral-rickettsial and bacterial vaccines, except combinations with a pertussis component (E949.7)	-	-	-	-	-	-	-	-
Other and unspecified vaccines and biological substances (E949.9)	-	-	-	-	-	-	-	-
Suicide (E950-E959)	29,453	23,145	6,308	21,256	5,831	1,889	477	1,481
Suicide by solid or liquid substances (E950)	2,937	1,293	1,644	1,200	1,537	93	107	69
Anaesthetics, antipyretics, and antirheumatics (E950.0)	324	158	166	142	153	16	13	12
Barbiturates (E950.1)	220	100	120	96	118	4	2	5
Other sedatives and hypnotics (E950.2)	51	27	24	25	24	2	2	1
Tranquilizers and other psychotropic agents (E950.3)	856	343	513	323	484	20	28	21
Other specified drugs and medicaments (E950.4)	592	249	343	228	315	21	28	14
Unspecified drug or medicament (E950.5)	625	246	379	235	360	11	19	21
Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers (E950.6)	36	25	11	22	8	3	3	1
Corrosive and caustic substances (E950.7)	56	29	27	21	20	8	7	4
Arsenic and its compounds (E950.8)	7	3	4	3	2	-	2	2
Other and unspecified solid and liquid substances (E950.9)	170	113	57	105	53	8	4	3
Suicide by gases in domestic use (E951)	38	35	3	33	2	2	1	-
Gas distributed by pipeline (E951.0)	22	20	2	18	1	2	1	-
Liquefied petroleum gas distributed in mobile containers (E951.1)	13	13	-	13	-	-	-	-
Other utility gas (E951.8)	3	2	1	2	1	-	-	-
Suicide by other gases and vapors (E952)	2,729	1,991	738	1,952	726	39	12	32
Motor vehicle exhaust gas (E952.0)	2,308	1,674	634	1,642	624	32	10	26
Other carbon monoxide (E952.1)	396	293	103	288	101	5	2	4
Other specified gases and vapors (E952.8)	17	17	-	17	-	-	-	-
Unspecified gases and vapors (E952.9)	8	7	1	5	1	2	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 219

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

[illegible]

SECTION 1 - GENERAL MORTALITY - PAGE 220

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Suicide-Con.									
Suicide by hanging, strangulation, and suffocation (E953)	4,264	3,532	732	3,073	639	459	93	308	26
Hanging (E953.0)	3,974	3,359	615	2,907	523	452	92	303	25
Suffocation by plastic bag (E953.1)	197	98	99	94	98	4	1	4	1
Other specified means (E953.8)	61	45	16	43	16	2	-	-	-
Unspecified means (E953.9)	32	30	2	29	2	1	-	1	-
Suicide by submersion (drowning) (E954)	466	280	186	224	160	56	26	53	20
Suicide by firearms and explosives (E955)	17,368	14,812	2,556	13,751	2,372	1,061	184	883	151
Handgun (E955.0)	2,981	2,373	608	2,229	573	144	35	118	28
Shotgun (E955.1)	2,301	2,158	143	2,000	136	158	7	133	5
Hunting rifle (E955.2)	1,138	1,046	92	994	87	52	5	36	1
Military firearms (E955.3)	2	1	1	1	1	-	-	-	-
Other and unspecified firearms (E955.4)	10,941	9,231	1,710	8,526	1,573	705	137	594	117
Explosives (E955.5)	4	2	2	1	2	1	-	1	-
Unspecified (E955.9)	1	1	-	-	-	1	-	1	-
Suicide by cutting and piercing instruments (E956)	434	345	89	317	81	28	8	21	2
Suicide by jumping from high place (E957)	721	507	214	412	182	95	32	74	23
Residential premises (E957.0)	293	175	118	135	101	40	17	30	12
Other manmade structures (E957.1)	316	248	68	207	56	41	12	35	9
Natural sites (E957.2)	26	20	6	18	6	2	-	-	-
Unspecified (E957.9)	86	64	22	52	19	12	3	9	2
Suicide by other and unspecified means (E958)	486	343	143	289	129	54	14	38	9
Jumping or lying before moving object (E958.0)	181	135	46	112	43	23	3	17	2
Burns, fire (E958.1)	163	102	61	78	53	24	8	17	5
Scald (E958.2)	-	-	-	-	-	-	-	-	-
Extremes of cold (E958.3)	1	-	1	-	1	-	-	-	-
Electrocution (E958.4)	13	10	3	10	3	-	-	-	-
Crashing of motor vehicle (E958.5)	47	37	10	35	8	2	2	1	1
Crashing of aircraft (E958.6)	1	1	-	1	-	-	-	-	-
Caustic substances, except poisoning (E958.7)	-	-	-	-	-	-	-	-	-
Other specified means (E958.8)	29	22	7	21	7	1	-	-	-
Unspecified means (E958.9)	51	36	15	32	14	4	1	3	1
Late effects of self-inflicted injury (E959)	10	7	3	5	3	2	-	2	-
Homicide (E960-E969)	19,628	14,806	4,822	7,963	3,040	6,843	1,782	6,527	1,662
Fight, brawl, rape (E960)	73	62	11	35	5	27	6	23	6
Unarmed fight or brawl (E960.0)	69	62	7	35	4	27	3	23	3
Rape (E960.1)	4	-	4	-	1	-	3	-	3
Assault by corrosive or caustic substance, except poisoning (E961)	-	-	-	-	-	-	-	-	-
Assault by poisoning (E962)	42	20	22	18	19	2	3	2	3
Drugs and medicaments (E962.0)	24	13	11	13	9	-	2	-	2
Other solid and liquid substances (E962.1)	4	2	2	1	2	1	-	1	-
Other gases and vapors (E962.2)	13	5	8	4	8	1	-	1	-
Unspecified poisoning (E962.9)	1	-	1	-	-	-	1	-	1
Assault by hanging and strangulation (E963)	934	343	591	235	396	108	195	101	179
Assault by submersion (drowning) (E964)	80	39	41	24	28	15	13	12	10
Assault by firearms and explosives (E965)	11,848	9,539	2,309	5,012	1,491	4,527	818	4,363	779
Handgun (E965.0)	903	691	212	353	147	338	65	324	63
Shotgun (E965.1)	1,082	862	220	520	149	342	71	331	70
Hunting rifle (E965.2)	207	146	61	104	51	42	10	38	9
Military firearms (E965.3)	-	-	-	-	-	-	-	-	-
Other and unspecified firearms (E965.4)	9,644	7,833	1,811	4,028	1,139	3,805	672	3,670	637
Antipersonnel bomb (E965.5)	-	-	-	-	-	-	-	-	-
Petrol bomb (E965.6)	-	-	-	-	-	-	-	-	-
Letter bomb (E965.7)	-	-	-	-	-	-	-	-	-
Other specified explosive (E965.8)	10	7	3	7	3	-	-	-	-
Unspecified explosive (E965.9)	2	-	2	-	2	-	-	-	-
Assault by cutting and piercing instrument (E966)	3,994	3,068	926	1,516	529	1,552	397	1,456	368
Child battering and other maltreatment (E967)	154	80	74	41	43	39	31	37	29
By parent (E967.0)	8	2	6	2	5	-	1	-	1
By other specified person (E967.1)	4	1	3	1	-	-	3	-	2
By unspecified person (E967.9)	142	77	65	38	38	39	27	37	26
Assault by other and unspecified means (E968)	2,457	1,615	842	1,063	526	552	316	512	285
Fire (E968.0)	257	148	109	98	53	50	56	47	52
Pushing from high place (E968.1)	42	28	14	15	6	13	8	13	8
Striking by blunt or thrown object (E968.2)	353	247	106	153	80	94	26	86	25
Hot liquid (E968.3)	15	9	6	7	-	2	6	2	6
Criminal neglect (E968.4)	12	6	6	3	4	3	2	3	2
Other specified means (E968.8)	770	526	244	348	144	178	100	172	88
Unspecified means (E968.9)	1,008	651	357	439	239	212	118	189	104
Late effects of injury purposely inflicted by other person (E969)	46	40	6	19	3	21	3	21	3
Legal intervention (E970-E978)	265	260	5	159	1	101	4	89	4
Injury due to legal intervention by firearms (E970)	242	238	4	148	1	90	3	79	3
Injury due to legal intervention by explosives (E971)	-	-	-	-	-	-	-	-	-
Injury due to legal intervention by gas (E972)	-	-	-	-	-	-	-	-	-
Injury due to legal intervention by blunt object (E973)	1	1	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 221

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Suicide-Con.									
Suicide by hanging, strangulation, and suffocation (E953)	1.8	3.0	0.6	3.1	0.6	2.7	0.5	2.3	0.2
Hanging (E953.0)	1.7	2.9	.5	2.9	.5	2.6	.5	2.2	.2
Suffocation by plastic bag (E953.1)	.1	.1	.1	.1	.1	.0	.0	.0	.0
Other specified means (E953.8)	.0	.0	.0	.0	.0	.0	-	-	-
Unspecified means (E953.9)	.0	.0	.0	.0	.0	.0	-	.0	-
Suicide by submersion (drowning) (E954)	.2	.2	.2	.2	.2	.3	.1	.4	.1
Suicide by firearms and explosives (E955)	7.3	12.8	2.1	13.9	2.3	6.2	1.0	6.5	1.0
Handgun (E955.0)	1.2	2.0	.5	2.3	.6	.8	.2	.9	.2
Shotgun (E955.1)	1.0	1.9	.1	2.0	.1	.9	.0	1.0	.0
Hunting rifle (E955.2)	.5	.9	.1	1.0	.1	.3	.0	.3	.0
Military firearms (E955.3)	.0	.0	.0	.0	.0	-	-	-	-
Other and unspecified firearms (E955.4)	4.6	7.9	1.4	8.6	1.5	4.1	.7	4.3	.8
Explosives (E955.5)	.0	.0	.0	.0	.0	.0	-	.0	-
Unspecified (E955.9)	.0	.0	-	-	-	.0	-	.0	-
Suicide by cutting and piercing instruments (E956)	.2	.3	.1	.3	.1	.2	.0	.2	.0
Suicide by jumping from high place (E957)	.3	.4	.2	.4	.2	.6	.2	.5	.2
Residential premises (E957.0)	.1	.2	.1	.1	.1	.2	.1	.2	.1
Other manmade structures (E957.1)	.1	.2	.1	.2	.1	.2	.1	.3	.1
Natural sites (E957.2)	.0	.0	.0	.0	.0	.0	-	-	-
Unspecified (E957.9)	.0	.1	.0	.1	.0	.1	.0	.1	.0
Suicide by other and unspecified means (E958)	.2	.3	.1	.3	.1	.3	.1	.3	.1
Jumping or lying before moving object (E958.0)	.1	.1	.0	.1	.0	.1	.0	.1	.0
Burns, fire (E958.1)	.1	.1	.0	.1	.1	.1	.0	.1	.0
Scald (E958.2)	-	-	-	-	-	-	-	-	-
Extremes of cold (E958.3)	.0	.0	.0	.0	.0	-	-	-	-
Electrocution (E958.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Crashing of motor vehicle (E958.5)	.0	.0	-	.0	-	-	-	-	-
Crashing of aircraft (E958.6)	.0	.0	-	-	-	-	-	-	-
Caustic substances, except poisoning (E958.7)	.0	.0	.0	.0	.0	.0	-	-	-
Other specified means (E958.8)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Unspecified means (E958.9)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Late effects of self-inflicted injury (E959)	.0	.0	.0	.0	.0	.0	-	.0	-
Homicide (E960-E969)	8.2	12.7	3.9	8.0	2.9	39.9	9.5	47.7	10.9
Fight, brawl, rape (E960)	.0	.1	.0	.0	.0	.2	.0	.2	.0
Unarmed fight or brawl (E960.0)	.0	.1	.0	.0	.0	.2	.0	.2	.0
Rape (E960.1)	.0	-	.0	-	.0	-	.0	-	.0
Assault by corrosive or caustic substance, except poisoning (E961)	-	-	-	-	-	-	-	-	-
Assault by poisoning (E962)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Drugs and medicaments (E962.0)	.0	.0	.0	.0	.0	-	.0	-	.0
Other solid and liquid substances (E962.1)	.0	.0	.0	.0	.0	.0	-	.0	-
Other gases and vapors (E962.2)	.0	.0	.0	.0	.0	.0	-	.0	-
Unspecified poisoning (E962.9)	.0	-	.0	-	-	-	.0	-	.0
Assault by hanging and strangulation (E963)	.4	.3	.5	.2	.4	.6	1.0	.7	1.2
Assault by submersion (drowning) (E964)	.0	.0	.0	.0	.0	.1	.1	.1	.1
Assault by firearms and explosives (E965)	5.0	8.2	1.9	5.1	1.4	26.4	4.3	31.9	5.1
Handgun (E965.0)	.4	.6	.2	.4	.1	2.0	.3	2.4	.4
Shotgun (E965.1)	.5	.7	.2	.5	.1	2.0	.4	2.4	.5
Hunting rifle (E965.2)	.1	.1	.0	.1	.0	.2	.1	.3	.1
Military firearms (E965.3)	-	-	-	-	-	-	-	-	-
Other and unspecified firearms (E965.4)	4.0	6.7	1.5	4.1	1.1	22.2	3.6	26.8	4.2
Antipersonnel bomb (E965.5)	-	-	-	-	-	-	-	-	-
Petrol bomb (E965.6)	-	-	-	-	-	-	-	-	-
Letter bomb (E965.7)	-	-	-	-	-	-	-	-	-
Other specified explosive (E965.8)	.0	.0	.0	.0	.0	-	-	-	-
Unspecified explosive (E965.9)	.0	-	.0	-	.0	-	-	-	-
Assault by cutting and piercing instrument (E966)	1.7	2.6	.8	1.5	.5	9.0	2.1	10.6	2.4
Child battering and other maltreatment (E967)	.1	.1	.1	.0	.0	.2	.2	.3	.2
By parent (E967.0)	.0	.0	.0	.0	.0	-	.0	-	.0
By other specified person (E967.1)	.0	.0	.0	.0	.0	-	.0	-	.0
By unspecified person (E967.9)	.1	.1	.1	.0	.0	.2	.1	.3	.2
Assault by other and unspecified means (E968)	1.0	1.4	.7	1.1	.5	3.2	1.7	3.7	1.9
Fire (E968.0)	.1	.1	.1	.1	.1	.3	.3	.3	.3
Pushing from high place (E968.1)	.0	.0	.0	.0	.0	.1	.0	.1	.1
Striking by blunt or thrown object (E968.2)	.1	.2	.1	.2	.1	.5	.1	.6	.2
Hot liquid (E968.3)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Criminal neglect (E968.4)	.0	.0	.0	.0	.0	.0	.0	.0	.0
Other specified means (E968.8)	.3	.5	.2	.4	.1	1.0	.5	1.3	.6
Unspecified means (E968.9)	.4	.6	.3	.4	.2	1.2	.6	1.4	.7
Late effects of injury purposely inflicted by other person (E969)	.0	.0	.0	.0	.0	.1	.0	.2	.0
Legal intervention (E970-E978)	.1	.2	.0	.2	.0	.6	.0	.7	.0
Injury due to legal intervention by firearms (E970)	.1	.2	.0	.1	.0	.5	.0	.6	.0
Injury due to legal intervention by explosives (E971)	-	-	-	-	-	-	-	-	-
Injury due to legal intervention by gas (E972)	-	-	-	-	-	-	-	-	-
Injury due to legal intervention by blunt object (E973)	.0	.0	-	.0	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 222

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Legal intervention-Con.									
jury due to legal intervention by cutting and piercing instruments (E974)	-	-	-	-	-	-	-	-	-
jury due to legal intervention by other specified means (E975)	2	2	-	-	-	2	-	2	-
jury due to legal intervention by unspecified means (E976)	2	2	-	-	-	2	-	1	-
ite effects of injuries due to legal intervention (E977)	1	-	1	-	-	-	1	-	-
gical execution (E978)	17	17	-	10	-	7	-	7	-
ntinjury undetermined whether accidentally or purposely inflicted (E980-E989)	2,826	2,019	807	1,532	616	487	191	432	16
isoning by solid or liquid substances, undetermined whether accidentally or purposely									
nflicted (E980)	832	517	315	440	262	77	53	70	4
Analgesics, antipyretics, and anti rheumatics (E980.0)	229	159	70	123	60	36	10	33	1
Barbiturates (E980.1)	34	20	14	19	12	1	2	1	-
Other sedatives and hypnotics (E980.2)	11	6	5	6	4	-	1	-	-
Tranquilizers and other psychotropic agents (E980.3)	102	52	50	48	41	4	9	3	-
Other specified drugs and medicaments (E980.4)	186	117	69	107	59	10	10	7	-
Unspecified drug or medicament (E980.5)	216	127	89	104	71	23	18	23	1
Corrosive and caustic substances (E980.6)	1	-	1	-	1	-	-	-	-
Agricultural and horticultural chemical and pharmaceutical preparations other than plant									
foods and fertilizers (E980.7)	4	4	-	3	-	1	-	1	-
Arsenic and its compounds (E980.8)	2	2	-	1	-	1	-	1	-
Other and unspecified solid and liquid substances (E980.9)	47	30	17	29	14	1	3	1	-
isoning by gases in domestic use, undetermined whether accidentally or purposely									
nflicted (E981)	1	1	-	1	-	-	-	-	-
Gas distributed by pipeline (E981.0)	1	1	-	1	-	-	-	-	-
Liquefied petroleum gas distributed in mobile containers (E981.1)	-	-	-	-	-	-	-	-	-
Other utility gas (E981.6)	-	-	-	-	-	-	-	-	-
isoning by other gases, undetermined whether accidentally or purposely inflicted (E982)	151	111	40	101	38	10	2	9	-
Motor vehicle exhaust gas (E982.0)	93	70	23	66	23	4	-	3	-
Other carbon monoxide (E982.1)	48	31	17	28	15	3	2	3	-
Other specified gases and vapors (E982.8)	9	9	-	6	-	3	-	3	-
Unspecified gases and vapors (E982.9)	1	1	-	1	-	-	-	-	-
ing, strangulation, or suffocation, undetermined whether accidentally or purposely									
nflicted (E983)	87	67	20	57	15	10	5	8	-
hanging (E983.0)	52	43	9	37	6	6	3	5	-
uffocation by plastic bag (E983.1)	2	2	-	2	-	-	-	-	-
Other specified means (E983.8)	18	11	7	8	5	3	2	2	-
Unspecified means (E983.9)	15	11	4	10	4	1	-	1	-
bmersion (drowning), undetermined whether accidentally or purposely inflicted (E984)	365	272	93	175	68	97	25	85	2
ry by firearms and explosives, undetermined whether accidentally or purposely									
nflicted (E985)	478	388	90	326	77	62	13	48	10
Handgun (E985.0)	65	53	12	49	12	4	-	2	-
Shotgun (E985.1)	41	32	9	27	8	5	1	4	-
unting rifle (E985.2)	26	21	5	19	5	2	-	2	-
ilitary firearms (E985.3)	-	-	-	-	-	-	-	-	-
Other and unspecified firearms (E985.4)	344	282	62	231	50	51	12	40	9
xplosives (E985.5)	2	-	2	-	2	-	-	-	-
ry by cutting and piercing instruments, undetermined whether accidentally or purposely									
nflicted (E986)	20	20	-	13	-	7	-	6	-
lling from high place, undetermined whether accidentally or purposely inflicted (E987)	107	79	28	57	19	22	9	21	7
esidential premises (E987.0)	35	24	11	17	8	7	3	7	2
Other man-made structures (E987.1)	31	28	3	21	2	7	1	7	1
atural sites (E987.2)	6	3	3	3	3	-	-	-	-
nspecified (E987.9)	35	24	11	16	6	8	5	7	4
ry by other and unspecified means, undetermined whether accidentally or purposely									
nflicted (E988)	754	537	217	350	135	187	82	173	75
umping or lying before moving object (E988.0)	23	20	3	15	2	5	1	5	-
urns, fire (E988.1)	135	87	48	48	26	39	22	37	22
cold (E988.2)	5	1	4	1	1	-	3	-	3
xtremes of cold (E988.3)	14	7	7	4	3	3	4	1	2
lectrocution (E988.4)	4	4	-	3	-	1	-	1	-
ashing of motor vehicle (E988.5)	10	8	2	8	1	-	1	-	1
ashing of aircraft (E988.6)	19	17	2	15	2	2	-	1	-
autic substances, except poisoning (E988.7)	-	-	-	-	-	-	-	-	-
Other specified means (E988.8)	186	138	48	94	33	44	15	40	14
nspecified means (E988.9)	358	255	103	162	67	93	36	88	33
e effects of injury, undetermined whether accidentally or purposely inflicted (E989)	31	27	4	12	2	15	2	12	2
Injury resulting from operations of war (E990-E999)	19	18	1	16	1	2	-	2	-
ry due to war operations by fires and conflagrations (E990)	-	-	-	-	-	-	-	-	-
rom petrol bomb (E990.0)	-	-	-	-	-	-	-	-	-
rom other and unspecified sources (E990.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 223

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

as per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
intervention-Con.									
a to legal intervention by cutting and piercing instruments (E974)	-	-	-	-	-	-	-	-	-
e to legal intervention by other specified means (E975)	0.0	0.0	-	-	-	0.0	-	0.0	-
e to legal intervention by unspecified means (E976)0	.0	-	-	-	.0	-	.0	-
cts of injuries due to legal intervention (E977)0	-	0.0	-	-	-	0.0	-	0.0
ecution (E978)0	.0	-	0.0	-	.0	-	.1	-
undetermined whether accidentally or purposely inflicted (E980-E989)	1.2	1.7	.7	1.5	0.6	2.8	1.0	3.2	1.1
g by solid or liquid substances, undetermined whether accidentally or purposely									
1 (E980)3	.4	.3	.4	.3	.4	.3	.5	.3
sics, antipyretics, and antirheumatics (E980.0)1	.1	.1	.1	.1	.2	.1	.2	.1
rates (E980.1)0	.0	.0	.0	.0	.0	.0	.0	.0
sedatives and hypnotics (E980.2)0	.0	.0	.0	.0	-	.0	-	.0
ilizers and other psychotropic agents (E980.3)0	.0	.0	.0	.0	.0	.0	.0	.0
specified drugs and medicaments (E980.4)1	.1	.1	.1	.1	.1	.1	.1	.0
cified drug or medicament (E980.5)1	.1	.1	.1	.1	.1	.1	.2	.1
ive and caustic substances (E980.6)0	-	.0	-	.0	-	-	-	-
tural and horticultural chemical and pharmaceutical preparations other than plant									
i and fertilizers (E980.7)0	.0	-	.0	-	.0	-	.0	-
c and its compounds (E980.8)0	.0	-	.0	-	.0	-	.0	-
and unspecified solid and liquid substances (E980.9)0	.0	.0	.0	.0	.0	.0	.0	.0
ig by gases in domestic use, undetermined whether accidentally or purposely									
d (E981)0	.0	-	.0	-	-	-	-	-
ntributed by pipeline (E981.0)0	.0	-	.0	-	-	-	-	-
ed petroleum gas distributed in mobile containers (E981.1)	-	-	-	-	-	-	-	-	-
utility gas (E981.8)	-	-	-	-	-	-	-	-	-
ig by other gases, undetermined whether accidentally or purposely inflicted (E982)1	.1	.0	.1	.0	.1	.0	.1	.0
ehicle exhaust gas (E982.0)0	.1	.0	.1	.0	.0	-	.0	-
arbon monoxide (E982.1)0	.0	.0	.0	.0	.0	.0	.0	.0
specified gases and vapors (E982.8)0	.0	-	.0	-	.0	-	.0	-
cified gases and vapors (E982.9)0	.0	-	.0	-	-	-	-	-
i, strangulation, or suffocation, undetermined whether accidentally or purposely									
d (E983)0	.1	.0	.1	.0	.1	.0	.1	.0
ig (E983.0)0	.0	.0	.0	.0	.0	.0	.0	.0
ation by plastic bag (E983.1)0	.0	-	.0	-	-	-	-	-
pecified means (E983.8)0	.0	.0	.0	.0	.0	.0	.0	.0
cified means (E983.9)0	.0	.0	.0	.0	.0	.0	.0	-
sion (drowning), undetermined whether accidentally or purposely inflicted (E984)2	.2	.1	.2	.1	.6	.1	.6	.1
y firearms and explosives, undetermined whether accidentally or purposely									
d (E985)2	.3	.1	.3	.1	.4	.1	.4	.1
jun (E985.0)0	.0	.0	.0	.0	.0	-	.0	-
un (E985.1)0	.0	.0	.0	.0	.0	.0	.0	.0
ig rifle (E985.2)0	.0	.0	.0	.0	.0	-	.0	-
y firearms (E985.3)	-	-	-	-	-	-	-	-	-
and unspecified firearms (E985.4)1	.2	.1	.2	.0	.3	.1	.3	.1
sives (E985.5)0	-	.0	-	.0	-	-	-	-
y cutting and piercing instruments, undetermined whether accidentally or purposely									
ad (E986)0	.0	-	.0	-	.0	-	.0	-
from high place, undetermined whether accidentally or purposely inflicted (E987)0	.1	.0	.1	.0	.1	.0	.2	.0
ential premises (E987.0)0	.0	.0	.0	.0	.0	.0	.1	.0
'man-made structures (E987.1)0	.0	.0	.0	.0	.0	.0	.1	.0
al sites (E987.2)0	.0	.0	.0	.0	-	-	-	-
acified (E987.9)0	.0	.0	.0	.0	.0	.0	.1	.0
y other and unspecified means, undetermined whether accidentally or purposely									
ad (E988)3	.5	.2	.4	.1	1.1	.4	1.3	.5
ing or lying before moving object (E988.0)0	.0	.0	.0	.0	.0	.0	.0	.0
i, fire (E988.1)1	.1	.0	.0	.0	.2	.1	.3	.1
i (E988.2)0	.0	.0	.0	.0	-	.0	-	.0
mes of cold (E988.3)0	.0	.0	.0	.0	.0	.0	.0	.0
ocation (E988.4)0	.0	-	.0	-	-	.0	-	.0
ing of motor vehicle (E988.5)0	.0	.0	.0	.0	.0	-	.0	-
ing of aircraft (E988.6)0	.0	.0	.0	.0	-	-	-	-
tic substances, except poisoning (E988.7)	-	-	.0	.1	.0	.3	.1	.3	.1
r specified means (E988.8)1	.1	.1	.2	.1	.5	.2	.6	.2
cified means (E988.9)1	.2	.1	.2	.1	.5	.2	.6	.2
ffects of injury, undetermined whether accidentally or purposely inflicted (E989)0	.0	.0	.0	.0	.1	.0	.1	.0
ry resulting from operations of war (E990-E999)0	.0	.0	.0	.0	.0	-	.0	-
due to war operations by fires and conflagrations (E990)	-	-	-	-	-	-	-	-	-
petrol bomb (E990.0)	-	-	-	-	-	-	-	-	-
other and unspecified sources (E990.9)	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 224

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Injury resulting from operations of war-Con.									
Injury due to war operations by bullets and fragments (E991)	1	-	1	-	1	-	-	-	-
Rubber bullets (rifle) (E991.0)	-	-	-	-	-	-	-	-	-
Pellets (rifle) (E991.1)	-	-	-	-	-	-	-	-	-
Other bullets (E991.2)	1	-	1	-	1	-	-	-	-
Antipersonnel bomb (fragments) (E991.3)	-	-	-	-	-	-	-	-	-
Other and unspecified fragments (E991.9)	-	-	-	-	-	-	-	-	-
Injury due to war operations by explosion of marine weapons (E992)	-	-	-	-	-	-	-	-	-
Injury due to war operations by other explosion (E993)	1	1	-	-	-	1	-	1	-
Injury due to war operations by destruction of aircraft (E994)	-	-	-	-	-	-	-	-	-
Injury due to war operations by other and unspecified forms of conventional warfare (E995)	-	-	-	-	-	-	-	-	-
Injury due to war operations by nuclear weapons (E996)	-	-	-	-	-	-	-	-	-
Injury due to war operations by other forms of unconventional warfare (E997)	-	-	-	-	-	-	-	-	-
Lasers (E997.0)	-	-	-	-	-	-	-	-	-
Biological warfare (E997.1)	-	-	-	-	-	-	-	-	-
Gases, fumes, and chemicals (E997.2)	-	-	-	-	-	-	-	-	-
Other (E997.8)	-	-	-	-	-	-	-	-	-
Unspecified (E997.9)	-	-	-	-	-	-	-	-	-
Injury due to war operations but occurring after cessation of hostilities (E998)	-	-	-	-	-	-	-	-	-
Late effects of injury due to war operations (E999)	17	17	-	16	-	1	-	1	-

SECTION 1 - GENERAL MORTALITY - PAGE 225

Table 1-22. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1985—Con.

[Rates per 100,000 population in specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rate								
	All races			White		All other			
	Both sexes	Male	Female	Male	Female	Total		Black	
						Male	Female	Male	Female
Injury resulting from operations of war-Con.									
Injury due to war operations by bullets and fragments (E991)	0.0	-	0.0	-	0.0	-	-	-	-
Rubber bullets (rifle) (E991.0)	-	-	-	-	-	-	-	-	-
Pellets (rifle) (E991.1)	-	-	-	-	-	-	-	-	-
Other bullets (E991.2)0	-	.0	-	.0	-	-	-	-
Antipersonnel bomb (fragments) (E991.3)	-	-	-	-	-	-	-	-	-
Other and unspecified fragments (E991.9)	-	-	-	-	-	-	-	-	-
Injury due to war operations by explosion of marine weapons (E992)	-	-	-	-	-	-	-	-	-
Injury due to war operations by other explosion (E993)0	0.0	-	-	-	0.0	-	0.0	-
Injury due to war operations by destruction of aircraft (E994)	-	-	-	-	-	-	-	-	-
Injury due to war operations by other and unspecified forms of conventional warfare (E995)	-	-	-	-	-	-	-	-	-
Injury due to war operations by nuclear weapons (E996)	-	-	-	-	-	-	-	-	-
Injury due to war operations by other forms of unconventional warfare (E997)	-	-	-	-	-	-	-	-	-
Lasers (E997.0)	-	-	-	-	-	-	-	-	-
Biological warfare (E997.1)	-	-	-	-	-	-	-	-	-
Gases, fumes, and chemicals (E997.2)	-	-	-	-	-	-	-	-	-
Other (E997.8)	-	-	-	-	-	-	-	-	-
Unspecified (E997.9)	-	-	-	-	-	-	-	-	-
Injury due to war operations but occurring after cessation of hostilities (E998)	-	-	-	-	-	-	-	-	-
Late effects of injury due to war operations (E999)0	.0	-	0.0	-	.0	-	.0	-

SECTION 1 - GENERAL MORTALITY - PAGE 226

Table 1-23. Deaths From 282 Selected Causes, by Month: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	2,086,440	201,346	184,029	182,616	168,848	168,374	160,838	164,700	162,492	161,563	172,307	170,082	189,245
I. Infectious and parasitic diseases (001-139)	28,003	2,534	2,458	2,525	2,142	2,071	2,130	2,271	2,246	2,210	2,473	2,371	2,572
Intestinal infectious diseases (001-009)	456	43	39	36	34	30	34	31	44	38	41	32	54
Cholera and typhoid and paratyphoid fevers (001-002)	1	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis (004)	17	2	1	-	-	2	2	2	1	2	4	1	-
Other salmonella infections and other food poisoning (bacterial) (003,005)	127	13	7	6	10	6	11	7	19	13	9	8	18
Amebiasis (008)	10	-	-	1	3	1	1	-	-	-	-	1	3
Intestinal infections due to other specified organisms (007-008)	137	17	25	14	7	8	4	7	8	7	10	10	20
Ill-defined intestinal infections (009)	164	11	6	15	14	13	16	14	16	16	18	12	13
Tuberculosis (010-018)	1,752	151	161	161	135	139	139	137	143	149	156	139	142
Tuberculosis of respiratory system (010-012)	1,368	117	128	125	111	102	110	111	113	115	119	100	117
Other tuberculosis (013-018)	384	34	33	36	24	37	29	26	30	34	37	39	25
Zoonotic and other bacterial diseases (020-041)	18,422	1,675	1,631	1,643	1,416	1,398	1,380	1,493	1,443	1,427	1,590	1,594	1,732
Brucellosis (023)	1	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (032)	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	4	1	-	-	1	-	-	-	-	-	-	2	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	-	1	1	-	2	-	1	-	1	-	1	2
Meningococcal infection (038)	257	34	29	37	26	15	17	12	12	11	19	26	19
Tetanus (037)	23	3	2	1	1	2	2	5	1	1	1	4	-
Septicemia (038)	17,162	1,546	1,529	1,526	1,311	1,317	1,289	1,406	1,340	1,356	1,489	1,470	1,603
All other bacterial diseases (020-022,024-031,039-041)	946	91	70	78	77	61	72	69	90	58	61	91	106
Viral diseases (045-079)	2,473	244	280	241	207	172	175	183	173	185	219	203	191
Acute poliomyelitis (045)	3	1	-	1	-	-	1	-	-	-	-	-	-
Smallpox (050)	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	1	1	-	1	-	-	-	-	1	-	-
Rubella (058)	1	-	-	-	-	-	-	-	-	1	-	-	-
Arthropod-borne encephalitis (062-064)	3	1	1	-	-	1	-	-	-	-	-	-	-
Viral hepatitis (070)	942	75	78	90	87	65	76	59	79	80	83	88	82
Other viral diseases (046-049,051-054,057-061,065-066,071-079)	1,520	167	200	149	120	105	98	124	94	104	135	115	109
Rickettsioses and other arthropod-borne diseases (080-088) ..	39	1	-	2	4	5	8	3	5	4	3	2	2
Typhus and other rickettsioses (080-083)	25	-	-	1	-	5	8	3	5	3	-	-	-
Malaria (084)	13	1	-	1	4	-	-	-	-	1	3	2	1
All other arthropod-borne diseases (085-088)	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis and other venereal diseases (090-099)	86	6	12	11	4	8	4	8	3	10	9	6	5
Syphilis (090-097)	80	5	10	11	3	8	4	8	3	9	9	6	4
Cardiovascular syphilis (093)	27	3	2	3	-	3	2	3	2	3	4	2	-
Neurosyphilis (094)	32	2	7	5	2	-	1	3	-	3	3	3	3
All other syphilis (090-091,095-097)	21	-	1	3	1	5	1	2	1	3	2	1	1
Gonococcal infections (098)	2	1	1	-	-	-	-	-	-	-	-	-	-
Other venereal diseases (099)	4	-	1	-	1	-	-	-	-	1	-	-	1
Other infectious and parasitic diseases and late effects of infectious and parasitic diseases (100-139)	4,775	414	335	431	342	319	390	416	435	397	455	395	446
Mycoses (110-118)	1,724	137	134	155	110	106	120	159	169	147	165	158	164
Helminthiasis (120-129)	41	4	1	7	2	3	9	5	2	1	1	5	1
Late effects of tuberculosis (137)	231	31	29	19	19	15	17	19	11	19	16	20	16
Late effects of acute poliomyelitis (138)	104	10	4	10	8	7	10	6	15	11	5	11	7
All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases (100-104,130-136,139)	2,675	232	167	240	203	188	234	227	238	219	268	201	258
II. Neoplasms (140-239)	468,262	41,075	36,483	39,384	37,379	38,666	37,956	39,169	39,156	38,760	40,278	39,085	40,871
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	461,563	40,481	35,949	38,792	36,828	38,137	37,438	38,598	38,591	38,221	39,682	38,565	40,281
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,290	738	680	725	640	624	685	702	715	712	707	678	684
Of lip (140)	110	10	7	10	11	6	8	15	13	6	9	6	9
Of tongue (141)	1,875	154	153	169	144	139	156	145	164	165	174	160	152
Of pharynx (146-149.0)	3,835	348	307	342	292	302	311	325	317	323	304	332	332
Of other and ill-defined sites within the lip, oral cavity, and pharynx (142-145,149.1-149.9)	2,470	226	213	204	193	177	210	217	221	218	220	180	191
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	10,125	8,893	9,785	9,332	9,695	9,566	9,915	9,875	9,656	10,030	9,557	10,180
Of esophagus (150)	8,613	728	620	711	694	721	721	725	763	695	722	716	797
Of stomach (151)	13,951	1,202	1,083	1,147	1,133	1,118	1,143	1,159	1,206	1,164	1,197	1,129	1,270
Of small intestine, including duodenum (152)	839	73	63	78	69	84	79	61	66	65	77	62	62
Of colon (153)	48,256	4,190	3,772	4,042	3,863	3,998	3,951	4,065	4,067	4,041	4,152	3,924	4,191
Hepatic and splenic flexures and transverse colon (153.0-153.1,153.7)	464	47	47	38	32	30	42	37	40	34	41	38	38
Descending colon (153.2)	418	46	30	31	36	38	33	33	27	46	36	34	28
Sigmoid colon (153.3)	1,771	187	132	152	143	164	125	126	156	156	143	136	151
Cecum, appendix, and ascending colon (153.4-153.6)	2,592	241	227	222	214	227	202	200	196	215	224	207	217
Other and colon, unspecified (153.8-153.9)	43,011	3,669	3,336	3,599	3,438	3,539	3,549	3,669	3,648	3,590	3,708	3,509	3,757
Of rectum, rectosigmoid junction, and anus (154)	8,195	725	626	720	695	684	674	720	648	630	713	669	691
Of liver and intrahepatic bile ducts (155)	6,809	574	493	576	525	573	521	610	588	604	620	553	572
Liver, primary (155.0)	3,117	256	230	259	246	283	236	283	256	292	258	252	266
Intrahepatic bile ducts (155.1)	855	64	82	73	62	55	72	84	66	82	91	69	75
Liver, not specified as primary or secondary (155.2)	2,837	254	201	244	217	235	213	243	266	230	271	232	231
Of gallbladder and extrahepatic bile ducts (156)	4,283	391	313	371	328	366	369	341	377	348	359	361	359
Of pancreas (157)	23,102	2,007	1,734	1,943	1,822	1,941	1,871	2,008	1,960	1,895	1,979	1,937	2,005
Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum (158-159)	2,561	235	189	197	203	210	237	226	200	214	211	206	233
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,311	11,195	9,941	10,899	10,202	10,644	10,276	10,554	10,496	10,433	10,782	10,840	11,249
Of larynx (161)	3,502	325	293	290	266	288	286	282	281	301	280	312	318
Of trachea, bronchus, and lung (162)	122,556	10,744	9,543	10,294	9,822	10,238	9,916	10,179	10,123	10,041	10,400	10,435	10,821
Of all other and ill-defined sites within the respiratory system and intrathoracic organs (160,163-165)	1,253	126	105	115	114	118	74	113	92	91	102	93	110

SECTION 1 - GENERAL MORTALITY - PAGE 227

Table 1-23. Deaths From 282 Selected Causes, by Month: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Malignant neoplasms, etc.—Con.													
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	51,963	4,556	4,061	4,363	4,111	4,243	4,168	4,300	4,308	4,414	4,535	4,265	4,639
Of bone and articular cartilage (170)	1,093	95	77	105	80	95	102	100	84	93	88	69	99
Of connective and other soft tissue (171)	2,891	253	214	267	235	230	221	255	262	245	249	238	222
Melanoma of skin (172)	5,529	468	433	416	454	439	486	435	462	480	500	456	500
Other malignant neoplasms of skin (173)	2,067	179	168	171	146	183	166	187	176	162	164	173	192
Of female breast (174)	40,093	3,542	3,152	3,377	3,179	3,266	3,176	3,303	3,298	3,391	3,502	3,312	3,595
Of male breast (175)	290	19	17	27	17	30	17	20	26	37	32	17	31
Malignant neoplasms of genital organs (179-187)	49,690	4,408	3,880	4,227	3,960	4,122	3,974	4,121	4,184	4,085	4,230	4,215	4,294
Of cervix uteri (180)	4,508	396	349	379	366	360	407	376	388	324	352	411	400
Of other parts of uterus (179,181-182)	5,980	496	470	530	493	514	468	479	507	504	541	491	487
Of ovary and other uterine adnexa (183)	11,531	1,030	859	1,041	955	934	916	999	1,031	898	963	950	955
Of other and unspecified female genital organs (184)	1,062	93	77	84	94	74	99	73	97	96	104	81	90
Of prostate (185)	25,943	2,338	2,082	2,134	2,002	2,177	2,028	2,143	2,110	2,203	2,211	2,221	2,294
Of testis (186)	425	33	31	34	33	38	32	35	31	41	40	42	35
Of penis and other male genital organs (187)	241	22	12	25	17	25	24	16	20	19	19	19	23
Malignant neoplasms of urinary organs (188-189)	18,887	1,630	1,464	1,676	1,500	1,495	1,552	1,543	1,589	1,555	1,584	1,672	1,637
Of bladder (188)	9,787	848	754	881	788	779	788	832	803	782	815	868	849
Of kidney and other and unspecified urinary organs (189)	9,110	782	710	795	712	716	764	711	786	773	769	804	788
Malignant neoplasms of other and unspecified sites (190-199)	46,325	4,111	3,583	3,736	3,724	3,730	3,808	3,903	3,919	3,889	4,043	3,906	3,973
Of eye (190)	252	28	17	17	15	26	22	23	23	17	23	17	24
Of brain (191)	10,001	863	776	760	800	804	778	836	828	873	938	851	894
Of other and unspecified parts of nervous system (192)	264	30	20	20	25	20	28	24	23	21	24	16	13
Of thyroid gland and other endocrine glands and related structures (193-194)	1,579	137	129	136	137	111	127	154	127	126	118	143	134
Of all other and unspecified sites (195-199)	34,229	3,053	2,641	2,803	2,747	2,769	2,853	2,866	2,918	2,852	2,940	2,879	2,908
Malignant neoplasms of lymphatic and hematopoietic tissues (200-208)	42,478	3,718	3,447	3,581	3,359	3,584	3,409	3,560	3,505	3,477	3,771	3,432	3,635
Lymphosarcoma and reticulosarcoma (200)	3,913	361	358	339	331	328	323	288	302	315	317	300	351
Hodgkin's disease (201)	1,778	144	145	148	150	154	147	155	154	140	152	141	148
Other malignant neoplasms of lymphoid and histiocytic tissue (202)	11,649	979	860	960	903	991	966	973	956	967	1,079	1,003	1,012
Multiple myeloma and immunoproliferative neoplasms (203)	7,819	721	673	617	601	648	625	672	647	598	694	633	690
Leukemia (204-208)	17,319	1,513	1,411	1,517	1,374	1,463	1,348	1,472	1,446	1,457	1,529	1,355	1,434
Lymphoid leukemia (204)	5,081	453	404	488	405	419	371	422	430	411	458	371	429
Myeloid leukemia (205)	7,506	629	635	632	588	651	588	645	647	610	644	609	628
Monocytic leukemia (206)	310	37	27	31	28	22	21	31	20	26	22	23	22
Other and unspecified leukemia (207-208)	4,442	394	345	366	353	371	368	374	349	410	405	352	355
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,699	594	534	592	551	529	518	571	565	539	596	520	590
Benign neoplasms (210-229)	1,446	134	117	125	125	118	105	120	114	110	127	126	125
Of female genital organs (218-221)	35	5	1	3	6	3	2	-	2	4	3	3	3
Of eye, brain, and other parts of nervous system (224-225)	892	77	76	77	77	69	61	85	62	66	83	80	79
Of all other and unspecified sites (210-217,222-223,226-229)	519	52	40	45	42	46	42	35	50	40	41	43	43
Carcinoma in situ (230-234)	7	2	-	1	1	-	2	-	-	1	-	-	-
Of breast and genitourinary system (233)	7	2	-	-	-	-	-	-	-	-	-	-	-
Of all other and unspecified sites (230-232,234)	7	2	-	1	1	-	2	-	-	1	-	-	-
Neoplasms of uncertain behavior (235-238)	1,436	137	104	118	108	113	120	120	127	116	134	109	130
Neoplasms of unspecified nature (239)	3,810	321	313	348	317	298	291	331	324	312	335	285	335
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)													
Endocrine and metabolic diseases and immunity disorders (240-259,270-279)	50,394	4,947	4,437	4,540	4,113	3,979	3,827	3,780	3,798	3,872	4,156	4,224	4,721
Disorders of thyroid gland (240-245)	741	74	71	75	64	60	59	56	53	60	49	55	65
Diabetes mellitus (250)	36,969	3,709	3,300	3,420	3,038	2,957	2,819	2,773	2,716	2,759	3,032	3,014	3,432
Disorders of the pituitary gland and its hypothalamic control (253)	161	14	17	11	16	15	11	15	13	15	15	13	6
Diseases of thymus gland (254)	9	2	2	-	1	-	-	1	-	1	1	1	-
Disorders of adrenal glands (255)	199	22	19	18	19	11	16	20	13	12	12	19	18
Cystic fibrosis (277.0)	457	46	47	46	42	48	34	31	26	28	43	34	32
Obesity (278.0)	1,042	102	92	104	92	83	74	72	85	84	87	75	92
All other endocrine and metabolic diseases and immunity disorders (251-252,256-259,270-276,277.1-277.9,278.1-279)	10,816	978	889	866	841	805	814	812	892	913	917	1,013	1,076
Nutritional deficiencies (280-289)	2,874	279	248	249	222	228	201	222	226	233	266	252	248
Nutritional marasmus (281)	279	27	18	19	18	28	24	16	22	24	29	25	29
Other protein-calorie malnutrition (282-283)	2,398	235	215	216	185	182	161	187	191	195	223	206	202
All other nutritional deficiencies (280,284-289)	197	17	15	14	19	18	16	19	13	14	14	21	17
IV. Diseases of blood and blood-forming organs (280-289)													
Anemias (280-285)	3,694	344	327	316	333	271	262	321	299	310	301	269	341
Deficiency anemias (280-281)	280	22	28	26	28	17	17	29	28	24	20	16	25
Hemolytic anemias (282-283)	729	68	79	70	67	40	44	62	47	61	59	59	73
Aplastic anemia (284)	1,273	120	99	110	111	111	94	105	117	104	104	85	113
Other and unspecified anemias (285)	1,412	134	121	110	127	103	107	125	107	121	118	109	130
Purpura and other hemorrhagic conditions (287)	716	63	72	61	40	57	71	71	54	64	48	55	60
All other diseases of blood and blood-forming organs (286,288-289)	3,281	290	272	291	244	261	267	294	263	244	271	263	321
V. Mental disorders (290-319)													
Senile and presenile organic psychotic conditions (290)	3,810	365	375	361	314	287	258	274	292	272	327	300	385
Alcoholic psychoses (291)	368	47	28	20	36	25	35	39	15	34	31	25	33
All other psychoses (292-299)	1,695	172	132	141	112	160	126	117	128	142	136	148	181
Alcohol dependence syndrome (303)	4,188	400	333	353	359	375	334	330	337	343	332	326	366
Drug dependence (304)	1,165	88	84	113	84	87	103	112	101	79	82	109	123

SECTION 1 - GENERAL MORTALITY - PAGE 228

Table 1-23. Deaths From 282 Selected Causes, by Month: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Other neurotic, personality, and nonpsychotic mental disorders (300-302,305-316)	7,012	714	701	622	587	533	491	530	496	541	564	557	676
Mental retardation (317-319)	360	29	34	37	28	27	29	22	25	20	32	32	45
VI. Diseases of the nervous system and sense organs (320-389)	30,957	2,990	2,701	2,616	2,474	2,498	2,333	2,361	2,304	2,460	2,582	2,639	2,999
Diseases of the nervous system (320-359)	30,853	2,983	2,688	2,608	2,465	2,490	2,322	2,356	2,300	2,451	2,576	2,629	2,985
Meningitis (320-322)	1,206	129	137	99	98	93	83	87	62	87	110	98	123
Parkinson's disease (332)	5,173	487	453	445	408	422	376	406	371	396	457	465	487
Other hereditary and degenerative diseases of the central nervous system (330-331,333-337)	14,066	1,303	1,209	1,159	1,123	1,117	1,057	1,067	1,066	1,186	1,168	1,238	1,373
Multiple sclerosis (340)	1,531	178	130	119	117	117	130	111	121	106	113	126	163
Infantile cerebral palsy (343)	518	68	40	48	38	40	35	32	41	45	36	45	50
Epilepsy (345)	1,643	142	128	150	121	118	130	155	145	120	164	108	162
Other diseases of the nervous system (323-326,341-342,344,346-359)	6,716	676	591	588	560	583	511	498	494	511	528	549	627
Disorders of the eye and adnexa (360-379)	23	-	2	1	2	1	2	1	3	2	2	1	6
Diseases of the ear and mastoid process (380-389)	81	7	11	7	7	7	9	4	1	7	4	9	8
VII. Diseases of the circulatory system (390-459)	982,739	98,906	89,588	87,085	80,566	79,457	73,916	74,717	74,048	74,022	79,862	79,551	91,021
Rheumatic fever and rheumatic heart disease (390-398)	6,593	653	567	608	582	544	519	528	475	461	555	552	549
Acute rheumatic fever (390-392)	56	8	5	7	4	4	10	2	4	5	4	1	2
Chronic rheumatic heart disease (393-398)	6,537	645	562	601	578	540	509	526	471	456	551	551	547
Diseases of mitral valve (394)	2,935	304	258	282	259	229	209	250	217	220	241	230	236
Diseases of aortic valve (395)	229	21	27	24	21	22	19	11	12	18	14	22	18
Diseases of mitral and aortic valves (396)	957	78	76	86	90	95	73	83	67	57	82	88	82
All other chronic rheumatic heart disease (393,397-398)	2,416	242	201	209	208	194	208	182	175	161	214	211	211
Hypertensive disease (401-404)	31,433	3,209	2,872	2,812	2,584	2,540	2,297	2,340	2,344	2,300	2,582	2,583	2,960
Essential hypertension (401)	3,635	333	322	316	289	309	277	297	264	263	311	320	334
Hypertensive heart disease (402)	20,882	2,120	1,914	1,883	1,732	1,677	1,528	1,538	1,562	1,555	1,713	1,693	1,987
Hypertensive renal disease (403)	4,116	467	350	373	330	331	291	303	310	294	331	371	365
Hypertensive heart and renal disease (404)	2,800	289	266	260	243	223	201	202	208	188	227	199	274
Ischemic heart disease (410-414)	536,805	54,534	48,516	47,436	44,542	43,843	40,748	40,732	40,165	40,356	43,329	43,174	49,430
Acute myocardial infarction (410)	274,199	27,098	24,244	24,029	22,870	22,782	20,916	20,984	20,604	20,939	22,208	22,302	25,223
Other acute and subacute forms of ischemic heart disease (411)	3,969	411	386	343	344	336	305	315	289	280	278	310	372
Angina pectoris (413)	928	85	68	84	78	76	65	72	73	83	66	77	101
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,709	26,940	23,818	22,980	21,250	20,649	19,462	19,361	19,199	19,054	20,777	20,485	23,734
Diseases of pulmonary circulation (415-417)	12,397	1,210	1,093	1,091	969	1,024	958	962	975	1,048	1,010	973	1,084
Other forms of heart disease (420-429)	191,692	19,030	17,642	17,070	15,285	14,976	14,038	14,564	14,732	14,621	15,712	15,789	18,223
Acute and subacute endocarditis (421)	927	79	68	79	68	91	61	75	81	80	91	79	75
Acute pericarditis, acute myocarditis, and other diseases of pericardium (420,422-423)	878	100	73	69	78	72	55	74	74	71	74	64	74
Other diseases of endocardium (424)	9,510	936	806	826	803	819	697	749	747	701	829	760	837
Mitral valve disorders (424.0)	1,506	140	118	124	143	135	122	119	113	101	143	112	136
Aortic valve disorders (424.1)	6,105	600	543	535	501	535	430	472	477	443	551	489	529
All other diseases of endocardium (424.2-424.9)	1,899	196	145	167	159	149	145	158	157	157	135	159	172
Heart failure (428)	37,747	3,823	3,459	3,459	3,046	2,841	2,693	2,812	2,829	2,837	3,130	3,104	3,514
Myocarditis, unspecified and myocardial degeneration (429.0-429.1)	1,736	144	161	158	129	158	125	129	141	146	129	135	181
All other and ill-defined forms of heart disease (425-427,429.2-429.9)	140,894	13,948	12,875	12,479	11,171	10,995	10,407	10,725	10,860	10,786	11,459	11,647	13,542
Cerebrovascular diseases (430-438)	153,050	15,314	14,255	13,529	12,437	12,422	11,593	11,688	11,477	11,359	12,461	12,370	14,145
Subarachnoid hemorrhage (430)	6,490	591	560	567	543	579	551	533	488	441	522	563	552
Intracerebral and other intracranial hemorrhage (431-432)	20,728	2,039	1,821	1,809	1,731	1,741	1,527	1,514	1,584	1,544	1,707	1,701	2,010
Occlusion and stenosis of precerebral arteries (433)	1,514	147	114	148	109	134	116	140	131	101	125	131	118
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24,519	2,533	2,306	2,151	1,978	2,042	1,915	1,818	1,777	1,858	1,973	1,957	2,211
Cerebral embolism (434.1)	786	74	74	58	70	64	59	60	64	56	45	68	94
Acute but ill-defined cerebrovascular disease (436)	81,712	8,192	7,732	7,272	6,645	6,491	6,177	6,226	6,175	6,085	6,668	6,492	7,557
Other and late effects of cerebrovascular diseases (435,437-438)	17,301	1,738	1,648	1,524	1,361	1,371	1,248	1,397	1,258	1,274	1,421	1,458	1,603
Diseases of arteries, arterioles, and capillaries (440-448)	45,909	4,465	4,197	4,151	3,756	3,715	3,405	3,511	3,491	3,486	3,829	3,717	4,186
Atherosclerosis (440)	23,926	2,409	2,350	2,241	1,973	1,880	1,738	1,804	1,788	1,752	1,977	1,842	2,172
Aortic aneurysm (441)	15,112	1,453	1,238	1,334	1,239	1,221	1,162	1,158	1,148	1,176	1,270	1,321	1,392
All other diseases of arteries, arterioles, and capillaries (442-448)	6,871	603	609	576	544	614	505	549	555	558	582	554	622
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	4,860	491	446	388	391	393	358	392	389	391	384	393	444
Phlebitis, thrombophlebitis, and venous embolism and thrombosis (451-453)	2,116	214	210	169	157	175	161	181	162	164	167	173	183
Other diseases of veins and lymphatics and all other diseases of circulatory system (454-459)	2,744	277	236	219	234	218	197	211	227	227	217	220	261
VIII. Diseases of the respiratory system (460-519)	166,189	18,956	19,634	16,168	13,360	12,377	11,506	11,686	10,840	11,167	12,834	12,635	15,026
Diseases of the upper respiratory tract (460-465,470-478)	688	88	99	64	50	41	47	46	44	44	48	43	74
Acute upper respiratory infections (460-465)	355	58	61	37	22	21	20	17	16	16	26	21	40
Other diseases of upper respiratory tract (470-478)	333	30	38	27	28	20	27	29	28	28	22	22	34
Other diseases of the respiratory system (466,490-519)	165,501	18,868	19,535	16,104	13,310	12,336	11,459	11,640	10,796	11,123	12,786	12,592	14,952
Acute bronchitis and bronchiolitis (466)	600	98	99	59	53	46	21	22	26	25	41	44	66
Pneumonia (480-486)	65,561	8,057	8,447	6,480	5,066	4,441	4,124	4,372	4,043	4,201	4,955	5,060	6,315
Viral pneumonia (480)	698	126	162	90	45	44	19	23	24	21	42	41	61
Pneumococcal and other bacterial pneumonia (481-482)	5,878	766	768	571	467	378	356	414	353	367	439	448	553
Bronchopneumonia, organism unspecified (485)	9,853	1,380	1,271	946	773	647	561	648	597	586	717	758	969
Pneumonia due to other and unspecified organism (483,486)	49,132	5,785	6,248	4,873	3,781	3,372	3,188	3,287	3,069	3,227	3,757	3,813	4,732
Influenza (487)	2,054	473	1,027	289	66	23	11	6	7	13	32	41	66
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,662	7,985	7,893	7,145	6,288	5,998	5,617	5,476	5,061	5,209	5,899	5,646	6,445
Bronchitis, chronic and unspecified, emphysema and asthma (490-493)	21,645	2,437	2,236	2,107	1,862	1,783	1,606	1,610	1,418	1,504	1,669	1,632	1,801
Bronchitis, not specified as acute or chronic (490)	579	88	87	56	42	39	36	25	21	26	54	37	68
Chronic bronchitis (491)	3,036	373	366	288	263	246	233	225	173	196	209	203	261
Emphysema (492)	14,150	1,577	1,428	1,424	1,216	1,169	1,021	1,050	941	1,027	1,092	1,072	1,133

SECTION 1 - GENERAL MORTALITY - PAGE 229

Table 1-23. Deaths From 282 Selected Causes, by Month: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Bronchitis, chronic and unspecified, emphysema and asthma-Con.													
Asthma (493)	3,880	399	355	339	341	309	316	310	283	255	314	320	339
Bronchiectasis and extrinsic allergic alveolitis (494-495)	860	91	100	86	70	60	60	64	68	59	69	74	59
Chronic airways obstruction, not elsewhere classified (496)	52,157	5,457	5,557	4,952	4,356	4,175	3,951	3,802	3,575	3,646	4,161	3,940	4,585
Pneumoconiosis and other lung diseases due to external agents (500-508)	7,649	736	663	715	620	616	553	596	588	576	672	626	688
Empyema and abscess of lung and mediastinum (510,513)	1,183	117	119	127	103	94	90	86	89	82	92	83	101
Pleurisy (511)	784	78	67	73	78	48	59	61	56	64	63	60	77
All other diseases of respiratory system (512,514-519)	13,008	1,324	1,220	1,216	1,036	1,070	984	1,021	926	953	1,032	1,032	1,194
IX. Diseases of the digestive system (520-579)	74,805	7,091	6,165	6,532	6,014	5,986	5,755	6,119	5,979	5,979	6,347	6,200	6,638
Diseases of oral cavity, salivary glands, and jaws (520-529)	103	10	6	8	10	9	6	7	5	11	11	8	12
Diseases of other parts of the digestive system (530-579)	74,702	7,081	6,159	6,524	6,004	5,977	5,749	6,112	5,974	5,968	6,336	6,192	6,626
Ulcer of stomach and duodenum (531-533)	6,645	620	551	604	532	533	479	562	538	531	550	555	590
Gastric ulcer (531)	2,115	191	163	198	171	186	140	187	147	157	187	188	200
Duodenal ulcer (532)	2,279	241	184	195	173	182	177	180	191	175	182	193	206
Peptic ulcer, site unspecified (533)	2,251	188	204	211	188	165	162	195	200	199	181	174	184
Gastritis and duodenitis (535)	641	73	50	48	55	64	41	55	51	42	61	56	45
Appendicitis (540-543)	501	39	52	42	41	37	41	42	47	38	51	29	42
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,361	509	420	451	419	445	417	429	447	451	447	470	456
Regional enteritis and idiopathic proctocolitis (555-556)	628	57	51	49	52	43	50	58	58	42	46	60	62
All other noninfective gastroenteritis and colitis (557-558)	6,993	682	611	601	547	566	525	580	539	543	562	589	648
Diverticula of intestine (562)	2,933	260	236	280	249	222	220	260	239	228	256	235	248
Chronic liver disease and cirrhosis (571)	26,767	2,623	2,156	2,293	2,185	2,132	2,087	2,125	2,124	2,163	2,286	2,204	2,389
Chronic liver disease and cirrhosis, specified as alcoholic (571.0-571.3)	11,288	1,125	916	983	927	879	899	869	876	922	959	953	980
Chronic hepatitis and biliary cirrhosis (571.4,571.6)	1,311	123	107	101	115	124	95	110	101	126	109	106	94
Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol (571.5,571.8-571.9)	14,168	1,375	1,133	1,209	1,143	1,129	1,093	1,146	1,147	1,115	1,218	1,145	1,315
Cholelithiasis and other disorders of gallbladder (574-575)	2,975	275	243	255	239	244	235	253	261	239	221	260	250
All other diseases of digestive system (530,534,536-537,564-570,572-573,576-579)	21,258	1,943	1,789	1,901	1,685	1,691	1,654	1,748	1,670	1,691	1,856	1,734	1,896
X. Diseases of the genitourinary system (580-629)	36,888	3,666	3,295	3,189	2,943	2,899	2,715	2,923	2,898	2,883	3,007	3,006	3,464
Diseases of urinary system (580-599)	35,835	3,550	3,204	3,112	2,856	2,811	2,645	2,827	2,807	2,806	2,917	2,922	3,378
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,349	2,135	1,958	1,922	1,724	1,705	1,559	1,694	1,658	1,621	1,701	1,693	1,979
Acute glomerulonephritis (580)	121	12	11	8	8	10	8	11	9	11	12	6	15
Nephrotic syndrome (581)	227	20	20	24	20	18	16	12	14	25	17	20	21
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,565	176	149	132	128	130	124	133	112	112	111	118	140
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,436	1,927	1,778	1,758	1,568	1,547	1,411	1,538	1,523	1,473	1,561	1,549	1,803
Infections of kidney (590)	1,982	211	182	158	175	144	149	146	144	170	168	154	181
Urinary calculus (592,594)	400	32	41	33	27	35	38	31	19	38	39	40	27
All other diseases of urinary system (591,593,595-599)	12,104	1,172	1,023	999	930	927	899	956	966	977	1,009	1,035	1,191
Diseases of male genital organs (600-608)	748	80	63	60	59	65	51	63	60	56	70	53	68
Hyperplasia of prostate (600)	479	58	43	40	39	39	33	39	37	35	39	35	42
Other diseases of male genital organs (601-608)	269	22	20	20	20	26	18	24	23	21	31	18	26
Disorders of breast (610-611)	40	7	3	2	6	1	2	4	7	2	2	4	-
Diseases of female genital organs except breast (614-629)	265	29	25	15	22	22	17	29	24	19	18	27	18
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)	295	28	27	19	20	20	27	25	14	40	25	26	24
Pregnancy with abortive outcome (630-638)	49	5	7	8	2	5	3	4	1	6	2	-	6
Ectopic pregnancy (633)	33	5	4	5	2	4	3	2	1	2	2	-	3
Spontaneous abortion (634)	-	-	-	-	-	-	-	-	-	-	-	-	-
Legally induced abortion (635)	2	-	-	1	-	-	-	-	-	1	-	-	-
Illegally induced abortion (636)	1	-	-	-	-	-	-	-	-	1	-	-	-
Other pregnancy with abortive outcome (630-632,637-638)	13	-	3	2	-	1	-	2	-	2	-	-	3
Direct obstetric causes (640-646,651-676)	232	21	18	11	18	15	24	18	12	32	22	23	18
Hemorrhage of pregnancy and childbirth (640-641,666)	40	4	1	1	4	3	5	2	1	5	3	6	5
Toxemia of pregnancy (642.4-642.9,643)	33	2	5	2	1	2	2	1	2	3	3	4	6
Obstructed labor (660)	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of the puerperium (670-676)	91	9	7	5	6	5	13	10	2	12	10	8	4
Other direct obstetric causes (642.0-642.3,644-646,651-659,661-665,667-669)	68	6	5	3	7	5	4	5	7	12	6	5	3
Indirect obstetric causes (647-648)	14	2	2	-	-	-	-	3	1	2	1	3	-
Delivery in a completely normal case (650)	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. Diseases of the skin and subcutaneous tissue (680-709)	3,852	342	302	327	320	333	280	311	320	285	352	310	370
Infections of skin and subcutaneous tissue (680-686)	772	66	48	78	56	65	47	70	65	51	71	74	81
All other diseases of skin and subcutaneous tissue (690-709)	3,080	276	254	249	264	268	233	241	255	234	281	236	289
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)	6,256	588	562	505	529	507	489	479	489	460	542	510	586
Rheumatoid arthritis and other inflammatory polyarthropathies (714)	1,497	154	135	123	141	112	105	108	116	125	123	105	150
Other arthropathies and related disorders (710-712,715-719)	2,999	266	273	241	243	244	245	241	227	215	272	252	280
Dorsopathies (720-724)	167	14	10	19	14	16	12	15	13	16	11	8	19
Rheumatism, excluding the back (725-729)	383	34	28	26	37	35	27	27	34	22	39	32	42
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)	1,210	120	116	96	94	100	100	88	99	82	97	113	105

SECTION 1 - GENERAL MORTALITY - PAGE 230

Table 1-23. Deaths From 282 Selected Causes, by Month: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XIV. Congenital anomalies (740-758)	12,783	1,128	1,020	1,122	1,087	1,042	1,047	1,089	1,011	1,039	1,045	1,035	1,118
Spina bifida (741)	187	11	15	21	17	15	20	13	12	18	13	15	17
All other congenital anomalies of nervous system (740,742) ..	1,572	144	140	130	133	150	121	127	121	148	113	119	126
Congenital anomalies of heart (745-746)	4,432	408	349	371	368	359	360	352	365	346	380	363	411
Other congenital anomalies of circulatory system (747)	1,320	94	103	123	138	103	114	119	123	97	106	98	102
All other congenital anomalies (743-744,748-759)	5,272	471	413	477	431	415	432	478	390	430	433	440	462
XV. Certain conditions originating in the perinatal period (760-779)	19,246	1,587	1,411	1,588	1,582	1,743	1,602	1,660	1,650	1,659	1,618	1,507	1,639
Birth trauma (767)	334	35	24	34	37	27	30	15	28	27	31	28	18
Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (768-769)	4,891	401	373	380	390	444	387	449	428	436	412	387	424
Other conditions originating in the perinatal period (760-766,770-779)	14,021	1,151	1,014	1,174	1,155	1,272	1,185	1,196	1,194	1,196	1,175	1,112	1,197
XVI. Symptoms, signs, and ill-defined conditions (780-799)	30,960	2,989	2,734	2,587	2,447	2,292	2,294	2,355	2,271	2,394	2,563	2,775	3,259
Senility without mention of psychosis (797)	1,349	130	140	110	105	108	102	92	102	93	104	122	141
Symptoms, signs, and other ill-defined conditions (780-796,798-799)	29,611	2,859	2,594	2,477	2,342	2,184	2,192	2,263	2,169	2,301	2,459	2,653	3,118
Supplementary classification of external causes of injury and poisoning (E800-E999)	145,648	11,728	10,606	11,865	11,513	12,193	12,784	13,423	13,232	12,051	12,233	11,872	12,148
Accidents and adverse effects (E800-E949)	93,457	7,510	6,509	7,192	7,281	7,906	8,562	8,757	8,707	7,748	7,823	7,586	7,866
Transport accidents (E800-E848)	49,249	3,307	2,945	3,604	4,007	4,354	4,736	4,681	5,033	4,322	4,338	4,143	3,777
Railway accidents (E800-E807)	551	24	21	37	50	43	64	66	73	41	53	32	47
Motor vehicle accidents (E810-E825)	45,901	3,102	2,753	3,397	3,693	4,063	4,394	4,319	4,536	4,037	4,076	3,942	3,589
Motor vehicle traffic accidents (E810-E819)	44,822	3,022	2,682	3,311	3,596	3,932	4,313	4,223	4,420	3,927	3,994	3,890	3,512
Involving collision with train (E810)	538	59	37	44	34	45	35	37	29	43	57	60	58
Involving collision with another motor vehicle (E811-E812)	16,924	1,196	1,025	1,193	1,300	1,531	1,630	1,589	1,594	1,439	1,526	1,512	1,389
Involving collision with pedestrian (E814)	7,157	548	491	597	544	485	614	559	634	601	697	739	648
Involving collision with other vehicle or object (E813,E815)	6,929	434	374	482	600	661	671	714	755	628	586	557	467
Not involving collision on highway (E816-E818)	8,060	437	416	575	680	766	869	844	911	778	694	588	502
Motor vehicle traffic accident of unspecified nature (E819)	5,214	348	339	420	438	444	494	480	497	438	434	434	448
Motor vehicle nontraffic accidents (E820-E825)	1,079	80	71	86	97	131	81	96	116	110	82	52	77
Other road vehicle accidents (E826-E829)	231	4	10	14	17	16	33	36	31	32	17	9	12
Water transport accidents (E830-E838)	1,111	33	55	70	115	136	162	158	135	85	68	51	43
Air and space transport accidents (E840-E845)	1,428	138	101	84	129	95	83	99	258	126	124	108	83
Vehicle accidents not elsewhere classifiable (E846-E848) ..	27	6	5	2	3	1	2	3	-	1	-	1	3
Accidental poisoning (E850-E869)	5,170	508	424	492	351	375	374	371	416	408	421	469	561
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	3,612	277	263	323	254	281	294	294	346	323	302	316	339
Accidental poisoning by other solid or liquid substances (E860-E866)	479	54	32	45	43	39	41	33	32	28	35	46	51
Accidental poisoning by gases and vapors (E867-E869)	1,079	177	129	124	54	55	39	44	38	57	84	107	171
Misadventures during medical care, abnormal reactions, and late complications (E870-E879)	2,674	193	208	225	214	200	244	219	250	210	237	212	262
Accidental falls (E880-E888)	12,001	1,131	1,008	997	904	945	942	1,000	928	1,012	1,058	992	1,084
Fall from one level to another (E880-E884)	3,365	260	229	255	250	272	293	330	290	311	315	276	284
Fall on same level (E885-E886)	411	44	60	36	18	28	33	21	28	32	26	46	39
Fracture, cause unspecified, and other and unspecified falls (E887-E888)	8,225	827	719	706	636	645	616	649	610	669	717	670	761
Accidents caused by fire and flames (E890-E899)	4,938	744	594	499	397	285	274	282	248	245	303	379	688
Other accidents, including late effects (E900-E929)	19,247	1,613	1,310	1,359	1,392	1,735	1,973	2,183	1,818	1,540	1,453	1,388	1,483
Lightning (E907)	85	-	-	-	6	12	11	29	12	11	2	2	-
Accidental drowning and submersion (E910)	4,407	118	147	242	309	478	748	914	582	366	224	150	129
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	3,551	358	307	285	293	290	287	291	262	277	297	294	310
Accident caused by handgun (E922.0)	190	18	21	20	20	12	11	21	16	14	12	11	14
Accidents caused by all other and unspecified firearms (E922.1-E922.9)	1,459	149	95	90	86	101	108	96	134	118	136	191	155
Accident caused by explosive material (E923)	296	18	19	24	22	28	37	26	22	28	18	26	28
Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation (E924,E926)	176	15	14	17	20	13	16	20	13	10	13	13	12
Accident caused by electric current (E925)	802	27	28	52	49	81	111	115	95	99	70	49	26
All other accidents and late effects of accidental injury (E900-E906,E908-E909, E913-E921,E927-E929)	8,281	910	679	629	587	720	644	671	682	617	681	652	809
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	178	14	20	16	16	12	17	21	14	11	13	13	11
Suicide (E950-E959)	29,453	2,360	2,304	2,764	2,479	2,494	2,360	2,572	2,472	2,396	2,524	2,430	2,298
Suicide by drugs, medicaments, and biologicals (E950.0-E950.5)	2,668	213	216	252	209	225	218	232	230	233	227	213	200
Suicide by other solid or liquid substances (E950.6-E950.9)	289	26	18	22	18	22	24	23	24	27	14	19	32
Suicide by gases and vapors (E951-E952)	2,767	224	254	269	254	240	204	192	207	204	241	288	190
Suicide by hanging, strangulation, and suffocation (E953)	4,264	331	306	381	349	368	391	419	372	342	373	339	293
Suicide by handgun (E955.0)	2,981	222	234	275	249	247	228	253	246	255	277	237	258
Suicide by all other and unspecified firearms (E955.1-E955.4)	14,382	1,195	1,144	1,364	1,233	1,179	1,107	1,245	1,201	1,160	1,223	1,173	1,158
Suicide by all other means and late effects of self-inflicted injury (E954,E955.5-E959)	2,122	149	132	201	167	213	188	208	192	175	169	161	167
Homicide and legal intervention (E960-E978)	19,893	1,637	1,582	1,628	1,478	1,529	1,632	1,882	1,803	1,679	1,666	1,629	1,768
Assault by handgun (E985.0)	903	70	81	66	54	61	72	87	71	80	78	84	99

SECTION 1 - GENERAL MORTALITY - PAGE 231

Table 1-23. Deaths From 282 Selected Causes, by Month: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Homicide and legal intervention-Con.													
Assault by all other and unspecified firearms (E965.1-E965.4)	10,933	894	883	893	812	840	913	1,007	975	889	951	876	1,000
Assault by cutting and piercing instrument (E966)	3,994	317	283	330	307	294	339	395	378	366	326	338	321
Assault by all other means and late effects of injury purposely inflicted by other person (E960-E964,E965.5-E965.9,E967-E969)	3,798	327	299	315	284	312	288	369	350	326	291	313	324
Legal execution (E978)	17	4	1	3	1	2	2	1	-	1	1	-	1
Other legal intervention and late effects of injury due to legal intervention (E970-E977)	248	25	15	21	20	20	18	23	29	17	19	18	23
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	2,826	219	230	276	274	263	227	211	249	227	219	216	215
From poisoning by drugs, medicaments, and biologicals (E980.0-E980.5)	778	53	58	82	77	72	72	63	68	58	64	57	54
From poisoning by other solid or liquid substances (E980.6-E980.9)	54	4	2	5	7	6	9	2	9	3	4	1	2
From injury by handgun (E985.0)	65	4	7	11	2	8	5	5	2	6	6	4	5
From injury by all other and unspecified firearms (E985.1-E985.4)	411	39	27	42	31	27	38	29	45	27	27	40	39
From injury by all other means and late effects of injury, undetermined whether accidentally or purposely inflicted (E981-E984,E985.5-E989)	1,518	119	136	136	157	150	103	112	125	133	118	114	115
Injury resulting from operations of war (E990-E999)	19	2	1	5	1	1	3	1	1	1	1	1	1

SECTION 1 - GENERAL MORTALITY - PAGE 232

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			Black			Indian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	2,085,440	1,097,758	988,682	1,819,054	950,455	868,599	244,207	133,610	110,597	7,154	4,181	2,973
I. Infectious and parasitic diseases (001-139)	28,003	14,751	13,252	22,016	11,468	10,548	5,525	3,024	2,501	130	62	68
Intestinal infectious diseases (001-009)	456	233	223	344	170	174	103	57	46	3	2	1
Cholera and typhoid and paratyphoid fevers (001-002)	1	1	-	-	-	-	1	1	-	-	-	-
Shigellosis (004)	17	11	6	13	7	6	4	4	-	-	-	-
Other salmonella infections and other food poisoning (bacterial) (003,005)	127	70	57	93	53	40	30	14	16	1	1	-
Amebiasis (006)	10	5	5	7	3	4	3	2	1	-	-	-
Intestinal infections due to other specified organisms (007-008)	137	68	69	119	56	63	15	10	5	-	-	-
Ill-defined intestinal infections (009)	164	78	85	112	51	61	50	26	24	2	1	1
Tuberculosis (010-018)	1,752	1,135	617	1,101	703	398	579	393	186	20	12	8
Tuberculosis of respiratory system (010-012)	1,368	923	445	882	585	297	432	306	126	14	9	5
Other tuberculosis (013-018)	384	212	172	219	118	101	147	87	60	6	3	3
Zoonotic and other bacterial diseases (020-041)	18,422	8,717	9,705	14,776	6,909	7,867	3,443	1,700	1,743	71	31	40
Brucellosis (023)	1	-	1	1	-	1	-	-	-	-	-	-
Diphtheria (032)	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	4	3	1	2	2	-	2	1	1	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	3	6	8	3	5	1	-	1	-	-	-
Meningococcal infection (036)	257	127	130	210	107	103	44	19	25	-	-	-
Tetanus (037)	23	12	11	16	6	10	7	6	1	-	-	-
Septicemia (038)	17,162	8,017	9,165	13,740	6,321	7,419	3,257	1,595	1,662	69	30	39
All other bacterial diseases (020-022,024-031,039-041)	946	555	391	799	470	329	132	79	53	2	1	1
Viral diseases (045-079)	2,473	1,341	1,132	2,121	1,152	969	272	146	126	11	6	5
Acute poliomyelitis (045)	3	2	1	3	2	1	-	-	-	-	-	-
Smallpox (050)	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	1	3	4	1	3	-	-	-	-	-	-
Rubella (056)	1	1	-	-	-	-	1	1	-	-	-	-
Arthropod-borne encephalitis (062-064)	3	2	1	3	2	1	-	-	-	-	-	-
Viral hepatitis (070)	942	531	411	765	447	318	118	54	64	7	2	5
Other viral diseases (046-049,051-054,057-061,065-066,071-079)	1,520	804	716	1,346	700	646	153	91	62	4	4	-
Rickettsioses and other arthropod-borne diseases (080-089)	39	21	18	32	16	16	5	3	2	-	-	-
Typhus and other rickettsioses (080-083)	25	13	12	21	11	10	4	2	2	-	-	-
Malaria (084)	13	7	6	10	4	6	1	1	-	-	-	-
All other arthropod-borne diseases (085-088)	1	1	-	1	1	-	-	-	-	-	-	-
Syphilis and other venereal diseases (090-099)	86	52	34	51	30	21	33	21	12	-	-	-
Syphilis (090-097)	80	48	31	49	29	20	29	19	10	-	-	-
Cardiovascular syphilis (093)	27	19	8	15	10	5	11	8	3	-	-	-
Neurosyphilis (094)	32	20	12	23	14	9	9	6	3	-	-	-
All other syphilis (090-091,095-097)	21	10	11	11	5	6	9	5	4	-	-	-
Gonococcal infections (098)	2	1	1	1	1	-	1	-	1	-	-	-
Other venereal diseases (099)	4	2	2	1	-	1	3	2	1	-	-	-
Other infectious and parasitic diseases and late effects of infectious and parasitic diseases (100-139)	4,775	3,252	1,523	3,591	2,488	1,103	1,090	704	386	25	11	14
Mycoses (110-118)	1,724	1,097	627	1,343	846	497	338	225	113	11	5	6
Helminthiasis (120-129)	41	29	12	35	24	11	2	2	-	1	1	-
Late effects of tuberculosis (137)	231	105	126	189	85	104	28	14	14	5	1	4
Late effects of acute poliomyelitis (138)	104	53	51	101	51	50	3	2	1	-	-	-
All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases (100-104,130-136,139)	2,675	1,968	707	1,923	1,482	441	719	461	258	8	4	4
II. Neoplasms (140-239)	468,262	249,922	218,340	411,566	217,711	193,855	51,682	28,360	22,322	1,004	539	465
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	461,563	246,914	214,649	405,727	215,079	190,648	50,906	28,028	21,878	989	533	456
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,290	5,616	2,674	6,938	4,597	2,341	1,243	946	297	12	9	3
Of lip (140)	110	82	28	109	82	27	1	-	1	-	-	-
Of tongue (141)	1,875	1,270	605	1,595	1,058	537	264	200	64	4	4	-
Of pharynx (146-149.0)	3,835	2,739	1,096	3,093	2,160	933	671	532	139	5	3	2
Of other and ill-defined sites within the lip, oral cavity, and pharynx (142-145,149.1-149.9)	2,470	1,525	945	2,141	1,297	844	307	214	93	3	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	61,187	55,422	101,126	52,705	48,421	13,721	7,411	6,310	291	145	146
Of esophagus (150)	8,613	6,409	2,204	6,539	4,841	1,698	1,985	1,498	487	13	10	3
Of stomach (151)	13,951	8,345	5,606	11,463	6,842	4,621	2,095	1,263	832	59	33	26
Of small intestine, including duodenum (152)	839	473	366	716	398	318	109	67	42	2	1	1
Of colon (153)	48,256	23,351	24,905	43,027	20,916	22,111	4,790	2,173	2,617	74	40	34
Hepatic and splenic flexures and transverse colon (153.0-153.1,153.7)	464	195	269	417	180	237	44	13	31	-	-	-
Descending colon (153.2)	418	214	204	374	186	188	40	26	14	-	-	-
Sigmoid colon (153.3)	1,771	895	876	1,602	807	795	145	70	75	3	2	1
Cecum, appendix, and ascending colon (153.4-153.6)	2,592	1,173	1,419	2,324	1,046	1,278	246	112	134	1	1	-
Of other and ill-defined sites within the digestive organs and peritoneum (153.8-153.9)	43,011	20,874	22,137	38,310	18,697	19,613	4,315	1,952	2,363	70	37	33
Of rectum, rectosigmoid junction, and anus (154)	8,195	4,261	3,934	7,375	3,866	3,509	702	331	371	14	9	5
Of liver and intrahepatic bile ducts (155)	6,809	4,025	2,784	5,587	3,212	2,375	894	578	316	32	15	17
Liver, primary (155.0)	3,117	2,088	1,029	2,425	1,579	846	464	337	127	15	9	6
Intrahepatic bile ducts (155.1)	855	410	445	760	362	398	65	31	34	3	-	3
Liver, not specified as primary or secondary (155.2)	2,837	1,527	1,310	2,402	1,271	1,131	365	210	155	14	6	8
Of gallbladder and extrahepatic bile ducts (156)	4,283	1,586	2,697	3,908	1,461	2,447	265	87	178	39	10	29
Of pancreas (157)	23,102	11,542	11,560	20,173	10,070	10,103	2,677	1,327	1,350	53	26	27
Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum (158-159)	2,561	1,195	1,366	2,338	1,099	1,239	204	87	117	5	1	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,311	87,513	39,798	112,512	76,567	35,945	13,729	10,193	3,536	246	166	80
Of larynx (161)	3,502	2,844	658	2,883	2,341	542	586	479	107	13	8	5
Of trachea, bronchus, and lung (162)	122,556	83,854	38,702	108,529	73,519	35,010	13,009	9,615	3,394	227	156	71
Of all other and ill-defined sites within the respiratory system and intrathoracic organs (160,163-165)	1,253	815	438	1,100	707	393	134	99	35	6	2	4

SECTION 1 - GENERAL MORTALITY - PAGE 233

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Chinese			Japanese			Filipino			Other Asian or Pacific Islander 2			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	4,168	2,422	1,746	3,459	1,776	1,683	3,138	2,210	928	5,122	3,033	2,089	138	71	67
I. Infectious and parasitic diseases (001-139)	96	57	39	47	24	23	56	37	19	131	78	53	2	1	1
Intestinal infectious diseases (001-009)	2	2	-	-	-	-	2	1	1	2	1	1	-	-	-
Cholera and typhoid and paratyphoid fevers (001-002)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis (004)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other salmonella infections and other food poisoning (bacterial) (003,005)	1	1	-	-	-	-	2	1	1	-	-	-	-	-	-
Amebiasis (006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal infections due to other specified organisms (007-008)	1	1	-	-	-	-	-	-	-	2	1	1	-	-	-
Ill-defined intestinal infections (009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	9	7	8	3	5	10	8	2	18	7	11	-	-	-
Tuberculosis of respiratory system (010-012)	12	7	5	7	3	4	9	7	2	12	6	6	-	-	-
Other tuberculosis (013-018)	4	2	2	1	-	1	1	1	-	6	1	5	-	-	-
Zoonotic and other bacterial diseases (020-041)	38	20	18	25	14	11	19	15	4	49	28	21	1	-	1
Brucellosis (023)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (032)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	34	19	15	23	14	9	17	14	3	41	24	17	1	-	1
All other bacterial diseases (020-022,024-031,039-041)	4	1	3	2	-	2	2	1	1	5	3	2	-	-	-
Viral diseases (045-079)	22	12	10	5	2	3	9	3	6	33	20	13	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox (050)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella (056)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne encephalitis (062-064)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	19	11	8	5	2	3	3	1	2	25	14	11	-	-	-
Other viral diseases (046-049,051-054,057-061,065-066,071-079)	3	1	2	-	-	-	6	2	4	8	6	2	-	-	-
Rickettsioses and other arthropod-borne diseases (080-088)	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Typhus and other rickettsioses (080-083)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (084)	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
All other arthropod-borne diseases (085-088)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and other venereal diseases (090-099)	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
Cardiovascular syphilis (093)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Neurosyphilis (094)	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
All other syphilis (090-091,095-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonococcal infections (098)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other venereal diseases (099)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases and late effects of infectious and parasitic diseases (100-139)	18	14	4	9	5	4	16	10	6	25	19	6	1	1	-
Mycoses (110-118)	10	8	2	4	1	3	9	5	4	9	7	2	-	-	-
Helminthiasis (120-129)	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-
Late effects of tuberculosis (137)	2	1	1	2	1	1	2	1	1	3	2	1	-	-	-
Late effects of acute poliomyelitis (138)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases (100-104,130-136,139)	6	5	1	3	3	-	5	4	1	10	8	2	1	1	-
II. Neoplasms (140-239)	1,187	691	496	925	522	403	691	433	258	1,176	654	522	31	12	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,168	682	486	914	516	398	680	424	256	1,149	640	509	30	12	18
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	46	27	19	12	7	5	12	9	3	27	21	6	-	-	-
Of lip (140)	4	2	2	3	1	2	1	1	-	4	4	-	-	-	-
Of tongue (141)	38	22	16	5	4	1	5	3	2	18	15	3	-	-	-
Of pharynx (146-149.0)	4	3	1	4	2	2	6	5	1	5	2	3	-	-	-
Of other and ill-defined sites within the lip, oral cavity, and pharynx (142-145,149.1-149.9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	428	289	139	400	235	165	214	139	75	421	259	162	8	4	4
Of esophagus (150)	20	16	4	16	14	2	13	9	4	27	21	6	-	-	-
Of stomach (151)	75	50	25	104	59	45	27	20	7	127	77	50	1	1	-
Of small intestine, including duodenum (152)	5	4	1	4	1	3	1	1	-	2	1	1	-	-	-
Of colon (153)	121	83	38	124	66	58	67	39	28	49	33	16	4	1	3
Hepatic and splenic flexures and transverse colon (153.0-153.1,153.7)	-	-	-	1	1	-	-	-	-	2	1	1	-	-	-
Descending colon (153.2)	1	-	1	3	2	1	-	-	-	-	-	-	-	-	-
Sigmoid colon (153.3)	6	4	2	10	9	1	2	1	1	3	2	1	-	-	-
Cecum, appendix, and ascending colon (153.4-153.6)	7	5	2	6	3	3	6	4	2	2	2	-	-	-	-
Other and colon, unspecified (153.8-153.9)	107	74	33	104	51	53	59	34	25	42	28	14	4	1	3
Of rectum, rectosigmoid junction, and anus (154)	25	9	16	39	22	17	20	15	5	20	9	11	-	-	-
Of liver and intrahepatic bile ducts (155)	110	85	25	37	24	13	36	28	8	112	82	30	1	1	-
Liver, primary (155.0)	78	60	18	23	14	9	30	23	7	81	65	16	1	1	-
Intrahepatic bile ducts (155.1)	9	6	3	5	3	2	3	3	-	10	5	5	-	-	-
Liver, not specified as primary or secondary (155.2)	23	19	4	9	7	2	3	2	1	21	12	9	-	-	-
Of gallbladder and extrahepatic bile ducts (156)	21	9	12	11	7	4	13	5	8	26	7	19	-	-	-
Of pancreas (157)	50	32	18	62	39	23	35	20	15	50	27	23	2	1	1
Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum (158-159)	1	1	-	3	3	-	2	2	-	8	2	6	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	279	196	83	183	125	58	118	91	27	239	171	68	5	4	1
Of larynx (161)	5	4	1	2	2	-	4	3	1	9	7	2	-	-	-
Of trachea, bronchus, and lung (162)	270	190	80	180	123	57	112	86	26	224	161	63	5	4	1
Of all other and ill-defined sites within the respiratory system and intrathoracic organs (160,163-165)	4	2	2	1	-	1	2	2	-	6	3	3	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 234

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			Black			Indian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Malignant neoplasms, etc.—Con.												
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	51,963	7,091	44,872	46,868	6,594	40,274	4,687	433	4,254	91	20	71
Of bone and articular cartilage (170)	1,093	624	469	961	544	417	111	69	42	4	1	3
Of connective and other soft tissue (171)	2,891	1,355	1,536	2,476	1,178	1,298	374	148	226	11	8	3
Melanoma of skin (172)	5,529	3,296	2,233	5,410	3,238	2,172	100	46	54	6	5	1
Other malignant neoplasms of skin (173)	2,067	1,526	541	1,875	1,374	501	177	141	36	10	6	4
Of female breast (174)	40,093	...	40,093	35,886	...	35,886	3,896	...	3,896	60	...	60
Of male breast (175)	290	290	...	260	260	...	29	29
Malignant neoplasms of genital organs (179-187)	49,690	26,609	23,081	42,091	22,071	20,020	7,134	4,331	2,803	112	59	53
Of cervix uteri (180)	4,508	...	4,508	3,405	...	3,405	1,008	...	1,008	23	...	23
Of other parts of uterus (179,181-182)	5,980	...	5,980	5,107	...	5,107	830	...	830	9	...	9
Of ovary and other uterine adnexa (183)	11,531	...	11,531	10,571	...	10,571	847	...	847	18	...	18
Of other and unspecified female genital organs (184)	1,062	...	1,062	937	...	937	118	...	118	3	...	3
Of prostate (185)	25,943	25,943	...	21,472	21,472	...	4,273	4,273	...	57	57	...
Of testis (186)	425	425	...	396	396	...	22	22	...	2	2	...
Of penis and other male genital organs (187)	241	241	...	203	203	...	36	36
Malignant neoplasms of urinary organs (188-189)	18,897	12,195	6,702	17,179	11,142	6,037	1,583	962	621	45	29	16
Of bladder (188)	9,787	6,679	3,108	8,949	6,175	2,774	785	465	320	11	8	3
Of kidney and other and unspecified urinary organs (189)	9,110	5,516	3,594	8,230	4,967	3,263	798	497	301	34	21	13
Malignant neoplasms of other and unspecified sites (190-199)	46,325	24,161	22,164	40,786	21,135	19,651	5,035	2,753	2,282	116	57	59
Of eye (190)	252	118	134	239	109	130	13	9	4
Of brain (191)	10,001	5,452	4,549	9,386	5,101	4,285	527	295	232	13	10	3
Of other and unspecified parts of nervous system (192)	264	128	136	226	111	115	32	14	18
Of thyroid gland and other endocrine glands and related structures (193-194)	1,579	688	891	1,385	617	768	157	59	96	5	1	4
Of all other and unspecified sites (195-199)	34,229	17,775	16,454	29,550	15,197	14,353	4,306	2,376	1,930	98	46	52
Malignant neoplasms of lymphatic and hematopoietic tissues (200-208)	42,478	22,542	19,936	38,227	20,268	17,959	3,774	1,999	1,775	76	48	28
Lymphosarcoma and reticulosarcoma (200)	3,913	2,046	1,867	3,639	1,892	1,747	230	127	103	8	4	4
Hodgkin's disease (201)	1,778	1,033	745	1,588	922	666	174	104	70	4	1	3
Other malignant neoplasms of lymphoid and histiocytic tissue (202)	11,649	6,086	5,563	10,829	5,655	5,174	696	362	334	17	12	5
Multiple myeloma and immunoproliferative neoplasms (203)	7,619	3,935	3,684	6,468	3,251	3,217	1,273	637	636	20	12	8
Leukemia (204-208)	17,319	9,442	7,877	15,703	8,548	7,155	1,401	769	632	27	19	8
Lymphoid leukemia (204)	5,061	2,948	2,113	4,580	2,668	1,912	444	261	183	7	6	1
Myeloid leukemia (205)	7,506	3,964	3,542	6,802	3,583	3,219	583	312	271	17	12	5
Monocytic leukemia (206)	310	161	149	286	150	136	21	10	11
Other and unspecified leukemia (207-208)	4,442	2,369	2,073	4,035	2,147	1,888	353	186	167	3	1	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,699	3,008	3,691	5,839	2,632	3,207	776	332	444	15	6	9
Benign neoplasms (210-228)	1,446	535	911	1,186	442	744	245	91	154	3	1	2
Of female genital organs (218-221)	35	...	35	24	...	24	10	...	10	1	...	1
Of eye, brain, and other parts of nervous system (224-225)	892	299	593	738	252	486	144	46	98	1	1	...
Of all other and unspecified sites (210-217,222-223,226-229)	519	236	283	424	190	234	91	45	46	1	...	1
Carcinoma in situ (230-234)	7	1	6	6	1	5	1	...	1
Of breast and genitourinary system (233)
Of all other and unspecified sites (230-232,234)	7	1	6	6	1	5	1	...	1
Neoplasms of uncertain behavior (235-238)	1,436	668	768	1,308	615	693	116	44	72	2	...	2
Neoplasms of unspecified nature (239)	3,810	1,804	2,006	3,339	1,574	1,765	414	197	217	10	5	5
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)	53,268	23,725	29,543	43,494	19,459	24,035	9,051	3,894	5,157	322	139	183
Endocrine and metabolic diseases and immunity disorders (240-259,270-279)	50,394	22,639	27,755	41,004	18,543	22,461	8,702	3,745	4,957	312	134	178
Disorders of thyroid gland (240-246)	741	182	579	627	133	494	104	26	78	5	1	4
Diabetes mellitus (250)	36,969	15,283	21,706	30,305	12,758	17,547	6,104	2,230	3,874	252	102	150
Disorders of the pituitary gland and its hypothalamic control (253)	161	60	101	135	50	85	22	8	14	2	1	1
Diseases of thymus gland (254)	9	3	6	7	3	4	2	...	2
Disorders of adrenal glands (255)	199	93	106	173	81	92	23	12	11	1	...	1
Cystic fibrosis (277.0)	457	232	225	449	227	222	7	4	3
Obesity (278.0)	1,042	426	616	820	361	459	217	62	155	3	2	1
All other endocrine and metabolic diseases and immunity disorders (251-252,256-259, 270-276,277.1-277.9,278.1-279)	10,816	6,400	4,416	8,488	4,930	3,558	2,223	1,403	820	49	28	21
Nutritional deficiencies (260-269)	2,874	1,086	1,788	2,490	916	1,574	349	149	200	10	5	5
Nutritional marasmus (261)	279	120	159	231	98	133	44	19	25	2	2	...
Other protein-calorie malnutrition (262-263)	2,398	878	1,520	2,096	750	1,346	274	111	163	6	3	3
All other nutritional deficiencies (260,264-269)	197	88	109	163	68	95	31	19	12	2	...	2
IV. Diseases of blood and blood-forming organs (280-289)	7,691	3,714	3,977	6,415	3,092	3,323	1,180	581	599	18	8	10
Anemias (280-285)	3,694	1,633	2,061	2,931	1,264	1,667	717	345	372	8	5	3
Deficiency anemias (280-281)	280	113	167	250	97	153	26	15	11	1	1	...
Hemolytic anemias (282-283)	729	354	375	338	144	194	379	201	178	2	2	...
Aplastic anemia (284)	1,273	615	658	1,150	556	594	107	51	56	2	1	1
Other and unspecified anemias (285)	1,412	551	861	1,193	467	726	205	78	127	3	1	2
Purpura and other hemorrhagic conditions (287)	716	323	393	637	296	341	69	25	44	3	...	3
All other diseases of blood and blood-forming organs (286,288-289)	3,281	1,758	1,523	2,847	1,532	1,315	394	211	183	7	3	4
V. Mental disorders (290-319)	18,598	9,721	8,877	15,064	7,346	7,718	3,294	2,230	1,064	171	104	67
Senile and presenile organic psychotic conditions (290)	3,810	1,368	2,442	3,550	1,257	2,293	239	103	136	6	1	5
Alcoholic psychoses (291)	368	312	56	255	220	35	108	89	19	5	3	2
All other psychoses (292-299)	1,895	719	976	1,490	619	871	190	91	99	8	5	3
Alcohol dependence syndrome (300)	4,188	3,225	963	2,866	2,206	660	1,219	953	266	85	50	35
Drug dependence (304)	1,165	908	257	581	463	118	578	441	137	4	2	2
Other neurotic, personality, and nonpsychotic mental disorders (300-302,305-316)	7,012	2,998	4,014	6,031	2,430	3,601	900	518	382	59	40	19
Mental retardation (317-319)	360	191	169	291	151	140	60	35	25	4	3	1

SECTION 1 - GENERAL MORTALITY - PAGE 235

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Chinese			Japanese			Filipino			Other Asian or Pacific Islander †			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Malignant neoplasms, etc.—Con.															
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	93	10	83	68	11	57	52	5	47	99	18	81	5	-	5
Of bone and articular cartilage (170)	3	2	1	2	2	-	4	1	3	8	5	3	-	-	-
Of connective and other soft tissue (171)	11	6	5	5	4	1	2	1	1	12	10	2	-	-	-
Melanoma of skin (172)	-	-	-	4	3	1	3	2	1	6	2	4	-	-	-
Other malignant neoplasms of skin (173)	2	2	-	2	2	-	-	-	-	1	1	-	-	-	-
Of female breast (174)	77	-	77	55	-	55	42	-	42	72	-	72	5	-	5
Of male breast (175)	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	87	31	56	76	36	40	96	59	37	91	22	69	3	-	3
Of cervix uteri (180)	19	-	19	9	-	9	19	-	19	24	-	24	1	-	1
Of other parts of uterus (179,181-182)	9	-	9	9	-	9	7	-	7	9	-	9	-	-	-
Of ovary and other uterine adnexa (183)	28	-	28	22	-	22	10	-	10	34	-	34	1	-	1
Of other and unspecified female genital organs (184)	-	-	-	-	-	-	1	-	1	2	-	2	1	-	1
Of prostate (185)	30	30	-	33	33	-	59	59	-	19	19	-	-	-	-
Of testis (186)	-	-	-	2	2	-	-	-	-	3	3	-	-	-	-
Of penis and other male genital organs (187)	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	31	22	9	27	15	12	16	12	4	15	12	3	1	1	-
Of bladder (188)	18	14	4	13	8	5	6	5	1	5	4	1	-	-	-
Of kidney and other and unspecified urinary organs (189)	13	8	5	14	7	7	10	7	3	10	8	2	1	1	-
Malignant neoplasms of other and unspecified sites (190-199)	110	53	57	70	39	31	84	54	30	119	69	50	5	1	4
Of eye (190)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of brain (191)	23	15	8	11	8	3	17	12	5	23	10	13	1	1	-
Of other and unspecified parts of nervous system (192)	2	1	1	1	1	-	1	1	-	2	-	2	-	-	-
Of thyroid gland and other endocrine glands and related structures (193-194)	6	2	4	7	3	4	6	1	5	13	5	8	-	-	-
Of all other and unspecified sites (195-199)	79	35	44	51	27	24	60	40	20	81	54	27	4	-	4
Malignant neoplasms of lymphatic and hematopoietic tissues (200-208)	94	54	40	78	48	30	88	55	33	138	68	70	3	2	1
Lymphosarcoma and reticulosarcoma (200)	11	5	6	7	6	1	5	4	1	12	7	5	1	1	-
Hodgkin's disease (201)	3	1	2	2	1	1	4	3	1	2	-	2	1	1	-
Other malignant neoplasms of lymphoid and histiocytic tissue (202)	22	10	12	27	15	12	24	13	11	34	19	15	-	-	-
Multiple myeloma and immunoproliferative neoplasms (203)	16	11	5	11	9	2	18	12	6	13	3	10	-	-	-
Leukemia (204-208)	42	27	15	31	17	14	37	23	14	77	39	38	1	-	1
Lymphoid leukemia (204)	8	3	5	4	2	2	3	2	1	15	6	9	-	-	-
Myeloid leukemia (205)	21	16	5	17	8	9	20	11	9	45	22	23	1	-	1
Monocytic leukemia (206)	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified leukemia (207-208)	10	7	3	10	7	3	14	10	4	17	11	6	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	9	10	11	6	5	11	9	2	27	14	13	1	-	1
Benign neoplasms (210-229)	1	-	1	3	-	3	2	-	2	6	1	5	-	-	-
Of female genital organs (216-221)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of eye, brain, and other parts of nervous system (224-225)	1	-	1	2	-	2	2	-	2	4	-	4	-	-	-
Of all other and unspecified sites (210-217,222-223,226-229)	-	-	-	1	-	1	-	-	-	2	1	1	-	-	-
Carcinoma in situ (230-234)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of breast and genitourinary system (233)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of all other and unspecified sites (230-232,234)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neoplasms of uncertain behavior (235-238)	5	4	1	1	1	-	2	2	-	2	2	-	-	-	-
Neoplasms of unspecified nature (239)	13	5	8	7	5	2	7	7	-	19	11	8	1	-	1
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)	106	67	39	94	40	54	61	40	21	135	84	51	5	2	3
Endocrine and metabolic diseases and immunity disorders (240-259,270-279)	97	60	37	87	36	51	59	38	21	129	82	47	4	1	3
Disorders of thyroid gland (240-246)	1	1	-	-	-	-	-	-	-	4	1	3	-	-	-
Diabetes mellitus (250)	85	50	35	79	32	47	46	29	17	94	61	33	4	1	3
Disorders of the pituitary gland and its hypothalamic control (253)	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of adrenal glands (255)	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Obesity (278.0)	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
All other endocrine and metabolic diseases and immunity disorders (251-252,256-259, 270-276,277.1-277.9,278.1-279)	11	9	2	6	4	2	10	8	2	29	18	11	-	-	-
Nutritional deficiencies (260-269)	9	7	2	7	4	3	2	2	-	6	2	4	1	1	-
Nutritional marasmus (261)	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-
Other protein-calorie malnutrition (262-263)	9	7	2	6	3	3	2	2	-	4	1	3	1	1	-
All other nutritional deficiencies (260,264-269)	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
IV. Diseases of blood and blood-forming organs (280-289)	19	7	12	16	8	8	14	8	6	29	10	19	-	-	-
Anemias (280-285)	9	4	5	10	5	5	7	4	3	12	6	6	-	-	-
Deficiency anemias (280-281)	1	-	1	2	-	2	-	-	-	-	-	-	-	-	-
Hemolytic anemias (282-283)	5	4	1	-	-	-	-	-	-	5	3	2	-	-	-
Aplastic anemia (284)	1	-	1	5	4	1	6	3	3	2	-	2	-	-	-
Other and unspecified anemias (285)	2	-	2	3	1	2	1	1	-	5	3	2	-	-	-
Purpura and other hemorrhagic conditions (287)	1	-	1	1	-	1	2	1	1	3	1	2	-	-	-
All other diseases of blood and blood-forming organs (286,288-289)	9	3	6	5	3	2	5	3	2	14	3	11	-	-	-
V. Mental disorders (290-319)	10	7	3	22	10	12	9	8	1	27	15	12	1	1	-
Senile and presenile organic psychotic conditions (290)	3	2	1	6	1	5	2	2	-	4	2	2	-	-	-
Alcoholic psychoses (291)	1	-	1	2	2	-	2	2	-	2	-	2	-	-	-
All other psychoses (292-299)	2	2	-	4	4	-	2	2	-	9	7	2	1	-	-
Alcohol dependence syndrome (303)	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Drug dependence (304)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other neurotic, personality, and nonpsychotic mental disorders (300-302,305-316)	3	2	1	10	3	7	2	1	1	7	4	3	-	-	-
Mental retardation (317-319)	-	-	-	-	-	-	1	1	-	4	1	3	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 236

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			Black			Indian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
VI. Diseases of the nervous system and sense organs (320-389)	30,957	15,604	15,353	27,754	13,839	13,915	2,903	1,598	1,305	84	44	40
Diseases of the nervous system (320-359)	30,853	15,546	15,307	27,661	13,786	13,875	2,895	1,594	1,301	82	43	39
Meningitis (320-322)	1,206	634	572	871	451	420	301	163	138	14	8	6
Parkinson's disease (332)	5,173	2,885	2,288	4,974	2,766	2,208	158	91	67	7	4	3
Other hereditary and degenerative diseases of the central nervous system (330-331,333-337)	14,066	6,517	7,549	13,199	6,098	7,101	775	370	405	20	10	10
Multiple sclerosis (340)	1,531	582	949	1,373	522	851	150	58	92	2	-	2
Infantile cerebral palsy (343)	518	305	213	406	243	163	102	56	46	4	3	1
Epilepsy (345)	1,643	964	679	1,168	644	524	454	311	143	11	6	5
Other diseases of the nervous system (323-326,341-342,344,346-359)	6,716	3,659	3,057	5,670	3,062	2,608	955	545	410	24	12	12
Disorders of the eye and adnexa (360-379)	23	12	11	19	9	10	4	3	1	-	-	-
Diseases of the ear and mastoid process (380-389)	81	46	35	74	44	30	4	1	3	2	1	1
VII. Diseases of the circulatory system (390-459)	982,739	487,453	495,286	873,192	432,761	440,431	101,051	49,763	51,288	2,183	1,202	981
Rheumatic fever and rheumatic heart disease (390-398)	6,593	2,142	4,451	6,026	1,934	4,092	472	174	298	28	10	18
Acute rheumatic fever (390-392)	56	33	23	46	29	17	10	4	6	-	-	-
Chronic rheumatic heart disease (393-398)	6,537	2,109	4,428	5,980	1,905	4,075	462	170	292	28	10	18
Diseases of mitral valve (394)	2,935	909	2,026	2,698	828	1,870	189	66	123	11	3	8
Diseases of aortic valve (395)	229	126	103	210	115	95	15	7	8	2	2	-
Diseases of mitral and aortic valves (396)	957	358	599	872	321	551	71	32	39	2	2	-
All other chronic rheumatic heart disease (393,397-398)	2,416	716	1,700	2,200	641	1,559	187	65	122	13	3	10
Hypertensive disease (401-404)	31,433	13,507	17,926	23,314	9,773	13,541	7,774	3,553	4,221	58	28	30
Essential hypertension (401)	3,635	1,519	2,116	2,789	1,143	1,646	816	366	450	6	2	4
Hypertensive heart disease (402)	20,882	8,970	11,912	15,303	6,322	8,981	5,342	2,515	2,827	36	20	16
Hypertensive renal disease (403)	4,116	1,866	2,250	3,133	1,445	1,688	941	398	543	9	4	5
Hypertensive heart and renal disease (404)	2,800	1,152	1,648	2,089	863	1,226	675	274	401	7	2	5
Ischemic heart disease (410-414)	536,805	286,181	250,624	490,515	262,139	228,376	42,161	21,425	20,736	1,101	666	435
Acute myocardial infarction (410)	274,199	155,860	118,339	250,527	143,311	107,216	21,447	11,103	10,344	655	400	255
Other acute and subacute forms of ischemic heart disease (411)	3,959	2,381	1,588	3,394	2,060	1,334	549	304	245	15	9	6
Angina pectoris (413)	928	436	492	839	402	437	85	33	52	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,709	127,504	130,205	235,755	116,366	119,389	20,080	9,985	10,095	430	257	173
Diseases of pulmonary circulation (415-417)	12,397	5,895	6,512	10,236	4,833	5,403	2,080	1,015	1,065	29	14	15
Other forms of heart disease (420-429)	191,692	93,878	97,814	163,983	79,283	84,700	25,954	13,579	12,375	532	289	243
Acute and subacute endocarditis (421)	927	555	372	746	438	308	169	108	61	5	4	1
Acute pericarditis, acute myocarditis, and other diseases of pericardium (420,422-423)	878	471	407	678	369	309	183	92	91	4	3	1
Other diseases of endocardium (424)	9,510	4,420	5,090	8,632	3,981	4,651	794	390	404	18	12	6
Mitral valve disorders (424.0)	1,506	571	935	1,382	522	860	113	45	68	2	1	1
Aortic valve disorders (424.1)	6,105	3,066	3,039	5,597	2,801	2,796	458	237	221	10	8	2
All other diseases of endocardium (424.2-424.9)	1,899	783	1,116	1,653	658	995	223	108	115	6	3	3
Heart failure (428)	37,747	15,860	21,887	33,400	13,911	19,489	4,077	1,825	2,252	109	50	59
Myocarditis, unspecified and myocardial degeneration (429.0-429.1)	1,736	806	930	1,486	667	819	229	126	103	3	-	3
All other and ill-defined forms of heart disease (425-427,429.2-429.9)	140,894	71,766	69,128	119,041	59,917	59,124	20,502	11,038	9,464	393	220	173
Cerebrovascular diseases (430-438)	153,050	60,780	92,270	133,032	51,965	81,067	18,341	8,000	10,341	346	157	189
Subarachnoid hemorrhage (430)	6,490	2,314	4,176	5,430	1,942	3,488	907	324	583	36	10	26
Intracerebral and other intracranial hemorrhage (431-432)	20,728	9,351	11,377	17,041	7,473	9,568	3,258	1,657	1,601	57	28	29
Occlusion and stenosis of precerebral arteries (433)	1,514	833	681	1,386	764	622	114	60	54	7	3	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24,519	9,531	14,988	21,785	8,350	13,435	2,537	1,074	1,463	38	20	18
Cerebral embolism (434.1)	786	331	455	725	302	423	53	25	28	5	3	2
Acute but ill-defined cerebrovascular disease (436)	81,712	31,987	49,725	71,222	27,487	43,735	9,768	4,147	5,621	167	78	89
Other and late effects of cerebrovascular diseases (435,437-438)	17,301	6,433	10,868	15,443	5,647	9,796	1,704	713	991	36	15	21
Diseases of arteries, arterioles, and capillaries (440-448)	45,909	22,682	23,227	42,042	20,851	21,191	3,512	1,629	1,883	67	28	39
Atherosclerosis (440)	23,926	9,082	14,864	22,021	8,251	13,770	1,780	758	1,022	38	12	26
Aortic aneurysm (441)	15,112	10,208	4,904	13,984	9,580	4,404	954	506	448	16	10	6
All other diseases of arteries, arterioles, and capillaries (442-448)	6,871	3,412	3,459	6,037	3,020	3,017	778	365	413	13	6	7
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	4,860	2,398	2,462	4,044	1,983	2,061	757	388	369	22	10	12
Phlebitis, thrombophlebitis, and venous embolism and thrombosis (451-453)	2,116	954	1,162	1,812	811	1,001	294	140	154	6	1	5
Other diseases of veins and lymphatics and all other diseases of circulatory system (454-459)	2,744	1,444	1,300	2,232	1,172	1,060	463	248	215	16	9	7
VIII. Diseases of the respiratory system (460-519)	166,169	93,082	73,107	150,688	83,607	67,081	13,866	8,463	5,403	493	301	192
Diseases of the upper respiratory tract (460-465,470-478)	688	354	334	553	273	280	123	73	50	3	2	1
Acute upper respiratory infections (460-465)	355	159	196	285	118	167	65	37	28	3	2	1
Other diseases of upper respiratory tract (470-478)	333	195	138	268	155	113	58	36	22	-	-	-
Other diseases of the respiratory system (466,480-519)	165,501	92,728	72,773	150,135	83,334	66,801	13,743	8,390	5,353	490	299	191
Acute bronchitis and bronchiolitis (466)	600	303	297	532	258	274	63	41	22	1	1	-
Pneumonia (480-486)	65,561	32,422	33,139	58,561	28,347	30,214	6,247	3,616	2,631	248	149	99
Viral pneumonia (480)	698	321	377	617	279	338	71	36	35	2	1	1
Pneumococcal and other bacterial pneumonia (481-482)	5,878	3,206	2,672	5,015	2,698	2,317	790	466	324	28	16	12
Bronchopneumonia, organism unspecified (485)	9,853	4,831	5,022	8,674	4,119	4,555	1,071	647	424	33	22	11
Pneumonia due to other and unspecified organism (483,486)	49,132	24,064	25,068	44,255	21,251	23,004	4,315	2,467	1,848	185	110	75
Influenza (487)	2,054	737	1,317	1,947	681	1,266	91	48	43	2	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,662	46,596	28,066	69,438	43,074	26,364	4,659	3,154	1,505	140	89	51
Bronchitis, chronic and unspecified, emphysema and asthma (490-493)	21,645	12,967	8,678	19,792	11,835	7,957	1,632	987	645	45	32	13
Bronchitis, not specified as acute or chronic (490)	579	255	324	541	241	300	30	10	20	3	2	1
Chronic bronchitis (491)	3,036	1,786	1,250	2,872	1,688	1,184	137	83	54	6	3	3
Emphysema (492)	14,150	9,375	4,775	13,353	8,766	4,587	687	523	164	28	23	5
Asthma (493)	3,880	1,551	2,329	3,026	1,140	1,886	778	371	407	8	4	4

SECTION 1 - GENERAL MORTALITY - PAGE 237

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Chinese			Japanese			Filipino			Other Asian or Pacific Islander a			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
VI. Diseases of the nervous system and sense organs (320-389)	34	20	14	64	42	22	39	26	13	75	35	40	4	-	4
Diseases of the nervous system (320-359)	34	20	14	64	42	22	39	26	13	74	35	39	4	-	4
Meningitis (320-322)	2	1	1	5	5	-	2	1	1	11	5	6	-	-	-
Parkinson's disease (332)	7	4	3	17	12	5	5	5	-	5	3	2	-	-	-
Other hereditary and degenerative diseases of the central nervous system (330-331,333-337)	12	8	4	24	14	10	13	8	5	22	9	13	1	-	1
Multiple sclerosis (340)	2	-	2	3	1	2	-	-	-	1	1	-	-	-	-
Infantile cerebral palsy (343)	-	-	-	-	-	-	3	1	2	3	2	1	-	-	-
Epilepsy (345)	1	-	1	5	3	2	-	-	-	3	-	3	1	-	1
Other diseases of the nervous system (323-326,341-342,344,346-359)	10	7	3	10	7	3	16	11	5	29	15	14	2	-	2
Disorders of the eye and adnexa (360-379)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the ear and mastoid process (380-389)	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
VII. Diseases of the circulatory system (390-459)	1,723	993	730	1,529	746	783	1,416	1,054	362	1,606	919	687	39	15	24
Rheumatic fever and rheumatic heart disease (390-398)	20	10	10	13	3	10	16	7	9	17	4	13	1	-	1
Acute rheumatic fever (390-392)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic rheumatic heart disease (393-398)	20	10	10	13	3	10	16	7	9	17	4	13	1	-	1
Diseases of mitral valve (394)	11	6	5	6	1	5	10	3	7	9	2	7	1	-	1
Diseases of aortic valve (395)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of mitral and aortic valves (396)	1	-	1	4	1	3	2	1	1	5	1	4	-	-	-
All other chronic rheumatic heart disease (393,397-398)	6	2	4	3	1	2	4	3	1	3	1	2	-	-	-
Hypertensive disease (401-404)	83	45	38	84	36	48	61	42	19	58	30	28	1	-	1
Essential hypertension (401)	8	3	5	7	2	5	2	1	1	7	2	5	-	-	-
Hypertensive heart disease (402)	59	35	24	56	26	30	48	33	15	37	19	18	1	-	1
Hypertensive renal disease (403)	9	4	5	9	4	5	5	4	1	10	7	3	-	-	-
Hypertensive heart and renal disease (404)	7	3	4	12	4	8	6	4	2	4	2	2	-	-	-
Ischemic heart disease (410-414)	865	526	339	691	387	304	703	552	151	747	478	269	22	8	14
Acute myocardial infarction (410)	422	265	157	349	227	122	378	294	84	410	256	154	11	4	7
Other acute and subacute forms of ischemic heart disease (411)	4	3	1	3	2	1	4	3	1	-	-	-	-	-	-
Angina pectoris (413)	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	437	257	180	339	158	181	321	255	66	336	222	114	11	4	7
Diseases of pulmonary circulation (415-417)	11	7	4	10	6	4	10	5	5	20	5	15	1	-	1
Other forms of heart disease (420-429)	292	173	119	314	149	165	257	191	65	351	208	143	9	6	3
Acute and subacute endocarditis (421)	-	-	-	2	1	1	2	1	1	3	3	-	-	-	-
Acute pericarditis, acute myocarditis, and other diseases of pericardium (420,422-423)	2	-	2	-	-	-	3	2	1	8	5	3	-	-	-
Other diseases of endocardium (424)	17	10	7	18	8	10	16	12	4	15	7	8	-	-	-
Mitral valve disorders (424.0)	5	2	3	2	-	2	1	1	-	1	-	1	-	-	-
Aortic valve disorders (424.1)	11	7	4	13	5	8	9	5	4	7	3	4	-	-	-
All other diseases of endocardium (424.2-424.9)	1	1	-	3	3	-	6	6	-	7	4	3	-	-	-
Heart failure (428)	51	24	27	46	14	32	28	20	8	35	16	19	1	-	1
Myocarditis, unspecified and myocardial degeneration (429.0-429.1)	4	3	1	3	1	2	5	3	2	6	6	-	-	-	-
All other and ill-defined forms of heart disease (425-427,429.2-429.9)	218	136	82	245	125	120	203	153	50	284	171	113	8	6	2
Cerebrovascular diseases (430-438)	363	181	182	320	119	201	298	200	98	346	158	188	4	-	4
Subarachnoid hemorrhage (430)	26	7	19	24	4	20	26	10	16	41	17	24	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	109	64	45	68	30	38	79	51	28	116	48	68	-	-	-
Occlusion and stenosis of precerebral arteries (433)	-	-	-	-	-	-	4	3	1	3	3	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	22	17	45	17	28	40	28	12	34	20	14	1	-	1
Cerebral embolism (434.1)	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-
Acute but ill-defined cerebrovascular disease (436)	154	73	81	146	49	97	128	92	36	124	61	63	3	-	3
Other and late effects of cerebrovascular diseases (435,437-438)	35	15	20	37	19	18	19	15	4	27	9	18	-	-	-
Diseases of arteries, arterioles, and capillaries (440-448)	74	45	29	89	41	48	62	52	10	62	35	27	1	1	-
Atherosclerosis (440)	18	7	11	41	16	25	11	9	2	16	8	8	1	1	-
Aortic aneurysm (441)	45	32	13	34	20	14	44	38	6	35	22	13	-	-	-
All other diseases of arteries, arterioles, and capillaries (442-448)	11	6	5	14	5	9	7	5	2	11	5	6	-	-	-
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	15	6	9	8	5	3	9	5	4	5	1	4	-	-	-
Phlebitis, thrombophlebitis, and venous embolism and thrombosis (451-453)	1	1	-	1	-	1	2	1	1	-	-	-	-	-	-
Other diseases of veins and lymphatics and all other diseases of circulatory system (454-459)	14	5	9	7	5	2	7	4	3	5	1	4	-	-	-
VIII. Diseases of the respiratory system (460-519)	325	211	114	286	144	142	256	195	61	269	157	112	6	4	2
Diseases of the upper respiratory tract (460-465,470-478)	2	-	2	1	-	1	2	1	-	4	4	-	-	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Other diseases of upper respiratory tract (470-478)	2	-	2	1	-	1	1	1	-	3	3	-	-	-	-
Other diseases of the respiratory system (466,480-519)	323	211	112	285	144	141	254	193	61	265	153	112	6	4	2
Acute bronchitis and bronchiolitis (466)	2	2	-	1	1	-	1	-	1	-	-	-	-	-	-
Pneumonia (480-486)	143	95	48	147	69	78	101	80	21	111	65	46	3	1	2
Viral pneumonia (480)	3	3	-	1	-	1	-	-	-	4	2	2	-	-	-
Pneumococcal and other bacterial pneumonia (481-482)	20	12	8	10	5	5	8	6	2	6	3	3	1	-	1
Bronchopneumonia, organism unspecified (485)	15	11	4	20	6	14	12	8	4	27	17	10	1	1	-
Pneumonia due to other and unspecified organism (483,486)	105	69	36	116	58	58	81	66	15	74	43	31	1	-	1
Influenza (487)	3	-	3	7	3	4	2	1	1	2	2	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	125	90	35	88	49	39	104	77	27	105	60	45	3	3	-
Bronchitis, chronic and unspecified, emphysema and asthma (490-493)	46	31	15	33	16	17	53	37	16	44	29	15	-	-	-
Bronchitis, not specified as acute or chronic (490)	-	-	-	1	-	1	1	-	-	1	3	2	1	-	-
Chronic bronchitis (491)	4	3	1	8	2	6	4	3	1	5	4	1	-	-	-
Emphysema (492)	26	19	7	15	11	4	20	17	3	21	16	5	-	-	-
Asthma (493)	16	9	7	9	3	6	28	17	11	15	7	8	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 238

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			Black			Indian 1		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Chronic obstructive pulmonary diseases and allied conditions—Con.												
Bronchiectasis and extrinsic allergic alveolitis (494-495)	860	331	529	808	310	498	37	15	22	5	4	1
Chronic airways obstruction, not elsewhere classified (496)	52,157	33,298	18,859	48,838	30,929	17,909	2,990	2,152	838	90	53	37
Pneumoconioses and other lung diseases due to external agents (500-508)	7,649	4,615	3,034	6,718	4,050	2,668	864	524	340	21	11	10
Empyema and abscess of lung and mediastinum (510,513)	1,183	795	388	910	595	315	257	189	68	3	2	1
Pleurisy (511)	784	346	438	672	293	379	106	50	56	1	—	1
All other diseases of respiratory system (512,514-519)	13,008	6,914	6,094	11,357	6,036	5,321	1,456	768	688	74	45	29
IX. Diseases of the digestive system (520-579)	74,805	39,376	35,427	64,173	33,319	30,854	9,572	5,433	4,139	515	279	236
Diseases of oral cavity, salivary glands, and jaws (520-529)	103	51	52	83	34	49	18	16	2	1	1	—
Diseases of other parts of the digestive system (530-579)	74,702	39,327	35,375	64,090	33,285	30,805	9,554	5,417	4,137	514	278	236
Ulcer of stomach and duodenum (531-533)	6,645	3,330	3,315	5,984	2,947	3,037	571	328	243	24	14	10
Gastric ulcer (531)	2,115	979	1,136	1,866	834	1,032	217	127	90	13	7	6
Duodenal ulcer (532)	2,279	1,223	1,056	2,058	1,091	967	185	111	74	7	4	3
Peptic ulcer, site unspecified (533)	2,251	1,128	1,123	2,060	1,022	1,038	169	90	79	4	3	1
Gastritis and duodenitis (535)	641	349	292	555	292	263	74	47	27	3	2	1
Appendicitis (540-543)	501	276	225	396	217	179	99	57	42	2	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,361	2,040	3,321	4,683	1,711	2,972	637	306	331	18	8	10
Regional enteritis and idiopathic proctocolitis (555-556)	628	264	364	577	238	339	47	24	23	2	1	1
All other noninfective gastroenteritis and colitis (557-558)	6,993	2,676	4,317	6,327	2,362	3,965	607	278	329	21	13	8
Diverticula of intestine (562)	2,933	913	2,020	2,692	834	1,858	231	74	157	4	1	3
Chronic liver disease and cirrhosis (571)	26,767	17,244	9,523	22,192	14,321	7,871	4,055	2,616	1,439	320	173	147
Chronic liver disease and cirrhosis, specified as												
alcoholic (571.0-571.3)	11,288	8,129	3,159	8,821	6,455	2,366	2,226	1,524	702	195	113	82
Chronic hepatitis and biliary cirrhosis (571.4,571.6)	1,311	458	853	1,179	404	775	99	43	56	6	1	5
Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol (571.5,571.8-571.9)	14,168	8,657	5,511	12,192	7,462	4,730	1,730	1,049	681	119	59	60
Cholelithiasis and other disorders of gallbladder (574-575)	2,975	1,368	1,607	2,660	1,229	1,431	270	118	152	16	6	10
All other diseases of digestive system (530,534,536-537,564-570,572-573,576-579)	21,258	10,867	10,391	18,024	9,134	8,890	2,963	1,569	1,394	104	59	45
X. Diseases of the genitourinary system (580-629)	36,888	17,250	19,638	30,137	14,046	16,091	6,345	3,006	3,339	134	55	79
Diseases of urinary system (580-599)	35,835	18,502	19,333	29,245	13,406	15,839	6,190	2,903	3,287	133	54	79
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,349	10,551	10,798	17,046	8,482	8,564	4,044	1,935	2,109	92	36	56
Acute glomerulonephritis (580)	121	56	65	105	48	57	13	6	7	1	1	—
Nephrotic syndrome (581)	227	103	124	181	82	99	45	21	24	1	—	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (592-593,597)	1,565	770	795	1,256	607	649	288	155	133	7	3	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,496	9,622	9,874	15,504	7,745	7,759	3,698	1,753	1,945	83	32	51
Infections of kidney (590)	1,982	691	1,291	1,708	582	1,126	249	103	146	12	3	9
Urinary calculus (592,594)	400	159	241	340	130	210	50	22	28	2	1	1
All other diseases of urinary system (591,593,595-599)	12,104	5,101	7,003	10,151	4,212	5,939	1,847	843	1,004	27	14	13
Diseases of male genital organs (600-609)	748	748	—	640	640	—	103	103	—	1	1	—
Hyperplasia of prostate (600)	479	479	—	422	422	—	55	55	—	—	—	—
Other diseases of male genital organs (601-609)	269	269	—	218	218	—	48	48	—	1	1	—
Disorders of breast (610-611)	40	—	40	33	—	33	7	—	7	—	—	—
Diseases of female genital organs except breast (614-629)	265	—	265	219	—	219	45	—	45	—	—	—
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)	295	—	295	156	—	156	124	—	124	7	—	7
Pregnancy with abortive outcome (630-638)	49	—	49	19	—	19	28	—	28	1	—	1
Ectopic pregnancy (633)	33	—	33	11	—	11	21	—	21	—	—	—
Spontaneous abortion (634)	—	—	—	—	—	—	—	—	—	—	—	—
Legally induced abortion (635)	2	—	2	—	—	—	2	—	2	—	—	—
Illegally induced abortion (636)	1	—	1	—	—	—	—	—	—	—	—	—
Other pregnancy with abortive outcome (630-632,637-638)	13	—	13	7	—	7	5	—	5	1	—	1
Direct obstetric causes (640-646,651-676)	232	—	232	127	—	127	92	—	92	6	—	6
Hemorrhage of pregnancy and childbirth (640-641,666)	40	—	40	21	—	21	15	—	15	3	—	3
Toxemia of pregnancy (642.4-642.9,643)	33	—	33	16	—	16	15	—	15	1	—	1
Obstructed labor (660)	—	—	—	—	—	—	—	—	—	—	—	—
Complications of the puerperium (670-676)	91	—	91	55	—	55	32	—	32	1	—	1
Other direct obstetric causes (642.0-642.3,644-646,651-659,661-665,667-669)	68	—	68	35	—	35	30	—	30	1	—	1
Indirect obstetric causes (647-648)	14	—	14	10	—	10	4	—	4	—	—	—
Delivery in a completely normal case (650)	—	—	—	—	—	—	—	—	—	—	—	—
XII. Diseases of the skin and subcutaneous tissue (680-709)	3,852	1,442	2,410	2,821	1,052	1,769	990	374	616	16	9	7
Infections of skin and subcutaneous tissue (680-686)	772	309	463	638	244	394	124	57	67	4	3	1
All other diseases of skin and subcutaneous tissue (690-709)	3,080	1,133	1,947	2,183	808	1,375	866	317	549	12	6	6
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)	6,256	1,849	4,407	5,245	1,555	3,690	910	268	642	49	13	36
Rheumatoid arthritis and other inflammatory polyarthropathies (714)	1,497	440	1,057	1,409	407	1,002	72	28	44	12	5	7
Other arthropathies and related disorders (710-712,715-719)	2,999	755	2,244	2,335	608	1,727	598	132	466	30	7	23
Dorsopathies (720-724)	167	105	62	147	93	54	18	12	6	1	—	1
Rheumatism, excluding the back (725-729)	383	160	223	276	119	157	102	40	62	3	—	3
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)	1,210	389	821	1,078	328	750	120	56	64	3	1	2

SECTION 1 - GENERAL MORTALITY - PAGE 239

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Chinese			Japanese			Filipino			Other Asian or Pacific Islander			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Chronic obstructive pulmonary diseases and allied conditions-Con.															
Bronchiectasis and extrinsic allergic alveolitis (494-495)	1	1	-	3	-	3	2	-	2	4	1	3	-	-	-
Chronic airways obstruction, not elsewhere classified (496)	78	58	20	52	33	19	49	40	9	57	30	27	3	3	-
Pneumoconioses and other lung diseases due to external agents (500-508)	10	5	5	14	7	7	11	10	1	11	8	3	-	-	-
Empyema and abscess of lung and mediastinum (510,513)	4	1	3	2	1	1	6	6	-	1	1	-	-	-	-
Pleurisy (511)	2	1	1	1	1	-	1	1	-	1	-	1	-	-	-
All other diseases of respiratory system (512,514-519)	34	17	17	25	13	12	28	18	10	34	17	17	-	-	-
IX. Diseases of the digestive system (520-579)	147	85	62	106	59	47	111	86	25	177	114	63	4	3	1
Diseases of oral cavity, salivary glands, and jaws (520-529)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of other parts of the digestive system (530-579)	146	85	61	106	59	47	111	86	25	177	114	63	4	3	1
Ulcer of stomach and duodenum (531-533)	23	13	10	11	5	6	16	13	3	16	10	6	-	-	-
Gastric ulcer (531)	5	2	3	4	2	2	5	4	1	5	3	2	-	-	-
Duodenal ulcer (532)	12	7	5	5	2	3	5	4	1	7	4	3	-	-	-
Peptic ulcer, site unspecified (533)	6	4	2	2	1	1	6	5	1	4	3	1	-	-	-
Gastritis and duodenitis (535)	3	2	1	-	-	-	4	4	-	2	2	-	-	-	-
Appendicitis (540-543)	-	-	-	2	-	2	-	-	-	2	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	3	4	3	2	1	6	5	1	7	5	2	-	-	-
Regional enteritis and idiopathic proctocolitis (555-556)	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
All other noninfective gastroenteritis and colitis (557-558)	11	6	5	6	4	2	11	8	3	10	5	5	-	-	-
Diverticula of intestine (562)	-	-	-	1	1	-	3	3	-	1	-	1	1	-	1
Chronic liver disease and cirrhosis (571)	45	29	16	42	23	19	34	24	10	78	57	21	1	1	-
Chronic liver disease and cirrhosis, specified as															
alcoholic (571.0-571.3)	5	4	1	11	9	2	10	7	3	20	17	3	-	-	-
Chronic hepatitis and biliary cirrhosis (571.4,571.6)	7	4	3	8	2	6	4	2	2	8	2	6	-	-	-
Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol (571.5,571.8-571.9)	33	21	12	23	12	11	20	15	5	50	38	12	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	3	4	7	4	3	10	6	4	5	2	3	-	-	-
All other diseases of digestive system (530,534,536-537,564-570,572-573,576-579)	50	29	21	34	20	14	27	23	4	54	31	23	2	2	-
X. Diseases of the genitourinary system (580-629)	86	42	44	50	18	32	70	54	16	64	29	35	2	-	2
Diseases of urinary system (580-599)	84	41	43	50	18	32	67	51	16	64	29	35	2	-	2
Nephritis, nephrotic syndrome, and nephrosis (580-599)	53	27	26	24	11	13	47	38	9	42	22	20	1	-	1
Acute glomerulonephritis (580)	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
Nephrotic syndrome (581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	1	5	-	-	-	3	3	-	4	1	3	1	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	47	26	21	24	11	13	42	34	8	38	21	17	-	-	-
Infections of kidney (590)	2	-	2	5	-	5	4	2	2	1	1	-	1	-	1
Urinary calculus (592,594)	2	2	-	-	-	-	4	4	-	2	-	2	-	-	-
All other diseases of urinary system (591,593,595-599)	27	12	15	21	7	14	12	7	5	19	6	13	-	-	-
Diseases of male genital organs (600-608)	1	1	...	-	-	...	3	3	...	-	-	...	-	-	...
Hyperplasia of prostate (600)	-	-	...	-	-	...	2	2	...	-	-	...	-	-	...
Other diseases of male genital organs (601-608)	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
Disorders of breast (610-611)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of female genital organs except breast (614-629)	1	...	1	-	...	-	-	...	-	-	...	-	-	...	-
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)	1	...	1	1	...	1	2	...	2	4	...	4	-	...	-
Pregnancy with abortive outcome (630-638)	-	...	-	-	...	-	1	...	1	-	...	-	-	...	-
Ectopic pregnancy (633)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Spontaneous abortion (634)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Legally induced abortion (635)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Illegally induced abortion (636)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Other pregnancy with abortive outcome (630-632,637-638)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Direct obstetric causes (640-646,651-676)	1	...	1	1	...	1	1	...	1	4	...	4	-	...	-
Hemorrhage of pregnancy and childbirth (640-641,686)	-	...	-	-	...	-	-	...	-	1	...	1	-	...	-
Toxemia of pregnancy (642.4-642.9,643)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Obstructed labor (660)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Complications of the puerperium (670-676)	1	...	1	-	...	-	-	...	-	2	...	2	-	...	-
Other direct obstetric causes (642.0-642.3,644-646,651-659,661-665,667-669)	-	...	-	1	...	1	1	...	1	-	...	-	-	...	-
Indirect obstetric causes (647-648)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Delivery in a completely normal case (650)	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
XII. Diseases of the skin and subcutaneous tissue (680-709)	5	-	5	7	2	5	4	2	2	8	3	5	1	-	1
Infections of skin and subcutaneous tissue (680-686)	-	-	-	1	1	-	2	2	-	3	2	1	-	-	-
All other diseases of skin and subcutaneous tissue (690-709)	5	-	5	6	1	5	2	-	2	5	1	4	1	-	1
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)	12	7	5	17	2	15	9	1	8	13	3	10	1	-	1
Rheumatoid arthritis and other inflammatory polyarthropathies (714)	-	-	-	3	-	3	1	-	1	-	-	-	-	-	-
Other arthropathies and related disorders (710-712,715-719)	8	4	4	8	1	7	7	1	6	12	2	10	1	-	1
Dorsopathies (720-724)	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Rheumatism, excluding the back (725-729)	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)	3	3	-	4	-	4	1	-	1	1	1	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 240

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			Black			Indian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
XIV. Congenital anomalies (740-759)	12,783	6,895	5,888	10,437	5,674	4,763	2,008	1,046	962	92	47	45
Spina bifida (741)	167	97	90	162	81	81	24	16	8	-	-	-
All other congenital anomalies of nervous system (740,742)	1,572	745	827	1,314	611	703	209	109	100	11	4	7
Congenital anomalies of heart (745-748)	4,432	2,464	1,968	3,612	2,040	1,572	698	353	345	36	21	15
Other congenital anomalies of circulatory system (747)	1,320	728	592	1,048	589	459	247	127	120	9	3	6
All other congenital anomalies (743-744,746-759)	5,272	2,861	2,411	4,301	2,353	1,948	830	441	389	36	19	17
XV. Certain conditions originating in the perinatal period (760-779)	19,246	11,094	8,152	12,634	7,404	5,230	6,196	3,458	2,738	122	70	52
Birth trauma (767)	334	198	136	226	131	95	100	61	39	2	1	1
Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (768-769)	4,891	2,980	1,911	3,521	2,170	1,351	1,273	748	525	32	20	12
Other conditions originating in the perinatal period (760-766,770-779)	14,021	7,916	6,105	8,887	5,103	3,784	4,823	2,649	2,174	88	49	39
XVI. Symptoms, signs, and ill-defined conditions (780-799)	30,960	17,470	13,490	23,836	13,340	10,496	6,626	3,829	2,797	250	142	108
Senility without mention of psychosis (797)	1,349	414	935	1,172	333	839	161	74	87	12	5	7
Symptoms, signs, and other ill-defined conditions (780-796,798-799)	29,611	17,056	12,555	22,664	13,007	9,657	6,465	3,755	2,710	238	137	101
Supplementary classification of external causes of injury and poisoning (E800-E999)	145,648	104,408	41,240	119,426	84,782	34,644	22,884	17,283	5,601	1,564	1,167	397
Accidents and adverse effects (E800-E949)	93,457	64,160	29,297	78,011	53,856	25,155	12,207	8,752	3,455	1,110	804	306
Transport accidents (E800-E848)	49,249	35,284	13,965	42,665	30,394	12,271	5,195	3,909	1,286	676	484	192
Railway accidents (E800-E807)	551	480	71	431	371	60	105	97	8	11	10	1
Motor vehicle accidents (E810-E825)	45,901	32,443	13,458	39,689	27,894	11,795	4,916	3,659	1,257	618	439	179
Motor vehicle traffic accidents (E810-E819)	44,822	31,592	13,230	38,713	27,119	11,594	4,841	3,602	1,239	604	429	175
Involving collision with train (E810)	538	373	165	480	330	150	48	35	13	3	2	1
Involving collision with another motor vehicle (E811-E812)	16,924	10,991	5,933	15,062	9,724	5,338	1,496	1,024	472	130	90	40
Involving collision with pedestrian (E814)	7,157	4,931	2,226	5,518	3,748	1,770	1,319	969	350	170	125	45
Involving collision with other vehicle or object (E813,E815)	6,929	5,498	1,431	6,076	4,808	1,268	686	559	127	68	53	15
Not involving collision on highway (E816-E818)	8,060	6,115	1,945	7,052	5,337	1,715	742	607	135	167	106	61
Motor vehicle traffic accident of unspecified nature (E819)	5,214	3,684	1,530	4,525	3,172	1,353	550	408	142	66	53	13
Motor vehicle nontraffic accidents (E820-E825)	1,079	851	228	976	775	201	75	57	18	14	10	4
Other road vehicle accidents (E826-E829)	231	164	67	205	140	65	20	19	1	3	2	1
Water transport accidents (E830-E838)	1,111	1,012	99	941	854	87	123	119	4	32	25	7
Air and space transport accidents (E840-E845)	1,428	1,141	287	1,374	1,112	262	30	15	15	12	8	4
Vehicle accidents not elsewhere classifiable (E846-E848)	27	24	3	25	23	2	1	-	1	-	-	-
Accidental poisoning (E850-E869)	5,170	3,659	1,511	4,190	2,998	1,192	904	612	292	48	30	18
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	3,612	2,509	1,103	2,984	2,090	894	580	388	192	26	16	10
Accidental poisoning by other solid or liquid substances (E860-E866)	479	363	116	319	248	71	144	104	40	14	10	4
Accidental poisoning by gases and vapors (E867-E869)	1,079	787	292	887	660	227	180	120	60	8	4	4
Misadventures during medical care, abnormal reactions, and late complications (E870-E879)	2,674	1,310	1,364	2,235	1,084	1,151	398	203	195	20	10	10
Accidental falls (E880-E888)	12,001	6,392	5,609	10,798	5,579	5,219	1,048	711	337	47	39	8
Fall from one level to another (E880-E884)	3,365	2,406	959	2,954	2,085	869	355	276	79	17	17	-
Fall on same level (E885-E886)	411	210	201	381	195	186	25	12	13	1	-	1
Fracture, cause unspecified, and other and unspecified falls (E887-E888)	8,225	3,776	4,449	7,463	3,299	4,164	668	423	245	29	22	7
Accidents caused by fire and flames (E890-E899)	4,938	3,008	1,930	3,461	2,135	1,326	1,400	825	575	47	31	16
Other accidents, including late effects (E900-E929)	19,247	14,432	4,815	15,514	11,585	3,929	3,232	2,478	754	272	210	62
Lightning (E907)	85	77	8	72	66	6	10	9	1	3	2	1
Accidental drowning and submersion (E910)	4,407	3,565	842	3,331	2,660	671	911	776	135	67	54	13
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	3,551	1,981	1,570	2,909	1,603	1,306	573	334	239	30	21	9
Accident caused by handgun (E922.0)	190	167	23	164	145	19	25	21	4	-	-	-
Accidents caused by all other and unspecified firearms (E922.1-E922.9)	1,459	1,248	211	1,182	1,015	167	226	192	34	37	29	8
Accident caused by explosive material (E923)	296	245	51	257	209	48	33	32	1	2	2	-
Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation (E924,E926)	176	98	78	121	68	53	51	28	23	-	-	-
Accident caused by electric current (E925)	802	742	60	719	671	48	71	62	9	6	5	1
All other accidents and late effects of accidental injury (E900-E906,E908-E909, E913-E921,E927-E929)	8,281	6,309	1,972	6,759	5,148	1,611	1,332	1,024	308	127	97	30
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	178	95	83	148	81	67	30	14	16	-	-	-
Suicide (E950-E959)	29,453	23,145	6,308	27,087	21,256	5,831	1,785	1,481	314	210	172	38
Suicide by drugs, medicaments, and biologicals (E950.0-E950.5)	2,668	1,123	1,545	2,503	1,049	1,454	120	55	65	12	2	10
Suicide by other solid or liquid substances (E950.6-E950.9)	269	170	99	234	151	83	26	14	12	1	-	1
Suicide by gases and vapors (E951-E952)	2,767	2,026	741	2,713	1,985	728	39	33	6	-	-	-
Suicide by hanging, strangulation, and suffocation (E953)	4,264	3,532	732	3,712	3,073	639	394	308	26	67	60	7
Suicide by handgun (E955.0)	2,981	2,373	608	2,802	2,229	573	146	118	28	15	13	2
Suicide by all other and unspecified firearms (E955.1-E955.4)	14,382	12,436	1,946	13,318	11,521	1,797	886	763	123	103	88	15
Suicide by all other means and late effects of self-inflicted injury (E954,E955.5-E959)	2,122	1,485	637	1,805	1,248	557	244	190	54	12	9	3
Homicide and legal intervention (E960-E978)	19,893	15,068	4,827	11,163	8,122	3,041	8,282	6,616	1,666	200	161	39
Assault by handgun (E965.0)	903	691	212	500	353	147	587	324	63	5	4	1
Assault by all other and unspecified firearms (E965.1-E965.4)	10,939	8,841	2,098	5,991	4,652	1,339	4,755	4,039	716	66	58	8
Assault by cutting and piercing instrument (E966)	3,994	3,068	926	2,045	1,516	529	1,824	1,456	368	71	58	13
Assault by all other means and late effects of injury purposely inflicted by other person (E960-E964,E965.5-E965.9,E967-E969)	3,798	2,206	1,592	2,467	1,442	1,025	1,223	708	515	53	36	17

SECTION 1 - GENERAL MORTALITY - PAGE 241

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Chinese			Japanese			Filipino			Other Asian or Pacific Islander ²			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
XIV. Congenital anomalies (740-759)	38	23	15	18	9	9	48	26	22	135	64	71	7	6	1
Spina bifida (741)	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
All other congenital anomalies of nervous system (740,742)	1	-	1	2	1	1	9	6	3	25	13	12	1	1	-
Congenital anomalies of heart (745-746)	19	15	4	5	1	4	11	6	5	47	25	22	4	3	1
Other congenital anomalies of circulatory system (747)	1	-	1	1	-	1	5	4	1	8	4	4	1	1	-
All other congenital anomalies (743-744,748-759)	17	8	9	10	7	3	22	10	12	55	22	33	1	1	-
XV. Certain conditions originating in the perinatal period (760-779)	34	12	22	17	7	10	54	31	23	185	110	75	4	2	2
Birth trauma (767)	-	-	-	1	-	1	-	-	-	5	5	-	-	-	-
Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (768-769)	9	5	4	6	3	3	12	7	5	38	27	11	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	25	7	18	10	4	6	42	24	18	142	78	64	4	2	2
XVI. Symptoms, signs, and ill-defined conditions (780-799)	54	30	24	18	10	8	34	25	9	139	92	47	3	2	1
Senility without mention of psychosis (797)	2	1	1	-	-	-	1	-	1	1	1	-	-	-	-
Symptoms, signs, and other ill-defined conditions (780-796,798-799)	52	29	23	18	10	8	33	25	8	138	91	47	3	2	1
Supplementary classification of external causes of injury and poisoning (E800-E999)	291	170	121	242	133	109	264	184	80	949	666	283	28	23	5
Accidents and adverse effects (E800-E949)	187	112	75	148	81	67	186	128	58	593	413	180	15	14	1
Transport accidents (E800-E848)	102	59	43	68	41	27	112	73	39	418	291	127	13	13	-
Railway accidents (E800-E807)	1	1	-	-	-	-	-	-	-	3	1	2	-	-	-
Motor vehicle accidents (E810-E825)	96	54	42	67	40	27	110	71	39	392	273	119	13	13	-
Motor vehicle traffic accidents (E810-E819)	96	54	42	65	39	26	109	70	39	381	266	115	13	13	-
Involving collision with train (E810)	1	1	-	-	-	-	1	-	1	5	5	-	-	-	-
Involving collision with another motor vehicle (E811-E812)	26	17	9	24	14	10	52	33	19	131	86	45	3	3	-
Involving collision with pedestrian (E814)	38	20	18	21	10	11	20	11	9	66	43	23	5	5	-
Involving collision with other vehicle or object (E813,E815)	10	6	4	8	7	1	14	10	4	64	52	12	3	3	-
Not involving collision on highway (E816-E818)	9	4	5	8	5	3	16	11	5	66	45	21	-	-	-
Motor vehicle traffic accident of unspecified nature (E819)	12	6	6	4	3	1	6	5	1	49	35	14	2	2	-
Motor vehicle nontraffic accidents (E820-E825)	-	-	-	2	1	1	1	1	-	11	7	4	-	-	-
Other road vehicle accidents (E826-E829)	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-
Water transport accidents (E830-E838)	3	3	-	1	1	-	-	-	-	11	10	1	-	-	-
Air and space transport accidents (E840-E845)	1	-	1	-	-	-	-	-	-	11	6	5	-	-	-
Vehicle accidents not elsewhere classifiable (E846-E848)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning (E850-E869)	4	2	2	5	2	3	8	6	2	11	9	2	-	-	-
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	4	2	2	5	2	3	5	5	-	8	6	2	-	-	-
Accidental poisoning by other solid or liquid substances (E860-E866)	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Accidental poisoning by gases and vapors (E867-E869)	-	-	-	-	-	-	2	1	1	2	2	-	-	-	-
Misadventures during medical care, abnormal reactions, and late complications (E870-E879)	7	4	3	3	2	1	5	3	2	6	4	2	-	-	-
Accidental falls (E880-E888)	35	20	15	29	10	19	21	19	2	23	14	9	-	-	-
Fall from one level to another (E880-E884)	10	7	3	7	4	3	8	7	1	14	10	4	-	-	-
Fall on same level (E885-E886)	-	-	-	1	1	-	2	1	1	1	1	-	-	-	-
Fracture, cause unspecified, and other and unspecified falls (E887-E888)	25	13	12	21	5	16	11	11	-	8	3	5	-	-	-
Accidents caused by fire and flames (E890-E899)	2	1	1	3	1	2	8	4	4	16	10	6	1	1	-
Other accidents, including late effects (E900-E929)	37	26	11	40	25	15	32	23	9	119	85	34	1	-	1
Lightning (E907)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion (E910)	11	10	1	15	10	5	6	5	1	66	50	16	-	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	11	8	3	11	5	6	9	6	3	8	4	4	-	-	-
Accident caused by handgun (E922.0)	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Accidents caused by all other and unspecified firearms (E922.1-E922.9)	-	-	-	1	1	-	3	3	-	10	8	2	-	-	-
Accident caused by explosive material (E923)	-	-	-	-	-	-	1	1	-	3	1	2	-	-	-
Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation (E924,E926)	2	1	1	-	-	-	-	-	-	2	1	1	-	-	-
Accident caused by electric current (E925)	-	-	-	1	1	-	3	1	2	2	2	-	-	-	-
All other accidents and late effects of accidental injury (E900-E906,E908-E909, E913-E921,E927-E929)	13	7	6	12	8	4	9	6	3	28	19	9	1	-	1
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	66	30	36	69	39	30	42	32	10	176	129	47	8	6	2
Suicide by drugs, medicaments, and biologicals (E950.0-E950.5)	4	2	2	12	6	6	4	1	3	11	8	3	2	-	2
Suicide by other solid or liquid substances (E950.6-E950.9)	2	1	1	-	-	-	-	-	-	5	3	2	1	1	-
Suicide by gases and vapors (E951-E952)	2	1	1	6	2	4	1	1	-	5	3	2	1	1	-
Suicide by hanging, strangulation, and suffocation (E953)	35	15	20	26	9	17	16	13	3	72	52	20	2	2	-
Suicide by handgun (E955.0)	3	2	1	4	4	-	5	4	1	6	3	3	-	-	-
Suicide by all other and unspecified firearms (E955.1-E955.4)	6	4	2	13	12	1	12	10	2	42	36	6	2	2	-
Suicide by all other means and late effects of self-inflicted injury (E954,E955.5-E959)	14	5	9	8	6	2	4	3	1	35	24	11	-	-	-
Homicide and legal intervention (E960-E978)	30	21	9	20	10	10	34	22	12	159	111	48	5	3	2
Assault by handgun (E965.0)	-	-	-	-	-	-	1	1	-	10	9	1	-	-	-
Assault by all other and unspecified firearms (E965.1-E965.4)	14	10	4	9	6	3	15	11	4	82	64	18	1	1	-
Assault by cutting and piercing instrument (E966)	7	7	-	3	1	2	9	7	2	32	21	11	3	2	1
Assault by all other means and late effects of injury purposely inflicted by other person (E960-E964,E965.5-E965.9,E967-E969)	7	2	5	7	2	5	8	2	6	32	14	18	1	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 242

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	All races			White			Black			Indian 1		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Homicide and legal intervention-Con.												
Legal execution (E978)	17	17	-	10	10	-	7	7	-	-	-	-
Other legal intervention and late effects of injury due to legal intervention (E970-E977)	248	243	5	150	149	1	86	82	4	5	5	-
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	2,826	2,019	807	2,148	1,532	616	598	432	166	44	30	14
From poisoning by drugs, medicaments, and biologicals (E980.0-E980.5)	778	481	297	654	407	247	110	67	43	6	3	3
From poisoning by other solid or liquid substances (E980.6-E980.9)	54	36	18	48	33	15	5	3	2	1	-	1
From injury by handgun (E985.0)	65	53	12	61	49	12	2	2	-	1	1	-
From injury by all other and unspecified firearms (E985.1-E985.4)	411	335	76	340	277	63	56	46	10	12	10	2
From injury by all other means and late effects of injury, undetermined whether accidentally or purposely inflicted (E981-E984,E985.5-E989)	1,518	1,114	404	1,045	766	279	425	314	111	24	16	8
Injury resulting from operations of war (E990-E999)	19	18	1	17	16	1	2	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 243

Table 1-24. Deaths From 282 Selected Causes, by Specified Race or National Origin and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Chinese			Japanese			Filipino			Other Asian or Pacific Islander ²			Other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Homicide and legal intervention-Con.															
Legal execution (E978)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other legal intervention and late effects of injury due to legal intervention (E970-E977)	2	2	-	1	1	-	1	1	-	3	3	-	-	-	-
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	8	7	1	5	3	2	2	2	-	21	13	8	-	-	-
From poisoning by drugs, medicaments, and biologicals (E980.0-E980.5)	-	-	-	3	2	1	-	-	-	5	2	3	-	-	-
From poisoning by other solid or liquid substances (E980.6-E980.9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
From injury by handgun (E985.0)	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
From injury by all other and unspecified firearms (E985.1-E985.4)	-	-	-	1	1	-	-	-	-	2	1	1	-	-	-
From injury by all other means and late effects of injury, undetermined whether accidentally or purposely inflicted (E981-E984,E985.5-E989)	8	7	1	1	-	1	1	1	-	14	10	4	-	-	-
Injury resulting from operations of war (E990-E999)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Includes deaths among Aleuts and Eskimos.

² Includes deaths among Hawaiians and Part-Hawaiians.

SECTION 1 - GENERAL MORTALITY - PAGE 244

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,086,440	40,030	2,837	1,941	1,389	1,172	47,369	4,168	4,765	15,068	22,867	24,729	27,123	30,439
All races, male	1,097,758	22,958	1,584	1,109	829	719	27,199	2,430	3,055	10,831	17,331	18,213	19,141	20,561
All races, female	988,682	17,072	1,253	832	560	453	20,170	1,738	1,710	4,237	5,536	6,516	7,982	9,878
White, male	950,455	16,218	1,126	845	585	555	19,329	1,815	2,400	8,807	13,775	14,005	14,097	15,429
White, female	868,599	11,846	883	594	421	342	13,886	1,273	1,324	3,497	4,311	4,746	5,615	7,270
Black, male	133,610	6,127	396	220	206	139	7,088	520	579	1,734	3,072	3,781	4,634	4,720
Black, female	110,597	4,936	320	206	123	94	5,679	401	327	611	1,086	1,601	2,128	2,330
I. Infectious and parasitic diseases (001-139)	28,003	720	127	76	46	30	999	92	65	145	288	625	916	1,009
All races, male	14,751	416	78	39	24	19	576	48	31	63	186	443	708	784
All races, female	13,252	304	49	37	22	11	423	44	34	82	102	182	208	225
White, male	11,468	268	57	26	16	17	384	38	27	46	126	315	483	548
White, female	10,548	185	35	28	19	9	276	33	25	63	73	102	105	119
Black, male	3,024	137	20	10	8	1	176	10	3	17	57	123	214	222
Black, female	2,501	112	11	6	3	1	133	11	8	16	28	78	96	97
Intestinal infectious diseases (001-009)	456	106	8	6	6	2	128	3	2	-	4	5	15	14
All races, male	233	60	3	4	3	2	72	1	1	-	3	5	15	12
All races, female	223	46	5	2	3	-	56	2	1	-	1	-	-	2
White, male	170	34	2	3	1	2	42	1	1	-	2	3	9	9
White, female	174	21	4	2	3	-	30	2	1	-	1	-	-	-
Black, male	57	25	1	1	2	-	29	-	-	-	1	2	5	2
Black, female	46	23	1	-	-	-	24	-	-	-	-	-	-	2
Cholera and typhoid and paratyphoid fevers (001-002)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis (004)	17	1	-	1	3	1	6	1	1	-	-	-	2	-
All races, male	11	1	-	1	1	1	4	1	1	-	-	-	2	-
All races, female	6	-	-	-	2	-	2	-	1	-	-	-	-	-
White, male	7	-	-	-	1	1	2	1	-	-	-	-	-	-
White, female	6	-	-	-	2	-	2	-	1	-	-	-	-	-
Black, male	4	1	-	1	-	-	2	-	-	-	-	-	2	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other salmonella infections and other food poisoning (bacterial) (003-005)	127	7	-	-	-	1	8	-	-	-	2	1	6	6
All races, male	70	4	-	-	-	1	5	-	-	-	2	1	6	4
All races, female	57	3	-	-	-	-	3	-	-	-	-	-	-	2
White, male	53	3	-	-	-	1	4	-	-	-	2	1	3	2
White, female	40	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, male	14	1	-	-	-	-	1	-	-	-	-	-	3	1
Black, female	16	2	-	-	-	-	2	-	-	-	-	-	-	2
Amebiasis (006)	10	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	5	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	5	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	3	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal infections due to other specified organisms (007-008)	137	10	5	4	1	-	20	1	1	-	1	3	7	7
All races, male	68	6	2	3	1	-	12	-	1	-	1	3	7	7
All races, female	69	4	3	1	-	-	8	1	-	-	-	-	-	-
White, male	56	3	1	3	-	-	7	-	1	-	-	1	6	6
White, female	63	3	2	1	-	-	6	1	-	-	-	-	-	-
Black, male	10	3	1	-	1	-	5	-	-	-	1	2	-	1
Black, female	5	-	1	-	-	-	1	-	-	-	-	-	-	-
Ill-defined intestinal infections (009)	164	88	3	1	2	-	94	1	-	-	1	1	-	1
All races, male	78	49	1	-	1	-	51	-	-	-	-	1	-	1
All races, female	86	39	2	1	1	-	43	1	-	-	1	-	-	-
White, male	51	28	1	-	-	-	29	-	-	-	-	1	-	1
White, female	61	17	2	1	1	-	21	1	-	-	1	-	-	-
Black, male	26	20	-	-	1	-	21	-	-	-	-	-	-	-
Black, female	24	21	-	-	-	-	21	-	-	-	-	-	-	-
Tuberculosis (010-018)	1,752	4	2	1	-	-	7	-	2	8	17	29	53	64
All races, male	1,135	4	1	-	-	-	5	-	-	2	9	18	39	47
All races, female	617	-	1	1	-	-	2	-	2	6	8	11	14	17
White, male	703	1	-	-	-	-	1	-	-	1	3	8	16	12
White, female	398	-	1	-	-	-	1	-	1	3	5	1	1	5
Black, male	393	2	1	-	-	-	3	-	-	1	5	10	23	32
Black, female	186	-	-	1	-	-	1	-	1	2	2	9	11	12
Tuberculosis of respiratory system (010-012)	1,368	2	-	-	-	-	2	-	-	4	6	12	40	50
All races, male	923	2	-	-	-	-	2	-	-	1	3	8	31	39
All races, female	445	-	-	-	-	-	-	-	-	3	3	4	9	11
White, male	585	-	-	-	-	-	-	-	-	-	1	3	15	10
White, female	297	-	-	-	-	-	-	-	-	2	1	-	1	2
Black, male	306	1	-	-	-	-	1	-	-	1	2	5	16	26
Black, female	126	-	-	-	-	-	-	-	-	-	2	3	7	9
Other tuberculosis (013-018)	384	2	2	1	-	-	5	-	2	4	11	17	13	14
All races, male	212	2	1	-	-	-	3	-	-	1	6	10	8	8
All races, female	172	-	1	1	-	-	2	-	2	3	5	7	5	6
White, male	118	1	-	-	-	-	1	-	-	1	2	5	1	2
White, female	101	-	1	-	-	-	1	-	1	1	4	1	-	3
Black, male	87	1	1	-	-	-	2	-	-	-	3	5	7	6
Black, female	60	-	-	1	-	-	1	-	1	2	-	6	4	3

SECTION 1 - GENERAL MORTALITY - PAGE 245

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	35,376	46,254	70,380	115,192	171,288	216,749	265,897	290,149	278,699	225,257	137,454	47,584	8,756	877
All races, male	22,933	29,181	44,139	72,223	105,488	130,265	152,752	152,649	127,223	84,726	42,761	12,237	1,929	491
All races, female	12,443	17,073	26,241	42,969	65,800	86,484	113,145	137,500	151,476	140,531	94,693	35,347	6,827	386
White, male	17,478	22,707	35,640	60,582	90,456	114,175	135,744	137,460	115,596	78,120	39,761	11,145	1,557	377
White, female	9,431	13,157	20,700	34,961	55,238	74,298	98,739	122,912	137,986	130,998	89,164	32,889	5,879	325
Black, male	5,004	5,931	7,690	10,759	13,898	14,842	15,468	13,533	10,271	5,784	2,687	962	347	106
Black, female	2,725	3,599	5,066	7,383	9,796	11,324	13,398	13,645	12,551	8,734	4,990	2,280	891	52
I. Infectious and parasitic diseases (001-139)	822	802	948	1,424	2,031	2,533	3,043	3,545	3,502	2,854	1,694	543	117	6
All races, male	606	553	601	857	1,194	1,420	1,695	1,727	1,512	1,017	551	150	27	2
All races, female	216	249	347	567	837	1,113	1,348	1,818	1,990	1,837	1,143	393	90	4
White, male	444	364	427	621	929	1,130	1,406	1,417	1,258	879	481	122	21	2
White, female	140	147	232	419	632	857	1,082	1,523	1,681	1,631	996	342	66	4
Black, male	152	169	162	227	241	259	259	289	219	132	63	24	6	-
Black, female	69	88	109	120	192	236	243	276	289	193	136	49	24	-
Intestinal infectious diseases (001-009)	6	11	11	13	16	29	39	42	44	33	29	11	1	-
All races, male	3	7	7	11	3	12	25	17	15	13	10	1	-	-
All races, female	3	4	4	2	13	17	14	25	29	20	19	10	-	-
White, male	2	3	4	8	3	12	18	16	14	13	10	-	-	-
White, female	3	1	1	2	7	15	14	24	28	17	17	10	-	-
Black, male	1	3	3	3	-	6	1	-	-	-	-	1	-	-
Black, female	-	3	3	-	6	2	-	1	1	3	1	-	-	-
Cholera and typhoid and paratyphoid fevers (001-002)	-	-	-	1	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	1	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis (004)	-	-	-	-	1	1	2	-	1	1	1	-	-	-
All races, male	-	-	-	-	-	1	2	-	1	-	-	-	-	-
All races, female	-	-	-	-	1	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	1	2	-	-	1	-	-	-	-
White, female	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other salmonella infections and other food poisoning (bacterial) (003-005)	2	4	7	5	12	7	19	18	13	7	10	-	-	-
All races, male	1	3	4	5	3	3	11	8	6	3	5	-	-	-
All races, female	1	1	3	-	9	4	8	10	7	4	5	-	-	-
White, male	1	1	2	4	3	3	6	7	6	3	5	-	-	-
White, female	1	-	-	-	4	3	8	10	6	3	4	-	-	-
Black, male	-	1	2	1	-	4	1	-	-	-	-	-	-	-
Black, female	-	1	3	-	5	1	-	1	1	-	-	-	-	-
Amebiasis (006)	-	2	-	1	-	3	2	1	-	-	1	-	-	-
All races, male	-	1	-	1	-	1	2	-	-	-	-	-	-	-
All races, female	-	1	-	-	-	2	-	1	-	-	1	-	-	-
White, male	-	-	-	1	-	1	1	-	-	-	-	-	-	-
White, female	-	-	-	-	-	2	-	1	-	-	1	-	-	-
Black, male	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal infections due to other specified organisms (007-008)	1	1	4	4	1	7	7	11	18	20	14	8	1	-
All races, male	-	1	3	3	-	3	3	4	7	8	5	-	-	-
All races, female	1	-	1	1	1	4	4	7	11	12	9	8	1	-
White, male	-	1	2	3	-	3	3	4	6	8	5	-	-	-
White, female	1	-	1	1	1	3	4	6	11	10	9	8	1	-
Black, male	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	1	-	1	-	2	-	-	-	-
Ill-defined intestinal infections (009)	3	4	-	2	2	11	9	12	12	5	3	3	-	-
All races, male	2	2	-	1	-	4	7	5	1	2	-	1	-	-
All races, female	1	2	-	1	2	7	2	7	11	3	3	2	-	-
White, male	1	1	-	-	-	4	6	5	1	2	-	-	-	-
White, female	1	1	-	1	1	7	2	7	11	3	2	2	-	-
Black, male	1	1	-	1	-	-	-	-	-	-	-	1	-	-
Black, female	-	1	-	-	1	-	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	71	81	102	134	165	186	203	223	207	118	61	17	3	1
All races, male	53	67	79	102	120	116	109	126	126	76	28	10	2	1
All races, female	18	14	23	32	45	70	94	97	81	42	33	7	1	-
White, male	27	27	43	56	85	78	73	93	98	53	19	8	1	1
White, female	6	5	10	19	25	51	70	74	58	31	26	6	-	-
Black, male	24	39	36	45	32	35	29	27	21	21	8	1	1	-
Black, female	9	6	13	12	19	16	22	18	18	8	5	1	1	-
Tuberculosis of respiratory system (010-012)	42	60	82	110	134	149	158	176	173	98	56	12	3	1
All races, male	32	51	65	87	105	95	90	104	110	64	25	8	2	1
All races, female	10	9	17	23	29	54	68	72	63	34	31	4	1	-
White, male	15	24	35	48	73	64	62	81	83	45	18	6	1	1
White, female	3	3	9	15	17	42	51	53	42	27	25	4	-	-
Black, male	15	27	30	38	29	29	21	20	21	17	8	1	1	-
Black, female	6	4	8	7	11	12	15	16	16	5	4	-	1	-
Other tuberculosis (013-018)	29	21	20	24	31	37	45	47	34	20	5	5	-	-
All races, male	21	16	14	15	15	21	19	22	16	12	3	2	-	-
All races, female	8	5	6	9	16	16	26	25	18	8	2	3	-	-
White, male	12	3	8	8	12	14	11	12	15	8	1	2	-	-
White, female	3	2	1	4	8	9	19	21	16	4	1	2	-	-
Black, male	9	12	6	7	3	6	8	7	7	4	2	-	-	-
Black, female	3	2	5	5	8	4	7	2	2	3	1	1	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 246

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex :	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Zoonotic and other bacterial diseases (020-041)	18,422	399	83	42	24	19	567	39	26	59	67	139	202	248
All races, male	8,717	235	50	22	14	10	331	14	12	21	36	77	114	171
All races, female	9,705	164	33	20	10	9	236	25	14	38	31	62	88	77
White, male	6,909	159	39	15	11	9	233	10	8	16	26	53	72	116
White, female	7,867	104	23	17	8	8	160	19	9	33	21	36	54	47
Black, male	1,700	73	11	6	3	-	93	4	3	5	10	22	41	54
Black, female	1,743	57	8	3	2	1	71	6	4	5	10	26	33	28
Brucellosis (023)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (032)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	4	3	1	-	-	-	4	-	-	-	-	-	-	-
All races, male	3	2	1	-	-	-	3	-	-	-	-	-	-	-
All races, female	1	1	-	-	-	-	1	-	-	-	-	-	-	-
White, male	2	1	1	-	-	-	2	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, female	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	-	-	-	-	-	-	-	-	-	-	2	-	-
All races, male	3	-	-	-	-	-	-	-	-	-	-	1	-	-
All races, female	6	-	-	-	-	-	-	-	-	-	-	1	-	-
White, male	3	-	-	-	-	-	-	-	-	-	-	1	-	-
White, female	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningococcal infection (036)	257	69	28	16	10	7	130	12	6	14	8	6	9	4
All races, male	127	45	17	7	5	4	78	2	4	7	7	4	2	2
All races, female	130	24	11	9	5	3	52	10	2	7	1	2	7	2
White, male	107	38	15	5	4	3	65	1	3	5	6	4	2	1
White, female	103	16	8	8	4	3	39	6	2	6	1	2	7	2
Black, male	19	7	2	2	1	-	12	1	1	2	1	-	-	1
Black, female	25	7	3	1	1	-	12	4	-	1	-	-	-	-
Tetanus (037)	23	-	-	-	-	-	-	-	-	-	-	1	-	-
All races, male	12	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	11	-	-	-	-	-	-	-	-	-	-	1	-	-
White, male	6	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	10	-	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	17,182	303	51	20	11	10	395	22	19	36	50	95	139	173
All races, male	8,017	178	31	13	8	5	235	10	7	12	22	48	70	107
All races, female	9,165	125	20	7	3	5	160	12	12	24	28	47	69	66
White, male	6,321	113	23	8	6	5	155	7	4	10	16	29	40	65
White, female	7,419	78	13	5	2	4	102	10	7	21	18	24	40	38
Black, male	1,595	83	8	4	2	-	77	3	2	2	6	18	29	41
Black, female	1,662	46	5	2	1	1	55	2	4	3	10	23	28	26
All other bacterial diseases (020-022,024-031,039-041)	946	24	3	6	3	2	38	5	1	9	9	35	54	71
All races, male	555	10	1	2	1	1	15	2	1	2	7	24	42	62
All races, female	391	14	2	4	2	1	23	3	-	7	2	11	12	9
White, male	470	7	-	2	1	1	11	2	1	1	4	19	30	50
White, female	329	10	2	4	2	1	19	3	-	6	2	9	7	7
Black, male	79	2	1	-	-	-	3	-	-	1	3	4	12	11
Black, female	53	3	-	-	-	-	3	-	-	1	3	2	5	2
Viral diseases (045-079)	2,473	105	24	15	10	5	159	30	17	45	85	102	119	134
All races, male	1,341	64	17	9	4	5	99	21	10	21	45	63	82	88
All races, female	1,132	41	7	6	6	-	60	9	7	24	40	39	37	46
White, male	1,152	44	11	5	2	4	66	18	10	15	31	51	65	74
White, female	969	27	5	4	5	-	41	7	6	17	33	27	23	32
Black, male	146	17	5	2	2	1	27	3	-	6	18	11	14	11
Black, female	126	13	1	1	1	-	16	2	1	5	7	11	11	10
Acute poliomyelitis (045)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox (050)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	-	-	-	-	-	-	-	2	1	-	-	-
All races, male	1	-	-	-	-	-	-	-	-	1	-	-	-	-
All races, female	3	-	-	-	-	-	-	-	-	1	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 247

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Zoonotic and other bacterial diseases (020-041)	255	300	461	810	1,295	1,701	2,185	2,735	2,893	2,421	1,451	462	103	3
All races, male	159	179	264	465	757	927	1,240	1,309	1,210	821	451	123	25	1
All races, female	96	121	197	345	538	774	945	1,426	1,683	1,600	990	339	78	2
White, male	112	108	186	327	572	735	1,029	1,059	1,003	721	403	99	20	1
White, female	68	76	137	260	401	584	745	1,180	1,411	1,420	860	289	55	2
Black, male	47	61	74	135	174	178	199	240	184	97	53	21	5	-
Black, female	26	42	57	77	129	179	189	236	259	172	123	48	23	-
Brucellosis (023)	-	-	-	-	-	-	-	1	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (032)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	1	-	1	1	-	2	-	1	-	-
All races, male	-	-	-	-	-	-	1	-	-	1	-	-	-	-
All races, female	-	1	-	-	1	-	-	1	-	1	-	1	-	-
White, male	-	-	-	-	-	-	1	-	-	1	-	-	-	-
White, female	-	1	-	-	1	-	-	1	-	1	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	7	6	6	8	7	10	4	6	5	2	-	-	-
All races, male	4	2	3	2	4	1	2	3	-	-	-	-	-	-
All races, female	3	5	3	4	4	6	8	1	6	5	2	-	-	-
White, male	3	2	3	2	4	1	2	3	-	-	-	-	-	-
White, female	3	2	2	4	3	3	8	1	6	4	2	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 248

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Viral diseases-Con.														
Rubella (056)	1	-	-	-	-	-	-	1	-	-	-	-	-	-
All races, male	1	-	-	-	-	-	-	1	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne encephalitis (062-064)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	942	6	6	2	1	1	16	-	-	19	45	48	52	58
All races, male	531	5	6	1	-	1	13	-	2	8	18	28	34	33
All races, female	411	1	-	1	1	-	3	-	2	11	27	20	18	25
White, male	447	3	4	-	-	1	8	-	2	4	14	22	25	27
White, female	318	-	-	1	-	-	1	-	1	6	22	12	8	17
Black, male	54	1	1	-	-	-	2	-	-	4	4	6	7	4
Black, female	64	-	-	-	1	-	1	-	1	3	5	7	8	5
Other viral diseases (046-049,051-054,057-061,065-066,071-079)	1,520	99	18	13	9	4	143	29	13	24	39	54	67	76
All races, male	804	59	11	8	4	4	86	20	8	12	27	35	48	55
All races, female	716	40	7	5	5	-	57	9	5	12	12	19	19	21
White, male	700	41	7	5	2	3	58	18	8	10	17	29	40	47
White, female	646	27	5	3	5	-	40	7	5	10	10	15	15	15
Black, male	91	16	4	2	2	1	25	2	-	2	9	5	7	7
Black, female	62	13	1	1	-	-	15	2	-	2	2	4	3	5
Rickettsioses and other arthropod-borne diseases (080-088)	39	-	-	-	-	1	1	2	2	-	1	1	3	3
All races, male	21	-	-	-	-	1	1	-	2	-	-	-	3	3
All races, female	18	-	-	-	-	-	-	2	-	-	1	1	-	-
White, male	16	-	-	-	-	1	1	-	2	-	-	-	1	2
White, female	16	-	-	-	-	-	-	1	-	-	-	1	-	-
Black, male	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Black, female	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Typhus and other rickettsioses (080-083)	25	-	-	-	-	1	1	2	2	-	1	-	2	3
All races, male	13	-	-	-	-	1	1	-	2	-	-	-	2	3
All races, female	12	-	-	-	-	-	-	2	-	-	1	-	-	-
White, male	11	-	-	-	-	1	1	-	2	-	-	-	1	2
White, female	10	-	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Black, female	2	-	-	-	-	-	-	1	-	-	1	-	-	-
Malaria (084)	13	-	-	-	-	-	-	-	-	-	-	1	1	-
All races, male	7	-	-	-	-	-	-	-	-	-	-	-	1	-
All races, female	6	-	-	-	-	-	-	-	-	-	-	1	-	-
White, male	4	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other arthropod-borne diseases (085-088)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and other venereal diseases (090-099)	86	7	-	-	-	-	7	1	-	1	-	1	2	2
All races, male	52	3	-	-	-	-	3	-	-	-	-	1	2	1
All races, female	34	4	-	-	-	-	4	1	-	1	-	-	-	1
White, male	30	1	-	-	-	-	1	-	-	-	-	-	1	1
White, female	21	3	-	-	-	-	3	-	-	-	-	-	-	-
Black, male	21	2	-	-	-	-	2	-	-	-	-	1	1	-
Black, female	12	-	-	-	-	-	-	1	-	1	-	-	-	1
Syphilis (090-097)	80	7	-	-	-	-	7	1	-	-	-	-	2	2
All races, male	49	3	-	-	-	-	3	-	-	-	-	-	2	1
All races, female	31	4	-	-	-	-	4	1	-	-	-	-	-	1
White, male	29	1	-	-	-	-	1	-	-	-	-	-	1	1
White, female	20	3	-	-	-	-	3	-	-	-	-	-	-	-
Black, male	19	2	-	-	-	-	2	-	-	-	-	-	1	-
Black, female	10	-	-	-	-	-	-	1	-	-	-	-	-	1
Cardiovascular syphilis (093)	27	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	19	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	8	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	10	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Neurosyphilis (094)	32	-	-	-	-	-	-	-	-	-	-	-	2	1
All races, male	20	-	-	-	-	-	-	-	-	-	-	-	2	1
All races, female	12	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	14	-	-	-	-	-	-	-	-	-	-	-	1	1
White, female	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	6	-	-	-	-	-	-	-	-	-	-	-	1	-
Black, female	3	-	-	-	-	-	-	-	-	-	-	-	-	-
All other syphilis (090-091,095-097)	21	7	-	-	-	-	7	1	-	-	-	-	-	1
All races, male	10	3	-	-	-	-	3	-	-	-	-	-	-	-
All races, female	11	4	-	-	-	-	4	1	-	-	-	-	-	1
White, male	5	1	-	-	-	-	1	-	-	-	-	-	-	-
White, female	6	3	-	-	-	-	3	-	-	-	-	-	-	-
Black, male	5	2	-	-	-	-	2	-	-	-	-	-	-	-
Black, female	4	-	-	-	-	-	-	1	-	-	-	-	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 249

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Viral diseases—Con.														
Rubella (056)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne encephalitis (062-064)	-	-	-	2	1	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	2	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	1	-	-	-	-	-	-	-	-	-
White, male	-	-	-	2	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	51	64	46	72	95	117	104	76	42	22	7	4	-	-
All races, male	33	43	29	37	59	69	56	39	17	9	2	2	-	-
All races, female	18	21	17	35	36	48	48	37	25	13	5	2	-	-
White, male	26	35	23	33	50	62	50	39	15	8	2	2	-	-
White, female	13	12	8	30	32	39	42	34	23	13	3	2	-	-
Black, male	3	5	2	2	4	5	3	-	2	1	-	-	-	-
Black, female	3	4	7	3	3	8	2	1	2	-	1	-	-	-
Other viral diseases (046-049,051-054,057-061,065-066,071-079)	69	53	61	80	117	103	132	129	112	116	68	26	7	2
All races, male	57	35	36	44	58	52	64	59	45	36	22	5	-	-
All races, female	12	18	25	36	59	51	68	70	67	80	46	21	7	2
White, male	53	31	29	39	55	48	61	55	40	35	22	5	-	-
White, female	10	14	23	31	53	50	62	68	66	76	46	21	7	2
Black, male	3	4	5	4	3	3	3	4	4	1	-	-	-	-
Black, female	2	3	1	4	6	1	6	2	1	3	-	-	-	-
Rickettsioses and other arthropod-borne diseases (080-088)	2	5	4	2	1	2	1	6	3	-	-	-	-	-
All races, male	1	3	2	-	1	1	1	2	1	-	-	-	-	-
All races, female	1	2	2	2	-	1	-	4	2	-	-	-	-	-
White, male	-	2	2	-	1	1	1	2	1	-	-	-	-	-
White, female	1	2	2	2	-	1	-	4	2	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsioses (080-083)	1	3	4	1	-	-	-	3	2	-	-	-	-	-
All races, male	-	1	2	-	-	-	-	1	1	-	-	-	-	-
All races, female	1	2	2	1	-	-	-	2	1	-	-	-	-	-
White, male	-	1	2	-	-	-	-	1	1	-	-	-	-	-
White, female	1	2	2	1	-	-	-	2	1	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (084)	1	1	-	1	1	2	1	3	1	-	-	-	-	-
All races, male	1	1	-	-	1	1	1	1	-	-	-	-	-	-
All races, female	-	-	-	1	-	1	-	2	1	-	-	-	-	-
White, male	-	-	-	-	1	1	1	1	-	-	-	-	-	-
White, female	-	-	-	1	-	1	-	2	1	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other arthropod-borne diseases (085-088)	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and other venereal diseases (090-099)	1	2	3	6	6	6	10	12	11	11	3	1	-	-
All races, male	1	1	2	6	5	4	5	7	5	7	1	1	-	-
All races, female	-	1	1	-	1	2	5	5	6	4	2	-	-	-
White, male	1	-	1	4	2	-	3	4	5	5	1	1	-	-
White, female	-	-	-	-	-	2	4	5	4	2	1	-	-	-
Black, male	-	1	1	2	3	3	2	3	-	2	-	-	-	-
Black, female	-	1	1	-	1	-	1	-	2	2	1	-	-	-
Syphilis (090-097)	1	1	3	6	6	6	9	12	10	10	3	1	-	-
All races, male	1	-	2	6	5	4	5	7	5	6	1	1	-	-
All races, female	-	1	1	-	1	2	4	5	5	4	2	-	-	-
White, male	1	-	1	4	2	-	3	4	5	4	1	1	-	-
White, female	-	-	-	-	-	2	4	5	4	2	1	-	-	-
Black, male	-	1	1	2	3	3	2	3	-	2	-	-	-	-
Black, female	-	1	1	-	1	-	-	-	2	2	1	-	-	-
Cardiovascular syphilis (093)	-	1	1	1	3	3	3	8	6	1	-	-	-	-
All races, male	-	1	1	1	3	3	2	6	2	1	-	-	-	-
All races, female	-	-	-	-	-	-	1	2	4	-	-	-	-	-
White, male	-	-	-	1	1	-	2	3	2	1	-	-	-	-
White, female	-	-	-	-	-	-	1	2	2	-	-	-	-	-
Black, male	-	1	-	-	2	2	-	3	-	-	-	-	-	-
Black, female	-	1	-	-	-	-	-	-	2	-	-	-	-	-
Neurosyphilis (094)	-	-	1	3	3	3	5	1	4	6	2	1	-	-
All races, male	-	-	3	3	2	1	2	-	3	4	1	1	-	-
All races, female	-	-	1	-	1	2	3	1	1	2	1	-	-	-
White, male	-	-	-	2	1	-	1	-	3	3	1	1	-	-
White, female	-	-	-	-	-	2	3	1	1	2	-	-	-	-
Black, male	-	-	1	1	1	1	1	-	-	1	-	-	-	-
Black, female	-	-	1	-	1	-	-	-	-	-	1	-	-	-
All other syphilis (090-091,095-097)	1	-	1	2	-	-	1	3	-	3	1	-	-	-
All races, male	1	-	1	2	-	-	1	1	-	1	-	-	-	-
All races, female	-	-	-	-	-	-	-	2	-	2	1	-	-	-
White, male	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Black, male	-	-	-	1	-	-	1	-	-	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 250

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Syphilis and other venereal diseases—Con.														
Gonococcal infections (099)	2	-	-	-	-	-	-	-	-	1	-	-	-	-
All races, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	1	-	-	-	-
White, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other venereal diseases (099)	4	-	-	-	-	-	-	-	-	-	-	1	-	-
All races, male	2	-	-	-	-	-	-	-	-	-	-	1	-	-
All races, female	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases and late effects of infectious and parasitic diseases (100-139)														
All races, male	4,775	99	10	12	6	3	130	17	16	32	114	348	522	544
All races, female	3,252	50	7	4	3	1	65	12	6	19	93	279	453	462
White, male	1,523	49	3	8	3	2	65	5	10	13	21	69	69	82
White, female	2,488	29	5	3	2	1	40	9	6	14	64	200	319	334
Black, male	1,103	30	2	5	3	1	41	4	8	10	13	37	27	35
Black, female	704	18	2	1	1	-	22	3	-	5	28	77	129	122
Black, female	386	19	1	1	-	-	21	1	2	3	8	32	41	44
Mycoses (110-118)	1,724	53	4	3	2	-	62	10	10	18	30	64	90	95
All races, male	1,097	28	4	2	2	-	36	7	4	13	24	40	79	70
All races, female	627	25	-	1	-	-	26	3	6	5	6	24	11	26
White, male	846	18	2	2	1	-	23	6	4	10	14	28	49	42
White, female	497	17	-	1	-	-	18	3	4	4	4	17	7	15
Black, male	225	8	2	-	1	-	11	1	-	3	10	11	27	28
Black, female	113	8	-	-	-	-	8	-	2	1	2	7	4	9
Helminthiasis (120-129)	41	-	-	1	-	-	1	-	-	-	2	3	4	2
All races, male	29	-	-	1	-	-	1	-	-	-	2	2	4	1
All races, female	12	-	-	-	-	-	-	-	-	-	-	1	-	1
White, male	24	-	-	-	-	-	-	-	-	-	2	2	4	1
White, female	11	-	-	-	-	-	-	-	-	-	-	1	-	1
Black, male	2	-	-	1	-	-	1	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Late effects of tuberculosis (137)	231	-	-	-	-	-	-	-	-	-	-	1	1	3
All races, male	105	-	-	-	-	-	-	-	-	-	-	1	1	2
All races, female	126	-	-	-	-	-	-	-	-	-	-	-	-	1
White, male	85	-	-	-	-	-	-	-	-	-	-	1	1	-
White, female	104	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, male	14	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	14	-	-	-	-	-	-	-	-	-	-	-	-	-
Late effects of acute poliomyelitis (138)	104	-	-	-	-	-	-	-	-	-	-	-	1	8
All races, male	53	-	-	-	-	-	-	-	-	-	-	-	-	6
All races, female	51	-	-	-	-	-	-	-	-	-	-	-	1	2
White, male	51	-	-	-	-	-	-	-	-	-	-	-	-	5
White, female	50	-	-	-	-	-	-	-	-	-	-	-	1	2
Black, male	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases (100-104,130-136,139)														
All races, male	2,675	46	6	8	4	3	67	7	6	14	82	280	426	435
All races, female	1,968	22	3	1	1	1	28	5	2	6	67	236	369	383
White, male	707	24	3	7	3	2	39	2	4	8	15	44	57	52
White, female	1,462	11	3	1	1	1	17	3	2	4	48	169	265	286
Black, male	441	13	2	4	3	1	23	1	4	6	9	19	19	16
Black, female	461	10	-	-	-	-	10	2	-	2	18	66	102	92
Black, female	258	11	1	1	-	-	13	1	-	2	6	25	37	35
II. Neoplasms (140-239)														
All races, male	468,262	175	128	149	168	166	786	654	616	910	1,332	2,143	3,537	5,786
All races, female	249,922	78	73	83	107	93	434	370	348	557	786	1,178	1,658	2,581
White, male	218,340	97	55	66	61	73	352	284	268	353	546	965	1,879	3,205
White, female	217,711	65	64	66	91	77	363	314	278	464	657	996	1,406	2,158
Black, male	193,855	78	48	56	47	62	291	232	218	294	445	795	1,499	2,600
Black, female	29,360	11	7	12	9	13	52	47	57	79	110	154	217	362
Black, female	22,322	17	3	9	13	8	50	44	42	49	86	147	331	524
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)														
All races, male	461,563	114	105	136	153	149	657	607	576	860	1,282	2,044	3,451	5,847
All races, female	246,914	56	57	72	100	82	367	346	329	533	758	1,120	1,618	2,508
White, male	214,649	58	48	64	53	67	290	261	247	327	524	924	1,833	3,139
White, female	215,079	48	50	57	85	68	308	293	265	447	635	946	1,374	2,094
Black, male	190,648	45	41	56	42	59	243	216	202	275	427	760	1,461	2,548
Black, female	29,028	7	5	11	9	11	43	44	53	72	104	148	209	355
Black, female	21,878	12	3	7	10	6	38	38	39	42	82	141	324	512
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)														
All races, male	8,290	1	-	1	-	-	2	2	3	11	14	27	49	98
All races, female	5,616	-	-	-	-	-	-	1	2	4	9	14	35	66
White, male	2,674	1	-	1	-	-	2	1	1	7	5	13	14	32
White, female	4,597	-	-	-	-	-	-	-	2	2	6	13	22	47
Black, male	2,341	1	-	1	-	-	2	1	-	5	3	7	12	15
Black, female	946	-	-	-	-	-	-	1	-	2	2	1	12	17
Black, female	297	-	-	-	-	-	-	-	1	1	1	5	2	14
Of lip (140)														
All races, male	110	-	-	-	-	-	-	-	-	-	1	1	1	2
All races, female	82	-	-	-	-	-	-	-	-	-	-	-	1	2
White, male	28	-	-	-	-	-	-	-	-	-	1	1	-	-
White, female	82	-	-	-	-	-	-	-	-	-	-	-	1	2
Black, male	27	-	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 251

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Syphilis and other venereal diseases-Con.														
Gonococcal infections (098)	-	-	-	-	-	-	-	-	-	1	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	1	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other venereal diseases (099)	-	1	-	-	-	-	1	-	1	-	-	-	-	-
All races, male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	1	-	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black, male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other infectious and parasitic diseases and late effects of infectious and parasitic diseases (100-139)	365	286	260	305	335	387	369	322	190	133	75	22	3	-
All races, male	298	218	182	190	191	238	195	168	93	55	27	8	-	-
All races, female	67	68	78	115	144	149	174	154	97	78	48	14	3	-
White, male	222	158	139	152	161	193	171	149	82	44	24	7	-	-
White, female	38	37	51	75	113	114	145	134	89	72	43	14	3	-
Black, male	73	56	41	36	25	35	17	14	8	10	2	1	-	-
Black, female	29	29	27	34	28	30	23	18	6	5	5	-	-	-
Mycoses (110-118)	77	73	97	129	171	217	212	175	93	63	32	5	-	-
All races, male	58	53	61	78	106	144	120	101	57	25	18	3	-	-
All races, female	19	20	36	51	65	73	92	74	36	38	14	2	-	-
White, male	42	36	46	61	85	115	107	91	53	17	15	2	-	-
White, female	15	15	32	36	52	52	77	65	33	35	11	2	-	-
Black, male	16	15	13	16	19	24	10	8	3	7	2	1	-	-
Black, female	4	3	4	13	12	18	11	7	3	2	3	-	-	-
Helminthiases (120-129)	2	2	-	5	8	4	5	1	2	-	-	-	-	-
All races, male	1	2	-	3	4	3	5	-	1	-	-	-	-	-
All races, female	1	-	-	2	4	1	-	1	1	-	-	-	-	-
White, male	1	2	-	3	4	1	4	-	-	-	-	-	-	-
White, female	1	-	-	1	4	1	-	1	1	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Late effects of tuberculosis (137)	2	4	10	16	17	29	49	42	27	21	8	1	-	-
All races, male	1	3	4	7	5	18	19	19	10	13	2	-	-	-
All races, female	1	1	6	9	12	11	30	23	17	8	6	1	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 252

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms of lip, oral cavity, and pharynx-Con.														
Of tongue (141)	1,875	-	-	-	-	-	-	-	-	1	4	6	10	31
All races, male	1,270	-	-	-	-	-	-	-	-	2	5	6	20	
All races, female	605	-	-	-	-	-	-	-	1	2	1	4	11	
White, male	1,058	-	-	-	-	-	-	-	-	2	5	4	17	
White, female	537	-	-	-	-	-	-	-	1	1	1	4	6	
Black, male	200	-	-	-	-	-	-	-	-	-	-	-	2	3
Black, female	64	-	-	-	-	-	-	-	-	-	-	-	-	5
Of pharynx (146-149.0)	3,835	-	-	1	-	-	1	1	2	10	9	12	24	50
All races, male	2,739	-	-	-	-	-	-	-	1	4	7	5	20	31
All races, female	1,096	-	-	1	-	-	1	1	1	2	2	7	4	19
White, male	2,160	-	-	-	-	-	-	-	1	2	4	4	13	19
White, female	933	-	-	1	-	-	1	1	-	4	1	4	2	8
Black, male	532	-	-	-	-	-	-	-	-	2	2	1	6	10
Black, female	139	-	-	-	-	-	-	-	1	1	1	2	2	8
Of other and ill-defined sites within the lip, oral cavity, and pharynx (142-145,149.1-149.9)	2,470	1	-	-	-	-	1	1	1	-	-	8	14	15
All races, male	1,525	-	-	-	-	-	-	1	1	-	-	4	8	13
All races, female	945	1	-	-	-	-	1	-	-	-	-	4	6	2
White, male	1,297	-	-	-	-	-	-	-	1	-	-	4	4	9
White, female	844	1	-	-	-	-	1	-	-	-	-	2	6	1
Black, male	214	-	-	-	-	-	-	1	-	-	-	-	4	4
Black, female	93	-	-	-	-	-	-	-	-	-	-	2	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	7	9	9	6	-	31	12	15	36	104	198	488	854
All races, male	61,187	2	6	4	6	-	18	9	8	23	60	114	262	501
All races, female	55,422	5	3	5	-	-	13	3	7	13	44	84	226	353
White, male	52,705	2	6	3	5	-	16	6	6	15	46	82	194	381
White, female	48,421	5	2	4	-	-	11	3	5	7	30	62	164	276
Black, male	7,411	-	-	-	-	-	-	2	2	8	12	28	52	85
Black, female	6,310	-	1	1	-	-	2	-	2	6	11	14	48	59
Of esophagus (150)	8,613	-	-	-	-	-	-	-	-	2	4	5	20	34
All races, male	6,409	-	-	-	-	-	-	-	-	2	4	4	15	33
All races, female	2,204	-	-	-	-	-	-	-	-	-	-	1	5	1
White, male	4,841	-	-	-	-	-	-	-	-	2	4	3	12	23
White, female	1,698	-	-	-	-	-	-	-	-	-	-	1	4	1
Black, male	1,498	-	-	-	-	-	-	-	-	-	-	1	2	9
Black, female	487	-	-	-	-	-	-	-	-	-	-	-	1	-
Of stomach (151)	13,951	-	-	-	-	-	-	-	-	1	15	35	93	143
All races, male	8,345	-	-	-	-	-	-	-	-	1	8	17	56	91
All races, female	5,606	-	-	-	-	-	-	-	-	-	7	18	37	52
White, male	6,842	-	-	-	-	-	-	-	-	1	6	12	37	72
White, female	4,621	-	-	-	-	-	-	-	-	-	4	9	23	37
Black, male	1,263	-	-	-	-	-	-	-	-	-	2	4	13	14
Black, female	832	-	-	-	-	-	-	-	-	-	3	5	10	10
Of small intestine, including duodenum (152)	839	-	-	-	-	-	-	-	-	-	-	4	13	9
All races, male	473	-	-	-	-	-	-	-	-	-	-	4	9	7
All races, female	366	-	-	-	-	-	-	-	-	-	-	-	4	2
White, male	398	-	-	-	-	-	-	-	-	-	-	2	7	4
White, female	318	-	-	-	-	-	-	-	-	-	-	-	3	2
Black, male	67	-	-	-	-	-	-	-	-	-	-	2	2	2
Black, female	42	-	-	-	-	-	-	-	-	-	-	-	1	-
Of colon (153)	48,256	-	-	-	-	-	-	2	3	12	31	71	193	343
All races, male	23,351	-	-	-	-	-	-	1	1	10	13	44	88	180
All races, female	24,905	-	-	-	-	-	-	1	2	2	18	27	105	163
White, male	20,916	-	-	-	-	-	-	-	-	4	10	33	67	147
White, female	22,111	-	-	-	-	-	-	1	-	-	12	23	79	131
Black, male	2,173	-	-	-	-	-	-	1	1	6	3	9	19	30
Black, female	2,617	-	-	-	-	-	-	-	2	2	4	2	23	28
Hepatic and splenic flexures and transverse colon (153.0-153.1,153.7)	464	-	-	-	-	-	-	-	-	-	-	1	3	1
All races, male	195	-	-	-	-	-	-	-	-	-	-	-	-	1
All races, female	269	-	-	-	-	-	-	-	-	-	-	1	3	-
White, male	180	-	-	-	-	-	-	-	-	-	-	-	-	1
White, female	237	-	-	-	-	-	-	-	-	-	-	1	2	-
Black, male	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	31	-	-	-	-	-	-	-	-	-	-	-	1	-
Descending colon (153.2)	418	-	-	-	-	-	-	-	-	1	-	2	-	3
All races, male	214	-	-	-	-	-	-	-	-	1	-	2	-	3
All races, female	204	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	186	-	-	-	-	-	-	-	-	-	-	1	-	3
White, female	188	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	26	-	-	-	-	-	-	-	-	1	-	-	-	-
Black, female	14	-	-	-	-	-	-	-	-	-	-	-	-	-
Sigmoid colon (153.3)	1,771	-	-	-	-	-	-	-	-	1	4	-	4	7
All races, male	895	-	-	-	-	-	-	-	-	1	1	-	1	3
All races, female	876	-	-	-	-	-	-	-	-	-	3	-	3	4
White, male	807	-	-	-	-	-	-	-	-	1	-	-	1	2
White, female	795	-	-	-	-	-	-	-	-	-	3	-	2	4
Black, male	70	-	-	-	-	-	-	-	-	-	1	-	-	1
Black, female	75	-	-	-	-	-	-	-	-	-	-	-	1	-
Cecum, appendix, and ascending colon (153.4-153.6)	2,592	-	-	-	-	-	-	-	-	-	2	4	11	15
All races, male	1,173	-	-	-	-	-	-	-	-	-	-	3	8	7
All races, female	1,419	-	-	-	-	-	-	-	-	-	2	1	3	8
White, male	1,046	-	-	-	-	-	-	-	-	-	-	1	7	6
White, female	1,278	-	-	-	-	-	-	-	-	-	2	-	3	5
Black, male	112	-	-	-	-	-	-	-	-	-	-	2	1	1
Black, female	134	-	-	-	-	-	-	-	-	-	-	-	-	3

SECTION 1 - GENERAL MORTALITY - PAGE 253

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms of lip, oral cavity, and pharynx-Con.														
Of tongue (141)	57	83	137	239	278	309	263	231	106	80	27	11	2	-
All races, male	41	59	105	177	190	202	196	159	49	43	10	5	1	-
All races, female	16	24	32	62	88	107	67	72	57	37	17	6	1	-
White, male	24	45	75	133	158	172	182	141	48	39	8	5	-	-
White, female	8	19	22	53	82	95	63	69	54	37	16	5	1	-
Black, male	17	13	29	43	30	29	12	15	1	4	1	-	1	-
Black, female	8	5	10	9	6	11	3	3	2	-	1	1	-	-
Of pharynx (146-149.0)	95	201	289	504	661	697	567	351	216	96	36	12	1	-
All races, male	72	156	214	377	489	485	410	236	151	55	22	4	-	-
All races, female	23	45	75	127	172	212	157	115	65	41	14	8	1	-
White, male	38	87	143	261	385	415	361	202	127	53	21	4	-	-
White, female	15	31	58	97	191	191	144	106	58	41	13	8	1	-
Black, male	29	65	67	91	98	64	44	30	20	2	1	-	-	-
Black, female	7	14	16	26	17	18	12	7	6	-	1	-	-	-
Of other and ill-defined sites within the lip, oral cavity, and pharynx (142-145,149.1-149.9)	54	102	160	261	345	353	371	296	221	167	72	25	3	-
All races, male	35	79	127	194	226	231	222	174	114	68	22	6	-	-
All races, female	19	23	33	67	119	122	149	122	107	99	50	19	3	-
White, male	17	54	90	169	181	204	204	160	109	65	21	5	-	-
White, female	13	15	27	56	109	108	134	111	98	96	48	17	2	-
Black, male	18	25	37	24	43	27	15	12	-	2	1	1	-	-
Black, female	4	7	6	11	10	14	14	11	8	2	1	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)														
All races, male	1,487	2,733	4,823	8,961	13,457	16,651	19,227	18,256	14,700	9,223	4,255	958	126	14
All races, female	912	1,660	2,911	5,484	8,095	9,737	10,637	9,177	6,496	3,383	1,374	284	36	6
White, male	575	1,073	1,912	3,477	5,362	6,914	8,590	9,079	8,204	5,840	2,881	674	90	8
White, female	700	1,255	2,293	4,513	6,812	8,440	9,291	8,187	5,840	3,057	1,270	258	31	2
Black, male	441	838	1,516	2,828	4,499	6,001	7,510	8,103	7,434	5,352	2,658	602	72	7
Black, female	179	338	550	851	1,145	1,147	1,183	854	569	279	96	23	4	4
Black, female	111	211	354	584	763	820	981	907	706	437	208	67	18	1
Of esophagus (150)	138	301	569	1,078	1,476	1,454	1,358	981	666	343	156	22	5	1
All races, male	119	243	452	873	1,148	1,103	1,024	697	431	190	61	7	2	1
All races, female	19	58	117	205	328	351	334	284	235	153	95	15	3	-
White, male	71	138	272	585	845	867	827	589	375	167	54	5	2	-
White, female	7	26	59	124	220	273	274	249	216	142	90	11	1	-
Black, male	48	103	174	277	295	230	186	93	51	20	6	2	-	1
Black, female	12	32	56	80	101	75	56	35	19	11	4	3	2	-
Of stomach (151)	244	357	665	1,067	1,534	1,917	2,240	2,080	1,755	1,135	547	106	15	2
All races, male	161	226	457	727	1,032	1,283	1,443	1,199	899	496	204	38	6	1
All races, female	83	131	208	340	502	634	797	881	656	339	143	28	9	1
White, male	121	170	357	586	832	1,035	1,201	1,007	765	418	184	33	5	-
White, female	58	106	160	268	403	517	651	743	724	553	302	58	4	1
Black, male	32	44	89	119	167	204	205	160	121	63	19	5	1	1
Black, female	16	18	36	60	83	97	126	123	117	75	39	9	5	-
Of small intestine, including duodenum (152)	20	35	59	92	90	97	129	116	99	50	19	7	-	-
All races, male	12	23	36	52	56	58	68	65	51	20	8	4	-	-
All races, female	8	12	23	40	34	39	61	51	48	30	11	3	-	-
White, male	8	18	31	42	51	51	59	56	43	17	5	4	-	-
White, female	7	11	18	31	32	33	57	41	42	29	10	2	-	-
Black, male	4	5	5	9	4	6	8	7	7	3	3	-	-	-
Black, female	1	1	4	8	2	6	4	8	4	1	1	1	-	-
Of colon (153)	548	945	1,669	3,246	5,169	6,666	7,866	8,016	6,552	4,356	2,045	465	55	3
All races, male	302	499	889	1,786	2,860	3,657	4,142	3,835	2,750	1,510	636	130	17	1
All races, female	246	446	780	1,460	2,309	3,009	3,724	4,181	3,802	2,846	1,409	335	38	2
White, male	254	417	762	1,570	2,538	3,268	3,712	3,497	2,516	1,396	591	118	15	1
White, female	198	355	642	1,225	1,980	2,651	3,289	3,754	3,489	2,639	1,311	299	32	1
Black, male	41	74	109	192	295	342	387	302	202	105	43	11	1	-
Black, female	41	87	130	216	304	334	406	409	299	193	95	35	6	1
Hepatic and splenic flexures and transverse colon (153.0-153.1,153.7)	7	8	20	21	36	50	48	93	69	65	29	13	-	-
All races, male	3	5	8	7	17	22	29	42	29	19	7	6	-	-
All races, female	4	3	12	14	19	28	19	51	40	46	22	7	-	-
White, male	2	5	7	6	17	20	28	36	27	19	6	5	-	-
White, female	4	3	11	12	15	24	17	45	36	41	21	5	-	-
Black, male	1	-	-	1	-	2	-	6	2	-	1	-	-	-
Black, female	-	-	1	2	4	2	5	4	5	1	2	-	-	-
Descending colon (153.2)	6	7	15	23	28	69	74	67	56	41	20	5	1	-
All races, male	3	5	6	8	18	40	46	33	24	13	9	2	1	-
All races, female	3	2	9	15	10	29	28	34	32	28	11	3	-	-
White, male	2	4	4	5	17	37	40	30	19	12	9	2	1	-
White, female	3	1	9	13	10	26	26	33	30	25	9	3	-	-
Black, male	1	1	2	3	1	2	6	3	5	1	-	-	-	-
Black, female	-	1	-	2	-	3	1	1	2	2	-	-	-	-
Sigmoid colon (153.3)	14	22	62	105	179	237	267	303	258	190	101	13	4	-
All races, male	8	10	37	62	100	136	161	149	123	67	31	5	-	-
All races, female	6	12	25	43	79	101	106	154	135	123	70	8	4	-
White, male	6	9	30	55	87	125	143	138	114	62	29	5	-	-
White, female	6	11	18	37	71	91	95	137	128	116	65	7	4	-
Black, male	2	1	6	6	10	10	14	5	7	5	2	-	-	-
Black, female	-	1	6	6	7	10	10	15	6	7	5	1	-	-
Cecum, appendix, and ascending colon (153.4-153.6)	23	40	76	119	221	284	367	453	441	328	152	32	4	-
All races, male	16	21	44	74	125	158	171	204	167	115	52	7	1	-
All races, female	7	19	32	45	96	126	216	248	274	213	100	25	3	-
White, male	14	15	35	66	112	140	144	186	151	111	50	7	1	-
White, female	6	14	28	37	80	116	195	226	253	194	93	23	3	-
Black, male	2	4	9	7	12	18	24	14	14	3	1	-	-	-
Black, female	1	5	3	7	15	10	20	21	21	19	7	2	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 254

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Of colon-Can.														
Other and colon, unspecified (153.8-153.9)	43,011	-	-	-	-	-	-	2	3	10	25	64	175	317
All races, male	20,874	-	-	-	-	-	-	1	1	8	12	39	79	166
All races, female	22,137	-	-	-	-	-	-	1	2	2	13	25	96	151
White, male	18,697	-	-	-	-	-	-	-	-	3	10	31	59	135
White, female	19,613	-	-	-	-	-	-	1	-	-	7	22	72	122
Black, male	1,952	-	-	-	-	-	-	1	1	5	2	7	18	26
Black, female	2,363	-	-	-	-	-	-	-	2	2	4	2	21	25
Of rectum, rectosigmoid junction, and anus (154)	8,195	-	-	-	-	-	-	-	-	3	11	22	28	61
All races, male	4,261	-	-	-	-	-	-	-	-	-	6	13	16	31
All races, female	3,934	-	-	-	-	-	-	-	-	3	5	9	12	30
White, male	3,866	-	-	-	-	-	-	-	-	-	3	10	15	26
White, female	3,509	-	-	-	-	-	-	-	-	2	5	8	7	25
Black, male	331	-	-	-	-	-	-	-	-	-	3	3	1	4
Black, female	371	-	-	-	-	-	-	-	-	1	-	1	3	5
Of liver and intrahepatic bile ducts (155)	6,809	7	8	9	6	-	30	8	10	15	22	36	62	88
All races, male	4,025	2	6	4	6	-	18	7	5	7	13	16	37	46
All races, female	2,784	5	2	5	-	-	12	1	5	8	9	20	25	42
White, male	3,212	2	6	3	5	-	16	5	4	5	11	9	20	27
White, female	2,375	5	2	4	-	-	11	1	5	5	6	14	18	28
Black, male	578	-	-	-	-	-	-	1	1	2	2	6	10	11
Black, female	316	-	-	1	-	-	1	-	-	3	3	5	3	9
Liver, primary (155.0)	3,117	4	6	7	6	-	23	7	7	10	13	28	39	51
All races, male	2,088	1	4	3	6	-	14	7	2	5	9	11	25	26
All races, female	1,029	3	2	4	-	-	9	-	5	5	4	17	14	25
White, male	1,579	1	4	2	5	-	12	5	1	3	8	6	12	13
White, female	846	3	2	3	-	-	8	-	5	3	3	11	9	17
Black, male	337	-	-	-	-	-	-	1	1	2	1	4	6	8
Black, female	127	-	-	1	-	-	1	-	-	2	1	5	2	6
Intrahepatic bile ducts (155.1)	855	-	-	-	-	-	-	-	-	1	1	3	9	11
All races, male	410	-	-	-	-	-	-	-	-	-	-	2	5	6
All races, female	445	-	-	-	-	-	-	-	-	1	1	1	4	5
White, male	362	-	-	-	-	-	-	-	-	-	-	2	3	6
White, female	398	-	-	-	-	-	-	-	-	-	-	1	3	3
Black, male	31	-	-	-	-	-	-	-	-	-	-	-	2	-
Black, female	34	-	-	-	-	-	-	-	-	1	1	-	-	1
Liver, not specified as primary or secondary (155.2)	2,837	3	2	2	-	-	7	1	3	4	8	5	14	26
All races, male	1,527	1	2	1	-	-	4	-	3	2	4	3	7	14
All races, female	1,310	2	-	1	-	-	3	1	-	2	4	2	7	12
White, male	1,271	1	2	1	-	-	4	-	3	2	3	1	5	8
White, female	1,131	2	-	1	-	-	3	1	-	2	3	2	6	8
Black, male	210	-	-	-	-	-	-	-	-	-	1	2	2	3
Black, female	155	-	-	-	-	-	-	-	-	-	1	-	1	2
Of gallbladder and extrahepatic bile ducts (156)	4,283	-	-	-	-	-	-	-	-	-	1	2	13	19
All races, male	1,586	-	-	-	-	-	-	-	-	-	1	2	4	11
All races, female	2,697	-	-	-	-	-	-	-	-	-	-	-	9	8
White, male	1,461	-	-	-	-	-	-	-	-	-	1	2	4	7
White, female	2,447	-	-	-	-	-	-	-	-	-	-	-	7	5
Black, male	87	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	178	-	-	-	-	-	-	-	-	-	-	-	2	1
Of pancreas (157)	23,102	-	-	-	-	-	-	1	1	2	13	17	49	131
All races, male	11,542	-	-	-	-	-	-	1	1	2	8	10	25	86
All races, female	11,560	-	-	-	-	-	-	-	-	-	5	7	24	45
White, male	10,070	-	-	-	-	-	-	-	-	-	8	8	21	71
White, female	10,103	-	-	-	-	-	-	1	1	2	6	5	19	40
Black, male	1,327	-	-	-	-	-	-	-	-	-	1	2	4	12
Black, female	1,350	-	-	-	-	-	-	-	-	-	1	1	4	5
Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum (158-159)	2,561	-	1	-	-	-	1	1	1	1	7	6	17	26
All races, male	1,195	-	-	-	-	-	-	-	1	1	7	4	12	16
All races, female	1,366	-	1	-	-	-	1	1	-	-	-	2	5	10
White, male	1,099	-	-	-	-	-	-	-	1	1	5	3	11	14
White, female	1,239	-	-	-	-	-	-	-	-	-	-	2	4	9
Black, male	87	-	-	-	-	-	-	-	-	-	1	1	1	2
Black, female	117	-	1	-	-	-	1	-	-	-	-	-	1	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,311	5	3	1	-	1	10	5	6	13	38	91	228	709
All races, male	87,513	1	-	1	-	1	3	2	3	10	23	53	128	445
All races, female	39,798	4	3	-	-	-	7	3	3	3	15	38	100	264
White, male	76,567	-	-	1	-	1	2	2	2	8	17	36	95	347
White, female	35,945	3	3	-	-	-	6	2	3	3	11	30	79	229
Black, male	10,193	1	-	-	-	-	1	-	1	2	6	16	30	91
Black, female	3,536	1	-	-	-	-	1	1	-	-	3	7	20	31
Of larynx (161)	3,502	-	-	-	-	-	-	-	-	1	-	1	6	12
All races, male	2,844	-	-	-	-	-	-	-	-	1	-	-	4	11
All races, female	658	-	-	-	-	-	-	-	-	-	-	-	2	1
White, male	2,341	-	-	-	-	-	-	-	-	-	-	-	1	6
White, female	542	-	-	-	-	-	-	-	-	-	-	-	1	1
Black, male	479	-	-	-	-	-	-	-	-	-	-	-	3	5
Black, female	107	-	-	-	-	-	-	-	-	1	-	-	1	-
Of trachea, bronchus, and lung (162)	122,556	3	2	-	-	1	6	2	5	5	17	68	203	669
All races, male	83,854	-	-	-	-	1	1	-	2	4	9	41	112	412
All races, female	38,702	3	2	-	-	-	5	2	3	1	8	27	91	257
White, male	73,519	-	-	-	-	1	1	-	1	4	7	26	83	322
White, female	35,010	2	2	-	-	-	4	1	3	1	6	20	72	222
Black, male	9,615	-	-	-	-	-	-	-	-	-	-	14	27	83
Black, female	3,394	1	-	-	-	-	1	1	-	-	1	7	18	31

SECTION 1 - GENERAL MORTALITY - PAGE 255

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
<i>Of colon-Con.</i>														
Other and colon, unspecified (153.8-153.9)	498	868	1,496	2,978	4,705	6,026	7,090	7,100	5,728	3,732	1,743	402	46	3
All races, male	272	458	794	1,535	2,600	3,301	3,735	3,407	2,407	1,296	537	110	15	1
All races, female	226	410	702	1,343	2,105	2,725	3,355	3,693	3,321	2,436	1,206	292	31	2
White, male	230	384	686	1,438	2,305	2,946	3,357	3,107	2,205	1,192	497	98	13	1
White, female	179	326	576	1,126	1,804	2,394	2,956	3,313	3,042	2,263	1,123	261	25	1
Black, male	35	68	92	175	272	310	343	274	174	96	39	11	1	-
Black, female	40	80	120	199	278	307	373	267	160	80	30	6	1	-
<i>Of rectum, rectosigmoid junction, and anus (154)</i>														
All races, male	86	192	314	615	947	1,102	1,338	1,224	1,042	722	363	106	18	1
All races, female	44	114	188	359	553	643	749	633	478	277	123	29	4	1
White, male	42	78	126	256	394	459	589	591	564	445	240	77	14	-
White, female	35	96	163	326	486	597	674	590	441	256	116	27	4	1
Black, male	29	60	105	222	355	403	520	547	511	402	221	74	13	-
Black, female	7	14	23	30	58	39	59	35	29	18	7	1	-	-
Black, female	12	13	18	29	30	49	62	43	48	37	16	3	1	-
<i>Of liver and intrahepatic bile ducts (155)</i>														
All races, male	122	219	334	542	819	1,038	1,172	998	709	395	159	25	4	2
All races, female	85	155	207	371	525	661	712	568	371	160	55	4	1	1
White, male	37	64	127	171	294	377	460	430	338	235	104	21	3	1
White, female	51	88	136	269	415	551	597	489	329	134	51	4	1	-
Black, male	29	49	105	130	232	312	395	384	317	212	98	21	2	1
Black, female	23	34	51	62	82	85	94	62	30	17	4	-	-	1
Black, female	7	10	18	30	49	49	51	38	16	19	4	-	1	-
<i>Liver, primary (155.0)</i>														
All races, male	62	124	161	290	394	527	532	424	255	127	37	4	1	1
All races, female	48	96	109	209	288	372	364	270	149	62	21	1	-	-
White, male	14	28	52	81	106	155	168	154	106	65	16	3	1	1
White, female	20	43	71	137	214	309	291	226	132	54	21	1	-	-
Black, male	13	21	41	57	84	125	145	131	101	54	14	3	-	1
Black, female	20	22	24	39	51	46	61	34	11	6	-	-	-	-
Black, female	1	2	9	16	16	19	15	17	3	10	1	-	1	-
<i>Intrahepatic bile ducts (155.1)</i>														
All races, male	17	25	43	69	110	120	158	122	92	49	19	5	1	-
All races, female	12	14	23	33	54	53	78	65	42	13	8	1	-	-
White, male	5	11	20	36	56	67	80	57	50	36	11	4	-	-
White, female	12	14	16	29	49	44	72	57	40	8	8	1	-	-
Black, male	4	11	20	30	45	59	68	55	49	35	11	4	-	-
Black, female	-	-	4	3	5	5	4	1	3	-	-	-	-	-
Black, female	1	-	-	4	6	12	1	1	-	-	-	-	-	-
<i>Liver, not specified as primary or secondary (155.2)</i>														
All races, male	43	70	130	183	315	391	482	452	362	219	103	16	2	1
All races, female	25	45	75	129	183	236	270	233	180	85	26	2	-	-
White, male	18	25	55	54	132	155	212	219	182	134	77	14	2	-
White, female	19	31	49	103	152	198	234	206	157	72	22	2	-	-
Black, male	12	17	44	43	103	128	182	198	167	123	73	14	2	-
Black, female	3	12	23	20	26	34	29	24	18	8	4	-	-	1
Black, female	5	8	9	10	27	24	24	20	12	9	3	-	-	-
<i>Of gallbladder and extrahepatic bile ducts (156)</i>														
All races, male	38	77	142	244	425	583	728	748	661	385	170	32	5	-
All races, female	13	31	53	101	183	259	291	285	204	99	42	6	1	-
White, male	25	46	89	143	242	334	437	463	457	286	128	26	4	-
White, female	13	26	48	91	164	239	269	260	195	96	40	6	-	-
Black, male	21	36	74	122	208	307	401	418	427	273	121	23	4	-
Black, female	-	3	7	13	17	16	17	6	3	-	-	1	-	-
Black, female	2	9	9	15	19	20	26	35	21	10	6	3	-	-
<i>Of pancreas (157)</i>														
All races, male	266	562	980	1,936	2,777	3,474	4,007	3,666	2,855	1,551	635	159	17	3
All races, female	160	342	582	1,134	1,617	1,895	2,006	1,704	1,165	543	199	56	5	1
White, male	106	220	398	802	1,160	1,579	2,001	1,962	1,690	1,008	436	103	12	2
White, female	133	280	480	973	1,374	1,663	1,763	1,522	1,040	490	187	51	4	-
Black, male	86	178	320	658	979	1,385	1,749	1,751	1,506	923	399	91	9	2
Black, female	23	56	93	147	217	216	165	113	45	11	4	1	1	1
Black, female	17	40	72	135	167	179	238	199	170	74	35	10	3	-
<i>Of retroperitoneum, peritoneum, and other and ill-defined sites within the digestive organs and peritoneum (158-159)</i>														
All races, male	25	45	91	141	220	310	389	427	361	286	161	36	7	2
All races, female	16	27	47	81	121	178	202	191	147	88	46	10	-	-
White, male	9	18	44	60	99	132	187	236	214	198	115	26	7	2
White, female	14	22	44	71	107	169	189	177	136	83	42	10	-	-
Black, male	6	17	33	48	90	120	174	216	202	179	106	23	7	2
Black, female	1	5	3	8	14	8	12	13	10	5	3	-	-	-
Black, female	3	1	11	11	8	11	12	17	12	7	8	3	-	-
<i>Malignant neoplasms of respiratory and intrathoracic organs (160-165)</i>														
All races, male	1,875	4,008	7,916	14,461	20,907	23,294	22,278	16,682	9,311	3,958	1,230	244	35	12
All races, female	1,208	2,565	5,186	9,875	14,383	16,200	15,544	11,907	6,491	2,602	738	125	15	7
White, male	667	1,443	2,730	4,586	6,524	7,094	6,734	4,775	2,820	1,356	492	119	20	5
White, female	941	2,063	4,188	8,301	12,439	14,318	13,861	10,821	5,928	2,390	683	110	8	7
Black, male	548	1,236	2,356	4,015	5,815	6,538	6,178	4,446	2,634	1,241	451	104	17	3
Black, female	255	473	950	1,492	1,818	1,766	1,550	987	501	184	51	14	5	-
Black, female	108	186	353	539	669	506	499	290	165	103	35	15	3	2
<i>Of larynx (161)</i>														
All races, male	43	126	245	455	599	665	523	422	229	121	48	4	1	1
All races, female	35	98	198	370	489	549	414	343	192	98	38	4	-	-
White, male	8	28	47	85	110	116	109	79	37	23	10	-	1	1
White, female	18	61	132	281	401	471	360	314	172	89	32	3	-	-
Black, male	4	15	34	69	89	105	95	67	34	19	8	-	1	-
Black, female	17	36	62	85	83	71	53	28	20	8	6	1	-	-
Black, female	3	13	13	16	21	9	14	10	3	3	-	-	-	1
<i>Of trachea, bronchus, and lung (162)</i>														
All races, male	1,791	3,835	7,591	13,880	20,158	22,471	21,569	16,099	8,970	3,774	1,163	236	33	11
All races, female	1,148	2,433	4,933	9,424	13,789	15,536	15,007	11,464	6,235	2,474	689	119	15	7
White, male	649	1,402	2,658	4,456	6,369	6,835	6,562	4,835	2,735	1,300	474	117	18	4
White, female	906	1,976	4,008	7,947	11,950	13,747	13,396	10,414	5,697	2,274	640	105	8	7
Black, male	533	1,210	2,302	3,909	5,684	6,394	6,025	4,324	2,554	1,191	435	102	15	3
Black, female	231	429	881	1,400	1,718	1,681	1,481	953	477	174	45	13	5	-
Black, female	102	172	336	515	645	495	481	275	161	99	35	15	3	1

SECTION 1 - GENERAL MORTALITY - PAGE 256

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms of respiratory and intrathoracic organs—Con.														
Of all other and ill-defined sites within the respiratory system and intrathoracic organs (160,163-165)	1,253	2	1	1	-	-	4	3	1	7	21	22	19	28
All races, male	815	1	-	1	-	-	2	2	1	5	14	12	12	22
All races, female	438	1	1	-	-	-	2	1	-	2	7	10	7	6
White, male	707	-	-	1	-	-	1	2	1	4	10	10	11	19
White, female	393	1	1	-	-	-	2	1	-	2	5	10	6	6
Black, male	99	1	-	-	-	-	1	-	-	1	4	2	-	3
Black, female	35	-	-	-	-	-	-	-	-	-	2	-	1	-
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	51,963	10	4	7	9	10	40	34	83	175	281	459	1,017	1,697
All races, male	7,091	4	2	4	5	7	22	18	47	101	167	239	326	363
All races, female	44,872	6	2	3	4	3	18	16	36	74	114	220	691	1,334
White, male	6,594	4	2	2	5	6	19	14	36	83	143	221	307	338
White, female	40,274	5	2	3	4	3	17	14	31	66	91	195	562	1,067
Black, male	433	-	-	2	-	1	3	4	8	16	21	16	17	23
Black, female	4,254	1	-	-	-	-	1	1	4	6	20	25	117	226
Of bone and articular cartilage (170)	1,093	1	-	-	3	1	5	17	52	107	107	36	38	30
All races, male	624	-	-	-	2	-	2	7	24	70	76	23	19	20
All races, female	469	1	-	-	1	1	3	10	28	37	31	13	19	10
White, male	544	-	-	-	2	-	2	5	18	60	67	20	19	17
White, female	417	1	-	-	1	1	3	9	25	33	25	12	16	9
Black, male	69	-	-	-	-	-	-	2	4	8	9	2	-	2
Black, female	42	-	-	-	-	-	-	1	2	3	4	1	2	-
Of connective and other soft tissue (171)	2,891	7	4	7	5	9	32	16	29	52	82	100	102	118
All races, male	1,355	4	2	4	2	7	19	10	21	21	39	53	60	68
All races, female	1,536	3	2	3	3	2	13	6	8	31	43	47	42	50
White, male	1,178	4	2	2	2	6	16	8	16	15	28	44	50	55
White, female	1,298	2	2	3	3	2	12	5	6	27	32	42	30	37
Black, male	148	-	-	2	-	1	3	2	4	6	8	8	8	13
Black, female	226	1	-	-	-	-	1	-	2	3	10	5	11	12
Melanoma of skin (172)	5,529	-	-	-	1	-	1	1	2	15	56	144	270	297
All races, male	3,296	-	-	-	1	-	1	1	2	9	37	98	156	180
All races, female	2,233	-	-	-	-	-	-	-	-	6	19	46	114	107
White, male	3,238	-	-	1	-	-	1	1	2	8	36	96	156	189
White, female	2,172	-	-	-	-	-	-	-	-	6	19	46	112	105
Black, male	46	-	-	-	-	-	-	-	-	1	1	2	-	-
Black, female	54	-	-	-	-	-	-	-	-	-	-	-	2	2
Other malignant neoplasms of skin (173)	2,067	-	-	-	-	-	-	-	-	1	16	66	91	83
All races, male	1,526	-	-	-	-	-	-	-	-	1	14	84	90	80
All races, female	541	-	-	-	-	-	-	-	-	-	2	2	1	3
White, male	1,374	-	-	-	-	-	-	-	-	-	-	60	82	72
White, female	501	-	-	-	-	-	-	-	-	-	2	2	1	2
Black, male	141	-	-	-	-	-	-	-	-	1	3	4	8	8
Black, female	36	-	-	-	-	-	-	-	-	-	-	-	-	1
Of female breast (174)	40,093	2	-	-	-	-	2	-	-	-	19	112	515	1,164
All races, male
All races, female	40,093	2	-	-	-	-	2	-	-	-	19	112	515	1,164
White, male
White, female
Black, male	35,886	2	-	-	-	-	2	-	-	-	13	93	403	934
Black, female	3,896	-	-	-	-	-	-	-	-	-	6	19	102	211
Of male breast (175)	280	-	-	-	-	-	-	-	-	-	1	1	1	5
All races, male	280	-	-	-	-	-	-	-	-	-	1	1	1	5
All races, female
White, male	260	-	-	-	-	-	-	-	-	-	1	1	-	5
White, female
Black, male	29	-	-	-	-	-	-	-	-	-	-	-	1	-
Black, female
Malignant neoplasms of genital organs (179-187)	49,690	-	-	1	1	1	3	1	5	44	108	237	357	515
All races, male	26,609	-	-	1	1	1	3	-	2	17	64	86	83	52
All races, female	23,081	-	-	-	-	-	-	-	3	27	44	151	274	463
White, male	22,071	-	-	1	1	1	3	-	1	15	63	78	78	45
White, female	20,020	-	-	-	-	-	-	-	-	3	21	33	118	206
Black, male	4,331	-	-	-	-	-	-	-	1	2	1	4	4	5
Black, female	2,803	-	-	-	-	-	-	1	-	5	9	29	62	90
Of cervix uteri (180)	4,508	-	-	-	-	-	-	-	-	4	21	104	181	291
All races, male
All races, female	4,508	-	-	-	-	-	-	-	-	4	21	104	181	291
White, male
White, female	3,405	-	-	-	-	-	-	-	-	3	16	74	132	212
Black, male
Black, female	1,008	-	-	-	-	-	-	-	1	5	26	45	69	...
Of other parts of uterus (179,181-182)	5,980	-	-	-	-	-	-	-	-	1	5	7	24	34
All races, male
All races, female	5,980	-	-	-	-	-	-	-	-	1	5	7	24	34
White, male
White, female	5,107	-	-	-	-	-	-	-	-	1	3	7	17	26
Black, male
Black, female	830	-	-	-	-	-	-	-	-	1	-	-	7	7
Of ovary and other uterine adnexa (183)	11,531	-	-	-	-	-	-	1	3	22	17	36	60	135
All races, male
All races, female	11,531	-	-	-	-	-	-	1	3	22	17	36	60	135
White, male
White, female	10,571	-	-	-	-	-	-	-	3	17	13	33	49	119
Black, male
Black, female	847	-	-	-	-	-	-	1	-	4	3	3	9	14

SECTION 1 - GENERAL MORTALITY - PAGE 257

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms of respiratory and intrathoracic organs-Con.														
Of all other and ill-defined sites within the respiratory system and intrathoracic organs (160,163-165)	41	47	80	126	150	158	186	161	112	63	19	4	1	-
All races, male	25	34	55	81	105	115	123	100	64	30	11	2	-	-
All races, female	16	13	25	45	45	43	63	61	48	33	8	2	1	-
White, male	17	26	48	73	88	100	105	93	59	27	11	2	-	-
White, female	11	11	20	37	42	39	58	55	46	31	8	2	1	-
Black, male	7	8	7	7	17	14	16	6	4	2	-	-	-	-
Black, female	3	1	4	8	3	2	4	5	1	1	-	-	-	-
Malignant neoplasms of bone, connective tissue, skin, and breast (170-175)	2,238	2,935	3,946	5,509	6,715	6,457	6,350	5,471	4,186	2,633	1,293	387	53	4
All races, male	359	372	521	652	801	765	791	633	472	274	127	36	4	1
All races, female	1,879	2,563	3,425	4,857	5,914	5,692	5,559	4,838	3,714	2,359	1,166	351	49	3
White, male	334	345	479	606	756	705	750	592	445	262	120	34	4	1
White, female	1,568	2,169	2,956	4,273	5,317	5,193	5,091	4,476	3,474	2,208	1,101	333	39	3
Black, male	18	22	39	41	40	50	37	37	23	10	6	2	-	-
Black, female	289	366	407	539	545	473	439	340	226	140	62	18	10	-
Of bone and articular cartilage (170)	39	31	50	53	89	84	102	96	91	49	16	1	-	-
All races, male	25	21	29	29	55	47	52	48	44	21	11	1	-	-
All races, female	14	10	21	24	34	37	50	48	47	28	5	-	-	-
White, male	23	17	25	26	50	41	41	44	39	19	11	-	-	-
White, female	9	8	18	20	30	33	50	41	45	26	5	-	-	-
Black, male	2	3	3	3	4	5	11	4	4	2	-	1	-	-
Black, female	5	1	2	4	3	4	-	6	2	2	-	-	-	-
Of connective and other soft tissue (171)	123	133	199	216	329	324	349	269	226	130	49	11	2	-
All races, male	55	54	94	87	146	169	164	120	92	60	19	3	1	-
All races, female	68	79	105	129	183	155	185	149	134	70	30	8	1	-
White, male	46	47	84	72	135	148	152	107	81	54	16	3	1	-
White, female	52	67	80	111	151	129	158	135	121	67	28	7	1	-
Black, male	3	4	10	13	9	18	11	12	10	4	2	-	-	-
Black, female	16	12	23	18	31	22	27	14	13	3	2	1	-	-
Melanoma of skin (172)	333	374	434	560	628	583	611	504	375	212	92	33	4	-
All races, male	197	220	280	370	399	349	391	281	180	84	39	11	1	-
All races, female	136	154	154	190	229	234	220	223	195	128	53	22	3	-
White, male	192	216	273	369	390	343	388	269	175	83	39	11	1	-
White, female	133	150	148	186	224	224	211	214	191	126	52	22	3	-
Black, male	4	3	6	1	8	4	2	10	3	1	-	-	-	-
Black, female	2	4	4	4	5	8	7	9	4	2	1	-	-	-
Other malignant neoplasms of skin (173)	77	75	123	183	208	197	214	208	189	173	101	53	8	1
All races, male	75	64	102	139	165	161	145	143	122	91	48	19	2	1
All races, female	2	11	21	44	43	36	69	65	67	82	53	34	6	-
White, male	66	52	82	116	149	137	135	135	119	90	46	19	2	1
White, female	1	9	16	40	41	35	64	56	65	75	52	34	6	-
Black, male	9	12	19	20	15	21	8	7	3	1	2	-	-	-
Black, female	-	2	4	4	2	1	4	9	2	7	-	-	-	-
Of female breast (174)	1,659	2,309	3,124	4,470	5,425	5,230	5,035	4,353	3,271	2,051	1,025	287	39	3
All races, male
All races, female	1,659	2,309	3,124	4,470	5,425	5,230	5,035	4,353	3,271	2,051	1,025	287	39	3
White, male
White, female	1,373	1,935	2,704	3,916	4,871	4,772	4,608	4,030	3,052	1,914	964	270	29	3
Black, male
Black, female	266	347	374	509	504	438	401	302	205	126	59	17	10	-
Of male breast (175)	7	13	16	27	36	39	39	41	34	18	10	2	-	-
All races, male	7	13	16	27	36	39	39	41	34	18	10	2	-	-
All races, female
White, male	7	13	15	23	32	36	34	37	31	16	8	1	-	-
White, female
Black, male	-	-	1	4	4	2	5	4	3	2	2	1	-	-
Black, female
Malignant neoplasms of genital organs (179-187)	735	1,031	1,690	2,836	4,783	6,584	8,290	8,609	7,158	4,385	1,831	426	58	4
All races, male	58	74	270	761	1,790	3,262	4,831	5,614	4,962	3,066	1,264	303	44	3
All races, female	677	957	1,420	2,075	2,993	3,322	3,459	2,995	2,196	1,319	567	123	14	1
White, male	53	53	189	578	1,427	2,638	3,951	4,681	4,200	2,663	1,078	244	30	2
White, female	555	799	1,156	1,788	2,570	2,898	3,043	2,661	1,974	1,211	513	106	10	1
Black, male	5	20	77	178	354	605	849	885	721	374	177	55	13	1
Black, female	100	140	231	260	386	397	393	318	207	103	51	17	4	-
Of cervix uteri (180)	315	336	405	428	468	482	456	395	295	198	103	24	2	-
All races, male
All races, female	315	336	405	428	468	482	456	395	295	198	103	24	2	-
White, male
White, female	240	247	269	321	360	384	348	303	233	168	80	15	-	-
Black, male
Black, female	66	78	123	99	99	89	103	87	57	28	22	9	2	-
Of other parts of uterus (179,181-182)	74	112	211	422	770	982	1,060	928	671	454	174	44	7	-
All races, male
All races, female	74	112	211	422	770	982	1,060	928	671	454	174	44	7	-
White, male
White, female	60	94	174	356	634	823	904	805	592	407	159	40	5	-
Black, male
Black, female	11	17	31	62	129	154	147	121	77	45	15	4	2	-
Of ovary and other uterine adnexa (183)	272	490	769	1,170	1,664	1,749	1,797	1,502	1,075	536	203	29	1	-
All races, male
All races, female	272	490	769	1,170	1,664	1,749	1,797	1,502	1,075	536	203	29	1	-
White, male
White, female	241	445	688	1,067	1,502	1,595	1,661	1,400	1,010	513	193	27	1	-
Black, male
Black, female	21	40	68	89	141	142	127	93	58	23	9	2	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 258

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms of genital organs-Con.														
Of other and unspecified female genital organs (184)	1,062	-	-	-	-	-	-	-	-	-	1	4	9	3
All races, male	1,062	-	-	-	-	-	-	-	-	-	1	4	9	3
All races, female	937	-	-	-	-	-	-	-	-	-	1	4	8	3
White, male	118	-	-	-	-	-	-	-	-	-	-	-	1	-
White, female	25,943	-	-	-	-	-	-	-	2	3	-	3	-	2
Black, male	25,943	-	-	-	-	-	-	-	2	3	-	3	-	2
Black, female	21,472	-	-	-	-	-	-	-	1	3	-	3	-	2
White, male	4,273	-	-	-	-	-	-	-	1	-	-	-	-	-
White, female	4,273	-	-	-	-	-	-	-	1	-	-	-	-	-
Black, male	425	-	-	1	1	1	3	-	-	13	64	81	82	47
Black, female	425	-	-	1	1	1	3	-	-	13	64	81	82	47
White, male	396	-	-	1	1	1	3	-	-	11	63	74	77	41
White, female	22	-	-	-	-	-	-	-	-	2	1	4	4	4
Black, male	241	-	-	-	-	-	-	-	-	1	-	2	1	3
Black, female	241	-	-	-	-	-	-	-	-	1	-	2	1	3
White, male	203	-	-	-	-	-	-	-	-	1	-	1	1	2
White, female	36	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, male	36	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	36	-	-	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of urinary organs (188-189)	18,897	10	2	3	8	5	28	26	10	10	10	23	44	135
All races, male	12,195	5	1	2	4	2	14	8	5	5	4	13	26	84
All races, female	6,702	5	1	1	4	3	14	18	5	5	6	10	18	51
White, male	11,142	3	1	1	1	1	8	6	3	3	2	8	20	67
White, female	6,037	2	1	-	2	2	6	15	3	3	2	5	16	42
Black, male	962	2	-	-	2	-	4	2	2	2	2	5	6	15
Black, female	621	3	-	1	3	1	8	2	2	2	4	5	2	9
Of bladder (188)	9,787	1	-	-	-	1	2	-	-	-	-	6	4	22
All races, male	6,679	-	-	-	-	1	1	-	-	-	-	4	2	17
All races, female	3,108	1	-	-	-	-	1	-	-	-	-	2	2	5
White, male	6,175	-	-	-	-	1	1	-	-	-	-	3	2	15
White, female	2,774	1	-	-	-	-	1	-	-	-	-	1	2	3
Black, male	465	-	-	-	-	-	-	-	-	-	-	1	-	2
Black, female	320	-	-	-	-	-	-	-	-	-	-	1	-	2
Of kidney and other and unspecified urinary organs (189)	9,110	9	2	3	8	4	26	26	10	10	10	17	40	113
All races, male	5,516	5	1	2	4	1	13	8	5	5	4	9	24	67
All races, female	3,594	4	1	1	4	3	13	18	5	5	6	8	16	46
White, male	4,967	3	1	1	1	1	7	6	3	3	2	5	18	52
White, female	3,263	1	1	-	1	2	5	15	3	3	2	4	14	39
Black, male	497	2	-	-	2	-	4	2	2	2	2	4	6	13
Black, female	301	3	-	1	3	1	8	2	2	2	4	4	2	7
Malignant neoplasms of other and unspecified sites (190-199)	46,325	45	44	65	73	73	300	241	154	188	200	349	519	793
All races, male	24,161	30	24	29	46	38	167	134	82	124	104	205	296	454
All races, female	22,164	15	20	36	27	35	133	107	72	64	96	144	223	339
White, male	21,135	28	21	24	42	34	149	117	74	103	86	179	255	385
White, female	19,651	12	17	32	19	31	111	86	58	58	83	124	183	292
Black, male	2,753	2	1	5	3	3	14	15	7	17	14	22	38	58
Black, female	2,282	3	1	4	7	4	19	19	12	5	13	17	36	40
Of eye (190)	252	3	-	3	6	4	16	4	-	1	2	2	5	3
All races, male	118	2	-	1	4	2	9	1	-	1	1	1	4	1
All races, female	134	1	-	2	2	2	7	3	-	-	1	1	1	2
White, male	109	1	-	-	3	2	6	-	-	1	1	-	4	1
White, female	130	1	-	1	1	2	5	3	-	-	1	1	1	2
Black, male	9	1	-	1	1	-	3	1	-	-	-	1	-	-
Black, female	4	-	-	1	1	-	2	-	-	-	-	-	-	-
Of brain (191)	10,001	17	21	22	27	37	124	162	120	129	120	208	281	384
All races, male	5,452	12	13	10	16	21	72	89	67	82	57	131	160	229
All races, female	4,549	5	8	12	11	16	52	73	53	47	63	77	121	155
White, male	5,101	12	12	8	15	20	67	79	59	69	44	117	150	213
White, female	4,285	4	7	11	9	13	44	58	43	44	54	74	108	145
Black, male	295	-	1	2	-	-	3	8	7	11	9	10	10	10
Black, female	232	1	1	1	2	3	8	13	8	3	9	2	12	8
Of other and unspecified parts of nervous system (192)	264	1	4	1	-	2	8	6	2	4	3	7	13	10
All races, male	128	1	1	-	-	2	2	-	-	1	1	6	6	7
All races, female	136	-	3	1	-	2	6	6	2	3	2	1	7	3
White, male	111	1	-	-	-	2	-	-	-	1	1	4	3	5
White, female	115	-	3	1	-	2	6	5	2	2	2	1	7	1
Black, male	14	-	-	-	-	-	-	-	-	-	-	2	2	2
Black, female	18	-	-	-	-	-	-	1	-	-	-	-	-	2
Of thyroid gland and other endocrine glands and related structures (193-194)	1,579	16	17	29	31	26	119	59	15	15	13	26	28	27
All races, male	688	11	10	15	23	15	74	40	5	9	10	15	17	18
All races, female	891	5	7	14	8	11	45	19	10	6	3	11	11	9
White, male	617	11	8	13	21	12	65	35	5	8	10	12	14	14
White, female	768	4	6	12	4	11	37	15	7	5	3	10	9	7
Black, male	59	-	-	2	2	3	7	5	-	-	-	3	3	4
Black, female	98	1	-	2	3	-	6	4	3	1	-	-	2	2

SECTION 1 - GENERAL MORTALITY - PAGE 259

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms of genital organs-Con.														
Of other and unspecified female genital organs (184)	16	19	35	55	91	109	146	170	155	131	87	26	4	1
All races, male	16	19	35	55	91	109	146	170	155	131	87	26	4	1
All races, female	16	19	35	55	91	109	146	170	155	131	87	26	4	1
White, male	14	13	25	44	74	96	130	153	139	123	81	24	4	1
White, female	14	13	25	44	74	96	130	153	139	123	81	24	4	1
Black, male	2	5	9	10	17	12	16	17	15	7	5	2	-	-
Black, female	2	5	9	10	17	12	16	17	15	7	5	2	-	-
Of prostate (185)	16	59	235	726	1,747	3,215	4,800	5,576	4,917	3,043	1,256	300	40	3
All races, male	16	59	235	726	1,747	3,215	4,800	5,576	4,917	3,043	1,256	300	40	3
All races, female	16	59	235	726	1,747	3,215	4,800	5,576	4,917	3,043	1,256	300	40	3
White, male	11	40	157	552	1,387	2,598	3,924	4,647	4,162	2,644	1,072	241	26	2
White, female	11	40	157	552	1,387	2,598	3,924	4,647	4,162	2,644	1,072	241	26	2
Black, male	5	18	74	170	351	598	845	882	714	370	176	55	13	1
Black, female	5	18	74	170	351	598	845	882	714	370	176	55	13	1
Of testis (186)	33	6	23	13	17	12	4	9	10	4	3	1	-	-
All races, male	33	6	23	13	17	12	4	9	10	4	3	1	-	-
All races, female	33	6	23	13	17	12	4	9	10	4	3	1	-	-
White, male	33	6	22	10	17	11	4	7	10	3	3	1	-	-
White, female	33	6	22	10	17	11	4	7	10	3	3	1	-	-
Black, male	-	-	1	2	-	1	-	2	-	1	-	-	-	-
Black, female	-	-	1	2	-	1	-	2	-	1	-	-	-	-
Of penis and other male genital organs (187)	9	9	12	22	26	35	27	29	35	19	5	2	4	-
All races, male	9	9	12	22	26	35	27	29	35	19	5	2	4	-
All races, female	9	9	12	22	26	35	27	29	35	19	5	2	4	-
White, male	9	7	10	16	23	29	23	27	28	16	4	2	4	-
White, female	9	7	10	16	23	29	23	27	28	16	4	2	4	-
Black, male	-	2	2	6	3	6	4	1	7	3	1	-	-	-
Black, female	-	2	2	6	3	6	4	1	7	3	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	250	409	763	1,291	2,051	2,571	3,123	3,009	2,525	1,700	740	156	21	2
All races, male	161	283	526	914	1,418	1,778	2,038	1,972	1,522	956	377	72	7	2
All races, female	89	116	237	377	633	793	1,085	1,037	1,003	744	363	84	14	-
White, male	139	256	460	833	1,286	1,617	1,875	1,823	1,406	898	356	70	6	-
White, female	73	94	212	325	561	700	984	940	925	705	339	73	14	-
Black, male	20	34	56	74	122	154	150	133	108	51	18	1	1	2
Black, female	16	19	24	45	70	84	95	93	73	35	22	11	-	-
Of bladder (188)	47	89	221	429	810	1,205	1,670	1,759	1,598	1,232	554	124	13	2
All races, male	29	64	155	327	609	900	1,189	1,232	1,041	743	298	61	5	2
All races, female	18	25	66	102	201	305	481	527	557	489	256	63	8	-
White, male	26	58	133	298	557	827	1,091	1,145	974	699	280	61	5	-
White, female	15	16	56	83	169	260	422	474	514	460	237	53	8	-
Black, male	3	6	21	28	49	69	90	79	63	37	15	10	-	2
Black, female	3	8	10	18	32	43	58	52	41	25	17	10	-	-
Of kidney and other and unspecified urinary organs (189)	203	320	542	862	1,241	1,366	1,453	1,250	927	468	186	32	8	-
All races, male	132	229	371	587	809	878	849	740	481	213	79	11	2	-
All races, female	71	91	171	275	432	488	604	510	446	255	107	21	6	-
White, male	113	198	327	535	729	790	784	678	432	199	76	9	1	-
White, female	58	78	156	242	392	440	562	466	411	245	102	20	6	-
Black, male	17	28	35	46	73	85	60	54	45	14	3	1	1	-
Black, female	13	11	14	27	38	41	37	41	32	10	5	1	-	-
Malignant neoplasms of other and unspecified sites (190-199)	1,047	1,501	2,515	4,054	5,997	6,506	6,860	6,063	4,588	2,873	1,233	295	45	4
All races, male	606	840	1,450	2,354	3,412	3,624	3,687	3,020	2,027	1,085	390	84	15	1
All races, female	441	661	1,065	1,700	2,585	2,882	3,173	3,043	2,561	1,788	843	211	30	3
White, male	490	706	1,176	2,004	3,003	3,205	3,278	2,703	1,810	972	357	72	10	1
White, female	373	542	879	1,464	2,277	2,535	2,857	2,755	2,314	1,664	783	189	23	1
Black, male	105	128	259	319	385	392	367	272	192	105	29	10	5	-
Black, female	54	110	180	215	280	329	291	261	216	119	56	22	6	2
Of eye (190)	7	5	9	18	31	30	35	22	22	23	13	4	-	-
All races, male	4	3	4	8	16	15	18	7	13	10	1	1	-	-
All races, female	3	2	5	10	15	15	17	15	9	13	12	3	-	-
White, male	4	2	4	8	16	14	18	7	12	10	1	-	-	-
White, female	3	2	4	10	15	14	17	15	9	13	12	3	-	-
Black, male	-	1	-	-	-	1	-	-	1	-	-	1	-	-
Black, female	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Of brain (191)	433	497	703	1,020	1,396	1,352	1,342	952	509	218	40	9	2	-
All races, male	279	314	414	596	765	706	688	463	231	88	15	3	1	-
All races, female	154	183	289	422	631	646	654	489	278	130	25	6	1	-
White, male	254	291	376	562	724	664	660	442	225	87	15	2	1	-
White, female	146	161	270	396	604	614	630	470	264	128	25	6	1	-
Black, male	20	21	35	31	38	37	24	14	5	1	-	1	-	-
Black, female	4	19	17	23	23	31	21	17	12	2	-	-	-	-
Of other and unspecified parts of nervous system (192)	11	15	17	22	28	33	28	31	14	10	2	-	-	-
All races, male	9	7	13	11	16	15	13	14	5	2	-	-	-	-
All races, female	2	8	4	11	12	18	15	17	9	8	2	-	-	-
White, male	9	6	11	9	15	12	13	14	5	1	-	-	-	-
White, female	1	8	3	8	9	15	12	16	8	7	2	-	-	-
Black, male	-	1	2	2	3	3	-	-	-	-	-	-	-	-
Black, female	1	-	1	3	3	2	3	1	-	1	-	-	-	-
Of thyroid gland and other endocrine glands and related structures (193-194)	37	47	75	113	167	171	214	162	130	93	33	14	1	-
All races, male	13	20	38	60	73	71	85	65	44	20	7	4	-	-
All races, female	24	27	37	53	94	100	129	117	86	73	26	10	1	-
White, male	10	17	31	55	67	65	79	61	40	19	6	4	-	-
White, female	19	21	30	45	80	89	108	101	81	67	24	9	1	-
Black, male	2	2	7	3	5	5	5	3	4	1	-	-	-	-
Black, female	2	3	4	6	13	9	17	13	4	6	2	1	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 260

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms of other and unspecified sites-Con.														
Of all other and unspecified sites (195-199)	34,229	8	2	10	9	4	33	10	17	39	62	106	192	369
All races, male	17,775	4	-	3	3	-	10	4	10	31	35	52	109	199
All races, female	16,454	4	2	7	6	4	23	6	7	8	27	54	83	170
White, male	15,197	3	-	3	3	-	9	3	10	24	30	46	84	152
White, female	14,353	3	1	7	5	3	19	5	6	7	23	38	58	137
Black, male	2,376	1	-	-	-	-	1	1	-	6	5	6	23	42
Black, female	1,930	1	-	-	1	1	3	1	1	1	4	15	22	28
Malignant neoplasms of lymphatic and hematopoietic tissues (200-208)														
All races, male	42,478	36	43	49	56	59	243	286	300	383	527	660	749	846
All races, female	22,542	14	24	31	38	33	140	174	180	249	327	396	462	543
White, male	19,936	22	19	18	18	26	103	112	120	134	200	264	287	303
White, female	20,268	11	20	25	31	24	111	148	141	218	272	329	403	474
Black, male	17,959	17	16	16	18	23	90	95	99	112	174	219	239	251
Black, female	1,999	2	4	4	4	7	21	20	32	23	46	56	50	61
Black, female	1,775	4	1	1	-	1	7	14	18	17	21	39	37	43
Lymphosarcoma and reticulosarcoma (209)														
All races, male	3,913	-	1	1	3	4	9	14	15	40	59	74	74	86
All races, female	2,046	-	-	1	2	2	5	12	12	32	41	50	53	62
White, male	1,867	-	1	-	1	2	4	2	3	8	18	24	21	24
White, female	1,692	-	-	1	2	1	4	11	12	28	35	40	43	55
Black, male	1,747	-	-	-	1	2	3	2	2	7	17	21	18	20
Black, female	127	-	-	-	-	1	1	-	-	3	4	9	8	6
Black, female	103	-	-	-	-	-	-	-	1	-	-	3	3	3
Hodgkin's disease (201)														
All races, male	1,778	-	-	-	-	-	-	2	10	44	133	154	158	139
All races, female	1,033	-	-	-	-	-	-	2	7	23	80	98	100	96
White, male	745	-	-	-	-	-	-	-	3	21	53	56	58	43
White, female	922	-	-	-	-	-	-	1	4	18	68	91	86	84
Black, male	666	-	-	-	-	-	-	-	3	16	46	49	50	38
Black, female	104	-	-	-	-	-	-	1	3	5	11	7	14	12
Black, female	70	-	-	-	-	-	-	-	-	5	6	7	8	5
Other malignant neoplasms of lymphoid and histiocytic tissue (202)														
All races, male	11,649	4	4	2	4	6	20	20	24	39	70	116	168	218
All races, female	6,086	1	1	2	3	3	10	11	16	29	48	73	112	150
White, male	5,563	3	3	-	1	3	10	9	8	10	22	43	56	68
White, female	5,655	1	1	1	3	3	9	10	12	26	36	53	99	126
Black, male	5,174	1	3	-	1	3	8	8	7	9	21	31	46	55
Black, female	362	-	-	1	-	-	1	1	4	3	10	17	12	21
Black, female	334	2	-	-	-	-	2	1	1	1	1	10	6	11
Multiple myeloma and immunoproliferative neoplasms (203)														
All races, male	7,819	1	-	-	-	-	1	-	-	-	-	6	15	48
All races, female	3,935	1	-	-	-	-	1	-	-	-	-	5	11	25
White, male	3,884	-	-	-	-	-	-	-	-	-	-	1	4	21
White, female	3,251	-	-	-	-	-	-	-	-	-	-	4	9	19
Black, male	3,217	-	-	-	-	-	-	-	-	-	-	1	1	19
Black, female	637	1	-	-	-	-	1	-	-	-	-	1	2	5
Black, female	636	-	-	-	-	-	-	-	-	-	-	-	2	2
Leukemia (204-208)														
All races, male	17,319	31	38	46	49	49	213	250	251	260	265	310	334	357
All races, female	9,442	12	23	28	33	28	124	149	145	165	158	170	186	210
White, male	7,877	19	15	18	16	21	89	101	106	95	107	140	148	147
White, female	8,548	10	19	23	26	20	98	126	113	146	133	141	166	190
Black, male	7,155	16	13	16	16	18	79	85	87	80	90	117	124	119
Black, female	769	1	4	3	4	6	18	18	25	12	21	22	14	17
Black, female	632	2	1	1	-	1	5	13	16	11	14	19	18	22
Lymphoid leukemia (204)														
All races, male	5,061	9	17	16	25	25	92	158	145	117	88	64	44	59
All races, female	2,948	4	10	11	13	12	50	93	88	83	55	38	24	37
White, male	2,113	5	7	5	12	13	42	65	57	34	33	26	20	22
White, female	2,668	3	8	10	11	8	40	78	68	78	48	34	22	32
Black, male	1,912	5	5	4	12	11	37	56	47	31	31	23	18	14
Black, female	261	1	2	1	2	3	9	13	16	4	6	3	1	5
Black, female	183	-	1	-	-	1	2	7	8	3	2	2	1	7
Myeloid leukemia (205)														
All races, male	7,506	8	9	14	14	14	59	42	56	88	112	167	202	218
All races, female	3,964	3	7	9	12	9	40	25	26	49	60	87	111	126
White, male	3,542	5	2	5	2	5	19	17	30	39	52	80	91	92
White, female	3,583	3	6	9	10	8	36	21	19	41	45	67	96	115
Black, male	3,219	4	2	5	2	4	17	14	25	32	42	65	74	75
Black, female	312	-	1	-	1	1	3	5	4	12	15	10	10	10
Black, female	271	-	-	-	-	-	-	3	4	5	8	12	13	13
Monocytic leukemia (206)														
All races, male	310	3	1	4	1	-	9	1	4	7	2	7	6	1
All races, female	161	1	-	1	1	-	3	1	1	5	2	5	4	-
White, male	149	2	1	3	-	-	6	-	3	2	-	2	2	1
White, female	150	1	-	-	1	-	2	1	1	4	2	4	4	-
Black, male	136	1	1	3	-	-	5	-	3	2	-	1	2	1
Black, female	10	-	-	-	-	-	-	-	-	1	-	1	-	-
Black, female	11	1	-	-	-	-	1	-	-	-	-	1	-	-
Other and unspecified leukemia (207-208)														
All races, male	4,442	11	11	12	9	10	53	49	46	48	63	72	82	79
All races, female	2,369	4	6	7	7	7	31	30	30	28	41	40	47	47
White, male	2,073	7	5	5	2	3	22	19	16	20	22	32	35	32
White, female	2,147	3	5	4	4	4	20	26	25	23	38	36	44	43
Black, male	1,888	6	5	4	2	3	20	15	12	15	17	28	30	29
Black, female	186	-	1	2	1	2	6	2	4	3	3	3	3	2
Black, female	167	1	-	1	-	-	2	3	4	3	4	4	4	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)														
All races, male	6,699	61	23	13	15	17	129	47	40	50	50	99	86	139
All races, female	3,008	22	16	11	7	11	67	24	19	24	28	58	40	73
White, male	3,691	39	7	2	8	6	62	23	21	26	22	41	46	66
White, female	2,632	17	14	9	6	9	55	21	13	17	22	50	32	64
Black, male	3,207	33	7	-	5	3	48	16	16	19	18	35	38	52
Black, female	332	4	2	1	-	2	9	3	4	7	6	6	8	7
Black, female	444	5	-	2	3	2	12	6	3	7	4	6	7	12

SECTION 1 - GENERAL MORTALITY - PAGE 261

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms of other and unspecified sites—Con.														
Of all other and unspecified sites (195-199)	559	937	1,711	2,881	4,375	4,920	5,241	4,876	3,913	2,529	1,145	268	42	4
All races, male	301	496	981	1,677	2,542	2,817	2,883	2,471	1,734	965	367	76	14	1
All races, female	258	441	730	1,204	1,833	2,103	2,358	2,405	2,179	1,564	778	192	28	3
White, male	213	390	754	1,370	2,181	2,450	2,508	2,179	1,528	855	335	66	9	1
White, female	204	350	572	1,005	1,569	1,803	2,090	2,153	1,952	1,449	720	171	21	1
Black, male	83	103	215	283	342	346	338	255	182	103	29	8	5	-
Black, female	47	88	137	183	241	286	250	230	200	110	54	21	6	2
Malignant neoplasms of lymphatic and hematopoietic tissues (200-209)	1,045	1,212	1,747	2,864	4,442	5,507	6,253	6,194	4,847	2,934	1,161	233	42	3
All races, male	645	704	1,014	1,619	2,535	3,084	3,361	3,116	2,244	1,197	458	80	13	1
All races, female	400	508	733	1,245	1,907	2,423	2,892	3,078	2,603	1,737	703	153	29	2
White, male	559	601	892	1,431	2,263	2,802	3,055	2,890	2,046	1,119	431	71	11	1
White, female	341	429	646	1,079	1,692	2,173	2,609	2,841	2,399	1,643	663	142	22	1
Black, male	77	90	105	166	237	263	278	200	170	74	21	7	2	-
Black, female	53	64	74	152	198	226	261	219	193	85	36	10	7	1
Lymphosarcoma and reticulosarcoma (200)	108	136	166	306	452	547	561	554	398	221	77	14	2	-
All races, male	71	91	86	160	245	302	271	273	162	84	30	3	1	-
All races, female	37	45	80	146	207	245	290	281	236	137	47	11	1	-
White, male	58	85	82	151	227	280	255	258	154	80	30	3	1	-
White, female	31	42	69	134	199	226	273	263	231	132	46	11	-	-
Black, male	11	6	3	8	15	17	13	14	5	4	-	-	-	-
Black, female	6	3	8	12	6	15	15	16	5	5	1	-	1	-
Hodgkin's disease (201)	97	84	74	107	146	154	162	133	109	55	13	4	-	-
All races, male	65	58	51	63	97	82	87	55	46	16	4	3	-	-
All races, female	32	26	23	44	49	72	75	78	63	39	9	1	-	-
White, male	58	52	46	53	87	80	81	49	43	16	3	2	-	-
White, female	28	23	21	36	42	64	68	74	60	39	8	1	-	-
Black, male	5	5	5	10	10	2	6	6	1	-	1	-	-	-
Black, female	4	3	1	8	6	6	4	3	3	-	1	-	-	-
Other malignant neoplasms of lymphoid and histiocytic tissue (202)	305	364	538	842	1,323	1,585	1,762	1,790	1,351	775	282	51	5	1
All races, male	195	230	329	483	737	864	914	889	588	288	107	13	-	-
All races, female	110	134	209	359	586	721	848	901	763	487	175	38	5	1
White, male	180	196	302	442	685	813	867	848	557	280	102	12	-	-
White, female	95	116	191	327	537	682	800	847	723	468	162	36	4	1
Black, male	14	28	22	32	45	47	38	35	22	7	3	-	-	-
Black, female	14	14	14	26	44	31	46	46	36	17	10	2	1	-
Multiple myeloma and immunoproliferative neoplasms (203)	92	144	331	572	945	1,186	1,431	1,286	985	551	194	30	4	-
All races, male	59	69	177	322	518	640	742	593	448	224	90	10	1	-
All races, female	33	75	154	250	427	546	689	693	537	327	104	20	3	-
White, male	44	45	141	263	414	527	620	513	372	192	78	9	1	-
White, female	23	53	123	192	350	446	570	589	449	290	92	17	2	-
Black, male	13	22	34	55	95	110	117	73	68	31	9	1	-	-
Black, female	9	20	29	56	75	96	111	103	85	33	11	3	1	-
Leukemia (204-208)	443	484	638	1,037	1,576	2,035	2,337	2,431	2,004	1,332	595	134	31	2
All races, male	255	256	371	591	938	1,196	1,347	1,306	1,000	585	227	51	11	1
All races, female	188	228	267	446	638	839	990	1,125	1,004	747	368	83	20	1
White, male	219	223	321	522	850	1,102	1,232	1,222	920	551	218	45	9	1
White, female	164	195	242	390	564	755	898	1,068	936	714	355	77	16	-
Black, male	34	29	41	61	72	87	104	72	74	32	8	6	2	-
Black, female	20	24	22	50	67	78	85	51	64	30	13	5	4	1
Lymphoid leukemia (204)	56	78	124	281	425	535	646	733	657	456	228	58	16	1
All races, male	35	46	88	182	274	354	389	435	347	204	100	20	6	-
All races, female	21	32	36	99	151	181	257	298	310	252	128	38	10	1
White, male	28	43	72	160	250	323	353	410	320	188	97	18	6	-
White, female	18	30	34	80	129	165	235	278	279	239	125	34	9	-
Black, male	7	3	14	22	23	30	32	25	27	16	3	2	-	-
Black, female	3	1	2	18	21	16	22	18	30	12	3	3	1	1
Myeloid leukemia (205)	280	264	344	490	745	943	1,013	972	754	515	192	44	5	1
All races, male	156	133	185	264	424	527	567	508	366	221	66	20	2	1
All races, female	124	131	159	226	321	416	446	464	388	294	126	24	3	-
White, male	137	114	162	233	376	492	528	471	337	211	63	17	1	1
White, female	108	111	142	203	283	377	401	447	369	286	123	23	2	-
Black, male	18	16	18	25	38	30	36	29	26	8	2	3	1	-
Black, female	12	13	15	19	32	35	42	16	16	8	3	1	1	-
Monocytic leukemia (206)	6	6	13	14	26	32	38	57	40	29	10	1	1	-
All races, male	3	2	4	9	17	20	22	32	16	12	2	-	1	-
All races, female	3	4	9	5	9	12	16	25	24	17	8	1	-	-
White, male	3	2	4	7	17	18	22	31	13	12	2	-	1	-
White, female	3	3	9	5	8	12	13	21	23	17	7	1	-	-
Black, male	-	-	-	2	-	2	-	1	3	-	-	-	-	-
Black, female	-	1	-	-	1	-	1	4	1	-	1	-	-	-
Other and unspecified leukemia (207-208)	101	136	157	252	380	525	640	669	553	332	165	31	9	-
All races, male	61	75	94	136	223	295	369	331	271	148	59	11	2	-
All races, female	40	61	63	116	157	230	271	338	282	184	106	20	7	-
White, male	51	64	83	122	207	269	329	310	250	140	56	10	1	-
White, female	35	51	57	102	144	201	249	322	265	172	100	19	5	-
Black, male	9	10	9	12	11	25	36	17	18	8	3	1	1	-
Black, female	5	9	5	13	13	27	20	13	17	10	6	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	144	173	248	386	567	710	955	938	898	655	286	87	10	2
All races, male	81	84	144	203	280	349	436	420	341	219	91	23	3	1
All races, female	63	89	104	183	287	361	519	518	557	436	195	64	7	1
White, male	59	64	121	179	245	302	383	373	315	207	85	22	2	1
White, female	48	70	82	141	239	307	443	476	507	402	184	59	7	-
Black, male	19	19	22	23	31	44	46	43	21	7	6	1	-	-
Black, female	14	18	21	40	46	51	68	38	45	30	10	5	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 262

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Benign neoplasms, carcinoma in situ, etc.—Con.														
Benign neoplasms (210-229)	1,446	22	7	1	5	2	37	5	4	10	9	14	13	26
All races, male	535	9	5	1	4	—	19	2	2	4	3	6	7	12
All races, female	911	13	2	—	1	2	18	3	2	6	6	8	6	14
White, male	442	7	3	1	4	—	15	2	1	2	2	5	7	9
White, female	744	10	2	—	1	1	14	3	1	5	5	5	3	7
Black, male	91	2	2	—	—	—	4	—	1	2	1	1	—	3
Black, female	154	2	—	—	—	—	2	—	1	1	1	3	2	7
Of female genital organs (218-221)	35	1	—	—	—	—	1	—	—	—	1	—	—	3
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	35	1	—	—	—	—	1	—	—	—	1	—	—	3
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	24	—	—	—	—	—	—	—	—	—	1	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	10	—	—	—	—	—	—	—	—	—	—	—	—	3
Of eye, brain, and other parts of nervous system (224-225)	892	1	1	—	2	2	6	2	3	2	5	5	7	9
All races, male	299	1	—	—	1	—	2	1	1	—	2	2	3	4
All races, female	593	—	1	—	1	2	4	1	2	2	3	3	4	5
White, male	252	1	—	—	1	—	2	1	1	—	2	2	3	3
White, female	486	—	1	—	1	1	3	1	1	2	2	1	2	3
Black, male	46	—	—	—	—	—	—	—	—	—	1	—	—	1
Black, female	98	—	—	—	—	—	—	—	1	—	1	2	2	2
Of all other and unspecified sites (210-217, 222-223, 226-229)	519	20	6	1	3	—	30	3	1	8	3	9	6	14
All races, male	236	8	5	1	3	—	17	1	1	4	1	4	4	8
All races, female	283	12	1	—	—	—	13	2	—	4	2	5	2	6
White, male	190	6	3	1	3	—	13	1	—	2	1	3	4	6
White, female	234	10	1	—	—	—	11	2	—	3	2	4	1	4
Black, male	45	2	2	—	—	—	4	—	1	2	—	1	—	2
Black, female	46	2	—	—	—	—	2	—	—	1	—	1	—	2
Carcinoma in situ (230-234)	7	—	—	—	—	—	—	—	—	—	—	1	—	—
All races, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	6	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	5	—	—	—	—	—	—	—	—	—	—	1	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Of breast and genitourinary system (233)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Of all other and unspecified sites (230-232, 234)	7	—	—	—	—	—	—	—	—	—	—	1	—	—
All races, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	6	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Neoplasms of uncertain behavior (235-238)	1,436	13	2	3	2	1	21	2	10	17	10	21	20	24
All races, male	668	3	2	3	—	1	9	1	4	9	6	12	10	10
All races, female	768	10	—	—	2	—	12	1	6	8	4	9	10	14
White, male	615	3	2	2	—	1	8	1	7	7	5	10	6	9
White, female	693	10	—	—	1	—	11	—	6	7	3	7	8	11
Black, male	44	—	1	—	—	—	1	—	2	2	1	2	4	—
Black, female	72	—	—	—	1	—	1	1	—	1	1	2	2	2
Neoplasms of unspecified nature (239)	3,810	26	14	9	8	14	71	40	26	23	31	63	53	89
All races, male	1,804	10	9	7	3	10	39	21	13	11	19	39	23	51
All races, female	2,006	16	5	2	5	4	32	19	13	12	12	24	30	38
White, male	1,574	7	9	6	2	8	32	18	11	8	15	34	19	46
White, female	1,765	13	5	—	3	2	23	13	9	7	10	23	27	34
Black, male	197	2	—	—	—	2	4	3	1	3	4	3	4	4
Black, female	217	3	—	2	2	2	9	5	2	5	2	1	3	3
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)														
Immunity disorders (240-279)	53,268	394	85	61	25	33	598	129	132	185	332	873	1,290	1,453
All races, male	23,725	212	44	31	14	17	318	55	63	88	205	626	994	1,096
All races, female	29,543	182	41	30	11	16	280	74	69	97	127	247	296	357
White, male	19,459	155	34	21	9	14	233	49	52	73	140	454	711	825
White, female	24,035	124	28	20	10	12	194	61	64	87	91	162	189	248
Black, male	3,894	47	10	7	5	3	72	5	10	12	63	169	276	260
Black, female	5,157	54	11	10	1	4	80	13	5	10	33	83	101	107
Endocrine and metabolic diseases and immunity disorders (240-259, 270-279)	50,394	364	84	59	25	33	565	127	130	181	329	868	1,283	1,439
All races, male	22,639	198	43	31	14	17	303	54	63	85	204	624	990	1,087
All races, female	27,755	166	41	28	11	16	262	73	67	96	125	244	293	352
White, male	18,543	146	33	21	9	14	223	48	52	70	139	454	708	819
White, female	22,461	113	28	20	10	12	183	61	62	86	89	159	188	246
Black, male	3,745	42	10	7	5	3	67	5	10	12	63	167	275	257
Black, female	4,957	49	11	8	1	4	73	12	5	10	33	83	99	104
Disorders of thyroid gland (240-246)	741	1	—	1	—	—	2	—	—	—	6	10	11	3
All races, male	162	1	—	—	—	—	1	—	—	—	2	4	3	1
All races, female	579	—	—	1	—	—	1	—	—	—	4	6	8	2
White, male	133	1	—	—	—	—	1	—	—	—	2	2	1	1
White, female	494	—	—	1	—	—	1	—	—	—	1	2	5	1
Black, male	26	—	—	—	—	—	—	—	—	—	—	2	2	—
Black, female	78	—	—	—	—	—	—	—	—	—	3	4	2	1

SECTION 1 - GENERAL MORTALITY - PAGE 263

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Benign neoplasms, carcinoma in situ, etc.—Con.														
Benign neoplasms (210-229)	35	49	56	84	130	155	234	203	186	145	41	9	1	-
All races, male	16	14	25	34	54	69	75	80	58	39	14	2	-	-
All races, female	19	35	31	50	76	86	159	123	128	106	27	7	1	-
White, male	10	8	20	29	45	56	63	67	49	37	13	2	-	-
White, female	11	27	20	41	56	65	132	111	108	95	27	7	1	-
Black, male	6	6	5	5	8	13	11	13	9	2	1	-	-	-
Black, female	7	7	11	8	19	21	26	11	18	9	-	-	-	-
Of female genital organs (218-221)	5	2	2	3	3	2	4	1	3	2	2	1	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	5	2	2	3	3	2	4	1	3	2	2	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2	2	1	3	1	1	4	1	3	2	2	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	3	-	1	-	2	1	-	-	-	-	-	-	-	-
Of eye, brain, and other parts of nervous system (224-225)	21	27	31	45	75	104	159	134	129	98	25	5	-	-
All races, male	10	10	14	16	25	44	37	49	43	28	7	1	-	-
All races, female	11	17	17	29	50	60	122	85	86	70	18	4	-	-
White, male	6	7	12	15	19	35	31	42	38	26	7	1	-	-
White, female	8	12	12	23	37	44	101	77	70	65	18	4	-	-
Black, male	4	3	2	1	5	9	6	7	5	2	-	-	-	-
Black, female	2	4	5	5	12	16	20	8	14	4	-	-	-	-
Of all other and unspecified sites (210-217,222-223,226-229)	9	20	23	36	52	49	71	68	54	45	14	3	1	-
All races, male	6	4	11	18	29	25	38	31	15	11	7	1	-	-
All races, female	3	16	12	18	23	24	33	37	39	34	7	2	1	-
White, male	4	1	8	14	26	21	32	25	11	11	6	1	-	-
White, female	1	13	7	15	18	20	27	33	35	28	7	2	1	-
Black, male	2	3	3	4	3	4	5	6	4	-	1	-	-	-
Black, female	2	3	5	3	5	4	6	3	4	5	-	-	-	-
Carcinoma in situ (230-234)	-	-	-	-	-	1	3	1	-	-	-	1	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	1	3	1	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	1	3	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Of breast and genitourinary system (233)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Of all other and unspecified sites (230-232,234)	-	-	-	-	-	1	3	1	-	-	-	1	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	1	3	1	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	1	3	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Neoplasms of uncertain behavior (235-238)	23	24	37	78	134	137	200	216	211	164	65	19	3	-
All races, male	11	12	23	36	66	65	105	109	91	62	22	5	-	-
All races, female	12	12	14	42	68	72	95	107	120	102	43	14	3	-
White, male	9	11	22	33	59	62	96	103	85	61	20	5	-	-
White, female	11	8	12	29	59	69	84	98	113	100	41	13	3	-
Black, male	1	1	1	3	6	3	6	5	4	-	2	-	-	-
Black, female	1	4	2	13	9	3	9	9	7	2	2	1	-	-
Neoplasms of unspecified nature (239)	86	100	155	224	303	417	518	518	501	346	180	58	6	2
All races, male	54	58	96	133	180	215	256	231	192	118	55	16	3	1
All races, female	32	42	59	91	143	202	262	287	309	228	125	42	3	1
White, male	40	45	79	117	141	184	222	203	181	109	52	15	2	1
White, female	26	35	50	71	124	172	224	267	286	207	116	38	3	-
Black, male	12	12	16	15	17	28	29	25	8	5	3	1	-	-
Black, female	6	7	8	19	18	27	33	17	20	19	8	4	-	1
III. Endocrine, nutritional, and metabolic diseases and immunity disorders (240-279)														
Immunity disorders (240-279)	1,315	1,342	1,739	2,883	4,461	5,559	6,856	7,560	7,094	5,339	3,007	949	161	11
All races, male	940	862	999	1,503	2,133	2,537	3,037	3,032	2,530	1,634	793	247	31	2
All races, female	375	480	740	1,380	2,328	3,022	3,819	4,528	4,564	3,705	2,214	702	130	9
White, male	697	635	771	1,202	1,721	2,102	2,593	2,573	2,206	1,474	713	215	20	-
White, female	264	317	502	986	1,749	2,319	3,073	3,758	3,933	3,313	1,992	627	100	6
Black, male	234	214	211	267	370	392	395	411	288	133	71	28	11	2
Black, female	105	154	220	358	535	651	704	725	596	366	210	71	27	3
Endocrine and metabolic diseases and immunity disorders (240-259,270-279)	1,301	1,322	1,707	2,824	4,384	5,413	6,633	7,224	6,551	4,753	2,516	729	106	9
All races, male	932	849	987	1,470	2,087	2,465	2,923	2,886	2,318	1,441	649	201	19	2
All races, female	369	473	720	1,354	2,297	2,948	3,710	4,338	4,233	3,312	1,867	528	87	7
White, male	691	628	763	1,178	1,686	2,043	2,507	2,450	2,025	1,296	580	172	11	4
White, female	262	313	484	965	1,724	2,265	2,981	3,593	3,644	2,948	1,676	480	68	4
Black, male	232	209	208	259	359	379	370	390	263	121	62	27	8	2
Black, female	101	151	219	353	529	632	689	703	558	338	180	65	17	3
Disorders of thyroid gland (240-246)	10	12	15	34	35	72	97	118	138	103	54	19	2	-
All races, male	3	2	2	6	11	20	25	24	22	21	13	2	-	-
All races, female	7	10	13	28	24	52	72	94	116	82	41	17	2	-
White, male	2	1	1	5	9	16	23	19	18	17	13	2	-	-
White, female	3	7	9	19	18	46	63	83	106	76	39	14	2	-
Black, male	-	1	1	1	2	4	2	4	4	3	-	-	-	-
Black, female	4	3	4	7	6	5	9	9	10	6	2	3	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 264

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Endocrine and metabolic diseases and immunity disorders-Con.														
Diabetes mellitus (250)	36,969	2	5	2	1	3	13	11	20	38	83	211	326	539
All races, male	15,263	-	-	1	-	2	3	7	8	14	41	106	208	332
All races, female	21,706	2	5	1	1	1	10	4	12	24	42	105	118	207
White, male	12,758	-	-	1	-	2	3	6	2	8	26	88	165	268
White, female	17,547	1	5	1	1	1	9	4	9	17	27	79	92	158
Black, male	2,230	-	-	-	-	-	-	1	6	6	15	18	41	59
Black, female	3,874	-	-	-	-	-	-	-	3	7	14	26	23	47
Disorders of the pituitary gland and its hypothalamic control (253)	161	5	2	1	-	-	8	2	1	-	2	4	5	7
All races, male	60	3	1	-	-	-	4	2	1	-	1	1	3	2
All races, female	101	2	1	1	-	-	4	-	-	-	1	3	2	5
White, male	50	3	1	-	-	-	4	1	1	-	1	-	2	2
White, female	85	2	1	1	-	-	4	-	-	-	-	-	2	4
Black, male	8	-	-	-	-	-	-	1	-	-	-	1	-	-
Black, female	14	-	-	-	-	-	-	-	-	-	1	3	-	1
Diseases of thymus gland (254)	9	5	-	1	-	-	6	-	-	-	-	-	-	-
All races, male	3	2	-	1	-	-	3	-	-	-	-	-	-	-
All races, female	6	3	-	-	-	-	3	-	-	-	-	-	-	-
White, male	3	2	-	1	-	-	3	-	-	-	-	-	-	-
White, female	4	2	-	-	-	-	2	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Disorders of adrenal glands (255)	199	7	-	1	-	-	8	2	-	2	4	6	8	9
All races, male	93	4	-	1	-	-	5	1	-	2	4	4	4	3
All races, female	106	3	-	-	-	-	3	1	-	-	-	2	4	6
White, male	81	3	-	1	-	-	4	1	-	2	3	4	4	2
White, female	92	2	-	-	-	-	2	1	-	-	-	1	2	5
Black, male	12	1	-	-	-	-	1	-	-	-	1	-	-	1
Black, female	11	1	-	-	-	-	1	-	-	-	-	1	1	1
Cystic fibrosis (277.0)	457	17	3	5	6	8	39	51	67	79	80	64	39	19
All races, male	232	6	2	1	3	3	15	23	31	36	47	37	22	10
All races, female	225	11	1	4	3	5	24	28	36	43	33	27	17	9
White, male	227	6	1	-	3	3	13	23	31	36	46	36	22	10
White, female	222	11	1	4	3	5	24	27	35	43	33	27	16	9
Black, male	4	-	1	-	-	-	1	-	-	-	1	1	-	-
Black, female	3	-	-	-	-	-	-	1	1	-	-	-	1	-
Obesity (278.0)	1,042	-	-	-	-	-	-	-	4	11	12	28	60	70
All races, male	426	-	-	-	-	-	-	-	1	8	6	13	32	36
All races, female	616	-	-	-	-	-	-	-	3	3	6	15	28	34
White, male	361	-	-	-	-	-	-	-	-	6	4	11	23	29
White, female	459	-	-	-	-	-	-	-	2	1	4	10	13	20
Black, male	62	-	-	-	-	-	-	-	1	1	2	2	9	5
Black, female	155	-	-	-	-	-	-	-	1	2	2	5	15	14
All other endocrine and metabolic diseases and immunity disorders (251-252,256-259, 270-276,277.1-277.9,278.1-279)	10,816	327	74	48	18	22	489	61	38	51	142	545	834	792
All races, male	6,400	182	40	27	11	12	272	21	22	25	103	459	718	703
All races, female	4,416	145	34	21	7	10	217	40	16	26	39	86	116	89
White, male	4,930	131	31	18	6	9	195	17	18	18	57	313	491	507
White, female	3,558	95	21	13	6	6	141	29	16	25	24	40	58	49
Black, male	1,403	41	9	7	5	3	85	3	3	5	44	143	223	182
Black, female	820	47	11	8	1	4	71	11	-	1	13	44	57	40
Nutritional deficiencies (260-269)	2,874	30	1	2	-	-	33	2	2	4	3	5	7	14
All races, male	1,066	14	1	-	-	-	15	1	-	3	1	2	4	9
All races, female	1,788	16	-	2	-	-	18	1	2	1	2	3	3	5
White, male	916	9	1	-	-	-	10	1	-	3	1	-	3	6
White, female	1,574	11	-	-	-	-	11	-	2	1	2	3	1	2
Black, male	149	5	-	-	-	-	5	-	-	-	-	2	1	3
Black, female	200	5	-	2	-	-	7	1	-	-	-	-	2	3
Nutritional marasmus (261)	279	3	-	-	-	-	3	-	1	1	-	3	2	5
All races, male	120	2	-	-	-	-	2	-	1	-	-	1	1	4
All races, female	159	1	-	-	-	-	1	-	1	-	-	2	1	1
White, male	98	1	-	-	-	-	1	-	-	-	-	-	1	2
White, female	133	1	-	-	-	-	1	-	1	-	-	2	-	1
Black, male	19	1	-	-	-	-	1	-	-	-	-	1	-	2
Black, female	25	-	-	-	-	-	-	-	-	-	-	-	1	-
Other protein-calorie malnutrition (262-263)	2,398	20	1	2	-	-	23	1	1	3	-	1	4	8
All races, male	878	8	1	-	-	-	9	1	-	2	-	-	2	5
All races, female	1,520	12	-	2	-	-	14	-	1	1	-	1	2	3
White, male	750	7	1	-	-	-	8	1	-	2	-	-	1	4
White, female	1,346	9	-	-	-	-	9	-	1	1	-	1	1	1
Black, male	111	1	-	-	-	-	1	-	-	-	-	-	1	1
Black, female	163	3	-	2	-	-	5	-	-	-	-	-	1	2
All other nutritional deficiencies (260,264-269)	197	7	-	-	-	-	7	1	-	-	3	1	1	1
All races, male	88	4	-	-	-	-	4	-	-	-	1	1	1	-
All races, female	109	3	-	-	-	-	3	1	-	-	2	-	-	1
White, male	68	1	-	-	-	-	1	-	-	-	1	-	1	-
White, female	95	1	-	-	-	-	1	-	-	-	2	-	-	-
Black, male	19	3	-	-	-	-	3	-	-	-	-	1	-	-
Black, female	12	2	-	-	-	-	2	1	-	-	-	-	-	1
IV. Diseases of blood and blood-forming organs (280-289)	7,691	77	38	22	12	9	158	40	54	63	80	123	130	144
All races, male	3,714	48	17	12	10	4	91	21	29	35	42	68	78	79
All races, female	3,977	29	21	10	2	5	67	19	25	28	38	55	52	65
White, male	3,092	28	8	5	4	1	46	11	15	13	14	34	37	46
White, female	3,323	18	5	3	1	2	29	12	13	20	17	23	24	31
Black, male	581	17	9	7	6	3	42	9	14	21	27	33	38	32
Black, female	599	10	16	5	1	3	35	7	11	7	21	31	27	32

SECTION 1 - GENERAL MORTALITY - PAGE 265

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Endocrine and metabolic diseases and immunity disorders-Con.														
Diabetes mellitus (250)	626	773	1,218	2,162	3,637	4,597	5,562	6,058	5,250	3,607	1,752	410	48	8
All races, male	371	436	640	1,079	1,688	2,069	2,430	2,393	1,846	1,064	413	108	5	2
All races, female	255	337	578	1,103	1,949	2,528	3,132	3,665	3,404	2,543	1,339	302	43	6
White, male	276	308	485	857	1,359	1,715	2,087	2,045	1,628	966	376	89	1	-
White, female	192	213	383	766	1,447	1,918	2,497	3,018	2,923	2,279	1,215	265	32	4
Black, male	87	118	141	193	292	314	301	310	194	76	35	17	4	2
Black, female	61	115	179	306	462	564	599	612	453	243	113	35	10	2
Disorders of the pituitary gland and its hypothalamic control (253)	5	2	7	5	10	13	24	17	19	21	7	2	-	-
All races, male	3	1	3	3	3	7	11	3	7	4	1	-	-	-
All races, female	2	1	4	2	7	6	13	14	12	17	6	2	-	-
White, male	3	1	2	3	3	5	10	2	7	2	1	-	-	-
White, female	1	-	4	2	6	4	12	11	11	16	6	2	-	-
Black, male	-	-	1	-	-	2	-	1	-	2	-	-	-	-
Black, female	-	1	-	-	1	2	-	3	1	1	-	-	-	-
Diseases of thymus gland (254)	-	-	-	1	1	-	-	-	1	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	1	1	-	-	-	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of adrenal glands (255)	7	7	7	11	17	22	24	26	21	10	4	1	1	-
All races, male	3	3	5	6	6	9	14	9	9	4	1	-	1	-
All races, female	4	4	2	5	11	13	10	19	12	6	3	1	-	-
White, male	3	2	4	4	6	7	14	7	8	4	1	-	1	-
White, female	3	4	2	5	8	12	10	17	10	6	3	1	-	-
Black, male	-	1	1	2	-	2	-	2	1	-	-	-	-	-
Black, female	-	-	-	-	3	1	-	2	1	-	-	-	-	-
Cystic fibrosis (277.0)	6	2	2	2	2	-	1	3	1	-	-	-	-	-
All races, male	4	1	-	1	1	-	1	2	1	-	-	-	-	-
All races, female	2	1	2	1	1	-	-	1	-	-	-	-	-	-
White, male	3	1	-	1	1	-	1	2	1	-	-	-	-	-
White, female	2	1	2	1	1	-	-	1	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Obesity (278.0)	68	81	90	131	136	105	120	63	38	18	5	2	-	-
All races, male	40	38	48	65	48	34	39	11	5	1	1	-	-	-
All races, female	28	43	42	66	88	71	81	52	33	17	4	2	-	-
White, male	34	32	46	56	38	28	37	11	4	1	1	-	-	-
White, female	17	28	28	51	65	55	72	44	30	13	4	2	-	-
Black, male	6	6	2	9	10	6	2	-	1	-	-	-	-	-
Black, female	11	15	14	14	23	15	9	8	3	4	-	-	-	-
All other endocrine and metabolic diseases and immunity disorders (251-252,256-259, 270-276,277.1-277.9,278.1-279)	579	445	368	458	546	604	805	937	1,083	994	694	295	55	1
All races, male	508	368	289	310	330	326	403	444	428	347	220	91	13	-
All races, female	71	77	79	148	216	278	402	493	655	647	474	204	42	1
White, male	370	283	225	252	270	272	335	364	359	306	186	81	9	-
White, female	44	60	56	121	178	230	327	419	564	558	409	176	34	-
Black, male	138	83	62	54	55	51	65	73	63	40	27	10	4	-
Black, female	25	17	22	25	34	45	72	69	90	84	65	27	7	1
Nutritional deficiencies (260-269)	14	20	32	59	77	146	223	336	543	586	491	220	55	2
All races, male	8	13	12	33	46	72	114	146	212	193	144	46	12	-
All races, female	6	7	20	26	31	74	109	190	331	393	347	174	43	2
White, male	6	7	8	24	35	59	86	123	181	178	133	43	9	-
White, female	2	4	18	21	25	54	92	165	289	365	316	167	32	2
Black, male	2	5	3	8	11	13	25	21	25	12	9	1	3	-
Black, female	4	3	1	5	6	19	15	22	38	28	30	6	10	-
Nutritional marasmus (261)	1	5	5	6	19	24	21	39	50	38	37	15	4	-
All races, male	1	3	2	3	8	8	14	19	21	15	9	7	1	-
All races, female	-	2	3	3	11	16	7	20	29	23	28	8	3	-
White, male	-	2	2	1	5	7	10	19	18	15	8	6	-	-
White, female	-	1	3	3	10	8	6	19	25	20	24	8	1	-
Black, male	1	1	-	2	3	1	3	-	2	-	1	-	1	-
Black, female	-	1	-	-	1	7	1	4	3	4	-	-	2	-
Other protein-calorie malnutrition (262-263)	7	10	24	50	49	108	180	277	462	514	433	194	47	2
All races, male	3	7	8	28	31	54	88	116	184	166	127	37	10	-
All races, female	4	3	16	22	18	54	92	161	278	348	306	157	37	2
White, male	3	3	4	21	25	44	69	97	156	152	117	35	8	-
White, female	2	2	14	17	13	42	78	139	242	324	279	150	28	2
Black, male	-	3	3	6	6	10	17	18	23	11	8	1	2	-
Black, female	2	1	1	5	5	12	12	20	33	24	26	6	8	-
All other nutritional deficiencies (260,264-269)	6	5	3	3	9	14	22	20	31	34	21	11	4	-
All races, male	4	3	2	2	7	10	12	11	7	12	8	2	1	-
All races, female	2	2	1	1	2	4	10	9	24	22	13	9	3	-
White, male	3	2	2	2	5	8	7	7	11	8	2	1	-	-
White, female	-	1	1	1	2	4	8	7	22	21	13	9	3	-
Black, male	1	1	-	-	2	2	5	3	-	1	-	-	-	-
Black, female	2	1	-	-	-	-	2	1	1	-	-	-	-	-
IV. Diseases of blood and blood-forming organs (280-289)	141	162	205	353	521	661	945	1,122	1,152	931	512	164	30	-
All races, male	74	91	97	186	295	353	518	551	520	336	193	50	7	-
All races, female	67	71	108	167	226	308	427	571	632	595	319	114	23	-
White, male	48	58	72	146	250	314	466	498	476	314	182	45	7	-
White, female	34	41	82	132	178	281	364	510	578	555	291	109	19	-
Black, male	26	33	24	35	43	39	47	48	39	19	9	3	-	-
Black, female	30	27	24	33	39	41	55	57	49	38	26	5	4	-

SECTION 1 - GENERAL MORTALITY - PAGE 266

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,694	17	26	17	9	8	77	32	41	45	59	81	74	60
All races, male	1,633	13	10	9	7	3	42	17	21	25	34	47	45	30
All races, female	2,061	4	16	8	2	5	35	15	20	20	25	34	29	30
White, male	1,264	4	3	2	2	1	12	9	9	7	8	17	17	11
White, female	1,667	3	1	2	1	2	9	8	10	13	8	9	9	9
Black, male	345	7	7	7	5	2	28	7	12	18	25	29	27	19
Black, female	372	-	15	5	1	3	24	7	9	6	17	24	20	20
Deficiency anemias (280-281)	280	1	-	-	-	-	1	-	-	-	1	-	1	1
All races, male	113	1	-	-	-	-	1	-	-	-	-	-	1	-
All races, female	167	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	97	1	-	-	-	-	1	-	-	-	1	-	-	1
White, female	153	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	15	-	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	11	-	-	-	-	-	-	-	-	-	-	-	1	-
Hemolytic anemias (282-283)	729	13	23	12	8	5	61	15	24	26	46	53	52	35
All races, male	354	10	8	7	6	2	33	8	11	15	27	31	32	18
All races, female	375	3	15	5	2	3	28	7	13	11	19	22	20	17
White, male	144	2	1	-	1	-	4	1	5	1	1	4	5	2
White, female	194	2	1	-	1	-	4	2	3	5	3	1	2	1
Black, male	201	6	7	7	5	2	27	6	6	14	25	26	26	16
Black, female	178	-	14	5	1	3	23	5	9	5	16	21	18	16
Aplastic anemia (284)	1,273	1	3	5	1	3	13	16	14	18	12	21	18	17
All races, male	615	1	2	2	1	1	7	9	9	10	7	11	11	9
All races, female	658	-	1	3	-	2	6	7	5	8	5	10	7	8
White, male	556	1	2	2	1	1	7	8	4	6	7	9	11	7
White, female	594	-	-	2	-	2	4	5	5	7	4	6	5	6
Black, male	51	-	-	-	-	-	-	1	5	4	-	2	-	2
Black, female	56	-	1	-	-	-	1	2	-	1	1	3	2	2
Other and unspecified anemias (285)	1,412	2	-	-	-	-	2	1	3	1	-	7	3	7
All races, male	551	1	-	-	-	-	1	-	1	-	-	5	1	3
All races, female	861	1	-	-	-	-	1	1	2	1	-	2	2	4
White, male	467	-	-	-	-	-	-	-	-	-	-	4	1	2
White, female	726	1	-	-	-	-	1	1	2	1	-	2	2	2
Black, male	78	1	-	-	-	-	1	1	1	-	-	1	-	1
Black, female	127	-	-	-	-	-	-	-	-	-	-	-	-	1
Purpura and other hemorrhagic conditions (287)	716	9	2	1	-	-	12	1	5	7	7	6	11	10
All races, male	323	5	1	1	-	-	7	-	4	5	2	2	7	5
All races, female	393	4	1	-	-	-	5	1	1	2	5	4	4	5
White, male	296	4	1	1	-	-	6	-	3	3	2	2	6	3
White, female	341	3	1	-	-	-	4	1	1	1	4	2	2	4
Black, male	25	1	-	-	-	-	1	-	1	1	-	-	1	2
Black, female	44	1	-	-	-	-	1	-	-	1	1	2	1	1
All other diseases of blood and blood-forming organs (286,288-289)	3,281	51	10	4	3	1	69	7	8	11	14	36	45	74
All races, male	1,758	30	6	2	3	1	42	4	4	5	6	19	26	44
All races, female	1,523	21	4	2	-	-	27	3	4	6	8	17	19	30
White, male	1,532	20	4	2	2	-	28	2	3	3	4	15	14	32
White, female	1,315	12	3	1	-	-	16	3	2	6	5	12	13	18
Black, male	211	9	2	-	1	1	13	2	1	2	2	4	10	11
Black, female	183	9	1	-	-	-	10	-	2	-	3	5	6	11
V. Mental disorders (290-319)	18,598	10	6	4	8	7	35	36	36	76	200	467	888	841
All races, male	9,721	4	3	3	7	3	20	19	19	44	143	336	667	668
All races, female	8,877	6	3	1	1	4	15	17	17	32	57	131	221	173
White, male	7,346	1	2	2	4	3	12	14	18	35	100	225	348	383
White, female	7,718	3	2	-	-	3	8	15	12	20	37	72	103	91
Black, male	2,230	2	1	1	3	-	7	4	1	6	36	103	306	279
Black, female	1,064	2	1	1	1	1	6	2	4	11	20	51	110	76
Senile and presenile organic psychotic conditions (290)	3,810	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	1,368	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	2,442	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	1,257	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2,293	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	103	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	136	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholic psychoses (291)	368	-	-	-	-	-	-	-	-	-	1	7	23	36
All races, male	312	-	-	-	-	-	-	-	-	-	-	4	19	31
All races, female	56	-	-	-	-	-	-	-	-	-	1	3	4	5
White, male	220	-	-	-	-	-	-	-	-	-	-	-	8	17
White, female	35	-	-	-	-	-	-	-	-	-	-	2	1	2
Black, male	89	-	-	-	-	-	-	-	-	-	3	11	14	14
Black, female	19	-	-	-	-	-	-	-	-	-	1	1	2	3
All other psychoses (292-299)	1,695	-	-	-	-	-	-	-	-	1	5	9	4	12
All races, male	719	-	-	-	-	-	-	-	-	1	3	7	3	7
All races, female	976	-	-	-	-	-	-	-	-	-	2	2	1	5
White, male	619	-	-	-	-	-	-	-	-	-	-	4	1	7
White, female	871	-	-	-	-	-	-	-	-	-	-	2	1	3
Black, male	91	-	-	-	-	-	-	-	-	-	3	3	2	-
Black, female	99	-	-	-	-	-	-	-	-	1	3	3	2	-
Alcohol dependence syndrome (303)	4,188	-	-	-	-	-	-	-	-	7	18	73	211	324
All races, male	3,225	-	-	-	-	-	-	-	-	-	14	49	157	248
All races, female	963	-	-	-	-	-	-	-	-	6	4	24	54	76
White, male	2,206	-	-	-	-	-	-	-	-	1	4	24	54	76
White, female	660	-	-	-	-	-	-	-	-	5	9	29	90	154
Black, male	953	-	-	-	-	-	-	-	-	-	1	6	27	38
Black, female	266	-	-	-	-	-	-	-	-	-	4	18	60	90
										1	3	11	24	33

SECTION 1 - GENERAL MORTALITY - PAGE 267

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	66	59	74	122	170	235	360	506	586	538	354	133	22	-
All races, male	34	31	36	54	98	107	178	231	258	175	124	43	3	-
All races, female	32	28	38	68	72	128	182	275	328	363	230	90	19	-
White, male	17	11	25	39	77	89	157	207	234	162	115	38	3	-
White, female	11	14	24	56	51	107	149	239	295	334	208	87	17	-
Black, male	17	20	10	13	20	18	19	22	20	11	7	3	-	-
Black, female	20	14	14	11	20	18	31	34	31	27	20	3	2	-
Deficiency anemias (280-281)	1	3	2	5	5	8	23	38	63	52	47	23	6	-
All races, male	1	2	-	2	3	4	14	19	28	21	12	5	-	-
All races, female	-	1	2	3	2	4	9	19	35	31	35	18	6	-
White, male	1	2	-	1	2	4	9	17	24	21	12	3	-	-
White, female	-	1	2	3	2	3	9	17	32	27	33	17	6	-
Black, male	-	-	-	1	1	-	5	2	3	-	-	2	-	-
Black, female	-	-	-	-	-	1	-	2	2	3	1	1	-	-
Hemolytic anemias (282-283)	33	25	28	28	28	44	49	57	50	42	28	4	1	-
All races, male	16	13	16	15	17	18	18	23	21	12	10	-	-	-
All races, female	17	12	12	13	11	26	31	34	29	30	18	4	1	-
White, male	2	3	9	10	9	12	16	21	20	11	8	-	-	-
White, female	3	4	3	8	4	20	27	28	26	30	16	3	1	-
Black, male	14	10	7	4	8	6	1	2	1	1	1	-	-	-
Black, female	14	8	9	5	7	6	4	6	3	-	2	1	-	-
Aplastic anemia (284)	17	17	27	63	88	100	157	201	196	157	94	25	2	-
All races, male	9	8	11	26	57	45	64	112	86	55	38	10	1	-
All races, female	8	9	16	37	31	55	73	89	110	102	56	15	1	-
White, male	9	5	11	21	52	39	77	104	81	50	38	9	1	-
White, female	5	7	14	34	27	47	63	82	103	100	55	14	1	-
Black, male	-	3	-	4	5	6	6	3	4	-	-	-	-	-
Black, female	2	2	2	3	3	6	9	6	7	2	1	1	-	-
Other and unspecified anemias (285)	15	14	17	26	49	83	131	210	277	287	185	81	13	-
All races, male	8	8	9	11	21	40	62	77	123	87	64	28	2	-
All races, female	7	6	8	15	28	43	69	133	154	200	121	53	11	-
White, male	5	1	5	7	14	34	55	65	109	80	57	26	2	-
White, female	3	2	5	11	18	37	50	112	134	177	104	53	9	-
Black, male	3	7	3	4	6	6	7	12	13	6	6	1	-	-
Black, female	4	4	3	3	10	5	18	20	19	22	16	-	2	-
Purpura and other hemorrhagic conditions (287)	15	15	27	35	57	56	85	104	118	92	39	11	3	-
All races, male	7	7	12	18	25	28	46	47	49	33	15	2	2	-
All races, female	8	8	15	17	32	28	39	57	69	59	24	9	1	-
White, male	7	5	10	17	22	26	43	45	46	32	14	2	2	-
White, female	7	3	12	14	25	24	33	53	63	56	22	9	1	-
Black, male	-	2	2	-	3	2	3	2	3	1	1	-	-	-
Black, female	-	4	3	3	5	4	4	4	5	3	2	-	-	-
All other diseases of blood and blood-forming organs (286,288-289)	60	88	104	196	294	370	500	512	448	301	119	20	5	-
All races, male	33	53	49	114	172	218	294	273	213	128	54	5	2	-
All races, female	27	35	55	82	122	152	206	239	235	173	65	15	3	-
White, male	24	42	37	90	151	199	266	246	196	120	53	5	2	-
White, female	16	24	46	62	102	130	182	218	220	165	61	13	1	-
Black, male	9	11	12	22	20	19	25	24	16	7	1	-	-	-
Black, female	10	9	7	19	14	19	20	19	13	8	4	2	2	-
V. Mental disorders (290-319)	716	716	743	829	949	949	1,149	1,751	2,517	2,774	2,014	779	122	11
All races, male	559	530	551	651	697	659	691	849	1,004	927	505	157	20	5
All races, female	157	186	192	178	252	290	458	902	1,513	1,847	1,509	622	102	6
White, male	294	341	354	468	537	506	574	734	917	863	467	140	15	1
White, female	89	131	126	135	201	229	380	612	1,407	1,448	1,448	579	91	3
Black, male	249	177	186	170	152	144	113	106	74	55	37	16	5	4
Black, female	65	47	56	40	49	53	74	86	99	109	56	38	11	1
Senile and presenile organic psychotic conditions (290)	-	3	5	23	42	116	248	541	901	931	699	257	42	2
All races, male	-	3	2	12	27	65	127	257	332	313	178	47	5	-
All races, female	-	-	3	11	15	51	121	284	589	618	521	210	37	2
White, male	-	2	1	9	25	58	110	233	310	295	164	45	5	-
White, female	-	-	2	9	13	46	106	260	535	580	506	201	33	2
Black, male	-	1	1	3	2	7	17	22	19	16	13	2	-	-
Black, female	-	-	1	2	2	3	14	24	33	32	13	8	4	-
Alcoholic psychoses (291)	31	37	31	39	61	40	26	20	9	6	1	-	-	-
All races, male	23	28	26	34	57	38	26	14	7	5	-	-	-	-
All races, female	8	9	5	5	4	2	-	6	2	1	1	-	-	-
White, male	14	15	17	23	46	35	20	13	7	5	-	-	-	-
White, female	3	7	4	3	3	1	-	5	2	1	1	-	-	-
Black, male	9	12	9	11	10	3	6	1	-	-	-	-	-	-
Black, female	5	1	1	2	1	1	-	1	-	-	-	-	-	-
All other psychoses (292-299)	8	9	12	31	54	81	145	247	338	371	251	95	19	3
All races, male	7	7	8	22	31	47	79	126	136	128	73	29	4	1
All races, female	1	2	4	9	23	34	66	121	202	243	178	66	15	2
White, male	3	5	7	18	28	34	64	107	129	119	65	27	2	-
White, female	1	2	3	6	18	26	48	108	185	230	167	58	13	-
Black, male	4	2	1	4	3	12	13	18	5	7	8	2	2	1
Black, female	-	-	1	3	5	8	17	12	15	13	11	8	2	-
Alcohol dependence syndrome (303)	396	484	543	579	598	462	261	140	63	25	2	-	-	2
All races, male	316	368	404	470	456	352	204	109	51	18	1	-	-	2
All races, female	80	116	139	109	142	110	57	31	12	7	1	-	-	-
White, male	165	252	256	333	345	261	162	85	47	12	1	-	-	-
White, female	46	77	85	80	118	84	51	26	12	7	-	-	-	-
Black, male	140	111	140	126	106	85	41	22	3	5	-	-	-	2
Black, female	33	33	46	26	23	21	6	5	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 268

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Drug dependence (304)	1,165	-	-	-	-	-	-	-	-	8	61	200	378	283
All races, male	908	-	-	-	-	-	-	-	-	1	48	151	286	232
All races, female	257	-	-	-	-	-	-	-	-	7	13	49	92	51
White, male	463	-	-	-	-	-	-	-	-	1	35	96	146	107
White, female	118	-	-	-	-	-	-	-	-	5	9	24	35	21
Black, male	441	-	-	-	-	-	-	-	-	-	13	54	139	125
Black, female	137	-	-	-	-	-	-	-	-	2	4	25	56	30
Other neurotic, personality, and nonpsychotic mental disorders (300-302,305-316)	7,012	5	4	2	2	3	16	11	10	36	78	145	239	166
All races, male	2,998	2	3	1	2	1	9	4	5	25	56	108	188	137
All races, female	4,014	3	1	1	-	2	7	7	5	11	22	37	51	29
White, male	2,430	1	2	1	2	1	7	4	5	23	42	81	94	89
White, female	3,601	1	-	-	-	1	2	7	4	7	17	23	24	20
Black, male	518	1	1	-	-	-	2	-	-	-	8	23	90	47
Black, female	382	1	1	1	-	1	4	-	1	4	5	12	25	8
Mental retardation (317-319)	360	5	2	2	6	4	19	25	26	24	37	33	33	20
All races, male	191	2	-	2	5	2	11	15	14	11	22	17	14	13
All races, female	169	3	2	-	1	2	8	10	12	13	15	16	19	7
White, male	151	-	-	1	2	2	5	10	13	6	14	15	9	9
White, female	140	2	2	-	-	2	6	8	8	10	13	15	7	7
Black, male	35	1	-	1	3	-	5	4	1	5	8	2	4	3
Black, female	25	1	-	-	1	-	2	2	3	4	5	2	3	-
VI. Diseases of the nervous system and sense organs (320-389)	30,957	722	247	152	108	72	1,301	262	263	354	409	425	481	548
All races, male	15,604	404	130	90	51	49	724	145	181	258	264	272	286	315
All races, female	15,353	318	117	62	57	23	577	117	82	96	145	153	195	233
White, male	13,839	282	96	68	38	39	523	109	144	213	217	215	212	232
White, female	13,915	220	88	39	46	17	410	88	61	73	103	112	148	189
Black, male	1,598	105	29	20	12	9	175	30	34	40	41	54	69	80
Black, female	1,305	82	28	19	9	5	143	25	21	21	39	36	40	43
Diseases of the nervous system (320-359)	30,853	706	242	151	108	72	1,279	261	263	352	408	423	480	546
All races, male	15,546	392	127	89	51	49	708	145	181	256	263	271	285	315
All races, female	15,307	314	115	62	57	23	571	116	82	96	145	152	195	231
White, male	13,786	272	93	67	38	39	509	109	144	211	217	214	211	232
White, female	13,875	219	86	39	46	17	407	87	61	73	103	112	146	187
Black, male	1,594	104	29	20	12	9	174	30	34	40	40	54	69	80
Black, female	1,301	81	28	19	9	5	142	25	21	21	39	35	40	43
Meningitis (320-322)	1,206	257	76	51	25	7	416	21	20	13	14	31	35	22
All races, male	634	142	51	38	8	4	243	6	13	10	9	24	23	12
All races, female	572	115	25	13	17	3	173	15	7	3	5	7	12	10
White, male	451	86	36	31	7	2	162	4	11	6	6	13	13	9
White, female	420	69	18	9	12	2	110	10	5	2	2	6	9	7
Black, male	163	47	13	6	1	2	69	2	2	4	3	10	8	3
Black, female	138	40	7	3	5	1	56	3	2	1	3	-	3	3
Parkinson's disease (332)	5,173	-	1	-	-	-	1	-	-	-	-	-	-	1
All races, male	2,885	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	2,288	-	1	-	-	-	1	-	-	-	-	-	-	1
White, male	2,766	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2,208	-	1	-	-	-	1	-	-	-	-	-	-	-
Black, male	91	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	67	-	-	-	-	-	-	-	-	-	-	-	-	1
Other hereditary and degenerative diseases of the central nervous system (330-331,333-337)	14,066	212	68	39	22	22	362	68	60	44	45	39	74	87
All races, male	6,517	112	28	20	8	16	184	40	35	25	21	22	41	48
All races, female	7,549	100	40	19	14	6	178	28	25	19	24	17	33	39
White, male	6,098	85	21	15	7	14	142	36	29	22	20	19	33	42
White, female	7,101	81	31	9	10	5	136	23	20	13	17	16	27	33
Black, male	370	24	5	5	1	2	37	3	6	2	1	3	6	6
Black, female	405	16	8	7	3	-	34	5	5	6	6	1	5	5
Multiple sclerosis (340)	1,531	-	-	-	-	-	-	-	-	5	17	29	61	90
All races, male	582	-	-	-	-	-	-	-	-	4	6	9	22	38
All races, female	949	-	-	-	-	-	-	-	-	1	11	20	39	52
White, male	522	-	-	-	-	-	-	-	-	3	5	5	16	31
White, female	851	-	-	-	-	-	-	-	-	1	4	12	33	45
Black, male	58	-	-	-	-	-	-	-	-	1	1	4	6	7
Black, female	92	-	-	-	-	-	-	-	-	-	6	7	6	7
Infantile cerebral palsy (343)	518	37	27	19	18	17	118	73	62	48	32	29	16	30
All races, male	305	19	15	10	7	13	64	42	44	26	20	14	10	15
All races, female	213	18	12	9	11	4	54	31	18	22	12	15	6	15
White, male	243	13	11	8	3	8	43	31	33	18	16	12	10	13
White, female	163	11	9	3	9	2	34	23	12	17	10	12	6	14
Black, male	56	6	4	2	3	5	20	9	10	8	2	2	-	2
Black, female	46	5	3	6	1	2	17	7	6	5	2	3	-	1
Epilepsy (345)	1,843	9	10	7	8	5	39	28	25	45	104	123	142	154
All races, male	964	4	4	5	3	2	18	6	12	27	62	84	88	100
All races, female	679	5	6	2	5	3	21	22	13	18	42	39	54	54
White, male	644	4	3	5	3	2	17	5	8	18	47	65	63	63
White, female	524	5	5	2	5	2	19	18	10	15	35	30	37	40
Black, male	311	-	1	-	-	-	1	1	4	9	13	18	25	36
Black, female	143	-	1	-	-	1	2	4	3	2	6	8	13	14
Other diseases of the nervous system (323-326,341-342,344,346-359)	6,716	191	60	36	35	21	343	71	96	197	196	172	152	162
All races, male	3,659	115	29	16	25	14	199	51	77	164	145	118	101	102
All races, female	3,057	76	31	20	10	7	144	20	19	33	51	54	51	60
White, male	3,062	84	22	8	18	13	145	33	63	144	123	100	76	74
White, female	2,608	53	22	16	10	6	107	13	14	25	35	36	38	48
Black, male	545	27	6	7	7	-	47	15	12	16	20	17	24	26
Black, female	410	20	9	3	-	1	33	6	5	7	16	16	13	12

SECTION 1 - GENERAL MORTALITY - PAGE 269

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Drug dependence (304)	118	57	32	15	4	5	2	-	-	2	-	-	-	-
All races, male	100	44	27	14	2	3	-	-	-	-	-	-	-	-
All races, female	18	13	5	1	2	2	2	-	-	2	-	-	-	-
White, male	43	19	10	5	-	1	-	-	-	-	-	-	-	-
White, female	6	7	4	-	2	2	1	-	-	2	-	-	-	-
Black, male	56	25	16	9	2	2	-	-	-	-	-	-	-	-
Black, female	11	6	1	1	-	-	1	-	-	-	-	-	-	-
Other neurotic, personality, and nonpsychotic mental disorders (300-302,305-316)	137	112	106	127	174	226	449	793	1,199	1,436	1,060	427	61	4
All races, male	101	75	77	89	115	144	246	337	473	462	253	81	11	2
All races, female	36	37	29	38	59	82	203	456	726	974	807	346	50	2
White, male	57	45	56	71	84	107	209	291	420	431	237	68	8	1
White, female	22	29	22	32	40	61	165	409	671	907	773	320	45	1
Black, male	40	24	19	17	29	35	36	42	47	27	16	12	3	1
Black, female	13	7	5	6	18	20	36	44	51	64	31	22	5	1
Mental retardation (317-319)	26	14	14	15	16	19	18	10	7	3	1	-	-	-
All races, male	12	5	7	10	9	10	9	6	5	1	-	-	-	-
All races, female	14	9	7	5	7	9	9	4	2	2	1	-	-	-
White, male	12	3	7	9	9	10	9	5	5	1	-	-	-	-
White, female	11	9	6	5	7	9	9	4	2	2	1	-	-	-
Black, male	-	2	-	-	-	-	-	1	-	-	-	-	-	-
Black, female	3	-	1	-	-	-	-	-	-	-	-	-	-	-
VI. Diseases of the nervous system and sense organs (320-389)	560	655	895	1,415	2,019	2,865	3,925	4,994	4,653	3,148	1,368	376	38	3
All races, male	336	356	479	736	1,081	1,534	2,137	2,546	2,166	1,266	427	86	7	2
All races, female	224	299	416	679	938	1,331	1,788	2,448	2,487	1,882	941	290	31	1
White, male	259	262	383	633	939	1,372	1,970	2,389	2,058	1,212	406	83	7	1
White, female	179	232	340	588	837	1,216	1,633	2,312	2,360	1,799	912	273	29	1
Black, male	72	90	95	93	135	151	149	134	89	44	19	3	-	-
Black, female	43	65	70	84	93	103	142	122	97	76	27	14	1	-
Diseases of the nervous system (320-359)	559	655	893	1,408	2,013	2,855	3,919	4,982	4,642	3,137	1,366	373	36	3
All races, male	335	356	478	733	1,078	1,529	2,132	2,540	2,160	1,260	427	85	7	2
All races, female	224	299	415	675	935	1,326	1,787	2,442	2,482	1,877	939	288	29	1
White, male	258	262	382	630	936	1,367	1,965	2,384	2,053	1,206	406	82	7	1
White, female	179	232	339	584	835	1,212	1,632	2,306	2,375	1,784	910	271	27	1
Black, male	72	90	95	93	135	151	149	133	88	44	19	3	-	-
Black, female	43	65	70	84	92	102	142	122	97	76	27	14	1	-
Meningitis (320-322)	25	23	45	67	62	75	98	102	73	45	12	5	2	-
All races, male	16	15	21	35	31	36	53	42	25	16	2	1	1	-
All races, female	9	8	24	32	31	39	45	60	48	29	10	4	1	-
White, male	9	10	15	30	22	28	35	54	41	24	9	4	1	-
White, female	7	2	15	25	20	32	10	10	2	1	-	-	-	-
Black, male	7	5	6	4	9	8	9	5	6	5	1	-	-	-
Black, female	2	6	9	6	11	6	10	5	6	5	1	-	-	-
Parkinson's disease (332)	3	1	15	43	117	365	792	1,266	1,355	864	295	51	4	-
All races, male	2	-	10	29	72	224	512	744	722	423	126	21	-	-
All races, female	1	1	5	14	45	141	280	522	633	441	169	30	4	-
White, male	2	-	10	27	66	207	491	710	701	413	120	19	-	-
White, female	1	1	4	14	44	129	265	507	614	428	167	30	3	-
Black, male	-	-	-	-	5	15	15	27	13	8	5	2	-	-
Black, female	-	-	-	-	1	10	15	12	16	10	2	-	-	-
Other hereditary and degenerative diseases of the central nervous system (330-331,333-337)	104	167	269	538	936	1,435	1,976	2,626	2,445	1,712	813	244	22	-
All races, male	62	96	150	273	502	741	1,037	1,257	1,064	632	235	47	5	-
All races, female	42	71	119	265	434	694	939	1,369	1,381	1,080	578	197	17	-
White, male	50	85	135	252	458	686	975	1,205	1,016	614	228	46	5	-
White, female	37	61	104	242	403	660	872	1,306	1,331	1,039	580	185	16	-
Black, male	11	11	14	17	41	48	55	47	40	14	7	1	-	-
Black, female	5	9	14	21	28	31	61	58	46	37	17	10	1	-
Multiple sclerosis (340)	123	139	190	224	182	189	127	83	51	12	7	2	-	-
All races, male	55	46	75	82	64	81	43	34	16	5	2	-	-	-
All races, female	68	93	115	142	118	108	84	49	35	7	5	2	-	-
White, male	47	42	67	77	59	79	38	31	15	5	2	-	-	-
White, female	55	83	100	129	109	102	82	49	33	1	-	-	-	-
Black, male	8	4	8	5	5	2	4	2	1	-	-	-	-	-
Black, female	13	10	14	13	7	5	2	-	2	-	-	-	-	-
Infantile cerebral palsy (343)	23	15	13	15	9	7	7	12	6	1	-	1	-	1
All races, male	12	9	8	12	5	4	5	9	4	1	-	-	-	-
All races, female	11	6	5	3	4	3	2	3	2	-	-	1	-	-
White, male	12	8	8	11	5	3	5	9	4	1	-	-	-	-
White, female	11	4	5	2	4	2	2	3	2	-	-	-	-	-
Black, male	-	1	-	1	-	1	-	-	-	-	-	1	-	-
Black, female	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Epilepsy (345)	119	111	80	102	124	110	114	81	70	45	23	4	-	-
All races, male	81	67	53	66	73	60	60	45	37	18	7	-	-	-
All races, female	38	44	27	36	51	50	54	36	33	27	16	4	-	-
White, male	52	33	24	39	47	39	41	35	32	11	5	-	-	-
White, female	25	28	22	25	39	39	47	29	28	22	12	4	-	-
Black, male	27	32	29	26	26	21	19	10	5	7	2	-	-	-
Black, female	13	16	5	10	12	8	7	7	5	5	3	-	-	-
Other diseases of the nervous system (323-326,341-342,344,346-359)	162	199	281	419	583	674	805	812	642	458	216	66	8	2
All races, male	107	123	161	236	331	383	422	409	292	165	55	16	1	1
All races, female	55	76	120	183	252	291	383	403	350	293	161	50	7	1
White, male	86	84	123	194	279	325	372	365	263	147	49	16	1	-
White, female	43	53	89	147	216	248	329	358	326	274	157	46	7	1
Black, male	19	37	38	39	49	56	46	37	27	14	5	-	-	-
Black, female	10	22	28	33	33	41	47	40	22	19	4	3	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 270

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Disorders of the eye and adnexa (360-379)	23	2	-	-	-	-	2	-	-	-	-	-	1	-
All races, male	12	1	-	-	-	-	1	-	-	-	-	-	1	-
All races, female	11	1	-	-	-	-	1	-	-	-	-	-	-	-
White, male	9	-	-	-	-	-	-	-	-	-	-	-	1	-
White, female	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, female	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the ear and mastoid process (380-389)	81	14	5	1	-	-	20	1	-	2	1	2	-	2
All races, male	46	11	3	1	-	-	15	-	-	2	1	1	-	-
All races, female	35	3	2	-	-	-	5	1	-	-	-	1	-	2
White, male	44	10	3	1	-	-	14	-	-	2	-	1	-	-
White, female	30	1	2	-	-	-	3	1	-	-	-	-	-	2
Black, male	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	3	-	-	-	-	-	-	-	-	-	1	-	-	-
VII. Diseases of the circulatory system (390-459)	982,739	1,153	188	81	48	52	1,523	181	251	558	983	1,720	2,961	5,572
All races, male	487,453	668	97	41	28	28	862	82	122	348	574	1,080	1,972	3,950
All races, female	495,286	485	91	40	21	24	661	99	129	210	409	640	989	1,622
White, male	432,761	469	63	30	17	20	599	60	91	244	415	749	1,344	2,910
White, female	440,431	331	58	24	14	15	442	75	87	141	273	412	628	1,074
Black, male	49,763	175	33	9	11	5	233	17	28	99	144	312	584	964
Black, female	51,288	138	29	15	7	9	198	21	36	60	128	223	343	503
Rheumatic fever and rheumatic heart disease (390-398)	6,593	7	4	1	1	-	13	4	10	15	46	74	75	107
All races, male	2,142	4	1	1	-	-	10	2	4	9	23	35	38	43
All races, female	4,451	3	-	-	-	-	3	2	6	6	23	39	37	64
White, male	1,934	4	4	-	-	-	8	2	3	5	18	24	25	29
White, female	4,092	2	-	-	-	-	2	1	4	3	13	25	23	42
Black, male	174	-	1	1	-	-	2	-	1	4	3	10	12	12
Black, female	298	1	-	-	-	-	1	1	2	2	9	11	11	20
Acute rheumatic fever (390-392)	56	2	-	-	1	-	3	-	-	-	1	3	-	1
All races, male	33	1	-	1	-	-	2	-	-	-	1	2	-	-
All races, female	23	1	-	-	-	-	1	-	-	-	1	-	-	1
White, male	29	1	-	-	-	-	1	-	-	-	1	2	-	-
White, female	17	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, male	4	-	-	1	-	-	1	-	-	-	-	-	-	-
Black, female	6	1	-	-	-	-	1	-	-	-	-	1	-	-
Chronic rheumatic heart disease (393-398)	6,537	5	4	1	-	-	10	4	10	15	45	71	75	106
All races, male	2,109	3	4	1	-	-	8	2	4	9	22	33	38	43
All races, female	4,428	2	-	-	-	-	2	2	6	6	23	38	37	63
White, male	1,905	3	4	-	-	-	7	2	3	5	17	22	25	29
White, female	4,075	2	-	-	-	-	2	1	4	3	13	25	23	41
Black, male	170	-	1	-	-	-	1	-	1	4	3	10	12	12
Black, female	292	-	-	-	-	-	-	1	2	2	9	10	11	20
Diseases of mitral valve (394)	2,935	1	4	1	-	-	6	2	6	8	26	41	38	54
All races, male	909	1	4	1	-	-	6	2	2	4	10	15	15	21
All races, female	2,026	-	-	-	-	-	-	-	4	4	16	26	23	33
White, male	828	1	4	-	-	-	5	2	2	2	10	12	9	15
White, female	1,870	-	-	-	-	-	-	-	3	3	11	20	17	21
Black, male	66	-	1	-	-	-	1	-	-	2	-	3	6	4
Black, female	123	-	-	-	-	-	-	-	1	-	4	3	6	11
Diseases of aortic valve (395)	229	-	-	-	-	-	-	-	-	2	3	4	3	4
All races, male	126	-	-	-	-	-	-	-	-	-	3	3	2	2
All races, female	103	-	-	-	-	-	-	-	-	2	-	1	1	2
White, male	115	-	-	-	-	-	-	-	-	-	2	2	2	2
White, female	95	-	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	7	-	-	-	-	-	-	-	-	1	1	-	-	-
Black, female	8	-	-	-	-	-	-	-	2	-	-	-	1	-
Diseases of mitral and aortic valves (396)	957	3	-	-	-	-	3	-	2	2	5	9	9	13
All races, male	358	1	-	-	-	-	1	-	-	2	4	5	6	4
All races, female	599	2	-	-	-	-	2	-	2	-	1	4	3	9
White, male	321	1	-	-	-	-	1	-	-	2	2	3	5	4
White, female	551	2	-	-	-	-	2	-	1	-	1	3	2	4
Black, male	32	-	-	-	-	-	-	-	-	-	1	2	1	-
Black, female	39	-	-	-	-	-	-	-	1	-	-	1	-	4
All other chronic rheumatic heart disease (393,397-398)	2,416	1	-	-	-	-	1	2	2	3	11	17	25	35
All races, male	716	1	-	-	-	-	1	-	2	3	5	10	15	16
All races, female	1,700	-	-	-	-	-	-	2	-	-	6	7	10	19
White, male	641	1	-	-	-	-	1	-	1	1	3	5	9	8
White, female	1,559	-	-	-	-	-	-	1	-	-	1	1	4	14
Black, male	65	-	-	-	-	-	-	-	1	2	1	4	5	8
Black, female	122	-	-	-	-	-	-	1	-	-	5	6	4	5
Hypertensive disease (401-404)	31,433	5	-	-	-	-	5	-	3	7	28	64	122	256
All races, male	13,507	4	-	-	-	-	4	-	1	6	16	46	90	176
All races, female	17,926	1	-	-	-	-	1	-	2	1	12	18	32	80
White, male	9,773	3	-	-	-	-	3	-	1	3	8	21	38	73
White, female	13,541	1	-	-	-	-	1	-	1	3	5	17	29	79
Black, male	3,553	-	-	-	-	-	-	-	-	3	8	25	51	99
Black, female	4,221	-	-	-	-	-	-	-	1	-	8	13	15	50
Essential hypertension (401)	3,635	2	-	-	-	-	2	-	-	1	4	10	13	36
All races, male	1,519	2	-	-	-	-	2	-	-	1	2	6	5	23
All races, female	2,116	-	-	-	-	-	-	-	-	-	2	4	8	13
White, male	1,143	1	-	-	-	-	1	-	-	1	1	2	2	8
White, female	1,646	-	-	-	-	-	-	-	-	-	-	2	2	5
Black, male	366	-	-	-	-	-	-	-	-	-	1	4	3	15
Black, female	450	-	-	-	-	-	-	-	-	-	1	2	6	8

SECTION 1 - GENERAL MORTALITY - PAGE 271

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Disorders of the eye and adnexa (360-379)	-	-	-	1	1	2	2	4	5	2	1	2	-	-
All races, male	-	-	-	1	1	-	1	2	4	-	-	1	-	-
All races, female	-	-	-	-	-	2	1	2	1	2	1	1	-	-
White, male	-	-	-	1	1	-	1	1	3	-	-	1	-	-
White, female	-	-	-	-	-	2	1	2	1	2	1	1	-	-
Black, male	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the ear and mastoid process (380-389)	1	-	2	6	5	8	4	8	6	9	1	1	2	-
All races, male	1	-	1	2	2	5	4	4	2	6	-	-	-	-
All races, female	-	-	1	4	3	3	-	4	4	3	1	1	2	-
White, male	1	-	1	2	2	5	4	4	2	6	-	-	-	-
White, female	-	-	1	4	2	2	-	4	4	3	1	1	2	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	1	1	-	-	-	-	-	-	-	-
VII. Diseases of the circulatory system (390-459)	9,519	15,073	25,895	44,758	70,868	97,008	128,498	152,033	159,002	138,171	89,526	32,240	6,039	360
All races, male	6,807	10,949	18,586	31,286	47,414	60,999	74,509	77,445	68,398	47,848	25,314	7,596	1,182	130
All races, female	2,712	4,124	7,309	13,472	23,454	36,009	53,989	74,588	90,604	90,323	64,212	24,644	4,857	230
White, male	5,292	8,726	15,295	26,647	41,017	53,635	66,613	70,152	62,613	44,383	23,702	7,011	963	100
White, female	1,796	2,840	5,284	10,192	18,852	30,116	46,391	66,347	82,725	84,548	60,730	23,036	4,238	204
Black, male	1,414	2,050	3,068	4,308	5,923	6,598	7,178	6,475	5,117	3,036	1,460	521	208	26
Black, female	860	1,226	1,918	3,077	4,328	5,552	7,143	7,752	7,376	5,296	3,148	1,499	581	20
Rheumatic fever and rheumatic heart disease (390-398)	153	193	333	508	675	849	1,057	1,022	796	431	193	37	2	-
All races, male	65	74	134	192	251	304	336	294	191	94	34	7	2	-
All races, female	88	119	199	316	424	545	721	728	605	337	159	30	-	-
White, male	50	61	116	174	230	280	319	283	181	87	31	6	2	-
White, female	65	97	162	274	389	512	691	698	588	324	150	29	-	-
Black, male	13	9	16	17	18	21	12	8	8	6	2	-	-	-
Black, female	18	19	33	35	31	25	25	26	14	7	7	1	-	-
Acute rheumatic fever (390-392)	2	-	5	5	8	7	10	5	1	3	2	-	-	-
All races, male	1	-	3	4	6	5	6	1	-	2	-	-	-	-
All races, female	1	-	2	1	2	2	4	4	1	1	2	-	-	-
White, male	1	-	3	4	5	4	6	1	-	1	-	-	-	-
White, female	-	-	-	1	1	2	4	4	1	1	2	-	-	-
Black, male	-	-	-	-	1	1	-	-	-	1	-	-	-	-
Black, female	1	-	2	-	1	-	-	-	-	-	-	-	-	-
Chronic rheumatic heart disease (393-398)	151	193	328	503	667	842	1,047	1,017	795	428	191	37	2	-
All races, male	64	74	131	188	245	299	330	293	191	92	34	7	2	-
All races, female	87	119	197	315	422	543	717	724	604	336	157	30	-	-
White, male	49	61	113	170	225	276	313	282	181	86	31	6	2	-
White, female	65	97	162	273	388	510	687	694	587	323	148	29	-	-
Black, male	13	9	16	17	17	20	12	8	8	5	2	-	-	-
Black, female	17	19	31	35	30	25	25	26	14	7	7	1	-	-
Diseases of mitral valve (394)	81	90	143	244	304	429	468	440	303	160	76	15	1	-
All races, male	30	31	47	90	103	145	142	113	77	37	16	2	1	-
All races, female	51	59	96	154	201	284	326	327	226	123	60	13	-	-
White, male	22	28	41	79	96	131	138	111	75	34	14	1	1	-
White, female	39	48	80	133	185	269	315	315	223	118	57	13	-	-
Black, male	7	1	6	10	5	11	3	1	2	3	1	-	-	-
Black, female	9	9	14	16	13	10	9	11	3	2	2	-	-	-
Diseases of aortic valve (395)	3	6	18	13	18	29	42	38	28	10	4	4	-	-
All races, male	2	5	16	11	14	17	17	25	6	2	1	-	-	-
All races, female	1	1	2	2	4	12	25	13	22	8	3	4	-	-
White, male	2	5	12	11	13	17	16	23	5	2	1	-	-	-
White, female	1	-	2	2	3	12	24	12	21	8	3	4	-	-
Black, male	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Black, female	-	1	-	-	1	-	1	1	1	-	-	-	-	-
Diseases of mitral and aortic valves (396)	13	24	46	51	97	105	146	157	128	92	46	8	1	-
All races, male	8	10	18	21	47	42	50	67	41	21	8	2	1	-
All races, female	5	14	28	30	50	63	96	90	87	71	38	6	-	-
White, male	6	6	17	19	42	38	46	63	39	18	7	2	1	-
White, female	4	11	25	28	44	53	93	85	87	68	34	6	-	-
Black, male	2	3	1	2	5	4	2	4	2	2	1	-	-	-
Black, female	1	2	2	2	8	8	3	4	-	2	3	-	-	-
All other chronic rheumatic heart disease (393,397-398)	54	73	121	195	248	279	391	382	336	166	65	10	-	-
All races, male	24	28	50	66	81	95	121	88	67	32	9	3	-	-
All races, female	30	45	71	129	167	184	270	294	269	134	56	7	-	-
White, male	19	22	43	61	74	90	113	85	62	32	9	3	-	-
White, female	21	38	55	110	156	176	255	282	256	129	54	6	-	-
Black, male	4	5	6	5	7	5	6	2	4	-	-	-	-	-
Black, female	7	7	15	17	10	7	12	10	10	3	2	1	-	-
Hypertensive disease (401-404)	420	690	1,120	1,767	2,636	3,280	4,102	4,742	4,844	3,969	2,462	770	133	13
All races, male	279	437	693	1,053	1,517	1,757	1,976	2,029	1,642	1,082	562	124	15	2
All races, female	141	253	427	714	1,119	1,523	2,126	2,713	3,202	2,887	1,900	646	118	11
White, male	138	222	385	679	1,003	1,257	1,496	1,801	1,332	920	479	102	10	1
White, female	43	89	186	365	645	1,025	1,514	2,079	2,644	2,518	1,714	568	89	6
Black, male	137	207	302	360	505	482	448	403	276	148	74	19	5	1
Black, female	98	160	237	336	460	488	590	603	532	350	172	77	28	3
Essential hypertension (401)	35	78	147	235	331	411	522	517	523	396	266	82	24	2
All races, male	18	50	86	141	199	215	258	211	157	86	46	12	1	-
All races, female	17	28	61	94	132	196	264	306	366	310	220	70	23	2
White, male	10	29	49	97	147	175	201	172	129	74	35	10	-	-
White, female	6	8	36	54	80	139	200	249	316	265	207	60	16	1
Black, male	7	21	36	43	52	40	55	39	26	11	10	2	1	-
Black, female	11	20	25	39	51	56	59	55	45	43	12	10	6	1

SECTION 1 - GENERAL MORTALITY - PAGE 272

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Hypertensive disease-Con.														
Hypertensive heart disease (402)	20,882	1	-	-	-	-	1	-	1	5	17	44	85	184
All races, male	8,970	-	-	-	-	-	-	-	-	5	12	34	68	130
All races, female	11,912	1	-	-	-	-	1	-	1	-	5	10	17	54
White, male	6,322	-	-	-	-	-	-	-	-	2	6	18	30	59
White, female	8,981	1	-	-	-	-	1	-	-	-	-	2	11	18
Black, male	2,515	-	-	-	-	-	-	-	-	3	6	16	37	68
Black, female	2,827	-	-	-	-	-	-	-	1	-	5	8	6	36
Hypertensive renal disease (403)	4,116	2	-	-	-	-	2	-	2	1	3	6	15	25
All races, male	1,866	2	-	-	-	-	2	-	1	-	1	3	11	16
All races, female	2,250	-	-	-	-	-	-	-	1	1	2	3	4	9
White, male	1,445	2	-	-	-	-	2	-	1	-	1	1	4	3
White, female	1,688	-	-	-	-	-	-	-	-	1	-	1	3	4
Black, male	398	-	-	-	-	-	-	-	-	-	-	2	7	12
Black, female	543	-	-	-	-	-	-	-	-	-	2	2	1	5
Hypertensive heart and renal disease (404)	2,800	-	-	-	-	-	-	-	-	-	4	4	9	11
All races, male	1,152	-	-	-	-	-	-	-	-	-	1	3	6	7
All races, female	1,648	-	-	-	-	-	-	-	-	-	3	1	3	4
White, male	863	-	-	-	-	-	-	-	-	-	-	-	2	3
White, female	1,226	-	-	-	-	-	-	-	-	3	-	-	1	2
Black, male	274	-	-	-	-	-	-	-	-	1	3	4	4	4
Black, female	401	-	-	-	-	-	-	-	-	-	-	1	2	1
Ischemic heart disease (410-414)	536,805	21	2	1	3	4	31	6	8	32	106	353	923	2,422
All races, male	286,181	10	2	1	2	4	19	2	5	21	73	265	735	1,993
All races, female	250,624	11	-	-	1	-	12	4	3	11	33	88	188	429
White, male	262,139	8	2	1	2	3	16	1	5	13	47	196	584	1,637
White, female	228,376	7	-	-	1	-	8	4	2	10	26	60	129	310
Black, male	21,425	2	-	-	-	1	3	1	-	8	24	66	137	319
Black, female	20,736	4	-	-	-	-	4	-	1	1	7	28	57	111
Acute myocardial infarction (410)	274,199	14	1	1	1	1	18	4	5	22	66	222	580	1,492
All races, male	155,860	7	1	1	1	1	11	2	2	14	44	168	450	1,225
All races, female	118,339	7	-	-	-	-	7	2	3	8	22	54	110	267
White, male	143,311	5	1	1	1	1	9	1	2	9	29	125	366	1,029
White, female	107,216	5	-	-	-	-	5	2	2	7	17	32	83	196
Black, male	11,103	2	-	-	-	-	2	1	-	5	15	41	77	171
Black, female	10,344	2	-	-	-	-	2	-	1	1	5	22	26	66
Other acute and subacute forms of ischemic heart disease (411)	3,969	-	-	-	-	1	1	-	-	1	5	11	15	29
All races, male	2,381	-	-	-	-	1	1	-	-	1	4	6	12	24
All races, female	1,588	-	-	-	-	-	-	-	-	-	1	5	3	5
White, male	2,060	-	-	-	-	-	-	-	-	-	1	3	7	17
White, female	1,334	-	-	-	-	-	-	-	-	-	-	5	2	2
Black, male	304	-	-	-	-	1	1	-	-	1	2	3	5	6
Black, female	245	-	-	-	-	-	-	-	-	-	1	-	1	3
Angina pectoris (413)	928	-	-	-	1	-	1	-	-	-	-	2	-	4
All races, male	436	-	-	-	-	-	-	-	-	-	-	2	-	2
All races, female	492	-	-	-	1	-	1	-	-	-	-	-	-	2
White, male	402	-	-	-	-	-	-	-	-	-	-	2	-	1
White, female	437	-	-	-	1	-	1	-	-	-	-	-	-	2
Black, male	33	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	52	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,709	7	1	-	1	2	11	2	3	9	35	118	348	897
All races, male	127,504	3	1	-	1	2	7	-	3	6	25	89	273	742
All races, female	130,205	4	-	-	-	-	4	2	-	3	10	29	75	155
White, male	116,366	3	1	-	1	2	7	-	3	4	17	66	211	590
White, female	119,389	2	-	-	-	-	2	2	-	3	9	23	44	110
Black, male	9,985	-	-	-	-	-	-	-	-	2	7	22	55	141
Black, female	10,095	2	-	-	-	-	2	-	-	-	1	6	30	42
Diseases of pulmonary circulation (415-417)	12,397	150	6	3	-	2	161	11	10	48	78	126	175	244
All races, male	5,885	87	2	1	-	2	92	5	4	18	31	62	77	122
All races, female	6,512	63	4	2	-	-	69	6	6	30	47	64	98	122
White, male	4,833	69	2	1	-	2	74	3	2	13	24	41	46	82
White, female	5,403	49	4	2	-	-	55	6	5	18	30	43	59	79
Black, male	1,015	15	-	-	-	-	15	1	2	5	7	21	30	39
Black, female	1,065	11	-	-	-	-	11	-	1	11	15	21	34	38
Other forms of heart disease (420-429)	191,692	741	147	59	36	36	1,019	118	154	310	452	648	939	1,378
All races, male	93,878	423	69	28	23	16	559	56	78	209	302	430	651	978
All races, female	97,814	318	78	31	13	20	460	62	76	101	150	218	288	400
White, male	79,283	290	42	19	14	11	376	39	52	144	218	285	398	666
White, female	84,700	212	47	16	7	12	294	46	49	71	96	135	187	255
Black, male	13,579	117	26	7	9	3	162	13	23	61	76	133	236	293
Black, female	12,375	95	27	14	6	8	150	15	24	27	53	82	97	132
Acute and subacute endocarditis (421)	927	1	-	-	-	-	1	1	2	7	17	22	46	46
All races, male	555	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	372	1	-	-	-	-	1	1	1	3	7	15	36	36
White, male	438	-	-	-	-	-	-	-	-	4	10	7	10	10
White, female	308	1	-	-	-	-	-	-	-	3	7	9	14	24
Black, male	108	-	-	-	-	-	1	1	1	2	3	4	4	3
Black, female	61	-	-	-	-	-	-	-	-	-	-	4	21	11
Acute pericarditis, acute myocarditis, and other diseases of pericardium (420,422-423)	878	36	15	5	3	5	64	10	9	13	26	37	39	38
All races, male	471	21	8	3	2	2	36	5	4	7	20	19	29	20
All races, female	407	15	7	2	1	3	28	5	5	6	6	18	10	18
White, male	369	11	2	3	-	-	16	4	2	6	17	10	16	18
White, female	309	6	6	1	-	2	15	-	3	5	3	8	7	13
Black, male	92	9	5	-	2	1	17	-	1	1	3	9	12	2
Black, female	91	9	-	1	1	1	12	5	1	1	3	10	3	4

SECTION 1 - GENERAL MORTALITY - PAGE 273

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Hypertensive disease-Con.														
Hypertensive heart disease (402)	331	525	851	1,337	1,919	2,334	2,748	3,043	3,024	2,453	1,450	454	59	7
All races, male	228	335	536	810	1,122	1,266	1,316	1,254	935	583	277	54	3	2
All races, female	103	190	315	527	797	1,068	1,432	1,789	2,089	1,870	1,183	400	56	5
White, male	120	174	307	524	736	902	978	966	740	496	229	41	3	1
White, female	29	74	136	273	469	728	1,030	1,367	1,720	1,651	1,075	352	41	4
Black, male	107	154	225	277	378	350	313	268	172	88	41	11	-	1
Black, female	74	112	176	246	318	334	369	402	353	204	101	47	15	-
Hypertensive renal disease (403)	41	51	70	105	226	326	498	718	763	685	419	136	24	-
All races, male	25	29	42	56	114	164	241	347	341	272	151	42	8	-
All races, female	16	22	28	49	112	162	257	371	422	413	268	94	16	-
White, male	7	11	21	32	72	105	187	287	295	239	137	36	4	-
White, female	7	6	6	18	57	104	179	274	334	359	236	86	13	-
Black, male	17	18	20	20	42	57	52	56	41	31	13	6	4	-
Black, female	9	16	22	27	54	57	75	92	87	54	29	8	3	-
Hypertensive heart and renal disease (404)	13	36	52	90	160	209	334	464	534	435	317	98	26	4
All races, male	8	23	29	46	82	112	161	217	209	141	88	16	3	-
All races, female	5	13	23	44	78	97	173	247	325	294	229	82	23	4
White, male	2	8	8	26	48	75	130	176	168	121	78	15	3	-
White, female	1	1	8	20	39	54	105	189	274	243	196	70	19	1
Black, male	6	14	21	20	33	35	28	40	37	18	10	-	-	-
Black, female	4	12	14	24	37	41	67	54	47	49	30	12	4	2
Ischemic heart disease (410-414)	4,991	8,472	15,180	26,814	42,349	57,644	74,351	84,893	84,528	70,449	44,427	15,734	2,924	168
All races, male	4,058	6,812	11,810	19,981	29,849	37,880	45,119	45,296	38,458	25,879	13,292	3,955	617	62
All races, female	933	1,660	3,370	6,833	12,500	19,764	29,232	39,597	46,070	44,570	31,135	11,779	2,307	106
White, male	3,437	5,846	10,378	17,815	26,937	34,604	41,551	41,997	35,866	24,358	12,579	3,699	521	52
White, female	695	1,226	2,625	5,461	10,538	17,135	26,028	36,125	42,842	42,218	29,700	11,079	2,057	98
Black, male	564	866	1,295	1,966	2,638	2,971	3,171	2,862	2,254	1,310	643	228	91	8
Black, female	223	412	707	1,277	1,852	2,446	3,012	3,249	3,008	2,152	1,297	650	235	7
Acute myocardial infarction (410)	3,107	5,277	9,492	16,819	26,064	34,675	42,707	46,016	40,233	28,187	14,321	4,199	672	41
All races, male	2,513	4,254	7,369	12,469	18,276	22,752	25,804	24,682	18,799	10,934	4,710	1,187	178	17
All races, female	594	1,023	2,123	4,350	7,788	11,923	16,903	21,334	21,434	17,253	9,611	3,012	494	24
White, male	2,180	3,733	6,619	11,284	16,633	20,877	23,874	23,002	17,572	10,271	4,438	1,096	148	14
White, female	447	771	1,693	3,555	6,628	10,474	15,181	19,578	19,963	16,271	9,098	2,775	418	20
Black, male	302	458	656	1,071	1,473	1,691	1,706	1,446	1,051	574	248	83	29	3
Black, female	135	233	406	734	1,087	1,338	1,614	1,624	1,372	901	472	227	75	3
Other acute and subacute forms of ischemic heart disease (411)	75	125	249	321	477	500	530	500	464	349	214	86	15	2
All races, male	58	102	199	247	338	342	343	273	213	140	56	17	3	2
All races, female	17	23	50	74	139	158	187	227	251	209	158	69	12	-
White, male	45	84	168	208	291	306	283	244	198	126	50	16	1	2
White, female	10	13	31	56	110	123	150	200	224	198	145	56	9	-
Black, male	12	17	29	38	46	35	48	27	14	11	6	1	2	-
Black, female	7	10	19	17	28	34	37	25	26	11	12	11	3	-
Angina pectoris (413)	5	11	29	35	68	87	131	156	178	131	81	8	1	-
All races, male	4	7	22	22	43	51	67	67	74	46	28	1	-	-
All races, female	1	4	7	13	25	36	64	89	104	85	53	7	1	-
White, male	4	6	17	19	39	47	61	65	68	44	28	1	-	-
White, female	1	4	6	7	19	30	54	80	94	82	50	7	-	-
Black, male	-	1	5	3	4	4	6	2	5	2	-	-	-	-
Black, female	-	-	1	6	5	6	9	9	9	3	3	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,804	3,059	5,410	9,639	15,740	22,382	30,983	38,221	43,653	41,782	29,811	11,441	2,236	125
All races, male	1,483	2,449	4,220	7,243	11,192	14,735	18,905	20,274	19,372	14,759	8,498	2,750	436	43
All races, female	321	610	1,190	2,396	4,548	7,647	12,078	17,947	24,281	27,023	21,313	8,691	1,800	82
White, male	1,208	2,023	3,574	6,304	9,974	13,374	17,323	18,686	18,028	13,917	8,063	2,586	372	78
White, female	237	438	895	1,843	3,781	6,508	10,643	16,267	22,561	25,667	20,407	8,241	1,630	5
Black, male	250	390	605	854	1,115	1,241	1,411	1,387	1,184	723	389	144	60	5
Black, female	81	169	281	520	732	1,068	1,352	1,591	1,601	1,237	810	412	156	4
Diseases of pulmonary circulation (415-417)	257	324	509	770	1,129	1,513	1,779	1,830	1,615	1,109	540	142	24	3
All races, male	125	168	259	409	639	826	935	865	654	390	161	36	6	1
All races, female	132	156	250	361	490	687	844	965	961	719	379	106	18	2
White, male	93	116	201	318	516	668	805	732	571	351	140	32	4	1
White, female	83	106	176	287	387	567	710	819	858	673	352	96	15	1
Black, male	31	52	57	90	117	151	129	128	79	36	19	4	2	-
Black, female	48	50	73	91	101	117	130	144	100	42	24	10	3	1
Other forms of heart disease (420-429)	1,993	3,026	5,044	8,627	13,687	17,801	23,114	27,431	30,236	27,573	19,146	7,429	1,471	96
All races, male	1,377	2,178	3,603	5,972	9,085	11,230	13,224	13,816	12,930	9,594	5,506	1,781	297	42
All races, female	616	848	1,441	2,655	4,602	6,571	9,890	13,615	17,306	17,979	13,640	5,668	1,174	54
White, male	961	1,610	2,682	4,760	7,384	9,402	11,213	12,057	11,438	8,686	5,063	1,590	229	30
White, female	396	585	995	1,917	3,537	5,220	8,107	11,691	15,503	16,545	12,752	5,264	1,005	50
Black, male	393	533	876	1,144	1,598	1,713	1,864	1,588	1,388	822	411	156	66	10
Black, female	211	253	426	704	1,009	1,290	1,703	1,823	1,699	1,326	811	375	161	4
Acute and subacute endocarditis (421)	36	48	46	64	82	100	122	127	83	50	24	3	-	-
All races, male	23	30	36	39	56	67	75	68	35	20	6	2	-	-
All races, female	13	18	10	25	26	33	47	59	48	30	18	1	-	-
White, male	12	18	27	33	50	57	65	64	31	16	6	2	-	-
White, female	8	13	8	17	26	33	41	54	45	26	17	1	-	-
Black, male	11	12	9	5	5	9	9	4	4	3	-	-	-	-
Black, female	5	5	1	6	-	-	6	5	3	4	1	-	-	-
Acute pericarditis, acute myocarditis, and other diseases of pericardium (420,422-423)	39	35	54	65	82	89	85	74	56	41	17	5	-	-
All races, male	18	24	38	35	42	45	47	41	22	12	5	2	-	-
All races, female	21	11	16	30	40	44	38	33	34	29	12	3	-	-
White, male	17	7	12	20	27	40	33	27	30	28	11	3	-	-
White, female	17	7	12	5	4	5	4	8	2	1	1	1	-	-
Black, male	1	3	12	5	4	5	4	8	2	1	1	1	-	-
Black, female	4	4	4	10	12	3	5	6	2	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 274

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

[Numbers after causes of death are category numbers of the final classification]														
Cause of death, race, and sex 1	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Other forms of heart disease-Con.														
Other diseases of endocardium (424)	9,510	24	1	3	-	1	29	5	8	18	34	58	80	97
All races, male	4,420	15	1	1	-	1	18	4	5	9	18	44	46	64
All races, female	5,090	9	-	2	-	-	11	1	3	9	16	14	34	33
White, male	3,981	13	1	1	-	1	16	1	5	8	11	31	33	45
White, female	4,651	8	-	1	-	-	9	1	3	5	12	7	17	21
Black, male	390	2	-	-	-	-	2	1	-	1	6	12	12	17
Black, female	404	1	-	1	-	-	2	-	-	2	4	7	17	12
Mitral valve disorders (424.0)	1,506	3	-	-	-	-	3	2	2	4	9	15	16	13
All races, male	571	2	-	-	-	-	2	1	-	1	4	8	6	7
All races, female	935	1	-	-	-	-	1	1	2	3	5	7	10	6
White, male	522	2	-	-	-	-	2	-	-	1	2	4	5	6
White, female	860	1	-	-	-	-	1	1	2	3	4	5	5	6
Black, male	45	-	-	-	-	-	-	-	-	-	1	2	5	-
Black, female	68	-	-	-	-	-	-	-	-	-	-	-	-	-
Aortic valve disorders (424.1)	6,105	16	-	2	-	-	18	-	4	11	10	25	38	55
All races, male	3,066	11	-	-	-	-	11	-	4	7	8	22	29	37
All races, female	3,039	5	-	2	-	-	7	-	-	4	2	3	9	18
White, male	2,801	11	-	-	-	-	11	-	4	7	6	16	22	30
White, female	2,796	4	-	1	-	-	5	-	-	2	1	2	7	11
Black, male	237	-	-	-	-	-	-	-	-	-	1	5	7	7
Black, female	221	1	-	1	-	-	2	-	-	1	1	1	2	7
All other diseases of endocardium (424.2-424.9)	1,899	5	1	1	-	1	8	3	2	3	15	18	26	29
All races, male	783	2	1	1	-	1	5	3	1	1	6	14	11	20
All races, female	1,116	3	-	-	-	-	3	-	1	2	9	4	15	9
White, male	658	-	1	1	-	1	3	1	1	-	3	11	6	9
White, female	995	3	-	-	-	-	3	-	1	-	7	-	5	4
Black, male	108	2	-	-	-	-	2	-	-	1	3	3	4	9
Black, female	115	-	-	-	-	-	-	-	-	1	2	4	10	5
Heart failure (428)	37,747	63	7	2	-	2	74	9	5	16	18	43	58	80
All races, male	15,860	34	3	2	-	-	39	6	2	13	11	29	40	54
All races, female	21,887	29	4	-	-	2	35	3	3	3	7	14	18	26
White, male	13,911	27	2	2	-	-	31	5	2	8	6	17	23	42
White, female	19,489	21	2	-	-	1	24	3	-	3	4	8	12	20
Black, male	1,825	5	1	-	-	-	6	1	-	3	5	11	15	11
Black, female	2,252	7	1	-	-	1	9	-	3	-	3	6	6	5
Myocarditis, unspecified and myocardial degeneration (429.0-429.1)	1,736	32	10	5	4	1	52	6	11	20	30	46	34	47
All races, male	806	12	5	1	2	-	20	2	6	14	15	32	18	29
All races, female	930	20	5	4	2	1	32	4	5	6	15	14	16	18
White, male	667	5	3	-	1	-	9	1	5	9	10	21	12	19
White, female	819	16	1	2	1	1	21	3	3	3	11	10	9	11
Black, male	126	7	2	-	1	-	10	1	1	5	4	10	4	8
Black, female	103	4	4	2	1	-	11	1	2	3	4	3	7	5
All other and ill-defined forms of heart disease (425-427,429.2-429.9)	140,894	585	114	44	29	27	799	87	119	236	327	442	682	1,070
All races, male	71,766	341	52	21	19	13	446	39	60	163	231	291	482	775
All races, female	69,128	244	62	23	10	14	353	48	59	73	96	151	200	295
White, male	59,917	234	34	13	13	10	304	28	38	110	167	197	300	518
White, female	59,124	160	38	12	6	8	224	38	39	53	63	98	138	187
Black, male	11,038	94	18	7	6	2	127	10	20	51	58	87	172	244
Black, female	9,464	74	22	10	4	6	116	9	18	19	32	53	58	99
Cerebrovascular diseases (430-438)	153,050	135	22	13	5	8	183	31	51	96	211	330	572	908
All races, male	60,780	87	14	7	1	4	113	12	24	58	92	171	296	480
All races, female	92,270	48	8	6	4	4	70	19	27	38	119	159	276	426
White, male	51,965	57	8	6	-	2	73	11	22	43	67	125	196	305
White, female	81,067	33	6	5	3	3	50	15	22	21	89	108	168	286
Black, male	8,000	28	6	1	1	1	37	1	2	14	22	44	94	164
Black, female	10,341	15	2	1	1	1	20	4	4	14	28	50	104	126
Subarachnoid hemorrhage (430)	6,490	10	1	3	3	-	17	5	17	35	95	164	239	384
All races, male	2,314	7	-	2	1	-	10	1	12	30	40	73	113	167
All races, female	4,176	3	1	1	2	-	7	4	5	5	55	91	126	217
White, male	1,942	5	-	2	-	-	7	1	11	24	29	58	82	132
White, female	3,488	1	1	-	1	-	3	4	5	-	42	63	84	155
Black, male	324	2	-	-	1	-	3	-	1	5	9	14	28	33
Black, female	583	2	-	1	1	-	4	-	-	3	12	27	41	54
Intracerebral and other intracranial hemorrhage (431-432)	20,728	68	8	4	-	3	83	16	23	36	70	113	199	348
All races, male	9,351	47	4	2	-	2	55	6	8	16	34	69	116	208
All races, female	11,377	21	4	2	-	1	28	10	15	20	36	44	83	140
White, male	7,473	27	2	1	-	1	31	5	8	11	24	48	71	108
White, female	9,568	13	4	2	-	1	20	8	12	12	26	25	44	84
Black, male	1,657	19	2	1	-	-	22	1	-	5	9	20	42	94
Black, female	1,601	8	-	-	-	-	8	2	2	7	10	19	39	52
Occlusion and stenosis of precerebral arteries (433)	1,514	-	-	-	-	-	-	1	1	-	3	1	11	12
All races, male	833	-	-	-	-	-	-	1	1	-	3	-	5	10
All races, female	681	-	-	-	-	-	-	-	-	-	-	-	6	2
White, male	764	-	-	-	-	-	-	1	-	-	-	-	2	8
White, female	622	-	-	-	-	-	-	-	-	-	-	-	1	6
Black, male	60	-	-	-	-	-	-	-	1	-	-	-	3	2
Black, female	54	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24,519	17	1	-	-	3	21	4	2	10	15	18	38	46
All races, male	9,531	9	1	-	-	1	11	3	-	5	3	12	19	26
All races, female	14,988	8	-	-	-	2	10	1	2	5	12	6	19	20
White, male	8,350	6	1	-	-	1	8	3	-	3	3	10	12	18
White, female	13,435	7	-	-	-	2	9	-	1	5	8	5	14	11
Black, male	1,074	3	-	-	-	-	3	-	-	2	-	1	5	5

SECTION 1 - GENERAL MORTALITY - PAGE 275

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Other forms of heart disease-Con.														
Other diseases of endocardium (424)	102	134	213	341	546	844	1,236	1,600	1,761	1,418	749	208	26	3
All races, male	68	83	142	201	339	520	649	760	728	459	206	52	4	1
All races, female	34	51	71	140	207	324	587	840	1,033	959	543	156	22	2
White, male	51	66	117	165	305	472	589	701	683	434	195	48	4	1
White, female	23	35	57	115	183	282	536	771	974	916	515	148	19	2
Black, male	17	17	24	32	29	44	57	49	36	20	11	3	-	-
Black, female	10	14	14	24	21	38	47	65	53	37	27	7	3	-
Mitral valve disorders (424.0)	12	28	37	56	86	163	221	253	262	190	104	26	4	-
All races, male	6	13	17	21	46	77	101	96	86	50	23	5	1	-
All races, female	6	15	20	35	40	86	120	157	176	140	81	21	3	-
White, male	5	11	16	18	43	73	96	88	80	45	22	4	1	-
White, female	6	10	14	28	35	74	106	148	173	137	80	19	3	-
Black, male	1	2	1	3	3	4	5	7	5	3	1	1	-	-
Black, female	-	4	6	7	4	10	12	9	3	2	1	2	-	-
Aortic valve disorders (424.1)	60	70	123	194	318	501	767	1,042	1,217	977	511	144	17	3
All races, male	41	57	95	140	221	348	432	535	549	331	159	36	3	1
All races, female	19	13	28	54	97	153	335	507	668	646	352	108	14	2
White, male	35	45	80	113	198	317	394	497	522	317	150	33	3	1
White, female	14	9	21	46	86	132	306	463	625	617	333	103	11	2
Black, male	6	12	14	23	19	29	36	33	23	11	9	2	-	-
Black, female	4	4	7	7	9	20	27	41	38	24	19	4	3	-
All other diseases of endocardium (424.2-424.9)	30	36	53	91	142	180	248	305	282	251	134	38	5	-
All races, male	21	13	30	40	72	95	116	129	93	78	24	11	-	-
All races, female	9	23	23	51	70	85	132	176	189	173	110	27	5	-
White, male	11	10	21	34	64	82	99	116	81	72	23	11	-	-
White, female	3	16	22	41	62	76	124	160	176	162	102	26	5	-
Black, male	10	3	9	6	7	11	16	9	8	5	1	-	-	-
Black, female	6	6	1	10	8	8	8	15	12	11	7	1	-	-
Heart failure (428)	141	232	472	913	1,656	2,629	4,105	5,573	7,096	7,069	5,151	2,011	378	18
All races, male	78	146	299	564	962	1,489	2,201	2,656	2,908	2,352	1,453	470	81	7
All races, female	63	86	173	349	694	1,140	1,904	2,917	4,188	4,717	3,698	1,541	297	11
White, male	43	108	222	444	797	1,277	1,902	2,368	2,593	2,167	1,355	428	68	5
White, female	34	58	106	252	528	908	1,578	2,548	3,819	4,391	3,482	1,446	257	8
Black, male	33	37	72	113	157	208	285	262	294	172	88	39	12	1
Black, female	29	27	65	94	156	224	312	350	344	301	189	89	37	3
Myocarditis, unspecified and myocardial degeneration (429.0-429.1)	37	47	60	75	109	122	161	186	215	209	161	91	17	-
All races, male	23	26	41	54	67	78	85	91	84	63	37	18	5	-
All races, female	14	21	19	21	42	46	76	95	131	146	124	73	12	-
White, male	15	20	29	43	57	70	71	80	79	58	37	17	5	-
White, female	10	14	17	19	36	43	65	83	119	140	122	68	12	-
Black, male	8	5	12	11	9	6	11	10	5	5	-	1	-	-
Black, female	4	7	2	2	6	2	9	11	12	6	2	4	-	-
All other and ill-defined forms of heart disease (425-427, 429.2-429.9)	1,638	2,530	4,199	7,169	11,212	14,017	17,405	19,871	21,025	18,786	13,044	5,111	1,050	75
All races, male	1,167	1,869	3,047	5,079	7,819	9,033	10,167	10,200	9,153	6,688	3,799	1,217	207	34
All races, female	471	661	1,152	2,090	3,593	4,984	7,238	9,671	11,872	12,098	9,245	3,894	843	41
White, male	823	1,378	2,261	4,046	6,137	7,487	8,544	8,611	8,032	6,000	3,466	1,094	152	24
White, female	304	458	795	1,494	2,737	3,914	5,854	8,208	10,516	11,044	8,805	3,598	717	40
Black, male	323	459	747	978	1,394	1,441	1,518	1,255	1,047	621	311	112	54	9
Black, female	159	196	340	568	814	1,023	1,324	1,386	1,285	977	591	275	121	1
Cerebrovascular diseases (430-438)	1,366	1,885	2,889	4,662	7,474	11,367	17,762	24,638	28,833	26,600	16,669	5,563	909	53
All races, male	675	992	1,539	2,559	4,036	5,940	8,843	11,033	10,735	7,907	4,019	1,092	148	16
All races, female	691	893	1,350	2,103	3,438	5,427	8,919	13,605	18,098	18,693	12,650	4,471	761	37
White, male	434	636	1,066	1,935	3,139	4,858	7,494	9,680	9,703	7,268	3,761	1,005	113	11
White, female	444	594	941	1,531	2,618	4,380	7,393	11,929	16,292	17,433	11,921	4,163	636	33
Black, male	228	333	427	587	838	997	1,228	1,212	881	547	231	76	32	5
Black, female	224	284	376	530	743	984	1,395	1,569	1,680	1,145	654	290	115	2
Subarachnoid hemorrhage (430)	481	529	593	666	720	685	630	548	366	201	81	13	1	-
All races, male	195	214	215	289	243	232	178	165	83	36	17	1	-	-
All races, female	286	315	378	397	477	453	452	383	283	165	64	12	1	-
White, male	163	163	186	257	207	204	152	151	70	28	16	1	-	-
White, female	218	251	305	335	416	394	392	346	251	152	59	12	1	-
Black, male	27	45	25	29	31	25	23	12	9	4	1	-	-	-
Black, female	55	59	62	52	50	48	47	25	27	12	5	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	511	685	1,005	1,325	1,862	2,209	2,875	3,120	3,003	2,036	921	250	35	3
All races, male	283	396	547	744	1,001	1,150	1,429	1,319	1,105	608	197	54	4	2
All races, female	228	289	458	581	861	1,059	1,446	1,801	1,898	1,428	724	196	31	1
White, male	143	229	350	566	777	945	1,237	1,146	990	550	183	46	4	1
White, female	121	177	304	412	658	892	1,256	1,612	1,706	1,328	666	181	23	1
Black, male	133	155	184	158	205	183	154	141	83	47	13	7	-	-
Black, female	101	105	141	152	170	145	159	162	171	87	47	15	7	-
Occlusion and stenosis of precerebral arteries (433)	14	32	52	87	157	210	237	248	224	136	63	22	1	2
All races, male	10	26	36	54	101	118	135	136	110	57	22	7	-	1
All races, female	4	6	16	33	56	92	102	112	114	79	41	15	1	1
White, male	8	24	33	49	89	107	122	129	106	54	21	7	-	1
White, female	4	5	13	28	49	79	95	104	106	74	40	14	1	1
Black, male	2	2	3	5	6	11	13	6	3	2	1	-	-	-
Black, female	-	1	3	4	7	13	6	7	8	3	1	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0, 434.9)	90	144	281	580	1,037	1,727	2,816	4,038	4,804	4,602	3,057	998	180	11
All races, male	54	85	184	338	608	927	1,438	1,800	1,745	1,332	719	189	30	3
All races, female	36	59	97	242	429	800	1,378	2,238	3,059	3,270	2,338	809	150	8
White, male	33	57	138	259	466	786	1,254	1,613	1,590	1,245	671	177	23	1
White, female	23	38	68	175	315	657	1,158	1,975	2,783	3,065	2,223	762	134	6
Black, male	21	27	43	76	134	147	168	166	134	77	42	11	7	2
Black, female	13	21	27	62	107	140	205	254	258	191	105	43	16	-

SECTION 1 - GENERAL MORTALITY - PAGE 276

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cerebrovascular diseases—Con.														
Cerebral embolism (434.1)	786	-	-	-	-	-	-	1	-	1	2	-	4	2
All races, male	331	-	-	-	-	-	-	-	-	1	1	-	3	-
All races, female	455	-	-	-	-	-	-	1	-	-	1	-	1	2
White, male	302	-	-	-	-	-	-	-	-	-	1	-	3	-
White, female	423	-	-	-	-	-	-	1	-	-	1	-	-	2
Black, male	25	-	-	-	-	-	-	-	-	1	-	-	-	-
Black, female	28	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute but ill-defined cerebrovascular disease (436)	81,712	4	2	1	1	1	9	3	3	4	16	17	55	85
All races, male	31,987	4	1	1	-	-	6	-	1	1	7	7	29	52
All races, female	49,725	-	1	-	1	1	3	3	2	3	9	10	26	33
White, male	27,487	3	-	1	-	-	4	-	1	1	4	3	17	30
White, female	43,735	-	-	-	1	-	1	2	2	1	7	9	11	25
Black, male	4,147	-	1	-	-	-	1	-	-	-	3	4	12	22
Black, female	5,621	-	1	-	-	1	2	1	-	2	2	1	14	8
Other and late effects of cerebrovascular diseases (435,437-438)	17,301	36	10	5	1	1	53	1	5	10	10	17	28	29
All races, male	6,433	20	8	2	-	1	31	1	2	5	4	10	11	17
All races, female	10,868	16	2	3	1	-	22	-	3	5	6	7	15	12
White, male	5,647	16	5	2	1	-	23	1	2	4	3	6	9	9
White, female	9,796	12	1	3	1	-	17	-	2	9	5	5	9	7
Black, male	713	4	3	-	-	1	8	-	-	1	1	4	2	8
Black, female	991	4	1	-	-	-	5	-	1	2	-	2	5	4
Diseases of arteries, arterioles, and capillaries (440-448)	45,909	26	3	3	3	1	36	8	12	36	38	72	94	164
All races, male	22,682	16	3	2	1	1	23	3	6	19	25	44	46	102
All races, female	23,227	10	-	1	2	-	13	5	6	17	13	28	48	62
White, male	20,851	12	3	2	1	1	19	3	6	17	22	36	34	80
White, female	21,191	6	-	1	2	-	9	3	4	14	8	18	32	49
Black, male	1,629	3	-	-	-	-	3	-	-	2	3	8	9	20
Black, female	1,883	3	-	-	-	-	3	-	1	3	4	10	16	13
Atherosclerosis (440)	23,926	-	-	-	-	-	-	-	-	1	1	3	4	16
All races, male	9,062	-	-	-	-	-	-	-	-	-	1	2	3	10
All races, female	14,864	-	-	-	-	-	-	-	-	1	-	1	1	6
White, male	8,251	-	-	-	-	-	-	-	-	-	-	1	1	4
White, female	13,770	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, male	758	-	-	-	-	-	-	-	-	1	-	-	-	2
Black, female	1,022	-	-	-	-	-	-	-	-	-	-	-	-	-
Aortic aneurysm (441)	15,112	6	-	-	-	-	6	3	6	19	20	32	37	85
All races, male	10,208	2	-	-	-	-	2	1	5	11	16	25	24	62
All races, female	4,904	4	-	-	-	-	4	2	1	8	4	7	13	23
White, male	9,580	1	-	-	-	-	1	1	5	11	15	21	20	46
White, female	4,404	3	-	-	-	-	3	1	1	8	1	5	11	17
Black, male	506	1	-	-	-	-	1	-	-	-	1	4	2	14
Black, female	448	1	-	-	-	-	1	-	-	-	2	2	2	6
All other diseases of arteries, arterioles, and capillaries (442-448)	6,871	20	3	3	3	1	30	5	6	16	17	37	53	63
All races, male	3,412	14	3	2	1	1	21	2	1	8	8	17	19	30
All races, female	3,459	6	-	1	2	-	9	3	5	8	9	20	34	33
White, male	3,020	11	3	2	1	1	18	2	1	6	6	13	11	25
White, female	3,017	3	-	1	2	-	6	2	3	6	7	12	20	28
Black, male	365	2	-	-	-	-	2	-	-	2	2	4	7	5
Black, female	413	2	-	-	-	-	2	-	1	2	2	8	14	5
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	4,860	68	4	1	1	1	75	3	3	14	24	53	61	95
All races, male	2,398	37	3	1	-	1	42	2	-	8	12	27	39	56
All races, female	2,462	31	1	-	1	-	33	1	3	6	12	26	22	39
White, male	1,983	26	2	1	-	1	30	1	-	6	11	21	23	38
White, female	2,061	21	1	-	1	-	23	-	1	3	8	18	13	24
Black, male	388	10	1	-	-	-	11	1	-	2	1	5	15	18
Black, female	369	9	-	-	-	-	9	1	2	2	4	8	9	13
Phlebitis, thrombophlebitis, and venous embolism and thrombosis (451-453)	2,116	9	1	-	-	-	10	1	-	8	9	33	36	42
All races, male	954	6	1	-	-	-	7	1	-	6	3	16	23	20
All races, female	1,162	3	-	-	-	-	3	-	-	2	6	17	13	22
White, male	811	4	-	-	-	-	4	1	-	4	2	12	11	14
White, female	1,001	3	-	-	-	-	3	-	-	1	3	14	5	17
Black, male	140	2	1	-	-	-	3	-	-	2	1	4	12	6
Black, female	154	-	-	-	-	-	-	-	-	-	3	3	8	5
Other diseases of veins and lymphatics and all other diseases of circulatory system (454-459)	2,744	59	3	1	1	1	65	2	3	6	15	20	25	53
All races, male	1,444	31	2	1	-	1	35	1	-	2	9	11	16	35
All races, female	1,300	28	1	-	1	-	30	1	3	4	6	9	9	17
White, male	1,172	22	2	1	-	1	26	-	-	2	9	9	12	24
White, female	1,060	18	1	-	1	-	20	-	1	2	5	4	8	7
Black, male	248	8	-	-	-	-	8	1	-	-	-	1	3	12
Black, female	215	9	-	-	-	-	9	1	2	2	1	5	1	8
VIII. Diseases of the respiratory system (480-519)	166,189	1,339	222	126	61	56	1,804	171	177	247	409	496	760	921
All races, male	93,082	777	120	67	33	25	1,022	92	87	147	239	305	449	576
All races, female	73,107	562	102	59	28	31	782	79	90	100	170	191	311	345
White, male	83,607	498	81	43	23	17	662	64	52	109	168	204	274	359
White, female	67,081	356	64	43	24	26	515	50	59	66	123	127	184	225
Black, male	8,463	252	34	23	8	7	324	24	31	35	67	94	163	208
Black, female	5,403	189	33	15	3	5	245	28	28	33	45	60	122	114
Diseases of the upper respiratory tract (480-485,470-478)	688	68	25	23	7	9	132	17	3	8	15	16	9	14
All races, male	354	39	14	15	4	5	77	10	2	5	10	9	7	10
All races, female	334	29	11	8	3	4	55	7	1	3	5	7	2	4
White, male	273	22	10	12	2	5	51	8	1	3	6	6	4	6
White, female	280	18	8	7	3	4	40	5	-	2	2	5	1	4
Black, male	73	16	3	3	1	-	23	2	1	2	4	3	2	4
Black, female	50	11	3	1	-	-	15	2	1	1	2	2	1	-

SECTION 1 - GENERAL MORTALITY - PAGE 277

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cerebrovascular diseases-Con.														
Cerebral embolism (434.1)	3	7	15	27	43	71	118	150	133	126	61	14	1	1
All races, male	2	1	9	12	21	38	52	75	54	44	15	3	-	-
All races, female	1	6	6	15	22	33	66	75	85	82	48	11	1	1
White, male	2	-	7	11	18	37	46	69	49	42	14	3	-	-
White, female	1	5	5	13	21	29	62	71	78	79	44	10	-	1
Black, male	-	1	1	1	3	1	6	4	4	2	1	-	-	-
Black, female	-	1	-	2	1	3	4	3	7	3	2	1	1	-
Acute but ill-defined cerebrovascular disease (436)	213	399	792	1,691	3,177	5,636	9,550	13,996	16,771	15,774	9,780	3,195	515	31
All races, male	102	220	464	970	1,793	3,027	4,801	6,354	6,273	4,738	2,423	630	80	9
All races, female	111	179	328	721	1,384	2,609	4,749	7,642	10,498	11,036	7,357	2,565	435	22
White, male	65	134	309	678	1,369	2,437	4,001	5,532	5,665	4,338	2,262	575	55	7
White, female	59	97	199	488	1,006	2,031	3,851	6,627	9,425	10,256	6,902	2,362	354	20
Black, male	36	83	151	281	405	551	745	755	535	348	144	47	22	2
Black, female	48	81	125	228	356	552	841	968	1,002	713	409	191	75	2
Other and late effects of cerebrovascular diseases (435,437-438)	54	89	151	266	478	829	1,536	2,538	3,526	3,725	2,706	1,071	176	5
All races, male	29	50	84	152	269	448	810	1,184	1,365	1,092	626	208	34	1
All races, female	25	39	67	114	209	381	726	1,354	2,161	2,633	2,080	863	142	4
White, male	20	29	63	115	213	362	682	1,040	1,233	1,011	594	196	31	1
White, female	18	21	47	80	153	298	579	1,194	1,943	2,479	1,987	822	123	4
Black, male	9	20	20	37	54	79	119	128	113	67	29	11	3	-
Black, female	7	16	18	30	52	83	133	150	207	136	85	39	16	-
Diseases of arteries, arterioles, and capillaries (440-449)	201	306	581	1,290	2,444	3,998	5,670	6,847	7,557	7,640	5,849	2,480	560	26
All races, male	129	189	404	921	1,752	2,753	3,735	3,839	3,555	2,768	1,675	595	92	7
All races, female	72	117	177	369	692	1,245	1,935	3,008	4,002	4,872	4,174	1,885	468	19
White, male	111	149	335	808	1,578	2,506	3,437	3,560	3,323	2,593	1,591	558	80	5
White, female	44	86	129	288	577	1,076	1,683	2,695	3,676	4,597	3,979	1,782	426	16
Black, male	16	38	65	106	157	218	265	245	200	153	75	33	11	2
Black, female	25	27	44	77	108	158	237	294	310	250	170	93	38	2
Atherosclerosis (440)	32	49	133	319	573	1,076	1,822	2,935	4,328	5,294	4,665	2,137	513	25
All races, male	25	33	95	227	367	646	1,040	1,383	1,694	1,713	1,242	490	85	6
All races, female	7	16	38	92	206	430	782	1,552	2,634	3,581	3,423	1,647	428	19
White, male	20	26	79	189	322	558	918	1,251	1,564	1,587	1,184	460	74	4
White, female	4	14	28	67	167	372	669	1,383	2,432	3,386	3,273	1,563	390	16
Black, male	4	7	15	36	42	82	119	128	120	112	52	28	10	2
Black, female	3	1	9	25	39	55	109	162	192	180	132	76	34	2
Aortic aneurysm (441)	78	142	257	624	1,303	2,127	2,845	2,839	2,295	1,527	708	146	12	1
All races, male	64	103	199	499	1,040	1,637	2,095	1,892	1,409	766	299	56	2	1
All races, female	14	39	58	125	263	490	750	947	886	761	409	90	10	-
White, male	55	77	169	448	964	1,539	1,981	1,799	1,351	737	285	52	2	1
White, female	8	25	39	98	219	429	665	865	814	721	383	82	9	-
Black, male	8	24	27	47	64	78	90	68	43	21	11	3	-	-
Black, female	6	13	16	26	38	56	77	73	67	34	21	7	1	-
All other diseases of arteries, arterioles, and capillaries (442-448)	91	115	191	347	568	795	1,003	1,073	934	819	476	197	35	-
All races, male	40	53	110	195	345	470	600	564	452	289	134	49	5	-
All races, female	51	62	81	152	223	325	403	509	482	530	342	148	30	-
White, male	36	46	87	171	292	409	538	510	408	269	122	46	4	-
White, female	32	47	62	123	191	275	349	447	430	490	323	137	27	-
Black, male	4	7	23	23	51	58	56	49	37	20	12	2	1	-
Black, female	16	13	19	26	31	47	51	59	51	36	17	10	3	-
Diseases of veins and lymphatics, and other diseases of circulatory system (451-459)	138	177	239	320	474	556	663	630	593	400	240	85	16	1
All races, male	99	99	144	199	285	309	341	273	233	134	65	26	5	-
All races, female	39	78	95	121	189	247	322	357	360	266	175	59	11	1
White, male	67	86	112	158	230	260	288	242	199	120	58	19	4	-
White, female	26	57	70	89	161	201	265	311	324	240	162	55	10	-
Black, male	32	12	30	38	52	45	41	29	31	14	5	5	1	-
Black, female	13	21	22	27	24	44	51	44	33	24	13	3	1	1
Phlebitis, thrombophlebitis, and venous embolism and thrombosis (451-453)	68	83	111	131	206	230	304	284	246	173	103	29	8	1
All races, male	46	39	58	76	115	122	146	114	83	49	20	8	2	-
All races, female	22	44	53	55	91	108	158	170	163	124	83	21	6	1
White, male	37	37	43	64	95	103	132	105	73	47	19	7	1	-
White, female	15	31	43	46	80	92	127	152	152	114	81	20	5	-
Black, male	9	2	15	12	19	14	7	10	2	1	1	1	1	-
Black, female	7	13	10	8	10	16	27	18	11	10	2	1	1	1
Other diseases of veins and lymphatics and all other diseases of circulatory system (454-459)	70	94	128	189	268	326	359	346	347	227	137	56	8	-
All races, male	53	60	86	123	170	187	195	159	150	85	45	18	3	-
All races, female	17	34	42	66	98	139	164	187	197	142	92	38	5	-
White, male	30	49	69	94	135	157	166	137	126	73	39	12	3	-
White, female	11	26	27	43	81	108	138	159	172	126	81	35	5	-
Black, male	23	10	15	26	33	26	27	22	21	12	4	-	-	-
Black, female	6	8	12	19	14	28	24	26	22	14	11	2	-	-
VIII. Diseases of the respiratory system (460-519)	1,137	1,715	3,138	6,186	11,163	16,849	23,560	27,590	26,749	22,491	14,283	5,252	1,019	72
All races, male	664	1,003	1,834	3,731	6,927	10,662	14,943	16,876	14,962	10,756	5,748	1,725	296	38
All races, female	473	712	1,304	2,455	4,236	6,187	8,617	10,714	11,787	11,735	8,535	3,527	723	34
White, male	404	688	1,419	3,110	6,011	9,567	13,651	15,569	13,903	10,097	5,425	1,591	258	22
White, female	339	547	1,052	2,092	3,750	5,596	8,010	9,974	11,028	11,167	8,146	3,360	640	31
Black, male	247	295	390	571	846	1,006	1,168	1,132	890	549	267	107	33	16
Black, female	122	155	232	333	450	530	536	675	673	492	309	141	78	2
Diseases of the upper respiratory tract (460-465,470-478)	9	21	16	25	42	26	54	63	71	70	56	17	4	-
All races, male	8	15	12	14	20	15	33	33	27	24	19	4	-	-
All races, female	1	6	4	11	22	11	21	30	44	46	37	13	4	-
White, male	7	7	6	12	19	9	30	28	26	22	19	3	-	-
White, female	-	3	4	10	18	7	19	21	43	45	35	12	4	-
Black, male	-	8	5	1	1	6	3	4	1	2	-	1	-	-
Black, female	1	3	-	1	4	3	2	9	-	1	2	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 278

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex ¹	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of the upper respiratory tract—Con.														
Acute upper respiratory infections (460-465)	355	57	18	20	6	7	108	14	2	4	7	9	4	5
All races, male	159	31	10	14	3	4	52	7	1	2	6	4	3	3
All races, female	196	26	8	6	3	3	46	7	1	2	1	5	1	2
White, male	118	18	9	11	2	4	44	6	1	1	3	3	2	1
White, female	167	15	7	5	3	3	33	5	—	2	1	5	1	2
Black, male	37	12	—	1	—	—	15	1	—	1	3	1	1	2
Black, female	28	11	1	1	—	—	13	2	1	—	—	—	—	—
Other diseases of upper respiratory tract (470-478)	333	11	7	3	1	2	24	3	1	4	8	7	5	9
All races, male	195	8	4	1	1	1	15	3	1	3	4	5	4	7
All races, female	138	3	3	2	—	1	9	—	—	1	4	2	1	2
White, male	155	4	1	1	—	1	7	2	—	2	3	3	2	5
White, female	113	3	1	2	—	—	7	—	—	—	1	—	—	2
Black, male	36	4	3	—	1	—	8	1	1	1	2	1	2	2
Black, female	22	—	2	—	—	—	2	—	—	1	2	2	1	—
Other diseases of the respiratory system (466,480-519)	165,501	1,271	197	103	54	47	1,672	154	174	239	394	480	751	907
All races, male	92,728	738	106	52	29	20	945	82	85	142	229	296	442	566
All races, female	72,773	533	91	51	25	27	727	72	89	97	165	184	309	341
White, male	83,334	476	71	31	21	12	611	56	51	106	162	198	270	353
White, female	66,801	340	56	36	21	22	475	45	59	64	121	122	163	221
Black, male	8,390	236	31	20	7	7	301	22	30	33	63	91	161	204
Black, female	5,353	178	30	14	3	5	230	26	27	32	43	58	121	114
Acute bronchitis and bronchiolitis (466)	600	64	13	4	—	—	81	1	2	3	3	1	4	4
All races, male	303	44	8	2	—	—	54	1	1	3	2	1	2	2
All races, female	297	20	5	2	—	—	27	—	1	—	1	—	2	2
White, male	259	33	3	1	—	—	37	—	1	3	1	1	1	2
White, female	274	16	3	1	—	—	20	—	—	—	1	—	1	2
Black, male	41	11	4	1	—	—	16	1	—	—	1	—	1	—
Black, female	22	4	2	1	—	—	7	—	1	—	—	—	1	—
Pneumonia (480-486)	65,561	698	103	54	29	27	911	71	52	86	158	221	401	491
All races, male	32,422	409	53	29	14	12	517	33	27	52	93	142	251	328
All races, female	33,139	289	50	25	15	15	394	38	25	34	65	79	150	163
White, male	28,347	255	34	19	11	8	327	21	19	43	77	93	148	154
White, female	30,214	184	32	17	12	12	257	27	18	22	51	53	89	84
Black, male	3,616	140	18	9	3	3	173	10	8	8	15	47	95	126
Black, female	2,631	95	15	8	2	3	123	11	6	12	14	23	59	64
Viral pneumonia (480)	698	83	15	3	3	1	105	1	6	4	9	7	7	10
All races, male	321	48	10	1	2	—	61	—	4	1	5	2	2	4
All races, female	377	35	5	2	1	1	44	1	2	3	4	5	5	6
White, male	279	32	6	—	2	—	40	—	3	1	5	2	2	3
White, female	338	28	2	2	1	1	34	—	2	2	2	3	5	5
Black, male	36	16	4	1	—	—	21	—	1	—	—	—	—	—
Black, female	35	7	2	—	—	—	9	1	—	1	2	2	—	1
Pneumococcal and other bacterial pneumonia (481-482)	5,878	91	10	10	4	2	117	7	5	12	18	30	65	90
All races, male	3,206	57	5	7	3	—	72	4	2	8	10	21	43	56
All races, female	2,672	34	5	3	1	2	45	3	3	4	8	9	22	34
White, male	2,698	40	4	3	2	—	49	4	1	6	9	15	21	28
White, female	2,317	22	2	3	1	—	28	3	2	2	8	5	10	21
Black, male	466	16	1	4	1	—	22	—	1	1	1	6	20	27
Black, female	324	10	3	—	—	2	15	—	1	2	—	4	12	12
Bronchopneumonia, organism unspecified (485)	9,853	214	26	16	6	9	271	17	16	22	36	79	123	143
All races, male	4,831	119	13	10	1	4	147	9	9	14	19	52	77	96
All races, female	5,022	95	13	6	5	5	124	8	7	8	17	27	46	47
White, male	4,119	72	8	7	—	2	89	3	7	12	13	32	38	57
White, female	4,555	56	9	3	2	4	74	7	4	3	11	16	22	18
Black, male	647	42	5	2	1	1	51	5	2	2	5	19	35	36
Black, female	424	36	3	3	2	1	45	1	3	5	6	10	23	26
Pneumonia due to other and unspecified organism (483,486)	49,132	310	52	25	16	15	418	48	25	48	95	105	206	248
All races, male	24,064	185	25	11	8	8	237	20	12	29	59	67	129	172
All races, female	25,068	125	27	14	8	7	181	28	13	19	36	38	77	76
White, male	21,251	111	16	9	7	6	149	14	8	24	50	44	87	106
White, female	23,004	78	19	9	8	7	121	17	10	15	30	29	52	50
Black, male	2,467	66	8	2	1	2	79	5	4	5	9	22	40	63
Black, female	1,848	42	7	5	—	—	54	9	2	4	6	7	24	25
Influenza (487)	2,054	7	5	—	1	—	13	5	2	3	4	3	5	5
All races, male	737	3	3	—	—	—	6	3	1	3	2	2	4	3
All races, female	1,317	4	2	—	1	—	7	2	1	—	2	1	1	2
White, male	681	1	2	—	—	—	3	3	1	3	2	2	3	3
White, female	1,266	3	1	—	1	—	5	1	1	—	2	1	1	2
Black, male	48	1	1	—	—	—	2	—	—	—	—	—	1	—
Black, female	43	1	1	—	—	—	2	1	—	—	—	—	—	—
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,662	52	17	5	8	6	88	37	78	73	107	98	135	200
All races, male	46,596	37	9	3	4	3	56	23	34	37	54	50	68	106
All races, female	28,066	15	8	2	4	3	32	14	44	36	53	48	67	94
White, male	43,074	30	7	1	—	2	40	16	13	18	24	26	37	70
White, female	26,364	7	3	2	4	2	18	2	27	21	36	34	41	69
Black, male	3,154	6	2	2	4	1	15	5	20	17	29	21	30	36
Black, female	1,505	7	3	—	—	1	11	12	16	14	16	14	25	24
Bronchitis, chronic and unspecified, emphysema and asthma (490-493)	21,645	48	16	5	7	5	81	34	76	66	103	83	125	157
All races, male	12,967	34	9	3	3	3	52	21	33	33	52	38	63	78
All races, female	8,678	14	7	2	4	2	29	13	43	33	51	45	62	79
White, male	11,835	28	7	1	—	2	38	14	13	15	22	18	33	45
White, female	7,957	6	3	2	4	1	16	1	27	19	34	31	39	55
Black, male	987	5	2	2	3	1	13	5	19	16	29	18	29	33
Black, female	645	7	3	—	—	1	11	12	15	13	16	14	22	23

SECTION 1 - GENERAL MORTALITY - PAGE 279

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of the upper respiratory tract—Con.														
Acute upper respiratory infections (460-465)	4	5	5	7	10	7	15	29	38	33	30	15	4	-
All races, male	3	2	4	5	3	5	9	13	11	6	6	4	-	-
All races, female	1	3	1	2	7	2	6	16	27	27	24	11	4	-
White, male	2	-	2	4	3	3	8	12	10	4	6	3	-	-
White, female	-	2	1	2	5	1	5	11	27	27	23	10	4	-
Black, male	-	2	2	1	-	2	1	1	1	2	-	1	-	-
Black, female	1	1	-	-	2	1	1	5	-	-	1	-	-	-
Other diseases of upper respiratory tract (470-478)	5	16	11	18	32	19	39	34	33	37	26	2	-	-
All races, male	5	13	8	9	17	10	24	20	16	18	13	-	-	-
All races, female	-	3	3	9	15	9	15	14	17	19	13	2	-	-
White, male	5	7	4	8	16	6	22	16	16	18	13	-	-	-
White, female	-	1	3	8	13	6	14	10	16	18	12	2	-	-
Black, male	-	6	3	-	1	4	2	3	-	-	-	-	-	-
Black, female	-	2	-	1	2	2	1	4	-	1	1	-	-	-
Other diseases of the respiratory system (486,480-519)	1,128	1,694	3,122	6,161	11,121	16,823	23,506	27,527	26,678	22,421	14,227	5,235	1,015	72
All races, male	656	988	1,822	3,717	6,907	10,647	14,910	16,843	14,935	10,732	5,729	1,721	296	38
All races, female	472	706	1,300	2,444	4,214	6,176	8,596	10,684	11,743	11,689	8,498	3,514	719	34
White, male	397	681	1,413	3,098	5,992	9,558	13,621	15,541	13,877	10,075	5,406	1,588	258	22
White, female	339	544	1,048	2,082	3,732	5,589	7,991	9,953	10,985	11,122	8,111	3,348	636	31
Black, male	247	287	385	570	845	1,000	1,165	1,128	889	547	267	106	33	16
Black, female	121	152	232	332	446	527	534	666	673	491	307	141	78	2
Acute bronchitis and bronchiolitis (466)	5	9	10	20	27	44	48	59	92	82	72	26	7	-
All races, male	4	8	5	13	17	23	31	38	39	28	21	9	1	-
All races, female	1	1	5	7	10	21	17	21	53	54	51	17	6	-
White, male	4	6	3	12	15	19	28	35	34	28	18	9	1	-
White, female	-	1	5	6	9	19	16	19	49	54	51	17	4	-
Black, male	-	2	2	1	2	4	3	3	4	-	1	-	-	-
Black, female	1	-	-	1	1	2	1	2	3	-	-	-	2	-
Pneumonia (480-486)	541	646	946	1,516	2,524	3,636	5,978	8,979	11,719	12,695	9,424	3,779	739	48
All races, male	336	423	601	990	1,655	2,356	3,669	5,092	5,785	5,302	3,392	1,161	194	23
All races, female	205	223	345	526	869	1,280	2,309	3,887	5,934	7,393	6,032	2,618	545	25
White, male	193	267	428	756	1,335	1,987	3,200	4,577	5,280	4,955	3,188	1,072	172	15
White, female	147	162	256	416	702	1,091	2,062	3,507	5,484	7,014	5,763	2,493	484	22
Black, male	138	146	169	217	299	336	417	450	409	286	170	70	19	8
Black, female	51	57	82	104	159	173	222	356	404	334	209	108	58	2
Viral pneumonia (480)	17	10	16	18	30	43	60	79	89	88	69	24	6	-
All races, male	9	5	6	11	18	26	36	38	34	27	25	7	-	-
All races, female	8	5	10	7	12	17	24	41	55	61	44	17	6	-
White, male	8	3	5	11	18	23	35	31	31	26	25	7	-	-
White, female	7	5	8	6	12	15	21	40	54	53	42	17	5	-
Black, male	-	2	1	-	-	3	1	5	2	-	-	-	-	-
Black, female	1	-	2	1	-	2	3	1	1	6	1	-	1	-
Pneumococcal and other bacterial pneumonia (481-482)	85	113	170	224	335	402	637	863	944	913	598	216	32	2
All races, male	51	72	105	142	208	255	381	485	495	440	253	87	14	2
All races, female	34	41	65	82	127	147	256	378	449	473	345	129	18	-
White, male	26	39	73	103	168	214	332	431	449	394	238	83	13	2
White, female	16	31	40	68	95	125	225	324	412	441	324	121	16	-
Black, male	25	29	32	37	36	39	48	47	40	38	13	3	1	-
Black, female	17	9	22	14	30	22	27	49	34	27	20	5	2	-
Bronchopneumonia, organism unspecified (485)	123	140	175	272	432	537	774	1,160	1,621	1,819	1,391	580	117	5
All races, male	82	98	125	189	307	373	476	637	731	728	464	166	29	3
All races, female	41	42	50	83	125	164	298	523	890	1,091	927	414	88	2
White, male	50	55	76	147	239	311	422	588	672	683	444	153	27	1
White, female	34	29	41	67	106	140	264	478	835	1,032	893	398	81	2
Black, male	32	41	48	39	64	56	46	44	50	42	16	10	2	2
Black, female	6	13	9	14	19	22	30	42	46	57	26	16	5	-
Pneumonia due to other and unspecified organism (483,486)	316	383	585	1,002	1,727	2,654	4,507	6,877	9,065	9,875	7,366	2,959	584	41
All races, male	194	248	365	648	1,122	1,702	2,776	3,932	4,525	4,107	2,650	901	151	18
All races, female	122	135	220	354	605	952	1,731	2,945	4,540	5,768	4,716	2,058	433	23
White, male	109	170	274	495	910	1,439	2,411	3,527	4,128	3,852	2,481	829	132	12
White, female	90	97	167	275	489	811	1,552	2,665	4,183	5,486	4,504	1,957	382	20
Black, male	81	74	88	141	199	238	322	354	317	206	141	57	16	6
Black, female	27	35	49	75	110	127	162	284	323	244	162	87	50	2
Influenza (487)	10	11	20	34	56	79	135	251	347	475	357	179	57	3
All races, male	7	4	10	12	27	39	57	108	146	156	97	33	17	-
All races, female	3	7	10	22	29	40	78	143	201	319	280	146	40	3
White, male	5	4	7	10	22	37	48	100	138	151	94	29	16	-
White, female	2	5	9	19	26	36	71	135	197	315	255	142	38	3
Black, male	2	-	2	2	5	2	8	7	7	5	2	2	1	-
Black, female	1	2	1	3	3	4	5	7	4	3	3	2	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	294	679	1,615	3,642	6,965	10,844	14,305	14,701	11,039	6,329	2,646	668	102	17
All races, male	151	345	886	2,097	4,213	6,806	9,256	9,499	7,133	3,905	1,495	323	46	13
All races, female	143	334	729	1,545	2,752	4,038	5,049	5,202	3,906	2,424	1,151	345	56	4
White, male	103	259	745	1,834	3,798	6,272	8,653	8,918	6,751	3,725	1,425	303	38	6
White, female	113	276	627	1,379	2,539	3,779	4,848	4,990	3,740	2,342	1,103	327	49	4
Black, male	46	82	126	239	378	496	548	496	331	149	58	18	7	7
Black, female	28	54	91	151	192	228	174	185	145	64	39	15	7	-
Bronchitis, chronic and unspecified, emphysema and asthma (490-493)	163	328	599	1,231	2,228	3,250	4,055	3,905	2,736	1,544	677	175	27	2
All races, male	70	165	303	694	1,252	1,952	2,570	2,521	1,741	904	344	71	8	2
All races, female	93	163	296	537	976	1,298	1,485	1,384	995	640	333	104	19	-
White, male	46	119	243	599	1,131	1,806	2,415	2,369	1,655	857	323	68	5	1
White, female	72	127	235	467	896	1,194	1,419	1,324	944	619	321	99	18	-
Black, male	23	45	53	80	108	134	138	120	66	37	14	3	3	1
Black, female	20	32	54	65	72	89	59	55	40	16	12	4	1	-

SECTION 1 - GENERAL MORTALITY - PAGE 280

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex :	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Bronchitis, chronic and unspecified, emphysema and asthma-Con.														
Bronchitis, not specified as acute or chronic (490)	579	25	2	2	1	-	30	4	2	3	1	2	4	7
All races, male	255	18	2	1	-	-	21	3	-	2	-	1	2	5
All races, female	324	7	-	1	1	-	9	1	2	1	1	1	2	2
White, male	241	15	2	1	-	-	18	1	-	2	-	1	1	2
White, female	300	3	-	1	1	-	5	-	2	-	1	1	2	4
Black, male	10	2	-	-	-	-	2	-	-	-	-	-	1	-
Black, female	20	3	-	-	-	-	3	1	-	1	-	-	-	1
Chronic bronchitis (491)	3,036	15	5	1	-	1	22	1	3	4	1	2	6	7
All races, male	1,786	10	1	1	-	1	13	1	-	2	1	1	5	3
All races, female	1,250	5	4	-	-	-	9	-	3	2	-	1	1	4
White, male	1,688	8	1	-	-	1	10	1	-	1	1	-	4	3
White, female	1,184	2	1	-	-	-	3	-	3	1	-	1	-	3
Black, male	83	2	-	1	-	-	3	-	-	1	-	1	1	-
Black, female	54	3	2	-	-	-	5	-	-	1	-	-	1	1
Emphysema (492)	14,150	2	-	-	-	-	2	1	1	-	4	5	7	21
All races, male	9,375	2	-	-	-	-	2	1	-	-	4	3	3	15
All races, female	4,775	-	-	-	-	-	-	-	1	-	-	2	4	6
White, male	8,766	2	-	-	-	-	2	1	-	-	3	-	2	12
White, female	4,587	-	-	-	-	-	-	-	1	-	-	2	3	4
Black, male	523	-	-	-	-	-	-	-	-	-	1	3	1	3
Black, female	164	-	-	-	-	-	-	-	-	-	-	-	1	2
Asthma (493)	3,880	6	9	2	6	4	27	28	70	59	97	74	108	122
All races, male	1,551	4	6	1	3	2	16	16	33	29	47	33	53	58
All races, female	2,329	2	3	1	3	2	11	12	37	30	50	41	55	64
White, male	1,140	3	4	-	-	1	8	11	13	12	18	17	26	28
White, female	1,886	1	2	1	3	1	8	1	21	18	33	27	34	44
Black, male	371	1	2	1	3	1	8	5	19	15	28	14	26	30
Black, female	407	1	1	-	-	1	3	11	15	11	16	14	20	19
Bronchiectasis and extrinsic allergic alveolitis (494-495)	860	-	-	-	1	-	1	-	-	3	-	5	4	9
All races, male	331	-	-	-	1	-	1	-	-	1	-	4	3	4
All races, female	529	-	-	-	-	-	-	-	-	2	-	1	1	5
White, male	310	-	-	-	-	-	-	-	-	-	-	3	3	4
White, female	498	-	-	-	-	-	-	-	-	1	-	1	1	5
Black, male	15	-	-	-	1	-	1	-	-	-	-	1	-	-
Black, female	22	-	-	-	-	-	-	-	1	-	-	-	-	-
Chronic airways obstruction, not elsewhere classified (496)	52,157	4	1	-	-	1	6	3	2	4	4	10	6	34
All races, male	33,298	3	-	-	-	-	3	2	1	3	2	8	2	24
All races, female	18,859	1	1	-	-	1	3	1	1	1	2	2	4	10
White, male	30,929	2	-	-	-	-	2	2	-	3	2	5	1	21
White, female	17,909	1	-	-	-	1	2	1	-	1	2	2	1	9
Black, male	2,152	1	-	-	-	-	1	-	1	-	-	2	1	3
Black, female	838	-	-	-	-	-	-	-	1	-	-	-	3	1
Pneumoconiosis and other lung diseases due to external agents (500-508)	7,649	40	11	6	-	4	61	11	7	18	17	27	29	39
All races, male	4,615	19	7	4	-	1	31	7	4	12	11	19	17	25
All races, female	3,034	21	4	2	-	3	30	4	3	6	6	8	12	14
White, male	4,050	17	5	3	-	1	26	5	3	10	7	16	15	18
White, female	2,668	16	3	2	-	3	24	3	3	4	6	7	9	10
Black, male	524	1	1	1	-	-	3	2	-	2	4	3	2	7
Black, female	340	5	1	-	-	-	6	1	-	2	-	1	3	4
Empyema and abscess of lung and mediastinum (510,513)	1,183	5	1	4	-	-	10	-	3	6	10	18	27	26
All races, male	795	1	-	2	-	-	3	-	1	5	9	12	16	15
All races, female	388	4	1	2	-	-	7	-	2	1	1	6	11	11
White, male	595	1	-	1	-	-	2	-	-	4	5	7	8	7
White, female	315	3	1	2	-	-	6	-	1	1	2	4	7	7
Black, male	189	-	-	1	-	-	1	-	-	1	4	5	8	8
Black, female	68	1	-	-	-	-	1	-	1	-	3	7	4	4
Pleurisy (511)	784	4	1	-	-	-	5	1	-	1	3	4	9	7
All races, male	346	2	1	-	-	-	3	-	-	1	2	-	6	3
All races, female	438	2	-	-	-	-	2	1	-	-	1	4	3	4
White, male	293	2	-	-	-	-	2	-	-	-	2	-	4	1
White, female	379	2	-	-	-	-	2	1	-	-	-	3	2	3
Black, male	50	-	1	-	-	-	1	-	-	1	-	-	2	2
Black, female	56	-	-	-	-	-	-	-	-	-	1	1	1	1
All other diseases of respiratory system (512,514-519)	13,008	401	46	30	16	10	503	28	30	49	92	108	141	135
All races, male	6,914	223	25	12	11	4	275	15	17	29	56	70	78	84
All races, female	6,094	178	21	18	5	6	228	13	13	20	36	38	63	51
White, male	6,036	137	20	6	10	1	174	11	14	25	44	53	54	58
White, female	5,321	109	13	12	4	5	143	11	9	16	24	22	36	34
Black, male	768	77	4	6	-	3	90	4	2	4	10	15	22	25
Black, female	686	65	8	5	1	1	80	1	3	4	12	16	25	17
IX. Diseases of the digestive system (520-579)	74,805	410	68	47	22	17	564	51	42	106	210	535	1,401	2,093
All races, male	39,378	228	36	27	13	7	311	33	20	51	127	329	930	1,419
All races, female	35,427	182	32	20	9	10	253	18	22	55	83	206	471	674
White, male	33,319	141	26	17	7	5	196	25	16	40	91	210	611	967
White, female	30,854	120	26	13	6	6	171	12	18	42	62	121	266	412
Black, male	5,433	76	8	9	5	2	100	7	4	9	33	107	292	420
Black, female	4,139	53	6	6	1	4	70	6	4	8	19	78	183	234
Diseases of oral cavity, salivary glands, and jaws (520-529)	103	3	-	-	-	-	3	-	-	-	1	-	-	4
All races, male	51	2	-	-	-	-	2	-	-	-	1	-	-	3
All races, female	52	1	-	-	-	-	-	-	-	-	-	-	-	1
White, male	34	1	-	-	-	-	1	-	-	-	1	-	-	2
White, female	49	1	-	-	-	-	1	-	-	-	-	-	-	1
Black, male	16	1	-	-	-	-	1	-	-	-	-	-	-	1
Black, female	2	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 281

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Bronchitis, chronic and unspecified, emphysema and asthma-Con.														
Bronchitis, not specified as acute or chronic (490)	2	6	8	18	20	29	55	61	80	120	86	35	6	-
All races, male	-	2	2	9	12	15	33	33	42	43	24	8	1	-
All races, female	2	4	6	9	8	14	22	28	38	77	62	27	5	-
White, male	-	2	2	9	12	15	29	30	42	42	24	8	1	-
White, female	1	3	3	9	7	12	19	27	36	77	59	27	5	-
Black, male	-	-	-	-	-	-	4	2	-	-	-	-	-	-
Black, female	1	1	1	-	1	2	3	1	1	-	3	-	-	-
Chronic bronchitis (491)	8	27	50	129	275	421	549	524	478	306	164	47	11	1
All races, male	6	12	19	80	150	259	349	340	283	163	71	23	4	1
All races, female	2	15	31	49	125	162	200	184	195	143	93	24	7	-
White, male	4	9	18	70	137	250	335	323	273	157	66	22	3	1
White, female	2	14	25	46	115	155	192	181	183	140	91	23	6	-
Black, male	1	3	1	10	12	7	12	14	8	4	3	1	1	-
Black, female	-	1	5	2	8	6	6	3	10	1	2	1	1	-
Emphysema (492)	44	139	319	765	1,497	2,314	3,001	2,860	1,853	917	334	57	8	1
All races, male	26	89	198	471	915	1,489	2,005	1,962	1,297	637	220	34	3	1
All races, female	18	50	121	294	582	825	996	898	556	280	114	23	5	-
White, male	22	69	168	423	847	1,390	1,896	1,853	1,234	603	207	33	1	-
White, female	18	49	110	273	557	787	969	868	538	271	110	22	5	-
Black, male	4	19	26	39	58	94	96	88	48	29	10	1	2	1
Black, female	-	1	10	20	23	29	25	27	12	9	4	1	-	-
Asthma (493)	109	156	222	319	436	486	450	460	325	201	93	36	2	-
All races, male	38	62	84	134	175	189	183	186	119	61	29	6	-	-
All races, female	71	94	138	185	261	297	267	274	206	140	64	30	2	-
White, male	20	39	55	97	135	151	155	163	106	55	26	5	-	-
White, female	51	61	97	139	217	240	239	248	187	131	61	27	2	-
Black, male	18	23	26	31	38	33	26	16	10	3	1	1	-	-
Black, female	19	29	38	43	40	52	25	24	17	6	3	2	-	-
Bronchiectasis and extrinsic allergic alveolitis (494-495)	10	21	27	49	62	99	128	172	119	96	40	8	7	-
All races, male	4	6	13	15	23	44	54	66	41	34	13	1	4	-
All races, female	6	15	14	34	39	55	74	106	78	62	27	7	3	-
White, male	3	5	11	11	20	44	53	62	41	33	12	1	4	-
White, female	4	14	14	31	35	52	70	99	74	61	26	7	3	-
Black, male	-	-	2	4	3	-	1	1	-	-	1	-	-	-
Black, female	2	1	-	2	4	3	2	3	2	1	1	-	-	-
Chronic airways obstruction, not elsewhere classified (496)	121	330	989	2,362	4,675	7,495	10,122	10,824	8,184	4,689	1,929	485	68	15
All races, male	77	174	570	1,388	2,898	4,810	6,832	6,912	5,351	2,967	1,138	251	34	11
All races, female	44	156	419	974	1,737	2,685	3,490	3,712	2,833	1,722	791	234	34	4
White, male	54	155	481	1,224	2,647	4,422	6,185	6,487	5,055	2,835	1,090	234	29	5
White, female	37	135	378	881	1,608	2,533	3,359	3,567	2,722	1,662	756	221	28	4
Black, male	23	37	71	155	267	362	409	375	265	112	43	15	4	6
Black, female	6	21	37	84	116	136	113	127	103	47	26	11	6	-
Pneumoconioses and other lung diseases due to external agents (500-508)	43	63	106	194	355	550	926	1,267	1,365	1,309	895	303	63	1
All races, male	24	42	75	141	285	405	671	860	785	691	385	101	23	1
All races, female	19	21	31	53	70	145	255	407	580	618	510	202	40	-
White, male	9	29	49	115	231	347	603	768	708	622	360	91	17	1
White, female	14	16	21	42	55	110	200	356	520	563	480	191	34	-
Black, male	14	11	25	25	50	55	66	87	74	61	20	7	6	-
Black, female	5	5	9	11	14	35	51	48	56	50	25	9	5	-
Empyema and abscess of lung and mediastinum (510,513)	43	48	49	89	129	135	178	147	127	85	43	8	2	-
All races, male	33	37	39	72	91	95	123	97	76	42	24	5	-	-
All races, female	10	11	10	17	38	40	55	50	51	43	19	3	2	-
White, male	20	20	25	46	73	75	100	75	66	35	23	4	-	-
White, female	6	6	7	13	30	30	49	48	46	38	16	2	2	-
Black, male	13	16	14	26	17	19	21	18	10	6	1	1	-	-
Black, female	4	5	3	3	8	9	6	1	5	5	2	1	-	-
Pleurisy (511)	11	14	17	26	43	68	99	113	130	122	86	20	4	-
All races, male	6	4	7	13	25	37	50	54	55	43	28	7	2	-
All races, female	5	10	10	13	18	32	49	59	75	79	58	13	2	-
White, male	3	3	5	10	19	33	41	49	51	38	25	5	2	-
White, female	3	9	6	11	15	28	43	51	64	73	52	12	1	-
Black, male	3	1	1	3	5	4	9	5	3	5	3	2	-	-
Black, female	2	1	4	2	3	4	6	7	11	6	5	1	-	-
All other diseases of respiratory system (512,514-519)	181	224	359	640	1,022	1,468	1,837	2,010	1,859	1,324	704	252	41	3
All races, male	95	125	199	379	594	886	1,053	1,095	816	565	287	82	13	1
All races, female	86	99	160	261	428	580	784	915	943	759	417	170	28	2
White, male	60	93	151	315	499	788	948	1,019	849	521	273	75	12	-
White, female	54	69	117	196	356	496	702	847	885	723	391	164	24	2
Black, male	31	29	46	57	89	84	93	62	51	35	12	6	-	1
Black, female	29	28	42	57	66	72	69	60	45	29	24	5	4	-
IX. Diseases of the digestive system (520-579)	2,514	3,183	4,373	5,917	7,521	8,239	8,448	8,864	8,398	6,803	4,056	1,272	193	22
All races, male	1,764	2,133	2,861	3,786	4,716	4,859	4,582	4,266	3,423	2,237	1,178	266	50	17
All races, female	750	1,050	1,512	2,131	2,805	3,380	3,866	4,598	4,975	4,566	2,878	986	143	5
White, male	1,223	1,598	2,296	3,154	4,047	4,290	4,115	3,872	3,086	2,065	1,108	257	40	12
White, female	523	759	1,181	1,728	2,394	2,959	3,439	4,173	4,572	4,237	2,743	915	124	3
Black, male	491	491	509	584	613	512	406	342	281	140	53	26	6	5
Black, female	202	266	295	360	370	389	399	386	370	295	121	63	19	2
Diseases of oral cavity, salivary glands, and jaws (520-529)	2	5	3	3	9	11	7	14	14	13	10	4	-	-
All races, male	2	5	3	2	7	9	4	5	4	2	2	-	-	-
All races, female	-	-	-	1	2	2	3	9	10	11	8	4	-	-
White, male	-	3	2	2	4	5	2	4	4	2	2	-	-	-
White, female	-	-	-	1	2	2	3	7	9	11	8	4	-	-
Black, male	2	1	1	-	3	4	2	1	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 282

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of other parts of the digestive system (530-579)	74,702	407	68	47	22	17	561	51	42	106	209	535	1,401	2,089
All races, male	39,327	226	36	27	13	7	309	33	20	51	126	329	930	1,416
All races, female	35,375	181	32	20	9	10	252	18	22	55	83	206	471	673
White, male	33,285	140	26	17	7	5	195	25	16	40	90	210	611	965
White, female	30,805	119	26	13	6	6	170	12	18	42	62	121	266	411
Black, male	5,417	75	8	9	5	2	99	7	4	9	33	107	292	419
Black, female	4,137	53	6	6	1	4	70	6	4	8	19	78	183	234
Ulcer of stomach and duodenum (531-533)	6,645	12	3	1	-	1	17	-	1	3	9	19	20	53
All races, male	3,330	6	1	-	-	-	7	-	-	1	6	14	17	42
All races, female	3,315	6	2	1	-	1	10	-	1	2	3	5	3	11
White, male	2,947	5	1	-	-	-	6	-	-	1	5	5	10	29
White, female	3,037	4	-	1	-	1	6	-	1	1	3	2	2	10
Black, male	328	1	-	-	-	-	1	-	-	-	1	9	6	12
Black, female	243	1	2	-	-	-	3	-	-	1	-	2	-	1
Gastric ulcer (531)	2,115	7	2	1	-	1	11	-	-	2	5	8	5	20
All races, male	979	4	1	-	-	-	5	-	-	1	5	5	4	15
All races, female	1,136	3	1	1	-	1	6	-	-	1	-	3	1	5
White, male	834	3	1	-	-	-	4	-	-	1	4	3	2	10
White, female	1,032	3	-	1	-	1	5	-	-	1	-	1	1	4
Black, male	127	1	-	-	-	-	1	-	-	-	1	2	1	5
Black, female	90	-	1	-	-	-	1	-	-	-	-	1	-	1
Duodenal ulcer (532)	2,279	5	1	-	-	-	6	-	1	1	3	7	9	21
All races, male	1,223	2	-	-	-	-	2	-	-	-	1	6	8	18
All races, female	1,056	3	1	-	-	-	4	-	1	1	2	1	1	3
White, male	1,091	2	-	-	-	-	2	-	-	-	1	1	5	12
White, female	967	1	-	-	-	-	1	-	1	-	2	-	-	3
Black, male	111	-	-	-	-	-	-	-	-	-	-	5	3	5
Black, female	74	1	1	-	-	-	2	-	-	1	-	1	-	-
Peptic ulcer, site unspecified (533)	2,251	-	-	-	-	-	-	-	-	-	1	4	6	12
All races, male	1,128	-	-	-	-	-	-	-	-	-	-	3	5	9
All races, female	1,123	-	-	-	-	-	-	-	-	-	1	1	1	3
White, male	1,022	-	-	-	-	-	-	-	-	-	-	1	3	7
White, female	1,038	-	-	-	-	-	-	-	-	-	1	1	1	3
Black, male	90	-	-	-	-	-	-	-	-	-	-	2	2	2
Black, female	79	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis and duodenitis (535)	641	2	-	1	-	-	3	-	-	2	2	4	9	16
All races, male	349	2	-	1	-	-	3	-	-	-	1	4	6	12
All races, female	292	-	-	-	-	-	-	-	-	2	1	-	3	4
White, male	292	1	-	1	-	-	2	-	-	-	1	2	4	6
White, female	263	-	-	-	-	-	-	-	-	2	1	-	2	3
Black, male	47	1	-	-	-	-	1	-	-	-	-	2	2	3
Black, female	27	-	-	-	-	-	-	-	-	-	-	-	1	1
Appendicitis (540-543)	501	6	2	2	3	1	14	7	3	5	8	7	7	8
All races, male	276	4	1	1	1	1	8	4	2	3	6	4	6	6
All races, female	225	2	1	1	2	-	6	3	1	2	2	3	1	2
White, male	217	4	-	1	1	-	6	1	2	3	5	2	3	3
White, female	179	2	1	-	1	-	4	1	-	2	2	2	-	1
Black, male	57	-	1	-	-	1	2	3	-	-	1	2	3	3
Black, female	42	-	-	1	1	-	2	2	1	-	-	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,361	81	10	8	2	3	104	14	7	8	16	20	28	37
All races, male	2,040	43	7	5	2	1	58	8	2	6	12	10	14	25
All races, female	3,321	38	3	3	-	2	46	6	5	2	4	10	14	12
White, male	1,711	32	5	3	-	-	40	7	2	5	8	6	9	19
White, female	2,972	29	3	2	-	-	34	3	4	1	3	6	10	9
Black, male	306	9	2	2	2	1	16	1	-	1	3	4	4	6
Black, female	331	9	-	1	-	2	12	3	1	1	-	4	4	3
Regional enteritis and idiopathic proctocolitis (555-556)	628	4	-	1	-	-	5	-	1	5	7	13	10	28
All races, male	264	4	-	1	-	-	5	-	1	3	3	5	8	16
All races, female	364	-	-	-	-	-	-	-	-	2	4	8	2	12
White, male	238	4	-	-	-	-	4	-	1	3	2	4	5	15
White, female	339	-	-	-	-	-	-	-	-	2	3	6	2	11
Black, male	24	-	-	1	-	-	1	-	-	-	1	-	3	1
Black, female	23	-	-	-	-	-	-	-	-	-	1	2	-	1
All other noninfective gastroenteritis and colitis (557-558)	6,993	98	10	9	3	2	122	6	6	3	13	23	24	39
All races, male	2,676	56	8	6	-	1	71	3	2	2	9	17	14	23
All races, female	4,317	42	2	3	3	1	51	3	4	1	4	6	10	16
White, male	2,362	28	7	6	-	1	42	1	2	1	6	13	9	18
White, female	3,965	22	2	3	3	-	30	3	4	1	3	5	8	14
Black, male	278	27	-	-	-	-	27	2	-	-	3	4	5	4
Black, female	329	16	-	-	-	1	17	-	-	-	1	1	2	2
Diverticula of intestine (562)	2,933	-	-	1	-	-	1	-	-	-	-	-	1	5
All races, male	913	-	-	1	-	-	1	-	-	-	-	-	-	4
All races, female	2,020	-	-	-	-	-	-	-	-	-	-	-	1	1
White, male	834	-	-	-	-	-	-	-	-	-	-	-	-	4
White, female	1,858	-	-	-	-	-	-	-	-	-	-	-	1	1
Black, male	74	-	-	1	-	-	1	-	-	-	-	-	-	-
Black, female	157	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	26,767	13	10	4	-	1	28	2	-	10	55	283	961	1,370
All races, male	17,244	8	4	2	-	-	14	1	-	5	38	182	645	960
All races, female	9,523	5	6	2	-	1	14	1	-	5	17	101	316	410
White, male	14,321	2	3	1	-	-	6	1	-	3	30	119	433	647
White, female	7,671	3	6	2	-	1	12	1	-	4	12	54	171	228
Black, male	2,616	4	1	1	-	-	6	-	-	2	7	54	192	292
Black, female	1,439	1	-	-	-	-	1	-	-	1	5	42	129	157

SECTION 1 - GENERAL MORTALITY - PAGE 283

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of other parts of the digestive system (530-579)	2,512	3,178	4,370	5,914	7,512	8,228	8,441	8,850	8,384	6,790	4,046	1,268	193	22
All races, male	1,762	2,128	2,858	3,784	4,709	4,850	4,578	4,261	3,419	2,235	1,178	286	50	17
All races, female	750	1,050	1,512	2,130	2,803	3,378	3,863	4,589	4,965	4,555	2,870	962	143	5
White, male	1,223	1,595	2,294	3,152	4,043	4,285	4,113	3,868	3,082	2,063	1,106	257	40	12
White, female	523	759	1,181	1,727	2,392	2,957	3,436	4,166	4,563	4,226	2,735	911	124	3
Black, male	489	490	508	584	610	508	404	341	281	140	53	26	8	5
Black, female	202	266	295	360	370	389	399	385	369	295	121	63	19	2
Ulcer of stomach and duodenum (531-533)	69	111	175	278	504	666	839	1,066	1,122	963	568	137	24	1
All races, male	49	76	123	169	317	423	460	560	488	333	203	34	7	1
All races, female	20	35	52	109	187	243	379	506	634	630	365	103	17	-
White, male	37	63	106	137	262	384	410	505	448	312	190	51	5	1
White, female	14	31	47	92	160	218	342	466	585	593	353	96	15	-
Black, male	11	12	17	29	51	34	35	46	29	19	8	2	2	-
Black, female	5	3	4	13	26	23	33	37	45	30	10	5	2	-
Gastric ulcer (531)	25	40	60	103	167	221	272	326	355	293	159	36	7	-
All races, male	15	25	41	58	98	127	169	130	92	50	9	3	-	-
All races, female	10	15	19	45	69	94	145	157	225	201	109	27	4	-
White, male	10	22	35	44	76	113	106	145	117	84	48	7	3	-
White, female	5	13	19	35	60	86	126	145	205	187	108	27	4	-
Black, male	5	2	6	13	21	12	15	21	11	8	2	1	-	-
Black, female	4	2	-	6	8	7	17	11	19	12	1	-	-	-
Duodenal ulcer (532)	26	42	64	95	179	247	279	356	377	319	201	36	9	1
All races, male	18	31	47	63	115	174	167	193	182	104	80	10	3	1
All races, female	8	11	17	32	64	73	112	163	195	215	121	26	6	-
White, male	13	24	41	55	96	160	149	179	168	98	74	10	2	1
White, female	8	9	15	29	56	69	99	151	181	199	116	24	4	-
Black, male	4	7	6	8	17	12	16	10	9	5	3	-	1	-
Black, female	-	1	1	3	8	4	11	11	13	12	3	1	2	-
Peptic ulcer, site unspecified (533)	18	29	51	80	158	198	288	384	390	351	208	65	8	-
All races, male	16	20	35	48	104	122	166	198	176	137	73	15	1	-
All races, female	2	9	16	32	54	76	122	186	214	214	135	50	7	-
White, male	14	17	30	38	90	111	155	181	163	130	68	14	-	-
White, female	1	9	13	28	44	63	117	170	199	207	129	45	7	-
Black, male	2	3	5	8	13	10	8	15	9	6	3	1	1	-
Black, female	1	-	3	4	10	12	5	15	13	6	6	4	-	-
Gastritis and duodenitis (535)	10	20	38	34	49	59	76	79	80	75	61	21	2	1
All races, male	6	12	25	26	35	34	43	48	36	28	20	8	1	1
All races, female	4	8	13	8	14	25	33	31	44	47	41	13	1	-
White, male	4	7	19	21	27	30	39	45	34	24	16	7	1	1
White, female	1	8	10	7	11	21	33	29	40	44	39	12	-	-
Black, male	2	5	5	5	7	2	2	3	2	2	3	1	-	-
Black, female	3	-	3	1	2	4	-	2	3	3	2	1	1	-
Appendicitis (540-543)	7	10	18	20	48	52	73	72	49	61	27	5	-	-
All races, male	6	8	12	12	29	31	44	36	21	26	12	-	-	-
All races, female	1	2	6	8	19	21	29	36	28	35	15	5	-	-
White, male	4	6	11	7	24	24	35	30	18	23	10	-	-	-
White, female	1	1	3	5	15	18	20	29	27	30	15	4	-	-
Black, male	1	2	1	5	4	7	9	6	3	3	2	-	-	-
Black, female	1	1	2	3	2	3	8	7	1	5	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	33	86	169	237	353	535	803	1,040	957	630	211	35	1
All races, male	20	16	45	87	106	163	269	343	369	269	180	47	10	1
All races, female	17	17	41	82	131	190	266	460	671	688	470	164	25	-
White, male	14	11	34	68	81	129	232	293	304	247	150	42	9	1
White, female	14	12	34	82	105	158	229	414	609	640	449	154	22	-
Black, male	6	4	10	18	24	32	35	48	59	21	9	4	1	-
Black, female	3	5	7	19	24	30	36	44	57	46	19	10	3	-
Regional enteritis and idiopathic proctocolitis (555-556)	16	18	24	41	51	74	89	80	100	45	16	5	-	-
All races, male	7	12	10	22	24	27	42	26	37	9	6	1	-	-
All races, female	9	6	14	19	27	47	54	63	36	10	4	-	-	-
White, male	6	10	9	20	22	38	25	36	9	6	1	-	-	-
White, female	6	6	11	18	24	44	52	59	36	10	3	-	-	-
Black, male	1	2	1	2	1	5	4	1	1	-	-	-	-	-
Black, female	3	-	3	1	2	3	1	2	4	-	-	-	-	-
All other noninfective gastroenteritis and colitis (557-558)	46	86	139	271	503	667	992	1,228	1,149	953	537	160	26	-
All races, male	30	45	70	124	243	313	426	479	369	275	126	30	5	-
All races, female	16	41	69	147	260	354	566	749	780	678	411	130	21	-
White, male	26	30	57	111	212	281	378	434	340	255	115	28	3	-
White, female	14	33	53	129	229	324	515	697	736	630	390	127	20	-
Black, male	4	15	13	13	28	29	42	37	21	19	8	2	2	-
Black, female	2	8	16	17	29	30	48	49	40	44	19	3	1	-
Diverticula of intestine (562)	7	21	53	116	141	235	379	534	512	517	306	95	9	1
All races, male	4	9	34	55	64	93	150	188	134	96	63	17	-	1
All races, female	3	12	19	61	77	142	229	346	378	421	243	78	9	-
White, male	3	8	30	48	58	83	137	174	121	81	60	16	-	1
White, female	3	8	14	50	66	128	206	322	349	396	235	72	7	-
Black, male	1	1	4	7	6	10	12	12	12	4	3	1	-	-
Black, female	-	3	5	11	9	14	23	23	29	24	8	6	2	-
Chronic liver disease and cirrhosis (571)	1,744	2,174	2,791	3,570	3,971	3,637	2,742	1,835	1,046	411	112	13	1	11
All races, male	1,246	1,507	1,903	2,402	2,687	2,280	1,645	989	509	182	39	1	-	9
All races, female	498	667	888	1,168	1,284	1,357	1,097	846	537	229	73	12	1	2
White, male	859	1,134	1,538	2,017	2,367	2,039	1,515	925	478	166	37	1	-	6
White, female	345	478	703	967	1,116	1,210	996	777	499	217	69	10	1	-
Black, male	352	337	320	349	288	211	114	52	23	12	2	-	-	3
Black, female	133	169	156	172	148	129	90	61	31	8	3	2	-	2

SECTION 1 - GENERAL MORTALITY - PAGE 284

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic liver disease and cirrhosis-Con.														
Chronic liver disease and cirrhosis, specified as alcoholic (571.0-571.3)	11,288	-	-	-	-	-	-	-	-	-	17	164	561	822
All races, male	8,129	-	-	-	-	-	-	-	-	-	11	108	379	591
All races, female	3,159	-	-	-	-	-	-	-	-	-	6	56	182	231
White, male	6,455	-	-	-	-	-	-	-	-	-	10	69	237	378
White, female	2,366	-	-	-	-	-	-	-	-	-	3	29	89	120
Black, male	1,524	-	-	-	-	-	-	-	-	-	1	32	128	194
Black, female	702	-	-	-	-	-	-	-	-	-	3	22	81	96
Chronic hepatitis and biliary cirrhosis (571.4,571.6)	1,311	3	1	1	-	-	5	2	-	3	8	16	32	35
All races, male	458	2	-	-	-	-	2	1	-	2	3	6	23	15
All races, female	853	1	1	1	-	-	3	1	-	1	5	10	9	20
White, male	404	-	-	-	-	-	-	1	-	1	3	5	20	14
White, female	775	-	1	1	-	-	2	1	-	1	5	7	9	16
Black, male	43	2	-	-	-	-	2	-	-	1	-	1	3	1
Black, female	56	1	-	-	-	-	1	-	-	-	-	3	-	3
Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol (571.5,571.8-571.9)	14,168	10	9	3	-	1	23	-	-	7	30	103	368	513
All races, male	8,657	6	4	2	-	-	12	-	-	3	24	68	243	354
All races, female	5,511	4	5	1	-	1	11	-	-	4	6	35	125	159
White, male	7,462	2	3	1	-	-	6	-	-	2	17	45	176	255
White, female	4,730	3	5	1	-	1	10	-	-	3	4	18	73	92
Black, male	1,049	2	1	1	-	-	4	-	-	1	6	21	61	97
Black, female	581	-	-	-	-	-	-	-	-	1	2	17	48	58
Cholelithiasis and other disorders of gallbladder (574-575)	2,975	2	1	-	-	-	3	-	-	4	4	9	14	15
All races, male	1,368	2	-	-	-	-	2	-	-	2	1	1	5	11
All races, female	1,607	-	1	-	-	-	1	-	-	2	3	8	9	4
White, male	1,229	1	-	-	-	-	1	-	-	2	1	-	5	9
White, female	1,431	-	1	-	-	-	1	-	-	2	1	5	8	3
Black, male	118	1	-	-	-	-	1	-	-	-	-	1	-	2
Black, female	152	-	-	-	-	-	-	-	-	-	2	3	1	1
All other diseases of digestive system (530,534,536-537,564-570,572-573,576-579)	21,258	189	32	20	14	9	264	22	24	66	95	157	327	518
All races, male	10,867	101	15	10	10	4	140	17	13	29	50	92	215	317
All races, female	10,391	88	17	10	4	5	124	5	11	37	45	65	112	201
White, male	9,134	63	10	5	6	4	88	15	9	22	32	59	133	213
White, female	8,890	59	13	5	2	4	83	4	9	27	34	41	62	131
Black, male	1,569	32	4	4	3	-	43	1	4	6	17	31	77	96
Black, female	1,394	26	4	4	-	1	35	1	2	5	10	23	45	67
X. Diseases of the genitourinary system (580-629)	36,888	299	14	10	3	6	332	20	26	45	82	145	205	299
All races, male	17,250	172	5	5	3	5	190	8	13	24	53	82	117	186
All races, female	19,638	127	9	5	-	1	142	12	13	21	29	63	88	113
White, male	14,046	122	3	3	2	5	135	7	13	18	31	54	58	97
White, female	16,091	81	8	4	-	1	94	10	7	19	17	39	57	66
Black, male	3,006	45	2	2	1	-	50	1	-	6	20	28	55	86
Black, female	3,339	41	1	1	-	-	43	1	5	1	12	22	31	46
Diseases of urinary system (580-599)	35,835	297	14	9	3	6	329	20	25	41	79	135	194	286
All races, male	16,502	171	5	4	3	5	188	8	13	24	53	81	115	184
All races, female	19,333	126	9	5	-	1	141	12	12	17	26	54	79	102
White, male	13,406	121	3	2	2	5	133	7	13	18	31	53	57	96
White, female	15,839	80	8	4	-	1	93	10	6	15	14	31	52	59
Black, male	2,903	45	2	2	1	-	50	1	-	6	20	28	54	85
Black, female	3,287	41	1	1	-	-	43	1	5	1	12	21	27	42
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,349	277	9	7	3	4	300	15	13	27	49	101	140	209
All races, male	10,551	157	4	3	3	4	171	7	6	16	33	64	87	139
All races, female	10,798	120	5	4	-	-	129	8	7	11	16	37	53	70
White, male	8,482	111	2	2	2	4	121	6	6	12	20	40	37	70
White, female	8,564	74	5	3	-	-	82	8	2	9	8	18	33	36
Black, male	1,935	41	2	1	1	-	45	1	-	4	12	24	48	68
Black, female	2,109	41	-	1	-	-	42	-	4	1	8	19	20	33
Acute glomerulonephritis (580)	121	2	-	-	-	-	2	-	-	-	-	2	1	2
All races, male	56	1	-	-	-	-	1	-	-	-	-	2	-	2
All races, female	65	1	-	-	-	-	1	-	-	-	-	-	1	-
White, male	48	1	-	-	-	-	1	-	-	-	-	1	-	1
White, female	57	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	6	-	-	-	-	-	-	-	-	-	-	1	-	1
Black, female	7	1	-	-	-	-	1	-	-	-	-	-	1	-
Nephrotic syndrome (581)	227	7	1	2	1	1	12	1	-	2	2	3	6	-
All races, male	103	3	-	1	1	1	6	1	-	1	2	2	3	-
All races, female	124	4	1	1	-	-	6	-	-	1	-	1	3	-
White, male	82	2	-	1	1	1	5	-	-	-	-	1	1	-
White, female	99	3	1	1	-	-	5	-	-	1	-	-	1	-
Black, male	21	1	-	-	-	-	1	1	-	2	1	1	2	-
Black, female	24	-	-	-	-	-	-	-	-	-	1	1	2	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,565	1	1	-	-	-	2	4	1	4	6	19	15	23
All races, male	770	1	1	-	-	-	2	1	-	3	6	16	10	16
All races, female	795	-	-	-	-	-	-	3	1	1	-	3	5	7
White, male	607	-	-	-	-	-	-	1	-	-	-	7	6	9
White, female	649	-	-	-	-	-	-	3	-	2	2	2	4	3
Black, male	155	1	1	-	-	-	77	-	-	1	-	9	4	6
Black, female	133	-	-	-	-	-	2	-	1	3	9	4	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,436	267	7	5	2	3	284	10	12	21	41	77	118	184
All races, male	9,622	152	3	2	2	3	162	5	6	12	25	44	74	121
All races, female	9,814	115	4	3	-	-	122	5	6	9	16	33	44	63
White, male	7,745	108	2	1	1	3	115	5	6	10	18	31	30	60
White, female	7,759	71	4	2	-	-	77	5	2	7	8	16	28	33
Black, male	1,753	39	1	1	1	-	42	-	-	2	7	13	42	61
Black, female	1,945	40	-	1	-	-	41	-	3	1	8	17	16	30

SECTION 1 - GENERAL MORTALITY - PAGE 285

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic liver disease and cirrhosis-Con.														
Chronic liver disease and cirrhosis, specified as														
alcoholic (571.0-571.3)	995	1,179	1,419	1,710	1,722	1,342	779	379	155	30	8	-	-	6
All races, male	725	851	1,014	1,249	1,271	943	558	289	113	18	5	-	-	4
All races, female	270	328	405	461	451	399	221	90	42	12	3	-	-	2
White, male	492	627	790	1,020	1,110	833	497	270	103	13	3	-	-	3
White, female	182	224	312	363	377	338	198	83	37	9	2	-	-	1
Black, male	211	207	203	211	150	100	56	15	9	4	2	-	-	1
Black, female	77	95	82	85	65	58	20	7	5	3	1	-	-	2
Chronic hepatitis and biliary cirrhosis (571.4,571.6)	48	63	99	131	162	210	190	149	106	41	9	2	-	-
All races, male	26	23	30	54	50	72	64	41	29	14	3	-	-	-
All races, female	22	40	69	77	112	138	126	106	77	27	6	2	-	-
White, male	22	18	26	49	44	61	57	39	28	13	3	-	-	-
White, female	19	33	59	67	105	123	117	104	74	26	6	1	-	-
Black, male	4	3	3	4	4	7	2	1	1	-	-	-	-	-
Black, female	3	5	6	6	5	12	6	3	1	1	-	1	-	-
Cirrhosis of liver and other and unspecified chronic liver disease without mention of alcohol (571.5,571.8-571.9)	701	932	1,273	1,729	2,087	2,085	1,773	1,307	785	340	95	11	1	5
All races, male	495	633	859	1,099	1,366	1,265	1,023	659	367	150	31	1	-	5
All races, female	206	299	414	630	721	820	750	648	418	190	64	10	1	-
White, male	345	489	722	948	1,213	1,145	961	616	347	140	31	1	-	3
White, female	144	222	332	537	634	749	681	590	388	182	61	9	1	-
Black, male	137	127	114	134	104	51	35	13	8	-	-	-	-	2
Black, female	53	69	68	81	78	59	64	51	25	4	2	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	33	55	88	169	265	358	472	510	499	316	116	13	1
All races, male	19	16	32	51	89	158	199	220	241	181	99	24	7	-
All races, female	12	17	23	37	80	107	159	252	269	308	217	92	6	1
White, male	16	13	26	44	76	136	180	197	221	179	95	23	5	-
White, female	11	14	17	29	69	97	131	220	241	283	207	85	6	1
Black, male	2	3	6	7	12	20	12	20	17	10	3	1	1	-
Black, female	1	3	5	7	10	7	25	29	24	22	6	6	-	-
All other diseases of digestive system (530,534,536-537,564-570,572-573,576-579)	545	672	991	1,327	1,839	2,220	2,358	2,681	2,776	2,309	1,473	505	83	6
All races, male	375	427	604	836	1,115	1,328	1,300	1,372	1,215	826	448	124	20	4
All races, female	170	245	387	491	724	892	1,058	1,308	1,561	1,483	1,025	381	63	2
White, male	254	313	464	679	914	1,157	1,149	1,240	1,082	757	427	108	17	2
White, female	115	167	289	368	597	739	918	1,160	1,418	1,357	968	348	53	2
Black, male	109	109	131	149	189	158	135	116	114	50	15	15	2	2
Black, female	51	74	94	116	118	146	135	131	135	113	54	29	10	-
X. Diseases of the genitourinary system (580-629)	327	439	616	1,177	1,972	2,936	4,359	5,678	6,746	6,056	3,855	1,331	232	10
All races, male	199	238	328	629	1,034	1,576	2,290	2,864	3,004	2,473	1,471	411	70	6
All races, female	128	201	288	548	938	1,360	2,069	2,814	3,742	3,583	2,384	920	162	4
White, male	118	149	212	430	784	1,212	1,839	2,401	2,576	2,181	1,324	352	52	3
White, female	86	126	163	355	651	1,002	1,590	2,326	3,213	3,178	2,150	823	116	3
Black, male	79	87	107	189	241	335	417	423	396	274	137	55	17	3
Black, female	42	62	117	181	276	353	450	459	503	382	214	94	44	1
Diseases of urinary system (580-599)	317	430	606	1,157	1,919	2,854	4,235	5,495	6,558	5,881	3,737	1,300	227	10
All races, male	197	236	327	617	1,003	1,504	2,203	2,728	2,858	2,331	1,375	385	66	6
All races, female	120	194	279	540	916	1,350	2,032	2,767	3,700	3,550	2,362	915	161	4
White, male	117	148	212	425	760	1,163	1,770	2,281	2,450	2,053	1,240	327	49	3
White, female	81	123	157	348	636	981	1,561	2,286	3,174	3,147	2,128	818	116	3
Black, male	78	86	106	182	234	328	401	410	376	260	125	54	16	3
Black, female	39	58	114	180	269	348	443	452	500	380	214	94	43	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	224	303	414	802	1,356	1,954	2,757	3,250	3,646	3,112	1,896	657	121	3
All races, male	144	167	220	448	711	1,054	1,475	1,705	1,675	1,389	770	227	42	1
All races, female	80	136	194	354	645	900	1,282	1,545	1,971	1,723	1,126	430	79	2
White, male	89	108	148	306	538	826	1,191	1,433	1,413	1,208	687	190	32	1
White, female	58	84	104	225	443	641	966	1,261	1,657	1,508	994	373	55	1
Black, male	54	57	66	134	167	218	261	241	241	171	80	34	9	-
Black, female	22	40	84	121	194	243	297	267	301	207	127	56	22	1
Acute glomerulonephritis (580)	1	-	2	1	8	7	10	28	21	23	8	5	-	-
All races, male	1	-	2	1	6	3	3	16	6	10	2	1	-	-
All races, female	-	-	-	-	2	4	7	12	15	13	6	4	-	-
White, male	-	-	-	-	3	3	3	14	6	10	2	1	-	-
White, female	-	-	-	-	2	2	6	10	14	13	6	4	-	-
Black, male	1	-	-	-	3	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	2	1	1	1	-	-	-	-	-
Nephrotic syndrome (581)	6	6	7	10	23	23	30	26	33	20	13	4	-	-
All races, male	3	1	4	7	15	11	12	11	16	6	2	-	-	-
All races, female	3	5	3	3	8	12	18	15	17	14	11	4	-	-
White, male	3	1	2	7	14	10	8	8	13	5	2	-	-	-
White, female	2	3	1	2	6	11	14	11	17	11	3	-	-	-
Black, male	-	-	2	-	1	1	2	3	3	1	-	-	-	-
Black, female	1	2	2	1	2	1	4	4	-	3	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	22	38	65	79	144	209	244	250	242	114	50	5	-
All races, male	21	15	24	39	39	82	106	113	108	108	43	17	1	-
All races, female	8	7	14	26	40	62	103	131	142	134	71	33	4	-
White, male	15	11	15	29	35	66	84	91	88	94	38	13	1	-
White, female	6	3	10	16	30	52	65	106	117	119	61	28	3	-
Black, male	6	4	9	10	4	16	22	19	17	14	5	4	-	-
Black, female	2	3	3	9	9	8	14	24	25	14	10	5	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	188	275	367	726	1,246	1,780	2,506	2,952	3,342	2,827	1,761	598	116	3
All races, male	119	151	190	401	651	958	1,354	1,565	1,545	1,265	723	209	41	1
All races, female	69	124	177	325	595	822	1,154	1,387	1,797	1,562	1,038	389	75	2
White, male	71	96	129	269	486	747	1,094	1,320	1,306	1,099	645	176	31	1
White, female	50	78	93	207	405	576	861	1,134	1,509	1,363	916	338	52	1
Black, male	47	53	55	124	159	201	237	219	221	156	75	30	9	-
Black, female	19	35	79	111	183	232	278	238	275	190	117	50	21	1

SECTION 1 - GENERAL MORTALITY - PAGE 286

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex :	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of urinary system-Con.														
Infections of kidney (590)	1,982	4	1	1	-	1	7	-	1	2	4	11	11	12
All races, male	691	2	1	1	-	-	4	-	1	-	2	4	4	4
All races, female	1,291	2	-	-	-	1	3	-	-	2	2	7	7	8
White, male	582	1	1	-	-	-	2	-	1	-	1	4	3	3
White, female	1,126	2	-	-	-	1	3	-	-	2	2	3	4	7
Black, male	103	1	-	1	-	-	2	-	-	-	1	-	1	1
Black, female	146	-	-	-	-	-	-	-	-	-	-	2	3	1
Urinary calculus (592,594)	400	-	1	-	-	-	1	-	1	3	2	1	3	4
All races, male	159	-	-	-	-	-	-	-	-	1	1	-	1	1
All races, female	241	-	1	-	-	-	1	-	1	2	1	1	2	3
White, male	130	-	-	-	-	-	-	-	-	1	1	-	1	1
White, female	210	-	1	-	-	-	1	-	1	2	1	1	2	3
Black, male	22	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	28	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases of urinary system (591,593,595-599)	12,104	16	3	1	-	1	21	5	10	9	24	22	40	61
All races, male	5,101	12	-	-	-	1	13	1	6	7	17	13	23	40
All races, female	7,003	4	3	1	-	-	8	4	4	2	7	9	17	21
White, male	4,212	9	-	-	-	1	10	1	6	5	9	9	16	22
White, female	5,939	4	2	1	-	-	7	2	3	2	3	9	13	13
Black, male	843	3	-	-	-	-	3	-	-	2	7	4	5	16
Black, female	1,004	-	1	-	-	-	1	1	1	-	4	-	4	8
Diseases of male genital organs (600-608)	748	1	-	1	-	-	2	-	-	-	-	1	2	2
All races, male	748	1	-	1	-	-	2	-	-	-	-	1	2	2
All races, female
White, male	640	1	-	1	-	-	2	-	-	-	-	1	1	1
White, female
Black, male	103	-	-	-	-	-	-	-	-	-	-	-	1	1
Black, female
Hyperplasia of prostate (600)	479	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	479	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female
White, male	422	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female
Black, male	55	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female
Other diseases of male genital organs (601-608)	269	1	-	1	-	-	2	-	-	-	-	1	2	2
All races, male	269	1	-	1	-	-	2	-	-	-	-	1	2	2
All races, female
White, male	218	1	-	1	-	-	2	-	-	-	-	1	1	1
White, female
Black, male	48	-	-	-	-	-	-	-	-	-	-	-	1	1
Black, female
Diseases of breast (610-611)	40	-	-	-	-	-	-	-	-	-	-	-	-	1
All races, male
All races, female	40	-	-	-	-	-	-	-	-	-	-	-	-	1
White, male
White, female	39	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, male
Black, female	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of female genital organs except breast (614-629)	265	1	-	-	-	-	1	-	1	4	3	9	9	10
All races, male
All races, female	265	1	-	-	-	-	1	-	1	4	3	9	9	10
White, male
White, female	219	1	-	-	-	-	1	-	1	4	3	8	5	6
Black, male
Black, female	45	-	-	-	-	-	-	-	-	-	-	1	4	4
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)														
All races, male	295	2	31	62	77	62	42
All races, female	295	2	31	62	77	62	42
White, male
White, female	156	1	13	30	47	30	28
Black, male
Black, female	124	1	16	29	28	28	12
Pregnancy with abortive outcome (630-638)	49	1	8	12	12	10	5
All races, male
All races, female	49	1	8	12	12	10	5
White, male
White, female	19	1	2	2	6	6	2
Black, male
Black, female	28	-	5	10	6	4	2
Ectopic pregnancy (633)	33	-	5	7	10	9	1
All races, male
All races, female	33	-	5	7	10	9	1
White, male
White, female	11	-	1	1	4	5	-
Black, male
Black, female	21	-	4	6	6	4	-
Spontaneous abortion (634)	-	-	-	-	-	-	-
All races, male
All races, female	-
White, male
White, female	-
Black, male
Black, female	-

SECTION 1 - GENERAL MORTALITY - PAGE 287

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of urinary system-Con.														
Infections of kidney (590)	10	18	30	49	79	118	189	334	414	377	233	74	7	2
All races, male	2	5	14	24	31	38	73	135	148	114	67	18	3	-
All races, female	8	13	16	25	48	80	116	199	266	263	166	56	4	2
White, male	1	3	8	19	23	25	58	114	133	104	62	15	3	-
White, female	3	10	11	20	41	62	99	175	236	232	156	54	4	2
Black, male	1	2	6	5	6	12	12	21	15	10	5	3	-	-
Black, female	5	3	4	5	7	16	16	23	25	26	9	1	-	-
Urinary calculus (592,594)	5	7	6	13	25	33	53	66	85	52	29	10	1	-
All races, male	3	1	4	5	9	23	20	25	31	22	10	2	-	-
All races, female	2	6	2	8	16	10	33	41	54	30	19	8	1	-
White, male	1	1	2	4	9	17	16	20	28	19	8	1	-	-
White, female	2	3	2	7	15	5	26	36	53	27	14	8	1	-
Black, male	1	-	1	1	-	4	4	5	2	3	-	1	-	-
Black, female	-	3	-	1	1	5	7	4	1	2	4	-	-	-
All other diseases of urinary system (591,593,595-599)	78	102	156	293	459	749	1,236	1,845	2,413	2,340	1,579	559	98	5
All races, male	48	63	89	140	252	389	635	863	1,004	806	528	138	21	5
All races, female	30	39	67	153	207	360	601	982	1,409	1,534	1,051	421	77	-
White, male	26	36	54	96	190	295	505	714	876	722	483	121	14	2
White, female	18	26	40	96	137	273	470	814	1,228	1,382	964	383	56	-
Black, male	22	27	33	42	61	94	124	143	118	76	40	16	7	3
Black, female	12	12	26	53	67	84	123	158	173	145	74	37	21	-
Diseases of male genital organs (600-608)	2	2	1	12	31	56	87	136	146	142	96	26	4	-
All races, male	2	2	1	12	31	56	87	136	146	142	96	26	4	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	5	24	49	69	120	126	128	84	25	3	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	1	1	7	7	7	16	13	20	14	12	1	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	3	15	26	46	91	95	107	71	22	3	-
All races, male	-	-	-	3	15	26	46	91	95	107	71	22	3	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	1	11	21	38	81	86	99	61	21	3	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	2	4	5	8	8	9	8	10	1	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of male genital organs (601-608)	2	2	1	9	16	30	41	45	51	35	25	4	1	-
All races, male	2	2	1	9	16	30	41	45	51	35	25	4	1	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	4	13	28	31	39	40	29	23	4	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	1	1	5	3	2	8	5	11	6	2	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of breast (610-611)	2	-	-	2	3	3	10	4	3	8	3	1	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	2	-	-	2	3	3	10	4	3	8	3	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2	-	-	2	1	1	9	3	2	8	3	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	2	2	1	1	1	-	-	-	-	-
Diseases of female genital organs except breast (614-629)	6	7	9	6	19	23	27	43	39	25	19	4	1	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	6	7	9	6	19	23	27	43	39	25	19	4	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	3	3	6	5	14	20	20	37	37	23	19	4	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	3	4	3	1	5	3	6	6	2	2	-	-	1	-
XI. Complications of pregnancy, childbirth, and the puerperium (630-676)	16	2	1	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	16	2	1	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	9	1	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ectopic pregnancy (633)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Spontaneous abortion (634)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 288

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Pregnancy with abortive outcome—Con.														
Legally induced abortion (635)	2	1	1
All races, male
All races, female	2	1	1
White, male
White, female
Black, male
Black, female	2	1	1
Illegally induced abortion (636)	1	1
All races, male
All races, female	1	1
White, male
White, female	1	1
Black, male
Black, female
Other pregnancy with abortive outcome (630-632,637-638)	13	1	3	4	2	1	2
All races, male
All races, female	13	1	3	4	2	1	2
White, male
White, female	7	1	1	1	2	1	1
Black, male
Black, female	5	1	3	1
Direct obstetric causes (640-646,651-676)	232	1	21	47	61	51	35
All races, male
All races, female	232	1	21	47	61	51	35
White, male
White, female	127	10	25	38	23	25
Black, male
Black, female	92	1	10	19	21	24	9
Hemorrhage of pregnancy and childbirth (640-641,666)	40	3	6	5	10	13
All races, male
All races, female	40	3	6	5	10	13
White, male
White, female	21	1	4	3	5	8
Black, male
Black, female	15	2	1	1	4	4
Poemia of pregnancy (642.4-642.9,643)	33	1	6	5	8	6	5
All races, male
All races, female	33	1	6	5	8	6	5
White, male
White, female	16	3	1	3	3	5
Black, male
Black, female	15	1	3	4	5	2	...
Obstructed labor (660)
All races, male
All races, female
White, male
White, female
Black, male
Black, female
Complications of the puerperium (670-676)	91	5	22	29	20	10
All races, male
All races, female	91	5	22	29	20	10
White, male
White, female	55	4	12	21	8	8
Black, male
Black, female	32	1	9	8	10	2
Other direct obstetric causes (642.0-642.3,644-646,651-659,661-665,667-669)	68	7	14	19	15	7
All races, male
All races, female	68	7	14	19	15	7
White, male
White, female	35	2	8	11	7	4
Black, male
Black, female	30	4	5	7	8	3
Indirect obstetric causes (647-648)	14	2	3	4	1	2
All races, male
All races, female	14	2	3	4	1	2
White, male
White, female	10	1	3	3	1	1
Black, male
Black, female	4	1	...	1	...	1
Delivery in a completely normal case (650)
All races, male
All races, female
White, male
White, female
Black, male
Black, female
XII. Diseases of the skin and subcutaneous tissue (680-709)	3,652	9	1	1	...	1	12	3	1	5	8	14	16	27
All races, male	1,442	3	1	1	...	1	6	1	...	4	3	6	10	10
All races, female	2,410	6	6	2	1	1	5	8	6	17
White, male	1,052	2	1	3	1	...	2	3	4	5	6
White, female	1,769	3	3	2	1	...	3	3	4	11
Black, male	374	1	...	1	2	2	...	2	5	4
Black, female	616	3	3	1	2	4	1	6

SECTION 1 - GENERAL MORTALITY - PAGE 289

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Pregnancy with abortive outcome—Con.														
Legally induced abortion (635)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Illegally induced abortion (636)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other pregnancy with abortive outcome (630-632,637-638)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Direct obstetric causes (640-646,651-676)	13	2	1	—	—	—	—	—	—	—	—	—	—	—
All races, male	13	2	1	—	—	—	—	—	—	—	—	—	—	—
All races, female	13	2	1	—	—	—	—	—	—	—	—	—	—	—
White, male	5	—	1	—	—	—	—	—	—	—	—	—	—	—
White, female	5	—	1	—	—	—	—	—	—	—	—	—	—	—
Black, male	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	7	1	—	—	—	—	—	—	—	—	—	—	—	—
Hemorrhage of pregnancy and childbirth (640-641,666)	2	1	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	2	1	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	2	1	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Toxemia of pregnancy (642.4-642.9,643)	2	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	2	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	2	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Obstructed labor (660)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Complications of the puerperium (670-676)	3	1	1	—	—	—	—	—	—	—	—	—	—	—
All races, male	3	1	1	—	—	—	—	—	—	—	—	—	—	—
All races, female	3	1	1	—	—	—	—	—	—	—	—	—	—	—
White, male	1	—	1	—	—	—	—	—	—	—	—	—	—	—
White, female	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Black, male	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Other direct obstetric causes (642.0-642.3,644-646,651-659,661-665,667-669)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	6	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	6	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	3	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Indirect obstetric causes (647-648)	2	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	2	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	2	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Delivery in a completely normal case (650)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All races, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black, female	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Diseases of the skin and subcutaneous tissue (680-709)	31	36	75	106	180	260	398	600	726	691	462	166	28	5
All races, male	20	22	45	50	90	139	186	266	238	202	100	38	5	1
All races, female	11	16	30	56	90	121	212	334	488	489	362	128	23	4
White, male	12	17	31	35	49	91	131	199	183	161	86	29	3	1
White, female	6	12	17	37	62	86	137	231	337	396	308	103	9	1
Black, male	8	5	13	13	38	47	55	86	52	37	14	9	2	—
Black, female	4	4	13	17	27	33	74	102	145	89	51	24	13	3

SECTION 1 - GENERAL MORTALITY - PAGE 290

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Infections of skin and subcutaneous tissue (680-688)	772	1	1	-	-	1	3	-	1	1	-	5	11	10
All races, male	309	1	1	-	-	1	3	-	1	1	-	4	7	5
All races, female	463	-	-	-	-	-	-	-	-	-	-	1	4	5
White, male	244	-	-	-	-	1	1	-	1	1	-	3	3	2
White, female	394	-	-	-	-	-	-	-	1	-	-	1	2	2
Black, male	57	1	-	-	-	-	1	-	-	-	-	1	4	3
Black, female	67	-	-	-	-	-	-	-	-	-	-	-	1	3
All other diseases of skin and subcutaneous tissue (690-709)	3,080	8	-	1	-	-	9	3	-	4	8	9	5	17
All races, male	1,133	2	-	1	-	-	3	1	-	3	3	2	3	5
All races, female	1,947	6	-	-	-	-	6	2	-	1	5	7	2	12
White, male	808	2	-	-	-	-	2	1	-	1	3	1	2	4
White, female	1,375	3	-	-	-	-	3	2	-	3	2	2	2	9
Black, male	317	-	-	1	-	-	1	-	-	2	-	1	1	1
Black, female	549	3	-	-	-	-	3	-	-	1	2	4	-	3
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)	6,256	4	4	-	-	-	8	8	18	55	83	114	122	141
All races, male	1,849	-	1	-	-	-	1	2	4	14	22	19	22	36
All races, female	4,407	4	3	-	-	-	7	6	14	41	61	95	100	105
White, male	1,555	-	-	-	-	-	-	1	2	7	10	12	16	27
White, female	3,690	3	3	-	-	-	6	5	8	22	30	39	57	51
Black, male	268	-	-	-	-	-	-	1	2	7	11	6	6	8
Black, female	642	1	-	-	-	-	1	1	6	19	29	54	39	47
Rheumatoid arthritis and other inflammatory polyarthropathies (714)	1,497	-	-	-	-	-	-	2	3	4	1	2	2	5
All races, male	440	-	-	-	-	-	-	1	-	1	-	2	1	2
All races, female	1,057	-	-	-	-	-	-	1	3	3	1	-	1	3
White, male	407	-	-	-	-	-	-	-	-	1	-	2	1	2
White, female	1,002	-	-	-	-	-	-	1	2	3	1	-	1	2
Black, male	28	-	-	-	-	-	-	1	-	-	-	-	-	-
Black, female	44	-	-	-	-	-	-	-	1	-	-	-	-	1
Other arthropathies and related disorders (710-712,715-719)	2,999	1	-	-	-	-	1	3	9	32	62	97	102	116
All races, male	755	-	-	-	-	-	-	-	2	6	11	10	14	22
All races, female	2,244	1	-	-	-	-	1	3	7	26	51	87	88	94
White, male	608	-	-	-	-	-	-	-	1	2	3	5	9	16
White, female	1,727	1	-	-	-	-	1	2	2	10	22	32	46	43
Black, male	132	-	-	-	-	-	-	-	1	4	7	5	5	5
Black, female	466	-	-	-	-	-	-	1	5	16	27	53	38	45
Dorsopathies (720-724)	167	-	-	-	-	-	-	-	-	-	-	1	3	2
All races, male	105	-	-	-	-	-	-	-	-	-	-	1	1	2
All races, female	62	-	-	-	-	-	-	-	-	-	-	-	2	-
White, male	93	-	-	-	-	-	-	-	-	-	-	1	1	-
White, female	54	-	-	-	-	-	-	-	-	-	-	-	2	-
Black, male	12	-	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism, excluding the back (725-729)	383	1	2	-	-	-	3	-	-	4	6	7	5	7
All races, male	160	-	-	-	-	-	-	-	-	3	5	4	1	4
All races, female	223	1	2	-	-	-	3	-	-	1	1	3	4	3
White, male	119	-	-	-	-	-	-	-	-	2	-	-	-	-
White, female	157	1	2	-	-	-	3	-	-	-	-	2	3	1
Black, male	40	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	62	-	-	-	-	-	-	-	-	1	1	1	1	1
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)	1,210	2	2	-	-	-	4	3	6	15	14	7	10	11
All races, male	389	-	1	-	-	-	1	1	2	4	6	2	5	6
All races, female	821	2	1	-	-	-	3	2	4	11	8	5	5	5
White, male	328	-	-	-	-	-	-	1	1	2	4	2	4	5
White, female	750	1	1	-	-	-	2	2	4	9	7	5	5	5
Black, male	56	-	-	-	-	-	-	-	-	2	2	-	1	-
Black, female	64	1	-	-	-	-	1	-	1	2	1	-	-	1
XIV. Congenital anomalies (740-759)	12,783	8,561	426	220	112	82	9,401	272	197	231	235	213	197	184
All races, male	6,895	4,709	225	128	55	43	5,160	142	104	138	150	116	107	102
All races, female	5,888	3,852	201	92	57	39	4,241	130	93	93	85	97	90	82
White, male	5,674	3,836	172	110	41	36	4,195	100	83	108	126	104	86	84
White, female	4,763	3,062	157	74	46	29	3,368	101	76	74	75	82	64	70
Black, male	1,046	745	42	14	12	7	820	38	19	28	23	11	20	15
Black, female	962	674	37	15	9	8	743	22	14	16	9	14	25	11
Spina bifida (741)	187	95	9	5	5	4	118	3	12	12	13	5	7	3
All races, male	97	48	5	2	3	3	61	-	6	8	7	4	4	-
All races, female	90	47	4	3	2	1	57	3	6	4	6	1	3	3
White, male	81	38	5	2	2	2	49	-	5	8	7	3	3	-
White, female	81	44	3	3	2	1	53	2	6	3	6	1	2	3
Black, male	16	10	-	-	1	1	12	-	1	-	-	1	1	-
Black, female	8	3	1	-	-	-	4	1	-	1	-	-	1	-
All other congenital anomalies of nervous system (740,742)	1,572	1,161	60	27	14	13	1,275	50	28	24	18	17	11	9
All races, male	745	530	28	14	6	6	584	22	14	16	12	8	2	5
All races, female	827	631	32	13	8	7	691	28	14	8	6	9	9	4
White, male	611	432	22	13	6	3	476	16	11	9	10	8	2	5
White, female	703	538	26	11	8	4	587	24	10	6	5	8	5	4
Black, male	109	74	6	1	-	3	84	6	3	7	2	-	-	-
Black, female	100	73	5	2	-	3	83	2	4	2	1	1	4	-
Congenital anomalies of heart (745-748)	4,432	2,585	218	125	62	46	3,036	138	100	113	117	109	92	91
All races, male	2,464	1,487	111	79	32	25	1,734	81	55	65	76	54	54	50
All races, female	1,968	1,098	107	46	30	21	1,302	57	45	48	41	55	38	41
White, male	2,040	1,221	86	65	26	24	1,422	58	47	48	61	47	45	41
White, female	1,572	848	84	36	23	15	1,006	40	37	39	39	47	28	36
Black, male	353	221	18	11	4	1	255	20	7	15	14	7	9	8
Black, female	345	221	20	9	6	5	261	14	5	7	1	8	9	5

SECTION 1 - GENERAL MORTALITY - PAGE 291

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Infections of skin and subcutaneous tissue (680-686)	18	18	35	39	67	70	75	109	107	113	63	25	1	1
All races, male	11	15	22	14	29	31	30	54	33	29	15	6	-	-
All races, female	7	3	13	25	38	39	45	55	74	84	48	19	1	1
White, male	6	12	17	10	21	28	26	43	28	24	14	5	-	-
White, female	5	3	8	19	29	29	37	47	65	81	46	17	1	1
Black, male	5	3	5	2	8	2	4	10	4	3	1	1	-	-
Black, female	1	-	5	6	9	10	8	9	3	2	2	-	-	-
All other diseases of skin and subcutaneous tissue (690-709)	13	20	40	67	113	190	323	491	619	578	399	141	27	4
All races, male	9	7	23	36	61	108	156	212	205	173	85	32	5	1
All races, female	4	13	17	31	52	82	167	279	414	405	314	109	22	3
White, male	6	5	14	25	28	63	105	156	155	137	72	24	3	1
White, female	1	9	9	18	33	57	100	184	272	315	262	86	8	-
Black, male	3	2	8	11	30	45	51	56	48	34	13	8	2	-
Black, female	3	4	8	11	18	23	68	94	136	86	49	22	13	3
XIII. Diseases of the musculoskeletal system and connective tissue (710-739)	174	191	268	394	573	693	825	859	758	539	325	97	8	3
All races, male	53	63	91	138	185	262	277	268	192	119	65	12	3	1
All races, female	121	128	177	256	388	431	557	582	566	420	260	85	5	2
White, male	37	43	73	107	147	228	244	251	169	112	57	10	1	1
White, female	78	84	117	205	328	373	501	537	524	397	245	76	5	2
Black, male	12	19	16	29	35	31	23	22	23	6	7	2	2	-
Black, female	39	40	43	45	58	53	50	38	37	22	14	7	-	-
Rheumatoid arthritis and other inflammatory polyarthropathies (714)	14	33	47	79	167	202	298	276	214	101	41	5	1	-
All races, male	7	11	21	31	52	63	92	77	58	15	5	1	-	-
All races, female	7	22	26	48	115	139	206	199	156	86	36	4	1	-
White, male	5	9	19	27	46	60	67	73	55	15	4	1	-	-
White, female	5	22	19	46	107	131	195	190	153	85	34	4	1	-
Black, male	-	2	2	4	4	3	5	3	-	1	-	-	-	-
Black, female	2	-	5	2	6	6	8	7	3	1	2	-	-	-
Other arthropathies and related disorders (710-712,715-719)	134	112	164	246	296	330	346	352	260	185	107	39	4	2
All races, male	30	23	44	80	84	101	95	100	65	42	20	3	2	1
All races, female	104	89	120	166	212	229	251	252	195	143	87	36	2	1
White, male	19	15	32	56	64	88	89	89	55	42	18	3	1	1
White, female	64	59	79	125	178	193	218	228	178	130	83	31	2	1
Black, male	9	8	10	22	19	10	5	10	10	-	1	-	1	-
Black, female	36	27	28	35	34	34	30	21	15	13	4	4	-	-
Dorsopathies (720-724)	3	9	7	9	13	26	25	15	28	13	12	1	-	-
All races, male	2	8	4	4	8	22	20	12	13	6	2	-	-	-
All races, female	1	1	3	5	5	4	5	3	15	7	10	1	-	-
White, male	2	7	3	3	6	20	17	11	13	6	2	-	-	-
White, female	1	-	2	5	5	4	3	3	13	7	9	-	-	-
Black, male	-	1	1	1	2	2	3	1	-	-	-	-	-	-
Black, female	-	1	1	-	-	-	2	-	1	-	1	-	-	-
Rheumatism, excluding the back (725-729)	11	12	28	31	48	44	47	38	44	29	16	3	-	-
All races, male	4	5	9	12	17	28	22	14	6	4	-	-	-	-
All races, female	7	7	19	19	31	16	25	16	30	23	12	3	-	-
White, male	3	2	9	11	10	19	17	12	5	3	-	-	-	-
White, female	6	-	9	13	17	10	19	14	24	22	11	3	-	-
Black, male	1	3	-	1	7	9	5	5	2	1	1	-	-	-
Black, female	1	7	8	6	14	6	6	2	5	1	1	-	-	-
Osteopathies, chondropathies, and acquired musculoskeletal deformities (730-739)	12	25	22	29	49	91	109	178	212	211	149	49	3	1
All races, male	10	16	13	11	24	48	39	66	42	50	34	8	1	-
All races, female	2	9	9	18	25	43	70	112	170	161	115	41	2	1
White, male	8	10	10	10	21	41	34	61	34	44	30	6	-	-
White, female	2	3	8	16	21	35	66	102	156	153	108	38	2	1
Black, male	2	5	3	1	3	7	5	3	8	5	4	2	1	-
Black, female	-	5	1	2	4	7	4	3	13	7	6	3	-	-
XIV. Congenital anomalies (740-759)	179	160	153	217	217	229	200	207	134	101	37	13	-	6
All races, male	91	90	72	119	115	106	77	90	57	42	12	5	-	-
All races, female	88	70	81	98	102	123	123	117	77	59	25	8	-	6
White, male	83	81	63	102	103	98	71	82	51	38	11	5	-	-
White, female	67	53	66	83	93	115	111	107	72	49	24	7	-	6
Black, male	6	7	9	15	10	7	5	6	4	2	1	-	-	-
Black, female	17	17	12	12	7	7	11	9	4	10	1	1	-	-
Spina bifida (741)	1	3	2	-	2	1	1	1	2	1	-	-	-	-
All races, male	-	2	1	-	1	-	-	1	1	1	-	-	-	-
All races, female	1	1	1	-	1	-	-	-	1	-	-	-	-	-
White, male	-	1	1	-	-	-	-	-	1	-	-	-	-	-
White, female	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other congenital anomalies of nervous system (740,742)	6	9	5	12	8	22	17	25	15	12	5	2	-	2
All races, male	2	7	3	9	5	12	12	14	7	5	4	2	-	-
All races, female	4	2	2	3	3	10	5	11	8	7	1	-	-	2
White, male	1	5	1	7	4	12	12	14	7	5	4	2	-	-
White, female	2	2	2	3	3	10	5	11	7	6	1	-	-	2
Black, male	-	2	2	2	1	-	-	-	-	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Congenital anomalies of heart (745-746)	78	60	49	67	72	87	68	78	43	23	7	2	-	2
All races, male	44	33	21	35	43	44	24	26	16	8	1	-	-	-
All races, female	34	27	28	32	29	43	44	52	27	15	6	2	-	2
White, male	40	33	19	33	39	40	21	24	13	8	1	-	-	-
White, female	29	18	23	25	27	40	43	49	25	12	5	2	-	2
Black, male	3	-	2	2	2	4	2	1	2	-	-	-	-	-
Black, female	4	9	4	5	1	2	1	3	2	3	1	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 292

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Other congenital anomalies of circulatory system (747)	1,320	689	17	9	5	7	727	19	19	28	37	38	35	34
All races, male	728	405	11	6	3	4	429	12	11	17	23	19	19	18
All races, female	592	284	6	3	2	3	298	7	8	11	14	19	16	16
White, male	589	313	9	5	3	3	333	11	7	14	21	18	11	14
White, female	459	207	3	2	2	3	217	7	7	10	15	12	7	12
Black, male	127	87	2	-	-	1	90	-	3	3	2	1	7	4
Black, female	120	69	3	1	-	-	73	-	1	3	4	3	4	4
All other congenital anomalies (743-744,748-759)	5,272	4,031	122	54	26	12	4,245	62	38	54	50	44	52	47
All races, male	2,861	2,239	70	27	11	5	2,352	27	18	32	32	31	28	29
All races, female	2,411	1,792	52	27	15	7	1,893	35	20	22	18	13	24	18
White, male	2,353	1,832	50	25	4	4	1,915	15	13	29	27	28	25	24
White, female	1,948	1,425	41	22	11	6	1,505	28	16	19	15	11	17	15
Black, male	441	353	16	2	7	1	379	12	5	3	5	2	3	3
Black, female	389	308	8	3	3	-	322	5	4	3	3	2	7	2
XV. Certain conditions originating in the perinatal period (760-779)	19,246	19,068	100	31	3	5	19,207	9	4	5	5	5	2	2
All races, male	11,094	10,879	69	20	2	4	11,074	3	2	3	3	1	2	1
All races, female	8,152	8,089	31	11	1	1	8,133	6	2	2	2	4	-	1
White, male	7,404	7,329	45	11	1	4	7,390	3	1	2	3	1	1	1
White, female	5,230	5,191	16	6	1	1	5,215	4	-	2	2	4	-	1
Black, male	3,458	3,423	21	8	-	-	3,452	-	1	1	-	-	1	-
Black, female	2,738	2,717	13	4	-	-	2,734	2	2	-	-	-	-	-
Birth trauma (767)	334	329	1	-	-	-	330	1	-	-	-	2	1	-
All races, male	198	195	1	-	-	-	196	-	-	-	-	1	1	-
All races, female	136	134	-	-	-	-	134	1	-	-	-	1	-	-
White, male	131	129	-	-	-	-	129	-	-	-	-	1	1	-
White, female	95	93	-	-	-	-	93	1	-	-	-	1	-	-
Black, male	61	60	1	-	-	-	61	-	-	-	-	-	-	-
Black, female	39	39	-	-	-	-	39	-	-	-	-	-	-	-
Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (768-769)	4,891	4,849	21	9	1	-	4,880	1	1	3	2	3	-	1
All races, male	2,980	2,954	16	5	1	-	2,976	-	-	2	2	-	-	-
All races, female	1,911	1,895	5	4	-	-	1,904	1	1	-	-	3	-	1
White, male	2,170	2,148	14	4	1	-	2,167	-	-	1	2	-	-	-
White, female	1,351	1,340	4	2	-	-	1,346	-	-	1	-	3	-	1
Black, male	748	745	1	1	-	-	747	-	-	1	-	-	-	-
Black, female	525	520	1	2	-	-	523	1	1	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	14,021	13,890	78	22	2	5	13,997	7	3	2	3	-	1	1
All races, male	7,916	7,830	52	15	1	4	7,902	3	2	1	1	-	1	1
All races, female	6,105	6,060	26	7	1	1	6,095	4	1	1	2	-	-	-
White, male	5,103	5,052	31	7	-	4	5,094	3	1	1	1	-	-	1
White, female	3,784	3,758	12	4	1	1	3,776	3	-	1	2	-	-	-
Black, male	2,649	2,618	19	7	-	-	2,644	-	1	-	-	-	1	-
Black, female	2,174	2,158	12	2	-	-	2,172	1	1	-	-	-	-	-
XVI. Symptoms, signs, and ill-defined conditions (780-799)	30,960	5,945	151	65	31	30	6,222	56	60	266	484	774	881	805
All races, male	17,470	3,643	90	40	19	17	3,809	33	30	156	318	537	596	588
All races, female	13,490	2,302	61	25	12	13	2,413	23	30	110	166	237	285	217
White, male	13,340	2,608	58	26	9	16	2,717	24	22	116	246	387	404	409
White, female	10,496	1,510	38	17	7	8	1,580	14	19	80	118	139	183	139
Black, male	3,829	913	27	11	9	1	961	8	8	35	65	137	183	167
Black, female	2,797	693	20	7	5	4	729	8	11	29	48	95	97	71
Senility without mention of psychosis (797)	1,349	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	414	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	935	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	333	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	839	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	74	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	87	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and other ill-defined conditions (780-796,798-799)	29,611	5,945	151	65	31	30	6,222	56	60	266	484	774	881	805
All races, male	17,056	3,643	90	40	19	17	3,809	33	30	156	318	537	596	588
All races, female	12,555	2,302	61	25	12	13	2,413	23	30	110	166	237	285	217
White, male	13,007	2,608	58	26	9	16	2,717	24	22	116	246	387	404	409
White, female	9,657	1,510	38	17	7	8	1,580	14	19	80	118	139	183	139
Black, male	3,755	913	27	11	9	1	961	8	8	35	65	137	183	167
Black, female	2,710	693	20	7	5	4	729	8	11	29	48	95	97	71
Supplementary classification of external causes of injury and poisoning (E800-E999)	145,648	1,144	1,032	896	741	606	4,419	2,184	2,821	11,786	17,665	15,980	13,274	10,572
All races, male	104,408	617	595	522	463	404	2,601	1,376	2,002	8,901	14,216	12,615	10,545	8,170
All races, female	41,240	527	437	374	278	202	1,818	808	819	2,885	3,449	3,165	2,729	2,402
White, male	84,782	414	417	417	323	300	1,871	995	1,586	7,317	11,428	10,041	8,101	6,377
White, female	34,644	359	307	267	200	151	1,284	559	655	2,481	2,812	2,467	2,074	1,915
Black, male	17,283	178	153	86	117	88	622	319	367	1,337	2,375	2,448	2,205	1,613
Black, female	5,601	150	111	93	70	42	466	210	129	314	538	597	554	407
Accidents and adverse effects (E800-E949)	93,457	890	863	792	653	548	3,746	1,995	2,257	8,202	10,959	8,845	7,051	5,612
All races, male	64,160	481	503	471	414	369	2,238	1,279	1,610	6,050	8,741	7,107	5,648	4,345
All races, female	29,297	409	360	321	239	179	1,508	716	647	2,152	2,218	1,738	1,403	1,267
White, male	53,856	342	365	386	293	278	1,664	936	1,283	5,331	7,577	6,000	4,661	3,525
White, female	25,155	284	267	238	175	134	1,098	509	522	1,947	1,930	1,433	1,098	1,039
Black, male	8,752	116	115	67	98	76	474	286	288	563	911	920	888	718
Black, female	3,455	109	78	73	56	36	352	175	100	147	228	234	248	177
Transport accidents (E800-E848)	49,249	183	269	271	261	253	1,237	1,116	1,361	6,514	8,414	6,047	4,375	3,428
All races, male	35,264	98	149	149	153	174	723	699	899	4,831	6,592	4,783	3,422	2,589
All races, female	13,985	85	120	122	108	79	514	417	462	1,683	1,822	1,264	953	859
White, male	30,394	72	109	123	107	132	543	545	755	4,189	5,790	4,099	2,881	2,156
White, female	12,271	58	98	95	83	62	396	323	400	1,735	1,611	1,075	785	735
Black, male	3,909	17	29	21	34	35	136	124	126	328	618	536	439	345
Black, female	1,286	22	18	19	20	14	93	74	43	104	163	131	125	90

SECTION 1 - GENERAL MORTALITY - PAGE 293

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Other congenital anomalies of circulatory system (747)	47	41	44	54	37	38	45	40	18	13	4	1	-	1
All races, male	21	22	20	35	19	14	16	15	10	6	1	1	-	-
All races, female	26	19	24	19	18	24	29	25	8	7	3	-	-	1
White, male	20	18	18	30	16	11	16	14	10	5	1	1	-	-
White, female	16	14	21	16	14	23	28	22	8	6	3	-	-	1
Black, male	1	3	2	4	3	2	-	1	-	1	-	-	-	-
Black, female	8	5	2	3	4	1	1	3	-	1	-	-	-	-
All other congenital anomalies (743-744,748-759)	47	47	53	84	98	81	69	63	56	52	21	8	-	1
All races, male	24	26	27	40	47	36	25	34	23	22	6	2	-	-
All races, female	23	21	26	44	51	45	44	29	33	30	15	6	-	1
White, male	22	24	24	32	43	35	22	29	20	19	5	2	-	-
White, female	19	18	19	39	49	41	35	25	31	25	15	5	-	1
Black, male	2	1	3	7	4	1	3	4	2	1	1	-	-	-
Black, female	3	3	6	4	1	4	9	3	2	5	-	1	-	-
XV. Certain conditions originating in the perinatal period (760-779)	1	-	1	1	-	-	-	1	-	-	-	-	-	3
All races, male	1	-	-	-	-	-	-	1	-	-	-	-	-	3
All races, female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White, male	1	-	-	-	-	-	-	-	-	-	-	-	-	1
White, female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (768-769)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	1	-	1	1	-	-	-	1	-	-	-	-	-	3
All races, male	1	-	-	-	-	-	-	1	-	-	-	-	-	3
All races, female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White, male	1	-	-	-	-	-	-	-	-	-	-	-	-	1
White, female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Symptoms, signs, and ill-defined conditions (780-799)	685	748	983	1,408	1,923	2,194	2,638	2,782	2,799	2,328	1,758	821	253	92
All races, male	453	490	664	980	1,285	1,366	1,591	1,539	1,282	898	573	187	52	63
All races, female	232	258	319	448	638	828	1,047	1,243	1,243	1,430	1,185	634	201	29
White, male	303	319	485	724	999	1,077	1,308	1,266	1,063	751	488	154	35	53
White, female	166	183	232	347	483	632	832	1,015	1,258	1,060	566	169	23	23
Black, male	140	159	178	229	278	276	270	262	211	132	76	32	17	10
Black, female	64	73	82	98	147	188	206	221	248	167	115	66	28	6
Senility without mention of psychosis (797)	-	-	1	1	4	8	44	70	188	278	385	264	106	2
All races, male	-	-	-	-	3	4	18	29	71	88	123	56	21	1
All races, female	-	-	1	1	1	4	26	41	117	188	262	208	85	1
White, male	-	-	-	-	1	2	14	19	56	75	104	47	15	-
White, female	-	-	-	1	1	2	19	31	95	175	244	192	78	1
Black, male	-	-	-	-	2	2	4	10	14	10	16	9	6	1
Black, female	-	-	1	-	-	2	7	10	21	13	13	15	5	-
Symptoms, signs, and other ill-defined conditions (780-796,798-799)	685	748	982	1,407	1,919	2,186	2,594	2,712	2,611	2,052	1,373	557	147	90
All races, male	453	490	664	960	1,282	1,362	1,573	1,510	1,211	810	450	131	31	62
All races, female	232	258	318	447	637	824	1,021	1,202	1,400	1,242	923	426	116	28
White, male	303	319	485	724	998	1,075	1,294	1,247	997	676	384	107	20	53
White, female	166	183	232	346	482	630	813	984	1,163	1,083	816	374	91	22
Black, male	140	159	178	229	271	274	266	252	197	122	60	23	11	9
Black, female	64	73	81	98	147	186	199	211	227	154	102	51	23	6
Supplementary classification of external causes of injury and poisoning (E800-E999)	8,211	6,640	6,111	6,754	6,681	6,123	6,497	6,446	5,691	4,317	2,384	745	119	228
All races, male	6,187	4,915	4,462	4,977	4,697	4,080	4,059	3,879	3,053	2,018	951	264	41	199
All races, female	2,024	1,725	1,649	1,777	1,984	2,043	2,438	2,567	2,299	1,433	481	78	29	33
White, male	4,908	3,897	3,652	4,171	3,962	3,523	3,556	3,471	2,760	1,860	873	235	33	165
White, female	1,675	1,443	1,383	1,542	1,718	1,798	2,137	2,299	2,398	1,348	434	64	22	22
Black, male	1,132	908	731	727	675	504	452	348	262	133	66	22	7	30
Black, female	290	234	219	195	235	206	255	250	218	145	79	41	12	7
Accidents and adverse effects (E800-E949)	4,432	3,589	3,480	3,985	4,197	4,020	4,563	4,961	4,642	3,839	2,220	707	119	136
All races, male	3,398	2,680	2,512	2,893	2,830	2,498	2,579	2,672	2,240	1,672	824	236	41	127
All races, female	1,094	909	968	1,092	1,367	1,522	1,984	2,189	2,402	2,167	1,396	471	78	9
White, male	2,694	2,136	2,032	2,382	2,343	2,124	2,204	2,335	1,998	1,529	751	211	33	107
White, female	888	746	797	921	1,168	1,332	1,740	1,958	2,185	2,023	1,315	425	64	7
Black, male	554	476	422	463	442	339	331	286	215	121	61	19	7	18
Black, female	153	136	140	143	178	162	211	215	198	129	75	40	12	2
Transport accidents (E800-E848)	2,659	2,023	1,850	1,917	1,851	1,570	1,631	1,444	1,050	549	144	20	4	45
All races, male	1,913	1,472	1,292	1,376	1,182	938	896	819	584	325	91	10	2	44
All races, female	746	551	558	541	669	632	739	625	466	224	53	10	2	1
White, male	1,623	1,244	1,069	1,174	998	820	780	721	546	303	85	10	1	42
White, female	635	478	468	475	595	567	684	584	437	210	52	8	2	1
Black, male	233	169	168	174	160	103	93	82	29	18	5	-	1	2
Black, female	81	58	59	48	62	48	36	38	26	10	1	2	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 294

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Transport accidents-Con.														
Railway accidents (E800-E807)	551	-	-	2	1	1	4	5	13	73	79	88	61	39
All races, male	480	-	-	1	1	1	2	5	11	66	71	82	56	34
All races, female	71	-	-	1	1	-	2	-	2	7	8	6	5	5
White, male	371	-	-	1	1	-	1	4	9	56	52	60	43	29
White, female	60	-	-	1	1	-	2	-	2	6	6	5	4	2
Black, male	97	-	-	-	-	1	1	1	2	9	15	18	13	4
Black, female	8	-	-	-	-	-	-	-	-	-	1	1	1	3
Motor vehicle accidents (E810-E825)	45,901	179	263	265	248	240	1,195	1,063	1,256	6,282	7,995	5,612	3,977	3,087
All races, male	32,443	95	146	146	145	164	696	657	824	4,441	6,239	4,407	3,068	2,282
All races, female	13,458	84	117	119	103	76	499	406	432	1,841	1,756	1,205	908	815
White, male	27,894	70	107	120	101	124	522	509	692	4,024	5,484	3,779	2,564	1,900
White, female	11,795	17	95	92	78	59	381	314	378	1,697	1,555	1,022	744	696
Black, male	3,659	17	29	21	33	33	133	121	117	305	582	493	409	324
Black, female	1,257	22	18	19	20	14	93	73	39	103	157	129	123	86
Motor vehicle traffic accidents (E810-E819)	44,822	170	179	228	211	214	1,002	1,019	1,193	6,188	7,862	5,528	3,922	3,037
All races, male	31,592	89	98	124	119	144	574	629	769	4,363	6,118	4,328	3,018	2,228
All races, female	13,230	81	81	104	92	70	428	390	424	1,825	1,744	1,200	904	809
White, male	27,119	66	66	102	79	108	421	482	639	3,949	5,373	3,706	2,517	1,852
White, female	11,594	55	63	80	70	54	322	299	371	1,682	1,546	1,017	740	691
Black, male	3,602	17	24	18	29	29	117	120	115	303	575	491	406	320
Black, female	1,239	21	15	18	17	13	84	73	39	103	155	129	123	85
Involving collision with train (E810)	538	2	3	3	3	3	14	9	19	83	91	66	54	33
All races, male	373	-	1	2	1	2	6	7	3	55	69	55	38	24
All races, female	165	2	2	1	2	1	8	2	16	28	22	11	16	9
White, male	330	-	-	2	1	2	5	4	3	54	60	50	31	21
White, female	150	1	2	1	2	1	7	2	15	26	22	8	12	9
Black, male	35	-	1	-	-	-	1	2	-	1	3	3	6	2
Black, female	13	1	-	-	-	-	1	-	1	2	-	3	3	-
Involving collision with another motor vehicle (E811-E812)	16,924	92	55	61	60	55	323	235	371	2,047	2,792	1,978	1,436	1,188
All races, male	10,991	49	30	31	29	37	176	115	231	1,364	2,047	1,419	1,028	797
All races, female	5,933	43	25	30	31	18	147	120	140	683	745	559	408	391
White, male	9,724	35	22	29	23	32	141	99	196	1,245	1,805	1,259	890	681
White, female	5,338	28	23	24	24	16	115	107	121	626	663	499	342	348
Black, male	1,024	10	7	1	3	4	25	13	28	86	194	131	111	103
Black, female	472	12	2	6	7	2	29	10	14	44	66	40	52	33
Involving collision with pedestrian (E814)	7,157	9	77	110	99	106	401	485	266	491	666	571	491	436
All races, male	4,931	7	47	65	68	79	266	304	163	338	520	454	372	316
All races, female	2,226	2	30	45	31	27	135	181	103	153	146	117	119	120
White, male	3,748	6	31	47	42	56	182	218	134	287	421	322	255	226
White, female	1,770	-	19	34	22	18	93	118	89	133	117	86	83	85
Black, male	969	1	11	15	20	19	66	72	28	35	77	107	97	76
Black, female	350	2	9	7	8	8	34	53	12	16	22	21	30	26
Involving collision with other vehicle or object (E813,E815)	6,929	14	6	6	6	15	47	153	281	1,327	1,583	1,013	632	451
All races, male	5,498	7	-	3	4	9	23	114	215	1,039	1,308	849	540	378
All races, female	1,431	7	6	3	2	6	24	39	66	288	275	164	92	73
White, male	4,808	6	-	3	3	7	19	92	170	935	1,166	746	464	325
White, female	1,268	6	5	3	2	6	22	32	56	263	253	136	79	63
Black, male	559	1	-	-	1	2	4	16	41	80	110	84	58	45
Black, female	127	1	1	-	-	-	2	6	6	22	22	21	9	7
Not involving collision on highway (E816-E818)	8,060	32	26	31	32	26	147	78	160	1,466	1,741	1,227	825	602
All races, male	6,115	16	14	17	12	14	73	50	94	1,019	1,405	1,019	658	487
All races, female	1,945	16	12	14	20	12	74	28	66	447	336	208	167	115
White, male	5,337	12	8	16	8	8	52	40	80	923	1,251	876	580	409
White, female	1,715	12	11	9	16	9	57	25	61	419	299	174	134	98
Black, male	607	2	4	1	3	4	14	9	13	71	112	108	78	62
Black, female	135	3	-	3	-	1	7	2	4	10	19	22	21	9
Motor vehicle traffic accident of unspecified nature (E819)	5,214	21	12	17	11	9	70	59	96	774	989	673	484	327
All races, male	3,684	10	6	6	5	3	30	39	63	548	769	532	382	226
All races, female	1,530	11	6	11	6	6	40	20	33	226	220	141	102	101
White, male	3,172	7	5	5	2	3	22	29	56	505	670	453	317	190
White, female	1,353	8	3	9	4	4	28	15	29	215	192	114	90	88
Black, male	408	3	1	1	2	-	7	8	5	30	74	58	56	32
Black, female	142	2	3	2	2	2	11	2	2	9	24	22	8	10
Motor vehicle nontraffic accidents (E820-E825)	1,079	9	84	37	37	26	193	44	63	94	133	84	55	60
All races, male	851	6	48	22	26	20	122	28	55	78	121	79	50	54
All races, female	228	3	36	15	11	6	71	16	8	16	12	5	5	6
White, male	775	4	41	18	22	16	101	27	53	75	111	73	47	48
White, female	201	2	32	12	8	5	59	15	7	15	9	5	4	5
Black, male	57	-	5	3	4	4	16	1	2	2	7	2	3	4
Black, female	18	1	3	1	3	1	9	-	-	-	2	-	-	1
Other road vehicle accidents (E826-E829)	231	-	-	-	2	1	3	14	32	23	22	12	15	18
All races, male	164	-	-	-	2	1	3	12	19	14	17	6	6	13
All races, female	67	-	-	-	-	-	-	2	13	9	5	6	9	5
White, male	140	-	-	-	1	1	2	10	17	10	13	4	6	11
White, female	65	-	-	-	-	-	-	2	12	9	5	6	8	5
Black, male	19	-	-	-	1	-	1	2	2	4	3	1	-	2
Black, female	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Water transport accidents (E830-E838)	1,111	2	1	2	10	5	20	19	32	90	179	157	127	96
All races, male	1,012	1	1	2	6	4	14	14	26	77	162	145	121	88
All races, female	99	1	-	-	4	1	6	5	6	13	11	12	6	8
White, male	854	-	1	2	5	3	11	12	19	67	142	117	103	67
White, female	87	1	-	-	4	1	6	3	4	12	9	10	6	8
Black, male	119	-	-	-	-	1	1	-	5	10	16	21	13	13
Black, female	4	-	-	-	-	-	-	1	1	1	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 295

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Transport accidents-Con.														
Railway accidents (E800-E807)	39	27	32	19	18	13	11	11	7	3	1	1	-	7
All races, male	36	25	27	14	15	8	7	7	4	1	1	1	-	7
All races, female	3	2	5	5	3	5	4	4	3	2	-	-	-	-
White, male	25	17	17	13	13	6	6	7	3	1	1	1	-	7
White, female	3	2	4	5	3	3	4	4	3	2	-	-	-	-
Black, male	10	8	9	1	2	2	1	-	1	-	-	-	-	-
Black, female	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	2,348	1,773	1,650	1,729	1,733	1,452	1,562	1,407	1,029	542	141	19	4	35
All races, male	1,646	1,258	1,130	1,217	1,077	839	846	793	568	322	88	9	2	34
All races, female	702	515	520	512	656	613	716	614	461	220	53	10	2	1
White, male	1,384	1,055	945	1,025	899	728	731	696	532	300	82	9	1	33
White, female	593	444	447	449	582	551	667	574	432	206	52	8	2	1
Black, male	212	168	154	167	155	96	90	81	27	18	5	-	1	1
Black, female	80	56	52	47	62	45	36	37	26	10	1	2	-	-
Motor vehicle traffic accidents (E810-E819)	2,304	1,738	1,615	1,682	1,695	1,414	1,534	1,366	1,005	527	137	17	3	34
All races, male	1,609	1,227	1,097	1,176	1,049	810	832	773	552	312	85	8	2	33
All races, female	695	511	518	506	646	604	702	593	453	215	52	9	1	1
White, male	1,349	1,025	916	990	875	703	717	679	516	290	79	8	1	32
White, female	587	440	445	444	573	542	653	556	425	201	51	7	1	1
Black, male	211	167	151	161	152	93	90	78	27	18	5	-	1	1
Black, female	80	56	52	46	61	45	36	34	25	10	1	2	-	-
Involving collision with train (E810)	37	24	17	20	21	17	11	10	6	5	1	-	-	-
All races, male	25	17	10	13	16	13	7	7	3	3	1	-	-	-
All races, female	12	7	7	7	5	4	4	3	3	4	-	-	-	-
White, male	22	12	10	11	16	10	7	6	3	4	1	-	-	-
White, female	10	5	7	7	5	4	4	3	3	1	-	-	-	-
Black, male	2	4	-	2	-	3	-	1	-	-	-	-	-	-
Black, female	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Involving collision with another motor vehicle (E811-E812)	936	697	704	704	759	669	752	624	434	210	53	7	-	5
All races, male	594	440	418	441	415	341	408	354	245	125	27	4	-	5
All races, female	342	257	286	263	344	328	344	270	189	85	26	6	-	-
White, male	511	387	369	394	359	312	369	323	237	116	26	1	-	4
White, female	298	231	256	238	315	300	328	259	179	82	26	5	-	-
Black, male	65	45	39	39	49	26	30	25	6	7	1	-	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 296

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Transport accidents-Con.														
Air and space transport accidents (E840-E845)	1,428	2	5	2	-	6	15	14	26	42	141	176	192	176
All races, male	1,141	2	2	-	-	4	8	10	17	29	99	141	169	150
All races, female	287	-	3	2	-	2	7	4	9	13	42	35	23	26
White, male	1,112	2	1	-	-	4	7	9	16	28	95	138	163	147
White, female	262	-	3	2	-	2	7	4	4	11	36	32	22	24
Black, male	15	-	-	-	-	-	-	-	-	-	2	3	4	2
Black, female	15	-	-	-	-	-	-	-	2	-	5	1	1	1
Vehicle accidents not elsewhere classifiable (E846-E848)	27	-	-	-	-	-	-	1	2	4	4	2	3	2
All races, male	24	-	-	-	-	-	-	1	2	4	4	2	2	2
All races, female	3	-	-	-	-	-	-	-	-	-	-	-	1	-
White, male	23	-	-	-	-	-	-	1	2	4	4	1	2	2
White, female	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning (E850-E869)	5,170	18	28	20	8	6	80	21	31	167	463	820	912	659
All races, male	3,659	5	19	12	6	5	47	11	22	113	332	653	738	533
All races, female	1,511	13	9	8	2	1	33	10	9	54	131	167	174	126
White, male	2,998	5	11	10	4	3	33	11	20	101	292	554	603	412
White, female	1,192	9	4	6	1	1	21	8	8	43	111	129	117	88
Black, male	612	-	8	2	2	2	14	-	1	8	33	95	126	118
Black, female	292	3	5	2	1	-	11	2	-	7	19	35	53	35
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	3,612	11	13	5	3	-	32	5	6	77	303	677	771	530
All races, male	2,509	5	7	2	2	-	16	1	3	51	218	536	619	423
All races, female	1,103	6	6	3	1	-	16	4	3	26	85	141	152	107
White, male	2,090	5	4	2	1	-	12	1	3	46	193	458	510	329
White, female	894	5	2	2	-	-	9	3	3	21	77	109	99	75
Black, male	388	-	3	-	1	-	4	-	-	3	20	75	102	91
Black, female	192	-	4	1	1	-	6	1	-	3	7	29	49	31
Accidental poisoning by other solid or liquid substances (E860-E865)	479	3	12	7	-	1	23	3	9	22	25	35	33	48
All races, male	363	-	10	6	-	1	17	2	7	19	20	30	26	42
All races, female	116	3	2	1	-	-	6	1	2	3	5	5	7	6
White, male	248	-	5	5	-	-	10	2	6	17	16	24	17	23
White, female	71	1	1	-	-	-	2	1	2	2	3	5	4	2
Black, male	104	-	5	1	-	1	7	-	-	1	2	5	7	19
Black, female	40	2	1	1	-	-	4	-	-	-	2	-	3	3
Accidental poisoning by gases and vapors (E867-E869)	1,079	4	3	8	5	5	25	13	16	68	135	108	108	81
All races, male	787	-	2	4	4	4	14	8	12	43	94	87	93	68
All races, female	292	4	1	4	1	1	11	5	4	25	41	21	15	13
White, male	660	-	2	3	3	3	11	8	11	38	83	72	76	60
White, female	227	3	1	4	1	1	10	4	3	20	31	15	14	11
Black, male	120	-	-	1	1	1	3	-	1	4	11	15	17	8
Black, female	60	1	-	-	-	-	1	1	-	4	10	6	1	1
Misadventures during medical care, abnormal reactions, and late complications (E870-E879)	2,674	37	4	7	5	-	53	21	13	10	18	34	37	53
All races, male	1,310	18	3	5	4	-	30	10	8	6	10	13	16	27
All races, female	1,364	19	1	2	1	-	23	11	5	4	8	21	21	26
White, male	1,084	13	2	2	2	-	19	8	4	5	7	9	12	18
White, female	1,151	12	-	1	1	-	14	5	4	4	7	15	13	18
Black, male	203	3	1	2	2	-	8	2	4	1	2	4	4	8
Black, female	195	7	1	1	-	-	9	6	1	-	1	6	8	6
Accidental falls (E880-E888)	12,001	45	39	20	13	8	125	28	43	132	260	264	259	266
All races, male	6,392	29	27	14	11	4	85	21	36	114	237	235	218	231
All races, female	5,609	16	12	6	2	4	40	7	7	18	23	29	41	35
White, male	5,579	16	19	11	4	3	53	13	31	108	207	195	165	171
White, female	5,219	11	6	3	1	2	23	4	4	15	18	23	34	28
Black, male	711	10	7	3	4	1	25	5	3	4	21	35	51	54
Black, female	337	3	5	3	1	2	14	3	3	2	5	6	7	7
Fall from one level to another (E880-E884)	3,365	29	30	13	13	6	91	14	30	100	203	195	160	146
All races, male	2,406	21	21	10	11	2	65	13	26	90	190	176	138	130
All races, female	959	8	9	3	2	4	26	1	4	10	13	19	22	16
White, male	2,085	13	14	7	4	1	39	9	22	83	171	146	109	107
White, female	869	4	5	2	1	2	14	-	2	10	8	17	18	14
Black, male	276	7	6	3	4	1	21	2	2	4	12	26	27	18
Black, female	79	2	3	1	1	2	9	1	2	-	5	2	4	2
Fall on same level (E885-E888)	411	1	1	1	-	-	3	1	4	6	7	5	7	5
All races, male	210	-	-	-	-	-	-	-	3	6	7	5	5	2
All races, female	201	1	1	1	-	-	3	1	1	-	-	-	2	3
White, male	195	-	-	-	-	-	-	-	3	5	5	4	3	2
White, female	186	1	-	1	-	-	2	-	1	-	-	-	2	3
Black, male	12	-	-	-	-	-	-	-	-	-	2	1	2	-
Black, female	13	-	1	-	-	-	1	1	-	-	-	-	-	-
Fracture, cause unspecified, and other and unspecified falls (E887-E888)	8,225	15	8	6	-	2	31	13	9	26	50	64	92	115
All races, male	3,776	8	6	4	-	2	20	8	7	18	40	54	75	99
All races, female	4,449	7	2	2	-	-	11	5	2	8	10	10	17	16
White, male	3,299	3	5	4	-	2	14	4	6	18	31	45	53	62
White, female	4,164	6	1	-	-	-	7	4	1	5	10	6	14	11
Black, male	423	3	1	-	-	-	4	3	1	-	7	8	22	36
Black, female	245	1	1	2	-	-	4	1	1	2	-	4	3	5
Accidents caused by fire and flames (E890-E899)	4,938	111	153	177	167	116	724	303	150	134	246	267	262	212
All races, male	3,008	61	85	97	101	70	414	166	79	85	159	179	194	140
All races, female	1,930	50	68	80	66	46	310	137	71	49	87	88	68	72
White, male	2,135	34	50	70	60	40	254	93	52	64	129	143	141	106
White, female	1,326	29	37	42	35	31	174	75	46	34	69	61	44	53
Black, male	825	26	32	22	38	26	146	72	27	18	26	33	50	30
Black, female	575	20	30	38	30	14	132	60	24	14	14	26	22	14

SECTION 1 - GENERAL MORTALITY - PAGE 297

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Transport accidents—Con.														
Air and space transport accidents (E840-E845)	179	148	108	95	47	37	20	10	1	1	-	-	-	-
All races, male	143	124	84	79	42	28	11	6	1	-	-	-	-	-
All races, female	36	24	24	16	5	9	9	4	-	1	-	-	-	-
White, male	140	119	84	79	42	27	11	6	1	-	-	-	-	-
White, female	35	22	23	15	5	8	9	4	-	1	-	-	-	-
Black, male	-	3	-	-	-	1	-	-	-	-	-	-	-	-
Black, female	1	2	1	-	-	1	-	-	-	-	-	-	-	-
Vehicle accidents not elsewhere classifiable (E846-E848)	3	1	1	-	-	-	-	1	2	1	-	-	-	-
All races, male	3	1	1	-	-	-	-	-	2	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	1	-	1	-	-	-	-
White, male	3	1	1	-	-	-	-	-	2	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Accidental poisoning (E850-E869)	370	271	215	236	201	154	165	143	133	80	37	4	3	5
All races, male	268	186	124	145	122	91	86	77	64	30	10	1	1	5
All races, female	102	85	91	91	79	63	79	66	69	50	27	3	2	-
White, male	203	139	96	119	98	79	73	67	56	28	10	1	-	3
White, female	81	66	72	74	67	49	68	58	60	43	25	2	2	-
Black, male	59	44	26	24	24	10	12	8	7	1	-	-	1	1
Black, female	17	18	18	16	11	14	10	7	9	7	2	1	-	-
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	249	158	123	121	105	93	98	85	90	56	29	2	1	1
All races, male	169	105	54	54	50	54	49	41	38	19	8	-	-	1
All races, female	80	53	69	67	55	39	49	44	52	37	21	2	1	-
White, male	133	82	43	50	41	51	43	37	31	18	8	-	-	1
White, female	69	44	60	60	49	34	42	39	44	33	21	2	1	-
Black, male	32	22	10	3	9	2	6	3	6	-	-	-	-	-
Black, female	9	8	9	6	6	5	7	4	8	4	-	-	-	-
Accidental poisoning by other solid or liquid substances (E860-E865)	42	50	39	47	35	22	20	11	5	5	1	-	1	3
All races, male	36	36	29	37	24	9	11	7	3	4	-	-	1	3
All races, female	6	14	10	10	11	13	9	4	2	1	1	-	-	-
White, male	22	21	22	25	16	5	8	6	3	4	-	-	-	1
White, female	3	7	4	6	7	8	8	3	2	1	1	-	1	-
Black, male	13	14	7	11	8	4	3	1	-	-	-	-	-	-
Black, female	2	7	5	4	3	5	1	1	-	-	-	-	-	-
Accidental poisoning by gases and vapors (E867-E869)	79	63	53	68	61	39	47	47	38	19	7	2	1	1
All races, male	63	45	41	54	48	28	26	29	23	7	2	1	-	1
All races, female	16	18	12	14	13	11	21	18	15	12	5	1	1	-
White, male	48	36	31	44	41	23	22	24	22	6	2	1	-	1
White, female	9	15	8	8	11	7	18	16	14	9	3	-	1	-
Black, male	14	8	9	10	7	4	3	4	1	1	-	-	-	-
Black, female	6	3	4	6	2	4	2	2	1	3	2	1	-	-
Misadventures during medical care, abnormal reactions, and late complications (E870-E879)	52	59	87	160	239	318	383	367	333	252	135	47	3	-
All races, male	28	34	55	97	146	175	191	186	138	92	40	8	-	-
All races, female	24	25	32	63	93	143	192	181	195	160	95	39	3	-
White, male	20	24	41	74	117	153	166	160	120	87	33	7	-	-
White, female	16	17	27	53	78	130	157	155	167	147	90	31	3	-
Black, male	7	9	14	22	26	20	23	23	16	3	6	1	-	-
Black, female	7	7	4	8	14	11	31	23	27	13	5	8	-	-
Accidental falls (E880-E888)	268	263	305	480	591	647	994	1,415	1,800	1,961	1,356	468	72	4
All races, male	222	208	237	356	397	393	570	712	763	736	442	153	23	3
All races, female	46	55	68	124	194	254	424	703	1,037	1,225	914	315	49	1
White, male	165	156	188	292	341	330	509	659	712	694	427	140	22	3
White, female	30	43	55	103	168	240	383	657	983	1,187	881	298	41	1
Black, male	56	49	44	62	54	56	53	40	45	33	11	9	1	-
Black, female	15	12	13	17	23	11	35	41	45	30	29	13	6	-
Fall from one level to another (E880-E884)	145	139	150	206	239	223	286	299	300	249	131	52	6	1
All races, male	124	120	129	170	173	148	188	177	161	109	54	21	3	1
All races, female	21	19	21	36	66	75	98	122	139	140	77	31	3	-
White, male	104	95	107	152	152	129	167	163	151	105	51	19	3	1
White, female	14	18	17	32	56	69	93	114	130	134	75	31	3	-
Black, male	20	24	19	17	20	17	19	10	9	4	3	2	-	-
Black, female	7	1	4	4	7	5	4	7	7	6	2	-	-	-
Fall on same level (E885-E886)	1	3	10	12	17	29	53	49	69	66	48	14	2	-
All races, male	1	1	4	12	9	19	27	26	32	22	21	8	-	-
All races, female	-	2	6	-	8	10	26	23	37	44	27	6	2	-
White, male	1	1	3	10	9	17	27	25	31	20	21	8	-	-
White, female	-	1	3	-	7	10	22	23	34	44	26	6	2	-
Black, male	-	-	1	2	-	2	-	-	1	1	-	-	-	-
Black, female	-	1	3	-	1	-	2	-	3	-	-	-	-	-
Fracture, cause unspecified, and other and unspecified falls (E887-E888)	122	121	145	262	335	395	655	1,067	1,431	1,646	1,177	402	64	3
All races, male	97	87	104	174	215	226	355	509	570	605	367	124	20	2
All races, female	25	34	41	88	120	169	300	558	861	1,041	810	278	44	1
White, male	60	60	78	130	180	184	315	471	530	589	355	113	19	2
White, female	16	24	35	71	105	161	268	520	819	1,009	780	261	36	1
Black, male	36	25	24	43	34	37	34	30	35	28	8	7	1	-
Black, female	8	10	6	13	15	6	29	34	35	24	26	13	6	-
Accidents caused by fire and flames (E890-E899)	188	185	224	259	297	289	301	334	271	167	81	24	4	16
All races, male	131	131	157	177	197	178	166	170	134	85	39	11	3	13
All races, female	57	54	67	82	100	111	135	164	137	82	42	13	1	3
White, male	82	88	110	125	147	134	122	135	100	67	26	6	1	10
White, female	40	39	48	58	70	83	103	130	109	56	27	6	-	1
Black, male	47	40	44	51	49	43	44	34	33	18	12	3	2	3
Black, female	16	15	17	24	28	27	32	32	28	26	15	6	1	2

SECTION 1 - GENERAL MORTALITY - PAGE 298

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Accidents and adverse effects-Con.														
Other accidents, including late effects (E900-E929)	19,247	494	369	297	199	165	1,524	502	654	1,241	1,551	1,406	1,190	987
All races, male	14,432	269	220	194	139	116	938	371	564	1,099	1,407	1,238	1,051	849
All races, female	4,815	225	149	103	60	49	586	131	90	142	144	168	139	144
White, male	11,585	201	174	170	116	100	761	265	419	864	1,150	995	854	660
White, female	3,929	164	121	91	54	38	468	92	57	114	112	129	102	114
Black, male	2,478	62	38	17	18	10	145	83	127	204	209	216	164	163
Black, female	754	54	19	10	4	6	93	29	29	20	25	30	29	23
Lightning (E907)	85	-	-	1	-	-	1	1	6	13	13	17	6	5
All races, male	77	-	-	1	-	-	1	1	6	11	12	17	6	5
All races, female	8	-	-	-	-	-	-	-	-	2	1	-	-	-
White, male	66	-	-	1	-	-	1	1	6	9	11	15	3	5
White, female	6	-	-	-	-	-	-	-	-	2	-	-	-	-
Black, male	9	-	-	-	-	-	-	-	-	1	1	2	3	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion (E910)	4,407	88	203	175	119	90	675	257	275	554	581	438	333	225
All races, male	3,565	49	116	118	86	65	434	196	221	497	536	387	291	193
All races, female	842	39	87	57	33	25	241	61	54	57	45	51	42	32
White, male	2,660	36	102	106	77	55	376	123	119	362	393	283	220	132
White, female	671	34	72	53	29	20	208	41	27	45	33	40	34	25
Black, male	776	12	11	6	6	5	40	58	93	122	121	96	61	54
Black, female	135	4	7	4	2	2	19	16	23	11	10	9	6	6
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	3,551	170	58	28	8	8	272	26	25	28	45	71	74	84
All races, male	1,981	95	37	17	5	6	160	14	18	17	29	49	56	58
All races, female	1,570	75	21	11	3	2	112	12	7	11	16	22	18	26
White, male	1,603	70	21	11	4	5	111	9	13	15	24	33	46	50
White, female	1,306	42	18	7	2	-	69	7	4	9	11	18	11	22
Black, male	334	21	15	6	1	1	44	5	4	2	5	15	6	7
Black, female	239	29	3	2	1	2	37	4	3	1	4	4	5	4
Accident caused by handgun (E922.0)	190	-	-	2	1	1	4	7	27	37	46	17	13	13
All races, male	167	-	-	2	-	1	3	5	25	36	39	16	10	11
All races, female	23	-	-	-	1	-	1	2	2	1	7	1	3	2
White, male	145	-	-	2	-	1	3	4	24	28	33	15	7	11
White, female	19	-	-	-	1	-	1	2	2	1	6	-	2	2
Black, male	21	-	-	-	-	-	-	1	1	8	5	1	3	-
Black, female	4	-	-	-	-	-	-	-	-	-	1	1	1	-
Accidents caused by all other and unspecified firearms (E922.1-E922.9)	1,459	2	5	10	9	13	39	51	150	204	192	167	142	102
All races, male	1,248	-	3	4	7	9	23	35	139	181	174	145	115	82
All races, female	211	2	2	6	2	4	16	16	11	23	18	22	27	20
White, male	1,015	-	1	2	3	6	12	29	121	138	142	116	94	65
White, female	167	1	2	5	2	3	13	11	10	16	15	18	19	15
Black, male	192	-	2	2	4	3	11	3	15	37	22	22	18	14
Black, female	34	1	-	1	-	1	3	4	1	5	1	3	7	4
Accident caused by explosive material (E923)	296	2	1	-	2	1	6	3	4	10	33	35	32	23
All races, male	245	-	1	-	1	-	2	2	4	7	30	32	31	16
All races, female	51	2	-	-	1	1	4	1	-	3	3	3	1	7
White, male	209	-	1	-	1	-	2	2	4	6	28	27	26	12
White, female	48	2	-	-	1	1	4	1	-	2	3	3	1	7
Black, male	32	-	-	-	-	-	-	-	-	-	2	5	5	3
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation (E924-E926)	176	6	17	3	2	-	28	-	-	1	4	5	9	3
All races, male	98	3	9	2	2	-	16	-	-	-	4	4	7	3
All races, female	78	3	8	1	-	-	12	-	-	1	-	1	2	-
White, male	68	2	3	2	-	-	7	-	-	-	4	4	6	3
White, female	53	2	2	1	-	-	5	-	-	1	-	1	1	-
Black, male	26	-	5	-	2	-	7	-	-	-	-	-	1	-
Black, female	23	1	5	-	-	-	6	-	-	-	-	-	1	-
Accident caused by electric current (E925)	802	6	6	9	6	3	30	12	22	80	136	127	97	75
All races, male	742	1	1	6	4	2	14	7	19	75	131	123	92	70
All races, female	60	5	5	3	2	1	16	5	3	5	5	4	5	5
White, male	671	-	1	5	4	2	12	6	18	68	123	107	85	62
White, female	48	3	5	3	2	1	14	2	3	5	4	2	4	5
Black, male	62	1	-	1	-	-	2	-	1	6	8	11	6	7
Black, female	9	2	-	-	-	-	2	1	-	-	1	2	1	-
All other accidents and late effects of accidental injury (E900-E906, E908-E909, E913-E921, E927-E929)	8,281	220	79	69	52	49	469	145	145	314	501	529	484	457
All races, male	6,309	121	53	44	34	33	285	111	132	275	452	465	443	405
All races, female	1,972	99	26	25	18	16	184	34	13	39	49	64	41	52
White, male	5,148	93	45	41	27	31	237	91	114	238	392	395	367	320
White, female	1,611	80	22	22	17	13	154	28	11	33	40	47	30	38
Black, male	1,024	28	5	2	5	1	41	16	13	28	45	64	61	78
Black, female	308	17	4	3	1	1	26	4	2	3	8	11	8	9
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	178	2	1	-	-	-	3	4	5	4	7	7	16	7
All races, male	95	1	-	-	-	-	1	1	2	2	4	6	9	2
All races, female	83	1	1	-	-	-	2	3	3	2	3	1	7	5
White, male	81	1	-	-	-	-	1	1	2	2	2	5	5	2
White, female	67	1	1	-	-	-	2	2	3	2	2	1	3	3
Black, male	14	-	-	-	-	-	-	-	-	-	2	1	4	-
Black, female	16	-	-	-	-	-	-	1	-	-	1	-	4	2
Suicide (E950-E959)	29,453	3	275	1,849	3,272	3,364	3,012	2,528
All races, male	23,145	3	202	1,509	2,758	2,759	2,375	1,943
All races, female	6,308	-	73	340	514	605	637	585
White, male	21,256	3	180	1,339	2,414	2,436	2,099	1,782
White, female	5,831	-	63	304	452	549	575	534
Black, male	1,481	-	17	114	253	254	221	135
Black, female	314	-	5	21	36	40	41	40

SECTION 1 - GENERAL MORTALITY - PAGE 299

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

(Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975)

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Accidents and adverse effects—Con.														
Other accidents, including late effects (E900-E929)	888	780	788	923	1,007	1,018	1,071	1,137	1,045	826	466	144	33	66
All races, male	772	643	638	737	780	709	660	695	556	402	202	53	12	62
All races, female	116	137	150	186	227	309	411	442	489	424	264	91	21	4
White, male	597	480	500	594	636	595	547	582	463	348	170	47	9	49
White, female	94	101	110	153	186	255	336	367	422	378	239	80	16	4
Black, male	152	144	125	129	129	106	105	97	85	48	27	6	2	12
Black, female	16	26	35	30	39	49	66	73	61	43	23	10	5	-
Lightning (E907)	9	4	1	3	1	3	1	1	-	-	-	-	-	-
All races, male	6	4	1	3	1	2	1	-	-	-	-	-	-	-
All races, female	3	-	-	-	-	1	-	1	-	-	-	-	-	-
White, male	6	4	-	2	1	1	-	-	-	-	-	-	-	-
White, female	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Black, male	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning and submersion (E910)	175	132	94	102	118	121	97	64	73	38	15	-	2	38
All races, male	156	107	80	76	94	88	60	40	47	17	8	-	-	37
All races, female	19	25	14	26	24	33	37	24	26	21	7	-	2	1
White, male	113	82	59	63	74	78	49	37	42	16	7	-	-	32
White, female	15	18	12	19	20	30	32	21	22	20	6	-	2	1
Black, male	35	22	17	10	14	10	10	2	5	1	1	-	-	4
Black, female	3	6	1	6	3	3	4	3	4	1	1	-	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	80	104	136	170	248	294	341	435	404	380	239	83	12	-
All races, male	58	68	83	117	158	173	176	247	195	167	102	30	6	-
All races, female	22	36	53	53	90	121	165	188	209	213	137	53	6	-
White, male	43	49	60	100	133	144	138	204	163	146	88	29	5	-
White, female	15	29	39	42	78	100	137	162	179	194	127	48	5	-
Black, male	15	16	21	15	25	26	33	35	27	20	11	1	1	-
Black, female	7	6	14	10	12	18	24	26	26	18	10	5	1	-
Accident caused by handgun (E922.0)	3	7	3	1	4	1	3	-	4	-	-	-	-	-
All races, male	3	6	2	1	4	1	3	-	2	-	-	-	-	-
All races, female	-	1	1	-	-	-	-	-	2	-	-	-	-	-
White, male	3	5	1	1	4	1	3	-	2	-	-	-	-	-
White, female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Accidents caused by all other and unspecified firearms (E922.1-E922.9)	97	61	52	57	46	25	38	16	13	1	2	1	-	3
All races, male	78	55	43	47	43	22	36	14	12	1	-	1	-	2
All races, female	19	6	9	10	3	3	2	2	1	-	2	-	-	1
White, male	59	42	38	42	37	19	33	13	12	1	-	1	-	1
White, female	18	2	8	9	3	2	2	2	1	-	2	-	-	1
Black, male	16	11	5	4	6	3	3	1	-	-	-	-	-	1
Black, female	-	3	1	1	-	1	-	-	-	-	-	-	-	-
Accident caused by explosive material (E923)	29	17	20	25	9	12	12	15	8	3	-	-	-	-
All races, male	27	11	16	21	8	9	9	13	6	1	-	-	-	-
All races, female	2	6	4	4	1	3	3	2	2	2	-	-	-	-
White, male	23	10	12	19	8	8	7	11	3	1	-	-	-	-
White, female	1	6	4	4	1	3	1	2	2	2	-	-	-	-
Black, male	3	1	4	1	-	1	2	2	3	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation (E924-E926)	4	3	6	7	10	12	13	23	18	19	10	1	-	-
All races, male	3	3	5	5	7	5	7	11	6	9	2	1	-	-
All races, female	1	-	1	2	3	7	6	12	12	10	8	-	-	-
White, male	3	1	2	4	4	4	4	8	4	7	2	1	-	-
White, female	1	-	1	2	1	5	5	8	7	8	7	-	-	-
Black, male	-	2	3	1	3	1	3	3	2	2	-	-	-	-
Black, female	-	-	-	-	2	2	1	3	5	2	1	-	-	-
Accident caused by electric current (E925)	56	37	34	30	31	19	7	5	3	-	-	1	-	-
All races, male	53	37	33	29	28	17	5	5	3	-	-	1	-	-
All races, female	3	-	1	1	3	2	2	-	-	-	-	-	-	-
White, male	47	29	31	26	27	17	5	5	2	-	-	1	-	-
White, female	2	-	1	1	2	1	-	-	-	-	-	-	-	-
Black, male	6	8	2	3	1	-	-	-	1	-	-	-	-	-
Black, female	1	-	-	-	1	-	-	-	-	-	-	-	-	-
All other accidents and late effects of accidental injury (E900-E906, E908-E909, E913-E921, E927-E929)	435	415	442	528	540	531	559	578	522	385	200	58	19	25
All races, male	388	352	375	438	437	392	363	365	285	207	90	20	6	23
All races, female	47	63	67	90	103	139	196	213	237	178	110	38	13	2
White, male	300	258	296	337	348	323	308	304	235	177	73	15	4	16
White, female	40	46	44	76	81	112	156	172	209	154	97	32	9	2
Black, male	77	83	72	94	80	64	54	54	47	25	15	5	1	7
Black, female	4	10	19	13	21	25	37	40	26	22	11	5	4	-
Drugs, medicaments, and biological substances causing adverse effects in therapeutic use (E930-E949)	7	8	11	10	11	24	18	21	10	4	1	-	-	-
All races, male	4	6	9	5	6	14	8	13	1	2	-	-	-	-
All races, female	3	2	2	5	5	10	10	8	9	2	1	-	-	-
White, male	4	5	8	4	6	13	7	11	1	2	-	-	-	-
White, female	2	2	2	5	4	8	9	7	7	2	1	-	-	-
Black, male	-	1	1	1	-	1	1	2	-	-	-	-	-	-
Black, female	1	-	-	-	1	2	1	1	2	-	-	-	-	-
Suicide (E950-E959)	2,098	1,804	1,728	1,931	1,794	1,581	1,564	1,282	844	377	120	20	-	7
All races, male	1,538	1,305	1,267	1,445	1,389	1,236	1,252	1,035	714	304	107	17	-	7
All races, female	560	499	461	486	425	345	312	247	130	73	13	3	-	-
White, male	1,427	1,206	1,196	1,368	1,306	1,171	1,204	1,011	660	296	105	16	-	5
White, female	521	467	435	470	402	328	292	231	124	68	13	3	-	-
Black, male	90	82	63	56	52	53	45	19	21	3	2	-	-	1
Black, female	25	21	22	8	17	7	10	15	4	2	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 300

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex 1	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Suicide-Con.														
Suicide by drugs, medicaments, and biologicals (E950.0-E950.5)	2,668	-	26	98	195	287	351	302
All races, male	1,123	-	5	44	97	146	173	153
All races, female	1,545	-	21	54	98	141	178	149
White, male	1,049	-	4	41	84	133	160	140
White, female	1,454	-	15	47	88	130	163	138
Black, male	55	-	-	2	7	13	9	11
Black, female	65	-	4	5	6	8	12	10
Suicide by other solid or liquid substances (E950.6-E950.9)	269	-	1	13	23	40	24	34
All races, male	170	-	-	10	20	32	15	23
All races, female	99	-	1	3	3	8	9	11
White, male	151	-	-	9	15	29	14	22
White, female	83	-	1	3	2	7	7	10
Black, male	14	-	-	1	3	3	1	1
Black, female	12	-	-	-	1	1	2	1
Suicide by gases and vapors (E951-E952)	2,767	-	7	187	257	326	311	346
All races, male	2,026	-	2	133	205	261	244	255
All races, female	741	-	5	54	52	65	67	91
White, male	1,985	-	2	128	203	254	235	249
White, female	728	-	5	53	51	61	66	89
Black, male	33	-	-	3	2	5	8	5
Black, female	6	-	-	-	-	2	1	2
Suicide by hanging, strangulation, and suffocation (E953)	4,264	3	95	354	616	586	495	328
All races, male	3,532	3	78	309	555	524	434	278
All races, female	732	-	17	45	61	62	61	50
White, male	3,073	3	66	261	461	415	362	245
White, female	639	-	14	38	49	55	49	39
Black, male	308	-	10	25	62	79	53	26
Black, female	26	-	1	2	6	2	1	4
Suicide by handgun (E955.0)	2,981	-	18	149	293	294	286	257
All races, male	2,373	-	12	108	230	236	224	198
All races, female	608	-	6	41	63	58	62	59
White, male	2,229	-	12	97	206	222	204	188
White, female	573	-	6	38	55	53	61	54
Black, male	118	-	-	8	18	12	17	8
Black, female	28	-	-	1	6	3	1	5
Suicide by all other and unspecified firearms (E955.1-E955.4)	14,382	-	121	968	1,671	1,624	1,305	1,072
All races, male	12,436	-	99	843	1,469	1,385	1,104	906
All races, female	1,946	-	22	125	202	239	201	166
White, male	11,521	-	91	753	1,305	1,246	982	831
White, female	1,797	-	22	112	179	217	180	155
Black, male	763	-	6	66	128	115	101	63
Black, female	123	-	-	8	14	18	18	11
Suicide by all other means and late effects of self-inflicted injury (E954,E955.5-E959)	2,122	-	7	80	217	207	240	189
All races, male	1,485	-	6	62	182	175	181	130
All races, female	637	-	1	18	35	32	59	59
White, male	1,248	-	5	50	140	137	142	107
White, female	557	-	-	13	28	26	49	49
Black, male	190	-	1	9	33	27	32	21
Black, female	54	-	-	5	3	6	6	7
Homicide and legal intervention (E960-E978)	19,893	200	142	87	72	47	548	167	250	1,602	3,170	3,385	2,805	2,106
All races, male	15,066	106	76	42	38	28	290	84	161	1,245	2,522	2,652	2,197	1,538
All races, female	4,827	94	66	45	34	19	258	83	89	357	648	733	608	468
White, male	8,122	58	42	26	25	18	169	49	101	567	1,283	1,372	1,106	892
White, female	3,041	63	33	25	21	14	156	46	63	201	376	418	349	283
Black, male	6,616	46	32	16	13	9	116	30	55	645	1,180	1,223	1,062	701
Black, female	1,666	29	30	18	13	5	95	30	22	142	263	303	239	169
Assault by handgun (E965.0)	903	-	-	1	1	1	3	7	7	62	137	161	141	112
All races, male	691	-	-	1	1	1	2	6	6	52	118	127	109	77
All races, female	213	-	-	-	1	-	1	1	1	10	19	34	32	35
White, male	353	-	-	1	-	1	2	5	3	24	57	54	52	40
White, female	147	-	-	-	1	-	1	1	1	6	8	22	21	26
Black, male	324	-	-	-	-	-	-	1	3	27	59	70	55	36
Black, female	63	-	-	-	-	-	-	-	-	4	11	12	11	7
Assault by all other and unspecified firearms (E965.1-E965.4)	10,933	6	16	11	10	13	56	51	134	1,002	1,916	2,057	1,635	1,212
All races, male	8,841	2	8	8	4	9	31	25	99	851	1,616	1,694	1,328	990
All races, female	2,092	4	8	3	6	4	25	26	35	151	300	363	307	222
White, male	4,652	1	2	7	3	5	18	20	60	358	795	870	661	558
White, female	1,339	3	3	2	3	4	15	14	25	82	181	208	182	142
Black, male	4,039	1	6	1	1	4	13	5	37	479	796	797	654	409
Black, female	716	1	3	1	3	-	8	12	8	64	118	150	118	75
Assault by cutting and piercing instrument (E966)	3,994	11	6	1	10	4	32	22	45	321	698	709	610	434
All races, male	3,068	7	3	1	4	1	16	11	21	237	557	550	507	340
All races, female	926	4	3	-	6	3	16	11	24	84	141	159	103	94
White, male	1,516	3	1	1	2	1	8	2	15	120	262	270	242	158
White, female	529	3	1	-	3	3	10	6	16	45	69	88	52	47
Black, male	1,456	2	2	-	2	-	6	6	5	103	255	261	257	174
Black, female	368	1	2	-	3	-	6	5	8	35	68	64	49	42
Assault by all other means and late effects of injury purposely inflicted by other person (E960-E964,E965.5-E965.9,E967-E969)	3,798	183	120	74	51	29	457	87	64	194	363	395	382	315
All races, male	2,206	97	65	32	30	17	241	42	35	83	175	219	216	199
All races, female	1,592	86	55	42	21	12	216	45	29	111	188	176	166	116
White, male	1,442	54	39	17	20	11	141	22	23	54	116	144	127	119
White, female	1,025	57	29	23	14	7	130	25	21	68	118	99	94	68
Black, male	708	43	24	15	10	5	97	18	10	25	50	69	84	72
Black, female	515	27	25	17	7	5	81	13	6	38	66	76	61	44

SECTION 1 - GENERAL MORTALITY - PAGE 301

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Suicide-Con.														
Suicide by drugs, medicaments, and biologicals (E950.0-E950.5)	284	237	188	185	146	110	93	92	46	19	6	2	-	1
All races, male	118	90	76	66	43	30	33	29	9	7	3	-	-	1
All races, female	166	147	112	119	103	80	60	63	37	12	3	2	-	-
White, male	114	86	74	62	43	28	33	29	7	7	3	-	-	1
White, female	155	142	106	118	101	78	57	62	37	12	3	2	-	-
Black, male	3	3	2	2	-	2	-	-	1	-	-	-	-	-
Black, female	7	4	5	-	1	1	1	1	-	-	-	-	-	-
Suicide by other solid or liquid substances (E950.6-E950.9)	21	20	18	14	22	10	11	7	8	3	-	-	-	-
All races, male	14	13	12	4	8	5	3	6	5	-	-	-	-	-
All races, female	7	7	6	10	14	5	8	1	3	3	-	-	-	-
White, male	13	11	10	3	7	5	2	6	5	-	-	-	-	-
White, female	7	3	4	10	11	4	7	1	3	3	-	-	-	-
Black, male	-	1	2	1	-	-	1	-	-	-	-	-	-	-
Black, female	-	2	2	-	2	1	-	-	-	-	-	-	-	-
Suicide by gases and vapors (E951-E952)	255	212	178	203	132	96	94	96	47	18	2	-	-	-
All races, male	178	141	107	140	103	64	67	69	38	17	2	-	-	-
All races, female	77	71	71	63	29	32	27	27	9	1	-	-	-	-
White, male	177	137	103	139	102	64	66	69	38	17	2	-	-	-
White, female	75	70	71	63	29	32	26	27	9	1	-	-	-	-
Black, male	-	4	4	1	-	-	1	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide by hanging, strangulation, and suffocation (E953)	226	186	187	233	235	193	163	145	112	70	31	5	-	1
All races, male	180	143	149	185	177	144	107	102	87	43	28	5	-	1
All races, female	46	43	38	48	58	49	56	43	25	27	3	-	-	-
White, male	162	128	144	170	167	132	101	97	85	42	28	4	-	-
White, female	42	38	35	43	53	44	49	41	23	24	3	-	-	-
Black, male	13	11	5	3	6	7	5	2	1	-	-	-	-	-
Black, female	2	1	1	1	2	-	2	1	-	-	-	-	-	-
Suicide by handgun (E955.0)	249	165	174	206	186	181	195	165	100	44	16	3	-	-
All races, male	197	130	129	156	146	147	166	145	88	43	15	3	-	-
All races, female	52	35	45	50	40	34	29	20	12	1	1	-	-	-
White, male	181	123	124	150	138	139	158	142	85	42	15	3	-	-
White, female	47	34	43	49	39	34	29	18	12	-	1	-	-	-
Black, male	14	7	3	6	6	7	3	3	3	-	-	-	-	-
Black, female	4	1	2	1	1	-	2	-	1	-	-	-	-	-
Suicide by all other and unspecified firearms (E955.1-E955.4)	910	857	861	938	944	865	887	684	445	178	42	8	-	2
All races, male	747	706	720	791	825	767	805	627	427	166	39	8	-	2
All races, female	163	151	141	147	119	98	82	57	18	12	3	-	-	-
White, male	694	657	673	753	784	732	779	614	415	164	38	8	-	2
White, female	153	142	134	142	114	93	77	48	14	12	3	-	-	-
Black, male	46	41	42	33	38	34	25	11	12	1	1	-	-	-
Black, female	8	9	6	4	5	4	5	9	4	-	-	-	-	-
Suicide by all other means and late effects of self-inflicted injury (E954,E955.5-E959)	153	127	122	152	129	126	121	93	86	45	23	2	-	3
All races, male	104	82	74	103	67	79	71	57	60	28	20	1	-	3
All races, female	49	45	48	49	62	47	50	36	26	17	3	1	-	-
White, male	86	64	68	91	65	71	65	54	55	26	19	1	-	2
White, female	42	38	42	45	55	43	47	34	26	16	3	1	-	-
Black, male	14	15	5	10	2	4	6	3	4	2	1	-	-	1
Black, female	3	4	6	2	6	1	2	2	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	1,475	1,051	777	703	569	431	298	232	150	73	28	10	-	63
All races, male	1,159	808	597	541	415	292	187	125	67	21	11	6	-	48
All races, female	316	243	180	162	154	139	111	107	83	52	17	4	-	15
White, male	671	464	358	343	245	186	115	88	46	13	10	4	-	40
White, female	215	169	118	119	117	104	81	88	69	41	13	3	-	12
Black, male	455	322	228	189	166	101	70	35	20	8	1	2	-	7
Black, female	99	65	54	40	33	34	27	18	14	11	4	1	-	3
Assault by handgun (E965.0)	84	57	49	24	21	15	8	7	3	4	-	-	-	1
All races, male	65	42	32	14	16	10	7	5	1	1	-	-	-	1
All races, female	19	15	17	10	5	5	1	2	2	3	-	-	-	-
White, male	38	21	22	8	13	6	5	1	1	1	-	-	-	-
White, female	14	10	13	9	3	5	1	2	1	3	-	-	-	-
Black, male	25	19	10	6	2	4	2	4	-	-	-	-	-	1
Black, female	5	5	4	1	2	-	-	-	1	-	-	-	-	-
Assault by all other and unspecified firearms (E965.1-E965.4)	850	571	388	357	254	184	114	72	38	17	4	1	-	20
All races, male	688	450	297	279	183	134	75	40	21	6	3	1	-	20
All races, female	162	121	91	78	61	50	39	32	17	11	1	-	-	-
White, male	404	262	182	174	112	76	45	24	13	2	2	-	-	16
White, female	111	82	64	62	47	39	35	26	13	10	1	-	-	-
Black, male	262	178	113	100	79	55	29	16	8	4	1	1	-	3
Black, female	50	36	26	14	12	11	3	6	4	1	-	-	-	-
Assault by cutting and piercing instrument (E966)	278	199	170	130	114	80	53	52	18	9	3	3	-	14
All races, male	224	155	138	98	85	50	29	28	7	2	-	3	-	10
All races, female	54	44	32	32	29	30	24	24	11	7	3	-	-	4
White, male	105	69	71	51	40	31	16	22	4	1	-	2	-	7
White, female	38	28	15	20	22	20	16	19	9	4	2	-	-	2
Black, male	111	80	64	46	44	19	13	4	3	1	-	1	-	3
Black, female	16	14	12	12	6	10	8	5	2	3	1	-	-	2
Assault by all other means and late effects of injury purposely inflicted by other person (E960-E964,E965.5-E965.9,E967-E969)	247	212	165	189	171	150	122	101	88	42	21	6	-	27
All races, male	166	149	125	147	113	96	75	52	35	12	8	2	-	16
All races, female	81	63	40	42	58	54	47	49	53	30	13	4	-	11
White, male	112	103	79	108	73	72	48	41	25	9	8	2	-	16
White, female	52	49	26	28	45	40	29	41	46	23	10	3	-	10
Black, male	53	43	40	36	40	22	26	11	9	3	-	-	-	-
Black, female	28	10	12	13	12	13	16	7	7	7	3	1	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 303

Table 1-25. Deaths From 282 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex ¹	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Capital execution (E978)	3	1	-	-	-	-	-	-	-	-	-	-	-	-
All races, male	3	1	-	-	-	-	-	-	-	-	-	-	-	-
All races, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other legal intervention and late effects of injury due to legal intervention (E970-E977)	13	11	5	3	9	2	1	-	3	1	-	-	-	1
All races, male	13	11	5	3	8	2	1	-	3	-	-	-	-	1
All races, female	-	-	-	-	1	-	-	-	-	1	-	-	-	-
White, male	10	8	4	2	7	1	1	-	3	-	-	-	-	1
White, female	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	3	2	1	1	1	1	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	206	195	126	134	118	90	71	68	55	27	15	6	-	22
All races, male	152	121	86	97	80	53	40	45	32	20	8	3	-	17
All races, female	54	74	40	37	38	37	31	23	23	7	7	3	-	5
White, male	116	91	66	77	65	41	32	35	26	19	6	2	-	13
White, female	41	61	33	32	31	34	24	21	20	4	7	3	-	3
Black, male	33	27	18	19	15	11	6	8	6	1	2	1	-	4
Black, female	13	12	3	4	7	3	7	2	2	3	-	-	-	2
From poisoning by drugs, medicaments, and biologicals (E980.0-E980.5)	63	72	28	28	28	15	14	11	4	3	1	1	-	-
All races, male	38	33	7	13	13	5	2	5	-	1	1	1	-	-
All races, female	25	39	21	15	15	10	12	6	4	2	-	-	-	-
White, male	32	29	3	12	12	5	2	5	-	1	1	1	-	-
White, female	21	32	18	14	14	10	10	6	4	2	-	-	-	-
Black, male	6	4	4	1	1	-	-	-	-	-	-	-	-	-
Black, female	4	7	1	-	1	-	2	-	-	-	-	-	-	-
From poisoning by other solid or liquid substances (E980.6-E980.9)	8	4	6	3	3	4	1	1	1	-	-	-	-	-
All races, male	6	1	5	2	3	-	-	-	-	-	-	-	-	-
All races, female	2	3	1	1	-	4	1	1	1	-	-	-	-	-
White, male	6	1	5	2	3	-	-	-	-	-	-	-	-	-
White, female	1	2	1	1	-	4	1	1	1	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	1	-	-	-	-	-	-	-	-	-	-	-	-
From injury by handgun (E985.0)	4	3	5	3	-	2	-	3	2	1	-	-	-	-
All races, male	3	3	5	3	-	2	-	3	2	1	-	-	-	-
All races, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	3	3	5	3	-	2	-	2	2	1	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
From injury by all other and unspecified firearms (E985.1-E985.4)	21	22	14	19	15	19	6	9	7	2	1	-	-	-
All races, male	20	15	11	14	11	18	6	8	7	2	1	-	-	-
All races, female	1	7	3	5	4	1	-	1	-	-	-	-	-	-
White, male	16	13	11	11	11	16	6	7	7	2	1	-	-	-
White, female	1	5	2	4	3	1	-	1	-	-	-	-	-	-
Black, male	3	2	-	3	-	2	-	1	-	-	-	-	-	-
Black, female	-	1	1	1	1	-	-	-	-	-	-	-	-	-
From injury by all other means and late effects of injury, undetermined whether accidentally or purposely inflicted (E981-E984, E985.5-E989)	110	94	73	81	72	50	50	44	41	21	13	5	-	22
All races, male	85	69	58	65	53	28	32	29	23	16	6	2	-	17
All races, female	25	25	15	16	19	22	18	15	18	5	7	3	-	5
White, male	59	45	42	49	39	18	24	21	17	15	4	1	-	13
White, female	17	22	12	13	14	19	13	13	15	2	7	3	-	3
Black, male	24	21	14	15	14	9	6	7	6	1	-	1	-	4
Black, female	8	3	1	3	5	3	5	2	2	3	-	-	-	2
Injury resulting from operations of war (E990-E999)	-	1	-	1	3	1	1	3	-	1	1	2	-	-
All races, male	-	1	-	1	3	1	1	2	-	1	1	2	-	-
All races, female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	1	3	1	1	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Totals for causes of death include races other than white and black.

SECTION 1 - GENERAL MORTALITY - PAGE 304

Table 1-26. Number and Percent of Deaths for Which Autopsies Were Reported, by 10-Year Age Groups, Race, and Sex:
United States, 1985

Race and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Number													
All races	258,596	18,432	3,773	3,859	21,289	29,167	26,840	27,233	41,938	45,070	30,161	10,526	308
Male	173,601	10,746	2,212	2,353	16,109	21,982	19,608	19,368	29,381	29,430	17,041	5,130	241
Female	84,995	7,686	1,561	1,506	5,180	7,185	7,232	7,865	12,557	15,640	13,120	5,396	67
White	208,306	13,081	2,669	2,796	16,165	20,786	19,783	21,320	35,397	39,537	26,998	9,533	241
Male	139,345	7,728	1,575	1,699	12,192	15,871	14,508	15,202	24,837	25,788	15,175	4,581	189
Female	68,961	5,353	1,094	1,097	3,973	4,915	5,275	6,118	10,560	13,749	11,823	4,952	52
All other	50,290	5,351	1,104	1,063	5,124	8,381	7,057	5,913	6,541	5,533	3,163	993	67
Male	34,256	3,018	637	654	3,917	6,111	5,100	4,166	4,544	3,642	1,866	549	52
Female	16,034	2,333	467	409	1,207	2,270	1,957	1,747	1,997	1,891	1,297	444	15
Black	45,298	4,824	973	915	4,477	7,660	6,486	5,375	5,960	4,958	2,735	871	64
Male	30,912	2,716	559	571	3,426	5,606	4,720	3,823	4,157	3,263	1,559	463	49
Female	14,386	2,108	414	344	1,051	2,054	1,766	1,552	1,803	1,695	1,176	408	15
Percent													
All races	12.4	46.0	51.4	43.2	56.1	56.3	40.8	23.3	14.6	9.3	5.3	2.5	35.1
Male	15.8	46.8	52.2	42.9	57.2	58.8	45.1	26.4	16.5	10.4	6.1	3.6	49.1
Female	8.6	45.0	50.4	43.7	53.0	49.6	32.4	18.2	11.5	7.8	4.5	1.9	17.4
White	11.5	46.9	49.9	41.0	53.2	54.0	39.9	23.1	14.7	9.3	5.3	2.4	34.3
Male	14.7	47.7	50.6	40.3	54.0	56.5	44.1	26.1	16.4	10.3	6.0	3.5	50.1
Female	7.9	46.0	48.8	42.2	50.9	47.4	31.6	18.1	11.7	7.9	4.5	1.9	16.0
All other	18.8	44.0	55.5	50.1	67.9	62.6	43.5	24.2	14.5	9.3	5.8	3.4	38.3
Male	23.3	44.8	56.4	51.5	70.2	66.1	48.2	27.8	17.0	11.0	7.0	5.0	45.6
Female	13.4	43.0	54.4	48.1	61.4	54.9	34.8	18.5	10.8	7.1	4.6	2.4	24.6
Black	18.5	43.6	57.1	50.1	68.8	63.1	43.9	23.9	14.2	9.0	5.5	3.3	40.5
Male	23.1	44.3	58.2	52.0	71.3	66.6	48.5	27.7	16.9	10.8	6.5	4.7	46.2
Female	13.0	42.7	55.7	47.3	61.9	55.1	34.9	17.9	10.5	6.9	4.5	2.4	28.8

SECTION 1 - GENERAL MORTALITY - PAGE 305

Table 1-27. Deaths From 72 Selected Causes, by Number and Percent for Which Autopsies Were Reported and Sex: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Total deaths			Reported autopsies					
	Both sexes	Male	Female	Both sexes		Male		Female	
				Number	Percent	Number	Percent	Number	Percent
All causes	2,086,440	1,097,758	988,682	258,596	12.4	173,601	15.8	84,995	8.6
Shigellosis and amebiasis (004.006)	27	16	11	11	40.7	7	43.8	4	36.4
Certain other intestinal infections (007-009)	301	146	155	91	30.2	48	32.9	43	27.7
Tuberculosis (010-018)	1,752	1,135	617	396	22.6	274	24.1	122	19.8
Tuberculosis of respiratory system (010-012)	1,368	923	445	288	21.1	205	22.2	83	18.7
Other tuberculosis (013-018)	384	212	172	108	28.1	69	32.5	39	22.7
Whooping cough (033)	4	3	1	1	25.0	1	33.3	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	3	6	3	33.3	1	33.3	2	33.3
Meningococcal infection (036)	257	127	130	141	54.9	76	59.8	65	50.0
Septicemia (038)	17,182	8,017	9,165	2,028	11.8	1,171	14.6	857	9.4
Acute poliomyelitis (045)	3	2	1	-	-	-	-	-	-
Measles (055)	4	1	3	3	75.0	1	100.0	2	66.7
Viral hepatitis (070)	942	531	411	216	22.9	118	22.2	98	23.8
Syphilis (090-097)	80	49	31	16	20.0	11	22.4	5	16.1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7,442	4,721	2,721	1,893	25.4	1,272	26.9	621	22.8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	461,563	246,914	214,649	25,149	5.4	16,067	6.5	9,082	4.2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,290	5,616	2,674	411	5.0	317	5.6	94	3.5
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	61,187	55,422	5,690	4.9	3,767	6.2	1,923	3.5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,311	67,513	59,798	6,842	5.4	5,235	6.0	1,607	4.0
Malignant neoplasm of breast (174-175)	40,383	290	40,093	1,297	3.2	14	4.8	1,283	3.2
Malignant neoplasms of genital organs (179-187)	49,690	26,609	23,081	1,755	3.5	904	3.4	851	3.7
Malignant neoplasms of urinary organs (188-189)	18,897	12,195	6,702	907	4.8	656	5.4	251	3.7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	57,905	30,962	26,943	3,701	6.4	2,334	7.5	1,367	5.1
Leukemia (204-208)	17,319	9,442	7,877	2,032	11.7	1,269	13.4	763	9.7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25,159	13,100	12,059	2,514	10.0	1,571	12.0	943	7.8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,699	3,008	3,691	764	11.4	393	13.1	371	10.1
Diabetes mellitus (250)	36,969	15,263	21,706	1,964	5.3	1,045	6.8	919	4.2
Nutritional deficiencies (260-269)	2,874	1,086	1,788	164	5.7	81	7.5	83	4.6
Anemias (280-285)	3,694	1,633	2,061	447	12.1	236	14.5	211	10.2
Meningitis (320-322)	1,206	634	572	393	32.6	222	35.0	171	29.9
Major cardiovascular diseases (390-448)	977,879	485,055	492,824	77,041	7.9	51,249	10.6	25,792	5.2
Diseases of heart (390-398,402,404-429)	771,169	398,208	372,961	64,886	8.4	44,043	11.1	20,843	5.6
Rheumatic fever and rheumatic heart disease (390-398)	6,593	2,142	4,451	1,053	16.0	456	21.3	597	13.4
Hypertensive heart disease (402)	20,882	8,970	11,912	1,945	9.3	1,222	13.6	723	6.1
Hypertensive heart and renal disease (404)	2,800	1,152	1,648	129	4.6	79	6.9	50	3.0
Ischemic heart disease (410-414)	536,805	286,181	250,624	43,351	8.1	30,676	10.7	12,675	5.1
Acute myocardial infarction (410)	274,199	155,860	118,339	23,293	8.5	16,291	10.5	7,002	5.9
Other acute and subacute forms of ischemic heart disease (411)	3,969	2,361	1,588	410	10.3	304	12.8	106	6.7
Angina pectoris (413)	928	436	492	42	4.5	26	6.0	16	3.3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,709	127,504	130,205	19,606	7.6	14,055	11.0	5,551	4.3
Other diseases of endocardium (424)	9,510	4,420	5,090	1,371	14.4	828	18.7	543	10.7
All other forms of heart disease (415-423,425-429)	194,579	95,343	99,236	17,037	8.8	10,782	11.3	6,255	6.3
Hypertension with or without renal disease (401,403)	7,751	3,385	4,366	388	5.0	207	6.1	181	4.1
Cerebrovascular diseases (430-438)	153,050	60,780	92,270	6,372	4.2	3,436	5.7	2,936	3.2
Intracerebral and other intracranial hemorrhage (431-432)	20,728	9,351	11,377	1,854	8.9	1,045	11.2	809	7.1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24,519	9,531	14,988	1,050	4.3	588	6.2	462	3.1
Cerebral embolism (434.1)	786	331	455	31	3.9	16	4.8	15	3.3
All other and late effects of cerebrovascular diseases (430,433,435-438)	107,017	41,567	65,450	3,437	3.2	1,787	4.3	1,650	2.5
Atherosclerosis (440)	23,926	9,062	14,864	695	2.9	409	4.5	286	1.9
Other diseases of arteries, arterioles, and capillaries (441-448)	21,983	13,620	8,363	4,700	21.4	3,154	23.2	1,546	18.5
Acute bronchitis and bronchiolitis (465)	600	303	297	167	27.8	105	34.7	62	20.9
Pneumonia and influenza (480-487)	67,615	33,159	34,456	7,095	10.5	4,599	13.9	2,496	7.2
Pneumonia (480-486)	65,561	32,422	33,139	7,035	10.7	4,565	14.1	2,470	7.5
Influenza (487)	2,054	737	1,317	60	2.9	34	4.6	26	2.0
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,662	46,596	28,066	4,746	6.4	3,243	7.0	1,503	5.4
Bronchitis, chronic and unspecified (490-491)	3,615	2,041	1,574	324	9.0	209	10.2	115	7.3
Emphysema (492)	14,150	9,375	4,775	1,349	9.5	995	10.6	354	7.4
Asthma (493)	3,880	1,551	2,329	673	17.3	320	20.6	353	15.2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	53,017	33,629	19,388	2,400	4.5	1,719	5.1	681	3.5
Ulcer of stomach and duodenum (531-533)	6,645	3,330	3,315	1,438	21.6	897	26.9	541	16.3
Appendicitis (540-543)	501	276	225	145	28.9	101	36.6	44	19.6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,361	2,040	3,321	857	16.0	416	20.4	441	13.3
Chronic liver disease and cirrhosis (571)	26,767	17,244	9,523	6,037	22.6	4,154	24.1	1,883	19.8
Cholelithiasis and other disorders of gallbladder (574-575)	2,975	1,368	1,607	476	16.0	270	19.7	206	12.8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,349	10,551	10,798	1,520	7.1	918	8.7	602	5.6
Acute glomerulonephritis and nephrotic syndrome (580-581)	348	159	189	48	13.8	25	15.7	23	12.2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,565	770	795	143	9.1	91	11.8	52	6.5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,436	9,622	9,814	1,329	6.8	802	8.3	527	5.4
Infections of kidney (590)	1,982	691	1,291	286	14.4	116	16.8	170	13.2
Hyperplasia of prostate (600)	479	479	...	50	10.4	50	10.4
Complications of pregnancy, childbirth, and the puerperium (630-676)	295	...	295	200	67.8	200	67.8
Pregnancy with abortive outcome (630-638)	49	...	49	36	73.5	36	73.5
Other complications of pregnancy, childbirth, and the puerperium (640-676)	246	...	246	164	66.7	164	66.7
Congenital anomalies (740-759)	12,783	6,895	5,888	5,479	42.9	3,104	45.0	2,375	40.3
Certain conditions originating in the perinatal period (760-779)	19,246	11,094	8,152	5,275	27.4	3,051	27.5	2,224	27.3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,225	3,178	2,047	1,646	31.5	1,015	31.9	631	30.8
Other conditions originating in the perinatal period (760-766,770-779)	14,021	7,916	6,105	3,629	25.9	2,036	25.7	1,593	26.1
Symptoms, signs, and ill-defined conditions (780-799)	30,960	17,470	13,490	10,968	35.4	6,857	39.3	4,111	30.5
All other diseases (Residual)	149,685	73,510	76,175	21,871	14.6	13,191	17.9	8,680	11.4
Accidents and adverse effects (E800-E949)	93,457	64,160	29,297	45,053	48.2	32,812	51.1	12,241	41.8
Motor vehicle accidents (E810-E825)	45,901	32,443	13,458	22,886	49.9	16,391	50.5	6,495	48.3
All other accidents and adverse effects (E800-E807,E826-E949)	47,556	31,717	15,839	22,167	46.6	16,421	51.8	5,746	36.3
Suicide (E950-E959)	29,453	23,145	6,308	14,864	50.5	11,315	48.9	3,549	56.3
Homicide and legal intervention (E960-E978)	19,893	15,066	4,827	19,035	95.7	14,488	96.2	4,547	94.2
All other external causes (E980-E999)	2,845	2,037	808	2,313	81.3	1,641	80.6	672	83.2

SECTION 1 - GENERAL MORTALITY - PAGE 306

Table 1-28. Deaths From 34 Selected Causes by Place of Death, Status of Decedent When Death Occurred in Hospital or Medical Center
Age: Total of 43 Reporting Areas, 1985

[Includes all deaths occurring in the reporting areas. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975.
For discussion of place of death and status of decedent and list of States reporting status of decedent, see Technical Appendix]

Cause of death and age	Total	In hospital or medical center				Other institutions	Dead on arrival at hospital or medical center	Other places	ur
		Total	Inpatient	Outpatient or emergency room	Status unknown				
All causes	1,593,766	940,643	804,680	107,074	28,889	258,836	86,305	307,020	
Under 1 year	29,208	24,621	21,470	2,121	1,030	56	2,111	2,403	
1-4 years	5,287	3,436	2,356	948	132	57	645	1,140	
5-14 years	6,649	3,817	2,556	1,121	140	74	844	1,904	
15-24 years	27,251	11,555	6,776	4,142	637	228	4,067	11,340	
25-44 years	84,966	46,128	33,639	10,216	2,273	1,380	9,336	28,011	
45-64 years	306,062	202,487	166,385	29,818	6,284	11,900	22,866	68,616	
65-74 years	372,385	244,331	209,774	27,480	7,077	33,779	20,315	73,752	
75-84 years	438,744	257,787	228,573	21,959	7,255	87,414	17,583	75,729	
85 years and over	322,878	146,392	133,085	9,250	4,057	123,930	8,523	43,918	
Not stated	336	89	66	19	4	18	15	207	
Tuberculosis (010-018)	1,279	1,061	986	40	35	55	35	128	
Under 1 year	4	3	3	-	-	-	1	-	
1-4 years	2	2	1	1	-	-	-	-	
5-14 years	2	2	2	-	-	-	-	-	
15-24 years	19	18	17	-	1	-	-	1	
25-44 years	167	139	117	9	13	1	8	19	
45-64 years	364	301	280	12	9	6	8	49	
65-74 years	273	224	211	8	5	13	9	27	
75-84 years	294	249	235	8	6	20	6	19	
85 years and over	154	123	120	2	1	15	3	13	
Not stated	-	-	-	-	-	-	-	-	
Syphilis (090-097)	60	34	30	3	1	19	2	5	
Under 1 year	3	3	3	-	-	-	-	-	
1-4 years	-	-	-	-	-	-	-	-	
5-14 years	1	1	1	-	-	-	-	-	
15-24 years	-	-	-	-	-	-	-	-	
25-44 years	4	2	2	-	-	-	1	1	
45-64 years	11	8	6	2	-	1	-	2	
65-74 years	10	5	5	-	-	3	1	1	
75-84 years	20	11	10	-	1	8	-	1	
85 years and over	11	4	3	1	-	7	-	-	
Not stated	-	-	-	-	-	-	-	-	
Residual of infectious and parasitic diseases (001-009,020-088,098-139)	19,551	16,989	16,054	395	540	1,850	166	544	
Under 1 year	492	439	378	45	16	2	28	23	
1-4 years	216	191	161	26	4	-	11	14	
5-14 years	121	105	88	11	6	2	5	9	
15-24 years	274	244	224	10	10	3	8	19	
25-44 years	2,148	1,990	1,829	49	112	18	22	117	
45-64 years	3,427	3,225	3,089	49	87	83	26	93	
65-74 years	3,956	3,629	3,482	47	100	210	28	89	
75-84 years	5,093	4,355	4,131	97	127	614	20	103	
85 years and over	3,822	2,810	2,671	61	78	917	18	77	
Not stated	2	1	1	-	-	1	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	352,484	221,333	209,868	5,726	5,739	48,871	8,033	74,092	
Under 1 year	83	70	61	6	3	-	4	9	
1-4 years	377	251	233	13	5	-	14	112	
5-14 years	846	583	554	18	11	3	20	240	
15-24 years	1,566	1,208	1,137	39	32	26	37	305	
25-44 years	14,715	10,959	10,327	327	305	514	376	2,861	
45-64 years	105,342	74,228	70,188	2,135	1,905	6,024	2,731	22,314	
65-74 years	109,320	70,822	67,239	1,728	1,855	12,283	2,462	23,706	
75-84 years	86,981	48,471	46,099	1,130	1,242	18,131	1,793	18,541	
85 years and over	33,229	14,726	14,017	329	380	11,887	605	5,998	
Not stated	25	15	13	1	1	3	1	6	
Malignant neoplasms of digestive organs and peritoneum (150-159)	89,844	54,391	51,740	1,153	1,498	12,776	1,891	20,741	
Under 1 year	6	4	4	-	-	-	-	2	
1-4 years	16	12	11	1	-	-	-	4	
5-14 years	21	12	11	-	1	-	1	8	
15-24 years	105	83	77	2	4	1	-	21	
25-44 years	2,220	1,616	1,527	38	51	61	52	491	
45-64 years	22,935	15,898	15,052	362	424	1,046	536	5,406	
65-74 years	27,748	17,651	16,819	349	483	2,732	598	6,751	
75-84 years	25,583	14,113	13,417	304	392	4,997	495	5,960	
85 years and over	11,302	5,056	4,816	97	143	3,939	209	2,096	
Not stated	8	6	6	-	-	-	-	2	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	97,131	63,221	59,569	2,085	1,567	10,835	2,584	20,445	
Under 1 year	4	4	2	2	-	-	-	-	
1-4 years	2	1	-	1	-	-	-	1	
5-14 years	5	4	4	-	-	-	-	1	
15-24 years	36	30	27	1	2	-	-	6	
25-44 years	2,192	1,644	1,517	80	47	78	62	407	
45-64 years	36,093	25,698	24,105	954	639	1,959	1,101	7,315	
65-74 years	34,806	22,650	21,389	688	573	3,643	873	7,624	
75-84 years	19,840	11,240	10,873	310	257	3,802	466	4,325	
85 years and over	4,145	1,945	1,848	48	49	1,352	82	764	
Not stated	8	5	4	1	-	1	-	2	

SECTION 1 - GENERAL MORTALITY - PAGE 307

Table 1-28. Deaths From 34 Selected Causes by Place of Death, Status of Decedent When Death Occurred in Hospital or Medical Center, and Age: Total of 43 Reporting Areas, 1985—Con.

[Includes all deaths occurring in the reporting areas. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For discussion of place of death and status of decedent and list of States reporting status of decedent, see Technical Appendix.]

Cause of death and age	Total	In hospital or medical center				Other institutions	Dead on arrival at hospital or medical center	Other places	Place unknown
		Total	Inpatient	Outpatient or emergency room	Status unknown				
Malignant neoplasms, etc.-Con.									
Malignant neoplasm of breast (174-175)	30,958	18,817	17,847	457	513	5,087	662	6,378	14
Under 1 year	1	1	-	-	1	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-
5-14 years	-	-	-	-	-	-	-	-	-
15-24 years	15	11	10	1	-	-	-	4	-
25-44 years	2,593	1,929	1,813	50	66	72	72	520	-
45-64 years	11,729	8,216	7,810	189	219	740	254	2,513	6
65-74 years	7,987	4,919	4,672	111	196	1,223	170	1,671	4
75-84 years	5,968	2,858	2,712	76	70	1,778	121	1,208	3
85 years and over	2,665	883	830	31	22	1,274	45	462	1
Not stated	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	38,166	22,306	21,214	551	541	6,723	887	8,235	15
Under 1 year	-	-	-	-	-	-	-	-	-
1-4 years	1	1	1	-	-	-	-	-	-
5-14 years	4	3	3	-	-	-	-	1	-
15-24 years	119	90	85	4	1	4	2	23	-
25-44 years	1,364	989	941	26	22	55	46	273	1
45-64 years	7,887	5,481	5,210	139	132	461	187	1,757	1
65-74 years	11,395	7,092	6,755	164	173	1,504	279	2,516	4
75-84 years	12,186	6,430	6,106	158	166	2,760	269	2,721	6
85 years and over	5,209	2,220	2,113	60	47	1,938	104	944	3
Not stated	1	-	-	-	-	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	14,853	8,676	8,283	192	201	2,612	294	3,263	8
Under 1 year	7	6	5	1	-	-	-	1	-
1-4 years	10	6	6	-	-	-	1	3	-
5-14 years	22	10	10	-	-	-	1	11	-
15-24 years	13	12	11	1	-	-	-	1	-
25-44 years	343	237	230	3	4	11	8	87	-
45-64 years	3,527	2,382	2,280	50	52	248	76	819	2
65-74 years	4,502	2,820	2,676	69	75	564	95	1,020	3
75-84 years	4,348	2,361	2,260	49	52	980	84	920	3
85 years and over	2,079	842	805	19	18	808	29	400	-
Not stated	2	-	-	-	-	1	-	1	-
Leukemia (204-208)	13,075	10,595	10,153	200	242	1,009	151	1,319	1
Under 1 year	17	14	13	1	-	-	1	2	-
1-4 years	126	84	88	5	1	-	4	28	-
5-14 years	364	280	264	11	5	1	4	79	-
15-24 years	373	335	325	3	-	-	3	35	-
25-44 years	1,049	871	836	16	19	5	12	61	-
45-64 years	2,807	2,540	2,431	50	59	35	30	202	-
65-74 years	3,371	2,908	2,794	53	61	131	34	298	-
75-84 years	3,372	2,511	2,402	43	66	399	41	420	1
85 years and over	1,594	940	897	18	25	438	22	194	-
Not stated	2	2	2	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	68,457	43,327	41,062	1,088	1,177	9,829	1,564	13,711	26
Under 1 year	48	41	37	2	2	-	3	4	-
1-4 years	222	137	127	6	4	-	9	76	-
5-14 years	430	274	262	7	5	2	14	140	-
15-24 years	905	647	601	27	19	21	22	215	-
25-44 years	4,954	3,573	3,363	114	96	232	124	1,022	3
45-64 years	20,464	14,073	13,300	392	381	1,535	547	4,302	7
65-74 years	19,511	12,782	12,134	294	354	2,486	413	3,826	4
75-84 years	15,684	8,958	8,529	190	239	3,415	317	2,987	7
85 years and over	6,235	2,840	2,708	56	76	2,138	114	1,138	5
Not stated	4	2	1	-	1	-	1	1	-
Diabetes mellitus (250)	29,018	17,175	14,606	2,019	550	5,560	1,414	4,860	9
Under 1 year	2	2	2	-	-	-	-	-	-
1-4 years	9	9	7	1	1	-	-	-	-
5-14 years	27	21	20	1	-	1	2	3	-
15-24 years	98	54	39	12	3	-	17	27	-
25-44 years	1,302	823	649	134	40	52	107	320	-
45-64 years	6,058	4,077	3,239	697	141	298	436	1,245	2
65-74 years	8,008	5,155	4,369	832	154	1,003	419	1,428	3
75-84 years	8,925	5,076	4,488	436	152	2,174	329	1,342	4
85 years and over	4,585	1,958	1,793	106	59	2,030	104	493	-
Not stated	4	-	-	-	-	2	-	2	-
Major cardiovascular diseases (390-448)	757,305	420,297	335,186	72,174	12,937	146,154	50,745	139,667	442
Under 1 year	757	631	518	98	15	3	74	49	-
1-4 years	268	227	158	56	13	1	24	15	1
5-14 years	327	263	187	71	5	5	29	30	-
15-24 years	1,097	787	527	228	32	12	135	162	1
25-44 years	14,447	9,417	5,709	3,304	404	149	2,084	2,784	13
45-64 years	119,476	75,999	51,324	21,968	2,707	2,959	14,421	26,006	89
65-74 years	174,809	111,636	86,570	21,614	3,452	12,819	14,427	35,810	117
75-84 years	240,655	136,815	115,392	17,442	3,981	46,905	12,947	43,842	146
85 years and over	205,380	84,482	74,775	7,382	2,325	83,293	6,600	30,931	74
Not stated	69	40	26	11	3	8	4	36	1

SECTION 1 - GENERAL MORTALITY - PAGE 308

Table 1-28. Deaths From 34 Selected Causes by Place of Death, Status of Decedent When Death Occurred in Hospital or Medical Center, and Age: Total of 43 Reporting Areas, 1985—Con.

[Includes all deaths occurring in the reporting areas. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For discussion of place of death and status of decedent and list of States reporting status of decedent, see Technical Appendix.]

Cause of death and age	Total	In hospital or medical center				Other institutions	Dead on arrival at hospital or medical center	Other places	Place unknown
		Total	Inpatient	Outpatient or emergency room	Status unknown				
Major cardiovascular diseases-Con.									
Diseases of heart (390-398,402,404-429)	599,511	327,657	250,215	67,062	10,380	100,524	46,927	124,020	383
Under 1 year	640	531	425	94	12	2	65	42	-
1-4 years	225	189	127	52	10	1	22	12	1
5-14 years	251	197	132	60	5	4	25	25	-
15-24 years	814	540	314	205	21	7	123	143	1
25-44 years	11,595	7,017	3,642	3,071	304	102	1,934	2,530	12
45-64 years	102,140	61,839	38,616	20,947	2,276	2,010	13,791	24,419	81
65-74 years	143,474	88,520	55,464	20,201	2,855	8,386	13,554	32,907	107
75-84 years	186,823	105,144	66,112	15,918	3,114	31,392	11,764	38,402	121
85 years and over	153,477	63,649	55,365	6,504	1,780	58,618	5,645	25,506	59
Not stated	72	31	18	10	3	2	4	34	1
Rheumatic fever and rheumatic heart disease (390-398)	5,161	3,592	3,105	378	109	472	262	834	1
Under 1 year	4	4	4	-	-	-	-	-	-
1-4 years	5	3	3	-	-	-	1	1	-
5-14 years	9	7	4	3	-	-	1	1	-
15-24 years	54	47	25	20	2	-	3	4	-
25-44 years	313	220	167	47	6	4	43	46	-
45-64 years	1,355	1,006	827	146	33	27	99	223	-
65-74 years	1,506	1,114	981	96	37	89	67	235	1
75-84 years	1,401	935	854	54	27	190	39	237	-
85 years and over	514	256	240	12	4	162	9	87	-
Not stated	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402,404)	17,151	7,434	5,471	1,699	264	2,997	1,979	4,739	2
Under 1 year	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-
5-14 years	-	-	-	-	-	-	-	-	-
15-24 years	19	7	3	4	-	-	6	6	-
25-44 years	463	214	94	109	11	1	107	141	-
45-64 years	3,408	1,483	818	597	68	100	688	1,135	2
65-74 years	4,066	1,973	1,409	495	69	294	560	1,239	-
75-84 years	5,264	2,451	1,985	393	73	1,027	441	1,345	-
85 years and over	3,928	1,304	1,162	100	42	1,574	177	873	-
Not stated	3	2	-	1	1	1	-	-	-
Ischemic heart disease (410-414)	424,512	236,336	178,357	50,749	7,230	66,584	32,739	88,588	265
Under 1 year	13	13	12	1	-	-	-	-	-
1-4 years	7	3	2	1	-	-	3	1	-
5-14 years	12	9	6	3	-	-	1	2	-
15-24 years	107	60	29	29	2	-	21	26	-
25-44 years	6,648	3,790	1,660	1,976	154	49	1,249	1,549	11
45-64 years	73,211	44,770	27,196	15,976	1,598	1,223	9,688	17,474	56
65-74 years	104,989	65,928	48,147	15,748	2,033	5,382	9,643	23,956	80
75-84 years	134,093	77,057	62,629	12,225	2,203	20,738	8,321	27,897	80
85 years and over	105,391	44,688	38,666	4,784	1,238	39,192	3,810	17,664	37
Not stated	41	18	10	6	2	-	3	19	1
Other heart diseases (415-429)	152,687	80,295	63,262	14,236	2,777	30,471	11,947	29,859	115
Under 1 year	623	514	409	93	12	2	65	42	-
1-4 years	213	183	122	51	10	1	18	10	1
5-14 years	230	181	122	54	5	4	23	22	-
15-24 years	634	426	257	152	17	7	93	107	1
25-44 years	4,171	2,793	1,721	939	133	48	535	784	1
45-64 years	24,166	14,580	9,775	4,228	577	660	3,316	5,587	23
65-74 years	32,913	19,505	14,927	3,862	716	2,621	3,284	7,477	26
75-84 years	46,065	24,701	20,644	3,246	811	9,437	2,963	8,923	41
85 years and over	43,644	17,401	15,297	1,608	496	17,690	1,649	6,862	22
Not stated	28	11	8	3	-	1	1	15	-
Hypertension with or without renal disease (401,403)	6,015	3,146	2,628	441	77	1,250	359	1,257	3
Under 1 year	3	3	2	1	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-
5-14 years	1	1	1	-	-	-	-	-	-
15-24 years	8	7	5	2	-	-	1	-	-
25-44 years	135	96	72	21	3	-	16	23	-
45-64 years	959	551	373	160	18	39	109	260	-
65-74 years	1,370	773	620	133	20	142	112	343	-
75-84 years	1,960	1,048	939	89	20	427	83	399	3
85 years and over	1,578	667	616	35	16	641	38	232	-
Not stated	1	-	-	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	116,565	69,327	64,947	2,460	1,920	34,551	2,364	10,279	44
Under 1 year	94	78	72	3	3	1	8	7	-
1-4 years	36	31	25	3	3	-	2	3	-
5-14 years	58	50	45	5	-	1	2	5	-
15-24 years	228	206	183	12	11	3	4	15	-
25-44 years	2,325	1,993	1,763	148	82	42	110	179	1
45-64 years	12,860	10,755	9,976	453	326	822	315	960	8
65-74 years	22,526	16,593	15,589	588	416	3,668	482	1,774	9
75-84 years	40,856	23,899	22,474	756	668	12,451	792	3,697	18
85 years and over	37,570	15,714	14,812	491	411	17,561	649	3,638	8
Not stated	12	9	8	1	-	2	-	1	-

SECTION 1 - GENERAL MORTALITY - PAGE 309

Table 1-28. Deaths From 34 Selected Causes by Place of Death, Status of Decedent When Death Occurred in Hospital or Medical Center, and Age: Total of 43 Reporting Areas, 1985—Con.

[Includes all deaths occurring in the reporting areas. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975.
For discussion of place of death and status of decedent and list of States reporting status of decedent, see Technical Appendix.]

Cause of death and age	Total	In hospital or medical center				Other institutions	Dead on arrival at hospital or medical center	Other places	Place unknown
		Total	Inpatient	Outpatient or emergency room	Status unknown				
Major cardiovascular diseases-Con.									
Atherosclerosis (440)	18,329	6,218	5,406	664	148	8,556	602	2,943	10
Under 1 year	-	-	-	-	-	-	-	-	-
1-4 years	-	-	-	-	-	-	-	-	-
5-14 years	-	-	-	-	-	-	-	-	-
15-24 years	1	-	-	-	-	1	-	-	-
25-44 years	41	21	10	11	-	3	2	15	-
45-64 years	798	463	343	103	17	68	82	185	-
65-74 years	2,197	1,115	929	160	26	480	126	475	1
75-84 years	5,562	2,209	1,942	228	39	2,231	183	937	2
85 years and over	9,726	2,410	2,182	162	66	5,770	209	1,330	7
Not stated	4	-	-	-	-	3	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	16,885	13,949	11,990	1,547	412	1,273	493	1,168	2
Under 1 year	20	19	19	-	-	-	1	-	-
1-4 years	7	7	6	-	-	-	-	-	-
5-14 years	17	15	9	-	-	-	2	-	-
15-24 years	46	34	25	9	-	1	7	4	-
25-44 years	351	290	222	53	15	2	22	37	-
45-64 years	2,719	2,391	2,016	305	70	20	124	184	-
65-74 years	5,242	4,635	3,968	532	135	143	153	311	-
75-84 years	5,454	4,516	3,925	451	140	404	125	407	2
85 years and over	3,029	2,042	1,800	190	52	703	59	225	-
Not stated	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	50,428	34,480	32,676	829	975	12,861	709	2,363	15
Under 1 year	535	319	222	77	20	2	102	111	1
1-4 years	163	121	85	30	6	1	22	19	-
5-14 years	98	68	47	18	3	3	9	18	-
15-24 years	187	144	123	15	6	9	8	26	-
25-44 years	1,287	980	850	70	60	41	73	193	-
45-64 years	4,291	3,568	3,344	126	98	248	119	356	-
65-74 years	7,388	6,059	5,777	124	158	959	65	301	4
75-84 years	15,855	11,324	10,851	175	298	3,833	144	549	5
85 years and over	20,614	11,889	11,369	194	326	7,764	167	789	5
Not stated	10	8	8	-	-	1	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	56,821	37,457	33,513	2,923	1,021	8,368	2,127	8,642	27
Under 1 year	33	17	8	9	-	-	7	9	-
1-4 years	25	15	9	5	1	-	8	2	-
5-14 years	92	74	32	33	9	1	13	4	-
15-24 years	139	97	39	54	4	-	25	17	-
25-44 years	540	365	218	128	19	12	60	103	-
45-64 years	9,806	7,004	5,959	851	194	463	547	1,787	5
65-74 years	19,215	13,538	12,153	1,042	343	1,872	725	3,069	11
75-84 years	19,444	12,453	11,481	632	340	3,636	575	2,772	8
85 years and over	7,321	3,893	3,613	169	111	2,384	166	875	3
Not stated	6	1	1	-	-	-	1	4	-
Ulcer of stomach and duodenum (531-533)	4,966	4,213	3,924	171	118	295	101	355	2
Under 1 year	8	8	8	-	-	-	-	-	-
1-4 years	3	2	2	-	-	-	-	1	-
5-14 years	1	-	-	-	-	1	-	-	-
15-24 years	9	6	6	-	-	-	2	1	-
25-44 years	116	78	64	10	4	-	11	27	-
45-64 years	788	641	582	47	12	8	34	104	1
65-74 years	1,131	1,013	930	55	28	26	17	75	-
75-84 years	1,638	1,421	1,343	36	42	93	28	95	1
85 years and over	1,272	1,044	989	23	32	167	9	52	-
Not stated	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	19,422	14,973	13,912	577	484	975	600	2,872	2
Under 1 year	9	6	5	1	-	-	1	2	-
1-4 years	11	9	9	-	-	-	1	1	-
5-14 years	2	2	1	1	-	-	-	-	-
15-24 years	44	31	25	6	-	1	2	10	-
25-44 years	3,118	2,260	1,928	217	115	17	195	646	-
45-64 years	8,960	7,125	6,856	265	204	183	275	1,376	1
65-74 years	4,761	3,758	3,587	60	111	371	91	541	-
75-84 years	2,112	1,519	1,445	26	48	317	31	244	1
85 years and over	397	262	255	1	6	85	3	47	-
Not stated	8	1	1	-	-	1	1	5	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16,450	12,636	11,934	326	376	2,537	234	1,038	5
Under 1 year	200	196	189	3	4	-	2	2	-
1-4 years	19	19	19	-	-	-	-	-	-
5-14 years	22	20	18	2	-	-	-	2	-
15-24 years	58	48	44	4	-	1	1	8	-
25-44 years	500	417	366	33	18	13	17	53	-
45-64 years	2,188	1,863	1,743	77	43	110	57	157	1
65-74 years	3,640	3,010	2,832	84	94	329	61	238	2
75-84 years	5,276	4,012	3,813	77	122	889	64	310	1
85 years and over	4,546	3,050	2,909	46	95	1,195	32	268	1
Not stated	1	1	1	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 310

Table 1-28. Deaths From 34 Selected Causes by Place of Death, Status of Decedent When Death Occurred in Hospital or Medical Center, and Age: Total of 43 Reporting Areas, 1985—Con.

[Includes all deaths occurring in the reporting areas. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For discussion of place of death and status of decedent and list of States reporting status of decedent, see Technical Appendix.]

Cause of death and age	Total	In hospital or medical center				Other institutions	Dead on arrival at hospital or medical center	Other places	Place unknown
		Total	Inpatient	Outpatient or emergency room	Status unknown				
Complications of pregnancy, childbirth, and the puerperium (630-676)	206	181	137	35	9	-	15	10	-
Under 1 year
1-4 years
5-14 years	2	2	1	-	1	-	-	-	-
15-24 years	68	59	48	11	-	-	5	4	-
25-44 years	135	119	87	24	8	-	10	6	-
45-64 years	1	1	1	-	-	-	-	-	-
65-74 years
75-84 years
85 years and over
Not stated	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	9,229	8,015	7,141	608	266	219	371	621	3
Under 1 year	6,148	5,735	5,309	232	194	26	164	223	-
1-4 years	608	488	384	94	10	15	47	58	-
5-14 years	340	266	195	64	7	7	27	40	-
15-24 years	347	233	158	66	9	6	49	59	-
25-44 years	561	411	304	92	15	18	45	86	1
45-64 years	543	380	322	42	16	54	30	77	2
65-74 years	321	253	238	9	6	29	5	34	-
75-84 years	240	175	165	4	6	31	4	30	-
85 years and over	118	71	63	5	3	33	-	14	-
Not stated	3	3	3	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	14,168	13,911	13,157	209	545	12	117	122	6
Under 1 year	14,046	13,824	13,086	194	544	6	109	102	5
1-4 years	101	79	63	15	1	4	3	15	-
5-14 years	7	4	4	-	-	-	2	1	-
15-24 years	5	2	2	-	-	-	2	1	-
25-44 years	6	-	-	-	-	1	1	3	1
45-64 years	2	1	1	-	-	1	-	-	-
65-74 years	-	-	-	-	-	-	-	-	-
75-84 years	1	1	1	-	-	-	-	-	-
85 years and over	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	22,584	6,528	3,338	2,698	492	2,430	3,403	10,192	31
Under 1 year	4,384	1,596	333	1,097	166	11	1,324	1,445	8
1-4 years	206	111	51	47	13	1	41	53	-
5-14 years	84	50	21	24	5	2	11	21	-
15-24 years	575	236	82	125	29	4	83	249	3
25-44 years	2,283	675	234	334	107	25	331	1,249	3
45-64 years	3,696	973	501	416	56	59	595	2,067	2
65-74 years	3,457	948	601	301	46	188	456	1,880	5
75-84 years	3,944	1,051	779	238	34	623	357	1,908	5
85 years and over	3,696	887	735	116	36	1,537	200	1,267	5
Not stated	59	1	1	-	-	-	5	53	-
All other diseases (Residual)	134,156	90,384	83,327	4,320	2,737	26,305	3,452	13,978	37
Under 1 year	1,702	1,345	1,114	186	45	5	150	201	1
1-4 years	948	724	575	122	27	20	92	112	-
5-14 years	923	657	531	105	21	35	70	161	-
15-24 years	1,778	1,229	1,011	152	66	54	138	355	2
25-44 years	9,950	7,195	6,070	741	384	303	529	1,919	4
45-64 years	21,665	16,619	15,169	957	493	1,229	846	2,963	8
65-74 years	26,512	19,811	18,501	756	554	3,442	575	2,679	5
75-84 years	38,969	25,477	23,997	812	668	9,502	645	3,336	9
85 years and over	31,694	17,321	16,353	489	479	11,713	406	2,246	8
Not stated	15	6	6	-	-	2	1	6	-
Motor vehicle accidents (E810-E825)	33,512	13,926	6,941	6,319	666	236	6,211	13,070	69
Under 1 year	129	76	35	38	3	-	22	31	-
1-4 years	700	359	149	195	15	4	138	194	5
5-14 years	1,723	928	489	409	30	4	324	466	1
15-24 years	10,307	3,931	1,903	1,827	201	58	1,982	4,311	25
25-44 years	10,804	3,859	1,823	1,830	206	73	2,111	4,745	16
45-64 years	5,105	2,061	1,028	931	102	26	973	2,032	13
65-74 years	2,301	1,173	598	525	50	30	362	731	5
75-84 years	1,883	1,163	692	425	46	30	244	444	2
85 years and over	544	371	222	136	13	11	55	105	2
Not stated	16	5	2	3	-	-	-	11	-
All other accidents and adverse effects (E800-E807,E826-E949)	35,276	17,636	13,547	3,381	708	1,895	3,711	11,945	89
Under 1 year	492	252	132	106	14	1	97	140	2
1-4 years	1,327	656	346	284	26	11	197	460	3
5-14 years	1,473	588	271	287	30	10	268	601	6
15-24 years	3,545	1,031	492	490	49	31	581	1,886	16
25-44 years	7,541	2,288	1,258	885	145	87	1,197	3,930	39
45-64 years	6,326	2,827	2,131	583	113	110	769	2,608	12
65-74 years	4,278	2,748	2,369	289	90	196	287	1,042	5
75-84 years	5,459	3,838	3,410	297	131	574	208	838	1
85 years and over	4,794	3,405	3,136	159	110	675	106	407	1
Not stated	41	3	2	1	-	-	1	33	4

SECTION 1 - GENERAL MORTALITY - PAGE 311

Table 1-28. Deaths From 34 Selected Causes by Place of Death, Status of Decedent When Death Occurred in Hospital or Medical Center, and Age: Total of 43 Reporting Areas, 1985—Con.

[Includes all deaths occurring in the reporting areas. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For discussion of place of death and status of decedent and list of States reporting status of decedent, see Technical Appendix.]

Cause of death and age	Total	In hospital or medical center				Other institutions	Dead on arrival at hospital or medical center	Other places	Place unknown
		Total	Inpatient	Outpatient or emergency room	Status unknown				
Suicide (E950-E959)	21,457	3,825	1,965	1,635	225	132	2,517	14,946	37
Under 1 year
1-4 years	210	71	38	29	4	-	19	120	-
5-14 years	3,747	818	398	372	48	15	468	2,438	8
15-24 years	7,841	1,423	725	603	95	36	989	5,379	14
25-44 years	5,348	821	417	349	55	25	604	3,890	8
45-64 years	2,331	384	208	159	17	19	244	1,681	3
65-74 years	1,578	248	150	95	3	25	157	1,146	2
75-84 years	396	59	29	27	3	12	36	287	2
85 years and over	6	1	-	1	-	-	-	5	-
Not stated
Homicide and legal intervention (E960-E978)	13,375	4,773	1,945	2,423	405	34	2,057	6,481	30
Under 1 year	138	75	48	22	5	-	16	47	-
1-4 years	250	132	78	45	9	-	44	74	-
5-14 years	299	87	46	36	5	-	36	173	3
15-24 years	3,081	1,281	451	692	138	4	490	1,301	5
25-44 years	6,482	2,389	901	1,289	199	15	1,037	3,027	14
45-64 years	2,205	610	299	276	35	7	333	1,251	4
65-74 years	545	106	60	38	8	4	68	366	1
75-84 years	273	71	46	19	6	4	25	173	-
85 years and over	65	19	15	4	-	-	8	37	1
Not stated	37	3	1	2	-	-	-	32	2
All other external causes (E980-E999)	2,219	816	493	263	60	28	285	1,089	1
Under 1 year	43	24	16	7	1	-	10	9	-
1-4 years	54	41	26	14	1	-	3	10	-
5-14 years	49	25	10	12	3	-	9	15	-
15-24 years	307	98	50	39	9	4	44	160	1
25-44 years	1,019	339	178	137	24	5	132	543	-
45-64 years	460	155	106	35	14	6	62	237	-
65-74 years	129	59	44	9	6	3	13	54	-
75-84 years	104	57	45	10	2	5	6	36	-
85 years and over	40	18	18	-	-	5	5	12	-
Not stated	14	-	-	-	-	-	1	13	-

SECTION 1 - GENERAL MORTALITY - PAGE 312

Table 1-29. Deaths by Place of Death, Age, Race, and Sex: United States, 1985

[Data include deaths of nonresidents of the United States. For discussion of place of death, see Technical Appendix]

Race, age, and sex	Total	In hospital or medical center	Not in hospital or medical center ¹	Place unknown	Race, age, and sex	Total	In hospital or medical center	Not in hospital or medical center ¹	Place unknown
All races	2,089,378	1,256,530	831,788	1,060	All other	267,840	175,807	91,881	152
Under 1 year	40,111	34,698	5,396	17	Under 1 year	12,183	10,527	1,650	6
1-4 years	7,389	5,147	2,229	13	1-4 years	1,996	1,393	599	4
5-14 years	8,981	5,463	3,506	12	5-14 years	2,135	1,299	835	1
15-24 years	38,200	17,483	20,649	68	15-24 years	7,589	3,929	3,649	11
25-44 years	118,115	66,321	51,663	131	25-44 years	29,682	18,429	11,224	29
45-64 years	403,929	272,992	130,720	217	45-64 years	69,834	48,182	21,620	32
65-74 years	483,303	321,922	161,151	230	65-74 years	59,774	40,560	19,185	26
75-84 years	569,312	338,834	230,233	245	75-84 years	54,925	34,679	20,215	31
85 years and over	419,158	193,405	225,633	120	85 years and over	29,547	16,741	12,799	7
Not stated	880	265	608	7	Not stated	175	68	105	2
Male	1,099,736	688,717	410,307	712	Male	147,592	96,396	51,094	102
Under 1 year	23,011	19,844	3,157	10	Under 1 year	6,751	5,849	897	5
1-4 years	4,271	2,989	1,287	5	1-4 years	1,135	787	348	-
5-14 years	5,517	3,300	2,209	8	5-14 years	1,282	762	520	-
15-24 years	28,366	12,407	15,900	59	15-24 years	5,605	2,791	2,805	9
25-44 years	81,191	42,914	38,166	111	25-44 years	19,894	11,737	8,131	26
45-64 years	251,568	167,836	83,461	171	45-64 years	41,755	28,019	13,717	19
65-74 years	283,458	191,439	91,856	163	65-74 years	33,148	22,529	10,599	20
75-84 years	280,152	173,324	106,696	132	75-84 years	26,834	17,254	9,561	19
85 years and over	141,708	74,434	67,226	48	85 years and over	11,074	6,626	4,445	3
Not stated	494	150	339	5	Not stated	114	42	71	1
Female	989,642	567,813	421,481	348	Female	120,248	79,411	40,787	50
Under 1 year	17,100	14,854	2,239	7	Under 1 year	5,432	4,678	753	1
1-4 years	3,118	2,178	932	8	1-4 years	861	606	251	4
5-14 years	3,464	2,163	1,297	4	5-14 years	853	537	315	1
15-24 years	9,834	5,076	4,749	9	15-24 years	1,984	1,138	844	2
25-44 years	36,924	23,407	13,497	20	25-44 years	9,788	6,692	3,093	3
45-64 years	152,361	105,056	47,259	46	45-64 years	28,079	20,163	7,903	13
65-74 years	199,845	130,483	69,295	67	65-74 years	26,626	18,031	8,586	9
75-84 years	289,160	165,510	123,537	113	75-84 years	28,091	17,425	10,654	12
85 years and over	277,450	118,971	158,407	72	85 years and over	18,473	10,115	8,354	4
Not stated	386	115	269	2	Not stated	61	26	34	1
White	1,821,538	1,080,723	739,907	908	Black	244,338	160,307	83,945	86
Under 1 year	27,928	24,171	3,746	11	Under 1 year	11,072	9,601	1,469	2
1-4 years	5,393	3,754	1,630	9	1-4 years	1,705	1,180	524	1
5-14 years	6,846	4,164	2,671	11	5-14 years	1,831	1,101	729	1
15-24 years	30,611	13,554	17,000	57	15-24 years	6,516	3,493	3,015	8
25-44 years	88,433	47,892	40,439	102	25-44 years	26,950	16,892	10,042	16
45-64 years	334,095	224,810	109,100	185	45-64 years	64,363	44,321	20,028	14
65-74 years	423,529	281,362	141,966	201	65-74 years	55,056	37,163	17,873	20
75-84 years	514,387	304,155	210,018	214	75-84 years	50,009	31,370	18,620	19
85 years and over	389,611	176,664	212,834	113	85 years and over	26,678	15,122	11,553	3
Not stated	705	197	503	5	Not stated	158	64	92	2
Male	952,144	592,321	359,213	610	Male	133,683	87,282	46,342	59
Under 1 year	16,260	13,995	2,260	5	Under 1 year	6,132	5,328	802	2
1-4 years	3,136	2,182	949	5	1-4 years	961	664	297	-
5-14 years	4,235	2,538	1,689	8	5-14 years	1,102	640	462	-
15-24 years	22,761	9,616	13,095	50	15-24 years	4,814	2,498	2,309	7
25-44 years	61,297	31,177	30,035	85	25-44 years	18,153	10,863	7,276	14
45-64 years	209,813	139,917	69,744	152	45-64 years	38,502	25,768	12,725	9
65-74 years	250,310	168,910	81,257	143	65-74 years	30,322	20,491	9,818	13
75-84 years	253,318	156,070	97,135	113	75-84 years	23,809	15,166	8,631	12
85 years and over	130,634	67,808	62,781	45	85 years and over	9,782	5,823	3,958	1
Not stated	380	108	268	4	Not stated	106	41	64	1
Female	869,394	488,402	380,694	298	Female	110,655	73,025	37,603	27
Under 1 year	11,668	10,176	1,486	6	Under 1 year	4,940	4,273	667	-
1-4 years	2,257	1,572	681	4	1-4 years	744	516	227	1
5-14 years	2,611	1,626	982	3	5-14 years	729	461	267	1
15-24 years	7,850	3,938	3,905	7	15-24 years	1,702	995	706	1
25-44 years	27,136	16,715	10,404	17	25-44 years	8,797	6,029	2,766	2
45-64 years	124,282	84,893	39,356	33	45-64 years	25,861	18,553	7,303	5
65-74 years	173,219	112,452	60,709	58	65-74 years	24,734	16,672	8,055	7
75-84 years	261,089	148,085	112,883	101	75-84 years	26,200	16,204	9,999	2
85 years and over	258,977	108,856	150,053	68	85 years and over	16,896	9,299	7,595	7
Not stated	325	89	235	1	Not stated	52	23	28	1

¹ Includes all other institutions and entries.

SECTION 1 - GENERAL MORTALITY - PAGE 313

Table 1-30. Deaths From Selected Causes, by Date of Death: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and month	Total	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Unknown
All causes	2,086,440	294,777	299,777	302,023	293,528	294,281	300,081	301,930	43
January	201,346	6,219	6,344	6,373	6,267	6,165	6,343	6,357	5
		6,284	6,600	6,358	6,403	6,659	6,653	6,649	
		6,392	6,999	6,884	6,750	6,720	6,678	6,670	
		6,580	6,736	6,473	6,561	6,513			
February	184,029	6,618	6,625	6,873	6,669	6,649	6,823	6,798	7
		6,678	6,825	6,748	6,758	6,577	6,728	6,929	
		6,490	6,746	6,520	6,472	6,416	6,537	6,839	
		6,210	6,272	6,055	6,000	5,963		6,727	
March	182,616	6,098	6,255	5,990	5,908	5,963	6,340	6,200	2
		5,933	6,006	5,969	5,827	5,805	6,082	5,977	
		5,832	5,732	5,886	5,839	5,734	5,799	5,840	
		5,795	5,728	5,711	5,889	5,725	5,813	5,969	
		5,548						5,741	
April	168,848	5,517	5,817	5,686	5,665	5,904	5,954	5,709	3
		5,557	5,839	5,637	5,428	5,691	5,845	5,954	
		5,510	5,668	5,423	5,190	5,221	5,699	5,721	
		5,184	5,428	5,488			5,553	5,672	
May	168,374	5,586	5,624	5,332	5,287	5,314	5,405	5,609	2
		5,559	5,508	5,437	5,296	5,391	5,659	5,615	
		5,379	5,530	5,469	5,359	5,264	5,285	5,336	
		5,459	5,452	5,439	5,352	5,351	5,409	5,605	
June	160,838	5,291	5,564	5,317	5,352	5,539	5,401	5,480	3
		5,451	5,549	5,305	5,274	5,179	5,346	5,793	
		5,531	5,343	5,355	5,066	5,121	5,404	5,476	
		5,409	5,428	5,230	5,195	5,128	5,340	5,523	
		5,232						5,213	
July	164,700	5,418	5,366	5,381	5,615	5,374	5,503	5,366	3
		5,261	5,484	5,589	5,367	5,229	5,375	5,410	
		5,338	5,290	5,207	5,168	5,261	5,343	5,432	
		5,105	5,333	5,262	5,161	5,113	5,228	5,157	
			5,290	5,171	5,100				
August	162,492	5,250	5,254	5,108	5,134	5,096	5,299	5,296	6
		5,163	5,371	5,236	5,225	5,176	5,394	5,278	
		5,020	5,323	5,153	5,155	5,418	5,316	5,188	
		5,309	5,286	5,128	5,120	5,146	5,235	5,353	
						5,368	5,382	5,306	
September	161,563	5,239	5,281	5,356	5,228	5,514	5,376	5,576	2
		5,419	5,254	5,129	5,142	5,204	5,298	5,474	
		5,314	5,452	5,412	5,477	5,367	5,565	5,601	
		5,446	5,321	5,345	5,328	5,454	5,473	5,454	
		5,570	5,492						
October	172,307	5,493	5,580	5,435	5,489	5,481	5,777	5,617	4
		5,640	5,503	5,630	5,648	5,674	5,530	5,831	
		5,346	5,560	5,551	5,443	5,472	5,670	5,653	
		5,711	5,599	5,470	5,384	5,506	5,512	5,562	
				5,448	5,515	5,573			
November	170,082	5,465	5,592	5,722	5,598	5,474	5,803	5,918	5
		5,714	5,641	5,541	5,705	5,500	5,858	5,882	
		5,818	5,612	5,606	5,531	5,604	5,520	5,673	
		5,621	5,725	5,706	5,774	5,533	5,739	5,833	
								5,645	
December	189,245	5,629	5,845	5,809	5,937	5,821	6,099	6,037	1
		5,922	5,834	5,757	5,958	6,067	5,998	6,075	
		5,956	6,173	6,006	6,054	6,115	6,246	6,305	
		6,139	6,449	6,500	6,214	6,484	6,543	6,341	
		6,129	6,301	6,401					

SECTION 1 - GENERAL MORTALITY - PAGE 314

Table 1-30. Deaths From Selected Causes, by Date of Death: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and month	Total	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Unknown
Motor vehicle accidents (E810-E825)	45,901	7,520	5,638	5,542	5,497	5,769	7,113	8,821	1
January	3,102	147	108	96	110	106	...
	...	113	96	88	91	100	119	119	...
	...	94	79	79	102	88	107	146	...
	...	99	59	95	73	116	119	119	...
	...	98	88	69	95	84
February	2,753	114	128	...
	...	81	97	85	81	85	101	123	...
	...	113	78	88	78	70	116	101	...
	...	111	94	79	111	103	124	149	...
	...	98	86	92	80	87
March	3,397	115	153	1
	...	126	86	70	64	99	95	147	...
	...	108	86	96	82	105	132	147	...
	...	125	90	82	91	99	119	147	...
	...	141	97	90	99	87	129	167	...
	...	122
April	3,693	...	93	104	98	114	141	140	...
	...	134	110	95	106	95	136	180	...
	...	145	107	100	103	91	132	194	...
	...	166	98	102	91	101	137	194	...
	...	154	114	118
May	4,063	119	123	105	228	...
	...	202	93	103	111	107	143	168	...
	...	165	98	119	101	101	130	190	...
	...	158	106	101	98	122	132	206	...
	...	138	164	92	103	98	139
June	4,394	188	...
	...	163	100	118	128	136	131	191	...
	...	168	102	121	109	127	161	185	...
	...	158	146	109	102	126	164	229	...
	...	166	131	130	136	136	154	211	...
	...	148
July	4,319	...	120	134	165	188	138	146	...
	...	165	121	123	118	128	134	161	...
	...	159	104	97	104	110	155	203	...
	...	173	107	134	140	127	150	194	...
	...	167	122	119	113
August	4,536	135	163	201	...
	...	170	144	122	115	113	153	185	...
	...	167	133	113	131	127	166	184	...
	...	147	136	119	127	124	163	185	...
	...	187	104	110	114	138	156	204	...
September	4,037	...	133	115	110	109	133	193	...
	...	152	133	92	101	96	127	172	...
	...	178	143	93	103	105	130	212	...
	...	160	116	114	115	109	150	185	...
	...	163	115
October	4,076	109	110	108	167	174	...
	...	167	113	114	91	126	128	182	...
	...	196	123	96	102	120	152	172	...
	...	154	141	111	99	102	152	193	...
	...	175	78	100	98	123
November	3,942	190	184	...
	...	162	95	103	130	96	145	178	...
	...	157	108	108	105	110	133	188	...
	...	123	105	113	103	111	140	163	...
	...	133	110	110	126	104	148	161	...
December	3,589
	...	110	88	79	100	139	119	159	...
	...	108	102	106	115	109	144	146	...
	...	110	100	95	103	101	153	118	...
	...	160	151	145	99	115	119	122	...
	...	83	95	96

SECTION 1 - GENERAL MORTALITY - PAGE 315

Table 1-30. Deaths From Selected Causes, by Date of Death: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and month	Total	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Unknown
Suicide (E950-E959)	29,453	4,052	4,595	4,381	4,197	4,139	4,094	3,932	4
January	2,360	69 70 69 86	82 82 74 77	86 84 75 78	67 96 82 66	70 67 66 64	72 61 77 64	89 71 71 77	-
February	2,304	72 69 83 75	77 72 81 107	86 81 92 80	87 86 96 80	93 95 76 76	76 73 99 77	75 68 82 90	-
March	2,764	95 76 86 83 89	95 96 109 94	112 105 86 75	83 99 96 102	97 92 79 82	90 81 69 75 87	91 70 93 90 87	-
April	2,479	100 78 81 78	77 90 110 98 81	68 91 81 84 69	85 94 95 75	99 86 78 75	70 93 83 68	61 67 93 71	-
May	2,494	91 73 77 68	90 110 100 60	93 93 93 80	84 74 84 65 95	95 85 62 75 93	84 70 61 65 59	80 83 72 80	-
June	2,360	82 82 92 74 60	99 95 84 100	79 80 78 79	72 75 79 72	63 76 70 63	74 81 98 76	85 82 63 87	-
July	2,572	93 73 67 80	111 97 94 105 107	88 79 83 97 74	79 88 74 77 64	62 79 85 71	96 90 82 70	78 81 76 71	1
August	2,472	85 80 76 91	96 74 86 98	77 84 74 79	70 67 76 87	85 63 95 80 75	86 86 75 70 81	74 75 79 84 63	1
September	2,396	69 87 71 76 85	65 75 83 79 73	95 74 84 82	82 84 75 96	81 84 91 62	94 75 99 76	71 86 74 67	-
October	2,524	77 93 75 60	95 86 91 107	81 90 100 79 59	68 65 87 91 86	73 85 83 84 77	79 80 86 74	71 79 93 70	-
November	2,430	97 78 72 75	95 91 83 91	98 89 81 69	70 88 64 77	67 100 83 68	81 77 94 77 86	76 77 78 75 71	2
December	2,298	74 85 78 55 43	71 91 73 67 71	87 76 67 68 80	102 75 64 60	89 91 63 86	77 79 68 73	79 59 75 72	-

SECTION 1 - GENERAL MORTALITY - PAGE 316

Table 1-30. Deaths From Selected Causes, by Date of Death: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and month	Total	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Unknown
Homicide and legal intervention (E960-E978)	19,893	3,193	2,588	2,611	2,458	2,519	2,826	3,689	9
January	1,637	1
...	...	59	41	101	44	47	57	76	...
...	...	56	42	40	42	46	40	62	...
...	...	52	52	45	52	33	57	70	...
...	...	55	49	39	47	47	53	75	...
...	48	51
February	1,562	68	74	...
...	...	67	42	54	55	39	57	54	...
...	...	62	48	48	47	51	77	63	...
...	...	57	59	36	50	48	54	89	...
...	...	60	66	46	39	52
March	1,628	46	77	...
...	...	76	46	38	49	48	60	60	...
...	...	55	47	52	42	39	53	61	...
...	...	60	37	43	48	39	55	87	...
...	...	46	43	44	43	52	54	74	...
...	...	54
April	1,478
...	...	60	54	32	52	50	53	69	...
...	...	56	35	55	48	37	47	72	...
...	...	39	43	47	34	43	46	66	...
...	...	58	50	49	46	36	47	64	...
...	44	46
May	1,529	2
...	...	62	61	36	49	45	37	62	...
...	...	60	50	40	36	42	61	50	...
...	...	47	38	39	47	53	54	80	...
...	...	52	52	50	41	41	65	55	...
...	52	44	46
June	1,632	1
...	...	67	56	48	56	57	47	79	...
...	...	69	47	43	38	49	39	78	...
...	...	88	52	50	42	38	63	68	...
...	...	45	48	46	33	39	54	69	...
...	...	72	71	...
July	1,882
...	...	66	51	57	69	76	60	84	...
...	...	57	79	65	50	50	55	85	...
...	...	68	61	60	39	74	45	80	...
...	...	80	50	49	48	51	63	57	...
...	56	54	43
August	1,803	3
...	...	65	52	41	52	56	56	81	...
...	...	67	43	37	44	61	73	73	...
...	...	68	62	55	43	56	58	67	...
...	...	77	61	48	44	48	63	77	...
...	54	45	73	...
September	1,679
...	...	87	77	59	43	48	55	95	...
...	...	70	41	59	42	48	55	70	...
...	...	49	40	45	49	41	55	75	...
...	...	73	54	42	34	37	49	78	...
...	...	58	51
October	1,666	2
...	...	77	47	44	46	50	64	61	...
...	...	65	45	40	55	55	47	73	...
...	...	60	44	47	55	41	50	68	...
...	...	77	51	53	49	43	47	77	...
...	38	53
November	1,629
...	...	53	41	64	61	46	82	67	...
...	...	66	50	32	38	43	59	68	...
...	...	66	40	49	49	41	42	56	...
...	...	56	48	41	62	52	55	77	...
...	63	62	...
December	1,768
...	...	61	47	48	52	68	54	104	...
...	...	57	57	51	70	66	41	65	...
...	...	58	40	58	38	47	58	65	...
...	...	51	51	89	65	48	42	66	...
...	...	47	47	57

SECTION 1 - GENERAL MORTALITY - PAGE 317

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
All causes								
All races, both sexes	2,029,261	37,935	51,852	65,815	116,634	286,480	482,646	987,899
Never married	203,008	31,814	22,437	13,095	12,758	22,761	31,659	68,284
Ever married	1,816,561	5,843	28,757	51,946	102,879	261,893	448,678	916,565
Married	926,933	4,828	20,800	36,678	75,701	188,400	285,476	315,052
Widowed	742,744	85	486	1,474	6,716	38,233	128,339	567,411
Divorced	146,884	932	7,471	13,794	20,462	35,260	34,863	34,102
Not stated	9,692	278	658	774	937	1,826	2,109	3,050
All races, male	1,064,583	28,162	37,354	43,494	73,320	177,711	283,017	421,525
Never married	122,755	24,228	17,595	9,936	9,357	15,999	19,547	26,093
Ever married	934,773	3,717	19,214	32,907	63,138	160,256	261,907	393,634
Married	657,739	3,130	13,861	23,329	47,987	126,023	203,862	239,547
Widowed	189,966	41	205	531	2,021	11,693	37,102	138,373
Divorced	87,068	546	5,148	9,047	13,130	22,540	20,943	15,714
Not stated	7,055	217	545	651	825	1,456	1,563	1,798
All races, female	964,678	9,773	14,498	22,321	43,314	108,769	199,629	566,374
Never married	80,253	7,586	4,842	3,159	3,401	6,762	12,312	42,191
Ever married	881,788	2,126	9,543	19,039	39,741	101,637	186,771	522,931
Married	269,194	1,696	6,939	13,349	27,714	62,377	81,614	75,505
Widowed	552,778	44	281	943	4,695	26,540	91,237	429,038
Divorced	59,816	386	2,323	4,747	7,332	12,720	13,920	18,388
Not stated	2,637	61	113	123	172	370	546	1,252
White, both sexes	1,778,325	30,390	38,463	49,608	92,204	241,237	422,956	903,467
Never married	165,211	25,061	15,011	8,367	8,556	17,492	27,206	63,518
Ever married	1,606,332	5,114	23,022	40,745	83,048	222,528	394,264	837,611
Married	825,696	4,170	16,393	29,096	62,602	164,503	257,527	291,405
Widowed	657,516	68	332	881	4,367	29,102	106,984	515,782
Divorced	123,120	876	6,297	10,768	16,079	28,923	29,753	30,424
Not stated	6,782	215	430	496	600	1,217	1,466	2,338
White, male	926,534	22,582	28,102	32,907	58,347	151,038	249,919	383,639
Never married	96,556	19,132	12,141	6,531	6,366	12,297	16,528	23,561
Ever married	825,076	3,278	15,600	25,951	51,462	137,775	232,302	358,706
Married	587,462	2,724	10,997	18,453	39,768	110,329	184,012	221,159
Widowed	164,990	32	146	330	1,260	8,813	30,477	123,932
Divorced	72,624	522	4,457	7,168	10,414	18,633	17,813	13,617
Not stated	4,902	172	361	425	519	966	1,089	1,370
White, female	851,791	7,808	10,361	16,701	33,857	90,199	173,037	519,828
Never married	68,655	5,929	2,870	1,836	2,190	5,195	10,678	39,957
Ever married	781,256	1,836	7,422	14,794	31,586	84,753	161,962	478,903
Married	238,234	1,446	5,366	10,643	22,814	54,174	73,515	70,246
Widowed	492,526	36	186	551	3,107	20,289	76,507	391,850
Divorced	50,496	354	1,840	3,600	5,665	10,290	11,940	16,807
Not stated	1,880	43	69	71	81	251	397	968
All other, both sexes	250,936	7,545	13,389	16,207	24,430	45,243	59,690	84,432
Never married	37,797	6,753	7,426	4,728	4,202	5,269	4,653	4,766
Ever married	210,229	729	5,735	11,201	18,831	39,365	54,414	78,954
Married	101,237	656	4,407	7,582	13,099	23,897	27,949	23,647
Widowed	85,228	17	154	593	2,349	9,131	21,355	51,829
Divorced	23,764	56	1,174	3,026	4,383	6,337	5,110	3,678
Not stated	2,910	63	228	278	397	609	623	712
All other, male	138,049	5,580	9,252	10,587	14,973	26,673	33,098	37,886
Never married	26,199	5,096	5,454	3,405	2,991	3,702	3,019	2,532
Ever married	109,697	439	3,614	6,956	11,676	22,481	29,605	34,926
Married	70,277	406	2,864	4,876	8,199	15,694	19,850	18,388
Widowed	24,976	9	59	201	761	2,880	6,625	14,441
Divorced	14,444	24	691	1,879	2,716	3,907	3,130	2,097
Not stated	2,153	45	184	226	306	490	474	428
All other, female	112,887	1,965	4,137	5,620	9,457	18,570	26,592	46,546
Never married	11,598	1,657	1,972	1,323	1,211	1,567	1,634	2,234
Ever married	100,532	290	2,121	4,245	8,155	16,884	24,809	44,028
Married	30,960	250	1,543	2,706	4,900	8,203	8,089	5,259
Widowed	60,252	8	95	392	1,588	6,251	14,730	37,188
Divorced	9,320	32	483	1,147	1,667	2,430	1,980	1,581
Not stated	757	18	44	52	91	119	149	284
Black, both sexes	229,455	6,503	12,144	14,779	22,486	41,836	55,032	76,675
Never married	34,834	5,833	6,852	4,478	3,992	4,990	4,395	4,294
Ever married	191,892	614	5,084	10,038	18,115	36,262	50,050	71,729
Married	90,343	553	3,889	6,711	11,764	21,586	25,093	20,747
Widowed	79,222	15	142	534	2,211	8,637	20,089	47,594
Divorced	22,327	46	1,053	2,793	4,140	6,039	4,868	3,388
Not stated	2,729	56	208	263	379	584	587	652
Black, male	125,317	4,806	8,415	9,724	13,821	24,657	30,310	33,584
Never married	23,874	4,400	4,995	3,209	2,832	3,493	2,814	2,131
Ever married	99,432	367	3,263	6,299	10,694	20,693	27,052	31,074
Married	62,677	344	2,563	4,376	7,401	14,231	17,806	15,956
Widowed	23,196	8	57	178	721	2,742	6,270	13,220
Divorced	13,559	15	633	1,745	2,572	3,720	2,976	1,898
Not stated	2,011	39	167	216	295	471	444	379
Black, female	104,138	1,697	3,729	5,055	8,665	17,179	24,722	43,091
Never married	10,960	1,433	1,857	1,269	1,160	1,497	1,581	2,163
Ever married	92,460	247	1,831	3,739	7,421	15,569	22,998	40,655
Married	27,666	209	1,326	2,335	4,363	7,355	7,287	4,791
Widowed	56,026	7	85	356	1,490	5,895	13,819	34,374
Divorced	8,768	31	420	1,048	1,568	2,319	1,892	1,490
Not stated	718	17	41	47	84	113	143	273

SECTION 1 - GENERAL MORTALITY - PAGE 318

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)								
All races, both sexes	459,680	2,142	5,495	14,531	38,203	100,626	142,542	156,141
Never married	32,568	1,759	1,654	1,845	3,060	6,501	7,948	9,801
Ever married	425,865	377	3,822	12,641	35,035	93,832	134,201	145,957
Married	264,327	336	3,264	10,053	27,329	70,208	89,361	63,776
Widowed	127,097	1	28	271	2,180	12,806	35,320	76,491
Divorced	34,441	40	530	2,317	5,526	10,818	9,520	5,690
Not stated	1,247	6	19	45	108	293	393	383
All races, male	245,851	1,291	2,738	6,606	19,127	55,756	81,113	79,220
Never married	17,557	1,119	1,086	1,051	1,837	3,972	4,354	4,138
Ever married	227,462	167	1,643	5,528	17,213	51,580	76,478	74,853
Married	174,365	154	1,433	4,543	14,103	42,512	61,731	49,889
Widowed	35,074	-	6	420	3,119	9,434	22,041	49,889
Divorced	18,023	13	204	931	2,690	5,949	5,313	2,923
Not stated	832	5	9	27	77	204	281	229
All races, female	213,829	851	2,757	7,925	19,076	44,870	61,429	76,921
Never married	15,011	640	568	794	1,223	2,529	3,594	5,663
Ever married	198,403	210	2,179	7,113	17,822	42,252	57,723	71,104
Married	89,862	182	1,831	5,510	13,226	27,696	27,630	13,887
Widowed	92,023	1	22	217	1,760	9,687	25,886	54,450
Divorced	16,418	27	326	1,386	2,836	4,869	4,207	2,767
Not stated	415	1	10	18	31	89	112	154
White, both sexes	404,170	1,784	4,541	11,873	31,462	86,618	126,400	141,492
Never married	26,899	1,448	1,255	1,275	2,040	5,032	6,826	9,023
Ever married	376,421	331	3,274	10,573	29,360	81,390	119,306	132,187
Married	236,979	297	2,818	8,552	23,485	62,322	81,026	58,479
Widowed	110,856	1	18	163	1,540	10,216	30,182	68,736
Divorced	28,586	33	438	1,858	4,335	8,852	8,098	4,972
Not stated	850	5	12	25	62	195	268	282
White, male	214,199	1,082	2,320	5,390	15,451	47,569	71,352	71,035
Never married	14,011	927	889	753	2,972	5,618	7,618	9,862
Ever married	199,638	151	1,426	4,623	14,213	44,469	67,550	67,206
Married	155,421	140	1,246	3,830	11,902	37,316	55,533	45,454
Widowed	29,563	-	4	34	270	2,340	7,533	19,282
Divorced	14,654	11	176	759	2,041	4,813	4,384	2,470
Not stated	550	4	5	14	48	128	184	167
White, female	189,971	702	2,221	6,483	16,011	39,049	55,048	70,457
Never married	12,888	521	366	522	850	2,060	3,208	5,381
Ever married	176,783	180	1,848	5,950	15,147	36,921	51,756	64,981
Married	81,558	157	1,572	4,722	11,583	25,006	25,493	13,026
Widowed	81,293	1	14	129	1,270	7,876	22,549	49,454
Divorced	13,832	22	262	1,099	2,294	4,039	3,714	2,502
Not stated	300	1	7	11	14	68	84	115
All other, both sexes	55,510	358	954	2,658	6,741	14,008	16,142	14,649
Never married	5,669	311	399	570	1,020	1,469	1,122	778
Ever married	49,444	46	548	2,068	5,675	12,442	14,895	13,770
Married	27,348	39	446	1,501	3,844	7,886	8,335	5,297
Widowed	16,241	-	10	108	640	2,590	5,138	7,755
Divorced	5,855	7	92	459	1,191	1,966	1,422	718
Not stated	397	1	7	20	46	97	125	101
All other, male	31,652	209	418	1,216	3,676	8,187	9,761	8,185
Never married	3,546	192	288	467	1,000	1,000	736	476
Ever married	27,824	16	217	905	3,000	7,111	8,928	7,647
Married	18,944	14	187	713	2,201	5,196	6,198	4,435
Widowed	5,511	-	2	20	150	779	1,801	2,759
Divorced	3,369	2	28	172	649	1,136	929	453
Not stated	282	1	4	13	29	76	97	62
All other, female	23,858	149	536	1,442	3,065	5,821	6,381	6,464
Never married	2,123	119	272	373	469	551	386	302
Ever married	21,620	30	331	1,163	2,675	5,331	5,967	6,123
Married	8,404	25	259	788	1,643	2,690	2,137	862
Widowed	10,730	-	8	86	490	1,811	3,337	4,996
Divorced	2,486	5	64	287	542	830	493	265
Not stated	115	-	3	7	17	21	28	39
Black, both sexes	50,638	300	822	2,340	6,134	12,875	14,848	13,319
Never married	5,302	261	357	540	1,398	975	1,069	702
Ever married	44,966	39	459	1,782	5,114	11,385	13,662	12,525
Married	24,252	32	366	1,284	3,380	7,035	7,495	4,680
Widowed	15,119	-	9	89	594	2,452	4,804	7,171
Divorced	5,595	7	84	429	1,140	1,898	1,363	674
Not stated	370	-	6	18	45	92	117	92
Black, male	28,881	176	357	1,078	3,377	7,551	8,982	7,360
Never married	3,291	162	173	277	619	955	1,173	410
Ever married	25,327	14	181	790	2,729	6,523	8,196	6,894
Married	16,911	12	152	614	1,964	4,673	5,598	3,898
Widowed	5,181	-	2	16	138	747	1,705	2,573
Divorced	3,235	2	27	160	627	1,103	893	423
Not stated	263	-	3	11	29	73	91	56
Black, female	21,757	124	465	1,262	2,757	5,324	5,866	5,959
Never married	2,011	99	184	263	356	443	374	292
Ever married	19,639	25	278	992	2,385	4,862	5,466	5,631
Married	7,341	20	214	650	1,416	2,362	1,897	782
Widowed	9,938	-	7	73	456	1,705	3,099	4,598
Divorced	2,360	5	57	269	513	795	470	251
Not stated	107	-	3	7	16	19	26	36

SECTION 1 - GENERAL MORTALITY - PAGE 319

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Diseases of heart (390-398,402,404-429)								
All races, both sexes	769,344	1,113	3,455	12,084	34,545	98,065	183,733	436,349
Never married	57,874	929	1,403	1,859	3,441	7,763	12,472	30,001
Ever married	708,128	178	2,036	10,133	30,871	89,609	170,374	404,927
Married	341,073	157	1,588	7,662	23,473	65,863	109,743	132,587
Widowed	320,606	2	20	237	1,720	12,336	48,099	258,192
Divorced	46,449	19	428	2,234	5,678	11,410	12,532	14,148
Not stated	3,342	6	16	92	233	687	887	1,421
All races, male	397,265	704	2,404	9,134	25,961	68,438	112,709	177,915
Never married	30,757	612	1,058	1,427	2,682	5,856	8,018	11,104
Ever married	364,204	86	1,334	7,629	23,089	62,030	104,031	166,005
Married	256,981	74	1,041	5,901	18,195	49,762	81,822	100,186
Widowed	79,077	1	6	82	639	4,344	14,411	59,594
Divorced	28,146	11	287	1,646	4,255	7,924	7,798	6,225
Not stated	2,304	6	12	78	190	552	660	806
All races, female	372,079	409	1,051	2,950	8,584	29,627	71,024	258,434
Never married	27,117	317	345	432	759	1,913	4,454	18,897
Ever married	343,924	92	702	2,504	7,782	27,579	66,343	238,927
Married	84,092	83	547	1,761	5,278	16,101	27,921	32,401
Widowed	241,529	1	14	155	1,081	7,992	33,688	198,598
Divorced	18,303	8	141	588	1,423	3,486	4,734	7,923
Not stated	1,038	-	4	14	43	135	227	615
White, both sexes	686,856	760	2,324	9,114	27,698	83,039	161,814	402,107
Never married	49,851	616	890	1,102	2,389	6,072	10,782	28,090
Ever married	634,592	141	1,518	7,958	25,169	76,505	150,401	372,900
Married	308,214	124	1,171	6,116	19,658	57,917	99,642	123,586
Widowed	287,168	-	9	126	1,068	9,204	40,122	236,639
Divorced	39,210	17	338	1,716	4,443	9,384	10,637	12,675
Not stated	2,413	3	6	54	140	462	631	1,117
White, male	354,709	490	1,649	7,139	21,507	59,468	100,927	163,529
Never married	25,641	418	620	906	1,939	4,683	6,958	10,117
Ever married	327,430	69	1,024	6,186	19,443	54,416	93,508	152,784
Married	233,863	60	785	4,832	15,575	44,433	74,748	93,432
Widowed	69,808	-	-	39	408	3,340	12,090	53,931
Divorced	23,759	9	239	1,315	3,460	6,643	6,672	5,421
Not stated	1,638	3	5	47	125	369	461	628
White, female	332,147	270	675	1,975	6,191	23,571	60,887	238,578
Never married	24,210	198	180	196	450	1,389	3,824	17,973
Ever married	307,162	72	494	1,772	5,726	22,089	56,893	220,116
Married	74,351	64	386	1,284	4,083	13,484	24,896	30,154
Widowed	217,360	-	9	87	660	5,864	28,032	182,708
Divorced	15,451	8	99	401	983	2,741	3,965	7,254
Not stated	775	-	1	7	15	93	170	489
All other, both sexes	82,488	353	1,131	2,970	6,847	15,026	21,919	34,242
Never married	8,023	313	603	757	1,052	1,697	1,890	1,811
Ever married	73,536	37	518	2,175	5,702	13,104	19,973	32,027
Married	32,859	33	417	1,546	3,815	7,946	10,101	9,001
Widowed	33,438	2	11	111	652	3,132	7,377	21,553
Divorced	7,239	2	90	518	1,235	2,026	1,895	1,473
Not stated	929	3	10	38	93	225	256	304
All other, male	42,556	214	755	1,995	4,454	8,970	11,782	14,386
Never married	5,116	194	438	521	743	1,173	1,060	987
Ever married	36,774	17	310	1,443	3,646	7,814	10,523	13,221
Married	23,118	14	258	1,069	2,620	5,329	7,076	6,754
Widowed	9,269	1	6	43	231	1,004	2,321	5,663
Divorced	4,387	2	48	331	795	1,281	1,126	804
Not stated	666	3	7	31	65	183	199	178
All other, female	39,932	139	378	975	2,393	6,056	10,137	19,856
Never married	2,907	119	165	236	309	524	630	924
Ever married	36,762	20	208	732	2,056	5,490	9,450	18,806
Married	9,741	19	161	477	1,195	2,617	3,025	2,247
Widowed	24,169	1	5	68	421	2,128	5,856	15,890
Divorced	2,852	-	42	187	440	745	769	669
Not stated	263	-	3	7	28	42	57	126
Black, both sexes	76,217	328	1,063	2,765	6,405	14,021	20,357	31,278
Never married	7,527	293	576	720	1,014	1,601	1,592	1,731
Ever married	67,810	32	477	2,010	5,301	12,201	18,520	29,269
Married	29,667	29	384	1,408	3,506	7,269	9,121	7,930
Widowed	31,307	2	11	107	628	2,976	7,583	19,990
Divorced	6,836	1	82	495	1,167	1,936	1,806	1,349
Not stated	880	3	10	35	90	219	245	278
Black, male	38,740	198	705	1,849	4,118	8,296	10,778	12,796
Never married	4,714	181	413	495	709	1,098	981	637
Ever married	33,399	14	285	1,325	3,344	7,019	9,609	11,803
Married	20,648	12	234	968	2,376	4,847	6,338	5,873
Widowed	8,648	1	6	41	224	954	2,207	5,215
Divorced	4,103	1	45	316	744	1,218	1,064	715
Not stated	627	3	7	29	85	179	188	156
Black, female	37,477	130	358	916	2,287	5,725	9,579	18,482
Never married	2,813	112	163	225	305	503	611	894
Ever married	34,411	18	192	685	1,957	5,182	8,911	17,486
Married	9,019	17	150	440	1,190	2,442	2,783	2,057
Widowed	22,659	1	5	66	404	2,022	5,386	14,775
Divorced	2,733	-	37	179	423	718	742	634
Not stated	253	-	3	6	25	40	57	122

SECTION 1 - GENERAL MORTALITY - PAGE 320

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Cerebrovascular diseases (430-438)								
All races, both sexes	152,732	307	902	2,272	4,774	12,136	29,129	103,212
Never married	11,398	231	312	397	495	970	1,905	7,028
Ever married	140,917	73	583	1,855	4,248	11,099	27,107	95,952
Married	57,762	60	433	1,378	3,097	7,682	16,125	28,987
Widowed	74,900	1	7	67	336	1,877	8,935	63,677
Divorced	8,255	12	143	410	815	1,540	2,047	3,288
Not stated	477	3	7	20	31	67	117	232
All races, male	80,615	150	467	1,155	2,531	6,595	14,783	34,934
Never married	4,671	125	187	263	342	626	1,069	2,059
Ever married	55,636	24	274	876	2,164	5,919	13,628	32,751
Married	37,905	20	203	665	1,673	4,601	10,549	20,194
Widowed	13,932	-	1	67	450	1,427	2,034	11,361
Divorced	3,799	4	70	192	424	868	1,045	1,196
Not stated	308	1	6	16	25	50	86	124
All races, female	92,117	157	435	1,117	2,243	5,541	14,346	68,278
Never married	6,667	106	125	134	153	344	836	4,969
Ever married	85,281	49	309	979	2,084	5,180	13,479	63,201
Married	19,857	40	230	713	1,424	3,081	5,576	8,793
Widowed	60,968	1	6	48	269	1,427	6,901	52,316
Divorced	4,456	8	73	218	391	672	1,002	2,092
Not stated	169	2	1	4	6	17	31	108
White, both sexes	132,795	220	597	1,469	3,257	9,223	24,125	93,904
Never married	9,549	159	167	191	272	665	1,563	6,532
Ever married	122,928	58	427	1,268	2,973	8,518	22,490	87,194
Married	50,172	48	319	968	2,228	6,112	13,910	26,589
Widowed	66,081	1	4	35	175	1,271	6,911	57,684
Divorced	6,675	9	104	267	570	1,135	1,669	2,921
Not stated	318	3	3	10	12	40	72	178
White, male	51,848	110	321	739	1,722	5,074	12,352	31,530
Never married	3,672	92	109	136	196	432	869	1,835
Ever married	47,974	17	209	592	1,516	4,610	11,431	29,599
Married	32,965	15	152	449	1,188	3,667	9,076	18,438
Widowed	11,952	-	1	13	291	1,010	1,510	10,146
Divorced	2,957	2	56	130	297	652	845	1,015
Not stated	202	1	3	8	10	32	52	96
White, female	80,947	110	276	730	1,535	4,149	11,773	62,374
Never married	5,877	67	59	52	76	233	694	4,697
Ever married	74,954	41	218	676	1,457	3,908	11,059	57,585
Married	17,187	33	167	517	1,040	2,445	4,834	8,151
Widowed	54,089	1	3	22	144	980	5,401	47,538
Divorced	3,678	7	48	137	273	483	824	1,906
Not stated	116	2	-	2	2	8	20	82
All other, both sexes	19,937	87	305	803	1,517	2,913	5,004	9,308
Never married	1,789	72	145	206	223	305	342	496
Ever married	17,989	15	156	587	1,275	2,581	4,617	8,758
Married	7,590	12	114	412	869	1,570	2,215	2,398
Widowed	8,819	-	3	32	161	606	2,024	5,993
Divorced	1,580	3	39	143	245	405	378	367
Not stated	159	-	4	10	19	27	45	54
All other, male	8,767	40	146	416	809	1,521	2,431	3,404
Never married	999	33	78	124	146	194	200	224
Ever married	7,662	7	65	284	648	1,309	2,197	3,152
Married	4,920	5	51	216	485	934	1,473	1,756
Widowed	1,940	-	-	6	36	159	524	1,215
Divorced	802	2	14	62	127	216	200	181
Not stated	106	-	3	8	15	18	34	28
All other, female	11,170	47	159	387	708	1,392	2,573	5,904
Never married	790	39	67	82	77	111	142	272
Ever married	10,327	8	91	303	627	1,272	2,420	5,606
Married	2,670	7	63	196	384	636	742	642
Widowed	6,879	-	3	26	125	447	1,500	4,778
Divorced	778	1	25	81	118	189	178	186
Not stated	53	-	1	2	4	9	11	26
Black, both sexes	18,266	78	292	742	1,420	2,698	4,604	8,432
Never married	1,679	64	138	198	216	299	326	438
Ever married	16,443	14	150	534	1,186	2,374	4,239	7,946
Married	6,782	12	111	370	793	1,414	1,982	2,100
Widowed	8,151	-	3	30	156	571	1,894	5,497
Divorced	1,510	2	36	134	237	389	363	349
Not stated	144	-	4	10	18	25	39	48
Black, male	7,955	36	138	392	760	1,425	2,225	2,979
Never married	916	30	73	120	142	189	188	174
Ever married	6,944	6	62	264	604	1,219	2,007	2,782
Married	4,389	5	49	199	448	858	1,319	1,511
Widowed	1,791	-	-	6	33	153	498	1,101
Divorced	764	1	13	59	123	208	190	170
Not stated	95	-	3	8	14	17	30	23
Black, female	10,311	42	154	350	660	1,273	2,379	5,453
Never married	763	34	65	78	74	110	138	264
Ever married	9,499	8	88	270	582	1,155	2,232	5,164
Married	2,393	7	62	171	345	556	663	589
Widowed	6,360	-	3	24	123	418	1,396	4,396
Divorced	746	1	23	75	114	181	173	179
Not stated	49	-	1	2	4	8	9	25

SECTION 1 - GENERAL MORTALITY - PAGE 321

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Chronic obstructive pulmonary diseases and allied conditions (490-496)								
All races, both sexes	74,442	180	233	494	2,294	10,607	25,149	35,485
Never married	4,889	145	109	106	250	817	1,421	2,041
Ever married	69,206	33	121	384	2,020	9,708	23,629	33,311
Married	36,909	27	91	252	1,314	6,276	14,258	14,691
Widowed	25,660	-	1	16	181	1,726	6,940	16,796
Divorced	6,637	6	29	116	525	1,706	2,431	1,824
Not stated	347	2	3	4	24	82	99	133
All races, male	46,470	91	118	257	1,231	6,310	16,062	22,401
Never married	3,288	79	64	79	180	630	1,044	1,212
Ever married	42,893	10	51	175	1,030	5,610	14,938	21,079
Married	28,548	10	37	117	701	4,046	10,909	12,728
Widowed	10,305	-	-	4	42	528	2,481	7,250
Divorced	4,040	-	14	54	287	1,036	1,548	1,101
Not stated	289	2	3	3	21	70	80	110
All races, female	27,972	89	115	237	1,063	4,297	9,087	13,084
Never married	1,601	66	45	27	70	187	377	829
Ever married	26,313	23	70	209	990	4,098	8,691	12,232
Married	8,361	17	54	135	613	2,230	3,349	1,963
Widowed	15,355	-	1	12	139	1,198	4,459	9,546
Divorced	2,597	6	15	62	238	670	883	723
Not stated	58	-	-	1	3	12	19	23
White, both sexes	69,312	99	138	355	1,907	9,550	23,552	33,711
Never married	4,282	73	56	62	175	692	1,282	1,942
Ever married	64,747	24	82	289	1,717	8,786	22,188	31,661
Married	34,575	18	64	189	1,136	5,718	13,449	14,001
Widowed	24,100	-	1	9	142	1,530	6,452	15,966
Divorced	6,072	6	17	91	439	1,538	2,287	1,694
Not stated	283	2	-	4	15	72	82	108
White, male	42,999	42	63	173	1,004	5,632	14,925	21,160
Never married	2,849	35	31	47	135	532	935	1,134
Ever married	39,920	5	32	123	856	5,039	13,926	19,939
Married	26,680	5	23	78	591	3,650	10,228	12,105
Widowed	9,568	-	-	4	33	456	2,250	6,825
Divorced	3,672	-	9	41	232	933	1,448	1,009
Not stated	230	2	-	3	13	61	64	87
White, female	26,313	57	75	182	903	3,918	8,627	12,551
Never married	1,433	38	25	15	40	160	347	808
Ever married	24,827	19	50	166	861	3,747	8,262	11,722
Married	7,895	13	41	111	545	2,068	3,221	1,896
Widowed	14,532	-	1	5	109	1,074	4,202	9,141
Divorced	2,400	6	8	50	207	605	839	685
Not stated	53	-	-	1	2	11	18	21
All other, both sexes	5,130	81	95	139	387	1,057	1,597	1,774
Never married	607	72	53	44	75	125	139	99
Ever married	4,459	9	39	95	303	922	1,441	1,650
Married	2,334	9	27	63	178	558	809	690
Widowed	1,580	-	-	7	39	196	488	830
Divorced	565	-	12	25	86	168	144	130
Not stated	64	-	3	-	9	10	17	25
All other, male	3,471	49	55	84	227	678	1,137	1,241
Never married	439	44	33	32	45	98	109	78
Ever married	2,973	5	19	52	174	571	1,012	1,140
Married	1,868	5	14	39	110	396	681	623
Widowed	737	-	-	-	9	72	231	425
Divorced	368	-	5	13	55	103	100	92
Not stated	59	-	3	-	8	9	16	23
All other, female	1,659	32	40	55	160	379	460	533
Never married	168	28	20	12	30	27	30	21
Ever married	1,486	4	20	43	129	351	429	510
Married	466	4	13	24	68	162	128	67
Widowed	823	-	-	7	30	124	257	405
Divorced	197	-	7	12	31	65	44	38
Not stated	5	-	-	-	1	1	1	2
Black, both sexes	4,573	76	90	134	353	960	1,446	1,514
Never married	562	68	50	42	70	116	131	85
Ever married	3,953	8	38	92	275	835	1,298	1,407
Married	2,053	8	26	60	156	500	726	577
Widowed	1,389	-	-	7	38	182	442	720
Divorced	511	-	12	25	81	153	130	110
Not stated	58	-	2	-	8	9	17	22
Black, male	3,107	46	51	82	208	617	1,044	1,059
Never married	404	42	30	30	43	91	103	65
Ever married	2,650	4	19	52	158	518	925	974
Married	1,651	4	14	39	97	359	618	520
Widowed	666	-	-	-	9	67	215	375
Divorced	333	-	5	13	52	92	92	79
Not stated	53	-	2	-	7	8	16	20
Black, female	1,466	30	39	52	145	343	402	455
Never married	158	26	20	12	27	25	28	20
Ever married	1,303	4	19	40	117	317	373	433
Married	402	4	12	21	59	141	108	57
Widowed	723	-	-	7	29	115	227	345
Divorced	178	-	7	12	29	61	38	31
Not stated	5	-	-	-	1	1	1	2

SECTION 1 - GENERAL MORTALITY - PAGE 322

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over 1	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Accidents and adverse effects (E800-E949)								
All races, both sexes	85,323	19,161	15,896	10,044	7,069	8,182	8,583	16,388
Never married	27,197	16,079	5,961	1,530	730	772	774	1,351
Ever married	57,289	2,966	9,765	8,366	6,217	7,286	7,730	14,959
Married	33,923	2,430	6,913	5,705	4,340	4,918	4,504	5,113
Widowed	13,494	47	160	225	383	1,063	2,420	9,196
Divorced	9,872	489	2,692	2,436	1,494	1,305	806	650
Not stated	837	116	170	148	122	124	79	78
All races, male	58,908	14,791	12,755	7,683	5,192	5,723	5,077	7,885
Never married	21,358	12,645	5,055	1,302	601	624	501	628
Ever married	36,850	2,053	7,548	6,251	4,481	4,992	4,511	7,014
Married	25,361	1,730	5,435	4,339	3,234	3,595	3,167	3,881
Widowed	4,402	24	74	93	173	434	805	2,799
Divorced	7,087	299	2,039	1,819	1,074	963	539	354
Not stated	700	93	152	130	110	107	65	43
All races, female	26,417	4,370	3,141	2,361	1,877	2,459	3,506	8,703
Never married	5,841	3,434	906	228	129	148	273	723
Ever married	20,439	913	2,217	2,115	1,736	2,294	3,219	7,945
Married	8,562	700	1,478	1,366	1,106	1,323	1,337	1,252
Widowed	9,092	23	86	132	210	629	1,615	6,397
Divorced	2,785	190	653	617	420	342	267	296
Not stated	137	23	18	18	12	17	14	35
White, both sexes	72,885	16,785	13,192	8,156	5,711	6,814	7,400	14,827
Never married	22,476	13,953	4,552	1,014	492	583	641	1,241
Ever married	49,774	2,729	8,510	7,034	5,140	6,140	6,696	13,255
Married	29,434	2,211	5,911	4,771	3,622	4,223	3,991	4,705
Widowed	11,701	41	136	170	267	822	2,017	8,248
Divorced	8,639	477	2,463	2,093	1,251	1,095	688	572
Not stated	635	103	130	108	79	91	63	61
White, male	49,866	12,908	10,661	6,219	4,168	4,725	4,328	6,857
Never married	17,543	10,933	3,901	877	401	463	407	561
Ever married	31,783	1,889	6,643	5,245	3,693	4,180	3,870	6,263
Married	21,946	1,576	4,683	3,626	2,690	3,067	2,774	3,530
Widowed	3,663	21	68	65	111	317	649	2,432
Divorced	6,174	292	1,892	1,554	892	796	447	301
Not stated	540	86	117	97	74	82	51	33
White, female	23,019	3,877	2,531	1,937	1,543	2,089	3,072	7,970
Never married	4,933	3,020	651	137	91	120	234	680
Ever married	17,991	840	1,867	1,789	1,447	1,960	2,826	7,262
Married	7,488	635	1,228	1,145	932	1,156	1,217	1,175
Widowed	8,038	20	68	105	156	505	1,368	5,816
Divorced	2,465	185	571	539	359	299	241	271
Not stated	95	17	13	11	5	9	12	28
All other, both sexes	12,438	2,376	2,704	1,888	1,358	1,368	1,183	1,561
Never married	4,721	2,128	1,409	516	238	189	133	110
Ever married	7,515	237	1,255	1,332	1,077	1,146	1,034	1,434
Married	4,489	219	1,002	934	718	695	513	408
Widowed	1,793	6	24	55	116	241	403	948
Divorced	1,233	12	229	343	243	210	118	78
Not stated	202	13	40	40	43	33	16	17
All other, male	9,040	1,883	2,094	1,464	1,024	998	749	828
Never married	3,813	1,712	1,154	425	200	161	94	67
Ever married	5,067	164	905	1,006	788	812	641	751
Married	3,415	154	752	713	544	528	393	331
Widowed	739	3	6	28	62	117	156	367
Divorced	913	7	147	265	182	167	92	53
Not stated	160	7	35	33	36	25	14	10
All other, female	3,398	493	610	424	334	370	434	733
Never married	908	414	255	91	38	28	39	43
Ever married	2,448	73	350	326	289	334	393	683
Married	1,074	65	250	221	174	167	120	77
Widowed	1,054	3	18	27	54	124	247	581
Divorced	320	5	82	78	61	43	26	25
Not stated	42	6	5	7	7	8	2	7
Black, both sexes	10,512	1,849	2,240	1,602	1,174	1,226	1,043	1,378
Never married	3,922	1,658	1,196	460	215	174	124	95
Ever married	6,407	180	1,012	1,108	918	1,019	903	1,267
Married	3,751	166	810	778	600	615	438	344
Widowed	1,592	5	18	43	103	214	356	853
Divorced	1,064	9	184	287	215	190	109	70
Not stated	183	11	32	34	41	33	16	16
Black, male	7,686	1,474	1,758	1,272	898	905	670	709
Never married	3,169	1,345	978	376	179	148	88	55
Ever married	4,370	124	751	885	685	732	568	645
Married	2,908	118	624	614	464	474	341	273
Widowed	653	2	5	20	55	105	142	324
Divorced	809	4	122	231	166	153	85	48
Not stated	147	5	29	31	34	25	14	9
Black, female	2,826	375	482	330	276	321	373	669
Never married	753	313	218	84	36	26	36	40
Ever married	2,037	56	261	243	233	287	335	622
Married	843	48	186	164	136	141	97	71
Widowed	939	3	13	23	48	109	214	529
Divorced	255	5	62	56	49	37	24	22
Not stated	36	6	3	3	7	8	2	7

SECTION 1 - GENERAL MORTALITY - PAGE 323

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Motor vehicle accidents (E810-E825)								
All races, both sexes	42,352	14,277	9,589	5,445	3,423	3,462	3,014	3,142
Never married	16,919	12,019	3,362	609	237	250	225	217
Ever married	25,119	2,184	6,152	4,780	3,149	3,175	2,771	2,908
Married	16,849	1,755	4,336	3,322	2,276	2,210	1,653	1,297
Widowed	3,264	40	105	130	191	473	859	1,466
Divorced	5,006	389	1,711	1,328	682	492	259	145
Not stated	314	74	75	56	37	37	18	17
All races, male	30,232	10,680	7,475	3,928	2,388	2,294	1,685	1,782
Never married	13,152	9,182	2,823	508	183	197	143	116
Ever married	16,816	1,443	4,583	3,372	2,172	2,065	1,526	1,655
Married	12,070	1,190	3,286	2,387	1,609	1,532	1,091	975
Widowed	1,242	20	47	43	87	180	273	592
Divorced	3,504	233	1,250	942	476	353	162	88
Not stated	264	55	69	48	33	32	16	11
All races, female	12,120	3,597	2,114	1,517	1,035	1,168	1,329	1,360
Never married	3,767	2,837	539	101	54	53	82	101
Ever married	8,303	741	1,569	1,408	977	1,110	1,245	1,253
Married	4,779	565	1,050	935	667	678	562	322
Widowed	2,022	20	58	87	104	293	586	874
Divorced	1,502	156	461	386	206	139	97	57
Not stated	50	19	6	8	4	5	2	6
White, both sexes	36,859	12,760	8,109	4,573	2,891	2,955	2,677	2,894
Never married	14,507	10,674	2,638	433	169	198	193	202
Ever married	22,093	2,020	5,409	4,097	2,694	2,725	2,467	2,681
Married	14,592	1,605	3,723	2,816	1,949	1,924	1,477	1,198
Widowed	2,884	35	92	103	151	384	768	1,351
Divorced	4,517	380	1,594	1,178	594	417	222	132
Not stated	259	66	62	43	28	32	17	11
White, male	26,138	9,508	6,343	3,284	2,000	1,924	1,459	1,620
Never married	11,226	8,124	2,227	372	129	153	119	102
Ever married	14,693	1,332	4,059	2,876	1,846	1,743	1,325	1,512
Married	10,466	1,087	2,832	2,013	1,370	1,313	953	898
Widowed	1,062	18	43	32	64	134	235	536
Divorced	3,165	227	1,184	831	412	296	137	78
Not stated	219	52	57	36	25	28	15	6
White, female	10,721	3,252	1,766	1,289	891	1,031	1,218	1,274
Never married	3,281	2,550	411	61	40	45	74	100
Ever married	7,400	688	1,350	1,221	848	982	1,142	1,169
Married	4,226	518	891	803	579	611	524	300
Widowed	1,822	17	49	71	87	250	533	815
Divorced	1,352	153	410	347	182	121	85	54
Not stated	40	14	5	7	3	4	2	5
All other, both sexes	5,493	1,517	1,480	872	532	507	337	248
Never married	2,412	1,345	724	176	68	52	32	15
Ever married	3,026	164	743	683	455	450	304	227
Married	2,157	150	613	506	327	286	176	99
Widowed	380	5	13	27	40	89	91	115
Divorced	489	9	117	150	88	75	37	13
Not stated	55	8	13	13	9	5	1	6
All other, male	4,094	1,172	1,132	644	388	370	226	162
Never married	1,926	1,058	596	136	54	44	24	14
Ever married	2,123	111	524	496	326	322	201	143
Married	1,604	103	454	374	239	219	138	77
Widowed	180	2	4	11	23	46	38	56
Divorced	339	6	66	111	64	57	25	10
Not stated	45	3	12	12	8	4	1	5
All other, female	1,399	345	348	228	144	137	111	86
Never married	486	287	128	40	14	8	8	1
Ever married	903	53	219	187	129	128	103	84
Married	553	47	159	132	88	67	38	22
Widowed	200	3	9	16	17	43	53	59
Divorced	150	3	51	39	24	18	12	3
Not stated	10	5	1	1	1	1	-	1
Black, both sexes	4,339	1,147	1,154	702	430	431	267	208
Never married	1,901	1,023	583	150	61	44	28	12
Ever married	2,392	118	563	540	361	382	238	190
Married	1,689	107	465	401	257	246	133	80
Widowed	304	5	10	19	31	71	70	98
Divorced	399	6	88	120	73	65	35	12
Not stated	46	6	8	12	8	5	1	6
Black, male	3,287	887	902	536	322	322	186	132
Never married	1,516	807	479	114	47	37	21	11
Ever married	1,733	79	415	410	268	281	164	118
Married	1,299	74	360	311	195	191	109	59
Widowed	148	2	3	6	18	40	31	48
Divorced	286	3	52	93	55	50	24	9
Not stated	38	1	8	12	7	4	1	5
Black, female	1,052	260	252	166	108	109	81	76
Never married	385	216	104	36	14	7	7	1
Ever married	659	39	148	130	93	101	74	74
Married	390	33	105	90	62	55	24	21
Widowed	156	3	7	13	13	31	39	50
Divorced	113	3	36	27	18	15	11	3
Not stated	8	5	-	-	1	1	-	1

SECTION 1 - GENERAL MORTALITY - PAGE 324

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
All other accidents and adverse effects (E800-E807, E826-E949)								
All races, both sexes	42,971	4,884	6,307	4,599	3,646	4,720	5,569	13,246
Never married	10,278	4,060	2,599	921	493	522	549	1,134
Ever married	32,170	782	3,613	3,588	3,068	4,111	4,959	12,051
Married	17,074	675	2,577	2,383	2,064	2,708	2,851	3,816
Widowed	10,230	7	55	95	192	590	1,561	7,730
Divorced	4,866	100	981	1,108	812	813	547	505
Not stated	523	42	95	92	85	87	61	61
All races, male	28,674	4,111	5,280	3,755	2,804	3,429	3,392	5,903
Never married	8,204	3,463	2,232	794	418	427	358	512
Ever married	20,034	610	2,985	2,879	2,309	2,927	2,985	5,359
Married	13,291	540	2,149	1,952	1,625	2,063	2,076	2,886
Widowed	3,160	4	27	50	86	254	532	2,207
Divorced	3,583	66	769	877	598	610	377	266
Not stated	436	38	83	82	77	75	49	32
All races, female	14,297	773	1,027	844	842	1,291	2,177	7,343
Never married	2,074	597	367	127	75	95	191	622
Ever married	12,136	172	648	707	759	1,184	1,974	6,692
Married	3,783	135	428	431	439	645	775	930
Widowed	7,070	3	28	45	106	336	1,029	5,523
Divorced	1,283	34	192	231	214	203	170	239
Not stated	87	4	12	10	8	12	12	29
White, both sexes	36,026	4,025	5,083	3,583	2,820	3,859	4,723	11,933
Never married	7,989	3,279	1,914	581	323	385	448	1,039
Ever married	27,681	709	3,101	2,937	2,446	3,415	4,229	10,844
Married	14,742	606	2,188	1,955	1,673	2,299	2,514	3,507
Widowed	8,817	6	44	67	116	438	1,249	6,897
Divorced	4,122	97	869	915	657	678	466	440
Not stated	376	37	68	65	51	59	46	50
White, male	23,728	3,400	4,318	2,935	2,168	2,801	2,869	5,237
Never married	6,317	2,809	1,674	505	272	310	288	459
Ever married	17,090	557	2,584	2,369	1,847	2,437	2,545	4,751
Married	11,480	489	1,851	1,613	1,320	1,754	1,821	2,632
Widowed	2,601	3	25	33	47	183	414	1,886
Divorced	3,009	65	708	723	480	500	310	223
Not stated	321	34	60	61	49	54	36	27
White, female	12,298	625	765	648	652	1,058	1,854	6,696
Never married	1,852	470	240	76	51	75	160	580
Ever married	10,581	152	517	568	599	978	1,684	6,093
Married	3,262	117	337	342	353	545	693	875
Widowed	6,216	3	19	34	69	255	835	5,001
Divorced	1,113	32	161	192	177	178	156	217
Not stated	55	3	8	4	2	5	10	23
All other, both sexes	6,945	859	1,224	1,016	826	861	846	1,313
Never married	2,309	781	685	340	170	137	101	95
Ever married	4,489	73	512	649	622	696	730	1,207
Married	2,332	69	389	428	391	409	337	309
Widowed	1,413	1	11	28	76	152	312	833
Divorced	744	3	112	193	155	135	81	65
Not stated	147	5	27	27	34	28	15	11
All other, male	4,946	711	962	820	636	628	523	666
Never married	1,887	654	558	289	146	117	70	53
Ever married	2,944	53	381	510	462	490	440	608
Married	1,811	51	298	339	305	309	255	254
Widowed	559	1	2	17	39	71	118	311
Divorced	574	1	81	154	118	110	67	43
Not stated	115	4	23	21	28	21	13	5
All other, female	1,999	148	262	196	190	233	323	647
Never married	422	127	127	51	24	20	31	42
Ever married	1,545	20	131	139	160	206	290	599
Married	521	18	91	89	86	100	82	55
Widowed	854	-	9	11	37	81	194	522
Divorced	170	2	31	39	37	25	14	22
Not stated	32	1	4	6	6	7	2	6
Black, both sexes	6,173	702	1,086	900	744	795	776	1,170
Never married	2,021	635	613	310	154	130	96	83
Ever married	4,015	62	449	568	557	637	665	1,077
Married	2,062	59	345	377	343	369	305	264
Widowed	1,288	-	8	24	72	143	286	755
Divorced	665	3	96	167	142	125	74	58
Not stated	137	5	24	22	33	28	15	10
Black, male	4,399	587	856	736	576	583	484	577
Never married	1,853	538	499	262	132	111	67	44
Ever married	2,637	45	336	455	417	451	404	529
Married	1,609	44	264	303	269	283	232	214
Widowed	505	-	2	14	37	65	111	276
Divorced	523	1	70	138	111	103	61	39
Not stated	109	4	21	19	27	21	13	4
Black, female	1,774	115	230	164	168	212	292	593
Never married	368	97	114	48	22	19	29	39
Ever married	1,378	17	113	113	140	186	261	548
Married	453	15	81	74	74	86	73	50
Widowed	783	-	6	10	35	78	175	479
Divorced	142	2	26	29	31	22	13	19
Not stated	28	1	3	3	6	7	2	6

SECTION 1 - GENERAL MORTALITY - PAGE 325

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Suicide (E950-E959)								
All races, both sexes	29,168	5,121	6,376	4,626	3,532	3,725	3,145	2,643
Never married	8,437	4,182	2,581	723	327	271	210	143
Ever married	20,524	900	3,741	3,876	3,179	3,427	2,917	2,484
Married	13,164	708	2,442	2,522	2,155	2,302	1,811	1,224
Widowed	2,728	13	90	105	194	444	774	1,108
Divorced	4,632	179	1,209	1,249	830	681	332	152
Not stated	207	39	54	27	26	27	18	16
All races, male	22,933	4,267	5,134	3,481	2,572	2,814	2,488	2,177
Never married	7,163	3,556	2,211	592	279	219	179	127
Ever married	15,595	679	2,677	2,867	2,270	2,572	2,292	2,038
Married	10,382	543	1,882	1,866	1,584	1,821	1,547	1,139
Widowed	1,743	11	66	67	103	244	474	778
Divorced	3,470	125	929	934	583	507	271	121
Not stated	175	32	46	22	23	23	17	12
All races, female	6,235	854	1,242	1,145	960	911	657	466
Never married	1,274	626	370	131	48	52	31	16
Ever married	4,929	221	864	1,009	909	855	625	446
Married	2,782	165	560	656	571	481	264	85
Widowed	985	2	24	38	91	200	300	330
Divorced	1,162	54	280	315	247	174	61	31
Not stated	32	7	8	5	3	4	1	4
White, both sexes	26,836	4,509	5,659	4,264	3,304	3,546	2,995	2,559
Never married	7,416	3,661	2,227	648	302	245	195	140
Ever married	19,236	816	3,384	3,593	2,977	3,277	2,784	2,405
Married	12,298	628	2,178	2,342	2,025	2,197	1,737	1,191
Widowed	2,568	12	69	94	174	424	730	1,065
Divorced	4,370	176	1,137	1,157	778	656	317	149
Not stated	182	32	48	23	25	24	16	14
White, male	21,068	3,753	4,535	3,209	2,402	2,674	2,375	2,120
Never married	6,296	3,110	1,906	532	259	196	167	126
Ever married	14,620	617	2,588	2,659	2,121	2,458	2,193	1,984
Married	9,697	483	1,671	1,728	1,486	1,734	1,484	1,111
Widowed	1,648	10	48	61	92	236	448	753
Divorced	3,275	124	869	870	543	488	261	120
Not stated	152	26	41	18	22	20	15	10
White, female	5,768	756	1,124	1,055	902	872	620	439
Never married	1,122	551	321	116	43	49	28	14
Ever married	4,616	199	796	934	856	819	591	421
Married	2,601	145	507	614	539	463	253	80
Widowed	920	2	21	33	82	188	282	312
Divorced	1,095	52	268	287	235	168	56	29
Not stated	30	6	7	5	3	4	1	4
All other, both sexes	2,332	612	717	362	228	179	150	84
Never married	1,019	521	354	75	25	26	15	3
Ever married	1,288	84	357	283	202	150	133	79
Married	866	80	264	180	130	105	74	33
Widowed	160	1	21	11	20	20	44	43
Divorced	262	3	72	92	52	25	15	3
Not stated	25	7	6	4	1	3	2	2
All other, male	1,865	514	599	272	170	140	113	57
Never married	867	446	305	60	20	23	12	3
Ever married	975	62	289	208	149	114	99	54
Married	685	60	211	138	98	87	63	28
Widowed	95	1	18	6	11	8	26	25
Divorced	195	1	60	64	40	19	10	1
Not stated	23	6	5	4	1	3	2	2
All other, female	467	98	118	90	58	39	37	27
Never married	152	75	49	15	5	3	3	2
Ever married	313	22	68	75	53	36	34	25
Married	181	20	53	42	32	18	11	5
Widowed	65	-	3	5	9	12	5	2
Divorced	67	2	12	28	12	6	5	-
Not stated	2	1	1	-	-	-	-	-
Black, both sexes	1,772	424	556	290	188	133	115	66
Never married	753	354	275	68	20	21	12	3
Ever married	1,001	65	278	218	167	111	101	61
Married	652	62	200	137	102	74	55	22
Widowed	132	1	20	9	18	15	33	36
Divorced	217	2	58	72	47	22	13	3
Not stated	18	5	3	4	1	1	2	2
Black, male	1,463	367	475	225	145	108	98	45
Never married	648	314	235	53	16	18	11	1
Ever married	799	49	238	168	128	89	85	42
Married	547	47	173	110	81	66	52	18
Widowed	87	1	17	5	11	7	23	23
Divorced	165	1	48	53	36	16	10	1
Not stated	16	4	2	4	1	1	2	2
Black, female	309	57	81	65	43	25	17	21
Never married	105	40	40	15	4	3	1	2
Ever married	202	16	40	50	39	22	16	19
Married	105	15	27	27	21	8	3	4
Widowed	45	-	3	4	7	8	10	13
Divorced	52	1	10	19	11	6	3	2
Not stated	2	1	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 326

Table 1-31. Deaths From Selected Causes, by Marital Status, 10-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, marital status, race, and sex	15 years and over ¹	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
Homicide and legal intervention (E960-E978)								
All races, both sexes	18,865	4,772	6,190	3,581	1,828	1,272	729	493
Never married	8,246	3,981	2,559	790	309	165	100	42
Ever married	10,188	731	3,188	2,699	1,456	1,064	609	441
Married	6,453	611	2,228	1,691	892	599	295	137
Widowed	915	14	58	76	113	170	216	268
Divorced	2,820	106	902	932	451	295	98	36
Not stated	431	60	143	92	63	43	20	10
All races, male	14,483	3,767	4,849	2,797	1,405	956	479	230
Never married	6,894	3,255	2,421	691	281	145	75	26
Ever married	7,200	462	2,299	2,018	1,067	770	388	196
Married	4,758	399	1,649	1,306	666	449	205	84
Widowed	394	8	18	29	56	91	105	92
Divorced	2,048	60	632	683	345	230	78	20
Not stated	389	50	129	88	57	41	16	8
All races, female	4,382	1,005	1,341	784	423	316	250	263
Never married	1,352	726	438	99	28	20	25	16
Ever married	2,988	269	869	681	389	294	221	245
Married	1,695	212	579	385	226	150	90	53
Widowed	521	11	40	47	57	79	111	176
Divorced	772	46	270	249	106	65	20	16
Not stated	42	10	14	4	6	2	4	2
White, both sexes	10,527	2,427	3,245	2,061	1,109	824	486	375
Never married	3,698	1,855	1,164	333	156	91	66	31
Ever married	6,559	536	1,994	1,665	912	708	407	336
Married	4,051	436	1,323	1,028	553	399	201	111
Widowed	595	10	34	44	70	104	136	197
Divorced	1,912	90	637	593	289	205	70	28
Not stated	271	36	87	63	39	25	13	8
White, male	7,763	1,850	2,478	1,563	822	588	301	161
Never married	3,068	1,488	996	298	144	77	47	18
Ever married	4,447	330	1,403	1,204	643	487	243	137
Married	2,862	276	951	776	392	276	127	64
Widowed	231	1	9	16	31	53	63	58
Divorced	1,354	53	443	412	220	158	53	15
Not stated	248	32	79	61	35	24	11	6
White, female	2,764	577	767	498	287	236	185	214
Never married	630	367	168	35	14	14	19	13
Ever married	2,111	206	591	461	269	221	164	199
Married	1,189	160	372	252	161	123	74	47
Widowed	364	9	25	28	39	51	73	139
Divorced	558	37	194	181	69	47	17	13
Not stated	23	4	8	2	4	1	2	2
All other, both sexes	8,338	2,345	2,945	1,520	719	448	243	118
Never married	4,548	2,126	1,695	457	151	74	34	11
Ever married	3,630	195	1,194	1,034	544	356	202	105
Married	2,402	175	905	663	339	200	94	26
Widowed	320	4	24	32	43	66	80	71
Divorced	908	16	265	339	162	90	28	8
Not stated	160	24	56	29	24	18	7	2
All other, male	6,720	1,917	2,371	1,234	583	368	178	69
Never married	3,826	1,767	1,425	393	137	68	28	8
Ever married	2,753	132	896	814	424	283	145	59
Married	1,896	123	698	530	274	173	78	20
Widowed	163	2	9	13	25	38	42	34
Divorced	694	7	189	271	125	72	25	5
Not stated	141	18	50	27	22	17	5	2
All other, female	1,618	428	574	286	136	80	65	49
Never married	722	359	270	64	14	6	6	3
Ever married	877	63	298	220	120	73	57	46
Married	506	52	207	133	65	27	16	6
Widowed	157	2	15	19	18	28	38	37
Divorced	214	9	76	68	37	18	3	3
Not stated	19	6	6	2	2	1	2	-
Black, both sexes	7,924	2,230	2,827	1,424	669	428	232	114
Never married	4,351	2,024	1,631	435	144	73	34	10
Ever married	3,423	183	1,142	962	504	338	192	102
Married	2,252	166	865	605	314	190	87	25
Widowed	307	4	23	31	39	62	78	70
Divorced	864	13	254	326	151	86	27	7
Not stated	150	23	54	27	21	17	6	2
Black, male	6,408	1,825	2,285	1,156	550	355	171	66
Never married	3,664	1,685	1,372	373	132	67	28	7
Ever married	2,611	123	865	758	398	272	138	57
Married	1,793	117	674	486	257	167	73	19
Widowed	157	2	9	13	23	36	41	33
Divorced	661	4	182	259	118	69	24	5
Not stated	133	17	48	25	20	16	5	2
Black, female	1,516	405	542	268	119	73	61	48
Never married	687	339	259	62	12	6	6	3
Ever married	812	60	277	204	106	66	54	45
Married	459	49	191	119	57	23	14	6
Widowed	150	2	14	18	16	26	37	37
Divorced	203	9	72	67	33	17	3	2
Not stated	17	6	6	2	1	1	1	-

¹ Excludes figures for age not stated.

SECTION 1 - GENERAL MORTALITY - PAGE 327

Table 1-32. Deaths by State of Residence, Distributed According to State or Country of Birth: 1985

State of residence	Total, all places of birth	State of birth																		
		Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho	Ill.	Ind.	Iowa	Kans.	Ky.
United States	2,086,440	1,865,535	52,903	1,102	6,039	37,797	49,374	13,938	19,938	3,710	6,200	22,284	61,037	4,249	6,208	104,636	49,086	43,105	31,673	52,515
Alabama	37,603	37,204	30,207	5	6	149	37	23	17	6	15	339	1,435	9	9	240	115	54	52	204
Alaska	2,068	1,923	15	709	5	18	110	26	2	-	2	17	9	6	23	49	21	32	27	19
Arizona	24,619	22,060	126	5	3,354	423	619	379	122	11	23	55	91	11	94	2,038	766	858	613	352
Arkansas	24,137	23,762	309	3	15	15,666	112	46	19	3	4	35	84	2	8	731	199	257	300	222
California	201,911	164,301	1,480	116	1,691	4,939	41,593	3,111	761	76	225	464	999	757	1,065	9,105	3,065	5,265	4,808	1,545
Colorado	20,236	18,911	101	6	45	250	233	6,166	58	10	21	40	61	15	42	934	315	924	1,602	177
Connecticut	28,170	22,709	81	-	5	29	60	15	13,062	15	37	74	213	5	2	166	57	42	35	36
Delaware	5,475	5,107	26	-	1	14	9	6	22	2,310	24	22	47	1	-	33	19	8	10	22
District of Columbia	6,981	6,576	82	1	3	23	17	11	21	7	1,843	57	223	-	3	68	20	22	28	35
Florida	121,108	100,978	3,695	4	31	401	333	160	1,498	168	360	16,772	7,706	26	47	5,266	2,773	873	457	2,124
Georgia	48,657	47,824	2,628	5	13	116	78	33	55	19	51	755	36,115	8	11	380	204	89	69	330
Hawaii	5,825	4,260	9	4	8	9	155	20	13	4	7	7	12	3,124	9	73	25	24	18	11
Idaho	7,115	6,769	16	3	14	81	159	154	7	1	1	5	13	3	2,313	189	60	243	274	39
Illinois	102,279	90,268	1,347	2	20	1,572	194	182	85	22	30	144	720	11	24	60,955	1,966	1,732	483	1,496
Indiana	48,195	46,556	496	6	11	417	76	52	30	5	18	55	169	6	13	3,037	30,206	268	189	4,034
Iowa	27,834	26,950	27	-	3	77	50	57	10	2	5	10	13	-	13	1,319	157	20,861	254	76
Kansas	22,057	21,503	45	5	14	479	95	168	11	2	4	17	37	3	16	516	175	432	13,107	150
Kentucky	34,865	34,492	279	1	6	90	26	12	21	2	6	41	129	3	1	439	651	51	37	28,716
Louisiana	37,028	36,150	461	3	15	838	92	17	23	3	16	138	166	12	3	247	124	76	100	151
Maine	11,420	10,206	5	-	2	7	16	3	133	4	11	4	9	2	1	40	15	6	6	9
Maryland	36,620	33,884	155	2	5	41	92	49	106	233	1,939	104	311	12	9	299	122	115	94	196
Massachusetts	55,593	44,595	107	2	8	24	66	26	765	19	50	86	204	11	8	195	66	50	38	50
Michigan	78,722	69,614	1,904	8	14	1,114	129	89	113	18	36	193	1,481	7	20	2,649	1,821	441	267	1,429
Minnesota	34,801	32,457	34	-	4	59	56	46	17	3	10	14	19	3	12	798	136	1,969	133	32
Mississippi	24,691	24,442	1,002	-	4	297	30	8	14	2	7	85	138	1	2	145	61	38	36	126
Missouri	50,368	48,777	253	3	18	2,029	163	194	22	6	14	43	105	5	36	2,714	419	967	1,992	512
Montana	6,724	6,189	12	1	3	27	57	81	4	-	4	8	11	2	134	191	70	231	91	21
Nebraska	14,903	14,233	25	-	4	87	33	131	4	-	6	10	8	4	7	275	71	1,056	588	36
Nevada	7,236	6,416	43	3	43	131	624	153	43	3	8	26	41	16	111	412	121	193	163	49
New Hampshire	8,483	7,483	4	1	1	2	16	9	131	1	7	8	3	-	1	39	14	7	5	8
New Jersey	71,128	57,569	382	12	9	34	93	42	389	178	91	299	1,136	3	4	348	113	79	47	109
New Mexico	9,763	9,142	69	3	124	196	142	229	18	4	9	11	43	5	17	314	119	156	253	71
New York	172,117	127,141	1,017	10	26	175	204	84	1,075	72	157	730	1,704	10	15	726	225	201	126	206
North Carolina	52,988	52,209	262	6	11	77	73	29	87	22	89	197	927	9	12	261	176	75	67	237
North Dakota	5,628	5,157	2	-	1	2	10	6	4	1	1	1	1	-	-	102	18	163	18	8
Ohio	98,941	92,053	2,010	7	18	356	117	85	110	19	53	164	1,708	9	15	1,114	1,761	242	167	5,732
Oklahoma	29,782	29,227	261	3	35	2,552	204	120	12	2	5	30	126	8	34	519	213	328	1,444	281
Oregon	23,896	22,187	77	26	68	453	1,082	444	39	6	16	35	54	28	585	713	297	831	839	151
Pennsylvania	123,854	112,776	489	3	11	61	96	63	220	344	139	250	1,206	7	11	439	220	110	109	191
Rhode Island	9,647	7,815	11	1	1	3	13	6	233	4	10	12	12	-	1	23	5	10	2	8
South Carolina	27,099	26,711	182	1	9	53	38	16	46	9	33	146	1,298	4	6	134	78	27	30	126
South Dakota	6,603	6,286	6	2	3	8	16	22	2	-	-	-	4	1	2	161	43	624	45	12
Tennessee	43,226	42,706	1,261	-	8	698	54	27	38	5	17	128	968	5	9	411	242	85	63	1,180
Texas	118,336	110,343	1,306	15	172	2,975	644	365	129	23	61	329	656	28	62	1,775	798	854	1,221	691
Utah	9,049	8,378	12	2	76	42	141	204	8	2	2	15	21	4	447	122	45	70	107	23
Vermont	4,662	4,184	4	-	3	1	8	7	107	3	2	4	6	-	-	22	7	5	6	6
Virginia	45,277	43,802	240	2	12	85	131	42	125	43	665	150	371	15	13	357	178	129	105	452
Washington	34,504	30,714	128	106	67	435	863	468	64	6	29	55	103	46	877	1,008	359	1,064	870	195
West Virginia	19,444	18,990	110	-	3	12	11	6	12	7	27	13	39	1	1	83	47	20	14	499
Wisconsin	41,482	38,446	89	5	8	138	64	54	26	5	9	19	75	1	12	2,352	267	703	106	114
Wyoming	3,279	3,100	11	-	8	32	40	172	5	-	1	8	7	-	48	110	41	145	158	16

SECTION 1 - GENERAL MORTALITY - PAGE 328

Table 1-32. Deaths by State of Residence, Distributed According to State or Country of Birth: 1985—Con.

State of residence	State of birth																		
	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.	N.C.	N. Dak.	Ohio	Okl.
United States	41,199	12,331	25,143	54,527	59,794	39,580	42,542	62,191	6,876	23,585	1,292	6,725	46,149	7,126	154,315	60,005	10,859	88,169	35,686
Alabama	183	20	31	54	116	46	1,150	144	2	24	2	13	52	4	166	153	6	174	79
Alaska	12	4	3	17	35	62	7	40	36	31	1	6	20	13	36	7	20	34	34
Arizona	124	74	101	299	814	650	121	940	114	425	31	26	301	329	1,268	96	172	1,158	784
Arkansas	515	4	6	27	113	79	1,022	902	17	101	1	6	26	19	95	58	24	150	693
California	3,205	449	532	2,735	3,627	3,953	1,783	6,824	1,212	3,681	377	253	1,795	1,280	7,810	720	1,542	4,843	6,597
Colorado	98	26	53	128	265	304	85	1,027	89	1,234	12	16	137	561	455	75	123	351	595
Connecticut	24	518	61	1,693	79	41	30	59	4	18	2	197	523	4	2,951	261	9	170	15
Delaware	7	19	551	64	20	17	3	15	3	8	-	4	162	-	209	118	3	57	4
District of Columbia	31	10	412	66	33	18	51	39	2	16	2	11	63	3	198	817	3	68	13
Florida	362	589	985	3,548	3,553	773	765	1,331	82	290	5	396	4,076	35	16,223	1,562	152	5,951	335
Georgia	141	32	103	184	194	71	293	172	4	29	2	16	155	12	611	707	17	369	92
Hawaii	13	10	12	44	41	34	3	45	16	16	3	3	32	5	104	10	9	35	19
Idaho	16	11	6	18	68	165	9	316	162	365	27	4	9	16	43	32	122	61	176
Illinois	753	32	100	240	966	713	4,322	2,868	64	392	5	16	230	38	874	159	173	899	316
Indiana	101	19	33	95	634	156	684	489	14	95	1	8	81	13	292	96	75	1,568	131
Iowa	23	11	24	22	91	591	68	998	28	657	2	6	23	7	85	22	95	124	94
Kansas	88	4	19	28	69	101	80	2,649	22	517	9	4	32	38	129	29	31	143	1,252
Kentucky	28	9	32	36	130	34	109	149	4	18	1	7	38	3	153	98	5	794	57
Louisiana	28,011	23	45	81	102	54	2,408	223	9	42	3	4	56	21	255	90	10	151	206
Maine	7	7,905	10	865	28	21	4	10	-	10	-	291	103	-	313	7	1	42	4
Maryland	69	56	17,750	326	147	83	57	149	8	56	1	36	426	10	1,278	1,461	26	379	62
Massachusetts	43	995	70	35,285	125	56	63	78	14	22	-	826	407	5	1,782	184	16	198	19
Michigan	395	55	97	328	41,838	499	1,547	874	46	143	8	34	228	16	1,190	385	154	2,823	221
Minnesota	25	8	28	74	365	23,366	50	176	97	291	2	4	50	6	178	15	1,141	137	67
Mississippi	715	5	12	37	63	19	20,088	128	9	20	2	10	25	10	92	54	6	76	67
Missouri	213	24	44	77	215	206	1,290	32,819	34	454	3	13	73	39	280	62	59	316	875
Montana	5	8	5	26	82	461	6	169	2,684	170	9	-	11	7	53	14	491	59	52
Nebraska	42	4	17	19	48	138	64	397	27	10,116	1	-	14	14	65	18	40	69	121
Nevada	120	25	26	111	157	160	54	258	85	145	610	9	106	65	380	41	65	226	175
New Hampshire	1	403	6	1,780	25	14	3	19	1	8	1	3,743	100	2	386	14	7	40	6
New Jersey	64	69	422	739	265	76	57	83	14	45	2	60	29,893	9	9,850	1,090	14	335	37
New Mexico	48	11	22	62	122	93	65	250	27	121	3	9	82	3,561	227	38	20	172	541
New York	258	247	444	1,749	495	195	355	264	37	101	4	163	2,871	14	96,195	2,597	49	923	77
North Carolina	63	47	153	191	184	64	116	119	13	49	3	27	234	7	742	40,641	14	325	64
North Dakota	1	3	2	4	15	674	1	25	48	47	-	-	2	-	22	3	3,553	14	5
Ohio	158	53	242	250	1,064	179	724	413	26	102	2	27	296	19	1,218	457	57	59,511	153
Oklahoma	196	11	24	46	113	102	228	1,805	14	243	4	1	50	115	171	69	41	256	15,272
Oregon	83	34	23	137	370	1,007	86	844	428	1,031	47	14	83	58	306	100	608	311	696
Pennsylvania	90	77	1,394	437	264	99	144	158	22	69	6	42	2,035	30	2,990	1,321	32	1,405	57
Rhode Island	4	73	16	1,126	23	15	1	6	2	3	1	76	72	-	293	31	5	26	3
South Carolina	49	31	69	90	105	25	72	73	6	11	-	8	116	2	402	1,502	11	170	38
South Dakota	4	2	2	5	25	372	5	69	30	305	-	-	6	4	19	2	216	19	13
Tennessee	147	18	45	70	194	51	2,572	342	12	42	2	9	66	11	257	641	13	319	124
Texas	4,321	71	165	356	659	428	1,326	1,763	83	440	13	43	292	488	1,196	358	109	1,037	4,518
Utah	19	12	8	26	40	49	14	102	58	88	47	2	26	113	86	15	23	49	74
Vermont	2	60	7	300	15	6	-	4	3	2	3	198	66	1	394	3	-	24	4
Virginia	91	66	612	361	182	99	83	208	16	74	3	48	371	10	1,163	3,433	19	477	76
Washington	156	68	54	198	595	1,736	112	993	1,028	986	23	26	129	60	452	157	1,225	405	609
West Virginia	6	9	238	21	30	14	11	27	1	5	-	3	39	1	92	158	3	669	23
Wisconsin	63	15	20	56	960	1,356	345	196	33	6	2	6	54	8	246	19	210	211	60
Wyoming	6	2	7	16	31	55	6	140	86	421	4	1	12	40	40	5	40	46	81

SECTION 1 - GENERAL MORTALITY - PAGE 329

Table 1-32. Deaths by State of Residence, Distributed According to State or Country of Birth: 1985—Con.

State of residence	State of birth												Country of birth										Unknown
	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	Total	Puerto Rico	Virgin Islands	Guam	Canada	Cuba	Mexico	Re- mainder of world			
United States	8,835	37,376	10,999	50,751	101,237	9,411	5,685	47,885	16,422	30,340	44,444	2,626	209,307	6,933	201	100	17,740	6,377	14,224	163,732	11,598		
Alabama	8	139	7	946	222	4	5	113	18	79	53	5	313	3	-	-	23	5	4	278	86		
Alaska	2	5	20	9	47	14	4	8	130	17	47	18	128	1	-	-	23	-	1	103	17		
Arizona	57	36	214	214	1,140	200	33	105	171	226	665	54	2,366	11	-	-	267	10	703	1,375	193		
Arkansas	3	27	19	646	843	8	7	42	29	52	85	8	281	1	-	1	29	3	7	240	94		
California	418	389	1,693	1,595	9,196	1,707	231	802	2,540	937	2,730	445	35,366	338	1	66	2,793	456	6,741	24,971	2,244		
Colorado	14	29	229	133	679	114	17	57	76	101	246	158	1,269	7	-	-	94	9	125	1,034	56		
Connecticut	306	264	3	33	30	8	280	175	18	55	55	4	5,372	239	1	1	544	51	10	4,526	89		
Delaware	5	44	1	29	9	1	6	213	7	80	17	2	346	13	-	-	16	2	1	314	22		
District of Columbia	9	819	4	70	48	5	3	1,003	5	75	11	-	331	3	4	-	9	7	5	303	74		
Florida	514	1,506	149	1,577	679	37	309	1,390	149	1,704	1,279	31	19,482	499	11	2	1,501	4,408	96	12,965	648		
Georgia	25	1,222	15	1,089	247	11	13	299	22	179	88	4	706	16	2	-	59	29	4	596	127		
Hawaii	3	5	8	14	29	15	5	18	39	14	30	9	1,547	9	-	5	31	3	5	1,494	18		
Idaho	5	3	113	59	110	453	5	26	319	24	97	104	341	1	-	-	80	-	25	235	5		
Illinois	29	184	202	1,593	578	26	24	231	59	248	1,828	33	11,365	264	4	1	324	115	548	10,109	646		
Indiana	16	34	46	1,142	181	16	13	236	27	292	254	10	1,389	23	-	-	87	5	54	1,220	250		
Iowa	3	6	337	65	67	5	6	30	25	25	311	18	855	-	-	-	52	2	24	777	29		
Kansas	5	17	89	106	383	14	5	48	39	48	73	25	524	-	1	-	42	5	93	383	30		
Kentucky	9	37	8	1,295	79	2	3	242	13	357	53	2	298	4	1	-	24	3	3	263	75		
Louisiana	14	49	11	199	1,207	5	9	50	20	57	51	4	671	7	-	1	29	57	33	544	208		
Maine	56	6	4	9	9	-	70	20	5	7	12	-	1,200	1	-	-	856	-	-	343	14		
Maryland	53	794	27	206	131	13	24	2,688	38	1,079	93	4	2,335	21	2	-	83	33	11	2,185	401		
Massachusetts	890	129	7	51	71	3	546	167	25	39	66	7	10,880	204	1	2	2,612	25	11	8,025	118		
Michigan	46	411	103	1,672	428	22	42	341	64	613	866	19	8,842	25	4	-	1,935	21	116	6,741	266		
Minnesota	6	14	809	43	75	30	6	29	50	23	1,766	20	2,277	4	-	-	233	4	20	2,016	67		
Mississippi	11	33	6	520	205	3	1	41	11	28	44	3	175	5	-	1	17	1	3	148	74		
Missouri	12	43	81	811	491	23	6	92	52	87	185	18	1,371	-	-	1	68	9	43	1,250	220		
Montana	1	4	204	20	57	53	5	14	128	17	201	82	521	2	-	-	101	1	16	401	14		
Nebraska	3	8	244	39	75	8	2	28	22	19	74	42	634	1	-	-	26	1	33	573	36		
Nevada	23	10	59	69	293	219	11	30	108	46	131	36	711	7	-	2	101	25	33	543	109		
New Hampshire	64	3	2	6	14	2	415	18	7	7	14	1	989	6	-	-	569	1	4	409	11		
New Jersey	109	1,059	19	119	86	5	58	1,142	21	183	107	5	13,272	479	6	-	158	307	11	12,311	287		
New Mexico	11	8	45	63	1,309	34	8	29	28	42	75	13	571	-	-	-	41	3	239	288	50		
New York	232	3,194	60	298	283	25	437	1,971	86	361	228	16	42,884	4,213	156	-	1,665	565	77	36,208	2,092		
North Carolina	33	3,045	19	564	142	11	24	1,642	26	336	91	6	667	11	1	-	73	10	14	558	112		
North Dakota	-	-	226	3	11	2	1	5	10	5	113	4	466	-	-	-	66	-	1	399	5		
Ohio	42	391	42	1,510	250	21	20	937	44	4,322	232	9	6,047	75	1	1	287	10	49	5,624	841		
Oklahoma	8	36	60	380	3,205	19	-	73	42	108	83	20	406	5	-	1	41	3	44	312	149		
Oregon	17	24	508	160	500	182	11	66	1,422	82	537	123	1,610	3	-	-	395	1	50	1,161	99		
Pennsylvania	86	1,583	24	194	144	17	45	1,887	39	1,092	150	14	10,633	297	1	3	221	35	26	10,050	445		
Rhode Island	5,454	19	-	7	7	1	31	29	4	11	7	-	1,813	9	-	-	361	3	1	1,439	19		
South Carolina	11	20,641	11	228	80	3	13	241	21	110	42	2	345	9	1	-	25	5	2	303	43		
South Dakota	2	2	4,023	11	26	5	2	1	11	6	97	24	313	-	-	-	12	-	1	300	4		
Tennessee	10	156	10	30,724	281	5	13	840	15	195	60	2	430	5	-	1	50	8	4	362	90		
Texas	59	217	175	1,249	76,245	66	40	338	126	355	405	57	7,441	62	2	2	201	104	4,709	2,361	552		
Utah	6	9	37	32	74	5,643	7	16	30	20	41	161	639	3	-	-	49	1	46	540	32		
Vermont	28	-	-	3	2	-	2,788	5	3	5	10	1	471	-	-	-	269	-	2	200	7		
Virginia	75	629	27	526	186	21	39	28,969	39	1,396	128	6	1,318	14	-	2	106	19	14	1,163	157		
Washington	25	39	692	176	595	227	28	116	10,179	142	879	154	3,670	8	1	7	921	3	104	2,626	120		
West Virginia	3	31	7	90	21	1	3	983	4	14,976	25	4	376	3	-	-	21	1	1	350	78		
Wisconsin	14	19	206	135	103	12	10	29	41	39	29,650	12	2,881	22	-	-	136	7	40	2,676	165		
Wyoming	-	4	94	19	64	90	1	10	15	19	59	827	169	-	-	-	14	1	17	137	10		

SECTION 1 - GENERAL MORTALITY - PAGE 330

Table 1-33. Deaths by Specified Hispanic Origin and Race for Non-Hispanic Origin: 22 Reporting States and the District of Columbia, 1985

[For discussion of completeness of reporting and comparability of data among the States see Technical Appendix]

State	All origins	Hispanic						Non-Hispanic			Not stated ²
		Total	Mexican	Puerto Rican	Cuban	Central and South American	Other and unknown Hispanic	Total ¹	White	Black	
Arizona	24,619	2,034	1,874	24	7	5	124	22,288	20,674	541	299
Arkansas	24,137	55	9	-	6	6	34	21,861	19,439	3,408	2,221
California	201,911	16,331	12,383	382	429	1,128	2,009	181,411	159,449	14,751	4,169
Colorado	20,236	1,335	285	7	8	7	1,028	18,645	17,823	674	256
District of Columbia	6,981	49	4	5	5	13	22	6,239	1,390	4,816	693
Georgia	48,657	86	11	14	21	13	27	47,169	33,853	13,244	1,402
Hawaii	5,825	234	10	96	1	2	125	5,561	1,677	52	30
Illinois	102,279	1,478	744	280	124	85	245	96,752	82,639	13,750	4,049
Indiana	48,195	215	117	23	6	3	66	46,580	43,055	3,493	1,400
Kansas	22,057	169	147	1	6	6	9	20,110	19,126	912	1,776
Maine	11,420	2	-	-	-	-	2	8,957	8,923	13	2,461
Mississippi	24,691	17	8	2	1	4	2	23,823	15,227	8,517	851
Nebraska	14,903	69	61	-	1	-	7	14,242	13,799	375	592
Nevada	7,236	140	48	4	23	9	56	4,827	4,426	303	2,269
New Jersey	71,128	1,766	29	804	527	233	173	57,772	49,546	7,952	11,590
New Mexico ³	9,763	2,771	314	2	2	6	2,447	6,992	6,180	187	-
New York	172,117	7,294	90	4,635	492	1,072	1,005	152,381	131,926	19,099	12,442
North Dakota	5,628	1	-	-	-	1	-	5,165	5,016	2	462
Ohio	98,941	275	105	78	7	9	76	92,971	83,276	9,571	5,695
Tennessee	43,226	27	9	3	6	4	5	35,033	29,145	5,849	6,166
Texas	118,336	14,123	13,076	75	104	181	687	102,717	86,945	15,360	1,496
Utah	9,049	209	163	6	1	9	30	8,741	8,510	53	99
Wyoming	3,279	82	44	-	1	-	37	3,028	2,949	22	169

¹ Includes races other than white and black.

² Includes deaths that occurred in States that did not report Hispanic origin on the death certificate.

³ Figures for "Not stated" origin are included in total Non-Hispanic; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY - PAGE 331

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	951,841	19,840	3,684	4,351	18,656	26,721	32,749	55,047	130,674	214,767	255,141	189,579	632
Male	499,804	11,372	2,150	2,653	13,899	19,404	21,727	34,616	80,583	124,996	124,868	63,220	316
Female	452,037	8,468	1,534	1,698	4,757	7,317	11,022	20,431	50,091	89,771	130,273	126,359	316
Hispanic	44,056	2,835	594	546	2,808	3,648	3,145	3,756	6,308	7,314	8,236	4,809	57
Male	26,609	1,640	339	327	2,302	2,908	2,327	2,434	3,885	4,125	4,329	1,945	48
Female	17,447	1,195	255	219	506	740	818	1,322	2,423	3,189	3,907	2,864	9
Mexican	29,131	2,025	434	394	2,019	2,113	1,745	2,248	4,140	4,895	5,746	3,330	42
Male	17,631	1,176	254	243	1,682	1,720	1,268	1,427	2,549	2,826	3,062	1,387	37
Female	11,500	849	180	151	337	393	477	821	1,591	2,069	2,684	1,943	5
Puerto Rican	5,628	219	58	51	267	663	660	704	915	902	804	385	-
Male	3,411	126	26	29	202	501	506	480	591	464	362	124	-
Female	2,217	93	32	22	65	162	154	224	324	438	442	261	-
Cuban	1,220	17	5	2	31	74	62	137	187	254	277	173	1
Male	758	10	4	1	26	70	55	109	128	162	144	49	-
Female	462	7	1	1	5	4	7	28	59	92	133	124	1
Central and South American	2,544	145	26	35	205	354	279	258	354	360	332	193	3
Male	1,444	80	16	20	169	278	201	148	174	153	151	51	3
Female	1,100	65	10	15	36	76	78	110	180	207	181	142	-
Other and unknown Hispanic	5,533	429	71	64	286	444	399	409	712	903	1,077	728	11
Male	3,365	248	39	34	223	339	297	270	443	520	610	334	8
Female	2,168	181	32	30	63	105	102	139	269	383	467	394	3
Non-Hispanic	869,682	15,523	2,887	3,543	14,776	21,500	27,716	48,617	118,551	198,731	238,310	179,129	399
Male	451,133	8,872	1,705	2,171	10,795	15,297	18,039	30,336	72,869	115,521	116,148	59,248	132
Female	418,549	6,651	1,182	1,372	3,981	6,203	9,677	18,281	45,682	83,210	122,162	119,881	267
White	745,773	10,195	1,973	2,548	11,277	15,235	20,058	37,160	97,658	171,513	212,870	164,952	334
Male	383,058	5,922	1,154	1,571	8,225	10,999	13,066	23,366	60,649	100,542	103,593	53,856	95
Female	362,715	4,273	819	977	3,052	4,236	6,972	13,794	37,009	70,971	109,277	111,096	239
Black	108,640	4,688	743	825	5,583	6,852	10,294	18,658	24,018	21,931	12,033	52	-
Male	59,039	2,599	443	502	2,188	3,835	4,478	6,287	10,903	13,014	10,330	4,428	32
Female	49,601	2,089	300	323	775	1,748	2,374	4,007	7,755	11,004	11,601	7,605	20
Not stated	38,103	1,482	203	262	1,072	1,573	1,888	2,674	5,815	8,722	8,595	5,641	176
Male	22,062	860	106	155	802	1,199	1,361	1,846	3,829	5,350	4,391	2,027	136
Female	16,041	622	97	107	270	374	527	828	1,986	3,372	4,204	3,614	40
Shigellosis and amebiasis (004.006)	17	-	3	1	-	2	-	1	2	6	1	1	-
Male	10	-	2	-	-	2	-	1	1	4	-	-	-
Female	7	-	1	1	-	-	-	-	1	2	1	1	-
Hispanic	7	-	2	1	-	-	-	-	2	2	-	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	5	-	1	1	-	-	-	-	1	2	-	-	-
Mexican	6	-	2	1	-	-	-	-	1	2	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	5	-	1	1	-	-	-	-	1	2	-	-	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	10	-	1	-	-	2	-	1	-	4	1	1	-
Male	8	-	1	-	-	2	-	1	-	4	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
White	6	-	1	-	-	-	-	-	-	3	1	1	-
Male	4	-	1	-	-	-	-	-	-	3	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	2	-	1	-	1	-	-	-
Male	4	-	-	-	-	2	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	166	58	7	-	1	8	6	4	5	25	30	22	-
Male	83	32	4	-	-	8	5	3	1	13	9	8	-
Female	83	26	3	-	1	-	1	1	4	12	21	14	-
Hispanic	17	8	3	-	1	-	1	-	-	4	-	-	-
Male	8	3	2	-	-	-	-	-	-	2	-	-	-
Female	9	5	1	-	1	-	-	-	-	2	-	-	-
Mexican	13	6	3	-	1	-	-	-	-	3	-	-	-
Male	5	2	2	-	-	-	-	-	-	1	-	-	-
Female	8	4	1	-	1	-	-	-	-	2	-	-	-
Puerto Rican	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	142	49	4	-	-	7	5	2	5	18	30	22	-
Male	69	28	2	-	-	7	4	1	1	9	9	8	-
Female	73	21	2	-	-	-	1	1	4	9	21	14	-
White	105	25	2	-	-	6	4	-	4	16	28	19	-
Male	49	18	1	-	-	6	3	-	-	8	8	7	-
Female	56	9	1	-	-	-	1	-	4	8	21	12	-
Black	33	21	2	-	-	1	1	2	1	2	-	3	-
Male	18	11	1	-	-	1	1	1	1	1	-	1	-
Female	15	10	1	-	-	-	-	1	-	1	-	2	-
Not stated	7	1	-	-	-	1	-	2	-	3	-	-	-
Male	6	1	-	-	-	1	-	2	-	2	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 332

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tuberculosis (010-018)	870	1	1	-	16	49	85	84	144	184	213	92	1
Male	573	1	1	-	7	40	63	67	107	109	126	51	1
Female	297	-	-	-	9	9	22	17	37	75	87	41	-
Hispanic	114	-	-	-	3	7	16	8	21	21	31	6	1
Male	78	-	-	-	1	6	12	5	17	11	20	5	1
Female	36	-	-	-	2	1	4	3	4	10	11	1	-
Mexican	79	-	-	-	3	2	6	4	17	16	25	6	-
Male	53	-	-	-	1	2	4	2	14	8	17	5	-
Female	26	-	-	-	2	-	2	2	3	8	8	1	-
Puerto Rican	16	-	-	-	-	3	6	2	3	2	-	-	-
Male	12	-	-	-	-	3	5	1	3	-	-	-	-
Female	4	-	-	-	-	-	1	1	-	2	-	-	-
Cuban	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	4	-	-	-	-	2	1	-	-	1	-	-	-
Male	3	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	14	-	-	-	-	-	2	2	1	2	6	-	1
Male	9	-	-	-	-	-	1	2	-	2	3	-	1
Female	5	-	-	-	-	-	1	-	1	-	3	-	-
Non-Hispanic	700	1	1	-	12	38	63	59	106	159	177	86	-
Male	452	1	1	-	5	28	47	48	78	96	102	46	-
Female	248	-	-	-	7	8	16	11	28	63	75	40	-
White	402	-	-	-	5	10	13	26	61	108	122	57	-
Male	254	-	-	-	2	9	11	22	46	64	71	29	-
Female	148	-	-	-	3	1	2	4	15	44	51	28	-
Black	249	1	1	-	5	24	43	32	40	40	40	23	-
Male	172	1	1	-	3	19	31	26	29	24	23	15	-
Female	77	-	-	-	2	5	12	6	11	16	17	8	-
Not stated	56	-	-	-	1	6	6	17	17	4	5	-	-
Male	43	-	-	-	1	6	4	14	12	2	4	-	-
Female	13	-	-	-	-	-	2	3	5	2	1	-	-
Tuberculosis of respiratory system (010-012)	673	-	-	-	7	33	58	64	121	142	174	73	1
Male	459	-	-	-	4	28	43	52	96	88	107	40	1
Female	214	-	-	-	3	5	15	12	25	54	67	33	-
Hispanic	78	-	-	-	1	5	9	6	18	14	19	5	1
Male	55	-	-	-	-	4	7	4	15	6	14	4	1
Female	23	-	-	-	1	1	2	2	3	8	5	1	-
Mexican	55	-	-	-	1	1	4	3	15	10	16	5	-
Male	39	-	-	-	-	-	-	-	-	-	-	-	-
Female	16	-	-	-	1	-	1	1	3	6	3	1	-
Puerto Rican	11	-	-	-	-	2	3	1	3	2	-	-	-
Male	7	-	-	-	-	2	2	-	3	-	-	-	-
Female	4	-	-	-	-	-	1	1	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	3	-	-	-	-	2	1	-	-	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other and unknown Hispanic	9	-	-	-	-	-	1	2	-	2	3	-	1
Male	7	-	-	-	-	-	1	2	-	2	1	-	1
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Non-Hispanic	554	-	-	-	6	23	47	47	89	124	150	68	-
Male	372	-	-	-	4	19	35	39	70	80	89	36	-
Female	182	-	-	-	2	4	12	8	19	44	61	32	-
White	326	-	-	-	1	7	8	23	51	84	104	48	-
Male	217	-	-	-	1	7	8	19	40	55	64	23	-
Female	109	-	-	-	-	-	-	4	11	29	40	25	-
Black	188	-	-	-	4	15	33	24	33	30	34	15	-
Male	131	-	-	-	3	12	22	20	27	17	19	11	-
Female	57	-	-	-	1	3	11	4	6	13	15	4	-
Not stated	41	-	-	-	-	5	2	11	14	4	5	-	-
Male	32	-	-	-	-	5	1	9	11	2	4	-	-
Female	9	-	-	-	-	-	1	2	3	2	1	-	-
Other tuberculosis (013-018)	197	1	1	-	9	16	27	20	23	42	39	19	-
Male	114	1	1	-	3	12	20	15	11	21	19	11	-
Female	83	-	-	-	6	4	7	5	12	21	20	8	-
Hispanic	36	-	-	-	2	2	7	2	3	7	12	1	-
Male	23	-	-	-	1	2	5	1	2	5	6	1	-
Female	13	-	-	-	1	-	2	1	1	2	6	-	-
Mexican	24	-	-	-	2	1	2	1	2	6	9	1	-
Male	14	-	-	-	1	1	1	-	2	4	4	1	-
Female	10	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	5	-	-	-	-	1	3	1	-	-	-	-	-
Male	5	-	-	-	-	1	3	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	5	-	-	-	-	-	1	-	1	-	3	-	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	3	-	-	-	-	-	1	-	1	-	1	-	-
Non-Hispanic	146	1	1	-	6	13	16	12	17	35	27	18	-
Male	80	1	1	-	1	9	12	9	8	16	13	10	-
Female	66	-	-	-	5	4	4	3	9	19	14	8	-
White	76	-	-	-	4	3	5	3	10	24	18	9	-
Male	37	-	-	-	1	2	3	3	6	9	7	6	-
Female	39	-	-	-	3	1	2	-	4	15	11	3	-
Black	61	1	1	-	1	9	10	8	7	10	6	8	-
Male	41	1	1	-	-	7	9	6	2	7	4	4	-
Female	20	-	-	-	1	2	1	2	5	3	2	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 333

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	-	-	-	-	-	-	1	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	1	-
Non-Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	111	35	24	5	10	4	4	11	4	6	2	2	-
Male	58	21	13	2	6	-	1	5	3	3	4	2	-
Female	55	14	11	3	4	4	3	6	1	3	-	-	-
Hispanic	13	4	3	-	-	1	1	4	-	-	-	-	-
Male	7	3	1	-	-	-	1	2	-	-	-	-	-
Female	6	1	2	-	-	1	-	2	-	-	-	-	-
Mexican	9	3	2	-	-	1	-	3	-	-	-	-	-
Male	4	2	1	-	-	-	-	1	-	-	-	-	-
Female	5	1	1	-	-	1	-	2	-	-	-	-	-
Puerto Rican	2	-	1	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	92	29	19	5	10	3	3	6	4	6	5	2	-
Male	46	16	11	2	6	-	-	3	3	3	2	-	-
Female	46	13	8	3	4	3	3	3	1	3	3	2	-
White	70	20	15	4	6	3	3	4	3	5	5	2	-
Male	36	12	9	1	3	-	-	3	3	3	2	-	-
Female	34	8	6	3	3	3	3	1	-	2	3	2	-
Black	20	8	4	1	4	-	-	1	1	1	-	-	-
Male	10	4	2	1	3	-	-	-	-	-	-	-	-
Female	10	4	2	-	1	-	-	1	1	1	-	-	-
Not stated	6	2	2	-	-	-	-	1	-	-	1	-	-
Male	3	2	1	-	-	-	-	-	-	-	1	-	-
Female	3	-	1	-	-	-	-	1	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 334

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex		Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Septicemia (038)		7,279	155	50	11	49	113	176	296	840	1,542	2,282	1,762	2
	Male	3,417	93	27	4	18	53	111	170	490	858	1,014	579	-
	Female	3,862	63	23	7	31	60	65	126	350	684	1,268	1,183	2
	Hispanic	414	29	4	3	7	13	26	27	49	84	111	61	-
	Male	223	16	2	-	4	7	19	16	31	50	51	27	-
	Female	191	13	2	3	3	6	7	11	18	34	60	34	-
	Mexican	279	19	2	3	4	6	12	16	33	58	81	45	-
	Male	149	10	1	-	3	4	8	10	21	32	36	24	-
	Female	130	9	1	3	1	2	4	6	12	26	45	21	-
	Puerto Rican	68	4	1	-	2	5	12	6	9	11	10	8	-
	Male	41	3	1	-	1	2	9	5	6	7	5	2	-
	Female	27	1	-	-	1	3	3	1	3	4	5	6	-
	Cuban	6	-	-	-	-	-	-	-	-	2	3	1	-
	Male	4	-	-	-	-	-	-	-	-	2	2	1	-
	Female	2	-	-	-	-	-	-	-	-	1	1	1	-
	Central and South American	22	4	-	-	1	2	1	2	2	8	1	1	-
	Male	12	2	-	-	-	1	1	-	1	6	1	-	-
	Female	10	2	-	-	1	-	-	2	1	2	-	-	-
	Other and unknown Hispanic	39	2	1	-	-	-	1	3	5	5	16	6	-
	Male	17	1	1	-	-	-	1	1	3	3	7	1	-
	Female	22	1	-	-	-	-	-	2	2	2	9	5	-
	Non-Hispanic 1	6,524	113	42	7	41	98	137	258	734	1,384	2,087	1,621	2
	Male	3,006	68	22	4	13	44	63	146	418	764	922	522	-
	Female	3,518	45	20	3	28	54	54	112	316	620	1,165	1,099	2
	White	5,101	64	26	4	27	59	81	160	525	1,068	1,703	1,382	2
	Male	2,289	41	12	2	7	27	42	87	300	589	744	438	-
	Female	2,812	23	14	2	20	32	39	73	225	479	959	944	2
	Black	1,313	47	13	1	14	37	54	88	196	291	352	220	-
	Male	655	26	9	1	6	16	40	51	113	156	158	79	-
	Female	658	21	4	-	8	21	14	37	83	135	194	141	-
	Not stated 2	341	14	4	1	1	2	13	11	57	74	84	80	-
	Male	188	9	3	-	1	2	9	8	41	44	41	30	-
	Female	153	5	1	1	-	-	4	3	16	30	43	50	-
Acute poliomyelitis (045)		1	-	-	-	-	-	-	-	-	1	-	-	-
	Male	1	-	-	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other and unknown Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Non-Hispanic 1	1	-	-	-	-	-	-	-	-	1	-	-	-
	Male	1	-	-	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	1	-	-	-
	Male	1	-	-	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Black	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Not stated 2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)		2	-	-	-	2	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	2	-	-	-	-	-	-	-	-
	Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other and unknown Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Non-Hispanic 1	2	-	-	-	2	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	2	-	-	-	-	-	-	-	-
	Male	2	-	-	-	2	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Black	2	-	-	-	2	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-
	Not stated 2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 335

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix.]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Viral hepatitis (070)	481	5	5	3	33	59	58	68	82	101	49	19	-
Male	284	4	3	2	13	33	37	48	47	65	24	8	-
Female	197	1	2	1	20	25	21	20	35	36	25	11	-
Hispanic	42	1	2	1	9	9	8	-	2	6	4	-	-
Male	27	1	1	-	6	7	4	-	1	4	3	-	-
Female	15	-	1	1	3	2	4	-	1	2	1	-	-
Mexican	27	1	2	1	5	4	5	-	2	3	4	-	-
Male	17	1	1	-	3	3	3	-	1	2	3	-	-
Female	10	-	1	1	2	1	2	-	1	1	1	-	-
Puerto Rican	4	-	-	-	1	2	1	-	-	-	-	-	-
Male	2	-	-	-	1	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
Cuban	2	-	-	-	-	-	-	-	-	2	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	4	-	-	-	1	2	-	-	-	1	-	-	-
Male	3	-	-	-	1	2	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Other and unknown Hispanic	5	-	-	-	2	1	2	-	-	-	-	-	-
Male	3	-	-	-	1	1	1	-	-	-	-	-	-
Female	2	-	-	-	1	-	1	-	-	-	-	-	-
Non-Hispanic	412	4	3	2	21	44	44	61	79	92	44	18	-
Male	242	3	2	2	7	24	30	42	46	58	21	7	-
Female	170	1	1	-	14	20	14	19	33	34	23	11	-
White	322	2	-	2	16	29	32	44	65	78	39	15	-
Male	199	2	-	2	5	18	23	35	37	51	20	6	-
Female	123	-	-	-	11	11	9	9	28	27	19	9	-
Black	49	-	1	-	4	12	6	10	5	6	3	2	-
Male	19	-	-	-	2	4	3	4	2	2	1	1	-
Female	30	-	1	-	2	8	3	6	3	4	2	1	-
Not stated	27	-	-	-	3	5	6	7	1	3	1	1	-
Male	15	-	-	-	2	3	6	-	-	3	-	1	-
Female	12	-	-	-	3	3	3	1	1	-	1	-	-
Syphilis (090-097)	35	4	-	1	-	-	1	1	7	7	8	6	-
Male	21	1	-	-	-	-	1	1	7	3	4	4	-
Female	14	3	-	1	-	-	-	-	-	4	4	2	-
Hispanic	5	2	-	-	-	-	-	-	2	1	-	-	-
Male	4	1	-	-	-	-	-	-	2	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Mexican	4	2	-	-	-	-	-	-	1	1	-	-	-
Male	3	1	-	-	-	-	-	-	1	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	27	1	-	1	-	-	1	1	4	6	7	6	-
Male	16	-	-	-	-	-	1	1	4	2	4	4	-
Female	11	1	-	1	-	-	-	-	-	4	3	2	-
White	16	-	-	-	-	-	1	1	1	-	2	4	-
Male	9	-	-	-	-	-	-	-	-	4	2	1	-
Female	7	-	-	-	-	-	-	-	-	-	2	3	-
Black	10	-	-	1	-	-	-	-	3	2	3	1	-
Male	7	-	-	-	-	-	-	-	-	-	1	1	-
Female	3	-	-	1	-	-	-	-	1	-	1	-	-
Not stated	3	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	4,079	118	44	45	134	685	790	474	524	598	438	227	2
Male	2,761	53	27	30	94	585	680	347	317	340	216	72	-
Female	1,318	65	17	15	40	100	110	127	207	258	222	155	2
Hispanic	408	23	5	8	23	114	102	53	29	27	17	7	-
Male	310	11	4	4	20	98	86	40	19	16	9	3	-
Female	98	12	1	4	3	16	16	13	10	11	8	4	-
Mexican	185	19	4	6	10	38	31	29	16	12	5	1	-
Male	130	10	3	3	9	34	26	18	9	7	4	3	-
Female	55	9	1	3	1	4	5	11	7	5	1	-	-
Puerto Rican	115	1	-	-	6	41	44	15	5	2	1	-	-
Male	91	-	-	-	5	32	37	13	4	-	-	-	-
Female	24	1	-	-	1	9	7	2	1	2	1	-	-
Cuban	18	-	-	-	1	6	5	3	-	2	1	-	-
Male	16	-	-	-	1	6	5	3	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-
Central and South American	38	2	1	1	3	9	12	3	4	1	1	1	-
Male	29	-	1	1	3	7	11	3	2	1	-	1	-
Female	9	2	-	-	-	2	1	-	-	-	5	2	-
Other and unknown Hispanic	52	1	-	1	3	20	10	3	4	3	4	2	-
Male	44	1	-	-	2	19	7	3	4	2	4	2	-
Female	8	-	-	1	1	1	3	-	-	1	-	-	-
Non-Hispanic	3,452	88	37	34	105	532	647	389	488	538	405	207	2
Male	2,303	39	22	24	72	452	559	283	283	304	200	65	-
Female	1,149	49	15	10	33	80	88	106	185	234	205	142	2
White	2,658	64	25	30	65	367	472	270	373	443	381	186	2
Male	1,789	28	15	23	41	327	430	207	233	250	177	58	-
Female	869	36	10	7	24	40	42	63	140	193	184	128	2
Black	697	19	8	4	38	158	165	106	78	72	34	15	-
Male	456	7	6	1	29	118	122	67	43	41	17	5	-
Female	241	12	2	3	9	40	43	39	35	31	17	10	-
Not stated	219	7	2	3	6	39	41	32	27	33	16	13	-
Male	148	3	1	2	2	35	35	24	15	20	7	4	-
Female	71	4	1	1	4	4	6	8	12	13	9	9	-

SECTION 1 - GENERAL MORTALITY - PAGE 336

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	206,889	57	284	601	1,035	2,722	6,913	17,684	45,579	62,939	50,037	19,011	27
Male	110,071	28	156	354	634	1,410	3,129	8,916	25,139	35,546	28,633	8,113	11
Female	96,818	29	126	247	401	1,312	3,784	8,768	20,440	27,393	21,404	10,898	16
Hispanic	7,429	7	40	91	143	266	437	884	1,670	1,777	1,580	533	1
Male	3,982	5	20	57	84	139	184	410	891	993	920	279	1
Female	3,447	2	20	34	59	127	253	474	779	784	660	254	1
Mexican	4,637	5	28	76	88	169	269	544	1,085	1,147	1,074	351	1
Male	2,621	3	14	48	47	87	103	247	572	676	634	190	1
Female	2,216	2	14	28	41	82	166	297	513	471	440	161	1
Puerto Rican	887	-	3	4	19	40	61	137	211	223	145	44	-
Male	479	-	1	4	13	22	31	69	130	116	72	21	-
Female	408	-	2	-	6	18	30	68	81	107	73	23	-
Cuban	259	-	-	-	-	3	7	33	68	61	62	25	-
Male	156	-	-	-	-	3	6	19	40	34	43	11	-
Female	103	-	-	-	-	-	1	14	28	27	19	14	-
Central and South American	514	-	3	5	17	27	35	73	120	114	93	27	-
Male	216	-	2	3	10	13	12	28	48	43	49	6	-
Female	298	-	1	2	7	14	23	45	72	71	44	19	-
Other and unknown Hispanic	932	2	6	6	19	27	65	97	186	232	206	86	-
Male	510	2	3	2	14	14	32	47	101	124	122	49	-
Female	422	-	3	4	5	13	33	50	85	108	84	37	-
Non-Hispanic	191,838	44	232	469	821	2,315	6,171	16,100	42,114	58,832	46,800	17,923	17
Male	101,863	20	131	276	504	1,189	2,788	8,118	23,224	33,197	24,847	7,565	4
Female	89,975	24	101	193	317	1,126	3,383	7,982	18,890	25,635	21,953	10,358	13
White	165,804	33	191	371	639	1,856	4,887	12,882	35,580	51,455	41,698	16,189	13
Male	87,066	14	105	217	388	981	2,208	6,357	19,415	28,779	21,874	6,726	2
Female	78,738	19	86	154	251	875	2,679	6,525	16,165	22,676	19,824	9,473	11
Black	22,575	9	24	76	145	363	1,075	2,809	5,741	6,472	4,365	1,492	4
Male	12,782	5	14	44	95	163	486	1,551	3,364	3,855	2,480	713	2
Female	9,793	4	10	32	50	200	589	1,258	2,377	2,617	1,875	779	2
Not stated	7,622	6	12	41	71	141	305	700	1,795	2,377	1,657	555	9
Male	4,226	3	7	21	46	82	157	388	1,024	1,356	866	269	7
Female	3,396	3	5	20	25	59	148	312	771	974	791	286	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3,683	1	1	-	11	41	145	425	1,042	1,125	656	236	-
Male	2,463	-	-	-	5	28	95	326	736	751	411	111	-
Female	1,220	1	1	-	6	13	50	99	306	374	245	125	-
Hispanic	114	-	-	-	1	4	7	14	30	40	14	4	-
Male	79	-	-	-	1	1	4	12	26	25	9	1	-
Female	35	-	-	-	-	3	3	2	4	15	5	3	-
Mexican	68	-	-	-	-	3	4	7	18	23	10	3	-
Male	45	-	-	-	-	-	2	6	15	14	7	1	-
Female	23	-	-	-	-	3	2	1	3	9	3	2	-
Puerto Rican	32	-	-	-	-	1	1	5	11	10	3	1	-
Male	26	-	-	-	-	1	1	4	10	8	2	-	-
Female	6	-	-	-	-	-	1	1	1	2	1	1	-
Cuban	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Central and South American	3	-	-	-	1	-	-	-	1	1	-	-	-
Male	2	-	-	-	1	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Other and unknown Hispanic	9	-	-	-	-	-	2	1	-	5	1	-	-
Male	5	-	-	-	-	-	1	1	-	3	-	-	-
Female	4	-	-	-	-	-	-	-	-	2	1	-	-
Non-Hispanic	3,419	1	-	-	9	37	134	394	962	1,041	614	227	-
Male	2,278	-	-	-	3	27	87	303	672	696	382	108	-
Female	1,141	1	-	-	6	10	47	91	290	345	232	119	-
White	2,794	1	-	-	5	27	75	249	764	908	552	213	-
Male	1,809	-	-	-	1	21	49	183	515	602	339	99	-
Female	985	1	-	-	4	6	26	66	249	306	213	114	-
Black	536	-	-	-	2	8	50	135	174	115	43	9	-
Male	411	-	-	-	1	5	35	111	142	82	28	7	-
Female	125	-	-	-	1	3	15	24	32	33	15	2	-
Not stated	150	-	1	-	1	-	4	17	50	44	28	5	-
Male	106	-	-	-	1	-	4	11	38	30	20	2	-
Female	44	-	1	-	-	-	-	6	12	14	8	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	52,524	4	14	17	82	344	1,113	3,582	10,274	15,915	14,719	6,451	9
Male	27,523	1	9	9	51	174	652	2,198	6,214	9,043	6,983	2,186	3
Female	25,001	3	5	8	31	170	461	1,384	4,060	6,872	7,736	4,265	6
Hispanic	2,232	1	1	2	6	34	89	254	531	583	554	176	1
Male	1,219	1	1	1	2	16	44	143	309	335	295	72	-
Female	1,013	-	-	1	4	18	45	111	222	248	259	104	1
Mexican	1,466	1	1	1	4	24	51	160	354	378	385	105	1
Male	829	1	1	-	1	13	26	93	209	238	205	42	-
Female	637	-	-	1	3	11	25	67	145	141	180	63	1
Puerto Rican	254	-	-	-	2	1	17	29	62	71	55	17	-
Male	132	-	-	-	1	-	6	16	40	36	26	7	-
Female	122	-	-	-	1	1	11	13	22	35	29	10	-
Cuban	78	-	-	-	-	-	-	11	17	15	21	13	-
Male	40	-	-	-	-	-	-	7	9	7	12	5	-
Female	38	-	-	-	-	-	-	4	8	8	9	8	-
Central and South American	152	-	-	-	-	5	9	22	37	41	27	11	-
Male	56	-	-	-	-	1	3	9	15	14	12	2	-
Female	96	-	-	-	-	4	6	13	22	27	15	9	-
Other and unknown Hispanic	262	-	-	1	-	4	11	32	61	77	66	30	-
Male	162	-	-	1	-	2	9	18	36	40	40	16	-
Female	120	-	-	-	-	2	2	14	25	37	26	14	-
Non-Hispanic	48,474	2	13	14	70	299	976	3,182	9,391	14,765	13,684	6,073	5
Male	25,283	-	8	8	46	152	577	1,958	5,685	8,363	6,455	2,030	1
Female	23,191	2	5	6	24	147	399	1,224	3,706	6,402	7,229	4,043	4
White	41,124	2	9	10	53	205	714	2,378	7,586	12,619	12,066	5,479	3
Male	21,280	-	6	6	35	102	420	1,462	4,606	7,158	5,564	1,821	1
Female	19,844	2	3	4	18	103	294	916	2,980	5,461	6,402	3,658	3
Black	6,080	-	2	3	14	63	192	663	1,514	1,782	1,342	503	2
Male	3,206	-	-	1	10	34	117	397	895	966	616	169	1
Female	2,874	-	2	2	4	29	75	266	619	816	726	334	1
Not stated	1,818	1	-	1	6	11	48	146	352	567	481	202	3

SECTION 1 - GENERAL MORTALITY - PAGE 337

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.													
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	56,628	3	2	6	29	151	1,180	5,468	15,879	20,085	11,388	2,429	8
Male	38,489	-	1	3	18	87	741	3,551	10,871	13,823	7,891	1,499	4
Female	18,139	3	1	3	11	64	439	1,917	5,008	6,262	3,497	930	4
Hispanic	1,347	1	-	3	6	12	37	126	327	414	320	101	-
Male	988	-	-	2	6	8	27	90	254	301	233	67	-
Female	359	1	-	1	-	4	10	36	73	113	87	34	-
Mexican	844	1	-	3	1	5	15	71	196	264	215	71	-
Male	630	-	-	2	1	4	9	47	159	204	157	47	-
Female	214	1	-	1	-	1	6	24	39	60	58	24	-
Puerto Rican	181	-	-	-	2	6	10	29	51	51	25	7	-
Male	123	-	-	-	2	3	8	23	37	32	13	5	-
Female	58	-	-	-	-	3	2	6	14	19	12	2	-
Cuban	57	-	-	-	-	-	2	4	18	14	16	3	-
Male	51	-	-	-	-	-	2	4	16	12	15	2	-
Female	6	-	-	-	-	-	-	-	2	2	1	1	-
Central and South American	62	-	-	-	3	1	3	7	16	19	10	3	-
Male	46	-	-	-	3	1	3	5	13	11	9	1	-
Female	16	-	-	-	-	-	2	2	3	8	1	2	-
Other and unknown Hispanic	203	-	-	-	-	-	7	15	44	66	54	17	-
Male	138	-	-	-	-	-	5	11	29	42	39	12	-
Female	65	-	-	-	-	-	2	4	15	24	15	5	-
Non-Hispanic ¹	53,241	1	2	3	22	133	1,096	5,139	14,897	18,954	10,728	2,262	4
Male	36,092	-	1	1	12	77	684	3,318	10,170	13,025	7,422	1,382	-
Female	17,149	1	1	2	10	56	412	1,821	4,727	5,929	3,306	880	4
White	46,400	1	2	3	12	97	849	4,143	12,682	16,826	9,733	2,049	3
Male	31,037	-	1	1	6	52	512	2,601	8,539	11,402	6,671	1,252	-
Female	15,363	1	1	2	6	45	337	1,542	4,143	5,424	3,062	797	3
Black	6,108	-	-	-	9	32	221	914	2,024	1,886	845	176	1
Male	4,528	-	-	-	6	23	156	664	1,486	1,449	637	107	-
Female	1,580	-	-	-	3	9	65	250	538	437	208	69	1
Not stated ²	2,040	1	-	-	1	6	47	203	655	717	340	66	4
Male	1,409	-	-	-	2	30	143	447	497	236	50	4	-
Female	631	1	-	-	1	4	17	60	208	220	104	16	-
Malignant neoplasm of breast (174-175)	18,284	2	-	-	11	288	1,330	2,528	4,592	4,527	3,479	1,524	3
Male	135	-	-	-	1	1	4	13	25	36	36	19	-
Female	18,149	2	-	-	10	287	1,326	2,515	4,567	4,491	3,443	1,505	3
Hispanic	613	-	-	-	4	27	85	140	172	90	71	24	-
Male	3	-	-	-	-	-	-	1	2	-	-	-	-
Female	610	-	-	-	4	27	85	139	170	90	71	24	-
Mexican	379	-	-	-	2	18	57	86	109	50	46	11	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	377	-	-	-	2	18	57	85	108	50	46	11	-
Puerto Rican	85	-	-	-	2	1	11	25	17	16	8	5	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	85	-	-	-	2	1	11	25	17	16	8	5	-
Cuban	27	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	7	10	5	2	2	-
Female	26	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	47	-	-	-	4	4	10	15	7	5	2	-	-
Male	-	-	-	-	4	4	10	15	7	5	2	-	-
Female	47	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	75	-	-	-	4	13	12	20	12	10	4	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	75	-	-	-	4	13	12	20	12	10	4	-	-
Non-Hispanic ¹	17,062	2	-	-	7	254	1,201	2,299	4,239	4,301	3,293	1,463	3
Male	129	-	-	-	1	1	4	12	22	35	36	18	-
Female	16,933	2	-	-	6	253	1,197	2,287	4,217	4,266	3,257	1,445	3
White	15,101	2	-	-	5	197	964	1,934	3,709	3,888	3,044	1,355	3
Male	117	-	-	-	1	-	4	12	19	32	34	15	-
Female	14,984	2	-	-	4	197	960	1,922	3,690	3,856	3,010	1,340	3
Black	1,745	-	-	-	2	50	215	316	459	381	223	99	-
Male	12	-	-	-	1	-	-	-	3	3	2	3	-
Female	1,733	-	-	-	2	49	215	316	456	378	221	96	-
Not stated ²	609	-	-	-	7	44	89	181	136	115	37	1	-
Male	3	-	-	-	-	-	-	-	1	1	-	-	-
Female	606	-	-	-	7	44	89	180	135	115	36	-	-
Malignant neoplasms of genital organs (179-187)	22,106	-	3	3	62	288	512	1,237	3,453	6,550	7,011	2,884	3
Male	11,719	-	3	1	40	87	49	159	1,131	3,562	4,850	2,035	2
Female	10,387	-	-	2	22	201	563	1,078	2,322	2,988	2,361	849	1
Hispanic	834	-	1	1	8	26	53	90	177	196	201	81	-
Male	386	-	1	-	3	13	2	17	53	104	139	54	-
Female	448	-	-	1	5	13	51	73	124	92	62	27	-
Mexican	570	-	1	1	7	16	36	59	126	132	134	58	-
Male	259	-	1	-	3	8	2	11	35	68	93	38	-
Female	311	-	-	1	4	8	34	48	91	64	41	20	-
Puerto Rican	80	-	-	-	-	5	1	14	14	20	23	3	-
Male	46	-	-	-	-	2	-	5	7	13	17	2	-
Female	34	-	-	-	-	3	1	9	7	7	6	1	-
Cuban	27	-	-	-	-	-	-	1	5	8	10	3	-
Male	18	-	-	-	-	-	-	1	1	4	9	3	-
Female	9	-	-	-	-	-	-	-	4	4	1	-	-
Central and South American	70	-	-	-	3	9	9	18	14	13	4	-	-
Male	26	-	-	-	3	-	-	-	5	7	8	3	-
Female	44	-	-	-	-	9	9	13	7	5	1	-	-
Other and unknown Hispanic	87	-	-	-	1	2	7	14	22	21	13	-	-
Male	37	-	-	-	-	-	-	-	5	12	12	8	-
Female	50	-	-	-	1	2	7	9	10	9	5	-	-
Non-Hispanic ¹	20,527	-	2	2	53	250	532	1,104	3,140	6,112	6,611	2,718	3
Male	10,950	-	2	1	36	69	43	137	1,027	3,325	4,388	1,920	2
Female	9,577	-	-	1	17	181	489	967	2,113	2,787	2,223	798	1
White	17,095	-	2	1	46	191	413	843	2,583	5,100	5,576	2,337	3
Male	8,934	-	-	35	61	35	92	785	2,697	3,610	1,615	722	2
Female	8,161	-	-	1	11	130	378	751	1,798	2,403	1,966	722	1
Black	3,120	-	-	5	47	99	225	501	947	946	349	-	-
Male	1,878	-	-	1	3	8	42	234	599	713	277	-	-
Female	1,242	-	-	4	44	91	183	267	348	233	72	-	-
Not stated ²	745	-	-	-	1	12	27	43	136	242	199	85	-
Male	383	-	-	-	1	5	4	5	51	133	123	61	-
Female	362	-	-	-	-	7	23	38	85	109	76	24	-

SECTION 1 - GENERAL MORTALITY - PAGE 338

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con.													
Malignant neoplasms of urinary organs (180-189)	8,303	4	6	18	13	29	179	547	1,513	2,472	2,380	1,141	1
Male	5,389	3	4	7	7	20	108	382	1,059	1,663	1,516	619	-
Female	2,914	1	2	11	6	9	71	165	454	809	864	522	-
Hispanic	305	2	-	2	-	5	17	38	62	71	77	31	-
Male	202	1	-	1	-	5	13	24	41	45	52	20	-
Female	103	1	-	1	-	-	4	14	21	26	25	11	-
Mexican	202	1	-	2	-	2	11	22	41	51	52	20	-
Male	130	-	-	1	-	2	10	12	26	32	33	14	-
Female	72	1	-	1	-	-	1	10	15	19	19	6	-
Puerto Rican	28	-	-	-	-	2	2	6	7	3	4	4	-
Male	20	-	-	-	-	2	2	5	5	1	3	2	-
Female	8	-	-	-	-	-	-	1	2	2	1	2	-
Cuban	13	-	-	-	-	-	1	2	1	4	4	1	-
Male	11	-	-	-	-	-	-	1	1	4	4	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	-
Central and South American	22	-	-	-	-	-	-	3	4	8	5	2	-
Male	13	-	-	-	-	-	-	1	4	4	3	1	-
Female	9	-	-	-	-	-	-	-	4	4	3	1	-
Other and unknown Hispanic	40	1	-	-	-	1	3	5	9	5	12	4	-
Male	28	1	-	-	-	1	-	5	5	4	10	2	-
Female	12	-	-	-	-	-	3	-	4	1	2	2	-
Non-Hispanic	7,715	2	6	15	13	23	154	484	1,399	2,318	2,215	1,085	1
Male	4,986	2	4	5	7	14	90	340	980	1,570	1,403	582	1
Female	2,717	-	2	10	6	9	64	144	419	748	812	503	-
White	6,917	-	4	11	6	18	118	410	1,242	2,074	2,023	1,011	-
Male	4,502	-	2	3	3	10	69	290	878	1,413	1,290	544	-
Female	2,415	-	2	8	3	8	49	120	364	661	733	467	-
Black	707	2	1	3	7	5	33	65	139	220	169	62	1
Male	434	2	1	2	4	4	18	41	90	145	95	31	1
Female	273	-	-	1	3	1	15	24	49	75	74	31	-
Not stated	283	-	-	1	-	1	8	25	52	83	88	25	-
Male	189	-	-	1	-	1	5	16	38	48	61	17	-
Female	94	-	-	-	-	-	3	7	14	35	27	8	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	25,923	28	153	267	409	853	1,432	2,494	5,454	7,017	5,447	2,368	1
Male	13,958	19	82	161	253	553	885	1,443	3,172	3,845	2,682	863	-
Female	11,965	9	71	106	156	300	547	1,051	2,282	3,172	2,765	1,505	1
Hispanic	1,073	3	20	37	50	79	72	116	219	224	181	72	-
Male	588	3	8	21	29	48	44	63	124	107	102	39	-
Female	485	-	12	16	21	31	28	53	95	117	79	33	-
Mexican	717	2	15	31	28	48	44	71	145	150	127	56	-
Male	385	2	7	18	15	30	24	38	78	70	72	31	-
Female	332	-	8	13	13	18	20	33	67	80	55	25	-
Puerto Rican	116	-	1	1	5	13	12	15	29	26	11	3	-
Male	67	-	-	1	3	6	8	9	18	14	5	3	-
Female	49	-	1	-	2	7	4	6	11	12	6	-	-
Cuban	27	-	-	-	-	2	1	2	6	9	4	3	-
Male	19	-	-	-	-	2	1	2	6	6	2	-	-
Female	8	-	-	-	-	-	-	-	-	3	2	3	-
Central and South American	74	-	1	2	6	6	13	14	9	14	9	3	-
Male	37	-	-	1	3	3	5	8	4	3	19	1	-
Female	37	-	1	1	3	3	1	5	10	6	5	2	-
Other and unknown Hispanic	139	1	3	3	11	10	9	15	25	30	25	7	-
Male	80	1	1	1	8	7	6	6	18	14	11	4	-
Female	59	-	2	2	3	3	3	9	7	16	14	3	-
Non-Hispanic	23,819	21	125	215	338	732	1,289	2,285	5,044	6,471	5,080	2,218	1
Male	12,782	13	70	132	210	478	790	1,325	2,924	3,551	2,500	789	-
Female	11,037	8	55	83	128	254	499	960	2,120	2,920	2,580	1,429	1
White	20,848	18	107	175	273	643	1,101	1,896	4,383	5,697	4,532	2,022	1
Male	11,162	11	60	111	164	431	680	1,104	2,554	3,125	2,215	707	-
Female	9,686	7	47	64	109	212	421	792	1,829	2,572	2,317	1,315	1
Black	2,569	3	13	32	52	72	151	345	588	883	459	171	-
Male	1,390	2	7	15	37	38	90	203	331	367	233	67	-
Female	1,179	1	6	17	15	34	61	142	257	316	226	104	-
Not stated	1,031	4	8	15	21	42	71	93	191	322	186	78	-
Male	588	3	4	8	14	27	51	55	124	187	80	35	-
Female	443	1	4	7	7	15	20	38	67	135	106	43	-
Leukemia (204-208)	7,987	13	95	251	236	321	368	520	1,214	1,966	2,028	971	2
Male	4,285	5	53	143	137	181	202	299	693	1,100	1,079	392	1
Female	3,702	8	42	108	99	140	166	221	521	868	949	579	1
Hispanic	400	-	14	40	45	41	35	51	52	50	54	18	-
Male	210	-	8	27	24	21	17	29	23	21	29	11	-
Female	190	-	6	13	21	20	18	22	29	29	25	7	-
Mexican	270	-	10	36	33	31	28	31	31	29	30	11	-
Male	142	-	5	25	16	16	13	17	12	12	18	8	-
Female	128	-	5	11	17	15	15	14	19	17	12	3	-
Puerto Rican	34	-	-	-	3	4	-	5	5	12	3	2	-
Male	15	-	-	-	3	1	-	3	2	5	-	1	-
Female	19	-	-	-	-	-	-	2	3	7	3	1	-
Cuban	11	-	-	-	-	1	1	2	4	1	2	-	-
Male	8	-	-	-	-	1	1	2	4	1	4	-	-
Female	3	-	-	-	-	1	1	2	1	2	-	-	-
Central and South American	32	-	2	2	3	2	2	4	5	7	1	-	-
Male	17	-	2	2	-	1	-	3	2	1	4	-	-
Female	15	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	53	-	2	2	6	3	4	9	8	3	12	4	-
Male	30	-	1	-	5	2	3	5	5	2	5	2	-
Female	23	-	1	2	1	1	1	4	3	1	7	2	-
Non-Hispanic	7,169	13	79	191	167	253	307	435	1,094	1,831	1,877	921	-
Male	3,843	5	43	107	96	143	171	246	635	1,033	996	368	-
Female	3,325	8	36	84	71	110	136	189	459	798	881	553	-
White	6,384	9	62	147	131	204	246	381	951	1,654	1,736	863	-
Male	3,406	3	31	78	73	115	146	212	555	942	913	338	-
Female	2,978	6	31	69	58	89	100	169	396	712	823	525	-
Black	630	2	8	32	26	35	52	36	115	154	118	52	-
Male	347	1	6	21	17	20	22	26	62	77	68	27	-
Female	283	1	2	11	9	15	30	10	53	77	50	25	-
Not stated	419	-	2	20	24	27	26	34	68	87	97	32	2
Male	232	-	2	9	17	17	14	24	35	46	54	13	1
Female													

SECTION 1 - GENERAL MORTALITY - PAGE 339

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

(Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix.)

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-Con													
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11,451	2	10	39	182	407	554	883	2,158	3,280	2,929	1,007	-
Male	6,110	-	6	30	122	279	393	545	1,238	1,723	1,385	383	-
Female	5,341	2	4	9	60	128	161	338	920	1,557	1,544	618	-
Hispanic	511	-	4	6	23	38	42	55	100	109	108	26	-
Male	307	-	2	5	19	27	33	31	59	55	61	15	-
Female	204	-	2	1	4	11	9	24	41	54	47	11	-
Mexican	321	-	1	2	13	22	23	37	63	69	75	16	-
Male	199	-	-	2	11	14	17	22	37	38	49	9	-
Female	122	-	1	-	2	8	6	15	26	31	26	7	-
Puerto Rican	77	-	2	3	5	7	7	9	15	14	13	2	-
Male	50	-	1	3	4	7	6	4	11	7	6	1	-
Female	27	-	1	-	1	-	1	5	4	7	7	1	-
Cuban	17	-	-	-	-	-	1	3	6	4	3	-	-
Male	7	-	-	-	-	-	-	2	4	-	-	-	-
Female	10	-	-	-	-	-	-	1	2	4	3	-	-
Central and South American	52	-	-	1	4	6	2	5	11	10	12	1	-
Male	21	-	-	-	3	4	1	2	4	3	4	-	-
Female	31	-	-	1	1	2	1	3	7	7	8	1	-
Other and unknown Hispanic	44	-	1	-	1	3	9	1	5	12	5	7	-
Male	30	-	1	-	1	2	8	1	3	7	2	5	-
Female	14	-	-	-	-	1	1	-	2	5	3	2	-
Non-Hispanic ¹	10,413	2	5	29	142	334	482	778	1,948	3,039	2,698	956	-
Male	5,508	-	3	22	93	228	342	479	1,109	1,599	1,265	368	-
Female	4,905	2	2	7	49	106	140	299	839	1,440	1,433	588	-
White	9,141	-	5	24	108	274	407	648	1,680	2,689	2,436	870	-
Male	4,819	-	3	18	70	189	293	401	964	1,408	1,138	335	-
Female	4,322	-	2	6	38	85	114	247	716	1,281	1,298	535	-
Black	1,080	2	-	4	28	51	62	110	227	304	220	71	-
Male	576	-	-	5	19	35	40	67	121	167	98	25	-
Female	504	2	-	1	9	16	22	43	106	137	122	46	-
Not stated ²	527	-	1	4	17	35	30	50	110	132	123	25	-
Male	295	-	1	3	10	24	18	35	70	69	59	6	-
Female	232	-	-	1	7	11	12	15	40	63	64	19	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3,166	32	41	48	47	90	160	196	456	777	850	467	2
Male	1,411	13	27	20	25	43	89	113	227	351	342	160	1
Female	1,755	19	14	28	22	47	71	83	229	426	508	307	1
Hispanic	117	6	7	9	4	9	8	8	16	18	20	11	1
Male	52	2	6	2	2	5	5	4	10	6	7	2	1
Female	65	4	1	7	2	4	3	4	6	12	13	9	-
Mexican	82	5	5	6	1	6	4	6	12	14	12	10	1
Male	37	2	4	2	1	5	2	3	5	10	8	8	-
Female	45	3	1	4	-	1	2	3	7	4	4	2	1
Puerto Rican	15	-	1	1	-	1	1	1	3	2	5	-	-
Male	8	-	1	-	-	-	-	-	1	1	3	-	-
Female	7	-	-	1	-	1	-	-	-	1	1	-	-
Cuban	4	-	-	-	1	-	1	-	-	-	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Central and South American	8	1	-	2	1	1	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	1	-	2	1	1	-	1	-	-	-	-	-
Other and unknown Hispanic	8	-	1	-	1	1	2	-	1	-	1	1	-
Male	3	-	1	-	-	-	1	-	1	-	-	-	-
Female	5	-	-	-	1	1	-	-	-	-	1	1	-
Non-Hispanic ¹	2,900	26	31	39	42	74	140	174	414	724	796	439	1
Male	1,288	11	18	18	22	35	76	99	203	331	324	151	-
Female	1,612	15	13	21	20	39	64	75	211	393	472	288	1
White	2,484	21	24	25	32	59	108	138	341	617	719	400	-
Male	1,122	8	15	12	16	29	61	81	179	289	292	140	-
Female	1,362	13	9	13	16	30	47	57	162	328	427	260	-
Black	357	4	5	12	10	13	27	35	65	94	62	29	1
Male	131	2	2	6	6	4	12	17	20	33	23	6	-
Female	226	2	3	6	4	9	15	18	45	61	39	23	1
Not stated ²	149	-	3	-	1	7	12	14	26	35	34	17	-
Male	71	-	3	-	1	3	8	10	14	14	11	7	-
Female	78	-	-	-	-	4	4	4	12	21	23	10	-
Diabetes mellitus (250)	16,646	1	2	11	58	264	560	924	2,627	4,628	5,018	2,547	6
Male	6,909	-	-	6	27	153	325	477	1,256	2,039	1,913	711	2
Female	9,737	1	2	5	31	111	235	447	1,371	2,589	3,105	1,836	4
Hispanic	1,222	-	-	-	5	14	45	99	255	381	299	124	-
Male	517	-	-	-	2	6	27	55	114	166	110	37	-
Female	705	-	-	-	3	8	18	44	141	215	189	87	-
Mexican	898	-	-	-	2	9	26	62	198	288	230	83	-
Male	379	-	-	-	1	5	16	31	90	162	145	58	-
Female	519	-	-	-	1	4	10	31	108	162	145	25	-
Puerto Rican	148	-	-	-	2	1	12	16	28	41	13	5	-
Male	63	-	-	-	1	1	6	11	12	14	13	5	-
Female	85	-	-	-	1	-	6	5	16	27	18	12	-
Cuban	17	-	-	-	-	-	-	-	2	6	3	4	-
Male	7	-	-	-	-	-	-	-	1	4	1	1	-
Female	10	-	-	-	-	-	-	-	1	2	2	3	-
Central and South American	32	-	-	-	-	1	1	4	5	10	7	4	-
Male	10	-	-	-	-	-	1	1	2	5	1	-	-
Female	22	-	-	-	-	-	-	3	3	5	6	4	-
Other and unknown Hispanic	127	-	-	-	1	3	6	17	22	34	28	16	-
Male	58	-	-	-	-	4	12	5	9	17	10	6	-
Female	69	-	-	-	1	3	2	5	13	17	18	10	-
Non-Hispanic ¹	14,899	1	2	11	50	236	497	795	2,282	4,091	4,579	2,349	6
Male	6,144	-	-	6	24	139	285	406	1,088	1,798	1,742	854	2
Female	8,755	1	2	5	26	97	212	389	1,194	2,293	2,837	1,495	4
White	11,820	-	2	7	32	180	360	526	1,643	3,188	3,802	2,077	3
Male	4,971	-	3	17	109	205	280	403	1,465	2,465	2,318	1,502	3
Female	6,849	-	2	4	15	71	155	246	810	1,723	2,318	1,502	3
Black	2,714	-	-	4	17	54	126	242	552	795	694	59	2
Male	980	-	-	3	7	29	72	115	207	273	213	168	1
Female	1,734	-	-	1	10	25	54	127	345	522	481	74	-
Not stated ²	525	-	-	-	3	14	18	30	90	156	140	20	-
Male	248	-	-	-	1	8	13	16	54	75	61	20	-
Female	277	-	-	-	2	6	5	14	36	81	79	54	-

SECTION 1 - GENERAL MORTALITY - PAGE 340

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nutritional deficiencies (260-269)	1,210	19	-	1	4	7	15	19	70	177	345	551	2
Male	486	12	-	1	2	3	10	11	45	91	138	173	-
Female	724	7	-	-	2	4	5	8	25	86	207	378	2
Hispanic	54	4	-	1	-	1	3	1	7	7	15	15	-
Male	23	2	-	1	-	-	3	1	3	3	6	4	-
Female	31	2	-	-	-	1	-	-	4	4	9	11	-
Mexican	39	4	-	-	-	-	1	-	5	6	12	11	-
Male	14	2	-	-	-	-	1	-	2	3	5	1	-
Female	25	2	-	-	-	-	-	-	3	3	7	10	-
Puerto Rican	4	-	-	1	-	-	-	-	1	-	-	1	-
Male	2	-	-	1	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	-
Cuban	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	9	-	-	-	-	1	2	1	1	-	2	2	-
Male	7	-	-	-	-	-	2	1	1	-	1	2	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Non-Hispanic ¹	1,129	14	-	-	4	5	12	17	58	164	327	526	2
Male	451	10	-	-	2	3	7	10	39	85	132	183	-
Female	678	4	-	-	2	2	5	7	19	79	195	343	2
White	958	8	-	-	4	4	7	11	39	131	280	472	2
Male	366	5	-	-	2	2	5	5	27	66	104	150	-
Female	592	3	-	-	2	2	2	6	12	65	176	322	2
Black	150	6	-	-	-	1	5	5	18	30	38	47	-
Male	70	5	-	-	-	1	2	4	11	18	21	8	-
Female	80	1	-	-	-	-	3	1	7	12	17	39	-
Not stated ²	27	1	-	-	-	1	-	1	5	6	3	10	-
Male	12	-	-	-	-	-	-	-	3	3	-	6	-
Female	15	1	-	-	-	1	-	1	2	3	3	4	-
Anemias (280-285)	1,616	8	29	28	52	72	71	64	129	243	472	448	-
Male	693	7	16	14	29	45	35	30	68	115	202	132	-
Female	923	1	13	14	23	27	36	34	61	128	270	316	-
Hispanic	63	2	1	5	5	3	2	6	6	8	12	13	-
Male	25	2	1	3	1	2	-	2	2	4	3	5	-
Female	38	-	-	2	4	1	2	4	4	4	9	8	-
Mexican	47	1	-	4	3	3	1	2	6	8	10	9	-
Male	20	1	-	2	1	2	-	-	2	4	3	5	-
Female	27	-	-	2	2	1	1	2	4	4	7	4	-
Puerto Rican	7	-	-	-	1	-	1	1	-	-	1	3	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	6	-	-	-	1	-	1	-	-	-	1	3	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	4	1	1	-	1	-	-	1	-	-	-	-	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Other and unknown Hispanic	5	-	-	1	-	-	-	2	-	-	1	1	-
Male	2	-	-	1	-	-	-	1	-	-	-	1	-
Female	3	-	-	-	-	-	-	1	-	-	-	-	-
Non-Hispanic ¹	1,488	6	28	23	45	67	67	54	115	221	444	418	-
Male	634	5	15	11	28	41	35	24	61	103	191	120	-
Female	854	1	13	12	17	26	32	30	54	118	253	298	-
White	1,140	-	4	8	9	24	20	26	87	182	392	388	-
Male	468	-	3	3	6	16	12	12	46	87	171	112	-
Female	672	-	1	5	3	8	8	14	41	95	221	276	-
Black	312	3	23	14	34	40	45	28	25	33	44	23	-
Male	148	3	12	7	21	23	23	12	12	15	16	4	-
Female	164	-	11	7	13	17	22	16	13	18	28	19	-
Not stated ²	65	-	-	-	2	2	2	4	8	14	16	17	-
Male	34	-	-	-	-	2	-	4	5	8	8	7	-
Female	31	-	-	-	2	-	2	-	3	6	8	10	-
Meningitis (320-322)	594	116	69	25	13	29	24	38	68	87	95	30	-
Male	288	56	49	13	8	17	13	19	30	37	37	9	-
Female	306	60	20	12	5	12	11	19	38	50	58	21	-
Hispanic	75	20	7	7	2	4	3	6	5	10	6	5	-
Male	40	11	5	5	1	2	1	4	3	5	2	1	-
Female	35	9	2	2	1	2	2	2	2	5	4	4	-
Mexican	51	16	6	7	2	1	1	2	2	7	5	2	-
Male	28	9	4	5	1	-	1	2	1	3	2	-	-
Female	23	7	2	2	1	-	-	1	1	4	3	2	-
Puerto Rican	8	-	-	-	-	1	-	3	1	1	1	1	-
Male	4	-	-	-	-	-	-	2	1	1	-	-	-
Female	4	-	-	-	-	1	-	1	-	-	-	-	-
Cuban	2	1	-	-	-	1	-	-	-	-	-	-	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	8	-	-	-	-	1	1	1	2	2	-	1	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	5	-	-	-	-	-	1	1	1	1	-	-	-
Other and unknown Hispanic	6	3	1	-	-	-	1	-	-	-	-	1	-
Male	3	1	1	-	-	-	-	-	-	-	-	-	-
Female	3	2	-	-	-	-	1	-	-	-	-	-	-
Non-Hispanic ¹	491	89	58	16	9	23	19	30	62	76	85	24	-
Male	232	41	41	7	5	13	10	15	27	31	34	8	-
Female	259	48	17	9	4	10	9	15	35	45	51	16	-
White	340	44	42	10	5	14	13	18	42	57	72	23	-
Male	153	20	29	5	3	6	6	10	20	20	26	8	-
Female	187	24	13	5	2	8	7	8	22	37	46	15	-
Black	131	36	15	5	4	7	6	12	18	18	9	1	-
Male	70	18	11	2	2	6	4	5	6	11	5	-	-
Female	61	18	4	3	2	1	2	7	12	7	4	1	-
Not stated ²	28	7	4	2	2	2	2	2	1	1	1	1	-
Male	16	4	3	1	2	2	2	-	-	1	1	-	-
Female	12	3	1	1	-	-	-	2	1	-	3	1	-

SECTION 1 - GENERAL MORTALITY - PAGE 341

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Major cardiovascular diseases (390-448)	442,948	558	164	207	716	2,337	7,081	18,941	52,260	99,710	139,618	121,084	272
Male	218,147	321	92	101	421	1,548	4,958	13,563	35,415	59,499	65,129	37,023	77
Female	224,801	237	72	106	295	789	2,123	5,378	16,845	40,211	74,489	84,061	195
Hispanic	14,903	73	26	28	84	235	505	1,116	2,532	3,422	4,128	2,747	7
Male	8,119	45	16	13	58	167	358	771	1,637	1,956	2,057	1,037	4
Female	6,784	28	10	15	26	68	147	345	895	1,466	2,071	1,710	3
Mexican	9,937	52	24	18	58	133	296	685	1,630	2,287	2,840	1,909	5
Male	5,451	30	14	8	44	96	211	469	1,057	1,343	1,442	733	4
Female	4,486	22	10	10	14	37	85	216	573	944	1,398	1,176	1
Puerto Rican	1,865	5	2	3	8	46	96	219	380	449	438	219	-
Male	981	4	2	1	3	31	63	140	249	235	183	70	-
Female	884	1	-	2	5	15	33	79	131	214	255	149	-
Cuban	521	1	-	-	2	6	9	52	70	125	152	103	1
Male	294	-	-	-	1	4	8	46	54	84	68	29	-
Female	227	1	-	-	1	2	1	6	16	41	84	74	1
Central and South American	726	-	-	3	6	28	51	67	145	156	167	103	-
Male	348	-	-	3	5	23	37	46	78	62	69	25	-
Female	378	-	-	-	1	5	14	21	67	94	98	78	-
Other and unknown Hispanic	1,854	15	-	4	10	22	53	93	307	405	531	413	1
Male	1,045	11	-	1	5	13	39	70	199	232	295	180	-
Female	809	4	-	3	5	9	14	23	108	173	236	233	1
Non-Hispanic	411,435	450	131	161	592	1,980	6,240	16,932	47,248	92,023	130,679	114,756	243
Male	200,931	261	75	76	340	1,299	4,357	12,134	32,022	54,851	60,672	34,782	62
Female	210,504	189	56	85	252	681	1,883	4,798	15,226	37,172	70,007	79,974	181
White	360,761	294	79	109	385	1,268	4,377	12,806	38,517	79,078	117,196	106,435	217
Male	175,648	171	47	51	235	857	3,200	9,584	26,930	48,081	54,555	31,886	51
Female	185,113	123	32	58	150	411	1,177	3,222	11,587	30,997	62,641	74,549	166
Black	44,767	132	47	40	181	661	1,703	3,785	7,905	11,507	11,707	7,083	16
Male	21,818	75	25	20	91	403	1,058	2,319	4,565	5,863	5,008	2,384	7
Female	22,949	57	22	20	90	258	645	1,466	3,340	5,644	6,699	4,699	9
Not stated	16,610	35	7	18	40	122	336	893	2,480	4,295	4,811	3,581	22
Male	9,097	15	1	12	23	82	243	658	1,756	2,692	2,400	1,204	11
Female	7,513	20	6	6	17	40	93	235	724	1,573	2,411	2,377	11
Diseases of heart (390-398,402,404-429)	350,319	463	139	155	525	1,766	5,723	16,182	44,720	81,854	106,305	90,283	204
Male	179,681	261	76	76	324	1,241	4,258	12,055	31,401	49,829	51,838	28,622	60
Female	170,638	202	63	79	201	525	1,465	4,127	13,319	32,025	56,467	61,661	144
Hispanic	11,741	59	22	17	54	173	365	874	2,094	2,787	3,237	2,054	5
Male	6,545	35	14	9	38	132	281	629	1,372	1,612	1,634	786	3
Female	5,196	24	8	8	16	41	84	245	722	1,175	1,603	1,268	2
Mexican	7,741	47	20	11	36	99	214	534	1,334	1,855	2,195	1,393	3
Male	4,371	27	12	6	28	79	170	381	882	1,111	1,132	540	3
Female	3,370	20	8	5	8	20	44	153	452	744	1,063	853	-
Puerto Rican	1,544	2	2	3	5	31	72	176	318	384	371	180	-
Male	815	2	2	1	2	20	48	116	208	201	157	58	-
Female	729	-	-	2	3	11	24	60	110	183	214	122	-
Cuban	425	-	-	-	2	5	7	40	63	105	124	78	1
Male	249	-	-	-	1	4	7	36	49	69	59	24	-
Female	176	-	-	-	1	1	-	4	14	36	65	54	1
Central and South American	562	-	-	2	4	22	32	45	121	116	132	88	-
Male	270	-	-	2	3	18	24	35	67	45	56	20	-
Female	292	-	-	-	1	4	8	10	54	71	76	68	-
Other and unknown Hispanic	1,469	10	-	1	7	16	40	79	258	327	415	315	1
Male	840	6	-	-	4	11	32	61	166	186	230	144	-
Female	629	4	-	1	3	5	8	18	92	141	185	171	1
Non-Hispanic	325,106	376	111	125	441	1,510	5,102	14,545	40,497	75,491	101,255	85,473	180
Male	165,506	213	62	59	267	1,051	3,771	10,839	28,130	45,907	48,275	26,885	47
Female	159,600	163	49	66	174	459	1,331	3,706	12,367	29,584	52,980	58,588	133
White	286,015	253	65	80	282	975	3,679	11,284	33,403	65,432	91,079	79,339	164
Male	145,339	145	39	36	181	693	2,832	8,744	23,880	40,550	43,523	24,676	40
Female	140,676	108	26	44	101	282	847	2,540	9,523	24,882	47,556	54,663	124
Black	34,715	104	41	36	142	496	1,306	3,022	6,453	8,965	8,890	5,251	9
Male	17,476	57	20	18	74	327	862	1,904	3,809	4,633	3,936	1,833	3
Female	17,239	47	21	18	68	169	444	1,118	2,644	4,332	4,954	3,418	6
Not stated	13,472	28	6	13	30	83	256	783	2,129	3,576	3,813	2,756	19
Male	7,630	13	-	8	19	58	206	587	1,539	2,310	1,929	951	10
Female	5,842	15	6	5	11	25	50	176	590	1,266	1,884	1,805	9
Rheumatic fever and rheumatic heart disease (390-398)	3,059	5	6	6	26	83	144	252	498	893	845	301	-
Male	984	3	6	4	12	40	58	80	190	294	233	64	-
Female	2,075	2	-	2	14	43	86	172	308	599	612	237	-
Hispanic	130	1	1	1	14	13	19	22	37	20	7	-	-
Male	44	-	1	1	-	6	4	7	8	10	7	-	-
Female	86	1	-	-	-	8	9	12	14	27	13	2	-
Mexican	82	-	1	1	-	5	9	14	13	25	12	2	-
Male	28	-	1	1	-	2	3	4	6	7	4	-	-
Female	54	-	-	-	-	3	6	10	7	18	8	2	-
Puerto Rican	20	-	-	-	-	4	3	3	3	4	3	-	-
Male	7	-	-	-	-	2	1	2	-	1	1	-	-
Female	13	-	-	-	-	2	2	1	3	3	2	-	-
Cuban	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Central and South American	6	-	-	-	-	2	1	-	3	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	5	-	-	-	-	1	1	-	3	-	-	-	-
Other and unknown Hispanic	20	1	-	-	-	3	-	2	2	8	4	-	-
Male	7	-	-	-	-	1	-	1	2	2	1	-	-
Female	13	1	-	-	-	2	-	1	-	6	3	-	-
Non-Hispanic	2,799	4	5	3	26	84	125	221	451	815	790	295	-
Male	890	3	5	2	12	30	51	69	171	268	216	63	-
Female	1,909	1	-	1	14	34	74	152	280	547	574	232	-
White	2,516	4	3	1	13	43	83	178	393	770	751	277	-
Male	795	3	3	1	5	23	36	58	153	252	203	58	-
Female	1,721	1	-	-	8	20	47	120	240	518	548	219	-
Black	218	-	2	2	11	16	35	37	48	29	29	9	-
Male	73	-	2	1	5	7	12	10	16	10	8	2	-
Female	145	-	-	1	6	9	23	27	32	19	21	7	-
Not stated	130	-	-	2	-	5	6	12	25	41	35	4	-
Male	50	-	-	1	-	4	3	4	11	16	10	1	-
Female	80	-	-	1	-	1	3	8	14	25	25	3	-

SECTION 1 - GENERAL MORTALITY - PAGE 342

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diseases of heart-Con.													
Hypertensive heart disease (402)	10,153	1	-	1	9	71	269	734	1,727	2,455	2,854	2,026	6
Male	4,463	-	-	-	6	56	194	461	1,024	1,235	1,041	445	1
Female	5,690	1	-	1	3	15	75	273	703	1,220	1,813	1,581	5
Hispanic	392	-	-	-	-	9	22	37	86	96	90	52	-
Male	212	-	-	-	-	8	21	27	48	57	33	18	-
Female	180	-	-	-	-	1	1	10	38	39	57	34	-
Mexican	282	-	-	-	-	6	15	27	54	73	68	39	-
Male	146	-	-	-	-	6	14	19	28	44	21	14	-
Female	136	-	-	-	-	-	1	8	26	29	47	25	-
Puerto Rican	42	-	-	-	-	2	3	4	13	8	8	4	-
Male	30	-	-	-	-	1	3	3	9	5	6	3	-
Female	12	-	-	-	-	1	-	1	4	3	2	1	-
Cuban	14	-	-	-	-	-	1	1	5	4	1	2	-
Male	9	-	-	-	-	-	1	1	3	4	-	-	-
Female	5	-	-	-	-	-	-	-	2	-	1	2	-
Central and South American	17	-	-	-	-	-	2	1	3	5	4	2	-
Male	7	-	-	-	-	-	2	1	1	-	3	-	-
Female	10	-	-	-	-	-	-	-	2	5	1	2	-
Other and unknown Hispanic	37	-	-	-	-	1	1	4	11	6	9	5	-
Male	20	-	-	-	-	1	1	3	7	4	3	1	-
Female	17	-	-	-	-	-	-	1	4	2	6	4	-
Non-Hispanic	9,461	1	-	1	9	61	235	672	1,593	2,274	2,676	1,934	5
Male	4,111	-	-	-	6	47	163	419	945	1,131	977	423	-
Female	5,350	1	-	1	3	14	72	253	648	1,143	1,699	1,511	5
White	6,657	1	-	-	5	25	89	320	942	1,571	2,036	1,664	4
Male	2,770	-	-	-	5	18	69	225	601	790	723	339	-
Female	3,887	1	-	-	7	7	20	95	341	781	1,313	1,325	4
Black	2,625	-	-	1	4	35	145	338	626	656	579	241	-
Male	1,238	-	-	-	1	28	93	184	334	309	219	70	-
Female	1,387	-	-	1	3	7	52	154	292	347	360	171	-
Not stated	300	-	-	-	-	1	12	25	48	85	88	40	1
Male	140	-	-	-	-	1	10	15	31	47	31	4	1
Female	160	-	-	-	-	-	2	10	17	38	57	36	-
Hypertensive heart and renal disease (404)	1,303	-	-	-	3	10	12	40	109	246	461	419	3
Male	534	-	-	-	1	7	6	25	54	123	193	125	-
Female	769	-	-	-	2	3	6	15	55	123	268	294	3
Hispanic	49	-	-	-	-	-	3	1	6	10	19	10	-
Male	26	-	-	-	-	-	2	1	4	6	11	2	-
Female	23	-	-	-	-	-	1	-	2	4	8	8	-
Mexican	29	-	-	-	-	-	1	-	4	6	12	6	-
Male	13	-	-	-	-	-	-	-	3	3	6	1	-
Female	16	-	-	-	-	-	1	-	1	3	6	5	-
Puerto Rican	6	-	-	-	-	-	-	1	1	2	1	1	-
Male	5	-	-	-	-	-	-	1	1	2	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	2	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	10	-	-	-	-	-	1	-	1	1	4	3	-
Male	4	-	-	-	-	-	1	-	-	-	2	1	-
Female	6	-	-	-	-	-	-	-	1	1	2	2	-
Non-Hispanic	1,221	-	-	-	3	10	9	39	100	228	430	399	3
Male	494	-	-	-	1	7	4	24	47	113	179	119	-
Female	727	-	-	-	2	3	5	15	53	115	251	280	3
White	896	-	-	-	2	1	2	11	53	142	352	332	1
Male	366	-	-	-	1	1	7	27	81	150	99	-	-
Female	530	-	-	-	2	-	1	4	26	61	202	233	1
Black	298	-	-	-	1	9	6	27	46	81	68	59	1
Male	116	-	-	-	1	6	3	16	20	28	25	17	-
Female	182	-	-	-	3	3	11	26	53	43	43	42	1
Not stated	33	-	-	-	-	-	-	-	3	8	12	10	-
Male	14	-	-	-	-	-	-	-	3	4	3	4	-
Female	19	-	-	-	-	-	-	-	-	4	9	6	-
Ischemic heart disease (410-414)	246,971	9	4	9	60	640	3,517	10,990	31,294	58,944	77,977	63,396	131
Male	129,681	6	4	4	40	510	2,830	8,566	22,316	36,771	38,192	20,401	41
Female	117,290	3	-	5	20	130	687	2,424	8,978	22,173	39,785	42,995	90
Hispanic	7,790	1	2	-	7	58	196	550	1,382	1,945	2,276	1,371	2
Male	4,368	1	2	-	4	52	161	410	938	1,107	1,158	533	2
Female	3,422	-	-	-	3	6	35	140	444	838	1,118	838	-
Mexican	4,828	1	2	-	6	29	102	304	825	1,227	1,449	981	2
Male	2,779	1	2	-	4	28	91	238	572	729	763	349	2
Female	2,049	-	-	-	2	1	11	66	253	498	686	532	-
Puerto Rican	1,199	-	-	-	1	11	42	132	237	309	320	147	-
Male	606	-	-	-	-	7	28	84	155	156	131	45	-
Female	593	-	-	-	1	4	14	48	82	153	189	102	-
Cuban	328	-	-	-	-	3	3	27	50	85	103	57	-
Male	194	-	-	-	-	3	3	23	41	56	50	18	-
Female	134	-	-	-	-	-	-	4	9	29	53	39	-
Central and South American	411	-	-	-	-	12	24	37	83	91	100	64	-
Male	205	-	-	-	-	11	18	28	54	36	43	15	-
Female	206	-	-	-	-	1	6	9	29	55	57	49	-
Other and unknown Hispanic	1,024	-	-	-	-	3	25	50	187	233	304	222	-
Male	584	-	-	-	-	3	21	37	116	130	171	106	-
Female	440	-	-	-	-	-	4	13	71	103	133	116	-
Non-Hispanic	229,505	6	2	8	44	552	3,158	9,915	28,383	54,409	72,874	60,038	116
Male	119,789	5	2	4	31	437	2,531	7,734	20,257	39,985	35,591	19,180	32
Female	109,716	1	-	4	13	115	627	2,181	8,126	20,424	37,283	40,858	84
White	207,318	6	2	6	28	400	2,493	8,170	24,402	48,521	66,827	56,355	108
Male	108,315	5	2	3	19	324	2,056	6,596	17,848	30,849	32,720	17,866	27
Female	99,003	1	-	3	9	76	437	1,574	6,554	17,672	34,107	38,489	81
Black	19,316	-	-	2	15	138	600	1,574	3,544	5,140	5,184	3,114	5
Male	9,635	-	-	1	11	100	425	1,006	2,095	2,633	2,301	1,060	3
Female	9,681	-	-	1	4	38	175	568	1,449	2,507	2,883	2,054	2
Not stated	9,676	2	-	1	9	30	163	525	1,529	2,590	2,827	1,987	13
Male	5,524	-	-	-	5	21	138	422	1,121	1,679	1,443	688	7
Female	4,152	2	-	1	4	9	25	103	408	911	1,384	1,299	6

SECTION 1 - GENERAL MORTALITY - PAGE 343

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Acute myocardial infarction (410)	121,574	5	2	7	36	389	2,045	6,619	18,681	33,545	38,283	21,930	32
Male	68,512	4	2	3	24	313	1,630	5,161	13,305	21,007	19,266	7,784	13
Female	53,062	1	-	4	12	76	415	1,458	5,376	12,538	19,017	14,146	19
Hispanic	4,093	1	1	-	4	33	108	303	839	1,128	1,158	511	1
Male	2,373	1	1	-	2	31	85	231	577	638	595	211	1
Female	1,720	-	-	-	2	2	23	78	262	490	563	300	-
Mexican	2,640	1	1	-	4	15	62	184	528	754	751	339	1
Male	1,590	1	1	-	2	15	52	141	375	448	409	145	1
Female	1,050	-	-	-	2	-	10	43	153	306	342	194	-
Puerto Rican	556	-	-	-	-	9	25	67	118	142	141	54	-
Male	288	-	-	-	-	7	17	45	78	71	55	15	-
Female	268	-	-	-	-	2	8	22	40	71	86	39	-
Cuban	167	-	-	-	-	2	1	14	30	50	51	19	-
Male	101	-	-	-	-	2	1	13	23	34	25	3	-
Female	66	-	-	-	-	-	-	1	7	16	26	16	-
Central and South American	202	-	-	-	-	5	6	15	48	48	59	21	-
Male	91	-	-	-	-	5	4	10	28	18	21	5	-
Female	111	-	-	-	-	-	2	5	20	30	38	16	-
Other and unknown Hispanic	528	-	-	-	-	2	14	29	115	134	156	78	-
Male	303	-	-	-	-	2	11	22	73	67	85	43	-
Female	225	-	-	-	-	-	3	7	42	67	71	35	-
Non-Hispanic ¹	112,793	3	1	7	28	339	1,857	6,016	16,987	31,014	35,767	20,748	26
Male	63,370	3	1	3	21	269	1,478	4,699	12,092	19,476	17,986	7,334	8
Female	49,423	-	-	4	7	70	379	1,317	4,895	11,538	17,781	13,414	18
White	101,909	3	1	5	17	252	1,509	5,116	14,864	27,865	32,926	19,329	22
Male	57,589	3	1	2	13	205	1,236	4,135	10,841	17,725	16,623	6,799	6
Female	44,320	-	-	3	4	47	273	981	4,023	10,140	16,303	12,530	16
Black	9,410	-	-	-	2	11	80	312	786	1,867	2,726	2,409	1
Male	4,804	-	-	-	1	8	57	216	478	1,070	1,462	1,077	433
Female	4,606	-	-	1	3	23	96	308	797	1,284	1,332	781	2
Not stated ²	4,688	1	-	-	4	17	80	294	855	1,403	1,358	671	5
Male	2,769	-	-	-	1	13	67	231	636	893	685	239	4
Female	1,919	1	-	-	3	4	13	63	219	510	673	432	1
Other acute and subacute forms of ischemic heart disease (411)	1,571	-	-	-	3	8	45	158	310	431	340	276	-
Male	969	-	-	-	2	6	40	124	235	295	177	90	-
Female	602	-	-	-	1	2	5	34	75	136	163	186	-

SECTION 1 - GENERAL MORTALITY - PAGE 344

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	123,487	4	2	2	21	242	1,424	4,201	12,264	24,897	39,224	41,107	99
Male	60,039	2	2	1	14	190	1,157	3,273	8,757	15,426	18,689	12,500	28
Female	63,448	2	1	1	7	52	267	928	3,507	9,471	20,535	28,607	71
Hispanic	3,624	-	1	-	3	24	84	232	524	800	1,104	851	1
Male	1,937	-	1	-	2	20	72	171	345	453	555	317	1
Female	1,687	-	-	-	1	4	12	61	179	347	549	534	-
Mexican	2,140	-	1	-	2	13	38	112	285	461	689	538	1
Male	1,150	-	-	-	2	12	37	90	187	270	348	202	1
Female	990	-	-	-	-	1	1	22	98	191	341	336	-
Puerto Rican	641	-	-	-	1	2	17	64	119	167	179	92	-
Male	316	-	-	-	-	-	11	38	77	85	76	29	-
Female	325	-	-	-	1	2	6	26	42	82	103	63	-
Cuban	160	-	-	-	-	1	2	13	20	34	52	38	-
Male	92	-	-	-	-	1	2	10	18	21	25	15	-
Female	68	-	-	-	-	-	-	3	2	13	27	23	-
Central and South American	206	-	-	-	-	7	16	22	35	42	41	43	-
Male	111	-	-	-	-	6	12	18	26	17	22	10	-
Female	95	-	-	-	-	1	4	4	9	25	19	33	-
Other and unknown Hispanic	477	-	-	-	-	1	11	21	65	96	143	140	-
Male	268	-	-	-	-	1	10	15	37	60	84	61	-
Female	209	-	-	-	-	-	1	6	28	36	59	79	-
Non-Hispanic	114,843	3	1	1	14	205	1,263	3,742	11,084	22,925	36,659	38,956	90
Male	55,390	2	1	1	9	162	1,020	2,914	7,941	14,197	17,381	11,738	24
Female	59,553	1	-	-	5	43	243	828	3,143	8,728	19,278	27,218	66
White	103,632	3	1	1	10	144	957	2,830	9,286	20,229	33,486	36,719	86
Male	49,805	2	1	1	5	116	795	2,362	6,610	12,835	15,889	10,968	21
Female	54,027	1	-	-	5	28	162	568	2,456	7,394	17,597	25,751	65
Black	9,724	-	-	-	3	54	278	755	1,639	2,373	2,744	1,876	2
Male	4,729	-	-	-	-	3	40	202	506	999	1,148	1,210	620
Female	4,995	-	-	-	-	14	76	249	640	1,225	1,534	1,256	1
Not stated	4,920	1	-	1	4	13	77	227	656	1,172	1,461	1,300	8
Male	2,712	-	-	-	3	8	65	188	471	776	753	445	3
Female	2,208	1	-	1	1	5	12	39	185	396	708	855	5
Other diseases of endocardium (424)	4,184	7	1	6	28	70	100	161	414	907	1,448	1,041	1
Male	1,944	4	1	4	13	45	69	102	250	496	643	317	-
Female	2,240	3	-	2	15	25	31	59	164	411	805	724	1
Hispanic	150	1	1	2	4	7	9	12	26	24	39	25	-
Male	78	-	1	2	3	5	6	5	15	14	17	10	-
Female	72	1	-	-	1	2	3	7	11	10	22	15	-
Mexican	99	1	1	2	1	2	3	8	15	19	30	17	-
Male	51	-	1	2	1	2	3	2	10	10	13	7	-
Female	48	1	-	-	-	-	-	6	5	9	17	10	-
Puerto Rican	16	-	-	-	1	4	2	2	3	1	1	1	-
Male	10	-	-	-	-	3	-	2	2	-	-	1	-
Female	6	-	-	-	1	1	2	-	-	1	1	-	-
Cuban	3	-	-	-	-	1	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Central and South American	5	-	-	-	-	-	-	-	3	-	-	2	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	3	-	-	-	-	-	-	-	2	-	-	1	-
Other and unknown Hispanic	27	-	-	-	2	-	4	2	6	1	7	5	-
Male	14	-	-	-	2	-	3	1	2	1	4	1	-
Female	13	-	-	-	-	-	1	1	4	-	3	4	-
Non-Hispanic	3,872	6	-	3	24	61	82	142	366	835	1,381	991	1
Male	1,778	4	-	1	10	38	57	92	220	452	605	299	-
Female	2,094	2	-	2	14	23	25	50	146	383	756	692	1
White	3,476	6	-	2	17	41	56	107	315	740	1,255	936	1
Male	1,579	4	-	8	28	37	73	186	406	556	281	-	-
Female	1,897	2	-	2	9	13	19	34	129	334	699	655	1
Black	329	-	-	1	4	19	24	33	41	82	83	42	-
Male	163	-	-	1	1	9	19	19	26	40	35	13	-
Female	166	-	-	-	3	10	5	14	15	42	48	29	-
Not stated	162	-	-	1	-	2	9	7	22	48	48	25	-
Male	88	-	-	1	-	2	6	5	15	30	21	8	-
Female	74	-	-	-	-	-	3	2	7	18	27	17	-
All other forms of heart disease (415-423,425-429)	84,649	441	128	133	399	892	1,681	4,005	10,678	18,409	24,720	23,100	63
Male	42,075	248	65	64	252	583	1,101	2,821	7,207	10,910	11,536	7,270	18
Female	42,574	193	63	69	147	309	580	1,184	3,471	7,499	13,184	15,830	45
Hispanic	3,230	56	18	14	43	85	122	255	572	675	793	594	3
Male	1,817	34	10	6	31	61	87	179	359	418	408	223	1
Female	1,413	22	8	8	12	24	35	76	213	257	385	371	2
Mexican	2,421	45	16	8	29	57	84	181	423	505	624	448	1
Male	1,354	26	8	3	23	41	59	118	263	318	325	169	1
Female	1,067	19	8	5	6	16	25	63	160	187	299	279	-
Puerto Rican	261	2	2	3	3	10	22	34	62	58	38	27	-
Male	157	2	2	1	2	7	16	24	41	35	18	9	-
Female	104	-	-	2	1	3	6	10	21	23	20	18	-
Cuban	76	-	-	-	2	1	3	12	7	14	17	19	1
Male	42	-	-	-	1	1	3	12	5	7	7	6	-
Female	34	-	-	-	-	-	-	-	2	7	10	13	1
Central and South American	121	-	-	2	4	8	4	7	29	20	27	20	-
Male	53	-	-	2	3	6	3	6	11	9	9	4	-
Female	68	-	-	-	1	2	1	1	18	11	18	16	-
Other and unknown Hispanic	351	9	-	1	5	9	9	21	51	78	87	80	1
Male	211	6	-	-	2	6	6	19	39	49	49	35	-
Female	140	3	-	1	3	3	3	2	12	29	38	45	1
Non-Hispanic	78,248	359	104	110	335	762	1,493	3,556	9,604	16,930	23,124	21,816	55
Male	38,444	201	55	52	207	492	965	2,501	6,490	9,959	10,707	6,801	15
Female	39,804	158	49	58	128	270	528	1,055	3,114	6,972	12,417	15,015	40
White	65,152	236	60	71	217	465	956	2,478	7,298	13,688	19,858	19,775	50
Male	31,514	133	34	32	144	299	633	1,785	5,065	8,172	9,171	6,033	13
Female	33,638	103	26	39	73	166	323	693	2,233	5,516	10,687	13,742	37
Black	11,929	104	39	30	107	279	496	1,013	2,148	2,977	2,947	1,786	3
Male	6,251	57	18	15	55	177	310	669	1,318	1,613	1,348	671	-
Female	5,678	47	21	15	52	102	186	344	830	1,364	1,599	1,115	3
Not stated	3,171	26	6	9	21	45	66	194	502	804	803	690	5
Male	1,814	13	-	6	14	30	49	141	358	534	421	246	2
Female	1,357	13	6	3	7	15	17	53	144	270	382	444	3

SECTION 1 - GENERAL MORTALITY - PAGE 345

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Major cardiovascular diseases-Con.													
Hypertension with or without renal disease (401.403)	3,450	3	-	1	6	22	68	151	375	742	1,131	951	-
Male	1,495	3	-	1	3	11	40	85	203	360	491	298	-
Female	1,955	-	-	-	3	11	28	66	172	382	640	653	-
Hispanic	127	-	-	-	-	4	6	10	16	21	44	26	-
Male	59	-	-	-	-	2	2	4	9	7	24	11	-
Female	68	-	-	-	-	2	4	6	7	14	20	15	-
Mexican	93	-	-	-	-	1	4	8	8	16	37	19	-
Male	38	-	-	-	-	-	1	3	4	4	18	8	-
Female	55	-	-	-	-	1	3	5	4	12	19	11	-
Puerto Rican	15	-	-	-	-	2	1	2	3	2	3	2	-
Male	8	-	-	-	-	1	-	1	2	1	2	1	-
Female	7	-	-	-	-	1	1	1	1	1	1	1	-
Cuban	5	-	-	-	-	-	-	-	2	1	1	1	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Central and South American	3	-	-	-	-	-	1	-	2	-	-	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Other and unknown Hispanic	11	-	-	-	-	1	-	-	1	2	3	4	-
Male	8	-	-	-	-	1	-	-	1	1	3	2	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Non-Hispanic	3,216	3	-	1	6	15	58	136	342	700	1,050	905	-
Male	1,383	3	-	1	3	8	35	79	184	337	453	280	-
Female	1,833	-	-	-	3	7	23	57	158	363	597	625	-
White	2,401	2	-	1	4	5	16	59	197	495	850	772	-
Male	1,028	2	-	1	3	3	11	35	120	242	369	242	-
Female	1,373	-	-	-	1	2	5	24	77	253	481	530	-
Black	762	-	-	-	1	10	40	76	135	195	182	123	-
Male	329	-	-	-	-	5	22	43	59	93	73	34	-
Female	433	-	-	-	1	5	18	33	76	102	109	89	-
Not stated	107	-	-	-	-	3	4	5	17	21	37	20	-
Male	53	-	-	-	-	1	3	2	10	16	14	7	-
Female	54	-	-	-	-	2	1	3	7	5	23	13	-
Cerebrovascular diseases (430-438)	68,744	76	20	40	151	461	1,122	2,199	5,480	12,912	23,794	22,445	44
Male	27,027	47	12	17	72	246	557	1,157	2,987	6,501	9,543	5,878	10
Female	41,717	29	8	23	79	215	565	1,042	2,493	6,411	14,251	16,567	34
Hispanic	2,487	12	2	11	24	47	123	199	360	510	674	523	2
Male	1,222	8	-	4	15	27	71	116	220	271	300	189	1
Female	1,265	4	2	7	9	20	52	83	140	239	374	334	1
Mexican	1,731	5	2	7	16	25	73	121	250	355	485	390	2
Male	844	3	-	2	11	13	38	70	148	191	221	146	1
Female	887	2	2	5	5	12	35	51	102	164	264	244	1
Puerto Rican	249	2	-	-	3	12	20	38	52	52	44	26	-
Male	130	1	-	-	1	9	15	20	36	26	14	8	-
Female	119	1	-	-	2	3	5	18	16	26	30	18	-
Cuban	67	1	-	-	-	1	2	10	3	10	22	18	-
Male	28	-	-	-	-	-	1	9	3	5	7	3	-
Female	39	1	-	-	-	-	1	1	-	5	15	15	-
Central and South American	137	-	-	1	2	5	16	17	17	34	33	12	-
Male	64	-	-	1	2	4	10	8	7	15	12	5	-
Female	73	-	-	-	-	1	6	9	10	19	21	7	-
Other and unknown Hispanic	303	4	-	3	3	4	12	13	38	59	90	77	-
Male	156	4	-	1	1	1	7	9	26	34	45	27	-
Female	147	-	-	2	2	3	5	4	12	25	44	50	-
Non-Hispanic	63,990	58	17	25	118	380	931	1,895	4,866	11,920	22,402	21,319	39
Male	24,829	37	11	10	54	197	458	986	2,627	5,993	8,935	5,513	8
Female	39,161	21	6	15	64	183	473	909	2,239	5,927	13,467	15,806	31
White	55,004	32	11	20	79	236	575	1,223	3,616	9,662	19,806	19,710	34
Male	20,926	19	6	8	37	130	286	635	1,975	4,920	7,890	5,014	6
Female	34,078	13	5	12	42	106	289	588	1,641	4,742	11,916	14,696	28
Black	7,782	24	6	4	32	134	321	602	1,119	1,984	2,206	1,347	3
Male	3,307	16	5	2	15	61	155	315	588	933	820	394	2
Female	4,475	8	1	2	17	73	166	286	531	1,051	1,386	953	1
Not stated	2,267	6	1	4	9	34	68	105	234	482	718	603	3
Male	976	2	1	3	3	22	28	55	140	237	308	176	1
Female	1,291	4	-	1	6	12	40	50	94	245	410	427	2
Intracerebral and other intracranial hemorrhage (431-432)	9,688	39	8	16	50	174	424	789	1,517	2,323	2,765	1,580	3
Male	4,376	28	3	5	25	103	243	447	841	1,171	1,097	411	2
Female	5,312	11	5	11	25	71	181	342	676	1,152	1,668	1,169	1
Hispanic	579	9	1	5	9	26	51	94	125	108	99	52	-
Male	328	6	-	2	6	16	31	64	85	57	44	17	-
Female	251	3	1	3	3	10	20	30	40	51	55	35	-
Mexican	387	4	1	3	4	12	28	54	93	75	74	39	-
Male	222	2	-	1	3	8	16	38	60	44	37	13	-
Female	165	2	1	2	1	4	12	16	33	31	37	26	-
Puerto Rican	68	2	-	-	2	7	7	18	17	9	4	2	-
Male	44	1	-	-	1	5	5	9	16	5	1	1	-
Female	24	1	-	-	1	2	2	9	1	4	3	1	-
Cuban	12	-	-	-	-	1	-	4	-	2	3	2	-
Male	5	-	-	-	-	-	-	-	-	-	1	-	-
Female	7	-	-	-	-	1	-	-	-	2	2	2	-
Central and South American	46	-	-	-	2	3	9	9	2	13	6	2	-
Male	23	-	-	-	2	2	5	6	-	6	1	1	-
Female	23	-	-	-	-	1	4	3	2	7	5	1	-
Other and unknown Hispanic	66	3	-	2	1	3	7	9	13	9	12	7	-
Male	34	3	-	1	-	1	5	7	9	2	4	2	-
Female	32	-	-	1	1	2	2	2	4	7	8	5	-
Non-Hispanic	8,737	27	6	9	38	137	350	654	1,325	2,135	2,585	1,488	3
Male	3,866	22	2	2	19	79	199	363	715	1,075	1,006	382	2
Female	4,871	5	4	7	19	58	151	291	610	1,060	1,559	1,106	1
White	7,012	13	6	6	24	72	176	377	963	1,757	2,265	1,351	2
Male	2,974	11	2	1	12	44	95	199	530	877	865	337	1
Female	4,038	2	4	5	12	28	81	178	433	880	1,400	1,014	1
Black	1,401	13	-	2	13	62	160	243	297	294	211	106	1
Male	718	10	-	1	7	32	93	145	157	153	85	34	1
Female	683	3	-	1	6	30	67	98	140	141	126	71	-
Not stated	372	3	1	2	3	11	23	41	67	80	101	40	-
Male	182	-	1	1	-	8	13	20	41	39	47	12	-
Female	190	3	-	1	3	3	10	21	26	41	54	28	-

SECTION 1 - GENERAL MORTALITY - PAGE 346

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cerebrovascular diseases—Con.													
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11,074	7	1	-	14	27	71	198	722	1,973	4,038	4,015	8
Male	4,308	3	1	-	3	20	46	124	433	1,040	1,619	1,017	2
Female	6,766	4	-	-	11	7	25	74	289	933	2,419	2,998	6
Hispanic	313	1	-	-	2	3	10	12	40	76	92	77	-
Male	166	-	-	-	-	2	9	8	32	41	42	32	-
Female	147	1	-	-	2	1	1	4	8	35	50	45	-
Mexican	227	-	-	-	-	1	7	11	28	54	72	54	-
Male	123	-	-	-	-	-	6	7	22	27	34	27	-
Female	104	-	-	-	-	1	1	4	6	27	38	27	-
Puerto Rican	32	-	-	-	1	1	2	1	8	9	4	6	-
Male	18	-	-	-	-	1	2	1	7	5	1	1	-
Female	14	-	-	-	1	-	-	-	1	4	3	5	-
Cuban	10	1	-	-	-	-	-	-	1	2	3	3	-
Male	4	-	-	-	-	-	-	-	1	1	1	1	-
Female	6	1	-	-	-	-	-	-	-	1	2	2	-
Central and South American	11	-	-	-	-	1	-	-	2	3	4	1	-
Male	7	-	-	-	-	1	-	-	1	3	1	1	-
Female	4	-	-	-	-	-	-	-	1	-	3	-	-
Other and unknown Hispanic	33	-	-	-	1	-	1	-	8	9	13	-	-
Male	14	-	-	-	-	-	1	-	1	5	5	2	-
Female	19	-	-	-	1	-	-	-	-	3	4	11	-
Non-Hispanic	10,447	5	1	-	11	24	55	179	656	1,822	3,853	3,833	8
Male	4,019	2	1	-	3	18	34	112	385	962	1,542	958	2
Female	6,428	3	-	-	8	6	21	67	271	860	2,311	2,875	6
White	9,196	2	1	-	9	21	35	123	465	1,493	3,440	3,592	5
Male	3,477	-	1	-	3	16	24	82	289	794	1,386	881	1
Female	5,719	2	-	-	6	5	11	41	196	699	2,054	2,701	4
Black	1,095	3	-	-	2	3	18	53	153	293	356	213	1
Male	455	2	-	-	-	2	8	28	86	144	121	63	1
Female	640	1	-	-	2	1	10	25	67	149	235	150	-
Not stated	314	1	-	-	1	-	6	7	25	75	93	105	-
Male	123	1	-	-	-	-	3	4	16	37	35	27	-
Female	191	-	-	-	1	-	3	3	10	38	58	78	-
Cerebral embolism (434.1)	380	-	-	1	2	-	4	11	32	88	144	97	1
Male	162	-	-	-	1	-	2	5	16	46	60	32	-
Female	218	-	-	1	1	-	2	6	16	42	84	65	1
Hispanic	15	-	-	-	-	-	-	1	3	3	6	2	-
Male	4	-	-	-	-	-	-	-	2	2	5	1	-
Female	11	-	-	-	-	-	-	1	1	1	1	1	-
Mexican	7	-	-	-	-	-	-	-	2	2	2	1	-
Male	6	-	-	-	-	-	-	-	1	2	2	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	2	-	-	-	-	-	-	-	1	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Other and unknown Hispanic	4	-	-	-	-	-	-	-	1	-	2	1	-
Male	3	-	-	-	-	-	-	-	1	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	349	-	-	1	1	-	3	10	27	79	135	92	1
Male	145	-	-	-	1	-	1	4	13	41	54	31	-
Female	204	-	-	1	-	-	2	6	14	38	81	61	1
White	314	-	-	1	1	-	3	7	24	71	120	86	1
Male	127	-	-	-	1	-	1	2	11	36	47	29	-
Female	187	-	-	1	-	-	2	5	13	35	73	57	1
Black	30	-	-	-	-	-	-	3	3	7	11	6	-
Male	15	-	-	-	-	-	-	2	5	4	2	4	-
Female	15	-	-	-	-	-	-	1	2	2	7	2	-
Not stated	16	-	-	-	1	-	1	1	2	6	3	3	-
Male	6	-	-	-	-	-	-	1	2	3	1	-	-
Female	10	-	-	-	-	-	-	-	1	3	2	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	47,602	30	11	23	85	260	623	1,201	3,209	8,528	16,847	16,753	32
Male	18,181	16	8	12	43	123	266	581	1,697	4,244	6,767	4,418	6
Female	29,421	14	3	11	42	137	357	620	1,512	4,284	10,080	12,335	26
Hispanic	1,580	2	1	6	13	18	62	92	192	323	477	392	2
Male	717	-	-	2	9	9	31	43	101	171	209	139	1
Female	863	-	1	4	4	9	31	49	91	152	268	253	1
Mexican	1,110	1	1	4	12	12	38	56	127	224	337	296	2
Male	493	1	-	1	8	5	16	25	65	118	148	105	1
Female	617	-	1	3	4	7	22	31	62	106	189	191	1
Puerto Rican	147	-	-	-	-	4	11	19	27	33	35	18	-
Male	67	-	-	-	-	3	8	10	13	16	11	6	-
Female	80	-	-	-	-	1	3	9	14	17	24	12	-
Cuban	44	-	-	-	-	-	2	5	2	6	16	13	-
Male	18	-	-	-	-	-	1	4	2	4	5	2	-
Female	26	-	-	-	-	-	1	1	-	2	11	11	-
Central and South American	79	-	-	1	-	1	7	8	13	18	22	9	-
Male	34	-	-	1	-	1	5	2	6	6	10	3	-
Female	45	-	-	-	-	-	2	6	7	12	12	6	-
Other and unknown Hispanic	200	1	-	1	1	1	4	4	23	42	67	56	-
Male	105	1	-	1	1	-	1	2	15	27	35	23	-
Female	95	-	-	1	-	1	3	2	8	15	32	33	-
Non-Hispanic	44,457	26	10	15	68	219	523	1,052	2,878	7,884	15,849	15,906	27
Male	16,799	13	8	8	31	100	224	507	1,514	3,915	6,333	4,142	4
Female	27,658	13	2	7	37	119	299	545	1,364	3,969	9,516	11,764	23
White	38,482	17	4	13	45	143	361	716	2,144	6,341	13,981	14,691	26
Male	14,348	8	3	7	21	70	166	352	1,145	3,213	5,592	3,767	4
Female	24,134	9	1	6	24	73	195	364	999	3,128	8,389	10,924	22
Black	5,256	8	6	2	17	69	143	303	666	1,390	1,628	1,023	1
Male	2,119	4	5	1	8	27	54	141	343	631	610	295	-
Female	3,137	4	1	1	9	42	89	162	323	759	1,018	728	1
Not stated	1,585	2	-	2	4	23	38	57	139	321	521	455	3
Male	665	1	-	2	3	14	11	31	82	158	225	137	1
Female	900	1	-	-	1	9	27	26	57	163	296	318	2

SECTION 1 - GENERAL MORTALITY - PAGE 347

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Major cardiovascular diseases-Con.													
Atherosclerosis (440)	10,721	-	-	-	1	2	21	68	364	1,243	3,276	5,723	23
Male	4,010	-	-	-	1	-	17	46	231	719	1,390	1,600	6
Female	6,711	-	-	-	-	2	4	22	133	524	1,886	4,123	17
Hispanic	264	-	-	-	1	-	-	2	18	42	92	109	-
Male	135	-	-	-	1	-	-	2	11	28	53	40	-
Female	129	-	-	-	-	-	-	-	7	14	39	69	-
Mexican	185	-	-	-	1	-	-	1	9	27	68	79	-
Male	96	-	-	-	1	-	-	1	6	16	41	31	-
Female	89	-	-	-	-	-	-	-	3	11	27	48	-
Puerto Rican	26	-	-	-	-	-	-	-	3	4	9	10	-
Male	11	-	-	-	-	-	-	-	2	3	4	2	-
Female	15	-	-	-	-	-	-	-	1	1	5	8	-
Cuban	12	-	-	-	-	-	-	-	-	4	3	5	-
Male	6	-	-	-	-	-	-	-	-	4	-	2	-
Female	6	-	-	-	-	-	-	-	-	-	3	3	-
Central and South American	7	-	-	-	-	-	-	1	2	1	1	2	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	5	-	-	-	-	-	-	-	1	1	1	2	-
Other and unknown Hispanic	34	-	-	-	-	-	-	-	4	6	11	13	-
Male	20	-	-	-	-	-	-	-	2	5	8	5	-
Female	14	-	-	-	-	-	-	-	2	1	3	8	-
Non-Hispanic 1	10,157	-	-	-	-	2	20	58	330	1,166	3,077	5,481	23
Male	3,749	-	-	-	-	-	17	38	212	675	1,280	1,521	6
Female	6,408	-	-	-	-	2	3	20	118	491	1,797	3,960	17
White	9,350	-	-	-	-	2	15	46	271	1,024	2,622	5,152	18
Male	3,417	-	-	-	-	-	13	31	183	596	1,178	1,412	4
Female	5,933	-	-	-	-	2	2	15	88	428	1,644	3,740	14
Black	717	-	-	-	-	-	4	11	58	133	232	275	4
Male	297	-	-	-	-	-	3	7	29	73	90	94	2
Female	420	-	-	-	-	-	1	4	30	60	142	181	2
Not stated 2	300	-	-	-	-	-	1	8	16	35	107	133	-
Male	126	-	-	-	-	-	-	6	8	16	57	39	-
Female	174	-	-	-	-	-	1	2	8	19	50	94	-
Other diseases of arteries, arterioles, and capillaries (441-448)	9,714	16	5	11	33	86	147	341	1,321	2,959	3,112	1,682	1
Male	5,934	10	4	7	21	50	86	220	953	2,090	1,867	625	1
Female	3,780	6	1	4	12	36	61	121	368	869	1,245	1,057	-
Hispanic	284	2	2	-	5	11	11	31	44	62	81	35	-
Male	158	2	2	-	4	6	4	20	25	38	46	11	-
Female	126	-	-	-	1	5	7	11	19	24	35	24	-
Mexican	187	-	2	-	5	8	5	21	29	34	55	28	-
Male	102	-	2	-	4	4	2	14	17	21	30	8	-
Female	85	-	-	-	1	4	3	7	12	13	25	20	-
Puerto Rican	31	1	-	-	-	1	3	3	4	7	11	1	-
Male	17	1	-	-	-	1	-	3	1	4	6	1	-
Female	14	-	-	-	-	-	3	-	3	3	5	-	-
Cuban	12	-	-	-	-	-	-	2	2	5	2	1	-
Male	8	-	-	-	-	-	-	1	1	5	1	-	-
Female	4	-	-	-	-	-	-	1	1	-	1	1	-
Central and South American	17	-	-	-	-	1	2	4	3	5	1	1	-
Male	10	-	-	-	-	1	2	2	2	2	1	-	-
Female	7	-	-	-	-	-	-	2	1	3	-	1	-
Other and unknown Hispanic	37	1	-	-	-	1	1	6	11	12	4	-	-
Male	21	1	-	-	-	-	-	4	6	8	2	-	-
Female	16	-	-	-	-	1	1	2	5	4	2	-	-
Non-Hispanic 1	8,965	13	3	10	27	73	129	298	1,193	2,746	2,895	1,578	1
Male	5,464	8	2	6	16	43	76	192	869	1,939	1,729	583	1
Female	3,502	5	1	4	11	30	53	106	324	807	1,166	995	-
White	7,991	7	3	8	20	50	92	214	1,030	2,465	2,639	1,462	1
Male	4,938	5	2	6	14	31	58	139	772	1,773	1,595	542	1
Female	3,053	2	1	2	6	19	34	75	258	692	1,044	920	-
Black	791	4	-	-	2	10	16	49	81	131	89	29	-
Male	409	2	-	-	4	11	16	25	59	99	108	58	-
Female	382	2	-	-	1	2	7	12	84	151	136	69	-
Not stated 2	464	1	-	1	1	1	6	8	59	113	92	31	-
Male	312	1	-	-	1	1	1	4	25	38	44	38	-
Female	152	-	-	-	-	-	3	8	25	46	76	80	-
Acute bronchitis and bronchiolitis (466)	290	31	12	1	5	3	3	8	25	38	29	21	-
Male	145	23	7	-	4	1	2	5	14	28	37	59	-
Female	145	8	5	1	1	2	-	3	11	18	37	59	-
Hispanic	18	6	1	-	-	-	-	1	2	1	4	2	-
Male	7	2	-	-	-	-	-	-	2	1	2	-	-
Female	11	4	1	-	-	-	-	1	-	-	2	2	-
Mexican	11	3	1	-	-	-	-	-	2	-	1	-	-
Male	4	1	-	-	-	-	-	-	-	-	1	1	-
Female	7	2	1	-	-	-	-	1	-	-	-	-	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	3	3	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	1	1	-
Other and unknown Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1	262	25	9	1	5	2	3	7	23	44	69	74	-
Male	133	21	5	-	4	1	3	5	12	27	36	19	-
Female	129	4	4	1	1	-	-	2	11	17	33	55	-
White	233	19	3	-	4	1	3	6	20	40	64	73	-
Male	113	15	1	-	3	1	3	4	11	24	33	18	-
Female	120	4	2	-	1	-	-	2	9	16	31	55	-
Black	26	6	5	1	1	-	-	1	3	4	4	-	-
Male	18	6	3	-	1	-	-	1	1	3	3	-	-
Female	8	-	2	1	-	-	-	-	2	1	1	-	-
Not stated 2	10	-	2	-	-	-	-	-	-	1	3	4	-
Male	5	-	-	-	-	-	-	-	-	-	1	2	-
Female	5	-	-	-	-	-	-	-	-	1	2	2	-

SECTION 1 - GENERAL MORTALITY - PAGE 348

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	32,358	388	105	68	128	380	567	856	2,003	4,634	10,061	13,123	45
Male	15,679	211	53	32	79	253	383	543	1,289	2,876	5,227	4,716	17
Female	16,679	177	52	36	49	127	184	313	714	1,758	4,834	8,407	28
Hispanic	1,378	68	18	10	21	38	57	76	119	188	383	398	2
Male	778	35	10	5	17	25	49	53	78	113	224	167	2
Female	600	33	8	5	4	13	8	23	41	75	159	231	-
Mexican	838	47	10	5	13	11	26	39	63	110	264	248	2
Male	463	29	6	3	10	5	22	25	42	61	149	109	2
Female	375	18	4	2	3	6	4	14	21	49	115	139	-
Puerto Rican	215	8	4	2	6	16	20	24	27	35	39	34	-
Male	138	4	3	1	5	12	18	21	19	19	25	11	-
Female	77	4	1	1	1	4	2	3	8	16	14	23	-
Cuban	46	-	-	-	1	-	-	1	4	8	9	25	-
Male	23	-	-	-	1	-	-	-	2	7	6	7	-
Female	25	-	-	-	-	-	-	1	2	1	3	18	-
Central and South American	59	3	-	-	-	5	6	4	5	10	11	15	-
Male	28	-	-	-	-	2	5	1	3	5	6	6	-
Female	31	3	-	-	-	3	1	3	2	5	5	9	-
Other and unknown Hispanic	218	10	4	3	1	6	5	8	20	25	60	76	-
Male	126	2	1	1	1	6	4	6	12	21	38	34	-
Female	92	8	3	2	-	-	1	2	8	4	22	42	-
Non-Hispanic 1	28,798	304	81	54	103	300	472	718	1,783	4,246	9,363	12,337	37
Male	14,250	165	40	26	60	198	304	441	1,135	2,627	4,832	4,412	10
Female	15,548	139	41	28	43	102	168	277	648	1,619	4,531	7,925	27
White	26,313	179	50	34	77	169	278	482	1,387	3,631	8,425	11,569	32
Male	12,258	100	25	18	43	107	173	288	878	2,222	4,308	4,089	7
Female	14,055	79	25	16	34	62	105	194	509	1,409	4,117	7,480	25
Black	2,962	113	26	18	25	120	182	224	364	533	773	579	5
Male	1,673	58	12	7	16	83	125	145	235	346	409	234	3
Female	1,289	55	14	11	9	37	57	79	129	187	364	345	2
Not stated 2	1,182	16	6	4	4	42	38	62	101	200	315	388	6
Male	651	11	3	1	2	30	30	49	76	136	171	137	5
Female	531	5	3	3	2	12	8	13	25	64	144	251	1
Pneumonia (480-486)	31,384	383	102	63	126	374	561	841	1,962	4,552	9,780	12,598	42
Male	15,335	209	52	30	77	248	380	537	1,273	2,842	5,095	4,575	17
Female	16,049	174	50	33	49	126	181	304	689	1,710	4,685	8,023	25
Hispanic	1,353	68	18	10	19	38	56	76	117	187	376	386	2
Male	770	35	10	5	15	25	49	53	77	113	222	164	2
Female	583	33	8	5	4	13	7	23	40	74	154	222	-
Mexican	817	47	10	5	12	11	25	39	61	109	259	237	2
Male	459	29	6	3	9	5	22	25	41	61	149	107	2
Female	358	18	4	2	3	6	3	14	20	48	110	130	-
Puerto Rican	215	8	4	2	6	16	20	24	27	35	39	34	-
Male	138	4	3	1	5	12	18	21	19	19	25	11	-
Female	77	4	1	1	1	4	2	3	8	16	14	23	-
Cuban	47	-	-	-	-	-	-	1	4	8	9	25	-
Male	22	-	-	-	-	-	-	-	2	7	6	7	-
Female	25	-	-	-	-	-	-	1	2	1	3	18	-
Central and South American	59	3	-	-	-	5	6	4	5	10	11	15	-
Male	28	-	-	-	-	2	5	1	3	5	6	6	-
Female	31	3	-	-	-	3	1	3	2	5	5	9	-
Other and unknown Hispanic	215	10	4	3	1	6	5	8	20	25	58	75	-
Male	123	2	1	1	1	6	4	6	12	21	36	33	-
Female	92	8	3	2	-	-	1	2	8	4	22	42	-
Non-Hispanic 1	28,882	299	78	51	103	294	469	703	1,745	4,166	9,097	11,843	34
Male	13,927	163	39	24	60	193	302	435	1,121	2,594	4,706	4,280	10
Female	14,955	136	39	27	43	101	167	268	624	1,572	4,391	7,563	24
White	25,449	177	47	31	77	164	275	470	1,355	3,559	8,170	11,095	29
Male	11,962	100	24	16	43	103	171	283	867	2,192	4,190	3,866	7
Female	13,487	77	23	15	34	61	104	187	488	1,367	3,980	7,129	22
Black	2,924	111	26	18	25	119	182	222	358	527	765	566	5
Male	1,652	57	12	7	16	82	125	145	232	343	403	227	3
Female	1,272	54	14	11	9	37	57	77	126	184	362	339	2
Not stated 2	1,149	16	6	2	4	42	36	62	100	199	307	369	6
Male	638	11	3	1	2	30	29	49	75	135	167	131	5
Female	511	5	3	1	2	12	7	13	25	64	140	238	1
Influenza (487)	974	5	3	5	2	6	6	15	41	82	281	525	3
Male	344	2	1	2	2	5	3	6	16	34	132	141	-
Female	630	3	2	3	-	1	3	9	25	48	149	384	3
Hispanic	25	-	-	-	2	-	1	-	2	1	7	12	-
Male	8	-	-	-	2	-	-	-	1	-	2	3	-
Female	17	-	-	-	-	-	1	-	1	1	5	9	-
Mexican	21	-	-	-	1	-	1	-	2	1	5	11	-
Male	4	-	-	-	1	-	-	-	1	-	-	2	-
Female	17	-	-	-	-	-	1	-	1	1	5	9	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	3	-	-	-	-	-	-	-	-	-	2	1	-
Male	3	-	-	-	-	-	-	-	-	-	2	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1	916	5	3	3	-	6	3	15	38	80	266	494	3
Male	323	2	1	2	-	5	2	6	14	33	126	132	-
Female	593	3	2	1	-	1	1	9	24	47	140	362	3
White	864	2	3	3	-	5	3	12	32	72	255	474	3
Male	296	-	1	2	-	4	2	5	11	30	118	123	-
Female	568	2	2	1	-	1	1	7	21	42	137	351	3
Black	38	2	-	-	-	1	-	2	6	6	8	13	-
Male	21	1	-	-	-	1	-	-	3	3	6	7	-
Female	17	1	-	-	-	-	-	2	3	3	2	6	-
Not stated 1	33	-	-	2	-	-	-	2	1	1	8	19	-
Male	13	-	-	-	-	-	1	-	1	1	4	6	-
Female	20	-	-	2	-	-	1	-	-	-	4	13	-

SECTION 1 - GENERAL MORTALITY - PAGE 349

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix.]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Chronic obstructive pulmonary diseases and allied conditions (490-496)	34,218	31	19	60	103	145	238	1,126	4,945	11,453	11,670	4,418	10
Male	21,006	24	10	25	59	79	127	610	2,910	7,217	7,403	2,536	6
Female	13,212	7	9	35	44	66	111	516	2,035	4,236	4,267	1,882	4
Hispanic	842	6	-	1	5	18	18	43	128	189	308	123	3
Male	510	5	-	-	1	10	5	29	74	112	199	74	1
Female	332	1	-	1	4	8	13	14	54	77	109	49	2
Mexican	480	4	-	-	1	6	6	20	64	103	190	84	2
Male	307	3	-	-	-	3	3	12	36	65	127	57	1
Female	173	1	-	-	1	3	3	8	28	38	63	27	1
Puerto Rican	143	-	-	1	2	8	7	13	36	27	41	8	-
Male	64	-	-	-	1	5	2	8	16	11	19	2	-
Female	79	-	-	1	1	3	5	5	20	16	22	6	-
Cuban	25	-	-	-	-	-	-	2	4	6	12	1	-
Male	20	-	-	-	-	-	-	2	4	5	8	1	-
Female	5	-	-	-	-	-	-	-	-	1	4	-	-
Central and South American	38	-	-	-	1	2	4	1	7	4	11	8	-
Male	15	-	-	-	-	1	-	-	3	2	7	2	-
Female	23	-	-	-	1	1	4	1	4	2	4	6	-
Other and unknown Hispanic	156	2	-	-	1	2	1	7	17	49	54	22	1
Male	104	2	-	-	-	1	-	7	15	29	38	12	-
Female	52	-	-	-	1	1	1	-	2	20	16	10	1
Non-Hispanic	32,367	25	17	57	94	120	208	1,030	4,660	10,914	11,064	4,171	7
Male	19,831	19	9	25	56	65	115	545	2,731	6,864	7,002	2,395	5
Female	12,536	6	8	32	38	55	93	485	1,929	4,050	4,062	1,776	2
White	29,791	18	9	25	43	63	141	819	4,136	10,157	10,424	3,950	6
Male	18,139	15	4	10	24	31	71	425	2,408	6,336	6,550	2,261	4
Female	11,652	3	5	15	19	32	70	394	1,728	3,821	3,874	1,689	2
Black	2,163	6	6	31	46	54	63	191	452	646	506	161	1
Male	1,430	4	5	15	29	32	43	107	283	460	352	99	1
Female	733	2	1	16	17	22	20	84	169	186	154	62	-
Not stated	1,009	-	2	2	4	7	12	53	157	350	298	124	-
Male	665	-	1	-	2	4	7	36	105	241	202	67	-
Female	344	-	1	2	2	3	5	17	52	109	96	57	-
Bronchitis, chronic and unspecified (490-491)	1,764	26	7	6	7	7	12	44	224	518	533	379	1
Male	968	19	3	2	5	7	4	15	129	314	320	149	1
Female	796	7	4	4	2	-	8	29	95	204	213	230	-
Hispanic	42	3	-	-	-	1	1	1	5	9	14	5	-
Male	26	2	-	-	-	-	-	-	3	10	4	-	-
Female	16	1	-	-	-	-	-	1	2	6	4	2	-
Mexican	26	3	-	-	-	-	1	1	4	5	9	2	-
Male	14	2	-	-	-	1	1	-	2	-	3	-	-
Female	12	1	-	-	-	-	-	1	2	1	1	-	-
Puerto Rican	3	-	-	-	-	-	-	-	1	1	1	-	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	5	-	-	-	-	-	-	-	-	1	2	2	-
Male	3	-	-	-	-	-	-	-	-	1	1	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Other and unknown Hispanic	6	-	-	-	-	-	-	1	2	1	1	2	-
Male	4	-	-	-	-	-	-	1	1	1	1	1	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Non-Hispanic	1,682	23	7	6	7	6	11	41	215	496	508	361	1
Male	917	17	3	2	5	6	3	14	122	301	303	140	1
Female	765	6	4	4	2	-	8	27	93	195	205	221	-
White	1,572	18	6	6	5	4	8	31	196	465	483	349	1
Male	854	15	3	2	4	4	2	11	111	282	286	133	1
Female	718	3	3	4	1	-	6	20	85	183	197	216	-
Black	81	4	-	-	2	2	3	8	15	24	16	7	-
Male	48	2	-	-	1	2	1	3	10	15	11	3	-
Female	33	2	-	-	1	-	2	5	5	9	5	4	-
Not stated	40	-	-	-	-	-	-	2	2	13	11	12	-
Male	25	-	-	-	-	-	-	1	2	10	7	5	-
Female	15	-	-	-	-	-	-	1	-	3	4	7	-
Emphysema (492)	6,848	1	-	2	2	6	31	237	1,097	2,552	2,298	622	-
Male	4,471	1	-	1	2	2	23	152	673	1,647	1,561	409	-
Female	2,377	-	-	1	-	4	8	85	424	905	737	213	-
Hispanic	114	1	-	-	-	-	-	9	25	24	44	11	-
Male	78	1	-	-	-	-	-	7	17	16	30	7	-
Female	36	-	-	-	-	-	-	2	8	8	14	4	-
Mexican	64	1	-	-	-	-	-	5	16	11	25	6	-
Male	43	1	-	-	-	-	-	4	10	7	16	5	-
Female	21	-	-	-	-	-	-	1	6	4	9	1	-
Puerto Rican	15	-	-	-	-	-	-	2	3	2	7	1	-
Male	8	-	-	-	-	-	-	1	3	-	3	1	-
Female	7	-	-	-	-	-	-	1	-	2	4	-	-
Cuban	4	-	-	-	-	-	-	1	-	-	3	-	-
Male	4	-	-	-	-	-	-	1	-	-	3	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	4	-	-	-	-	-	-	-	2	-	1	1	-
Male	3	-	-	-	-	-	-	-	2	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Other and unknown Hispanic	27	-	-	-	-	-	-	1	4	11	8	3	-
Male	20	-	-	-	-	-	-	1	2	9	7	1	-
Female	7	-	-	-	-	-	-	-	2	2	1	2	-
Non-Hispanic	6,528	-	-	2	2	6	28	214	1,034	2,455	2,193	594	-
Male	4,250	-	-	1	2	2	20	135	625	1,586	1,489	390	-
Female	2,278	-	-	1	-	4	8	79	409	869	704	204	-
White	6,118	-	-	2	1	3	25	186	948	2,322	2,068	563	-
Male	3,947	-	-	1	1	-	18	115	563	1,488	1,395	366	-
Female	2,171	-	-	1	-	3	7	71	385	834	673	197	-
Black	330	-	-	-	1	3	3	25	70	112	91	25	-
Male	244	-	-	-	1	2	2	18	49	86	68	18	-
Female	86	-	-	-	-	1	1	7	21	26	23	7	-
Not stated	206	-	-	-	-	-	3	14	38	73	61	17	-
Male	143	-	-	-	-	-	3	10	31	45	42	12	-
Female	63	-	-	-	-	-	-	4	7	28	19	5	-

SECTION 1 - GENERAL MORTALITY - PAGE 350

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Chronic obstructive pulmonary diseases and allied conditions-Con.													
Asthma (493)	1,987	2	10	50	89	117	116	210	376	487	368	162	-
Male	924	2	6	22	48	59	47	89	155	196	152	48	-
Female	1,163	-	4	28	41	58	69	121	221	291	216	114	-
Hispanic	126	1	-	1	5	17	13	19	31	26	10	3	-
Male	50	1	-	-	1	9	2	13	13	9	2	-	-
Female	76	-	-	1	4	8	11	6	18	17	8	3	-
Mexican	41	-	-	-	1	2	-	5	5	5	2	1	-
Male	19	-	-	-	-	2	-	5	5	5	2	-	-
Female	22	-	-	-	1	3	2	2	5	5	3	1	-
Puerto Rican	54	-	-	1	2	8	7	9	15	10	2	-	-
Male	21	-	-	-	1	5	2	6	5	2	-	-	-
Female	33	-	-	1	1	3	5	3	10	8	2	-	-
Cuban	4	-	-	-	-	-	-	-	1	2	1	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Central and South American	11	-	-	-	1	2	3	1	3	1	-	-	-
Male	2	-	-	-	-	1	-	-	-	1	-	-	-
Female	9	-	-	-	1	1	3	1	3	-	-	-	-
Other and unknown Hispanic	16	1	-	-	1	2	1	2	2	3	2	2	-
Male	6	1	-	-	-	1	-	2	2	-	-	-	-
Female	10	-	-	-	1	1	1	-	-	3	2	2	-
Non-Hispanic	1,799	1	8	47	80	93	97	187	334	450	350	152	-
Male	746	1	5	22	45	46	43	73	139	181	145	46	-
Female	1,053	-	3	25	35	47	54	114	195	269	205	106	-
White	1,307	-	3	16	32	46	56	104	249	363	300	138	-
Male	502	-	1	7	15	20	17	36	99	144	123	40	-
Female	805	-	2	9	17	26	39	68	150	219	177	98	-
Black	433	1	5	30	43	44	39	78	75	74	37	7	-
Male	212	1	4	15	27	24	26	34	36	31	12	2	-
Female	221	-	1	15	16	20	13	44	39	43	25	5	-
Not stated	62	-	2	2	4	7	6	4	11	11	8	7	-
Male	28	-	1	-	2	4	2	3	3	6	5	2	-
Female	34	-	1	2	2	3	4	1	8	5	3	5	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23,619	2	2	2	5	15	79	635	3,248	7,896	8,471	3,255	9
Male	14,743	2	1	-	4	11	53	354	1,953	5,060	5,370	1,930	5
Female	8,876	-	1	2	1	4	26	281	1,295	2,836	3,101	1,325	4
Hispanic	560	1	-	-	-	-	4	14	65	130	240	103	3
Male	356	1	-	-	-	-	2	9	39	84	157	63	1
Female	204	-	-	-	-	-	2	5	26	46	83	40	2
Mexican	349	-	-	-	-	-	3	7	34	77	151	75	2
Male	231	-	-	-	-	-	2	3	19	53	103	50	1
Female	118	-	-	-	-	-	1	4	15	24	48	25	1
Puerto Rican	71	-	-	-	-	-	-	2	17	14	31	7	-
Male	32	-	-	-	-	-	-	1	7	8	15	1	-
Female	39	-	-	-	-	-	-	1	10	6	16	6	-
Cuban	15	-	-	-	-	-	-	1	2	4	7	1	-
Male	12	-	-	-	-	-	-	1	2	4	4	1	-
Female	3	-	-	-	-	-	-	-	-	-	3	-	-
Central and South American	18	-	-	-	-	-	1	-	2	2	8	5	-
Male	7	-	-	-	-	-	-	-	1	-	5	1	-
Female	11	-	-	-	-	-	1	-	1	2	3	4	-
Other and unknown Hispanic	107	1	-	-	-	-	-	4	10	33	43	15	1
Male	74	1	-	-	-	-	-	4	10	19	30	10	-
Female	33	-	-	-	-	-	-	-	-	14	13	5	1
Non-Hispanic	23,358	1	2	2	5	15	72	588	3,077	7,513	8,013	3,064	6
Male	13,918	1	1	-	4	11	49	323	1,845	4,796	5,085	1,819	4
Female	8,440	-	1	2	1	4	23	265	1,232	2,717	2,948	1,245	2
White	20,794	-	-	1	5	10	52	498	2,743	7,007	7,573	2,900	5
Male	12,836	-	-	-	4	7	34	263	1,635	4,422	4,746	1,722	3
Female	7,958	-	-	1	1	3	18	235	1,108	2,585	2,827	1,178	2
Black	1,319	1	1	1	-	5	18	80	292	436	362	122	1
Male	926	1	1	-	-	4	14	52	188	328	261	76	1
Female	393	-	1	-	-	1	4	28	104	108	101	46	-
Not stated	701	-	-	-	-	-	3	33	106	253	218	88	-
Male	469	-	-	-	-	-	2	22	69	180	148	48	-
Female	232	-	-	-	-	-	1	11	37	73	70	40	-
Ulcer of stomach and duodenum (531-533)	3,195	4	5	-	3	21	62	132	383	743	1,045	796	1
Male	1,574	3	1	-	1	18	45	95	234	419	504	253	1
Female	1,621	1	4	-	2	3	17	37	149	324	541	543	-
Hispanic	122	-	-	-	-	-	5	13	20	21	38	25	-
Male	74	-	-	-	-	-	3	10	15	13	19	14	-
Female	48	-	-	-	-	-	2	3	5	8	19	11	-
Mexican	81	-	-	-	-	-	4	8	13	13	25	18	-
Male	51	-	-	-	-	-	2	6	11	8	14	10	-
Female	30	-	-	-	-	-	2	2	2	5	11	8	-
Puerto Rican	11	-	-	-	-	-	-	-	3	3	3	2	-
Male	3	-	-	-	-	-	-	-	-	2	-	1	-
Female	8	-	-	-	-	-	-	-	3	1	3	1	-
Cuban	4	-	-	-	-	-	-	1	-	2	1	-	-
Male	4	-	-	-	-	-	-	1	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	2	-	-	-	-	-	1	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	24	-	-	-	-	-	-	4	4	3	8	5	-
Male	14	-	-	-	-	-	-	3	4	1	3	3	-
Female	10	-	-	-	-	-	-	1	-	2	5	2	-
Non-Hispanic	2,936	4	4	-	3	19	51	114	343	688	962	747	1
Male	1,432	3	1	-	1	16	37	82	206	389	465	231	1
Female	1,504	1	3	-	2	3	14	32	137	299	497	516	-
White	2,593	3	3	-	3	8	36	99	265	616	867	692	1
Male	1,235	2	1	-	1	7	24	70	154	348	416	211	1
Female	1,358	1	2	-	2	1	12	29	111	268	451	481	-
Black	287	1	1	-	-	9	14	15	69	60	78	40	-
Male	163	1	-	-	-	8	12	12	46	32	38	14	-
Female	124	-	1	-	-	1	2	3	23	28	40	26	-
Not stated	137	-	1	-	-	2	6	5	20	34	45	24	-
Male	68	-	-	-	-	2	5	3	13	17	20	8	-
Female	69	-	1	-	-	-	1	2	7	17	25	16	-

SECTION 1 - GENERAL MORTALITY - PAGE 351

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Appendicitis (540-543)	243	4	4	7	6	8	10	17	37	54	58	38	-
Male	134	2	2	3	5	5	7	12	21	34	28	15	-
Female	109	2	2	4	1	3	3	5	16	20	30	23	-
Hispanic	15	-	1	2	2	3	2	1	1	1	2	-	-
Male	10	-	1	1	2	2	1	1	-	-	1	-	-
Female	5	-	-	1	-	1	-	-	-	1	1	-	-
Mexican	9	-	-	2	2	2	-	-	-	1	2	-	-
Male	6	-	-	1	2	2	-	-	-	-	1	-	-
Female	3	-	-	1	-	-	-	-	-	1	1	-	-
Puerto Rican	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other and unknown Hispanic	2	-	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Non-Hispanic ¹	215	3	3	4	3	5	8	16	33	51	53	36	-
Male	116	2	1	2	2	3	6	11	18	32	24	15	-
Female	99	1	2	2	1	2	2	5	15	19	29	21	-
White	158	3	2	-	3	1	3	12	23	37	46	28	-
Male	83	2	1	-	2	-	3	9	13	25	18	10	-
Female	75	1	1	-	1	1	-	3	10	12	28	18	-
Black	52	-	1	4	-	4	4	3	8	13	7	8	-
Male	32	-	-	2	-	3	2	2	5	7	6	5	-
Female	20	-	1	2	-	1	2	1	3	6	1	3	-
Not stated ²	13	1	-	1	1	-	-	-	3	2	3	2	-
Male	8	-	-	-	1	-	-	-	2	2	3	-	-
Female	5	1	-	1	-	-	-	-	1	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2,481	38	9	9	12	26	32	60	218	430	832	815	-
Male	968	20	5	4	11	13	17	28	103	214	326	227	-
Female	1,513	18	4	5	1	13	15	32	115	216	506	588	-
Hispanic	98	6	2	2	3	6	6	3	8	13	29	20	-
Male	49	2	1	1	3	4	4	1	5	9	12	7	-
Female	49	4	1	1	-	2	2	2	3	4	17	13	-
Mexican	80	5	2	2	3	4	6	2	6	7	27	16	-
Male	40	2	1	1	3	2	4	1	3	6	12	5	-
Female	40	3	1	1	-	2	2	1	3	1	15	11	-
Puerto Rican	5	1	-	-	-	-	-	-	1	3	-	-	-
Male	3	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
Cuban	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	4	-	-	-	-	1	-	1	-	1	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	1	-	-	-
Other and unknown Hispanic	8	-	-	-	-	1	-	-	-	1	-	1	-
Male	3	-	-	-	-	-	-	-	-	1	-	2	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic ¹	2,272	25	6	7	9	20	25	52	196	400	768	764	-
Male	875	16	4	3	8	9	12	27	92	184	300	210	-
Female	1,397	9	2	4	1	11	13	25	104	206	468	554	-
White	1,958	17	3	6	6	12	19	40	142	340	665	708	-
Male	716	11	2	3	5	5	10	19	68	163	241	189	-
Female	1,242	6	1	3	1	7	9	21	74	177	424	519	-
Black	291	7	3	1	3	7	6	12	52	56	93	51	-
Male	143	4	2	-	3	3	2	8	23	28	52	18	-
Female	148	3	1	1	-	4	4	4	29	28	41	33	-
Not stated ²	111	7	1	-	-	-	1	5	14	17	35	31	-
Male	44	2	-	-	-	-	1	-	6	11	14	10	-
Female	67	5	1	-	-	-	-	5	8	6	21	21	-
Chronic liver disease and cirrhosis (571)	13,419	8	6	1	36	730	1,755	2,646	3,731	2,965	1,315	221	5
Male	8,755	5	3	1	25	507	1,263	1,852	2,507	1,831	667	90	4
Female	4,664	3	3	-	11	223	492	794	1,224	1,134	648	131	1
Hispanic	1,599	2	2	-	9	151	310	411	402	210	90	12	-
Male	1,213	-	1	-	7	130	271	308	308	136	47	5	-
Female	386	2	1	-	2	21	39	103	94	74	43	7	-
Mexican	924	1	2	-	6	66	149	230	263	141	56	10	-
Male	715	-	1	-	4	59	131	179	213	92	31	5	-
Female	209	1	1	-	2	7	18	51	50	49	25	5	-
Puerto Rican	346	1	-	-	2	52	87	97	72	26	9	-	-
Male	269	-	-	-	2	41	75	71	56	19	5	-	-
Female	77	1	-	-	-	11	12	26	16	7	4	-	-
Cuban	33	-	-	-	-	-	3	7	4	14	5	-	-
Male	21	-	-	-	-	-	3	5	3	8	2	-	-
Female	12	-	-	-	-	-	-	2	1	6	3	-	-
Central and South American	75	-	-	-	-	5	13	22	19	10	5	1	-
Male	47	-	-	-	-	4	12	14	11	5	1	-	-
Female	28	-	-	-	-	1	1	8	8	5	4	1	-
Other and unknown Hispanic	221	-	-	-	1	28	58	55	44	19	15	1	-
Male	161	-	-	-	1	26	50	39	25	12	8	-	-
Female	60	-	-	-	-	2	8	16	19	7	7	1	-
Non-Hispanic ¹	11,179	5	4	1	24	531	1,329	2,092	3,173	2,621	1,191	204	4
Male	7,076	5	2	1	15	341	906	1,432	2,085	1,603	599	84	3
Female	4,103	-	2	-	9	190	423	660	1,088	1,018	592	120	1
White	8,866	1	3	1	17	299	801	1,520	2,641	2,303	1,089	188	3
Male	5,567	1	1	1	10	201	540	1,040	1,741	1,407	548	74	3
Female	3,299	-	2	-	7	98	261	480	900	896	541	114	-
Black	2,018	2	1	-	7	204	478	499	468	271	74	13	1
Male	1,328	2	1	-	5	122	338	341	309	167	35	8	-
Female	690	-	-	-	2	82	140	158	159	104	39	5	1
Not stated ²	641	1	-	-	3	48	115	143	156	134	34	5	1
Male	466	-	-	-	3	36	86	112	114	92	21	1	1
Female	175	1	-	-	-	12	30	31	42	42	13	4	-

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	1,350	1	-	-	1	13	29	43	120	268	449	425	1
Male	637	1	-	-	-	-	19	25	62	169	215	146	-
Female	713	-	-	-	1	13	10	18	58	99	234	279	1
Hispanic	91	-	-	-	-	1	4	5	13	21	24	23	-
Male	53	-	-	-	-	-	2	3	6	17	15	10	-
Female	38	-	-	-	-	1	2	2	7	4	9	13	-
Mexican	68	-	-	-	-	-	3	4	7	14	22	18	-
Male	39	-	-	-	-	-	1	2	2	12	13	9	-
Female	29	-	-	-	-	-	2	2	5	2	9	9	-
Puerto Rican	7	-	-	-	-	1	1	-	3	1	-	1	-
Male	4	-	-	-	-	-	1	-	2	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	-	1	-
Cuban	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Central and South American	7	-	-	-	-	-	-	-	2	2	-	3	-
Male	4	-	-	-	-	-	-	-	2	2	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	3	-
Other and unknown Hispanic	7	-	-	-	-	-	-	-	1	3	2	1	-
Male	5	-	-	-	-	-	-	-	-	2	2	1	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Non-Hispanic ¹	1,204	1	-	-	-	12	23	35	99	236	409	388	1
Male	555	1	-	-	-	-	16	21	51	147	191	128	-
Female	649	-	-	-	-	12	7	14	48	89	218	260	1
White	1,068	1	-	-	-	9	20	27	79	202	369	360	1
Male	498	1	-	-	-	-	14	17	43	126	178	119	-
Female	570	-	-	-	-	9	6	10	36	76	191	241	1
Black	104	-	-	-	-	3	2	7	17	24	32	19	-
Male	42	-	-	-	-	-	1	4	7	15	9	6	-
Female	62	-	-	-	-	3	1	3	10	9	23	13	-
Not stated ²	55	-	-	-	1	-	2	3	8	11	16	14	-
Male	29	-	-	-	-	-	1	1	5	5	9	8	-
Female	26	-	-	-	1	-	1	2	3	6	7	6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9,593	136	14	13	43	115	214	343	1,000	2,087	3,048	2,577	3
Male	4,749	77	8	6	29	70	136	184	531	1,117	1,531	1,059	2
Female	4,844	59	6	7	14	45	78	159	469	970	1,517	1,518	2
Hispanic	526	26	2	3	10	16	21	33	78	88	157	91	1
Male	271	15	2	1	8	6	16	19	33	42	85	43	1
Female	255	11	-	2	2	10	5	14	45	46	72	48	-
Mexican	387	16	2	3	4	7	13	27	57	67	125	65	1
Male	204	10	2	1	3	2	11	14	25	33	71	31	1
Female	183	6	-	2	1	5	2	13	32	34	54	34	-
Puerto Rican	42	2	-	-	2	4	3	2	9	5	8	7	-
Male	20	2	-	-	2								

SECTION 1 - GENERAL MORTALITY - PAGE 353

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix.]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis-Con.													
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	704	1	1	4	4	15	29	27	63	163	229	168	-
Male	349	1	1	1	4	14	18	15	33	88	111	63	-
Female	355	-	-	3	-	1	11	12	30	75	118	105	-
Hispanic	40	-	-	1	1	2	3	2	2	10	16	3	-
Male	28	-	-	-	1	1	3	2	2	4	12	3	-
Female	12	-	-	1	-	-	-	-	-	6	4	-	-
Mexican	29	-	-	1	-	1	2	2	2	8	13	-	-
Male	19	-	-	-	-	1	2	2	2	3	9	-	-
Female	10	-	-	1	-	-	-	-	-	5	4	-	-
Puerto Rican	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	3	-	-	-	-	1	1	-	-	-	-	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other and unknown Hispanic	6	-	-	-	1	-	-	-	-	1	2	2	-
Male	5	-	-	-	1	-	-	-	-	-	2	2	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Non-Hispanic	628	1	1	1	3	12	23	23	56	144	202	162	-
Male	303	1	1	-	3	12	13	12	29	79	94	59	-
Female	325	-	-	1	-	-	10	11	27	65	108	103	-
White	499	-	-	1	-	2	14	13	47	124	165	133	-
Male	233	-	-	-	-	2	8	7	24	68	75	49	-
Female	266	-	-	1	-	-	6	6	23	56	90	84	-
Black	113	1	1	-	2	10	7	8	8	17	31	28	-
Male	63	1	1	-	2	10	4	5	5	11	14	10	-
Female	50	-	-	-	-	-	3	3	3	6	17	18	-
Not stated	36	-	-	2	-	1	3	2	5	9	11	3	-
Male	18	-	-	1	-	1	2	1	2	5	5	1	-
Female	18	-	-	1	-	-	1	1	3	4	6	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)													
	8,726	131	11	9	36	95	182	308	916	1,892	2,769	2,374	3
Male	4,324	75	5	5	23	54	116	164	483	1,016	1,397	985	1
Female	4,402	56	6	4	13	41	66	144	433	876	1,372	1,389	2
Hispanic	477	25	1	2	9	13	18	31	74	138	138	87	1
Male	240	14	1	1	7	5	13	17	30	38	73	40	1
Female	237	11	-	1	2	8	5	14	44	40	65	47	-
Mexican	351	16	1	2	4	5	11	25	53	59	109	65	1
Male	183	10	1	1	3	1	9	12	22	30	62	31	1
Female	168	6	-	1	1	4	2	13	31	29	47	34	-
Puerto Rican	41	2	-	-	2	4	3	2	9	4	8	7	-
Male	19	2	-	-	2	2	2	2	4	3	1	1	-
Female	22	-	-	-	-	-	-	-	5	1	7	6	-
Cuban	4	-	-	-	1	-	-	-	2	3	2	-	-
Male	4	-	-	-	1	-	-	-	1	1	1	-	-
Female	4	-	-	-	-	-	-	-	1	2	1	-	-
Central and South American	21	2	-	-	1	2	-	-	5	3	3	5	-
Male	13	1	-	-	-	1	-	-	-	2	2	2	-
Female	13	1	-	-	1	1	-	-	5	1	1	3	-
Other and unknown Hispanic	56	5	-	-	1	2	4	4	5	9	16	10	-
Male	26	1	-	-	1	1	2	3	3	2	7	6	-
Female	30	4	-	-	-	1	2	1	2	7	9	4	-
Non-Hispanic	7,908	97	9	6	25	77	152	265	790	1,737	2,532	2,216	2
Male	3,906	55	4	4	14	47	96	139	418	933	1,279	917	-
Female	4,002	42	5	2	11	30	56	126	372	804	1,253	1,299	2
White	6,182	56	8	5	15	33	80	151	538	1,304	2,078	1,913	1
Male	3,065	33	4	4	8	17	48	89	296	734	1,052	780	-
Female	3,117	23	4	1	7	16	32	62	242	570	1,026	1,133	1
Black	1,570	35	1	1	9	42	71	100	233	397	401	279	1
Male	751	19	-	-	6	28	47	46	112	177	193	123	-
Female	819	16	1	1	3	14	24	54	121	220	208	156	1
Not stated	341	9	1	1	2	5	12	12	52	77	99	71	-
Male	178	6	-	-	2	2	7	8	35	45	45	28	-
Female	163	3	1	1	-	3	5	4	17	32	54	43	-
Infections of kidney (590)	951	3	3	-	5	14	11	23	69	137	373	311	2
Male	314	2	2	-	1	5	2	7	31	44	136	84	-
Female	637	1	1	-	4	9	9	16	38	93	237	227	2
Hispanic	36	1	2	-	1	2	-	2	4	8	12	4	-
Male	14	1	1	-	-	1	-	1	2	1	6	1	-
Female	22	-	1	-	1	1	-	-	2	7	6	3	-
Mexican	27	1	2	-	-	-	-	-	2	6	9	4	-
Male	9	1	1	-	-	-	-	-	1	-	5	1	-
Female	18	-	1	-	-	-	-	-	2	1	-	-	-
Puerto Rican	4	-	-	-	-	1	-	-	-	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	3	-	-	-	1	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	1	-	-
Other and unknown Hispanic	2	-	-	-	-	-	-	-	-	-	2	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	881	2	1	-	4	12	8	18	60	124	349	301	2
Male	284	1	1	-	1	4	-	5	27	40	125	80	-
Female	597	-	-	-	3	8	8	13	33	84	224	221	2
White	754	-	-	-	4	7	5	11	42	94	309	279	2
Male	235	-	-	-	1	3	-	2	17	27	109	76	-
Female	519	1	-	-	3	4	5	9	25	67	200	203	2
Black	110	1	1	-	-	3	3	6	16	27	36	17	-
Male	45	1	1	-	-	1	-	3	8	11	16	4	-
Female	65	-	-	-	-	2	3	3	8	16	20	13	-
Not stated	34	-	-	-	-	-	3	3	5	5	12	6	-
Male	16	-	-	-	-	-	2	1	2	3	5	3	-
Female	18	-	-	-	-	-	1	2	3	2	7	3	-

SECTION 1 - GENERAL MORTALITY - PAGE 354

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hyperplasia of prostate (600)	225	-	-	-	-	-	-	-	8	36	85	96	-
Male	225	-	-	-	-	-	-	-	8	36	85	96	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	10	-	-	-	-	-	-	-	-	3	5	2	-
Male	10	-	-	-	-	-	-	-	-	3	5	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexican	7	-	-	-	-	-	-	-	-	1	4	2	-
Male	7	-	-	-	-	-	-	-	-	1	4	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	3	-	-	-	-	-	-	-	-	2	1	-	-
Male	3	-	-	-	-	-	-	-	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic ¹	209	-	-	-	-	-	-	-	8	30	80	91	-
Male	209	-	-	-	-	-	-	-	8	30	80	91	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
White	178	-	-	-	-	-	-	-	6	22	69	81	-
Male	178	-	-	-	-	-	-	-	6	22	69	81	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	29	-	-	-	-	-	-	-	2	8	9	10	-
Male	29	-	-	-	-	-	-	-	2	8	9	10	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated ²	6	-	-	-	-	-	-	-	-	3	-	3	-
Male	6	-	-	-	-	-	-	-	-	3	-	3	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	170	-	-	1	53	81	33	2	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	170	-	-	1	53	81	33	2	-	-	-	-	-
Hispanic	29	-	-	1	6	11	10	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	29	-	-	1	6	11	10	1	-	-	-	-	-
Mexican	19	-	-	-	4	6	8	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	19	-	-	-	4	6	8	1	-	-	-	-	-
Puerto Rican	3	-	-	-	-	2	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	2	1	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	3	-	-	-	-	2	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	2	1	-	-	-	-	-	-
Other and unknown Hispanic	4	-	-	1	2	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	2	1	-	-	-	-	-	-	-
Non-Hispanic ¹	136	-	-	-	43	69	23	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	136	-	-	-	43	69	23	1	-	-	-	-	-
White	60	-	-	-	15	33	12	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	60	-	-	-	15	33	12	-	-	-	-	-	-
Black	69	-	-	-	27	32	10	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	69	-	-	-	27	32	10	-	-	-	-	-	-
Not stated ²	5	-	-	-	4	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	4	1	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	31	-	-	1	13	13	4	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	31	-	-	1	13	13	4	-	-	-	-	-	-
Hispanic	3	-	-	1	-	2	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	1	-	2	-	-	-	-	-	-	-
Mexican	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Cuban	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	1	-	-	-	-	-	-	-
Non-Hispanic ¹	26	-	-	-	11	11	4	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	26	-	-	-	11	11	4	-	-	-	-	-	-
White	7	-	-	-	1	4	2	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	7	-	-	-	1	4	2	-	-	-	-	-	-
Black	18	-	-	-	10	7	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	18	-	-	-	10	7	1	-	-	-	-	-	-
Not stated ²	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	2	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY - PAGE 356

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period—Con.													
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2,613	2,588	15	3	2	4	1	-	-	-	-	-	-
Male	1,578	1,567	7	-	2	2	-	-	-	-	-	-	-
Female	1,035	1,021	8	3	-	2	1	-	-	-	-	-	-
Hispanic	370	368	2	-	-	-	-	-	-	-	-	-	-
Male	240	238	2	-	-	-	-	-	-	-	-	-	-
Female	130	130	-	-	-	-	-	-	-	-	-	-	-
Mexican	283	281	2	-	-	-	-	-	-	-	-	-	-
Male	183	181	2	-	-	-	-	-	-	-	-	-	-
Female	100	100	-	-	-	-	-	-	-	-	-	-	-
Puerto Rican	23	23	-	-	-	-	-	-	-	-	-	-	-
Male	14	14	-	-	-	-	-	-	-	-	-	-	-
Female	9	9	-	-	-	-	-	-	-	-	-	-	-
Cuban	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	16	16	-	-	-	-	-	-	-	-	-	-	-
Male	13	13	-	-	-	-	-	-	-	-	-	-	-
Female	3	3	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	46	46	-	-	-	-	-	-	-	-	-	-	-
Male	28	28	-	-	-	-	-	-	-	-	-	-	-
Female	18	18	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	2,005	1,985	10	3	2	4	1	-	-	-	-	-	-
Male	1,187	1,179	4	-	2	2	-	-	-	-	-	-	-
Female	818	806	6	3	-	2	1	-	-	-	-	-	-
White	1,361	1,346	7	1	2	4	1	-	-	-	-	-	-
Male	810	803	3	-	2	2	-	-	-	-	-	-	-
Female	551	543	4	1	-	2	1	-	-	-	-	-	-
Black	575	570	3	2	-	-	-	-	-	-	-	-	-
Male	332	331	1	-	-	-	-	-	-	-	-	-	-
Female	243	239	2	2	-	-	-	-	-	-	-	-	-
Not stated	238	235	3	-	-	-	-	-	-	-	-	-	-
Male	151	150	1	-	-	-	-	-	-	-	-	-	-
Female	87	85	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)													
Male	6,814	6,748	53	8	1	1	-	1	1	-	-	-	1
Female	3,881	3,839	36	3	1	1	-	-	-	-	-	-	-
Hispanic	2,833	2,809	17	5	-	-	-	1	1	-	-	-	-
Male	901	885	6	-	-	-	-	-	-	-	-	-	-
Female	508	504	4	-	-	-	-	-	-	-	-	-	-
Mexican	393	391	2	-	-	-	-	-	-	-	-	-	-
Male	634	629	5	-	-	-	-	-	-	-	-	-	-
Female	365	362	3	-	-	-	-	-	-	-	-	-	-
Puerto Rican	269	267	2	-	-	-	-	-	-	-	-	-	-
Male	59	58	1	-	-	-	-	-	-	-	-	-	-
Female	28	27	1	-	-	-	-	-	-	-	-	-	-
Cuban	31	31	-	-	-	-	-	-	-	-	-	-	-
Male	8	8	-	-	-	-	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	-	-	-	-	-	-	-
Central and South American	46	46	-	-	-	-	-	-	-	-	-	-	-
Male	28	28	-	-	-	-	-	-	-	-	-	-	-
Female	18	18	-	-	-	-	-	-	-	-	-	-	-
Other and unknown Hispanic	154	154	-	-	-	-	-	-	-	-	-	-	-
Male	83	83	-	-	-	-	-	-	-	-	-	-	-
Female	71	71	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic	5,275	5,217	46	8	1	1	-	-	1	-	-	-	1
Male	3,002	2,964	32	3	1	1	-	-	-	-	-	-	1
Female	2,273	2,253	14	5	-	-	-	-	1	-	-	-	-
White	3,172	3,141	23	6	1	-	-	-	1	-	-	-	-
Male	1,842	1,822	16	3	1	-	-	-	-	-	-	-	-
Female	1,330	1,319	7	3	-	-	-	-	-	-	-	-	-
Black	1,928	1,904	20	2	-	1	-	-	1	-	-	-	1
Male	1,068	1,051	15	-	-	1	-	-	-	-	-	-	1
Female	860	853	5	2	-	-	-	-	-	-	-	-	-
Not stated	638	636	1	-	-	-	-	1	-	-	-	-	-
Male	371	371	-	-	-	-	-	-	-	-	-	-	-
Female	267	265	1	-	-	-	-	1	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)													
Male	15,067	2,906	145	79	435	935	846	811	1,500	2,266	2,711	2,369	64
Female	8,447	1,763	85	45	269	985	581	522	985	1,365	1,396	752	44
Hispanic	6,820	1,143	60	34	166	295	265	289	515	901	1,315	1,617	20
Male	1,174	370	18	10	56	96	85	51	91	133	153	110	1
Female	721	230	10	5	39	71	66	32	56	81	84	46	1
Mexican	453	140	8	5	17	25	19	19	35	52	69	64	-
Male	833	268	9	5	31	41	36	36	70	105	139	92	1
Female	497	167	7	2	21	32	25	23	44	62	75	38	1
Puerto Rican	336	101	2	3	10	9	11	13	26	43	64	54	-
Male	140	44	5	1	10	35	29	6	7	2	1	-	-
Female	100	29	1	-	9	26	24	5	5	1	-	-	-
Cuban	40	15	4	1	1	9	5	1	2	1	1	-	-
Male	9	2	1	-	-	-	2	-	2	1	-	1	-
Female	4	-	1	-	-	-	2	-	1	-	-	-	-
Central and South American	5	2	-	-	-	-	-	-	1	1	-	1	-
Male	46	10	1	2	8	9	11	3	1	-	-	1	-
Female	30	6	-	1	6	7	10	-	-	-	-	-	-
Other and unknown Hispanic	16	4	1	1	2	2	1	3	1	-	-	1	-
Male	146	46	2	2	7	11	7	6	11	25	13	16	-
Female	90	28	1	2	3	6	5	4	6	18	9	8	-
Non-Hispanic	56	18	1	-	4	5	2	2	5	7	4	8	-
Male	13,158	2,430	113	66	340	787	689	718	1,333	2,025	2,471	2,188	18
Female	7,289	1,466	67	38	207	520	466	457	879	1,219	1,267	693	10
White	5,869	964	46	28	133	247	223	261	454	806	1,204	1,495	8
Male	9,627	1,559	68	40	241	462	428	507	1,018	1,548	1,951	1,793	14
Female	5,288	969	40	24	150	324	291	317	670	968	983	526	6
Black	4,359	590	28	16	91	138	137	190	346	580	968	1,267	8
Male	3,255	762	39	24	91	282	239	202	297	453	491	371	4
Female	1,848	434	22	13	50	180	160	133	196	238	264	154	4
Not stated	1,407	328	17	11	41	102	79	69	101	215	227	217	-
Male	735	106	14	3	39	72	72	42	76	108	87	71	45
Female	437	67	8	2	23	49	49	33	50	65	45	13	33
Female	288	39	6	1	16	23	23	9	26	43	42	58	12

SECTION 1 - GENERAL MORTALITY - PAGE 357

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All other diseases (Residual)	66,695	913	509	514	1,011	2,828	3,618	4,016	7,467	12,778	18,383	14,631	27
Male	32,835	504	293	294	606	1,937	2,544	2,498	4,203	6,831	8,390	4,723	12
Female	33,860	409	216	220	405	891	1,074	1,518	3,264	5,947	9,993	9,908	15
Hispanic	3,530	132	91	70	141	438	401	339	446	457	617	398	-
Male	2,070	74	49	40	81	320	317	220	260	248	323	138	-
Female	1,460	58	42	30	60	118	84	119	186	209	294	260	-
Mexican	2,150	95	59	50	87	169	153	179	304	316	445	293	-
Male	1,194	53	32	29	52	120	111	107	172	173	236	109	-
Female	956	42	27	21	35	49	42	72	132	143	209	184	-
Puerto Rican	680	12	13	9	31	182	147	80	67	53	52	34	-
Male	452	10	5	5	15	136	123	61	41	24	23	9	-
Female	228	2	8	4	16	46	24	19	26	29	29	25	-
Cuban	78	1	-	-	3	7	9	11	10	9	19	9	-
Male	49	1	-	-	2	7	8	7	8	9	-	-	-
Female	29	-	-	-	1	-	1	4	3	1	10	9	-
Central and South American	189	7	6	3	8	27	31	23	20	23	23	18	-
Male	112	3	4	2	4	22	25	16	10	9	12	5	-
Female	77	4	2	1	4	5	6	7	10	14	11	13	-
Other and unknown Hispanic	433	17	13	8	12	53	61	46	45	56	78	44	-
Male	263	7	8	4	8	35	50	29	30	34	43	15	-
Female	170	10	5	4	4	18	11	17	15	22	35	29	-
Non-Hispanic	60,395	743	392	411	799	2,187	2,946	3,448	6,693	11,795	17,156	13,804	21
Male	29,169	408	230	234	481	1,463	2,019	2,119	3,738	6,272	7,758	4,440	8
Female	31,226	335	162	177	318	724	928	1,329	2,955	5,523	9,398	9,364	13
White	50,610	464	256	312	568	1,360	1,899	2,440	5,367	10,073	15,293	12,565	13
Male	23,964	255	151	170	361	962	1,300	1,513	2,987	5,379	6,890	3,991	5
Female	26,646	209	105	142	207	398	599	927	2,380	4,694	8,403	8,574	8
Black	8,736	243	109	82	201	778	989	1,200	1,535	1,605	1,055	6	-
Male	4,638	133	63	51	102	470	682	571	683	798	721	361	3
Female	4,098	110	46	31	99	308	307	362	517	737	884	694	3
Not stated	2,770	38	26	33	71	203	271	229	328	526	610	429	6
Male	1,596	22	14	20	44	154	209	159	205	311	309	145	4
Female	1,174	16	12	13	27	49	62	70	123	215	301	284	2
Accidents and adverse effects (E800-E949)	43,701	477	1,424	1,992	9,036	7,918	4,871	3,243	3,710	3,769	4,156	3,008	97
Male	30,098	251	876	1,333	6,969	6,360	3,743	2,354	2,572	2,234	2,112	1,203	91
Female	13,603	226	548	659	2,067	1,558	1,128	889	1,138	1,535	2,044	1,805	6
Hispanic	4,347	71	239	216	1,231	1,044	532	319	277	157	157	74	30
Male	3,416	43	146	140	1,046	891	433	250	216	90	96	35	30
Female	931	28	93	76	185	153	99	69	61	67	61	39	-
Mexican	3,162	57	187	156	960	734	357	213	205	114	110	46	23
Male	2,526	34	115	103	824	643	294	168	160	69	70	23	23
Female	636	23	72	53	136	91	63	45	45	45	40	23	-
Puerto Rican	304	4	12	17	60	73	43	40	25	10	14	6	-
Male	220	2	6	8	44	59	33	34	19	3	11	1	-
Female	84	2	6	9	16	14	10	6	6	7	3	5	-
Cuban	48	-	1	1	10	6	4	10	3	4	3	-	-
Male	33	-	1	1	9	6	3	6	1	-	-	-	-
Female	15	-	-	-	1	-	-	1	4	2	4	3	-
Central and South American	280	2	9	13	72	79	51	25	11	8	6	3	1
Male	212	1	7	8	62	63	38	18	8	4	1	1	1
Female	68	1	2	5	10	16	13	7	3	4	5	2	-
Other and unknown Hispanic	553	8	30	29	129	152	75	37	26	22	23	16	6
Male	425	6	17	20	107	120	62	27	23	13	14	10	6
Female	128	2	13	9	22	32	13	10	3	9	9	6	-
Non-Hispanic	36,516	377	1,116	1,653	7,245	6,351	3,953	2,676	3,152	3,360	3,783	2,829	21
Male	24,624	196	690	1,115	5,485	5,031	3,000	1,915	2,153	1,999	1,897	1,124	19
Female	11,892	181	426	538	1,760	1,320	953	761	999	1,361	1,886	1,705	2
White	30,210	255	805	1,201	6,256	5,145	3,114	2,111	2,566	2,825	3,342	2,577	13
Male	20,181	135	490	818	4,717	4,113	2,348	1,487	1,747	1,655	1,655	1,005	11
Female	10,029	120	315	383	1,539	1,032	766	624	819	1,170	1,687	1,572	2
Black	5,145	108	244	373	744	967	709	484	514	431	360	203	8
Male	3,664	53	152	248	587	744	568	373	365	287	187	92	8
Female	1,481	55	92	125	157	223	141	111	149	144	173	111	-
Not stated	2,838	29	69	123	560	523	386	248	281	252	216	105	46
Male	2,058	12	40	78	438	438	310	189	203	145	119	44	42
Female	780	17	29	45	122	85	76	59	78	107	97	61	4
Motor vehicle accidents (E810-E825)	21,479	106	526	1,107	6,660	4,601	2,562	1,579	1,570	1,333	1,089	326	20
Male	15,198	53	313	706	4,984	3,588	1,853	1,092	1,041	750	604	185	19
Female	6,291	53	213	401	1,676	1,013	709	487	529	583	485	141	1
Hispanic	2,367	16	110	141	842	548	283	169	133	59	37	16	13
Male	1,817	11	73	84	701	449	211	119	97	28	21	10	13
Female	550	5	37	57	141	99	72	50	36	31	16	6	-
Mexican	1,808	13	96	104	675	401	207	122	98	43	26	13	10
Male	1,415	9	63	62	568	339	156	86	74	20	17	9	10
Female	393	4	33	42	107	62	51	34	24	23	9	4	-
Puerto Rican	125	-	3	9	31	29	16	17	12	5	2	1	-
Male	84	-	2	4	19	23	12	13	9	1	1	-	-
Female	41	-	1	5	12	6	4	4	3	4	1	1	-
Cuban	16	-	-	1	4	2	3	1	4	-	1	-	-
Male	11	-	-	1	4	2	3	1	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	4	-	1	-	-
Central and South American	157	2	2	6	50	45	25	16	7	2	1	1	-
Male	117	1	2	3	42	35	16	11	5	2	-	-	-
Female	40	1	-	3	8	10	9	5	2	-	1	1	-
Other and unknown Hispanic	261	1	9	21	82	71	32	13	12	9	7	1	3
Male	190	1	6	14	68	50	24	6	9	5	3	1	3
Female	71	-	3	7	14	21	8	7	3	4	4	-	-
Non-Hispanic	17,839	75	388	893	5,422	3,751	2,061	1,285	1,299	1,172	974	295	4
Male	12,331	37	223	582	3,985	2,901	1,497	887	853	661	539	163	3
Female	5,508	38	165	311	1,437	850	564	398	446	511	435	132	1
White	14,962	51	273	700	4,794	3,115	1,706	1,064	1,082	1,006	890	275	4
Male	10,379	25	151	458	3,506	2,413	1,221	718	699	548	481	154	3
Female	4,583	26	122	242	1,286	702	487	346	383	458	409	121	1
Black	1,980	18	86	152	437	459	295	175	176	109	59	14	-
Male	1,486	8	53	103	337	362	228	139	131	80	38	7	-
Female	494	10	33	49	100	97	67	36	45	29	21	7	-
Not stated	1,473	15	28	73	396	302	198	125	138	102	78	15	3
Male	1,040	5	17	40	298	238	145	86	91	61	44	12	3
Female	433	10	11	33	98	64	53	39	47	41	34	3	-

SECTION 1 - GENERAL MORTALITY - PAGE 358

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Accidents and adverse effects-Con.													
All other accidents and adverse effects (E800-E807,E826-E949)	22,222	371	898	885	2,376	3,317	2,309	1,664	2,140	2,436	3,067	2,682	77
Male	14,910	198	563	627	1,985	2,772	1,890	1,262	1,531	1,484	1,508	1,018	72
Female	7,312	173	335	258	391	545	419	402	609	952	1,559	1,664	5
Hispanic	1,980	55	129	75	389	496	249	150	144	98	120	58	17
Male	1,599	32	73	56	345	442	222	131	119	62	75	25	17
Female	381	23	56	19	44	54	27	19	25	36	45	33	—
Mexican	1,354	44	91	52	285	333	150	91	107	71	84	33	13
Male	1,111	25	52	41	256	304	138	80	86	49	53	14	13
Female	243	19	39	11	29	29	12	11	21	22	31	19	—
Puerto Rican	179	4	9	8	29	44	27	23	13	5	12	5	—
Male	136	2	4	4	25	36	21	21	10	2	10	1	—
Female	43	2	5	4	4	8	6	2	3	3	3	4	—
Cuban	32	—	1	—	6	4	3	3	6	1	—	—	—
Male	22	—	1	—	5	4	3	2	6	3	—	—	—
Female	10	—	—	—	1	—	—	1	—	—	—	—	—
Central and South American	123	—	7	7	22	34	26	9	4	6	5	2	1
Male	95	—	5	5	20	28	22	7	3	2	1	1	1
Female	28	—	2	2	2	6	4	2	1	4	4	1	—
Other and unknown Hispanic	292	7	21	8	47	81	43	24	14	13	16	15	3
Male	235	5	11	6	39	70	38	21	14	8	11	9	3
Female	57	2	10	2	8	11	5	3	—	5	5	6	—
Non-Hispanic 1	18,877	302	728	760	1,823	2,600	1,872	1,391	1,853	2,188	2,809	2,534	17
Male	12,293	159	467	533	1,500	2,130	1,503	1,028	1,300	1,338	1,358	961	16
Female	6,584	143	261	227	323	470	369	363	553	850	1,451	1,573	1
White	15,248	204	532	501	1,462	2,030	1,406	1,047	1,484	1,819	2,452	2,302	9
Male	9,802	110	339	360	1,209	1,700	1,127	769	1,048	1,107	1,174	851	8
Female	5,446	94	193	141	253	330	279	278	436	712	1,278	1,451	1
Black	3,165	90	158	221	307	508	414	309	338	322	301	189	8
Male	2,178	45	99	145	250	382	340	234	234	207	149	85	—
Female	987	45	59	76	57	126	74	75	104	115	152	104	—
Not stated 2	1,365	14	41	50	164	221	188	123	143	150	138	90	49
Male	1,018	7	23	38	140	200	165	103	112	84	75	32	39
Female	347	7	18	12	24	21	23	20	31	66	63	58	4
Suicide (E950-E959)	13,893	135	2,420	3,065	2,196	1,644	1,725	1,442	1,002	241	3
Male	10,856	96	2,023	2,481	1,624	1,180	1,308	1,135	817	189	3
Female	3,037	39	397	604	572	464	417	307	185	52	—
Hispanic	808	10	245	249	127	84	48	25	17	3	—
Male	697	8	216	228	104	64	39	20	15	3	—
Female	111	2	29	21	23	20	9	5	2	—	—
Mexican	554	7	188	150	88	57	33	17	14	2	—
Male	483	6	171	138	72	41	28	13	12	2	—
Female	71	1	15	12	16	16	5	4	2	—	—
Puerto Rican	57	—	15	18	10	6	5	2	1	—	—
Male	47	—	11	16	8	6	3	2	1	—	—
Female	10	—	4	2	2	—	—	—	—	—	—
Cuban	32	—	2	12	7	5	2	3	1	—	—
Male	30	—	1	12	6	5	2	3	1	—	—
Female	2	—	1	—	—	—	—	—	—	—	—
Central and South American	61	1	9	27	12	8	3	1	—	—	—
Male	56	1	8	25	11	7	3	1	—	—	—
Female	5	—	1	2	1	1	—	—	—	—	—
Other and unknown Hispanic	104	2	33	42	10	8	5	2	1	1	—
Male	81	1	25	37	7	5	3	1	1	1	—
Female	23	1	8	5	3	3	2	1	—	—	—
Non-Hispanic 1	12,642	122	2,079	2,735	1,990	1,502	1,630	1,386	964	233	1
Male	9,800	86	1,723	2,178	1,457	1,068	1,228	1,091	786	182	1
Female	2,842	36	356	557	533	434	402	295	178	51	—
White	11,542	105	1,786	2,414	1,825	1,386	1,550	1,316	934	226	—
Male	8,952	74	1,485	1,906	1,342	988	1,168	1,044	767	178	—
Female	2,590	31	301	508	483	398	382	272	167	48	—
Black	782	11	195	242	127	87	50	44	22	4	—
Male	633	10	165	209	90	65	41	36	14	3	—
Female	149	1	30	33	37	22	9	8	8	1	—
Not stated 2	443	3	96	101	79	58	47	31	21	5	2
Male	359	2	84	75	63	48	41	24	16	4	2
Female	84	1	12	26	16	10	6	7	5	1	—
Homicide and legal intervention (E960-E978)	10,762	103	176	227	2,767	3,389	1,883	954	620	357	188	58	40
Male	8,276	56	86	136	2,240	2,687	1,485	747	466	229	91	20	33
Female	2,486	47	90	91	527	702	398	207	154	128	97	38	7
Hispanic	2,260	11	30	31	749	840	366	137	58	22	9	1	6
Male	1,961	4	12	19	669	739	322	119	47	19	5	—	6
Female	299	7	18	12	80	101	44	18	11	3	4	1	—
Mexican	1,454	5	22	23	523	524	227	67	36	17	7	—	3
Male	1,273	—	11	14	464	466	204	62	30	15	4	—	3
Female	181	5	11	9	59	58	23	5	6	2	3	—	—
Puerto Rican	313	3	3	6	90	107	62	29	11	2	—	—	—
Male	267	2	—	4	81	91	55	23	10	1	—	—	—
Female	46	1	3	2	9	16	7	6	1	1	—	—	—
Cuban	76	—	1	—	10	32	11	16	6	—	—	—	—
Male	69	—	1	—	9	30	9	16	4	—	—	—	—
Female	7	—	—	—	1	2	—	—	—	—	—	—	—
Central and South American	248	1	1	1	71	113	39	14	3	2	1	—	2
Male	212	—	—	—	66	99	30	11	2	—	—	—	2
Female	36	1	1	1	5	14	9	3	1	—	—	—	—
Other and unknown Hispanic	169	2	3	1	55	64	27	11	2	1	1	1	1
Male	140	2	—	1	49	53	24	7	1	1	1	—	1
Female	29	—	3	—	6	11	3	4	—	—	—	—	—
Non-Hispanic 1	7,935	86	138	192	1,889	2,381	1,413	758	527	314	171	56	10
Male	5,864	50	70	113	1,468	1,812	1,080	580	387	196	82	20	6
Female	2,071	36	68	79	421	569	333	178	140	118	89	36	4
White	3,785	50	89	97	731	980	730	417	310	207	135	40	5
Male	2,546	27	35	56	505	698	527	295	210	116	61	13	9
Female	1,239	23	34	41	226	294	203	122	100	91	74	27	1
Black	3,900	33	67	79	1,093	1,334	624	314	205	101	33	16	1
Male	3,139	21	34	50	910	1,075	507	268	170	78	18	7	—
Female	761	12	33	29	183	259	117	46	35	23	15	9	—
Not stated 2	567	6	8	4	129	168	104	59	35	21	8	1	24
Male	451	2	4	4	103	136	83	48	32	14	4	—	21
Female	116	4	4	—	26	32	21	11	3	7	4	1	3

SECTION 1 - GENERAL MORTALITY - PAGE 359

Table 1-34. Deaths from 72 Selected Causes, by Specified Hispanic Origin, Race for Non-Hispanic Origin, 10-Year Age Groups, and Sex: Total of 17 Reporting States and the District of Columbia, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix.]

Cause of death, Hispanic origin, race for non-Hispanic origin, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All other external causes (E980-E999)	1,448	33	44	26	192	385	263	171	129	95	68	26	16
Male	1,036	19	27	15	144	302	199	113	87	55	48	16	11
Female	412	14	17	11	48	83	64	58	42	40	20	10	5
Hispanic	138	2	7	4	26	41	31	13	8	2	3	-	1
Male	115	2	5	4	24	35	25	10	7	1	1	-	1
Female	23	-	2	-	2	6	6	3	1	1	2	-	-
Mexican	31	1	4	1	8	7	8	1	-	-	-	-	1
Male	26	1	3	1	8	5	7	1	-	-	-	-	-
Female	5	-	1	-	-	2	1	-	-	-	-	-	-
Puerto Rican	58	-	1	2	8	23	12	6	5	-	1	-	-
Male	49	-	-	2	7	19	10	5	5	-	1	-	-
Female	9	-	1	-	1	4	2	1	-	-	-	-	-
Cuban	3	-	-	-	-	-	1	1	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Central and South American	19	-	1	-	4	5	5	3	-	1	-	-	-
Male	16	-	1	-	4	5	4	2	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	1	-	-	-
Other and unknown Hispanic	27	1	1	1	6	6	5	2	2	1	2	-	-
Male	22	1	1	1	5	6	4	2	1	1	-	-	-
Female	5	-	-	-	1	-	1	-	1	-	2	-	-
Non-Hispanic ¹	1,137	28	36	21	152	299	199	129	110	79	61	23	-
Male	789	16	22	10	110	230	148	79	72	44	44	14	-
Female	348	12	14	11	42	69	51	50	38	35	17	9	-
White	805	11	16	13	115	201	140	97	79	65	49	19	-
Male	560	4	9	8	84	158	106	56	52	35	37	11	-
Female	245	7	7	5	31	43	34	41	27	30	12	8	-
Black	296	15	17	7	30	89	52	29	30	12	11	4	-
Male	206	10	12	2	21	67	37	20	20	7	7	3	-
Female	90	5	5	5	9	22	15	9	10	5	4	1	-
Not stated ²	173	3	1	1	14	45	33	29	11	14	4	3	15
Male	132	1	-	1	10	37	26	24	8	10	3	2	10
Female	41	2	1	-	4	8	7	5	3	4	1	1	5

¹ Includes races other than white and black.

² Includes deaths that occurred in States that did not report Hispanic origin on the death certificate.

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by race: Birth-registration States or United States, 1915-85 -----	1
2-2. Infant mortality rates by age, race, and sex: United States, 1985 -----	2
2-3. Infant mortality rates by age and race: United States, 1976-85-----	3
2-4. Infant, neonatal, and postneonatal deaths and mortality rates by specified race or national origin and sex: United States, 1985 -----	4
2-5. Infant deaths and mortality rates for 61 selected causes by race: United States, 1985-----	5
2-6. Mortality from 15 leading causes of infant, neonatal, and postneonatal death: United States, 1985 -----	6
2-7. Infant mortality rates for 61 selected causes: United States, 1979-85 -----	7
2-8. Infant mortality rates by race: United States, each division and State, 1982-85 -----	8
2-9. Neonatal mortality rates by race: United States, each division and State, 1982-85-----	9
2-10. Infant and neonatal deaths and mortality rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1985 -----	10
2-11. Deaths under 1 year, by age, race, and sex: United States and each State, 1985 -----	12
2-12. Deaths under 1 year, by month, age, race, and sex: United States, 1985-----	28
2-13. Deaths under 1 year and under 28 days, by month and race: each State, 1985-----	32
2-14. Deaths under 1 year, under 28 days, and 28 days-11 months, from 61 selected causes, by month: United States, 1985 -----	38
2-15. Deaths under 1 year and under 28 days, from 61 selected causes, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1985 -----	41
2-16. Deaths under 1 year from 61 selected causes, by age, race, and sex: United States, 1985-----	50
2-17. Deaths under 1 year, under 28 days; and 28 days-11 months, from 61 selected causes, by race: United States and each State, 1985-----	74
2-18. Infant deaths by specified Hispanic origin and race for non-Hispanic origin: 22 reporting States and the District of Columbia, 1985 -----	100
2-19. Infant, neonatal, and post-neonatal deaths and mortality rates, by specified Hispanic origin and race for non-Hispanic origin: Total of 17 reporting States and the District of Columbia, 1985 -----	101
2-20. Infant deaths from 61 selected causes, by specified Hispanic origin and race for non-Hispanic origin: Total of 17 reporting States and the District of Columbia, 1985 -----	102
2-21. Infant mortality rates for 61 selected causes, by specified Hispanic origin and race for non-Hispanic origin: Total of 17 reporting States and the District of Columbia, 1985 -----	103

SECTION 2 - INFANT MORTALITY - PAGE 1

Table 2-1. Infant and Neonatal Mortality Rates, by Race: Birth-Registration States or United States, 1915-85

[Prior to 1933, data are for birth-registration States only. Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix.
Rates are infant (under 1 year) and neonatal (under 28 days) deaths per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	All races	White	All other	All races	White	All other		All races	White	All other	All races	White	All other
1985	10.6	9.3	15.8	7.0	6.1	10.3	1959	26.4	23.2	44.0	19.0	17.5	27.7
1984	10.8	9.4	16.1	7.0	6.2	10.2	1958	27.1	23.8	45.7	19.5	17.8	29.0
1983	11.2	9.7	16.8	7.3	6.4	10.8	1957	26.3	23.3	43.7	19.1	17.5	27.8
1982	11.5	10.1	17.3	7.7	6.8	11.3	1956	26.0	23.2	42.1	18.9	17.5	27.0
1981	11.9	10.5	17.8	8.0	7.1	11.8	1955	26.4	23.6	42.8	19.1	17.7	27.2
1980	12.6	11.0	19.1	8.5	7.5	12.5	1954	26.6	23.9	42.9	19.1	17.8	27.0
1979	13.1	11.4	19.8	8.9	7.9	12.9	1953	27.8	25.0	44.7	19.6	18.3	27.4
1978	13.8	12.0	21.1	9.5	8.4	14.0	1952	28.4	25.5	47.0	19.8	18.5	28.0
1977	14.1	12.3	21.7	9.9	8.7	14.7	1951	28.4	25.8	44.8	20.0	18.9	27.3
1976	15.2	13.3	23.5	10.9	9.7	16.3	1950	29.2	26.8	44.5	20.5	19.4	27.5
1975	16.1	14.2	24.2	11.6	10.4	16.8	1949	31.3	28.9	47.3	21.4	20.3	28.6
1974	16.7	14.8	24.9	12.3	11.1	17.2	1948	32.0	29.9	46.5	22.2	21.2	29.1
1973	17.7	15.8	26.2	13.0	11.8	17.9	1947	32.2	30.1	48.5	22.8	21.7	31.0
1972 ¹	18.5	16.4	27.7	13.6	12.4	19.2	1946	33.8	31.8	49.5	24.0	23.1	31.5
1971	19.1	17.1	28.5	14.2	13.0	19.6	1945	38.3	35.6	57.0	24.3	23.3	32.0
1970	20.0	17.8	30.9	15.1	13.8	21.4	1944	39.8	36.9	60.3	24.7	23.6	32.5
1969	20.9	18.4	32.9	15.6	14.2	22.5	1943	40.4	37.5	62.5	24.7	23.7	32.9
1968	21.8	19.2	34.5	16.1	14.7	23.0	1942	40.4	37.3	64.6	25.7	24.5	34.6
1967	22.4	19.7	35.9	16.5	15.0	23.8	1941	45.3	41.2	74.8	27.7	26.1	39.0
1966	23.7	20.6	38.8	17.2	15.6	24.8	1940	47.0	43.2	73.8	28.8	27.2	39.7
1965	24.7	21.5	40.3	17.7	16.1	25.4	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1964	24.8	21.6	41.1	17.9	16.2	26.5	1930-34 ²	60.4	55.2	98.6	34.4	32.5	48.2
1963 ²	25.2	22.2	41.5	18.2	16.7	26.1	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1962 ²	25.3	22.3	41.4	18.3	16.9	26.1	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1961	25.3	22.4	40.7	18.4	16.9	26.2	1915-19	95.7	92.8	149.7	43.4	42.3	58.1
1960	26.0	22.9	43.2	18.7	17.2	26.9							

¹ Deaths based on a 50-percent sample.

² Figures by race exclude data for residents of New Jersey; see Technical Appendix.

³ For 1932-34, Mexicans are included with "All other."

SECTION 2 - INFANT MORTALITY - PAGE 2

Table 2-2. Infant Mortality Rates by Age, Race, and Sex: United States, 1985

[Rates per 100,000 live births in specified group]

Age	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,064.5	1,190.8	931.6	931.5	1,055.4	800.6	1,581.7	1,722.3	1,436.0	1,819.0	1,985.6	1,647.4
Under 28 days	696.1	775.3	612.9	609.5	685.6	529.1	1,033.0	1,127.4	935.3	1,206.9	1,320.6	1,089.7
Under 1 day	397.9	437.2	356.5	337.6	373.3	299.9	632.2	687.9	574.6	746.1	817.0	673.2
Under 1 hour	106.2	113.5	98.5	93.1	100.0	85.9	157.0	166.9	146.9	182.0	196.1	167.5
1-23 hours	291.7	323.7	258.0	244.5	273.4	213.9	475.2	521.0	427.7	564.1	620.9	505.6
1 day	74.5	84.8	63.7	66.8	77.6	55.4	104.4	112.9	95.5	119.2	129.6	108.5
2 days	41.9	47.9	35.5	38.5	44.8	31.8	54.9	60.1	49.5	64.1	69.7	58.4
3 days	26.3	30.7	21.7	24.0	27.6	20.2	35.2	42.7	27.5	40.4	48.6	32.0
4 days	16.3	18.2	14.2	15.3	16.9	13.7	19.9	23.3	16.4	22.2	26.6	17.7
5 days	13.1	15.1	11.0	11.8	13.9	9.6	18.2	19.9	16.4	21.2	23.7	18.7
6 days	11.5	13.6	9.3	10.6	12.6	8.5	15.1	17.9	12.2	16.8	19.8	13.7
7-13 days	53.4	60.5	46.0	49.7	57.7	41.2	68.1	71.5	64.6	78.4	81.3	75.4
14-20 days	34.3	38.1	30.3	31.9	36.0	27.6	43.8	46.5	41.0	50.6	54.8	46.4
21-27 days	26.9	29.1	24.6	23.3	25.2	21.2	41.2	44.7	37.6	47.7	49.6	45.7
28-59 days	92.4	105.3	78.8	78.4	91.5	64.6	146.6	159.5	133.4	165.7	180.2	150.9
2 months	76.3	88.7	63.3	68.2	80.0	55.8	107.8	122.9	92.1	119.5	136.4	102.1
3 months	54.4	63.0	45.5	49.0	57.7	39.8	75.7	83.8	67.2	83.5	95.6	71.1
4 months	37.2	42.8	31.3	32.9	37.5	28.0	54.1	63.6	44.2	60.0	71.6	48.1
5 months	27.0	30.2	23.6	23.2	27.1	19.0	41.7	42.2	41.3	47.5	48.6	46.4
6 months	20.8	23.2	18.3	18.0	20.6	15.3	31.6	33.5	29.6	34.9	35.3	34.4
7 months	16.3	18.4	14.1	14.4	16.8	11.9	23.5	24.5	22.5	26.5	26.6	26.4
8 months	12.5	12.9	12.1	10.5	10.9	10.1	20.3	21.0	19.6	21.9	21.7	22.0
9 months	11.8	11.1	12.5	10.3	9.6	11.0	17.7	17.1	18.3	19.7	19.1	20.4
10 months	10.5	10.2	10.9	8.8	8.9	8.7	17.0	15.1	19.1	19.1	16.5	21.7
11 months	9.1	9.8	8.5	8.2	9.2	7.1	12.6	11.8	13.5	13.8	13.3	14.4

SECTION 2 - INFANT MORTALITY - PAGE 3

Table 2-3. Infant Mortality Rates by Age and Race: United States, 1976-85

[Rates per 100,000 live births in specified group]

Age and race	1985	1984	1983	1982	1981	1980	1979	1978	1977	1976
ALL RACES										
Under 1 year	1,064.5	1,078.7	1,116.5	1,152.0	1,193.2	1,260.3	1,306.8	1,378.4	1,412.1	1,523.6
Under 28 days	696.1	700.2	728.4	769.9	802.4	847.6	886.6	948.6	987.8	1,091.8
Under 1 day	397.9	411.2	426.7	441.0	446.3	463.2	478.7	510.9	529.8	593.4
1 day	74.5	66.0	68.4	69.6	75.5	79.9	100.4	99.5	110.8	123.2
2 days	41.9	44.7	48.0	54.7	58.6	65.6	67.1	78.6	83.1	90.7
3 days	26.3	27.0	27.0	29.8	34.2	36.4	39.4	44.2	44.0	49.3
4 days	16.3	16.5	18.2	20.2	23.2	24.2	24.0	28.0	28.7	29.1
5 days	13.1	12.0	15.0	16.5	18.3	20.7	19.9	20.5	22.4	24.6
6 days	11.5	11.1	11.9	12.3	15.8	15.8	16.1	16.4	18.1	20.8
7-13 days	53.4	52.1	54.7	61.4	68.6	73.3	73.6	77.9	79.0	87.2
14-20 days	34.3	35.4	35.3	37.7	36.2	40.4	39.7	42.3	41.5	43.1
21-27 days	26.9	24.9	25.3	26.7	25.8	28.2	27.8	30.2	30.5	30.4
28-59 days	92.4	92.1	94.6	91.8	98.7	100.7	116.4	105.4	104.7	108.0
2 months	76.3	76.4	78.1	77.4	77.2	81.4	81.1	85.6	84.9	86.5
3 months	54.4	56.9	59.4	60.3	57.7	62.4	62.8	64.6	63.8	66.2
4 months	37.2	39.4	40.8	38.2	41.6	43.9	41.9	46.3	43.9	43.1
5 months	27.0	30.3	29.1	28.0	29.4	29.5	31.4	33.2	33.0	31.3
6 months	20.8	21.8	22.4	22.5	22.5	24.6	22.8	24.5	25.3	24.0
7 months	16.3	16.3	17.9	17.7	17.7	19.2	18.2	18.4	19.2	18.8
8 months	12.5	14.1	14.9	14.2	13.9	16.1	14.3	16.3	15.4	16.0
9 months	11.8	12.6	12.9	12.7	11.1	13.0	10.8	12.6	12.4	13.8
10 months	10.5	9.2	10.0	10.2	10.8	11.0	9.8	11.8	10.8	12.5
11 months	9.1	9.5	9.9	9.2	10.3	11.0	10.7	11.1	10.8	11.6
WHITE										
Under 1 year	931.5	944.3	974.5	1,008.1	1,047.8	1,099.8	1,142.2	1,201.4	1,233.7	1,330.5
Under 28 days	609.5	617.7	640.5	678.4	708.0	748.1	788.4	838.5	874.7	965.8
Under 1 day	337.6	350.6	366.0	380.3	387.2	400.1	415.1	440.0	464.3	516.8
1 day	66.8	59.8	59.5	61.9	66.3	70.9	90.1	89.0	99.2	110.4
2 days	38.5	41.6	44.1	49.9	52.9	60.0	61.9	71.3	77.1	83.7
3 days	24.0	24.7	24.8	27.4	32.7	33.4	37.3	41.6	41.4	46.1
4 days	15.3	15.2	17.3	18.6	21.4	22.5	22.3	26.4	26.1	26.6
5 days	11.8	11.1	14.0	15.4	17.1	18.9	18.3	18.6	19.6	21.0
6 days	10.6	10.2	10.7	11.3	13.9	14.5	15.4	15.0	16.9	19.0
7-13 days	49.7	51.0	50.6	56.6	62.4	67.8	68.0	73.3	69.6	79.0
14-20 days	31.9	31.8	32.1	34.0	31.6	36.5	35.2	37.8	35.4	37.3
21-27 days	23.3	21.7	21.5	23.0	22.4	23.4	24.7	25.5	25.1	25.9
28-59 days	78.4	79.5	80.0	77.4	83.9	83.9	94.9	87.8	86.5	89.1
2 months	68.2	65.6	65.6	66.9	67.9	68.5	68.1	70.9	70.9	72.6
3 months	49.0	50.2	51.9	52.3	50.7	53.9	53.8	54.2	54.4	56.7
4 months	32.9	33.6	35.6	32.5	35.3	37.4	35.0	39.4	37.5	36.5
5 months	23.2	24.9	24.1	23.7	25.0	24.5	28.8	27.7	28.1	26.3
6 months	18.0	18.6	18.6	19.2	20.3	21.8	20.0	20.4	21.0	19.8
7 months	14.4	14.8	15.8	16.3	15.7	16.3	16.0	16.1	17.2	16.8
8 months	10.5	12.5	12.9	12.9	12.4	14.1	12.4	14.2	13.2	13.8
9 months	10.3	10.4	11.7	11.9	9.7	12.1	9.7	11.3	10.8	11.5
10 months	8.8	7.9	8.8	9.6	9.4	9.5	8.7	10.5	9.7	11.1
11 months	8.2	8.7	9.0	8.0	9.6	9.7	10.5	10.4	9.5	10.6
ALL OTHER										
Under 1 year	1,581.7	1,605.6	1,677.7	1,725.4	1,780.1	1,912.5	1,980.5	2,105.8	2,167.5	2,349.7
Under 28 days	1,033.0	1,023.7	1,075.8	1,134.2	1,183.6	1,251.8	1,288.5	1,400.9	1,466.4	1,631.0
Under 1 day	632.2	648.8	666.5	682.6	685.0	719.2	739.1	802.7	807.2	921.1
1 day	104.4	90.4	93.5	100.3	112.7	116.6	142.4	142.9	159.9	177.9
2 days	54.9	56.9	63.4	73.9	81.6	88.4	88.5	108.7	108.6	120.8
3 days	35.2	32.6	35.8	39.7	40.1	48.6	48.1	54.9	55.4	62.8
4 days	19.9	21.6	22.1	26.5	30.5	31.0	30.8	34.5	39.5	40.0
5 days	18.2	15.3	18.9	20.7	22.9	27.6	26.1	28.1	34.0	40.2
6 days	15.1	14.8	16.7	16.1	23.3	20.9	18.7	22.4	23.0	28.5
7-13 days	68.1	56.5	70.6	80.4	93.7	95.6	96.5	96.6	118.5	122.1
14-20 days	43.8	49.5	47.9	52.1	54.4	56.5	58.0	60.6	67.0	67.8
21-27 days	41.2	37.4	40.3	41.7	39.4	47.4	40.4	49.5	53.5	49.8
28-59 days	146.6	141.8	152.6	149.1	158.5	169.3	204.5	177.7	181.7	188.9
2 months	107.8	118.8	117.6	119.2	115.0	133.8	142.3	146.1	144.1	146.0
3 months	75.7	82.9	89.0	92.4	85.8	96.8	99.4	107.6	103.8	106.8
4 months	54.1	62.0	61.5	61.1	66.6	70.4	70.1	74.8	70.8	71.5
5 months	41.7	51.6	49.0	45.2	47.0	49.5	50.3	56.1	53.8	52.8
6 months	31.6	34.5	37.4	35.6	31.2	36.3	34.1	41.4	43.3	41.8
7 months	23.5	22.1	25.9	23.3	25.5	30.8	27.6	27.6	27.7	27.7
8 months	20.3	20.5	22.7	19.4	19.8	24.0	22.2	24.7	25.0	25.3
9 months	17.7	20.9	17.6	19.6	16.9	16.5	15.5	17.8	15.4	18.3
10 months	17.0	14.2	15.0	12.7	16.5	17.1	14.6	17.2	16.4	15.8
11 months	12.6	12.6	13.6	13.7	13.5	16.1	11.5	13.8	16.4	15.8

SECTION 2 - INFANT MORTALITY - PAGE 4

Table 2-4. Infant, Neonatal, and Postneonatal Deaths and Mortality Rates by Specified Race or National Origin and Sex: United States, 1985

(Rates are infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days-11 months) deaths per 1,000 live births in specified group. The number of infant deaths and infant mortality rates for specified races other than white and black should be interpreted with caution because of inconsistencies in reporting race on birth and death certificates; see Technical Appendix)

Race and sex	Infant		Neonatal		Postneonatal	
	Number	Rate	Number	Rate	Number	Rate
All races	40,030	10.6	26,179	7.0	13,851	3.7
Male	22,958	11.9	14,948	7.8	8,010	4.2
Female	17,072	9.3	11,231	6.1	5,841	3.2
White	27,864	9.3	18,233	6.1	9,631	3.2
Male	16,218	10.6	10,536	6.9	5,682	3.7
Female	11,646	8.0	7,697	5.3	3,949	2.7
Black	11,083	18.2	7,340	12.1	3,723	6.1
Male	6,127	19.9	4,075	13.2	2,052	6.6
Female	4,936	16.5	3,265	10.9	1,671	5.6
Indian ¹	389	9.1	177	4.2	212	5.0
Male	216	10.0	97	4.5	119	5.5
Female	173	8.2	80	3.8	93	4.4
Chinese	95	5.3	51	2.9	44	2.5
Male	51	5.5	22	2.4	29	3.1
Female	44	5.1	29	3.4	15	1.8
Japanese	43	4.4	26	2.7	17	1.7
Male	23	4.5	13	2.6	10	2.0
Female	20	4.2	13	2.7	7	1.5
Filipino	119	5.5	82	3.8	37	1.7
Male	67	6.1	47	4.3	20	1.8
Female	52	5.0	35	3.3	17	1.6
Other Asian or Pacific Islander ²	444	6.7	262	3.9	182	2.7
Male	249	7.3	152	4.4	97	2.8
Female	195	6.1	110	3.4	85	2.6
Other	13	4.8	8	2.9	5	1.8
Male	7	4.9	6	4.2	1	.7
Female	6	4.6	2	1.5	4	3.1

¹ Includes deaths among Aleuts and Eskimos.

² Includes deaths among Hawaiians and Part-Hawaiians.

SECTION 2 - INFANT MORTALITY - PAGE 5

Table 2-5. Infant Deaths and Mortality Rates for 61 Selected Causes by Race: United States, 1985

[Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Number				Rate			
	All races	White	All other		All races	White	All other	
			Total	Black			Total	Black
All causes	40,030	27,864	12,166	11,063	1,064.5	931.5	1,581.7	1,819.0
Certain intestinal infections (008-009)	98	51	47	44	2.6	1.7	6.1	7.2
Whooping cough (033)	3	1	2	2	.1	.0	.3	.3
Meningococcal infection (036)	69	54	15	14	1.8	1.8	2.0	2.3
Septicemia (038)	303	191	112	109	8.1	6.4	14.6	17.9
Viral diseases (045-079)	105	71	34	30	2.8	2.4	4.4	4.9
Congenital syphilis (090)	7	4	3	2	.2	.1	.4	.3
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	135	81	54	48	3.6	2.7	7.0	7.9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	114	93	21	19	3.0	3.1	2.7	3.1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	50	11	9	1.6	1.7	1.4	1.5
Diseases of thymus gland (254)	5	4	1	1	.1	.1	.1	.2
Cystic fibrosis (277.0)	17	17	-	-	.5	.6	-	-
Diseases of blood and blood-forming organs (280-289)	77	46	31	27	2.0	1.5	4.0	4.4
Meningitis (320-322)	257	155	102	87	6.8	5.2	13.3	14.3
Other diseases of nervous system and sense organs (323-389)	465	347	118	100	12.4	11.6	15.3	16.4
Acute upper respiratory infections (460-465)	57	33	24	23	1.5	1.1	3.1	3.8
Bronchitis and bronchiolitis (466,490-491)	104	77	27	25	2.8	2.6	3.5	4.1
Pneumonia and influenza (480-487)	705	443	262	237	18.7	14.8	34.1	39.0
Pneumonia (480-486)	698	439	259	235	18.6	14.7	33.7	38.6
Influenza (487)	7	4	3	2	.2	.1	.4	.3
Remainder of diseases of respiratory system (470-478,492-519)	473	303	170	156	12.6	10.1	22.1	25.6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	81	61	20	18	2.2	2.0	2.6	3.0
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	104	55	49	44	2.8	1.8	6.4	7.2
Remainder of diseases of digestive system (520-534,536-543,562-579)	225	145	80	67	6.0	4.8	10.4	11.0
Congenital anomalies (740-759)	8,561	6,898	1,663	1,419	227.7	230.6	216.2	233.3
Anencephalus and similar anomalies (740)	691	603	88	59	18.4	20.2	11.4	9.7
Spina bifida (741)	95	82	13	13	2.5	2.7	1.7	2.1
Congenital hydrocephalus (742.3)	203	146	57	48	5.4	4.9	7.4	7.9
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	274	223	51	43	7.3	7.5	6.6	7.1
Congenital anomalies of heart (745-746)	2,585	2,069	516	442	68.7	69.2	67.1	72.7
Other congenital anomalies of circulatory system (747)	689	520	169	156	18.3	17.4	22.0	25.6
Congenital anomalies of respiratory system (748)	1,094	868	226	200	29.1	29.0	29.4	32.9
Congenital anomalies of digestive system (749-751)	691	123	27	25	4.0	4.1	3.5	4.1
Congenital anomalies of genitourinary system (752-753)	509	419	90	84	13.5	14.0	11.7	13.8
Congenital anomalies of musculoskeletal system (754-756)	644	538	106	85	17.1	18.0	13.8	14.0
Down's syndrome (758.0)	74	60	14	11	2.0	2.0	1.8	1.8
Other chromosomal anomalies (758.1-758.9)	792	641	151	123	21.1	21.4	19.6	20.2
All other and unspecified congenital anomalies (744,757,759)	761	606	155	130	20.2	20.3	20.2	21.4
Certain conditions originating in the perinatal period (760-779)	19,068	12,520	6,548	6,140	507.1	418.5	851.3	1,009.5
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	105	70	35	32	2.8	2.3	4.6	5.3
Newborn affected by maternal complications of pregnancy (761)	1,335	912	423	399	35.5	30.5	55.0	65.6
Newborn affected by complications of placenta, cord, and membranes (762)	891	650	241	225	23.7	21.7	31.3	37.0
Newborn affected by other complications of labor and delivery (763)	80	60	20	18	2.1	2.0	2.6	3.0
Slow fetal growth and fetal malnutrition (764)	36	21	15	15	1.0	.7	2.0	2.5
Disorders relating to short gestation and unspecified low birthweight (765)	3,257	1,864	1,393	1,325	86.6	62.3	181.1	217.9
Disorders relating to long gestation and high birthweight (766)	1	-	1	-	.0	-	.1	-
Birth trauma (767)	329	222	107	99	8.7	7.4	13.9	16.3
Intrauterine hypoxia and birth asphyxia (768)	1,158	780	378	354	30.8	26.1	49.1	58.2
Fetal distress in liveborn infant (768.2-768.4)	225	163	62	54	6.0	5.4	8.1	8.9
Birth asphyxia (768.5-768.9)	933	617	316	300	24.8	20.6	41.1	49.3
Respiratory distress syndrome (769)	3,691	2,708	983	911	98.2	90.5	127.8	149.8
Other respiratory conditions of newborn (770)	3,746	2,511	1,235	1,135	99.6	83.9	160.6	186.6
Infections specific to the perinatal period (771)	955	652	303	289	25.4	21.8	39.4	47.5
Neonatal hemorrhage (772)	369	239	130	125	9.8	8.0	16.9	20.6
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774) ..	51	37	14	10	1.4	1.2	1.8	1.6
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	8	6	2	2	.2	.2	.3	.3
Hemorrhagic disease of newborn (776.0)	9	9	-	-	.2	.3	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3,047	1,779	1,268	1,201	81.0	59.5	164.8	197.5
Symptoms, signs, and ill-defined conditions (780-799)	5,945	4,118	1,827	1,606	158.1	137.7	237.5	264.1
Sudden infant death syndrome (798.0)	5,315	3,757	1,558	1,357	141.3	125.6	202.6	223.1
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	630	361	269	249	16.8	12.1	35.0	40.9
Accidents and adverse effects (E800-E949)	890	626	264	227	23.7	20.9	34.3	37.3
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	170	112	58	50	4.5	3.7	7.5	8.2
Accidental mechanical suffocation (E913)	171	141	30	29	4.5	4.7	3.9	4.8
Other accidental causes and adverse effects (E800-E910,E914-E949)	549	373	176	148	14.6	12.5	22.9	24.3
Homicide (E960-E969)	200	121	79	75	5.3	4.0	10.3	12.3
Child battering and other maltreatment (E967)	63	37	26	26	1.7	1.2	3.4	4.3
Other homicide (E960-E966,E968-E969)	137	84	53	49	3.6	2.8	6.9	8.1
All other causes (Residual)	1,901	1,299	602	534	50.6	43.4	78.3	87.8

SECTION 2 - INFANT MORTALITY - PAGE 6

Table 2-6. Mortality From 15 Leading Causes of Infant, Neonatal, and Postneonatal Death: United States, 1985

[Rates are infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days-11 months) deaths per 100,000 live births. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For method of ranking see Technical Appendix]

Cause of death and rank order		Number	Rate	Percent of total deaths
INFANT				
All causes		40,030	1,064.5	100.0
1	Congenital anomalies (740-759)	8,561	227.7	21.4
2	Sudden infant death syndrome (798.0)	5,315	141.3	13.3
3	Respiratory distress syndrome (769)	3,691	98.2	9.2
4	Disorders relating to short gestation and unspecified low birthweight (765)	3,257	86.6	8.1
5	Newborn affected by maternal complications of pregnancy (761)	1,335	35.5	3.3
6	Intrauterine hypoxia and birth asphyxia (768)	1,158	30.8	2.9
7	Infections specific to the perinatal period (771)	955	25.4	2.4
8	Newborn affected by complications of placenta, cord, and membranes (762)	891	23.7	2.2
9	Accidents and adverse effects (E800-E949)	890	23.7	2.2
10	Pneumonia and influenza (480-487)	705	18.7	1.8
11	Neonatal hemorrhage (772)	369	9.8	.9
12	Birth trauma (767)	329	8.7	.8
13	Septicemia (038)	303	8.1	.8
14	Meningitis (320-322)	257	6.8	.6
15	Homicide (E960-E969)	200	5.3	.5
...	All other causes (Residual)	11,814	314.2	29.5
NEONATAL				
All causes		26,179	696.1	100.0
1	Congenital anomalies (740-759)	6,369	169.4	24.3
2	Respiratory distress syndrome (769)	3,420	90.9	13.1
3	Disorders relating to short gestation and unspecified low birthweight (765)	3,227	85.8	12.3
4	Newborn affected by maternal complications of pregnancy (761)	1,318	35.0	5.0
5	Intrauterine hypoxia and birth asphyxia (768)	1,084	28.8	4.1
6	Infections specific to the perinatal period (771)	915	24.3	3.5
7	Newborn affected by complications of placenta, cord, and membranes (762)	888	23.6	3.4
8	Sudden infant death syndrome (798.0)	382	10.2	1.5
9	Neonatal hemorrhage (772)	367	9.8	1.4
10	Birth trauma (767)	322	8.6	1.2
11	Pneumonia and influenza (480-487)	151	4.0	.6
12	Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	102	2.7	.4
13	Accidents and adverse effects (E800-E949)	85	2.3	.3
14	Newborn affected by other complications of labor and delivery (763)	77	2.0	.3
15	Meningitis (320-322)	50	1.3	.2
...	All other causes (Residual)	7,422	197.4	28.4
POSTNEONATAL				
All causes		13,851	368.3	100.0
1	Sudden infant death syndrome (798.0)	4,933	131.2	35.6
2	Congenital anomalies (740-759)	2,192	58.3	15.8
3	Accidents and adverse effects (E800-E949)	805	21.4	5.8
4	Pneumonia and influenza (480-487)	554	14.7	4.0
5	Septicemia (038)	303	8.1	2.2
6	Respiratory distress syndrome (769)	271	7.2	2.0
7	Meningitis (320-322)	207	5.5	1.5
8	Homicide (E960-E969)	158	4.2	1.1
9	Bronchitis and bronchiolitis (466,490-491)	100	2.7	.7
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	85	2.3	.6
11	Viral diseases (045-079)	82	2.2	.6
12	Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	81	2.2	.6
13	Intrauterine hypoxia and birth asphyxia (768)	74	2.0	.5
14	Meningococcal infection (036)	68	1.8	.5
15	Diseases of blood and blood-forming organs (280-289)	57	1.5	.4
...	All other causes (Residual)	3,881	103.2	28.0

SECTION 2 - INFANT MORTALITY - PAGE 7

Table 2-7. Infant Mortality Rates for 61 Selected Causes: United States, 1979-85

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	1985	1984	1983	1982	1981	1980	1979
All causes	1,064.5	1,078.7	1,116.5	1,152.0	1,193.2	1,260.3	1,306.8
Certain intestinal infections (008-009)	2.6	3.8	3.6	3.7	3.6	3.1	3.0
Whooping cough (033)	1.1	1.2	1.1	1.1	1.1	1.3	1.2
Meningococcal infection (036)	1.8	1.8	1.7	2.6	3.4	2.1	2.5
Septicemia (038)	8.1	8.1	8.3	7.4	8.3	6.7	7.5
Viral diseases (045-079)	2.8	3.1	4.0	3.5	3.3	3.8	4.4
Congenital syphilis (090)	1.2	1.2	1.2	1.3	1.2	1.1	1.2
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	3.6	2.6	2.3	2.4	2.2	3.2	2.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3.0	3.1	3.6	3.7	2.5	3.1	3.3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1.6	2.1	1.5	1.6	1.5	1.9	1.4
Diseases of thymus gland (254)	1.1	1.1	1.1	1.1	1.1	1.2	1.2
Cystic fibrosis (277.0)	1.5	1.8	1.8	1.9	1.6	1.1	1.1
Diseases of blood and blood-forming organs (280-289)	2.0	2.4	2.5	2.4	2.1	2.7	3.5
Meningitis (320-322)	6.8	7.3	8.7	9.0	11.6	12.3	12.6
Other diseases of nervous system and sense organs (323-389)	12.4	12.3	14.0	12.3	14.5	14.8	15.5
Acute upper respiratory infections (460-465)	1.5	1.5	1.7	1.4	1.8	2.2	2.7
Bronchitis and bronchiolitis (466,490-491)	2.8	2.6	3.4	3.1	3.6	3.6	4.3
Pneumonia and influenza (480-487)	18.7	18.7	21.1	20.5	22.3	28.0	32.3
Pneumonia (480-486)	18.6	18.5	21.0	20.3	21.9	27.7	32.1
Influenza (487)	1.2	1.1	1.2	1.2	1.4	1.3	1.3
Remainder of diseases of respiratory system (470-478,492-519)	12.6	13.2	13.8	12.8	14.1	14.0	14.7
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.2	2.9	2.9	3.5	3.5	3.6	4.9
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2.8	3.4	3.8	3.8	4.2	5.1	6.6
Remainder of diseases of digestive system (520-534,536-543,562-579)	6.0	5.6	5.9	5.9	5.7	6.9	7.2
Congenital anomalies (740-759)	227.7	233.0	240.0	245.2	245.6	255.2	255.4
Anencephalus and similar anomalies (740)	18.4	18.5	19.2	19.6	21.1	21.9	22.2
Spina bifida (741)	2.5	2.6	3.4	5.3	5.7	7.1	7.7
Congenital hydrocephalus (742.3)	5.4	6.1	6.2	7.2	9.5	9.0	8.9
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	7.3	8.4	8.9	8.3	9.3	8.7	9.0
Congenital anomalies of heart (745-746)	68.7	69.7	70.6	76.2	73.2	79.6	82.0
Other congenital anomalies of circulatory system (747)	18.3	22.4	25.4	24.5	25.1	25.9	24.4
Congenital anomalies of respiratory system (748)	29.1	24.9	24.9	20.8	20.4	17.7	16.3
Congenital anomalies of digestive system (749-751)	4.0	4.1	4.5	6.3	6.0	7.9	7.5
Congenital anomalies of genitourinary system (752-753)	13.5	13.5	13.7	13.7	12.6	12.5	11.8
Congenital anomalies of musculoskeletal system (754-756)	17.1	18.6	20.3	18.2	18.4	17.7	16.7
Down's syndrome (758.0)	2.0	2.7	2.3	2.7	3.0	3.4	3.5
Other chromosomal anomalies (758.1-758.9)	21.1	18.7	17.7	18.1	15.7	14.7	14.2
All other and unspecified congenital anomalies (744,757,759)	20.2	22.9	22.9	24.3	25.6	28.9	29.2
Certain conditions originating in the perinatal period (760-779)	507.1	509.2	526.4	562.0	592.7	629.7	667.4
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2.8	3.8	3.8	3.7	3.6	3.9	3.6
Newborn affected by maternal complications of pregnancy (761)	35.5	38.3	39.9	40.6	40.2	43.5	46.4
Newborn affected by complications of placenta, cord, and membranes (762)	23.7	24.2	23.9	26.4	26.9	27.3	27.8
Newborn affected by other complications of labor and delivery (763)	2.1	1.8	2.5	2.9	3.4	3.9	4.2
Slow fetal growth and fetal malnutrition (764)	1.0	1.0	1.2	1.3	1.3	1.4	1.6
Disorders relating to short gestation and unspecified low birthweight (765)	86.6	88.9	91.6	98.3	100.8	101.0	100.0
Disorders relating to long gestation and high birthweight (766)	1.0	1.0	-	1.1	1.1	1.1	-
Birth trauma (767)	8.7	10.2	12.2	16.8	25.3	29.3	32.3
Intrauterine hypoxia and birth asphyxia (768)	30.8	31.9	32.9	40.5	38.7	41.4	39.9
Fetal distress in liveborn infant (768.2-768.4)	6.0	6.6	6.7	8.0	7.0	7.8	8.2
Birth asphyxia (768.5-768.9)	24.8	25.3	26.3	32.5	31.7	33.6	31.7
Respiratory distress syndrome (769)	98.2	96.9	101.2	109.7	119.0	138.1	156.2
Other respiratory conditions of newborn (770)	99.6	95.3	94.5	95.5	99.4	102.3	113.2
Infections specific to the perinatal period (771)	25.4	24.2	23.9	25.8	24.7	26.9	28.1
Neonatal hemorrhage (772)	9.8	10.9	14.4	19.4	25.0	26.8	26.4
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1.4	1.5	1.7	1.7	1.9	2.5	2.7
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1.2	1.2	1.5	1.4	1.2	1.5	1.5
Hemorrhagic disease of newborn (776.0)	1.2	1.2	1.2	1.2	1.3	1.3	1.4
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	81.0	79.8	82.1	78.7	81.9	80.4	84.2
Symptoms, signs, and ill-defined conditions (780-799)	158.1	160.1	162.9	161.2	164.1	168.5	168.8
Sudden infant death syndrome (788.0)	141.3	142.9	145.8	143.4	145.9	152.5	151.1
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	16.8	17.1	17.1	17.8	18.2	16.0	17.7
Accidents and adverse effects (E800-E949)	29.7	22.8	26.3	27.8	27.0	32.3	30.9
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	4.5	4.2	5.2	6.0	5.8	7.5	7.3
Accidental mechanical suffocation (E913)	4.5	4.9	4.8	4.5	4.5	4.7	5.2
Other accidental causes and adverse effects (E800-E910,E914-E949)	14.6	13.8	16.3	17.3	16.8	20.1	18.4
Homicide (E960-E969)	5.3	6.5	5.3	6.6	6.0	5.8	4.9
Child battering and other maltreatment (E967)	1.7	2.1	1.6	2.5	2.2	2.3	1.8
Other homicide (E960-E966,E968-E969)	3.6	4.3	3.7	4.1	3.8	3.5	3.1
All other causes (Residual)	50.6	51.8	51.5	48.1	48.7	50.0	48.8

¹ Rate based on less than 20 infant deaths.

SECTION 2 - INFANT MORTALITY - PAGE 8

Table 2-8. Infant Mortality Rates by Race: United States, Each Division and State, 1982-85

[Rates are deaths under 1 year per 1,000 live births in specified group]

Division and State	1985				1984				1983				1982			
	All races	White	All other		All races	White	All other		All races	White	All other		All races	White	All other	
			Total	Black			Total	Black			Total	Black			Total	Black
United States	10.6	9.3	15.8	18.2	10.8	9.4	16.1	18.4	11.2	9.7	16.8	19.2	11.5	10.1	17.3	19.6
Geographic divisions:																
New England:																
New England	9.2	8.5	16.6	20.1	9.4	8.9	14.1	16.5	9.4	8.8	15.6	18.6	10.3	9.7	16.2	19.8
New England	10.8	9.3	16.0	17.6	10.8	9.4	16.3	17.7	11.4	9.8	17.7	19.1	11.9	10.3	17.8	19.2
Middle Atlantic	10.9	9.3	18.7	20.2	11.2	9.5	19.6	21.0	11.5	9.8	20.1	21.5	12.0	10.1	21.1	22.7
East North Central	9.5	9.0	13.9	16.0	9.6	9.0	14.8	17.3	10.0	9.3	16.4	18.6	10.5	9.7	17.3	19.5
West North Central	12.1	9.4	18.3	19.2	12.2	9.6	18.3	19.0	12.7	10.0	18.9	19.7	13.2	10.3	19.7	20.4
South Atlantic	12.1	9.7	18.3	18.7	12.6	10.1	18.8	19.2	13.0	10.7	19.0	19.4	13.2	10.6	19.7	20.1
East South Central	10.4	9.3	14.5	16.2	10.8	9.7	14.9	16.4	11.4	10.3	15.8	17.5	11.3	10.1	16.1	17.6
West South Central	9.8	9.7	10.9	13.1	9.7	9.5	11.6	15.7	9.7	9.5	11.3	17.2	10.0	9.9	10.3	13.1
Mountain	9.7	9.4	10.8	16.2	9.6	9.3	10.8	15.9	9.7	9.4	10.9	16.7	10.0	9.8	10.8	15.9
Pacific																
New England:																
Maine	9.1	9.2	13.2	12.0	8.4	8.4	9.0	9.7	8.7	8.7	9.3	20.6	9.0	9.0	9.1	21.1
New Hampshire	9.3	9.2	13.2	29.9	10.2	10.2	7.4	18.9	8.6	8.6	8.3	21.1	11.0	11.0	12.7	29.7
Vermont	8.5	8.5	-	-	8.7	8.8	-	-	8.7	8.5	30.3	87.0	9.3	9.4	-	-
Massachusetts	9.1	8.2	16.7	20.8	9.0	8.6	12.3	14.2	9.1	8.5	14.1	16.8	10.1	9.6	14.7	18.6
Rhode Island	8.2	8.1	8.9	10.7	9.9	9.4	13.6	16.1	11.7	11.0	17.2	22.2	10.0	9.3	15.6	18.4
Connecticut	10.0	8.5	19.1	20.9	10.4	9.2	17.2	19.3	10.1	8.9	17.6	19.6	11.1	9.8	18.9	21.1
Middle Atlantic:																
New York	10.8	9.4	14.7	16.1	11.0	9.8	14.8	16.2	11.6	9.9	16.7	18.1	12.1	10.6	16.8	18.1
New Jersey	10.6	8.8	16.6	18.8	10.9	9.3	16.7	18.4	11.5	9.5	18.3	19.4	11.7	9.6	19.0	20.4
Pennsylvania	11.0	9.5	19.1	20.4	10.4	8.8	20.0	21.3	11.3	9.8	20.0	21.1	11.6	10.3	19.4	20.8
East North Central:																
Ohio	10.3	9.3	16.1	16.9	10.4	9.3	16.9	17.7	11.2	9.8	18.7	19.5	11.5	10.3	18.5	19.3
Indiana	10.9	10.0	18.3	19.5	11.1	10.2	17.8	19.1	11.4	10.7	17.0	18.1	11.4	10.4	18.9	20.2
Illinois	11.7	9.3	19.9	21.4	12.1	9.5	20.5	22.0	12.4	9.7	21.4	23.1	13.6	10.8	22.8	24.6
Michigan	11.4	9.3	20.8	22.4	11.7	9.4	22.0	23.5	11.8	9.6	21.7	23.1	12.1	9.8	22.9	24.6
Wisconsin	9.1	8.5	14.9	17.4	9.9	9.2	16.7	18.7	9.6	9.0	15.4	16.4	9.5	8.7	17.1	20.2
West North Central:																
Minnesota	8.8	8.8	9.4	15.5	8.9	8.9	8.7	12.4	9.8	9.6	13.2	22.5	9.5	9.1	14.0	18.2
Iowa	9.5	9.4	11.6	12.3	8.8	8.8	10.6	15.1	8.9	8.6	16.2	21.8	10.2	10.0	15.9	21.3
Missouri	10.2	9.0	16.3	17.0	10.4	9.0	17.3	18.3	10.7	9.2	18.2	19.1	11.7	10.1	19.7	20.6
North Dakota	8.5	8.4	9.9	6.9	8.1	7.7	12.5	7.6	8.9	8.5	13.1	7.4	10.6	9.8	18.5	15.5
South Dakota	9.9	8.9	14.9	-	10.0	8.8	16.1	9.9	10.8	8.3	23.8	10.0	10.2	8.4	20.2	11.5
Nebraska	9.6	9.0	16.9	17.7	9.6	9.2	14.4	15.4	9.9	9.5	14.2	16.6	10.0	9.6	14.9	16.3
Kansas	9.3	9.0	11.7	14.4	10.1	9.4	15.8	18.5	10.3	10.0	13.0	15.3	10.4	9.9	14.4	17.7
South Atlantic:																
Delaware	14.8	11.6	24.8	25.8	10.8	8.4	18.6	19.4	10.0	7.3	17.6	17.3	14.1	11.2	23.2	23.9
Maryland	11.9	9.1	17.5	18.9	11.8	9.8	15.9	17.0	11.8	8.9	17.5	18.6	11.9	8.9	18.1	19.3
District of Columbia	20.8	10.8	22.9	23.7	21.0	7.2	24.1	24.3	19.3	11.6	21.0	21.3	21.2	7.5	24.3	24.1
Virginia	11.5	9.3	17.6	19.2	12.1	9.9	18.3	19.6	11.9	9.6	18.3	20.0	12.8	10.7	18.7	20.1
West Virginia	10.7	10.4	18.2	20.6	11.0	10.8	15.2	16.1	10.9	10.7	16.6	17.7	11.4	11.4	12.6	14.2
North Carolina	11.8	9.4	17.0	17.8	12.4	9.9	17.9	18.8	13.2	10.5	19.0	19.6	13.7	10.8	19.7	20.6
South Carolina	14.2	9.6	21.4	21.8	14.7	11.0	20.2	20.7	15.0	11.3	20.5	20.9	16.1	11.9	22.2	22.7
Georgia	12.7	9.5	18.5	19.0	12.9	10.0	18.2	18.5	13.4	9.9	19.5	19.8	12.7	9.6	17.9	18.2
Florida	11.3	9.2	17.2	17.8	10.8	8.5	17.7	18.4	12.2	9.9	18.5	19.3	12.8	10.1	20.4	21.1
East South Central:																
Kentucky	11.2	10.3	19.7	20.5	11.5	10.9	17.3	18.4	11.6	11.0	16.5	18.1	12.0	11.4	16.9	18.3
Tennessee	11.4	8.9	19.4	20.2	11.8	9.8	18.5	18.9	12.8	10.7	19.8	20.3	12.0	10.1	18.7	19.3
Alabama	12.6	10.4	16.8	17.0	12.9	9.7	18.9	19.2	13.1	10.3	18.3	18.5	13.8	10.3	20.0	20.4
Mississippi	13.7	9.3	18.7	18.9	14.4	10.0	19.2	19.5	15.1	10.7	19.8	20.0	15.4	10.4	20.9	20.8
West South Central:																
Arkansas	11.6	10.9	13.8	14.2	10.9	9.2	16.0	16.7	10.7	9.1	15.3	15.6	10.1	8.0	16.1	16.9
Louisiana	11.9	8.6	16.7	17.2	12.1	8.9	16.9	17.4	13.5	9.8	19.3	19.9	13.0	9.4	18.7	19.2
Oklahoma	10.9	10.8	11.0	18.5	11.0	11.1	10.6	14.8	10.9	10.7	11.3	14.9	12.3	12.3	12.3	16.8
Texas	9.8	9.0	14.0	15.5	10.5	9.7	14.4	15.8	11.1	10.4	14.7	16.3	10.9	10.0	15.2	16.6
Mountain:																
Montana	10.3	9.8	13.9	13.2	8.8	8.9	8.3	29.0	9.0	8.6	11.8	28.2	10.1	10.2	9.4	14.5
Idaho	10.4	10.5	7.3	-	9.8	9.8	7.8	11.2	10.8	10.7	14.5	43.0	9.9	10.2	3.0	9.1
Wyoming	12.2	12.2	11.5	9.9	11.1	11.2	8.4	9.4	9.8	9.9	7.9	9.2	9.8	9.9	9.5	18.5
Colorado	9.4	9.1	13.2	15.9	10.2	9.9	12.5	17.0	10.0	10.0	10.7	15.5	9.1	9.1	8.9	12.4
New Mexico	10.6	10.6	10.7	14.4	9.6	9.4	10.6	7.8	10.0	9.8	11.2	12.6	11.3	11.2	11.5	12.3
Arizona	9.7	9.4	11.3	12.4	9.5	8.8	13.2	16.9	9.5	8.9	12.3	20.7	9.3	9.1	10.3	9.5
Utah	9.6	9.7	7.7	3.3	9.1	9.0	10.9	14.9	8.8	8.9	7.1	6.6	11.0	11.0	10.9	25.2
Nevada	8.5	8.7	7.3	11.7	10.5	10.5	10.6	15.2	10.7	10.4	12.0	17.9	10.2	9.7	13.1	18.5
Pacific:																
Washington	10.7	10.9	9.5	12.6	10.2	9.9	12.4	21.3	9.5	9.2	11.6	18.5	10.6	10.5	11.9	16.9
Oregon	9.9	9.7	11.4	17.3	9.9	10.0	8.4	12.1	9.6	9.6	10.1	16.3	10.5	10.4	11.9	13.3
California	9.5	9.2	11.0	16.3	9.4	9.1	10.6	15.6	9.7	9.4	11.0	16.7	9.9	9.6	10.8	15.9
Alaska	10.8	9.6	13.8	20.5	11.2	9.3	16.1	15.6	12.4	10.7	16.5	21.0	11.1	9.5	14.9	18.0
Hawaii	8.8	7.5	9.3	20.0	9.9	7.7	10.6	17.7	9.4	10.3	9.1	11.3	8.8	8.9	8.7	15.9

1 Rate based on less than 20 infant deaths.

SECTION 2 - INFANT MORTALITY - PAGE 9

Table 2-9. Neonatal Mortality Rates by Race: United States, Each Division and State, 1982-85

[Rates are deaths under 28 days per 1,000 live births in specified group]

Division and State	1985				1984				1983				1982			
	All races	White	All other		All races	White	All other		All races	White	All other		All races	White	All other	
			Total	Black			Total	Black			Total	Black			Total	Black
United States	7.0	6.1	10.3	12.1	7.0	6.2	10.2	11.8	7.3	6.4	10.8	12.4	7.7	6.8	11.3	13.1
Geographic divisions:																
New England	6.7	6.2	11.8	14.6	6.4	6.1	9.7	11.3	6.8	6.4	11.6	14.0	7.7	7.3	11.7	14.4
Middle Atlantic	7.4	6.6	10.4	11.5	7.4	6.6	10.3	11.2	7.8	6.9	11.3	12.2	8.3	7.4	11.7	12.6
East North Central	7.3	6.2	12.6	13.6	7.4	6.3	12.7	13.7	7.7	6.7	12.8	13.7	8.3	7.0	14.4	15.5
West North Central	5.9	5.7	8.3	9.8	6.0	5.6	9.1	11.3	6.4	6.0	9.7	11.7	6.7	6.3	10.2	11.9
South Atlantic	8.2	6.3	12.6	13.3	8.2	6.6	12.0	12.5	8.4	6.6	12.6	13.1	9.1	7.1	13.7	14.3
East South Central	7.9	6.2	12.2	12.5	8.2	6.8	12.0	12.3	8.4	7.2	11.6	11.8	8.7	7.1	12.9	13.2
West South Central	6.6	5.9	8.9	10.0	6.9	6.2	9.4	10.4	7.2	6.4	10.0	11.1	7.2	6.5	9.9	10.8
Mountain	5.7	5.6	6.2	9.0	5.7	5.6	6.0	8.5	5.6	5.5	6.4	10.3	6.1	6.3	4.7	8.2
Pacific	5.9	5.8	6.4	10.0	5.8	5.6	6.5	9.8	6.1	5.8	7.0	11.1	6.2	6.1	6.7	9.9
New England:																
Maine	6.5	6.6	-	-	5.1	5.0	9.0	9.7	5.9	5.9	9.3	20.6	6.2	6.2	3.0	10.5
New Hampshire	6.3	6.3	6.6	14.9	7.1	7.1	7.4	18.9	5.8	5.8	8.3	21.1	8.6	8.7	4.2	9.9
Vermont	5.4	5.4	-	-	5.5	5.5	-	-	6.2	6.1	15.2	43.5	6.1	6.2	-	-
Massachusetts	6.5	6.0	11.0	14.0	6.1	5.9	7.6	8.8	6.4	6.1	9.9	12.1	7.6	7.2	10.7	13.7
Rhode Island	6.0	5.9	6.7	8.6	7.0	6.7	9.1	10.3	9.1	8.7	11.9	16.4	8.0	7.6	11.7	12.3
Connecticut	7.8	6.6	15.1	16.6	7.5	6.6	12.7	14.2	7.8	6.8	13.7	15.3	8.6	7.7	14.0	15.8
Middle Atlantic:																
New York	7.4	6.6	9.6	10.6	7.5	6.9	9.1	10.0	7.8	7.0	10.4	11.4	8.5	7.6	11.2	12.0
New Jersey	7.2	6.3	10.4	11.8	7.5	6.8	10.2	11.0	7.8	6.6	11.7	12.3	8.2	7.1	11.9	12.6
Pennsylvania	7.6	6.7	12.8	13.5	7.2	6.1	13.7	14.6	7.9	6.9	13.6	14.4	8.2	7.4	13.1	14.1
East North Central:																
Ohio	6.7	6.1	10.3	10.9	6.8	6.1	10.7	11.1	7.7	6.8	12.5	13.1	7.9	7.1	12.7	13.2
Indiana	7.5	6.7	13.1	13.8	7.1	6.6	11.3	12.3	7.5	7.2	10.2	11.0	7.7	6.9	13.4	14.3
Illinois	8.0	6.4	13.0	14.0	8.1	6.6	12.8	13.8	8.2	6.7	12.9	13.8	9.3	7.7	14.8	15.9
Michigan	7.8	6.2	14.9	16.0	8.1	6.4	15.6	16.9	8.0	6.4	15.0	16.2	8.7	6.9	17.0	18.4
Wisconsin	5.6	5.2	9.4	11.6	6.3	5.8	10.8	12.2	6.3	6.1	8.5	9.4	6.2	5.8	10.5	12.5
West North Central:																
Minnesota	5.4	5.4	5.9	10.0	5.5	5.5	5.5	9.6	6.2	6.2	7.0	12.2	5.9	5.8	7.8	10.6
Iowa	5.9	5.8	7.9	6.6	5.9	5.9	7.0	10.4	5.6	5.5	9.6	12.9	6.3	6.2	9.4	13.6
Missouri	6.5	5.8	10.1	10.2	6.4	5.5	11.0	11.5	7.2	6.1	12.6	13.3	7.5	6.6	12.0	12.6
North Dakota	5.4	5.3	6.3	6.9	4.5	4.5	3.9	7.6	6.1	5.9	7.5	7.4	6.8	6.6	8.8	15.5
South Dakota	5.4	5.4	5.0	-	5.5	5.0	7.8	9.9	5.8	5.3	8.6	-	7.0	6.3	10.9	11.5
Nebraska	6.2	5.9	10.0	11.0	6.2	5.9	9.4	11.8	6.5	6.5	7.1	9.0	6.9	6.7	9.4	8.2
Kansas	6.0	5.8	7.2	9.2	6.5	6.0	10.3	11.8	6.1	6.0	6.7	7.2	6.9	6.7	9.0	11.0
South Atlantic:																
Delaware	10.6	8.6	17.0	17.5	7.6	6.1	12.2	12.8	6.8	4.8	12.6	12.6	10.3	8.7	15.8	16.1
Maryland	8.2	6.0	12.5	13.5	8.1	6.7	11.0	11.8	8.1	6.0	12.4	13.3	8.4	6.3	12.8	13.7
District of Columbia	15.9	8.0	17.6	18.2	16.0	5.0	18.5	18.7	14.1	11.1	14.8	15.1	15.6	3.5	18.3	18.2
Virginia	8.1	6.5	12.4	13.6	8.7	7.2	12.8	13.6	8.3	6.4	13.6	14.8	9.3	7.6	14.0	15.0
West Virginia	7.3	7.0	13.7	15.5	7.1	7.0	10.4	10.7	7.0	6.9	10.5	11.8	7.2	7.1	9.5	10.6
North Carolina	7.8	6.1	11.4	12.1	8.1	6.7	11.2	11.8	8.7	7.0	12.4	12.7	9.5	7.2	14.3	15.2
South Carolina	10.0	6.6	15.4	15.6	9.8	7.8	12.8	13.1	9.8	7.1	13.8	14.1	10.7	8.1	14.5	14.9
Georgia	8.6	6.6	12.3	12.7	8.7	6.6	12.5	12.7	9.0	6.8	12.9	13.2	8.3	6.5	11.5	11.7
Florida	7.4	6.0	11.4	11.8	6.9	5.7	10.5	10.9	7.7	6.4	11.2	11.6	9.0	7.2	14.1	14.6
East South Central:																
Kentucky	7.5	6.8	13.6	14.2	7.4	6.9	11.8	12.5	7.9	7.7	9.9	10.9	7.8	7.4	11.5	12.3
Tennessee	7.5	5.5	14.2	14.8	8.0	6.4	13.1	13.5	8.4	7.0	12.9	13.4	8.0	6.6	12.7	13.1
Alabama	8.3	7.0	10.8	11.0	8.7	6.9	12.1	12.2	8.3	6.9	10.9	10.9	9.2	7.4	12.6	12.9
Mississippi	8.4	5.5	11.7	11.9	9.0	7.0	11.2	11.4	9.3	7.0	11.7	11.8	10.2	6.9	13.7	13.7
West South Central:																
Arkansas	7.1	6.7	8.2	8.5	6.9	5.7	10.3	10.8	6.2	5.6	7.9	7.9	5.8	4.8	8.6	9.0
Louisiana	7.7	5.9	10.4	10.7	8.0	5.9	11.2	11.6	8.0	6.6	12.6	13.0	8.4	6.3	11.7	11.9
Oklahoma	6.8	6.8	6.9	12.1	7.0	7.2	6.5	9.2	6.8	6.8	6.9	9.4	7.4	7.4	7.5	10.8
Texas	6.2	5.7	8.5	9.5	6.6	6.2	8.7	9.7	6.9	6.4	9.4	10.6	7.0	6.5	9.5	10.3
Mountain:																
Montana	5.0	4.8	6.6	13.2	4.5	4.6	3.6	-	4.3	4.0	6.2	-	6.5	6.8	4.7	14.5
Idaho	6.3	6.5	2.9	-	5.0	5.0	6.2	11.2	5.8	5.8	6.5	32.3	6.3	6.4	1.5	9.1
Wyoming	6.4	6.4	5.7	9.9	7.1	7.0	8.4	9.4	5.1	5.0	5.9	9.2	5.9	5.9	5.7	9.3
Colorado	5.5	5.2	8.2	9.2	5.8	5.6	8.1	10.3	5.9	5.7	7.8	10.7	5.7	5.6	6.0	8.4
New Mexico	6.3	6.3	5.9	8.6	6.0	6.2	4.8	1.6	5.5	5.5	5.8	8.4	6.6	6.9	4.7	6.8
Arizona	5.9	5.9	6.2	9.7	5.7	5.6	5.8	8.3	5.8	5.7	6.7	12.5	5.7	6.1	3.7	6.5
Utah	5.4	5.5	4.1	3.3	5.6	5.4	7.8	14.9	5.4	5.4	5.1	3.3	6.8	6.9	3.6	10.8
Nevada	4.8	4.5	5.9	9.1	6.0	6.1	5.5	7.6	5.8	5.8	5.6	7.6	6.3	6.1	7.0	10.7
Pacific:																
Washington	6.2	6.3	5.2	8.0	5.4	5.3	6.4	12.6	5.4	5.4	5.6	9.9	6.0	6.0	6.2	10.5
Oregon	5.3	5.2	6.2	9.2	4.8	4.9	3.2	5.5	5.4	5.4	4.9	9.2	6.2	6.2	6.1	7.1
California	6.0	5.8	6.6	10.1	6.0	5.8	6.5	9.7	6.2	6.0	7.3	11.3	8.3	8.1	6.9	10.0
Alaska	5.1	5.1	5.0	10.3	5.7	4.7	8.2	9.8	6.6	5.8	8.4	15.2	6.5	6.0	7.6	10.0
Hawaii	5.8	5.8	5.9	14.5	6.5	5.2	7.0	8.3	6.3	7.0	6.1	6.3	5.7	5.4	5.8	8.6

1 Rate based on less than 20 neonatal deaths.

SECTION 2 - INFANT MORTALITY - PAGE 10

Table 2-10. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1985

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix. Rates are infant (under 1 year) and neonatal (under 28 days) deaths per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
50 largest U.S. SMSA's	19,383	10.9	12,900	7.2					
Anaheim-Santa Ana-Garden Grove, Calif	309	8.4	214	5.8	Detroit, Mich	786	12.8	556	9.0
Orange	309	8.4	214	5.8	Lapeer	12	11.5	7	6.7
Atlanta, Ga	400	10.6	271	7.2	Livingston	9	6.4	4	2.8
Butts	2	9.0	2	9.0	Macomb	91	9.6	66	7.0
Cherokee	17	13.3	12	9.4	Oakland	151	10.4	117	8.1
Clayton	28	10.3	19	7.0	St. Clair	23	11.0	16	7.6
Cobb	51	8.7	34	5.8	Wayne	500	15.1	346	10.4
De Kalb	89	11.6	67	8.7	Fort Lauderdale-Hollywood, Fla	176	12.0	119	8.1
Douglas	9	8.8	6	5.9	Broward	176	12.0	119	8.1
Fayette	5	8.6	4	6.9	Greensboro-Winston-Salem-High Point, N.C	137	12.0	98	8.6
Forsyth	3	5.5	1	1.8	Davidson	16	10.0	7	4.4
Fulton	136	13.3	89	8.7	Forsyth	51	14.7	34	9.8
Gwinnett	36	7.9	24	5.3	Guilford	53	12.3	45	10.4
Henry	4	5.9	2	2.9	Randolph	12	9.2	8	6.1
Newton	5	7.3	4	5.9	Stokes	3	7.3	2	4.8
Paulding	4	8.1	2	4.0	Yadkin	2	6.0	2	6.0
Rockdale	6	9.7	4	6.5					
Walton	5	9.2	1	1.8	Hartford-New Britain-Bristol, Conn	171	11.7	136	9.3
Baltimore, Md	410	12.0	282	8.3	Hartford	131	11.8	104	9.3
Anne Arundel	61	10.1	38	6.3	Middlesex	19	10.9	14	8.0
Baltimore	78	9.0	59	6.8	Tolland	21	12.5	18	10.7
Baltimore city	222	17.0	152	11.6	Houston, Tex	634	9.6	407	6.2
Carroll	12	7.0	9	5.2	Brazoria	22	6.3	13	3.7
Harford	22	9.8	14	6.2	Fort Bend	27	6.9	22	5.6
Howard	15	6.5	10	4.4	Harris	547	10.0	347	6.4
Birmingham, Ala	181	14.0	133	10.3	Liberty	15	16.1	10	10.8
Jefferson	146	14.5	110	10.9	Montgomery	19	6.6	12	4.2
St. Clair	13	19.3	10	14.8	Waller	4	12.6	3	9.4
Shelby	14	10.8	8	6.2	Indianapolis, Ind	250	12.9	177	9.2
Walker	8	9.1	5	5.7	Boone	8	14.7	5	9.2
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	498	9.5	358	6.8	Hamilton	9	7.0	8	6.2
Essex	85	8.7	61	6.3	Hancock	5	9.3	3	5.6
Middlesex	154	8.3	107	5.8	Hendricks	10	10.5	8	8.4
Norfolk	60	7.8	45	5.9	Johnson	11	9.4	7	6.0
Plymouth	50	7.7	35	5.4	Marion	195	14.5	139	10.3
Suffolk	149	14.7	110	10.8	Morgan	8	10.5	7	9.2
Buffalo, N.Y.	162	9.7	111	6.6	Shelby	4	6.6	-	-
Erie	140	10.3	99	7.3	Kansas City, Mo.-Kans	231	10.2	134	5.9
Niagara	22	6.9	12	3.8	Cass, Mo	9	10.2	6	6.8
Chicago, Ill	1,525	12.7	1,030	8.6	Clay, Mo	14	6.6	7	3.5
Cook	1,214	14.0	814	9.4	Jackson, Mo	121	11.3	70	6.3
Du Page	89	7.5	66	5.6	Platte, Mo	10	13.1	5	6.5
Kane	53	9.7	41	7.5	Ray, Mo	4	12.3	2	6.2
Lake	87	11.0	60	7.6	Johnson, Kans	35	7.5	22	4.7
McHenry	23	9.2	15	6.0	Wyandotte, Kans	38	12.0	22	7.0
Will	59	11.5	34	6.6	Los Angeles-Long Beach, Calif	1,619	10.3	1,060	6.8
Cincinnati, Ohio-Ky.-Ind	258	11.1	168	7.3	Los Angeles	1,619	10.3	1,060	6.8
Clermont, Ohio	20	8.6	13	5.6	Louisville, Ky.-Ind	135	10.8	89	7.1
Hamilton, Ohio	164	11.5	110	7.7	Bullitt, Ky	3	4.8	2	3.2
Warren, Ohio	12	7.8	10	6.5	Jefferson, Ky	115	12.0	77	8.1
Boone, Ky	9	10.8	2	2.4	Oldham, Ky	1	3.0	1	3.0
Campbell, Ky	15	11.4	8	6.1	Clark, Ind	16	13.7	9	7.7
Kenton, Ky	33	14.2	22	9.5	Floyd, Ind	-	-	-	-
Dearborn, Ind	5	9.6	3	5.7	Memphis, Tenn.-Ark.-Miss	266	16.1	197	11.9
Cleveland, Ohio	281	10.6	188	7.1	Shelby, Tenn	229	16.3	171	12.2
Cuyahoga	245	11.7	162	7.7	Tipton, Tenn	9	15.2	7	11.8
Geauga	7	6.1	6	5.2	Crittenden, Ark	16	16.6	10	10.4
Lake	15	5.3	11	3.9	De Soto, Miss	12	13.7	9	10.2
Medina	14	8.6	9	5.5	Miami, Fla	288	10.2	192	6.8
Columbus, Ohio	185	10.3	116	6.4	Dade	288	10.2	192	6.8
Delaware	9	11.5	7	9.0	Milwaukee, Wis	225	10.1	138	6.2
Fairfield	13	10.0	8	6.1	Milwaukee	187	11.5	113	6.9
Franklin	154	10.4	94	6.3	Ozaukee	7	7.3	5	5.2
Madison	5	10.3	4	8.2	Washington	11	8.0	8	5.8
Pickaway	4	6.4	3	4.8	Waukesha	20	5.4	12	3.2
Dallas-Fort Worth, Tex	726	10.4	484	6.9	Minneapolis-St. Paul, Minn.-Wis	314	8.3	198	5.2
Collin	24	8.4	21	5.6	Anoka, Minn	40	10.6	26	6.9
Dallas	375	10.6	244	6.9	Carver, Minn	6	7.6	3	3.8
Denton	32	7.3	17	3.9	Chisago, Minn	3	7.0	1	2.3
Ellis	9	7.0	4	3.1	Dakota, Minn	39	9.7	24	6.0
Hood	2	5.7	1	2.9	Hennepin, Minn	129	8.1	84	5.3
Johnson	20	14.2	14	10.0	Ramsey, Minn	56	6.8	36	4.4
Kaufman	10	11.7	8	9.4	Scott, Minn	8	8.8	4	4.4
Parker	6	7.1	4	4.7	Washington, Minn	16	7.9	13	6.5
Rockwall	2	5.5	2	5.5	Wright, Minn	7	6.5	5	4.7
Tarrant	242	11.8	165	8.0	St. Croix, Wis	10	13.4	2	2.7
Wise	4	7.0	4	7.0	Nashville-Davidson, Tenn	150	11.2	88	6.5
Dayton, Ohio	135	10.9	89	7.2	Cheatham	3	9.2	1	3.1
Greene	20	11.7	17	9.9	Davidson	91	11.7	52	6.7
Miami	13	9.9	6	4.6	Dickson	7	15.0	4	8.5
Montgomery	98	11.1	63	7.1	Robertson	6	11.2	4	7.4
Preble	4	7.0	3	5.3	Rutherford	18	12.8	13	9.2
Denver-Boulder, Colo	307	9.8	179	5.7	Sumner	10	8.3	5	4.2
Adams	45	8.6	26	5.0	Williamson	10	10.7	7	7.5
Arapahoe	54	8.4	32	5.0	Wilson	5	6.1	2	2.5
Boulder	37	11.1	19	5.7	Nassau-Suffolk, N.Y.	319	9.7	231	7.0
Denver	108	12.1	67	7.5	Nassau	143	9.4	100	6.6
Douglas	9	13.3	4	5.9	Suffolk	176	10.0	131	7.4
Gilpin	-	-	-	-					
Jefferson	54	8.1	31	4.6					

SECTION 2 - INFANT MORTALITY - PAGE 11

Table 2-10. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix. Rates are infant (under 1 year) and neonatal (under 28 days) deaths per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
New Orleans, La	288	13.2	195	8.9	Rochester, N.Y.	119	7.8	79	5.2
Jefferson	80	10.2	51	6.5	Livingston	2	2.5	1	1.2
Orleans	173	16.4	115	10.9	Monroe	94	8.5	63	5.7
St. Bernard	7	6.5	7	6.5	Ontario	9	6.9	6	4.6
St. Tammany	28	11.5	22	9.1	Orleans	5	8.1	4	6.5
New York, N.Y.-N.J.	1,670	12.0	1,131	8.1	Wayne	9	6.2	5	3.4
New York City, N.Y.	1,461	12.8	979	8.6	Sacramento, Calif.	155	8.0	88	4.5
Bronx	288	13.1	193	8.8	Placer	9	4.6	6	3.1
Kings	613	14.8	410	9.9	Sacramento	138	8.9	77	5.0
New York	234	12.1	152	7.9	Yolo	8	4.1	5	2.6
Queens	273	10.4	183	7.0	St. Louis, Mo.-Ill.	412	10.5	283	7.2
Richmond	53	10.5	41	8.1	Franklin, Mo.	14	10.9	9	7.0
Putnam, N.Y.	7	6.0	2	1.7	Jefferson, Mo.	22	8.0	10	3.6
Rockland, N.Y.	32	8.6	20	5.4	St. Charles, Mo.	24	7.7	20	6.4
Westchester, N.Y.	99	9.2	79	7.3	St. Louis, Mo.	116	8.1	92	6.4
Bergen, N.J.	71	7.5	51	5.4	St. Louis city, Mo.	136	16.2	84	10.0
Newark, N.J.	324	12.0	224	8.3	Clinton, Ill.	4	8.2	2	4.1
Essex	199	16.2	139	11.3	Madison, Ill.	39	10.8	28	7.7
Morris	46	8.7	32	6.1	Monroe, Ill.	2	6.9	2	6.9
Somerset	12	4.5	9	3.3	St. Clair, Ill.	55	11.3	36	7.4
Union	67	10.0	44	6.6	Salt Lake City-Ogden, Utah	219	9.6	116	5.1
Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	261	15.6	188	11.2	Davis	29	7.8	16	4.3
Chesapeake city, Va.	28	12.4	20	8.8	Salt Lake	149	9.8	77	5.0
Norfolk city, Va.	99	17.8	65	11.7	Tooele	6	11.9	3	5.9
Portsmouth city, Va.	35	18.2	26	13.5	Weber	35	10.7	20	6.1
Suffolk city, Va.	16	21.7	12	16.3	San Antonio, Tex.	251	10.5	143	6.0
Virginia Beach city, Va.	79	13.0	63	10.3	Bexar	234	10.5	134	6.0
Currituck, N.C.	4	22.7	2	11.4	Comal	4	5.8	2	2.9
Oklahoma City, Okla.	206	12.4	136	8.2	Guadalupe	13	13.6	7	7.3
Canadian	8	6.2	6	4.6	San Diego, Calif.	328	8.8	209	5.6
Cleveland	23	9.5	14	5.8	San Diego	328	8.8	209	5.6
McClain	6	16.9	4	11.3	San Francisco-Oakland, Calif.	472	9.1	282	5.4
Oklahoma	160	13.8	108	9.3	Alameda	206	10.5	128	6.5
Pottawatomie	9	9.4	4	4.2	Contra Costa	78	7.2	50	4.6
Philadelphia, Pa.-N.J.	913	12.7	625	8.7	Marin	14	5.5	6	2.3
Bucks, Pa.	54	7.5	36	5.0	San Francisco	84	8.6	43	4.4
Chester, Pa.	45	9.2	28	5.7	San Mateo	90	9.7	55	5.9
Delaware, Pa.	78	10.0	61	7.8	San Jose, Calif.	196	8.1	120	5.0
Montgomery, Pa.	89	10.1	62	7.0	Santa Clara	196	8.1	120	5.0
Philadelphia, Pa.	465	17.4	317	11.9	Seattle-Everett, Wash.	270	10.3	152	5.8
Burlington, N.J.	56	10.4	38	7.1	King	198	10.0	117	5.9
Camden, N.J.	98	12.2	62	7.7	Snohomish	72	11.0	35	5.4
Gloucester, N.J.	28	8.6	21	6.5	Tampa-St. Petersburg, Fla.	284	12.1	198	8.4
Phoenix, Ariz.	323	9.6	200	5.9	Hillsborough	169	13.7	114	9.2
Maricopa	323	9.6	200	5.9	Pasco	26	11.0	16	6.8
Pittsburgh, Pa.	315	11.7	229	8.5	Pinellas	89	10.1	68	7.7
Allegheny	227	12.7	168	9.4	Washington, D.C.-Md.-Va.	656	12.4	467	8.8
Beaver	26	11.0	15	6.3	District of Columbia	205	20.8	157	15.9
Washington	22	9.0	18	7.4	Charles, Md.	16	11.2	10	7.0
Westmoreland	40	9.1	28	6.3	Montgomery, Md.	88	8.9	56	5.6
Portland, Oreg.-Wash.	168	8.5	90	4.6	Prince Georges, Md.	173	15.1	128	11.0
Clackamas, Oreg.	31	9.4	19	5.8	Alexandria city, Va.	24	11.9	18	8.9
Multnomah, Oreg.	79	9.1	44	5.1	Arlington, Va.	18	7.3	16	6.5
Washington, Oreg.	33	7.6	13	3.0	Fairfax, Va.	78	7.9	45	4.5
Clark, Wash.	25	7.6	14	4.2	Fairfax city, Va.	2	4.9	1	2.4
Providence-Warwick-Pawtucket, R.I.	98	8.3	74	6.2	Falls Church city, Va.	0	0	0	0
Bristol	3	5.3	1	1.8	Loudoun, Va.	11	9.0	10	8.2
Kent	14	7.3	10	5.2	Manassas city, Va.	9	20.2	6	13.5
Providence	67	8.4	52	6.5	Manassas Park city, Va.	1	7.2	-	-
Washington	14	10.1	11	7.9	Prince William, Va.	31	9.5	22	6.7
Riverside-San Bernardino-Ontario, Calif.	377	10.2	228	6.2					
Riverside	151	8.7	98	6.3					
San Bernardino	226	10.6	130	6.1					

SECTION 2 - INFANT MORTALITY - PAGE 12

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985

Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
United States	40,030	3,994	10,968	2,801	1,574	989	612	494	433	21,865	2,010	1,291	1,013	26,179
Male	22,958	2,189	6,240	1,634	924	591	351	292	263	12,484	1,167	735	562	14,948
Female	17,072	1,805	4,728	1,167	650	398	261	202	170	9,381	843	556	451	11,231
White	27,864	2,786	7,313	1,998	1,152	718	459	354	317	15,097	1,486	954	696	18,233
Male	16,218	1,536	4,201	1,192	689	424	260	214	193	8,709	887	553	387	10,536
Female	11,646	1,250	3,112	806	463	294	199	140	124	6,388	599	401	309	7,697
All other	12,166	1,208	3,655	803	422	271	153	140	116	6,768	524	337	317	7,946
Male	6,740	653	2,039	442	235	167	91	78	70	3,775	280	182	175	4,412
Female	5,426	555	1,616	361	187	104	62	62	46	2,993	244	155	142	3,534
Black	11,063	1,107	3,431	725	390	246	135	129	102	6,265	477	308	290	7,340
Male	6,127	605	1,916	400	215	150	82	73	61	3,502	251	169	153	4,075
Female	4,936	502	1,515	325	175	96	53	56	41	2,763	226	139	137	3,265
Alabama	752	69	180	60	33	19	15	9	13	398	49	28	21	496
Male	432	36	104	39	21	13	10	5	9	237	31	15	13	296
Female	320	33	76	21	12	6	5	4	4	161	18	13	8	200
White	405	40	99	35	17	10	10	5	7	223	25	16	9	273
Male	230	17	56	18	12	8	8	3	3	125	19	7	7	158
Female	175	23	43	17	5	2	2	2	4	98	6	9	2	115
All other	347	29	81	25	16	9	5	5	6	175	24	12	12	223
Male	202	19	48	21	9	5	2	2	6	112	12	8	6	138
Female	145	10	33	4	7	4	3	3	4	63	12	4	6	85
Black	344	29	80	25	16	9	5	5	6	174	24	12	12	222
Male	201	19	47	21	9	5	2	2	6	111	12	8	6	137
Female	143	10	33	4	7	4	3	2	4	63	12	4	6	85
Alaska	139	17	17	4	5	3	-	3	-	49	6	5	5	65
Male	90	8	11	4	3	3	-	2	-	31	5	5	4	45
Female	49	9	6	-	2	-	-	1	-	18	1	-	1	20
White	87	15	10	3	4	1	-	2	-	35	3	4	4	46
Male	59	6	6	3	3	1	-	1	-	20	3	4	4	31
Female	28	9	4	-	1	-	-	1	-	15	-	-	-	15
All other	52	2	7	1	1	2	-	1	-	14	3	1	1	19
Male	31	2	5	1	-	2	-	1	-	11	2	1	-	14
Female	21	-	2	-	1	-	-	-	-	3	1	-	1	5
Black	12	-	2	-	1	1	-	1	-	5	-	-	1	6
Male	6	-	1	-	-	1	-	1	-	3	-	-	-	3
Female	6	-	1	-	1	-	-	-	-	2	-	-	1	3
Arizona	577	46	147	40	21	14	8	7	6	289	26	18	19	352
Male	352	29	87	25	13	8	7	5	6	180	18	15	17	230
Female	225	17	60	15	8	6	1	2	-	109	8	3	2	122
White	469	36	122	34	19	12	8	7	5	243	21	16	13	293
Male	292	24	71	21	11	7	7	5	5	151	14	13	11	189
Female	177	12	51	13	8	5	1	2	-	92	7	3	2	104
All other	108	10	25	6	2	2	-	-	1	46	5	2	6	59
Male	60	5	16	4	2	1	-	-	1	29	4	2	6	41
Female	48	5	9	2	-	1	-	-	-	17	1	-	-	18
Black	32	7	8	3	1	-	-	-	-	19	2	2	2	25
Male	20	4	5	3	1	-	-	-	-	13	2	2	2	19
Female	12	3	3	-	-	-	-	-	-	6	-	-	-	6
Arkansas	409	31	91	22	9	17	7	5	5	187	28	23	11	249
Male	229	14	54	11	6	13	4	4	3	109	18	15	4	146
Female	180	17	37	11	3	4	3	1	2	78	10	8	7	103
White	290	26	61	15	6	11	4	3	4	130	24	17	7	178
Male	171	13	36	10	4	9	3	2	2	79	15	11	1	106
Female	119	13	25	5	2	2	1	1	2	51	9	6	6	72
All other	119	5	30	7	3	6	3	2	1	57	4	6	4	71
Male	58	1	18	1	2	4	1	2	1	30	3	4	3	40
Female	61	4	12	6	1	2	2	-	-	27	1	2	1	31
Black	117	5	29	7	3	6	3	2	1	56	4	6	4	70
Male	58	1	18	1	2	4	1	2	1	30	3	4	3	40
Female	59	4	11	6	1	2	2	-	-	26	1	2	1	30
California	4,490	390	936	485	181	123	78	61	53	2,307	238	157	118	2,820
Male	2,574	214	511	278	107	78	40	40	30	1,298	135	89	66	1,588
Female	1,916	176	425	207	74	45	38	21	23	1,009	103	68	52	1,232
White	3,394	293	682	384	142	99	60	49	35	1,744	190	129	92	2,155
Male	1,962	168	382	217	83	59	31	33	19	992	113	76	48	1,229
Female	1,432	125	300	167	59	40	29	16	16	752	77	53	44	926
All other	1,096	97	254	101	39	24	18	12	18	563	48	28	26	665
Male	612	46	129	61	24	19	9	7	11	306	22	13	18	359
Female	484	51	125	40	15	5	9	5	7	257	26	15	8	306
Black	757	69	192	72	24	15	12	9	10	403	30	18	18	469
Male	417	33	99	43	14	12	6	6	5	218	12	10	11	251
Female	340	36	93	29	10	3	6	3	5	185	18	8	7	218
Colorado	519	65	112	36	14	11	9	8	9	264	15	11	12	302
Male	295	38	56	27	10	8	7	4	6	156	6	5	7	174
Female	224	27	56	9	4	3	2	4	3	108	9	6	5	128
White	458	51	99	31	14	11	9	8	9	232	13	10	9	264
Male	265	29	50	25	10	8	7	4	6	139	5	5	5	154
Female	193	22	49	6	4	3	2	4	3	93	8	5	4	110
All other	61	14	13	5	-	-	-	-	-	32	2	1	3	38
Male	30	9	6	2	-	-	-	-	-	17	1	-	2	20
Female	31	5	7	3	-	-	-	-	-	15	1	1	1	18
Black	45	13	5	4	-	-	-	-	-	22	1	1	2	26
Male	21	9	1	2	-	-	-	-	-	12	-	-	1	13
Female	24	4	4	2	-	-	-	-	-	10	1	1	1	13

SECTION 2 - INFANT MORTALITY - PAGE 13

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
United States	3,474	2,870	2,047	1,400	1,015	782	612	470	443	395	343
Male	2,030	1,710	1,214	826	582	447	354	249	214	196	188
Female	1,444	1,160	833	574	433	335	258	221	229	199	155
White	2,346	2,041	1,465	984	694	539	431	314	307	264	246
Male	1,406	1,229	886	577	417	316	258	167	147	137	142
Female	940	812	579	407	277	223	173	147	160	127	104
All other	1,128	829	582	416	321	243	181	156	136	131	97
Male	624	481	328	249	165	131	96	82	67	59	46
Female	504	348	254	167	156	112	85	74	69	72	51
Black	1,008	727	508	365	289	212	161	133	120	116	84
Male	556	421	295	221	150	109	82	67	59	51	41
Female	452	306	213	144	139	103	79	66	61	65	43
Alabama	70	61	30	24	20	8	10	11	11	9	2
Male	36	30	16	18	12	5	5	3	4	6	1
Female	34	31	14	6	8	3	5	8	7	3	1
White	43	24	13	11	11	5	6	6	9	2	2
Male	24	13	8	6	5	5	4	2	3	1	1
Female	19	11	5	5	6	—	2	4	6	1	1
All other	27	37	17	13	9	3	4	5	2	7	—
Male	12	17	8	12	7	—	1	1	1	5	—
Female	15	20	9	1	2	3	3	4	1	2	—
Black	25	37	17	13	9	3	4	5	2	7	—
Male	12	17	8	12	7	—	1	1	1	5	—
Female	13	20	9	1	2	3	3	4	1	2	—
Alaska	14	18	13	8	1	5	5	2	3	1	4
Male	8	13	5	5	—	4	5	2	1	—	2
Female	6	5	8	3	1	1	—	—	2	1	2
White	8	12	5	4	—	4	3	1	1	1	2
Male	5	10	4	2	—	3	3	1	—	—	2
Female	3	2	1	2	—	1	—	—	1	1	2
All other	6	6	8	4	1	1	2	1	2	—	2
Male	3	3	1	3	—	1	2	1	—	—	2
Female	3	3	7	1	1	—	—	—	1	—	—
Black	2	3	1	—	—	—	—	—	—	—	—
Male	1	2	—	—	—	—	—	—	—	—	—
Female	1	1	1	—	—	—	—	—	—	—	—
Arizona	48	52	25	22	17	17	16	7	6	8	7
Male	30	31	10	11	6	11	7	5	2	4	5
Female	18	21	15	11	11	6	9	2	4	4	2
White	38	43	19	15	12	14	13	6	5	5	6
Male	26	26	9	9	6	9	6	4	1	3	4
Female	12	17	10	6	6	5	7	2	4	2	2
All other	10	9	6	7	5	3	3	1	1	3	1
Male	4	5	1	2	—	2	1	1	1	1	1
Female	6	4	5	5	5	1	2	—	—	2	—
Black	2	1	1	—	1	—	1	—	1	—	—
Male	—	—	—	—	—	—	—	—	—	—	—
Female	2	1	1	—	1	—	1	—	—	—	—
Arkansas	46	34	24	15	10	6	10	5	6	4	—
Male	21	18	13	12	7	1	4	4	2	1	—
Female	25	16	11	3	3	5	6	1	4	3	—
White	29	26	18	12	6	5	7	2	4	3	—
Male	15	15	12	10	3	1	4	2	2	1	—
Female	14	11	6	2	3	4	3	—	2	2	—
All other	17	8	6	3	4	1	3	3	2	1	—
Male	6	3	1	2	4	—	—	2	—	—	—
Female	11	5	5	1	—	1	3	1	2	1	—
Black	17	8	5	3	4	1	3	3	2	1	—
Male	6	3	1	2	4	—	—	2	—	—	—
Female	11	5	4	1	—	1	3	1	2	1	—
California	422	354	277	170	121	92	59	37	50	47	41
Male	257	205	167	108	68	53	30	26	22	28	22
Female	165	149	110	62	53	39	29	11	28	19	19
White	303	268	212	125	93	63	45	25	37	34	34
Male	184	150	131	76	53	42	21	18	16	23	19
Female	119	118	81	49	40	21	24	7	21	11	15
All other	119	86	65	45	28	29	14	12	13	13	7
Male	73	55	36	32	15	11	9	8	6	5	3
Female	46	31	29	13	13	18	5	4	7	8	4
Black	80	53	44	33	16	19	10	10	9	10	4
Male	48	32	26	22	9	6	6	7	4	3	3
Female	32	21	18	11	7	13	4	3	5	7	1
Colorado	46	52	28	31	15	14	11	3	5	6	6
Male	27	30	17	15	7	7	6	—	4	6	2
Female	19	22	11	16	8	7	5	3	1	—	4
White	40	50	25	29	11	12	10	2	4	6	5
Male	24	28	16	15	6	5	5	—	4	6	2
Female	16	22	9	14	5	7	5	2	—	—	3
All other	6	2	3	2	4	2	1	1	1	—	1
Male	3	—	—	—	1	—	—	—	—	—	—
Female	3	—	2	2	3	—	—	1	1	—	1
Black	4	2	3	1	4	2	1	1	—	—	—
Male	1	2	1	—	1	2	—	—	—	—	—
Female	3	—	2	1	3	—	—	1	—	—	1

SECTION 2 - INFANT MORTALITY - PAGE 14

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Connecticut	438	56	166	37	17	13	7	4	2	302	23	9	9	343
Male	241	32	95	19	6	6	3	2	-	163	11	7	4	185
Female	197	24	71	18	11	7	4	2	2	139	12	2	5	158
White	322	41	111	29	17	10	6	3	2	219	18	8	6	251
Male	173	23	64	13	6	5	2	1	-	114	9	6	3	132
Female	149	18	47	16	11	5	4	2	2	105	9	2	3	119
All other	116	15	55	8	-	3	1	1	-	83	5	1	3	92
Male	68	9	31	6	-	1	1	1	-	49	2	1	1	53
Female	48	6	24	2	-	2	-	-	-	34	3	-	2	39
Black	112	13	54	8	-	3	1	1	-	80	5	1	3	89
Male	66	8	31	6	-	1	1	1	-	48	2	1	1	52
Female	46	5	23	2	-	2	-	-	-	32	3	-	2	37
Delaware	142	10	56	13	6	3	2	2	1	93	5	2	2	102
Male	80	4	34	8	3	1	-	2	1	53	4	1	1	59
Female	62	6	22	5	3	2	2	1	-	40	1	1	1	43
White	85	8	34	8	5	2	1	1	1	60	3	-	-	63
Male	47	3	22	4	3	1	1	1	1	35	2	-	-	37
Female	38	5	12	4	2	1	-	-	-	25	1	-	-	26
All other	57	2	22	5	1	1	1	-	-	33	2	2	2	39
Male	33	1	12	4	-	-	-	1	-	18	1	1	1	22
Female	24	1	10	1	-	-	-	-	-	15	-	1	1	17
Black	56	2	21	5	1	1	1	1	-	32	2	2	2	38
Male	33	1	12	4	1	1	-	1	-	18	2	1	1	22
Female	23	1	9	1	1	1	1	-	-	14	-	1	1	16
District of Columbia	205	18	85	12	9	6	1	3	4	138	9	8	2	157
Male	125	10	50	6	5	5	-	2	2	80	8	5	1	94
Female	80	8	35	6	4	1	1	1	2	58	1	3	1	63
White	19	3	7	1	-	-	-	-	2	13	1	-	-	14
Male	14	1	6	1	-	-	-	-	1	9	1	-	-	10
Female	5	2	1	-	-	-	-	-	1	4	-	-	-	4
All other	186	15	78	11	9	6	1	3	2	125	8	8	2	143
Male	111	9	44	5	5	5	-	2	1	71	7	5	1	84
Female	75	6	34	6	4	1	1	1	1	54	1	3	1	59
Black	185	15	77	11	9	6	1	3	2	124	8	8	2	142
Male	111	9	44	5	5	5	-	2	1	71	7	5	1	84
Female	74	6	33	6	4	1	1	1	1	53	1	3	1	58
Florida	1,847	162	519	104	80	46	31	24	27	993	91	67	57	1,208
Male	1,053	89	299	60	43	28	16	17	18	570	50	34	31	685
Female	794	73	220	44	37	18	15	7	9	423	41	33	26	523
White	1,129	93	313	64	48	31	26	13	18	606	53	38	37	734
Male	659	49	179	36	27	18	14	12	11	346	33	17	23	419
Female	470	44	134	28	21	13	12	1	7	260	20	21	14	315
All other	718	69	206	40	32	15	5	11	9	387	38	29	20	474
Male	394	40	120	24	16	10	2	5	7	224	17	17	8	266
Female	324	29	86	16	16	5	3	6	2	163	21	12	12	208
Black	707	68	203	39	32	15	5	10	9	381	37	28	20	466
Male	389	39	118	24	16	10	2	5	7	221	17	17	8	263
Female	318	29	85	15	16	5	3	5	2	160	20	11	12	203
Georgia	1,222	139	391	56	44	21	17	11	13	692	64	39	34	829
Male	672	63	206	34	26	9	12	5	10	365	37	17	20	439
Female	550	76	185	22	18	12	5	6	3	327	27	22	14	390
White	587	66	179	34	23	10	11	6	7	336	31	22	17	406
Male	327	31	100	21	12	6	7	2	4	183	20	11	7	221
Female	260	35	79	13	11	4	4	3	3	153	11	11	10	185
All other	635	73	212	22	21	11	6	5	6	356	33	17	17	423
Male	345	32	106	13	14	3	5	3	6	182	17	6	13	218
Female	290	41	106	9	7	8	1	2	1	174	16	11	4	205
Black	630	73	211	22	21	11	6	5	6	355	32	17	17	421
Male	343	32	105	13	14	3	5	3	6	181	17	6	13	217
Female	287	41	106	9	7	8	1	2	-	174	15	11	4	204
Hawaii	162	20	49	8	2	4	4	1	-	88	5	8	6	107
Male	88	7	31	5	1	3	1	-	-	48	3	3	3	57
Female	74	13	18	3	1	1	3	1	-	40	2	5	3	50
White	35	2	15	-	-	2	1	-	-	20	2	4	1	27
Male	17	-	8	-	-	1	-	-	-	9	-	2	-	11
Female	18	2	7	-	-	1	1	-	-	11	2	2	1	16
All other	127	18	34	8	2	2	3	1	-	68	3	4	5	80
Male	71	7	23	5	1	2	1	-	-	39	3	1	3	46
Female	56	11	11	3	1	-	2	1	-	29	-	3	2	34
Black	18	3	7	-	1	-	-	-	-	11	1	1	-	13
Male	9	1	4	-	-	-	-	-	-	5	1	-	-	6
Female	9	2	3	-	1	-	-	-	-	6	-	1	-	7
Idaho	183	24	31	16	11	6	2	1	3	94	9	5	3	111
Male	114	15	18	10	7	3	1	1	1	56	5	4	3	68
Female	69	9	13	6	4	3	1	-	2	38	4	1	-	43
White	178	24	30	16	11	6	2	1	3	93	9	5	2	109
Male	111	15	17	10	7	3	1	1	1	55	5	4	2	66
Female	67	9	13	6	4	3	1	-	2	38	4	1	-	43
All other	5	-	1	-	-	-	-	-	-	1	-	-	1	2
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 15

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Connecticut	26	13	13	12	7	6	1	4	7	4	2
Male	18	8	9	7	4	4	1	2	3	-	-
Female	8	5	4	5	3	2	-	2	4	4	-
White	16	11	10	6	7	6	1	3	5	4	2
Male	11	8	7	3	4	4	1	1	2	-	-
Female	5	3	3	3	3	2	-	2	3	4	2
All other	10	2	3	6	-	-	-	1	2	-	-
Male	7	-	2	4	-	-	-	1	1	-	-
Female	3	2	1	2	-	-	-	-	1	-	-
Black	10	2	2	6	-	-	-	1	2	-	-
Male	7	-	1	4	-	-	-	1	1	-	-
Female	3	2	1	2	-	-	-	-	1	-	-
Delaware	15	11	4	1	3	-	1	2	2	1	-
Male	9	5	2	1	2	-	1	1	-	-	-
Female	6	6	2	-	1	-	-	1	2	1	-
White	7	5	3	1	2	-	-	1	2	1	-
Male	4	2	2	1	1	-	-	-	-	-	-
Female	3	3	1	-	1	-	-	1	2	1	-
All other	8	6	1	-	1	-	1	1	-	-	-
Male	5	3	-	-	1	-	1	1	-	-	-
Female	3	3	1	-	-	-	-	-	-	-	-
Black	3	3	1	-	1	-	1	1	-	-	-
Male	3	3	1	-	1	-	1	1	-	-	-
Female	3	3	1	-	-	-	-	-	-	-	-
District of Columbia	13	6	2	6	5	3	4	3	2	1	3
Male	12	2	-	3	3	2	3	2	2	-	2
Female	1	4	2	3	2	1	1	1	-	1	1
White	-	1	-	1	-	1	1	-	-	-	1
Male	-	1	-	-	-	1	1	-	-	-	1
Female	-	-	-	1	-	-	-	-	-	-	-
All other	13	5	2	5	5	2	3	3	2	1	2
Male	12	1	-	3	3	1	2	2	2	-	1
Female	1	4	2	2	2	1	1	1	-	1	1
Black	13	5	2	5	5	2	3	3	2	1	2
Male	12	1	-	3	3	1	2	2	2	-	1
Female	1	4	2	2	2	1	1	1	-	1	1
Florida	165	111	93	76	37	27	43	24	26	21	16
Male	100	67	55	44	20	14	25	12	13	9	9
Female	65	44	38	32	17	13	18	12	13	12	7
White	100	75	63	47	22	14	25	12	13	15	9
Male	66	45	36	28	14	7	18	6	7	7	6
Female	34	30	27	19	8	7	7	6	6	8	3
All other	65	36	30	29	15	13	18	12	13	6	7
Male	34	22	19	16	6	7	7	6	6	2	3
Female	31	14	11	13	9	6	11	6	7	4	4
Black	64	35	30	29	15	13	18	12	12	6	7
Male	34	21	19	16	6	7	7	6	5	2	3
Female	30	14	11	13	9	6	11	6	7	4	4
Georgia	101	84	55	36	28	29	16	9	12	11	12
Male	68	52	30	21	21	15	11	3	3	3	6
Female	33	32	25	15	7	14	5	6	9	8	6

SECTION 2 - INFANT MORTALITY - PAGE 16

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Illinois		2,123	231	654	144	77	53	35	22	21	1,237	90	64	50	1,441
Male		1,218	129	394	88	46	30	19	13	10	729	54	33	23	839
Female		905	102	260	56	31	23	16	9	11	508	36	31	27	602
White		1,284	163	399	84	45	34	22	15	13	775	54	36	28	893
Male		758	91	242	57	28	19	12	8	8	465	34	21	15	535
Female		526	72	157	27	17	15	10	7	5	310	20	15	13	358
All other		839	68	255	60	32	19	13	7	8	462	36	28	22	548
Male		460	38	152	31	18	11	7	5	2	264	20	12	8	304
Female		379	30	103	29	14	8	6	2	6	198	16	16	14	244
Black		828	67	253	59	32	18	13	7	8	457	35	28	22	542
Male		456	37	151	31	18	10	7	5	2	261	20	12	8	301
Female		372	30	102	28	14	8	6	2	6	196	15	16	14	241
Indiana		883	107	225	64	39	29	18	12	11	505	49	23	27	604
Male		517	60	126	38	24	19	11	7	9	294	29	11	16	350
Female		366	47	99	26	15	10	7	5	2	211	20	12	11	254
White		714	89	173	50	30	24	14	10	10	400	41	20	22	483
Male		421	51	94	35	18	15	7	6	8	234	25	10	14	283
Female		293	38	79	15	12	9	7	4	2	166	16	10	8	200
All other		169	18	52	14	9	5	4	2	1	105	8	3	5	121
Male		96	9	32	3	6	4	4	1	1	60	4	1	2	67
Female		73	9	20	11	3	1	1	1	1	45	4	2	3	54
Black		166	18	50	14	9	4	4	2	1	102	8	3	5	118
Male		93	9	30	3	6	3	4	1	1	57	4	1	2	64
Female		73	9	20	11	3	1	1	1	1	45	4	2	3	54
Iowa		391	42	99	27	15	3	7	3	6	202	15	19	7	243
Male		204	17	61	15	10	2	3	3	3	111	5	9	1	126
Female		187	25	38	12	5	1	4	3	3	91	10	10	6	117
White		372	39	94	25	15	3	5	3	5	189	15	19	7	230
Male		196	17	57	14	10	2	3	3	3	106	5	9	1	121
Female		176	22	37	11	5	1	2	3	2	83	10	10	6	109
All other		19	3	5	2	1	1	2	1	1	13	1	1	1	13
Male		8	1	4	1	1	1	1	1	1	5	1	1	1	8
Female		11	3	1	1	1	1	2	1	1	8	1	1	1	5
Black		13	1	3	1	1	1	1	1	1	7	1	1	1	7
Male		6	1	2	1	1	1	1	1	1	3	1	1	1	3
Female		7	1	1	1	1	1	1	1	1	4	1	1	1	4
Kansas		369	40	99	23	12	6	5	5	2	192	25	13	7	237
Male		212	31	52	15	8	3	3	4	1	117	13	6	5	141
Female		157	9	47	8	4	3	2	1	1	75	12	7	2	96
White		317	35	83	21	11	6	5	5	2	168	21	10	6	205
Male		186	28	46	15	7	3	3	4	1	107	12	5	5	129
Female		131	7	37	6	4	3	2	1	1	61	9	5	1	76
All other		52	5	16	2	1	1	1	1	1	24	4	3	1	32
Male		26	3	6	1	1	1	1	1	1	10	1	1	1	12
Female		26	2	10	2	1	1	1	1	1	14	3	2	1	20
Black		47	4	15	2	1	1	1	1	1	22	4	3	1	30
Male		23	2	6	1	1	1	1	1	1	9	1	1	1	11
Female		24	2	9	2	1	1	1	1	1	13	3	2	1	19
Kentucky		594	57	175	40	25	21	12	4	3	337	26	15	18	396
Male		370	37	98	23	17	11	8	4	3	201	19	10	11	241
Female		224	20	77	17	8	10	4	1	1	136	7	5	7	155
White		493	45	135	37	23	20	11	3	3	277	22	14	13	326
Male		308	32	76	20	16	10	7	3	3	167	16	9	8	200
Female		185	13	59	17	7	10	4	1	1	110	6	5	5	126
All other		101	12	40	3	2	1	1	1	1	60	4	1	5	70
Male		62	5	22	3	1	1	1	1	1	34	3	1	3	41
Female		39	7	18	1	1	1	1	1	1	26	1	1	2	29
Black		96	11	39	3	2	1	1	1	1	58	4	1	3	68
Male		60	4	21	3	1	1	1	1	1	32	3	1	3	39
Female		38	7	18	1	1	1	1	1	1	26	1	1	2	29
Louisiana		968	80	265	81	32	20	10	14	9	511	53	30	35	629
Male		525	42	151	46	13	11	5	5	4	277	29	20	17	343
Female		443	38	114	35	19	9	5	9	5	234	24	10	18	286
White		418	34	103	50	17	7	5	6	3	225	28	19	14	286
Male		236	18	64	30	7	3	1	3	1	127	16	11	9	163
Female		182	16	39	20	10	4	4	3	2	98	12	8	5	123
All other		550	46	162	31	15	13	5	8	6	286	25	11	21	343
Male		289	24	87	16	6	8	4	2	3	150	13	9	8	180
Female		261	22	75	15	9	5	1	6	3	136	12	2	13	163
Black		540	45	159	31	15	12	5	8	6	281	25	11	21	338
Male		284	24	86	16	6	7	4	2	3	148	13	9	8	178
Female		256	21	73	15	9	5	1	6	3	133	12	2	13	160
Maine		154	15	49	18	8	1	1	1	1	92	9	4	5	110
Male		85	6	29	12	4	1	1	1	1	53	4	2	4	63
Female		69	9	20	6	4	1	1	1	1	39	5	2	1	47
White		153	15	49	18	8	1	1	1	1	92	9	4	5	110
Male		84	6	29	12	4	1	1	1	1	53	4	2	4	63
Female		69	9	20	6	4	1	1	1	1	39	5	2	1	47
All other		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Male		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Black		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Male		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female		1	1	1	1	1	1	1	1	1	1	1	1	1	1

SECTION 2 - INFANT MORTALITY - PAGE 17

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Illinois	204	126	89	56	46	46	36	28	20	21	10
Male	115	68	58	33	20	27	20	14	9	7	8
Female	89	58	31	23	26	19	16	14	11	14	2
White	113	76	52	32	23	28	23	19	12	8	5
Male	58	46	32	20	13	16	13	12	5	3	5
Female	55	30	20	12	10	12	10	7	7	5	-
All other	91	50	37	24	23	18	13	9	8	13	5
Male	57	22	26	13	7	11	7	2	4	4	3
Female	34	28	11	11	16	7	6	7	4	9	2
Black	90	49	36	23	23	17	13	9	8	13	5
Male	57	22	25	13	7	11	7	2	4	4	3
Female	33	27	11	10	16	6	6	7	4	9	2
Indiana	69	57	38	30	16	17	11	11	10	9	11
Male	40	34	27	21	10	10	6	4	6	4	5
Female	29	23	11	9	6	7	5	7	6	6	8
White	53	49	34	27	14	13	9	10	6	4	8
Male	32	30	25	18	9	6	5	3	3	4	5
Female	21	19	9	9	5	7	4	1	4	1	3
All other	16	8	4	3	2	4	2	1	3	-	2
Male	8	4	2	3	1	4	1	-	1	1	1
Female	8	4	2	-	1	-	-	-	-	-	3
Black	16	8	4	3	2	4	2	1	4	1	3
Male	8	4	2	3	1	4	1	1	3	-	2
Female	8	4	2	-	1	-	1	-	1	1	1
Iowa	32	36	22	18	8	10	6	1	6	5	4
Male	13	23	13	8	5	4	4	1	4	1	2
Female	19	13	9	10	3	6	2	-	2	4	2
White	30	35	22	17	7	10	6	1	6	5	3
Male	11	23	13	7	5	4	4	1	4	1	2
Female	19	12	9	10	2	6	2	-	2	4	1
All other	2	1	-	1	1	-	-	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-
Female	-	1	-	-	1	-	-	-	-	-	1
Black	2	1	-	1	1	-	-	-	-	-	1
Male	2	-	-	1	-	-	-	-	-	-	-
Female	-	1	-	-	1	-	-	-	-	-	1
Kansas	34	36	22	11	10	4	5	2	2	2	4
Male	19	20	10	7	6	4	3	1	-	-	1
Female	15	16	12	4	4	-	2	1	2	2	3
White	28	30	21	9	8	4	4	2	2	-	1
Male	13	16	10	6	4	4	2	1	1	1	2
Female	15	14	11	3	4	-	1	-	2	1	1
All other	6	6	1	2	2	-	1	-	-	-	-
Male	6	4	-	1	2	-	1	-	-	-	1
Female	-	2	1	1	-	-	-	-	-	1	1
Black	6	5	-	2	2	-	-	-	-	-	1
Male	6	3	-	1	2	-	-	-	-	1	-
Female	-	2	-	-	-	-	-	-	-	-	-
Kentucky	49	37	30	18	20	8	10	10	6	4	6
Male	38	25	25	8	13	4	6	3	3	2	2
Female	11	12	5	10	7	4	4	3	3	2	4
White	45	31	26	15	16	6	8	8	5	4	3
Male	35	20	21	7	11	4	5	1	2	2	3
Female	10	11	5	8	5	2	3	7	3	-	3
All other	4	6	4	3	4	2	2	2	1	-	2
Male	3	5	4	1	2	-	1	-	-	-	3
Female	1	1	-	2	2	2	1	-	-	-	3
Black	4	6	4	2	4	2	2	2	1	-	1
Male	4	5	4	1	2	-	1	2	1	-	2
Female	1	1	-	1	2	-	1	-	-	-	1
Louisiana	78	78	41	33	20	28	13	22	12	6	8
Male	35	42	22	23	11	17	6	10	7	3	6
Female	43	36	19	10	9	11	7	12	5	3	2
White	31	25	22	15	5	8	6	8	5	2	4
Male	15	16	8	10	2	6	3	3	5	1	1
Female	16	9	14	5	3	2	3	5	7	4	3
All other	47	53	19	18	15	20	7	14	7	2	2
Male	20	26	14	13	9	11	4	7	5	2	1
Female	27	27	5	5	6	9	7	14	7	3	2
Black	47	50	19	18	15	20	7	14	7	2	1
Male	20	24	14	13	9	11	3	7	5	1	1
Female	27	26	5	5	6	9	4	7	2	-	-
Maine	8	8	9	6	4	3	2	2	2	-	-
Male	3	2	5	3	2	2	2	2	1	-	-
Female	5	6	4	3	2	1	-	-	1	-	-
White	8	8	8	6	4	3	2	2	2	-	-
Male	3	2	4	3	2	1	-	-	1	-	-
Female	5	6	4	3	-	-	-	-	-	-	-
All other	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 18

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Maryland	808	99	262	53	24	12	12	10	9	481	34	22	19	556
Male	465	65	147	30	9	7	4	8	7	277	19	10	8	314
Female	343	34	115	23	15	5	8	2	2	204	15	12	11	242
White	411	47	113	22	14	10	10	6	4	226	20	14	13	273
Male	251	33	66	15	5	4	7	3	1	137	14	6	7	164
Female	160	14	47	7	9	6	3	3	3	89	6	8	6	109
All other	397	52	149	31	10	2	2	4	5	255	14	8	6	283
Male	214	32	81	15	4	1	1	2	1	140	5	4	1	150
Female	183	20	68	16	6	1	1	2	4	115	9	4	5	133
Black	385	50	146	31	10	2	2	3	5	249	13	8	6	276
Male	206	30	80	15	4	1	1	1	4	136	4	4	1	145
Female	179	20	66	16	6	1	1	2	1	113	9	4	5	131
Massachusetts	743	64	259	45	24	16	14	16	10	448	44	23	20	535
Male	414	34	142	21	15	11	6	6	6	241	28	20	13	302
Female	329	30	117	24	9	5	8	10	4	207	16	3	7	233
White	606	53	211	38	23	12	13	12	7	369	39	21	16	445
Male	340	27	117	19	14	7	6	5	3	198	27	18	9	252
Female	266	26	94	19	9	5	7	7	4	171	12	3	7	193
All other	137	11	48	7	1	4	1	4	3	79	5	2	4	90
Male	74	7	25	2	1	4	—	1	3	43	1	2	4	50
Female	63	4	23	5	—	—	1	3	—	36	4	—	—	40
Black	126	9	48	6	1	4	—	3	3	74	5	2	4	85
Male	70	6	25	2	1	4	—	1	3	42	1	2	4	49
Female	56	3	23	4	—	—	—	2	—	32	4	—	—	36
Michigan	1,572	147	548	86	52	37	20	13	10	913	71	43	43	1,070
Male	925	75	315	57	31	26	12	7	4	527	45	28	27	627
Female	647	72	233	29	21	11	8	6	6	386	26	15	16	443
White	1,053	98	326	64	35	31	11	12	9	586	55	30	28	699
Male	610	48	184	44	20	20	7	6	4	333	32	20	15	400
Female	443	50	142	20	15	11	4	6	5	253	23	10	13	299
All other	519	49	222	22	17	6	9	1	1	327	16	13	15	371
Male	315	27	131	13	11	6	5	1	—	194	13	8	12	227
Female	204	22	91	9	6	—	4	—	1	133	3	5	3	144
Black	508	49	217	22	17	6	8	1	1	321	15	12	15	363
Male	310	27	129	13	11	6	4	1	—	191	12	8	12	223
Female	198	22	88	9	6	—	4	—	1	130	3	4	3	140
Minnesota	594	66	152	28	30	13	7	5	7	308	24	21	13	366
Male	351	33	87	15	16	10	4	2	5	172	14	7	8	201
Female	243	33	65	13	14	3	3	3	2	136	10	14	5	165
White	546	56	141	28	29	13	7	5	6	285	21	18	12	336
Male	318	27	79	15	15	10	4	2	5	157	12	7	7	183
Female	228	29	62	13	14	3	3	3	1	128	9	11	5	153
All other	48	10	11	—	1	—	—	—	—	23	3	3	1	30
Male	33	6	8	—	—	—	—	—	—	15	2	—	1	18
Female	15	4	3	—	—	—	—	—	—	8	1	3	—	12
Black	31	4	7	—	—	—	—	—	1	16	2	1	1	20
Male	20	5	4	—	—	—	—	—	—	9	1	—	1	11
Female	11	3	3	—	—	—	—	—	1	7	1	1	—	9
Mississippi	596	54	132	31	37	15	7	15	11	302	29	23	13	367
Male	346	31	73	19	17	7	5	10	8	170	17	14	11	212
Female	250	23	59	12	20	8	2	5	3	132	12	9	2	155
White	213	18	45	11	18	1	—	4	3	100	18	6	3	127
Male	124	12	24	7	11	—	—	3	3	60	10	5	2	77
Female	89	6	21	4	7	1	—	1	—	40	8	1	1	50
All other	383	36	87	20	19	14	7	11	8	202	11	17	10	240
Male	222	19	49	12	6	7	5	7	5	110	7	9	9	135
Female	161	17	38	8	13	7	2	4	3	92	4	8	1	105
Black	379	35	87	20	19	14	7	11	8	201	11	17	10	239
Male	220	19	49	12	6	7	5	7	5	110	7	9	9	135
Female	159	16	38	8	13	7	2	4	3	91	4	8	1	104
Missouri	789	67	239	55	31	9	6	14	3	424	35	24	17	500
Male	456	38	143	27	16	2	5	9	2	242	16	14	13	285
Female	333	29	96	28	15	7	1	5	1	182	19	10	4	215
White	578	50	168	41	24	8	5	9	3	308	28	20	14	370
Male	346	28	107	20	12	1	4	7	2	181	14	12	11	218
Female	232	22	61	21	12	7	1	2	1	127	14	8	3	152
All other	211	17	71	14	7	1	1	5	—	116	7	4	3	130
Male	110	10	36	7	4	1	1	2	—	61	2	2	2	67
Female	101	7	35	7	3	—	—	3	—	55	5	2	1	63
Black	203	16	66	12	7	1	1	5	—	108	7	4	3	122
Male	108	9	35	7	4	1	1	2	—	59	2	2	2	65
Female	95	7	31	5	3	—	—	3	—	49	5	2	1	57
Montana	139	12	20	12	5	5	1	3	4	62	5	1	—	68
Male	77	4	11	4	4	5	—	1	2	31	1	1	—	33
Female	62	8	9	8	1	—	1	2	2	31	4	—	—	35
White	116	8	18	10	4	5	1	3	3	52	4	1	—	57
Male	67	4	11	3	3	5	—	1	1	29	1	—	—	31
Female	49	4	7	7	1	—	—	—	—	23	3	—	—	26
All other	23	4	2	2	1	—	—	2	1	10	—	—	—	11
Male	10	—	1	1	—	—	—	—	—	2	—	—	—	2
Female	13	4	2	1	—	—	—	—	1	8	—	—	—	9
Black	1	—	—	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—	—	1

SECTION 2 - INFANT MORTALITY - PAGE 19

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con

Table 2-11. Deaths under 1 year, by Age, Race, and Sex. United States and Each State, 1968											
Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Maryland	62	56	31	22	14	20	6	10	12	10	9
Male	45	36	18	13	8	9	1	6	6	3	6
Female	17	20	13	9	6	11	5	4	6	7	3
White	34	32	20	12	8	7	3	5	8	4	5
Male	23	22	11	8	5	4	1	4	4	1	4
Female	11	10	9	4	3	3	2	1	4	3	1
All other	28	24	11	10	6	13	3	5	4	6	4
Male	22	14	7	5	3	5	-	2	2	2	2
Female	6	10	4	5	3	8	3	3	2	4	2
Black	27	23	10	10	6	12	3	4	4	6	4
Male	21	13	7	5	3	5	-	1	2	2	2
Female	6	10	3	5	3	7	3	3	2	4	2
Massachusetts	46	48	24	27	16	8	11	9	9	4	6
Male	22	28	14	10	10	6	7	3	5	2	5
Female	24	20	10	17	6	2	4	6	4	1	1
White	31	39	19	22	14	7	8	7	7	-	6
Male	15	23	11	10	9	5	5	5	4	1	1
Female	16	16	8	12	5	2	3	2	2	-	-
All other	15	9	5	5	2	1	3	1	2	2	-
Male	7	5	3	1	1	1	2	1	1	1	-
Female	8	4	2	5	1	-	-	-	-	-	-
Black	15	7	4	4	2	-	3	1	2	3	-
Male	7	4	2	1	1	-	2	1	2	2	-
Female	8	3	2	4	1	-	1	-	-	1	-
Michigan	128	103	81	42	41	23	15	21	17	19	12
Male	73	66	52	27	23	13	8	13	11	6	6
Female	55	37	29	15	18	10	7	8	6	13	6
White	88	73	54	34	26	23	10	14	11	14	7
Male	51	44	33	21	16	13	5	9	6	6	6
Female	37	29	21	13	10	10	5	5	5	8	1
All other	40	30	27	8	15	-	5	7	6	5	5
Male	22	22	19	6	7	-	3	4	5	-	-
Female	18	8	8	2	8	-	2	3	1	5	5
Black	39	30	25	8	15	-	5	7	6	5	5
Male	22	22	18	6	7	-	3	4	5	5	5
Female	17	8	7	2	8	-	2	3	1	-	-
Minnesota	40	48	37	31	17	21	12	6	3	3	10
Male	26	31	22	22	16	13	8	3	2	1	6
Female	14	17	15	9	1	8	-	3	1	2	4
White	34	46	36	27	13	21	12	3	3	1	10
Male	21	29	22	18	12	13	8	6	2	2	6
Female	13	17	14	9	1	8	4	3	1	4	4
All other	6	2	1	4	4	-	-	-	-	-	-
Male	5	2	-	4	4	-	-	-	1	-	-
Female	1	-	1	-	-	-	-	-	-	-	-
Black	3	1	1	4	2	-	-	-	-	-	-
Male	2	1	-	4	2	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-
Mississippi	58	45	31	22	22	9	13	12	2	7	8
Male	31	35	15	15	12	4	7	9	1	3	2
Female	27	10	16	6	10	5	6	3	-	4	6
White	20	18	12	3	8	5	6	5	3	3	3
Male	9	12	8	3	4	2	4	3	-	2	3
Female	11	6	4	3	4	3	2	2	-	1	3
All other	38	27	19	16	14	4	7	7	2	4	1
Male	22	23	7	12	8	2	3	6	1	1	3
Female	16	4	12	4	6	2	4	1	1	3	5
Black	36	26	19	16	14	4	7	7	2	4	2
Male	20	23	7	12	8	2	3	6	1	1	3
Female	16	3	12	4	6	2	4	1	-	-	-
Missouri	68	67	46	22	22	19	12	8	10	6	9
Male	35	45	28	11	14	13	6	5	4	2	8
Female	33	22	18	11	8	6	7	3	6	4	1
White	51	51	30	15	13	15	5	8	5	5	7
Male	26	36	18	8	9	11	2	3	4	3	6
Female	25	15	12	7	4	4	5	-	4	1	2
All other	17	16	16	7	9	4	1	-	-	-	2
Male	9	9	10	3	5	2	4	-	2	1	2
Female	8	7	6	4	4	2	1	-	4	1	2
Black	17	16	16	7	9	5	1	-	2	-	2
Male	9	9	10	3	4	2	4	-	2	1	-
Female	8	7	6	4	5	2	-	-	-	-	-
Montana	24	12	13	4	2	3	3	2	2	6	-
Male	17	6	7	2	1	3	3	1	1	3	-
Female	7	6	6	2	1	-	-	1	1	3	-
White	21	10	10	2	2	2	3	2	1	6	-
Male	15	5	5	-	1	2	3	1	-	3	-
Female	6	2	4	2	1	-	-	-	-	-	-
All other	3	1	1	2	-	1	-	-	-	-	-
Male	2	1	2	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 20

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Nebraska	246	30	50	21	10	4	5	4	1	125	18	8	8	159
Male	144	17	34	13	4	4	2	1	-	75	11	1	3	90
Female	102	13	16	8	6	-	3	3	1	50	7	7	5	69
White	212	26	43	19	10	3	4	3	1	109	16	7	7	139
Male	121	13	27	13	4	3	1	1	-	62	10	1	3	76
Female	91	13	16	6	6	-	3	2	1	47	6	6	4	63
All other	34	4	7	2	-	1	1	1	-	16	2	1	1	20
Male	23	4	7	-	-	1	1	-	-	13	1	1	-	14
Female	11	-	-	2	-	-	-	1	-	3	1	-	1	6
Black	24	1	6	2	-	1	1	1	-	12	2	-	-	15
Male	15	1	6	-	-	1	1	-	-	9	1	-	-	10
Female	9	-	-	2	-	-	-	1	-	3	1	-	1	5
Nevada	130	7	34	3	6	5	2	-	1	58	10	3	2	73
Male	89	5	20	1	4	3	1	-	-	34	8	3	1	46
Female	41	2	14	2	2	2	1	-	1	24	2	-	1	27
White	110	4	26	3	6	5	2	-	1	47	7	2	1	57
Male	77	3	15	1	4	3	1	-	-	27	6	2	1	36
Female	33	1	11	2	2	2	-	-	1	20	1	-	-	21
All other	20	3	8	-	-	-	-	-	-	11	3	1	1	16
Male	12	2	5	-	-	-	-	-	-	7	2	1	-	10
Female	8	1	3	-	-	-	-	-	-	4	1	-	1	6
Black	18	3	6	-	-	-	-	-	-	11	2	1	-	14
Male	11	2	5	-	-	-	-	-	-	7	1	1	-	9
Female	7	1	3	-	-	-	-	-	-	4	1	-	-	5
New Hampshire	144	19	45	5	10	3	-	-	-	82	5	8	3	98
Male	91	10	31	3	8	2	-	-	-	54	2	6	-	62
Female	53	9	14	2	2	1	-	-	-	28	3	2	3	36
White	140	19	44	5	10	3	-	-	-	81	4	8	3	96
Male	89	10	31	3	8	2	-	-	-	54	1	6	-	61
Female	51	9	13	2	2	1	-	-	-	27	3	2	3	35
All other	4	-	1	-	-	-	-	-	-	1	1	-	-	2
Male	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Female	2	-	1	-	-	-	-	-	-	1	-	-	-	1
Black	4	-	1	-	-	-	-	-	-	1	1	-	-	2
Male	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Female	2	-	1	-	-	-	-	-	-	1	-	-	-	1
New Jersey	1,119	116	321	76	54	27	21	9	9	633	66	36	29	764
Male	614	64	169	44	29	17	9	3	7	342	33	20	18	413
Female	505	52	152	32	25	10	12	6	2	291	33	16	11	351
White	723	74	220	49	37	19	13	5	9	426	51	24	16	517
Male	415	38	119	28	24	12	7	3	7	238	28	13	10	289
Female	308	36	101	21	13	7	6	2	2	188	23	11	6	228
All other	396	42	101	27	17	8	8	4	-	207	15	12	13	247
Male	199	26	50	16	5	5	2	-	-	104	5	7	8	124
Female	197	16	51	11	12	3	6	4	-	103	10	5	5	123
Black	386	41	98	27	17	8	8	4	-	203	15	12	13	243
Male	193	25	48	16	5	5	2	-	-	101	5	7	8	121
Female	193	16	50	11	12	3	6	4	-	102	10	5	5	122
New Mexico	295	32	67	24	10	8	6	3	3	153	12	7	2	174
Male	180	18	37	14	7	4	5	1	3	89	8	5	1	103
Female	115	14	30	10	3	4	1	2	3	64	4	2	1	71
White	243	27	53	17	9	8	5	3	3	125	11	7	2	145
Male	146	15	27	12	6	4	4	1	3	72	7	5	1	85
Female	97	12	26	5	3	4	1	2	-	53	4	2	1	60
All other	52	5	14	7	1	-	1	-	-	28	1	-	-	29
Male	34	3	10	2	1	-	1	-	-	17	1	-	-	18
Female	18	2	4	5	-	-	-	-	-	11	-	-	-	11
Black	10	3	3	-	-	-	-	-	-	6	-	-	-	6
Male	7	2	3	-	-	-	-	-	-	5	-	-	-	5
Female	3	1	-	-	-	-	-	-	-	1	-	-	-	1
New York	2,791	290	804	232	134	100	49	29	30	1,668	116	74	54	1,912
Male	1,578	155	452	137	78	60	27	15	16	940	74	42	28	1,084
Female	1,213	135	352	95	56	40	22	14	14	728	42	32	26	828
White	1,813	200	532	148	91	69	32	21	24	1,117	73	47	36	1,273
Male	1,029	109	298	90	52	41	18	10	12	630	48	27	17	722
Female	784	91	234	58	39	28	14	11	12	487	25	20	19	551
All other	978	90	272	84	43	31	17	8	6	551	43	27	18	639
Male	549	46	154	47	26	19	9	5	4	310	26	15	11	362
Female	429	44	118	37	17	12	8	3	2	241	17	12	7	277
Black	925	87	263	78	40	30	16	7	5	526	42	25	18	611
Male	520	46	149	43	26	18	9	4	3	298	26	13	11	348
Female	405	41	114	35	14	12	7	3	2	228	16	12	7	263
North Carolina	1,051	127	326	60	29	25	14	14	8	603	46	24	22	695
Male	589	66	170	37	19	12	10	8	6	328	32	14	10	384
Female	462	61	156	23	10	13	4	6	2	275	14	10	12	311
White	582	68	166	36	16	13	9	7	6	321	27	18	13	379
Male	330	31	86	22	12	8	5	5	5	174	20	11	5	210
Female	252	37	80	14	4	5	4	2	1	147	7	7	8	169
All other	469	59	160	24	13	12	5	7	2	282	19	6	9	316
Male	259	35	84	15	7	4	5	3	1	154	12	3	5	174
Female	210	24	76	9	6	8	-	4	1	128	7	3	4	142
Black	449	57	155	24	12	11	4	7	1	271	19	6	5	305
Male	250	34	83	15	6	4	4	3	1	150	12	3	3	170
Female	199	23	72	9	6	7	-	4	-	121	7	3	4	135

SECTION 2 - INFANT MORTALITY - PAGE 21

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Nebraska	20	20	6	10	15	2	2	1	2	3	6
Male	14	7	5	7	9	2	1	1	2	2	4
Female	6	13	1	3	6	-	1	-	1	1	2
White	19	18	5	9	9	2	1	-	2	2	4
Male	13	6	4	6	6	2	1	-	2	1	4
Female	6	12	1	3	3	-	1	-	1	1	2
All other	1	2	1	1	3	-	1	1	-	1	-
Male	1	1	1	1	3	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	1	4	-	1	-	-	1	-
Male	1	-	-	1	2	-	-	-	-	1	-
Female	-	1	-	-	2	-	1	-	-	-	-
Nevada	11	15	13	8	2	1	2	1	2	1	1
Male	9	11	9	6	2	1	1	1	2	-	1
Female	2	4	4	2	-	-	1	-	-	1	-
White	10	14	12	8	2	1	1	1	2	1	1
Male	9	10	8	6	2	1	1	1	2	-	1
Female	1	4	4	2	-	-	-	-	-	1	-
All other	1	1	1	-	-	-	1	-	-	-	-
Male	1	1	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-
Black	1	1	1	-	-	-	1	-	-	-	-
Male	1	1	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-
New Hampshire	9	13	7	6	1	3	2	2	-	3	-
Male	6	9	5	2	1	3	1	1	-	1	-
Female	3	4	2	4	-	-	1	-	-	2	-
White	8	13	7	6	1	3	2	2	-	2	-
Male	5	9	5	2	1	3	1	1	-	1	-
Female	3	4	2	4	-	-	1	1	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	83	87	46	30	26	25	13	11	9	14	11
Male	45	52	36	18	14	11	6	8	2	5	4
Female	38	35	10	12	12	14	7	3	7	9	7
White	46	56	28	16	13	13	8	7	6	5	8
Male	27	33	21	12	9	8	4	5	2	2	3
Female	19	23	7	4	4	5	4	2	4	3	5
All other	37	31	18	14	13	12	5	4	3	9	3
Male	18	19	15	6	5	3	2	3	-	3	1
Female	19	12	3	8	8	9	3	1	3	6	2
Black	35	31	18	12	12	12	4	4	3	9	3
Male	18	19	15	5	4	3	1	3	-	3	1
Female	17	12	3	7	8	9	3	1	3	6	2
New Mexico	26	30	18	7	7	6	9	6	4	6	2
Male	16	21	9	5	4	4	6	4	3	4	1
Female	10	9	9	2	3	2	3	2	1	2	1
White	20	26	17	6	7	4	5	3	4	4	2
Male	13	18	8	4	4	2	3	2	3	3	1
Female	7	8	9	2	3	2	2	1	1	1	1
All other	6	4	1	1	-	2	4	3	-	2	-
Male	3	3	1	1	-	2	3	2	-	1	-
Female	3	1	-	-	-	-	1	1	-	-	-
Black	3	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-
New York	215	173	120	88	82	49	42	28	30	25	27
Male	112	108	72	46	45	30	27	9	13	15	17
Female	103	65	48	42	37	19	15	19	17	10	10
White	132	107	70	56	48	30	30	20	20	15	12
Male	68	69	41	30	30	18	19	7	9	7	9
Female	64	38	29	26	18	12	11	13	11	8	3
All other	83	66	50	32	34	19	12	8	10	10	15
Male	44	39	31	16	15	12	8	2	4	8	8
Female	39	27	19	16	19	7	4	6	6	2	7
Black	76	61	46	31	31	17	12	7	10	9	14
Male	42	35	27	15	14	10	8	2	4	7	8
Female	34	26	19	16	17	7	4	5	6	2	6
North Carolina	95	71	46	43	25	21	12	19	10	6	8
Male	56	35	27	27	14	16	6	10	4	5	5
Female	39	36	19	16	11	5	6	9	6	1	3
White	55	45	27	20	14	7	7	14	7	2	4
Male	36	22	16	13	8	5	3	9	2	2	1
Female	19	23	11	7	6	2	4	5	5	4	3
All other	40	26	19	23	11	14	5	5	3	3	1
Male	20	13	11	14	6	11	3	1	1	1	2
Female	20	13	8	9	5	3	2	4	2	2	3
Black	38	24	18	22	11	13	5	1	1	3	1
Male	19	13	10	13	6	10	3	3	1	1	2
Female	19	11	8	9	5	3	2	3	1	1	2

SECTION 2 - INFANT MORTALITY - PAGE 22

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
North Dakota	100	12	21	6	1	1	2	3	3	49	6	3	5	63
Male	58	7	15	1	-	-	1	-	-	30	2	2	3	37
Female	42	5	6	5	1	1	1	3	3	19	4	1	2	26
White	89	11	16	6	1	1	2	3	3	43	6	3	4	56
Male	53	7	12	1	-	-	1	3	3	27	2	2	3	34
Female	36	4	4	5	1	1	1	-	-	16	4	1	1	22
All other	11	1	5	-	-	-	-	-	-	6	-	-	-	7
Male	5	-	3	-	-	-	-	-	-	3	-	-	-	3
Female	6	1	2	-	-	-	-	-	-	3	-	-	1	4
Black	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Ohio	1,660	165	470	95	71	35	23	19	27	905	84	51	42	1,082
Male	961	101	274	57	40	20	16	10	15	533	54	28	21	636
Female	699	64	196	38	31	15	7	9	12	372	30	23	21	446
White	1,261	119	349	72	56	26	18	15	26	681	72	42	32	827
Male	729	71	201	44	31	15	12	7	14	395	46	23	17	481
Female	532	48	148	28	25	11	6	8	12	286	26	19	15	346
All other	399	46	121	23	15	9	5	4	1	224	12	9	10	255
Male	232	30	73	13	9	5	4	3	1	138	8	5	4	155
Female	167	16	48	10	6	4	1	1	-	86	4	4	6	100
Black	390	46	119	22	14	9	5	4	1	220	11	9	10	250
Male	225	30	71	12	8	5	4	3	1	134	7	5	4	150
Female	165	16	48	10	6	4	1	1	-	86	4	4	6	100
Oklahoma	577	48	128	49	34	19	9	5	3	295	39	18	11	363
Male	349	24	74	31	23	10	5	3	3	173	29	13	6	221
Female	228	24	54	18	11	9	4	2	-	122	10	5	5	142
White	453	37	102	35	25	16	8	4	3	230	31	17	7	285
Male	278	19	58	24	16	9	4	2	3	135	24	12	4	175
Female	175	18	44	11	9	7	4	2	-	95	7	5	3	110
All other	124	11	26	14	9	3	1	1	-	65	8	1	4	78
Male	71	5	16	7	7	1	1	1	-	38	5	1	2	46
Female	53	6	10	7	2	2	-	-	-	27	3	-	2	32
Black	98	11	22	10	7	2	1	1	-	54	6	1	3	64
Male	55	5	14	5	6	1	1	1	-	33	4	1	1	39
Female	43	6	8	5	1	1	-	-	-	21	2	-	2	25
Oregon	389	40	77	15	9	13	4	5	3	166	23	14	6	209
Male	224	27	46	7	4	6	2	2	2	96	14	8	4	122
Female	165	13	31	8	5	7	2	3	1	70	9	6	2	87
White	356	39	69	13	8	13	4	3	3	152	22	11	6	191
Male	206	27	41	5	4	6	2	2	1	85	14	5	4	111
Female	150	12	28	8	4	7	2	2	-	64	8	6	2	80
All other	33	1	8	2	1	-	-	2	-	14	1	3	-	18
Male	18	-	5	-	-	-	-	1	-	8	-	-	-	11
Female	15	1	3	-	1	-	-	-	-	6	-	-	-	7
Black	17	-	6	1	-	-	-	-	-	7	1	1	-	9
Male	9	-	3	1	-	-	-	-	-	4	-	-	-	5
Female	8	-	3	-	-	-	-	-	-	3	1	-	-	4
Pennsylvania	1,766	188	576	117	63	36	25	25	13	1,043	92	57	35	1,227
Male	986	111	319	59	32	20	14	16	6	577	54	34	17	682
Female	780	77	257	58	31	16	11	9	7	466	38	23	18	545
White	1,298	151	410	82	46	25	19	24	10	767	75	47	25	914
Male	741	88	232	45	25	13	11	15	6	435	42	27	11	515
Female	557	63	178	37	21	12	8	9	4	332	33	20	14	399
All other	468	37	166	35	17	11	6	1	3	276	17	10	10	313
Male	245	23	87	14	7	7	3	1	-	142	12	7	6	167
Female	223	14	79	21	10	4	3	-	3	134	5	3	4	146
Black	455	36	164	31	17	10	6	1	3	268	16	8	10	302
Male	236	23	85	13	7	6	3	1	-	138	11	5	6	160
Female	219	13	79	18	10	4	3	-	3	130	5	3	4	142
Rhode Island	107	9	39	5	5	4	1	-	-	63	9	4	2	78
Male	63	5	20	4	2	4	-	-	-	35	5	3	2	45
Female	44	4	19	1	3	-	1	-	-	28	4	1	-	33
White	95	8	37	4	2	4	1	-	-	56	7	4	2	69
Male	58	5	19	3	1	4	-	-	-	32	4	3	2	41
Female	37	3	18	1	1	-	1	-	-	24	3	1	-	28
All other	12	1	2	1	3	-	-	-	-	7	2	-	-	9
Male	5	-	1	1	1	-	-	-	-	3	1	-	-	4
Female	7	1	1	-	2	-	-	-	-	4	1	-	-	5
Black	10	1	2	1	2	-	-	-	-	6	2	-	-	8
Male	5	-	1	1	1	-	-	-	-	3	1	-	-	4
Female	5	1	1	-	1	-	-	-	-	3	1	-	-	4
South Carolina	738	92	231	60	23	12	4	7	6	435	39	24	10	519
Male	392	41	133	34	14	7	3	3	3	238	21	15	21	284
Female	346	51	98	26	9	5	1	4	3	197	18	9	11	235
White	303	34	92	22	10	4	1	3	2	168	20	12	7	207
Male	155	12	50	14	5	1	1	1	1	85	13	8	4	110
Female	148	22	42	8	5	3	-	2	1	83	7	4	3	97
All other	435	58	139	38	13	8	3	4	4	267	19	12	14	312
Male	237	29	83	20	9	6	2	2	2	153	8	7	6	174
Female	198	29	56	18	4	2	1	2	2	114	11	5	8	138
Black	432	57	138	38	13	8	3	4	4	265	19	11	14	309
Male	234	28	82	20	9	6	2	2	2	151	8	6	6	171
Female	198	29	56	18	4	2	1	2	2	114	11	5	8	138

SECTION 2 - INFANT MORTALITY - PAGE 23

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
North Dakota	3	10	7	1	3	3	2	4	1	3	-
Male	2	6	4	1	2	1	2	1	-	2	-
Female	1	4	3	-	1	2	-	3	1	1	-
White	3	8	7	1	3	3	2	3	1	2	-
Male	2	5	4	1	2	1	2	1	-	1	-
Female	1	3	3	-	1	2	-	2	1	1	-
All other	-	2	-	-	-	-	-	1	-	1	-
Male	-	1	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Ohio	138	118	93	59	46	32	20	21	27	13	11
Male	82	66	50	29	30	20	11	10	14	6	7
Female	56	52	43	30	16	12	9	11	13	7	4
White	97	90	71	46	40	22	13	17	19	10	9
Male	65	47	41	23	26	12	8	7	11	3	5
Female	32	43	30	23	14	10	5	10	8	7	4
All other	41	28	22	13	6	10	7	4	8	3	2
Male	17	19	9	6	4	8	3	3	3	3	2
Female	24	9	13	7	2	2	4	1	5	-	-
Black	41	28	21	13	6	9	7	3	7	3	2
Male	17	19	9	6	4	7	3	2	3	3	2
Female	24	9	12	7	2	2	4	1	4	-	-
Oklahoma	56	41	35	17	17	20	7	8	7	3	3
Male	28	26	23	10	11	14	4	5	3	2	2
Female	28	15	12	7	6	6	3	3	4	1	1
White	45	35	26	14	14	13	5	5	6	2	3
Male	23	21	19	9	10	10	3	2	2	2	1
Female	22	14	7	5	4	3	2	3	4	1	-
All other	11	6	9	3	3	7	3	3	1	-	-
Male	5	5	4	1	4	1	1	-	-	1	-
Female	6	1	5	2	2	3	2	1	1	1	-
Black	9	4	7	2	1	6	1	1	1	-	-
Male	3	3	3	2	1	3	1	-	-	1	-
Female	6	1	4	2	-	3	-	-	-	-	-
Oregon	39	42	32	24	11	6	7	8	4	3	4
Male	26	21	17	15	4	3	5	5	3	2	1
Female	13	21	15	9	7	3	2	3	1	1	3
White	36	37	28	22	10	6	7	8	4	3	4
Male	24	19	16	14	3	3	5	5	3	2	1
Female	12	18	12	8	7	3	2	3	1	1	3
All other	3	5	4	2	1	-	-	-	-	-	-
Male	2	2	1	1	1	-	-	-	-	-	-
Female	1	3	3	1	-	-	-	-	-	-	-
Black	1	1	3	2	1	-	-	-	-	-	-
Male	-	1	1	1	1	-	-	-	-	-	-
Female	1	-	2	1	-	-	-	-	-	-	-
Pennsylvania	150	100	82	53	42	34	26	12	15	14	11
Male	76	62	52	31	25	19	15	7	7	4	6
Female	74	38	30	22	17	15	11	5	8	10	5
White	104	68	53	37	29	29	22	9	12	12	9
Male	59	41	33	22	18	18	14	6	6	4	5
Female	45	27	20	15	11	11	8	3	6	8	4
All other	46	32	29	16	13	5	4	3	1	2	2
Male	17	21	19	9	7	4	1	2	2	2	1
Female	29	11	10	7	6	3	3	3	3	2	2
Black	45	32	28	16	13	5	4	1	1	-	1
Male	16	21	18	9	7	1	1	2	2	2	1
Female	29	11	10	7	6	4	3	-	-	-	-
Rhode Island	6	3	3	4	3	3	3	1	2	1	-
Male	4	2	3	1	2	3	1	-	1	1	-
Female	2	1	-	3	1	-	2	1	1	-	-
White	6	3	3	2	2	3	3	1	2	1	-
Male	4	2	-	2	-	3	1	-	1	1	-
Female	2	1	-	-	-	-	2	1	-	-	-
All other	-	-	-	2	1	-	-	-	-	-	-
Male	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	1	1	-	-	-	-	-	-
Black	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
South Carolina	57	40	30	23	21	12	11	7	10	2	6
Male	25	21	10	13	10	5	7	3	7	2	5
Female	32	19	20	10	11	7	4	4	3	-	1
White	22	15	15	11	9	7	5	2	5	-	5
Male	10	7	5	6	5	2	4	1	2	-	1
Female	12	8	10	5	4	5	1	2	3	-	4
All other	35	25	15	12	12	5	6	5	5	2	1
Male	15	14	5	7	5	3	3	3	3	-	-
Female	20	11	10	5	7	2	3	2	2	-	1
Black	35	25	15	12	12	5	6	3	5	2	1
Male	15	14	5	7	5	3	3	2	-	-	-
Female	20	11	10	5	7	2	3	3	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 24

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
South Dakota	120	15	20	8	2	2	1	3	1	52	6	4	3	65
Male	78	9	16	6	2	1	1	3	1	37	5	3	1	45
Female	42	6	4	2	1	1	1	1	1	15	1	1	3	20
White	90	10	19	7	2	2	1	3	1	44	4	4	3	55
Male	62	7	16	5	2	1	1	3	1	34	4	4	3	41
Female	28	3	3	2	1	1	1	1	1	10	1	1	3	14
All other	30	5	1	1	1	1	1	1	1	8	2	1	1	10
Male	16	2	1	1	1	1	1	1	1	3	1	1	1	4
Female	14	3	1	1	1	1	1	1	1	5	1	1	1	6
Black	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Male	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tennessee	759	51	200	61	33	18	10	11	13	397	41	39	26	503
Male	438	30	120	34	22	12	6	5	7	236	13	21	16	286
Female	321	21	80	27	11	6	4	6	6	161	28	18	10	217
White	453	38	97	31	21	11	5	4	6	213	23	23	20	279
Male	270	24	55	17	14	7	3	2	4	126	12	13	12	163
Female	183	14	42	14	7	4	2	2	2	87	11	10	8	116
All other	306	13	103	30	12	7	5	7	7	184	18	16	6	224
Male	168	6	65	17	8	5	3	3	3	110	1	8	4	123
Female	138	7	38	13	4	2	2	4	4	74	17	8	2	101
Black	306	13	103	30	12	7	5	7	7	184	18	16	6	224
Male	168	6	65	17	8	5	3	3	3	110	1	8	4	123
Female	138	7	38	13	4	2	2	4	4	74	17	8	2	101
Texas	3,014	248	807	183	124	75	43	43	35	1,558	150	101	94	1,903
Male	1,730	136	469	106	81	48	28	25	23	916	87	52	54	1,109
Female	1,284	112	338	77	43	27	15	18	12	642	63	49	40	794
White	2,338	185	606	152	104	63	37	36	28	1,211	126	82	72	1,491
Male	1,347	101	358	88	68	39	22	20	19	715	70	45	45	875
Female	991	84	248	64	36	24	15	16	9	496	56	37	27	616
All other	676	63	201	31	20	12	6	7	7	347	24	19	22	412
Male	383	35	111	18	13	9	6	5	4	201	17	7	9	234
Female	293	28	90	13	7	3	1	2	3	146	7	12	13	178
Black	644	60	197	30	18	10	5	6	6	332	23	19	20	394
Male	365	33	111	17	12	8	5	4	3	193	16	7	8	224
Female	279	27	86	13	6	2	1	2	3	139	7	12	12	170
Utah	360	52	58	15	8	8	7	3	3	154	22	18	10	204
Male	213	25	33	8	5	2	4	3	2	82	16	11	5	114
Female	147	27	25	7	3	6	3	1	1	72	6	7	5	90
White	345	50	57	15	8	8	6	3	3	150	21	18	7	196
Male	205	24	33	8	5	2	3	3	2	80	15	11	2	108
Female	140	26	24	7	3	6	3	1	1	70	6	7	5	88
All other	15	2	1	1	1	1	1	1	1	4	1	1	3	8
Male	8	1	1	1	1	1	1	1	1	2	1	1	3	6
Female	7	1	1	1	1	1	1	1	1	2	1	1	1	2
Black	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Male	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Vermont	68	5	14	9	4	1	1	1	3	37	4	1	2	43
Male	40	2	5	6	3	1	1	1	3	19	4	1	1	23
Female	28	3	9	3	1	1	1	1	1	18	1	1	1	20
White	68	5	14	9	4	1	1	1	3	37	4	1	2	43
Male	40	2	5	6	3	1	1	1	3	19	4	1	1	23
Female	28	3	9	3	1	1	1	1	1	18	1	1	1	20
All other	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Male	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Black	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Male	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Female	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Virginia	989	113	298	67	32	25	20	17	11	583	55	32	25	695
Male	580	65	174	39	20	11	15	9	4	337	32	23	11	403
Female	409	48	124	28	12	14	5	8	7	246	23	9	14	292
White	586	57	171	45	21	8	16	9	4	331	37	25	18	411
Male	362	35	103	29	14	4	12	3	1	201	22	17	9	249
Female	224	22	68	16	7	4	4	6	3	130	15	8	9	162
All other	403	56	127	22	11	17	4	8	7	252	18	7	7	284
Male	218	30	71	10	6	7	3	6	3	136	10	6	2	154
Female	185	26	56	12	5	10	1	2	4	116	8	1	5	130
Black	391	55	124	21	11	17	4	8	6	246	18	7	7	278
Male	211	29	69	9	6	7	3	6	3	132	10	6	2	150
Female	180	26	55	12	5	10	1	2	3	114	8	1	5	128
Washington	752	80	156	41	18	15	12	7	8	337	44	33	21	435
Male	421	47	82	26	10	10	5	6	3	189	13	18	12	232
Female	331	33	74	15	8	5	7	1	5	148	31	15	9	203
White	669	73	140	35	17	12	12	6	8	303	37	29	20	389
Male	383	42	78	24	9	8	5	5	3	174	10	17	11	212
Female	286	31	62	11	8	4	7	1	5	129	27	12	9	177
All other	83	7	16	6	1	3	1	1	1	34	7	4	1	46
Male	38	5	4	2	1	2	1	1	1	15	3	1	1	20
Female	45	2	12	4	1	1	1	1	1	19	4	3	1	26
Black	41	4	9	4	1	2	1	1	1	20	4	2	1	26
Male	21	2	3	1	1	2	1	1	1	8	2	1	1	11
Female	20	2	6	4	1	1	1	1	1	12	2	1	1	15

SECTION 2 - INFANT MORTALITY - PAGE 25

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

Area, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
South Dakota	14	11	9	6	2	5	-	3	3	2	-
Male	10	7	3	3	2	3	-	3	-	2	-
Female	4	4	6	3	-	2	-	-	3	-	-
White	9	11	4	5	1	2	-	1	1	1	-
Male	6	7	1	3	1	1	-	1	-	1	-
Female	3	4	3	2	-	1	-	-	-	-	-
All other	5	-	5	1	1	3	-	2	2	1	-
Male	4	-	-	-	1	2	-	2	-	-	-
Female	1	-	3	1	-	1	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Tennessee	52	60	43	30	15	17	15	5	3	7	9
Male	30	39	28	21	7	8	7	2	2	5	3
Female	22	21	15	9	8	9	8	3	1	2	6
White	31	40	29	24	10	12	14	2	3	4	5
Male	21	27	19	17	3	6	6	1	2	3	2
Female	10	13	10	7	7	6	8	1	1	1	3
All other	21	20	14	6	5	5	1	3	-	3	4
Male	9	12	9	4	4	2	1	1	-	2	1
Female	12	8	5	2	1	3	-	2	-	1	3
Black	21	20	14	6	5	5	1	3	-	3	4
Male	9	12	9	4	4	2	1	1	-	2	1
Female	12	8	5	2	1	3	-	2	-	1	3
Texas	287	202	167	104	91	59	47	43	45	42	24
Male	174	118	87	61	48	29	28	19	20	25	12
Female	113	84	80	43	43	30	19	24	25	17	12
White	211	153	126	83	73	46	37	29	35	34	20
Male	131	91	65	45	40	22	20	13	15	20	10
Female	80	62	61	38	33	24	17	16	20	14	10
All other	76	49	41	21	18	13	10	14	10	8	4
Male	43	27	22	16	8	7	8	6	5	3	2
Female	33	22	19	5	10	6	2	8	5	3	2
Black	71	46	41	21	16	12	10	13	9	7	4
Male	41	25	22	16	7	6	8	6	4	4	2
Female	30	21	19	5	9	6	2	7	5	3	2
Utah	37	33	29	21	10	3	9	5	1	5	3
Male	23	20	22	15	6	1	6	1	1	4	-
Female	14	13	7	6	4	2	3	4	-	1	3
White	37	30	29	20	10	3	7	5	1	5	2
Male	23	19	22	15	6	1	5	1	1	4	-
Female	14	11	7	5	4	2	2	4	-	1	2
All other	-	3	-	1	-	-	2	-	-	-	1
Male	-	1	-	-	-	-	1	-	-	-	-
Female	-	2	-	1	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Vermont	4	8	3	2	3	3	1	-	-	1	-
Male	4	3	3	1	3	1	1	-	-	1	-
Female	-	5	-	1	-	2	-	-	-	-	-
White	4	8	3	2	3	3	1	-	-	1	-
Male	4	3	3	1	3	1	1	-	-	1	-
Female	-	5	-	1	-	2	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	87	56	42	27	18	13	15	6	10	13	7
Male	57	34	26	10	10	6	11	4	7	9	3
Female	30	22	16	17	8	7	4	2	3	4	4
White	52	32	28	17	7	9	8	4	7	8	3
Male	33	17	20	7	5	5	6	4	7	7	2
Female	19	15	8	10	2	4	2	-	-	1	1
All other	35	24	14	10	11	4	7	2	3	5	4
Male	24	17	6	3	5	1	5	-	-	2	1
Female	11	7	8	7	6	3	2	2	3	3	3
Black	32	23	14	10	10	4	7	2	3	5	3
Male	23	16	3	4	1	5	-	-	-	2	1
Female	9	7	8	7	6	3	2	2	3	3	2
Washington	97	62	56	37	19	9	13	10	2	4	8
Male	60	43	32	20	12	5	5	8	1	-	3
Female	37	19	24	17	7	4	8	2	1	4	5
White	89	55	50	29	19	8	9	8	2	3	8
Male	56	39	29	17	12	4	4	6	1	-	5
Female	33	16	21	12	7	4	5	2	1	3	3
All other	8	7	6	8	-	1	4	2	-	1	-
Male	4	4	3	3	-	1	1	2	-	-	-
Female	4	3	3	5	-	-	3	-	-	1	-
Black	4	3	2	3	-	-	2	-	-	-	-
Male	3	2	1	2	-	1	1	-	-	-	-
Female	1	1	1	1	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 26

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

[illegible]

SECTION 2 - INFANT MORTALITY - PAGE 27

Table 2-11. Deaths Under 1 Year, by Age, Race, and Sex: United States and Each State, 1985—Con.

[illegible]

SECTION 2 - INFANT MORTALITY - PAGE 28

Table 2-12. Deaths Under 1 Year, by Month, Age, Race, and Sex: United States, 1985

Age, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BOTH SEXES													
Under 1 year	40,030	3,573	3,124	3,426	3,350	3,325	3,103	3,247	3,113	3,326	3,355	3,383	3,705
White	27,864	2,483	2,167	2,405	2,352	2,316	2,176	2,255	2,154	2,264	2,358	2,347	2,587
All other	12,166	1,090	957	1,021	998	1,009	927	992	959	1,062	997	1,036	1,118
Black	11,063	971	869	917	901	925	824	914	893	965	920	941	1,023
Under 28 days	26,179	2,134	1,901	2,166	2,187	2,305	2,194	2,307	2,243	2,287	2,219	2,062	2,174
White	18,233	1,497	1,318	1,505	1,554	1,586	1,559	1,599	1,553	1,561	1,558	1,436	1,507
All other	7,946	637	583	661	633	719	635	708	690	726	661	626	667
Black	7,340	582	538	613	577	665	570	666	648	673	616	575	617
Under 7 days	21,865	1,766	1,600	1,835	1,803	1,971	1,875	1,909	1,858	1,884	1,847	1,717	1,800
White	15,097	1,231	1,089	1,266	1,266	1,343	1,328	1,317	1,281	1,283	1,287	1,178	1,228
All other	6,768	535	511	569	537	628	547	592	577	601	560	539	572
Black	6,265	489	475	526	489	585	495	560	543	554	525	496	528
Under 1 hour	3,994	321	288	353	346	331	339	334	333	324	348	316	361
White	2,786	226	197	241	245	230	250	222	224	224	251	215	261
All other	1,208	95	91	112	101	101	89	112	109	100	97	101	100
Black	1,107	82	85	101	93	96	81	104	102	94	90	88	91
1-23 hours	10,968	909	808	898	909	1,034	981	929	914	948	920	851	867
White	7,313	617	528	592	613	675	671	627	609	613	631	567	570
All other	3,655	292	280	306	296	359	310	302	305	335	289	284	297
Black	3,431	272	263	293	275	336	277	289	289	312	278	269	278
1 day	2,801	213	174	243	200	258	230	272	252	244	245	223	247
White	1,998	153	130	184	141	178	174	198	176	175	167	158	164
All other	803	60	44	59	59	80	56	74	76	69	78	65	83
Black	725	53	42	50	46	75	54	68	70	61	73	58	75
2 days	1,574	131	134	139	135	128	126	146	140	128	132	108	127
White	1,152	95	87	101	107	96	90	104	109	97	95	82	89
All other	422	36	47	38	28	32	36	42	31	31	37	26	38
Black	390	32	40	36	26	27	35	42	28	29	33	25	37
3 days	989	90	78	79	91	78	71	83	87	92	72	89	79
White	718	65	58	55	68	55	51	56	65	69	58	63	55
All other	271	25	20	24	23	23	20	27	22	23	14	26	24
Black	246	25	18	20	21	22	20	24	21	17	14	24	20
4 days	612	43	52	57	53	47	62	55	48	52	50	50	43
White	459	30	39	45	43	35	44	42	29	42	36	39	35
All other	153	13	13	12	10	12	18	13	19	10	14	11	8
Black	135	11	11	9	9	10	15	13	19	9	12	10	7
5 days	494	34	39	36	38	50	32	41	42	61	39	44	38
White	354	25	29	27	27	38	23	28	33	39	23	30	32
All other	140	9	10	9	11	12	9	13	9	22	16	14	6
Black	129	9	10	9	11	11	8	12	8	21	13	12	5
6 days	433	25	27	30	31	45	34	49	42	35	41	36	38
White	317	20	21	21	22	36	25	40	36	24	26	24	22
All other	116	5	6	9	9	9	9	9	6	11	15	12	16
Black	102	5	6	8	8	8	5	8	6	11	12	10	15
7-13 days	2,010	175	144	142	194	157	150	195	198	160	168	157	170
White	1,486	136	106	105	154	116	110	140	135	110	126	123	125
All other	524	39	38	37	40	41	40	55	63	50	42	34	45
Black	477	37	30	35	37	38	33	47	59	49	40	30	42
14-20 days	1,291	107	91	98	106	100	109	119	98	119	109	118	117
White	954	72	75	67	79	76	81	87	72	84	84	83	94
All other	337	35	16	31	27	24	28	32	26	35	25	35	23
Black	308	32	15	29	23	20	24	31	25	33	22	33	21
21-27 days	1,013	86	66	91	84	77	60	84	89	124	95	70	87
White	696	58	48	67	55	51	40	55	65	84	61	52	60
All other	317	28	18	24	29	26	20	29	24	40	34	18	27
Black	290	24	18	23	28	22	18	28	21	37	29	16	26
28-59 days	3,474	323	275	279	278	270	283	240	248	304	300	354	320
White	2,346	217	184	200	187	180	190	167	164	200	200	240	217
All other	1,128	106	91	79	91	90	93	73	84	104	100	114	103
Black	1,008	94	80	70	79	76	81	67	80	94	88	104	95
2 months	2,870	313	256	246	234	205	156	164	172	210	251	315	348
White	2,041	210	173	180	161	158	110	117	124	142	185	222	259
All other	829	103	83	66	73	47	46	47	48	68	66	93	89
Black	727	88	76	51	65	44	42	41	43	57	60	81	79
3 months	2,047	234	198	191	186	142	94	122	118	151	159	199	253
White	1,465	173	143	143	130	108	65	91	74	114	105	140	179
All other	582	61	55	48	56	34	29	31	44	37	54	59	74
Black	508	51	45	40	50	30	27	25	39	32	49	53	67
4 months	1,400	172	139	142	113	85	81	91	74	77	116	129	181
White	984	116	94	105	79	63	57	66	44	56	85	92	127
All other	416	56	45	37	34	22	24	25	30	21	31	37	54
Black	365	49	39	33	30	20	22	21	28	17	26	32	48
5 months	1,015	95	86	115	87	76	70	59	50	86	83	89	119
White	694	60	62	80	52	49	47	48	34	56	60	64	82
All other	321	35	24	35	35	27	23	11	16	30	23	25	37
Black	289	26	23	33	34	24	19	10	14	27	20	25	34
6 months	782	81	91	79	61	56	50	64	41	50	63	65	81
White	539	58	62	53	41	40	34	39	34	29	47	50	52
All other	243	23	29	26	20	16	16	25	7	21	16	15	29
Black	212	21	26	21	18	14	14	22	6	15	16	14	25

SECTION 2 - INFANT MORTALITY - PAGE 29

Table 2-12. Deaths Under 1 Year, by Month, Age, Race, and Sex: United States, 1985—Con.

Age, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BOTH SEXES—Con.													
7 months	612	66	54	57	46	46	53	60	46	32	43	44	65
White	431	49	41	36	35	33	31	41	36	22	29	28	50
All other	181	17	13	21	11	13	22	19	10	10	14	16	15
Black	161	16	12	16	9	13	19	19	8	9	13	13	14
8 months	470	37	31	54	52	37	40	41	26	38	38	34	42
White	314	25	22	36	32	29	27	22	19	24	26	20	32
All other	156	12	9	18	20	8	13	19	7	14	12	14	10
Black	133	9	8	14	15	8	10	17	7	12	12	11	10
9 months	443	39	35	43	33	43	28	44	33	31	36	32	46
White	307	25	26	28	25	27	19	30	27	24	29	17	30
All other	136	14	9	15	8	16	9	14	6	7	7	15	16
Black	120	11	7	15	8	15	7	10	4	7	7	13	16
10 months	395	41	27	30	34	33	29	32	38	33	24	34	40
White	264	25	17	20	27	24	18	21	27	18	16	23	28
All other	131	16	10	10	7	9	11	11	11	15	8	11	12
Black	116	15	10	8	6	8	9	10	11	13	8	9	9
11 months	343	38	31	24	39	27	25	23	24	27	23	26	36
White	246	28	25	19	29	19	19	14	18	18	18	15	24
All other	97	10	6	5	10	8	6	9	6	9	5	11	12
Black	84	9	5	3	10	8	4	6	5	9	5	11	9
MALE													
Under 1 year	22,958	2,047	1,819	1,933	1,896	1,926	1,770	1,865	1,749	1,952	1,914	1,922	2,165
White	16,218	1,431	1,289	1,388	1,358	1,361	1,267	1,322	1,234	1,339	1,373	1,341	1,515
All other	6,740	616	530	545	538	565	503	543	515	613	541	581	650
Black	6,127	556	485	489	481	513	442	503	483	554	493	528	600
Under 28 days	14,948	1,228	1,108	1,205	1,243	1,328	1,241	1,331	1,260	1,332	1,272	1,152	1,248
White	10,536	868	777	857	896	923	895	946	889	916	910	802	857
All other	4,412	360	331	348	347	405	346	385	371	416	362	350	391
Black	4,075	336	309	323	315	372	305	364	352	382	332	323	362
Under 7 days	12,484	999	934	1,034	1,040	1,133	1,045	1,106	1,039	1,104	1,070	955	1,025
White	8,709	710	644	728	742	779	740	783	726	755	761	654	687
All other	3,775	289	290	306	296	354	305	323	313	349	309	301	338
Black	3,502	272	273	285	273	328	271	308	297	318	286	278	313
Under 1 hour	2,189	167	165	188	184	194	185	182	177	183	184	177	203
White	1,536	116	115	129	127	143	137	123	117	131	138	118	142
All other	653	51	50	59	57	51	48	59	60	52	46	59	61
Black	605	47	46	55	54	49	42	54	55	49	43	55	56
1-23 hours	6,240	522	472	515	526	576	547	541	520	550	521	473	477
White	4,201	359	311	350	367	384	375	374	353	351	358	319	300
All other	2,039	163	161	165	159	192	172	167	167	199	163	154	177
Black	1,916	157	155	157	147	179	150	162	160	181	155	146	167
1 day	1,634	126	102	125	116	158	131	151	139	146	168	125	147
White	1,192	95	78	97	87	108	104	110	92	110	117	91	103
All other	442	31	24	28	29	50	27	41	47	36	51	34	44
Black	400	27	23	25	23	46	25	39	44	32	47	30	39
2 days	924	70	76	85	82	67	71	97	80	79	79	54	84
White	689	55	50	60	65	51	51	74	66	59	60	42	56
All other	235	15	26	25	17	16	20	23	14	20	19	12	28
Black	215	13	21	24	15	13	20	23	13	18	16	11	28
3 days	591	52	41	53	58	46	44	50	46	62	42	49	48
White	424	38	31	39	40	29	30	31	35	47	35	33	36
All other	167	14	10	14	18	17	14	19	11	15	7	16	12
Black	150	14	9	12	16	17	14	17	11	11	7	14	8
4 days	351	27	34	27	36	28	32	36	23	27	34	25	22
White	260	20	26	19	28	17	19	30	18	22	25	19	17
All other	91	7	8	8	8	11	13	6	5	5	9	6	5
Black	82	6	8	6	8	9	11	6	5	5	7	6	5
5 days	292	24	27	24	20	32	16	22	26	37	17	25	22
White	214	20	19	20	14	22	10	18	22	23	11	16	19
All other	78	4	8	4	6	10	6	4	4	14	6	9	3
Black	73	4	8	4	6	9	6	4	4	14	5	7	2
6 days	263	11	17	17	18	32	19	27	28	20	25	27	22
White	193	7	14	14	14	25	14	23	23	12	17	16	14
All other	70	4	3	3	4	7	5	4	5	8	8	11	8
Black	61	4	3	2	4	6	3	3	5	8	6	9	8
7-13 days	1,167	98	93	74	100	93	90	109	118	97	88	95	112
White	887	79	69	59	79	68	73	81	86	66	70	75	82
All other	280	19	24	15	21	25	17	26	32	31	18	20	30
Black	251	18	19	13	18	23	13	23	30	30	16	19	29
14-20 days	735	73	51	50	61	57	66	69	53	63	64	63	65
White	553	47	42	32	46	43	54	51	40	47	50	46	55
All other	182	26	9	18	15	14	12	18	13	16	14	17	10
Black	169	24	9	17	12	13	11	18	13	16	13	15	8
21-27 days	562	58	30	47	42	45	40	47	50	68	50	39	46
White	387	32	22	38	29	33	28	31	37	48	29	27	33
All other	175	26	8	9	13	12	12	16	13	20	21	12	13
Black	153	22	8	8	12	8	10	15	12	18	17	11	12

SECTION 2 - INFANT MORTALITY - PAGE 30

Table 2-12. Deaths Under 1 Year, by Month, Age, Race, and Sex: United States, 1985—Con.

Age, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MALE—Con.													
28-59 days	2,030	183	158	157	145	161	155	143	152	186	175	209	206
White	1,406	118	110	119	99	114	110	97	103	127	120	148	141
All other	624	65	48	38	46	47	45	46	49	59	55	61	65
Black	556	57	42	33	38	40	39	42	47	52	49	56	61
2 months	1,710	192	151	143	129	120	97	94	100	131	158	193	202
White	1,229	133	104	103	93	92	70	66	71	92	116	140	149
All other	481	59	47	40	36	28	27	28	29	39	42	53	53
Black	421	52	43	32	33	25	24	25	26	32	37	43	49
3 months	1,214	135	120	122	131	80	59	73	64	91	80	113	146
White	886	99	92	94	96	60	44	55	43	67	52	76	108
All other	328	36	28	28	35	20	15	18	21	24	28	37	38
Black	295	29	24	24	33	18	14	18	18	23	26	32	36
4 months	826	94	86	75	64	55	53	49	43	46	62	76	123
White	577	62	62	58	41	41	37	35	21	33	45	55	87
All other	249	32	24	17	23	14	16	14	22	13	17	21	36
Black	221	27	21	16	20	13	15	13	21	10	15	19	31
5 months	582	58	50	62	43	47	47	34	24	47	48	57	65
White	417	40	41	45	28	32	32	28	17	34	36	39	45
All other	165	18	9	17	15	15	15	6	7	13	12	18	20
Black	150	14	9	16	14	13	13	5	6	12	10	18	20
6 months	447	52	54	52	34	32	35	35	20	27	26	36	44
White	316	39	34	37	23	23	25	23	17	15	21	28	31
All other	131	13	20	15	11	9	10	12	3	12	5	8	13
Black	109	12	18	12	9	7	8	9	2	9	5	8	10
7 months	354	39	33	34	25	26	28	30	25	19	29	27	39
White	258	29	24	19	21	23	15	22	22	11	21	17	34
All other	96	10	9	15	4	3	13	8	3	8	8	10	5
Black	82	10	9	10	2	3	11	8	2	7	7	8	5
8 months	249	11	15	32	23	22	24	20	15	23	20	17	27
White	167	6	10	20	15	17	16	12	13	13	14	10	21
All other	82	5	5	12	8	5	8	8	2	10	6	7	6
Black	67	3	4	9	4	5	7	6	2	9	6	6	6
9 months	214	17	14	20	16	20	12	23	21	14	20	14	23
White	147	12	10	13	10	10	9	17	18	11	16	7	14
All other	67	5	4	7	6	10	3	6	3	3	4	7	9
Black	59	4	2	7	6	9	2	5	2	3	4	6	9
10 months	196	21	14	15	17	18	9	21	15	20	12	13	21
White	137	13	12	15	16	13	5	15	12	9	10	10	13
All other	59	8	2	6	1	5	4	6	3	11	2	3	8
Black	51	7	2	5	1	4	3	5	3	10	2	3	6
11 months	188	17	16	16	26	17	10	12	10	16	12	15	21
White	142	12	13	14	20	13	9	6	8	11	12	9	15
All other	46	5	3	2	6	4	1	6	2	5	-	6	6
Black	41	5	2	2	6	4	1	3	2	5	-	6	5
FEMALE													
Under 1 year	17,072	1,526	1,305	1,493	1,454	1,399	1,333	1,382	1,364	1,374	1,441	1,461	1,540
White	11,646	1,052	878	1,017	994	955	909	933	920	925	985	1,006	1,072
All other	5,426	474	427	476	460	444	424	449	444	449	456	455	468
Black	4,936	415	384	428	420	412	382	411	410	411	427	413	423
Under 28 days	11,231	906	793	961	944	977	953	976	983	955	947	910	926
White	7,697	629	541	648	658	663	664	653	664	645	648	634	650
All other	3,534	277	252	313	286	314	289	323	319	310	299	276	276
Black	3,265	246	229	290	262	293	265	302	296	291	284	252	255
Under 7 days	9,381	767	666	801	763	838	830	803	819	780	777	762	775
White	6,388	521	445	538	524	564	588	534	555	528	526	524	541
All other	2,993	246	221	263	239	274	242	269	264	252	251	238	234
Black	2,763	217	202	241	216	257	224	252	246	236	239	218	215
Under 1 hour	1,805	154	123	165	162	137	154	152	156	141	164	139	158
White	1,250	110	82	112	118	87	113	99	107	93	113	97	119
All other	555	44	41	53	44	50	41	53	49	48	51	42	39
Black	502	35	39	46	39	47	39	50	47	45	47	33	35
1-23 hours	4,728	387	336	383	383	458	434	388	394	398	399	378	390
White	3,112	258	217	242	246	291	296	253	256	262	273	248	270
All other	1,616	129	119	141	137	167	138	135	138	136	126	130	120
Black	1,515	115	108	136	128	157	127	127	129	131	123	123	111
1 day	1,167	87	72	118	84	100	99	121	113	98	77	98	100
White	806	58	52	87	54	70	70	88	84	65	50	67	61
All other	361	29	20	31	30	30	29	33	29	33	27	31	39
Black	325	26	19	25	23	29	29	29	26	29	26	28	36
2 days	650	61	58	54	53	61	55	49	60	49	53	54	43
White	463	40	37	41	42	45	39	30	43	38	35	40	33
All other	187	21	21	13	11	16	16	19	17	11	18	14	10
Black	175	19	19	12	11	14	15	19	15	11	17	14	9
3 days	398	38	37	26	33	32	27	33	41	30	30	40	31
White	294	27	27	16	28	26	21	25	30	22	23	30	19
All other	104	11	10	10	5	6	6	8	11	8	7	10	12
Black	96	11	9	8	5	5	6	7	10	6	7	10	12
4 days	261	16	18	30	17	19	30	19	25	25	16	25	21
White	199	10	13	26	15	18	25	12	11	20	11	20	18
All other	62	6	5	4	2	1	5	7	14	5	5	5	3
Black	53	5	3	3	1	1	4	7	14	4	5	4	2

SECTION 2 - INFANT MORTALITY - PAGE 31

Table 2-12. Deaths Under 1 Year, by Month, Age, Race, and Sex: United States, 1985—Con.

Age, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FEMALE—Con.													
5 days	202	10	12	12	18	18	16	19	16	24	22	19	16
White	140	5	10	7	13	16	13	10	11	16	12	14	13
All other	62	5	2	5	5	2	3	9	5	8	10	5	3
Black	56	5	2	5	5	2	2	8	4	7	8	5	3
6 days	170	14	10	13	13	13	15	22	14	15	16	9	16
White	124	13	7	7	8	11	11	17	13	12	9	8	8
All other	46	1	3	6	5	2	4	5	1	3	7	1	8
Black	41	1	3	6	4	2	2	5	1	3	6	1	7
7-13 days	843	77	51	68	94	64	60	86	80	63	80	62	58
White	599	57	37	46	75	48	37	59	49	44	56	48	43
All other	244	20	14	22	19	16	23	27	31	19	24	14	15
Black	226	19	11	22	19	15	20	24	29	19	24	11	13
14-20 days	556	34	40	48	45	43	43	50	45	56	45	55	52
White	401	25	33	35	33	33	27	36	32	37	34	37	39
All other	155	9	7	13	12	10	16	14	13	19	11	18	13
Black	139	8	6	12	11	7	13	13	12	17	9	18	13
21-27 days	451	28	36	44	42	32	20	37	39	56	45	31	41
White	309	26	26	29	26	18	12	24	28	36	32	25	27
All other	142	2	10	15	16	14	8	13	11	20	13	6	14
Black	137	2	10	15	16	14	8	13	9	19	12	5	14
28-59 days	1,444	140	117	122	133	109	128	97	96	118	125	145	114
White	940	99	74	81	88	66	80	70	61	73	80	92	76
All other	504	41	43	41	45	43	48	27	35	45	45	53	38
Black	452	37	38	37	41	36	42	25	33	42	39	48	34
2 months	1,160	121	105	103	105	85	59	70	72	79	93	122	146
White	812	77	69	77	68	66	40	51	53	50	59	82	110
All other	348	44	36	26	37	19	19	19	19	29	24	40	36
Black	306	36	33	19	32	19	18	16	17	25	23	38	30
3 months	833	99	78	69	55	62	35	49	54	60	79	86	107
White	579	74	51	49	34	48	21	36	31	47	53	64	71
All other	254	25	27	20	21	14	14	13	23	13	26	22	36
Black	213	22	21	16	17	12	13	7	21	9	23	21	31
4 months	574	78	53	67	49	30	28	42	31	31	54	53	58
White	407	54	32	47	38	22	20	31	23	23	40	37	40
All other	167	24	21	20	11	8	8	11	8	8	14	16	18
Black	144	22	18	17	10	7	7	8	7	7	11	13	17
5 months	493	37	36	53	44	29	23	25	26	39	35	32	54
White	277	20	21	35	24	17	15	20	17	22	24	25	37
All other	156	17	15	18	20	12	8	5	9	17	11	7	17
Black	139	12	14	17	20	11	6	5	8	15	10	7	14
6 months	335	29	37	27	27	24	15	29	21	23	37	29	37
White	223	19	28	16	18	17	9	16	17	14	26	22	21
All other	112	10	9	11	9	7	6	13	4	9	11	7	16
Black	103	9	8	9	9	7	6	13	4	6	11	6	15
7 months	258	27	21	23	21	20	25	30	21	13	14	17	26
White	173	20	17	17	14	10	16	19	14	11	8	11	16
All other	85	7	4	6	7	10	9	11	7	2	6	6	10
Black	79	6	3	6	7	10	8	11	6	2	6	5	9
8 months	221	26	16	22	29	15	16	21	11	15	18	17	15
White	147	19	12	16	17	12	11	10	6	11	12	10	11
All other	74	7	4	6	12	3	5	11	5	4	6	7	4
Black	66	6	4	5	11	3	3	11	5	3	6	5	4
9 months	229	22	21	23	17	23	16	21	12	17	16	18	23
White	160	13	16	15	15	17	10	13	9	13	13	10	16
All other	69	9	5	8	2	6	6	8	3	4	3	8	7
Black	61	7	5	8	2	6	5	5	2	4	3	7	7
10 months	199	20	13	15	17	15	20	11	23	13	12	21	19
White	127	12	5	11	11	11	13	6	15	9	6	13	15
All other	72	8	8	4	6	4	7	5	8	4	6	8	4
Black	65	8	8	3	5	4	6	5	8	3	6	6	3
11 months	155	21	15	8	13	10	15	11	14	11	11	11	15
White	104	16	12	5	9	6	10	8	10	7	6	6	9
All other	51	5	3	3	4	4	5	3	4	4	5	5	6
Black	43	4	3	1	4	4	3	3	3	4	5	5	4

SECTION 2 - INFANT MORTALITY - PAGE 32

Table 2-13. Deaths Under 1 Year and Under 28 Days, by Month and Race: Each State, 1985

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA													
Under 1 year	752	58	66	56	54	54	46	70	69	68	66	69	76
White	405	28	35	33	32	33	28	36	35	30	39	34	42
All other	347	30	31	23	22	21	18	34	34	38	27	35	34
Black	344	29	31	23	22	20	18	33	34	38	27	35	34
Under 28 days	496	38	39	33	40	32	31	50	52	46	53	40	42
White	273	19	24	21	26	20	20	26	26	19	30	18	24
All other	223	19	15	12	14	12	11	24	26	27	23	22	18
Black	222	18	15	12	14	12	11	24	26	27	23	22	18
ALASKA													
Under 1 year	139	5	10	16	10	15	16	10	10	18	5	9	15
White	87	3	4	11	5	8	9	7	9	13	3	7	8
All other	52	2	6	5	5	7	7	3	1	5	2	2	7
Black	12	1	1	1	1	2	1	-	1	2	-	1	1
Under 28 days	65	3	8	6	4	6	8	5	7	5	4	-	9
White	46	3	4	5	3	2	6	4	7	4	2	-	6
All other	19	-	4	1	1	4	2	1	-	1	2	-	3
Black	6	-	1	1	1	1	-	-	-	1	-	-	1
ARIZONA													
Under 1 year	577	50	44	47	50	52	47	50	41	36	47	63	50
White	469	42	40	35	42	38	37	40	32	30	40	52	41
All other	108	8	4	12	8	14	10	10	9	6	7	11	9
Black	32	4	-	4	1	8	3	1	4	2	2	3	-
Under 28 days	352	23	26	27	37	38	29	32	25	24	33	33	25
White	293	19	25	22	32	26	24	27	19	20	30	29	20
All other	59	4	1	5	5	12	5	5	6	4	3	4	5
Black	25	4	-	2	-	7	3	1	2	2	2	2	-
ARKANSAS													
Under 1 year	409	44	36	26	24	45	39	40	25	37	28	33	32
White	290	29	21	13	16	35	26	35	20	24	21	25	25
All other	119	15	15	13	8	10	13	5	5	13	7	8	7
Black	117	15	14	13	8	10	13	5	4	13	7	8	7
Under 28 days	249	21	18	13	11	32	27	30	18	22	13	20	24
White	178	16	9	5	7	26	16	27	14	15	10	15	18
All other	71	5	9	8	4	6	11	3	4	7	3	5	6
Black	70	5	9	8	4	6	11	3	3	7	3	5	6
CALIFORNIA													
Under 1 year	4,490	387	316	387	360	349	339	369	356	369	399	430	429
White	3,394	288	241	294	276	258	258	288	278	259	298	333	323
All other	1,096	99	75	93	84	91	81	81	78	110	101	97	106
Black	757	58	47	66	48	68	51	59	59	78	73	75	75
Under 28 days	2,820	235	171	222	239	228	219	264	252	238	261	247	244
White	2,155	178	130	171	180	172	168	209	202	173	195	194	183
All other	665	57	41	51	59	56	51	55	50	65	66	53	61
Black	469	38	27	37	36	38	33	40	41	49	49	39	42
COLORADO													
Under 1 year	519	34	43	47	53	49	41	28	31	55	55	43	40
White	458	30	39	44	44	46	36	24	31	47	50	32	35
All other	61	4	4	3	9	3	5	4	-	8	5	11	5
Black	45	3	4	2	5	3	2	3	-	7	3	10	3
Under 28 days	302	16	18	28	35	32	26	18	21	32	31	22	23
White	264	15	18	26	27	31	22	16	21	27	28	13	20
All other	38	1	-	2	8	1	4	2	-	5	3	9	3
Black	26	1	-	1	4	1	1	2	-	4	2	8	2
CONNECTICUT													
Under 1 year	438	33	42	33	37	38	33	34	36	28	33	41	50
White	322	21	27	24	29	29	24	23	27	24	24	35	35
All other	116	12	15	9	8	9	9	11	9	4	9	6	15
Black	112	12	14	9	8	9	9	9	9	4	9	6	14
Under 28 days	343	29	28	21	31	31	27	29	31	21	25	34	36
White	251	17	18	15	24	23	21	19	25	17	17	30	25
All other	92	12	10	6	7	8	6	10	6	4	8	4	11
Black	89	12	10	6	7	8	6	8	6	4	8	4	10
DELAWARE													
Under 1 year	142	12	7	10	11	11	12	10	11	19	18	9	12
White	85	8	4	6	6	7	10	5	5	12	10	5	7
All other	57	4	3	4	5	4	2	5	6	7	8	4	5
Black	56	4	3	4	5	4	2	5	5	7	8	4	5
Under 28 days	102	8	4	6	7	10	9	6	10	16	14	6	6
White	63	6	3	3	3	7	9	4	5	11	7	3	2
All other	39	2	1	3	4	3	-	2	5	5	7	3	4
Black	38	2	1	3	4	3	-	2	4	5	7	3	4
DISTRICT OF COLUMBIA													
Under 1 year	205	14	12	17	15	17	21	20	14	18	17	20	20
White	19	-	2	1	1	-	4	-	1	2	4	3	1
All other	186	14	10	16	14	17	17	20	13	16	13	17	19
Black	185	14	10	16	14	17	17	20	13	15	13	17	19
Under 28 days	157	12	8	13	12	15	16	13	9	16	13	14	16
White	14	-	2	1	1	-	3	-	-	2	3	1	1
All other	143	12	6	12	11	15	13	13	9	14	10	13	15
Black	142	12	6	12	11	15	13	13	9	13	10	13	15

SECTION 2 - INFANT MORTALITY - PAGE 33

Table 2-13. Deaths Under 1 Year and Under 28 Days, by Month and Race: Each State, 1985—Con.

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA													
Under 1 year	1,847	167	156	107	159	158	141	150	182	137	142	173	175
White	1,129	99	96	70	105	98	90	93	112	85	74	106	101
All other	718	68	60	37	54	60	51	57	70	52	68	67	74
Black	707	66	59	37	54	59	50	54	69	52	67	66	74
Under 28 days	1,208	97	96	69	109	96	100	106	129	87	95	117	107
White	734	60	60	49	78	54	62	61	78	52	50	71	59
All other	474	37	36	20	31	42	38	45	51	35	45	46	48
Black	466	36	36	20	31	42	37	42	50	35	44	45	48
GEORGIA													
Under 1 year	1,222	111	92	89	85	95	97	93	95	104	126	116	119
White	587	68	37	47	38	41	43	46	48	54	62	50	53
All other	635	43	55	42	47	54	54	47	47	50	64	66	66
Black	630	43	55	42	46	54	53	47	46	50	64	65	65
Under 28 days	829	64	66	60	62	65	76	72	73	81	79	72	53
White	406	43	28	33	30	30	36	33	36	41	42	27	27
All other	423	21	38	27	32	35	40	39	37	40	37	45	32
Black	421	21	38	27	31	35	40	39	37	40	37	44	32
HAWAII													
Under 1 year	162	12	12	20	12	12	19	14	6	12	13	21	9
White	35	1	3	5	1	3	5	4	1	2	3	6	1
All other	127	11	9	15	11	9	14	10	5	10	10	15	8
Black	18	3	1	2	-	-	4	2	1	2	2	-	1
Under 28 days	107	9	8	9	7	9	14	9	5	10	9	15	3
White	27	1	2	2	1	3	4	2	1	2	2	6	1
All other	80	8	6	7	6	6	10	7	4	8	7	9	2
Black	13	3	1	1	-	-	3	2	-	2	1	-	-
IDAHO													
Under 1 year	183	20	18	16	14	12	12	15	16	13	8	14	25
White	178	18	18	16	13	12	11	15	16	13	8	13	25
All other	5	2	-	-	1	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	111	11	6	10	8	12	9	9	10	10	3	10	13
White	109	10	6	10	8	12	8	9	10	10	3	10	13
All other	2	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS													
Under 1 year	2,123	191	176	185	181	163	181	158	189	168	169	187	195
White	1,284	121	106	109	114	93	100	106	101	101	107	107	119
All other	839	70	70	76	67	70	81	52	68	67	62	80	76
Black	828	69	70	75	66	68	81	52	68	66	60	78	75
Under 28 days	1,441	120	119	118	127	109	124	119	124	129	117	112	123
White	893	77	74	67	81	60	74	78	78	81	76	67	80
All other	548	43	45	51	46	49	50	41	46	48	41	45	43
Black	542	43	45	50	46	47	50	41	46	48	40	44	42
INDIANA													
Under 1 year	883	78	65	65	68	77	86	70	64	68	83	81	78
White	714	57	49	59	51	66	70	54	56	59	69	66	58
All other	169	21	16	6	17	11	16	16	8	9	14	15	20
Black	166	21	16	6	15	11	16	15	8	9	14	15	20
Under 28 days	604	49	45	37	41	53	71	45	49	44	64	54	52
White	483	37	35	34	30	44	57	33	43	40	51	43	36
All other	121	12	10	3	11	9	14	12	6	4	13	11	16
Black	118	12	10	3	9	9	14	11	6	4	13	11	16
IOWA													
Under 1 year	391	39	27	21	26	33	34	27	43	34	35	33	39
White	372	37	27	20	23	33	32	27	40	33	32	33	35
All other	19	2	-	1	3	-	2	-	3	1	3	-	4
Black	13	1	-	1	3	-	1	-	2	-	3	-	2
Under 28 days	243	24	17	16	23	19	20	18	26	21	20	16	23
White	230	23	17	15	22	19	18	18	24	20	18	16	20
All other	13	1	-	1	1	-	2	-	2	1	2	-	3
Black	7	-	-	1	1	-	1	-	1	-	2	-	1
KANSAS													
Under 1 year	369	33	36	28	32	30	28	32	20	33	33	27	37
White	317	32	29	23	25	27	23	29	14	28	26	26	35
All other	52	1	7	5	7	3	5	3	6	5	7	1	2
Black	47	-	6	5	7	1	5	3	5	5	7	1	2
Under 28 days	237	18	20	20	22	25	20	24	10	26	18	13	21
White	205	18	16	16	19	22	15	22	8	21	15	13	20
All other	32	-	4	4	3	3	5	2	2	5	3	-	1
Black	30	-	4	4	3	1	5	2	2	5	3	-	1
KENTUCKY													
Under 1 year	594	58	42	61	54	50	40	58	42	51	43	42	53
White	493	52	33	48	45	42	36	49	33	49	33	30	45
All other	101	6	9	15	9	8	4	9	9	2	10	12	8
Black	98	6	8	15	9	8	4	9	9	2	9	11	8
Under 28 days	396	35	26	26	34	40	32	40	32	34	33	27	37
White	326	32	20	21	28	32	28	33	24	34	25	17	32
All other	70	3	6	5	6	8	4	7	8	-	8	10	5
Black	68	3	6	5	6	8	4	7	8	-	7	9	5

SECTION 2 - INFANT MORTALITY - PAGE 34

Table 2-13. Deaths Under 1 Year and Under 28 Days, by Month and Race: Each State, 1985—Con.

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA													
Under 1 year	968	88	80	71	86	89	64	80	77	75	76	82	100
White	418	40	33	35	38	29	31	27	35	30	43	33	44
All other	550	48	47	36	48	60	33	53	42	45	33	49	56
Black	540	46	47	35	48	60	32	53	42	44	32	48	53
Under 28 days	629	52	52	50	51	62	42	48	57	51	51	50	63
White	286	24	20	26	25	20	21	20	27	18	31	24	30
All other	343	28	32	24	26	42	21	28	30	33	20	26	33
Black	338	26	32	23	26	42	21	28	30	32	20	26	32
MAINE													
Under 1 year	154	19	6	19	17	12	9	15	9	13	20	5	10
White	153	19	6	19	17	12	8	15	9	13	20	5	10
All other	1	-	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	110	13	3	12	12	9	5	10	6	10	17	4	9
White	110	13	3	12	12	9	5	10	6	10	17	4	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND													
Under 1 year	808	71	59	81	81	68	64	64	50	60	54	88	68
White	411	40	27	33	38	39	32	26	29	32	25	51	39
All other	397	31	32	48	43	29	32	38	21	28	29	37	29
Black	385	30	32	48	42	27	31	34	21	26	29	37	28
Under 28 days	556	41	40	57	55	55	47	47	37	41	38	59	39
White	273	26	18	22	23	31	23	18	18	23	16	32	23
All other	283	15	22	35	32	24	24	29	19	18	22	27	16
Black	276	15	22	35	31	23	23	26	19	18	22	27	15
MASSACHUSETTS													
Under 1 year	743	54	54	60	60	83	64	59	69	67	52	61	60
White	606	43	46	48	50	71	59	44	54	54	45	43	49
All other	137	11	8	12	10	12	5	15	15	13	7	18	11
Black	126	11	7	11	9	12	5	13	14	12	6	16	10
Under 28 days	535	37	31	36	47	69	48	46	52	50	36	43	40
White	445	31	28	29	40	57	46	37	42	40	30	34	31
All other	90	6	3	7	7	12	2	9	10	10	6	9	9
Black	85	6	3	6	6	12	2	9	9	10	5	9	8
MICHIGAN													
Under 1 year	1,572	136	121	140	120	144	140	127	127	128	116	129	144
White	1,053	88	82	96	82	103	91	81	80	90	80	84	96
All other	519	48	39	44	38	41	49	46	47	38	36	45	48
Black	508	45	38	44	38	41	47	45	47	38	36	42	47
Under 28 days	1,070	95	83	96	76	103	99	96	87	91	73	78	93
White	699	58	58	61	50	69	62	61	57	61	51	57	54
All other	371	37	25	35	26	34	37	35	30	30	22	21	39
Black	363	34	24	35	26	34	35	35	30	30	22	20	38
MINNESOTA													
Under 1 year	594	58	52	62	53	52	57	38	30	43	44	40	65
White	546	52	49	58	52	49	49	34	27	37	43	34	62
All other	48	6	3	4	1	3	8	4	3	6	1	6	3
Black	31	3	1	3	1	2	6	2	2	3	1	4	3
Under 28 days	366	24	33	42	33	39	38	29	26	26	25	17	34
White	336	22	30	39	33	37	33	26	23	22	24	15	32
All other	30	2	3	3	-	2	5	3	3	4	1	2	2
Black	20	1	1	3	-	1	3	2	2	2	1	2	2
MISSISSIPPI													
Under 1 year	596	69	40	52	51	45	36	54	45	62	51	42	49
White	213	31	10	17	20	10	10	23	16	24	14	13	25
All other	383	38	30	35	31	35	26	31	29	38	37	29	24
Black	379	37	30	35	31	35	24	31	29	37	37	29	24
Under 28 days	367	40	21	32	31	30	25	38	28	37	35	25	25
White	127	22	4	10	13	7	6	14	7	15	9	6	14
All other	240	18	17	22	18	23	19	24	21	22	26	19	11
Black	239	18	17	22	18	23	18	24	21	22	26	19	11
MISSOURI													
Under 1 year	789	75	68	58	58	60	56	70	62	59	83	68	72
White	576	59	49	45	41	48	38	54	43	36	60	49	56
All other	211	16	19	13	17	12	18	16	19	23	23	19	16
Black	203	16	17	12	16	12	18	16	18	23	23	18	14
Under 28 days	500	46	44	34	39	45	41	47	44	41	49	39	31
White	370	38	29	28	29	35	29	36	33	26	35	28	24
All other	130	8	15	6	10	10	12	11	11	15	14	11	7
Black	122	8	13	5	9	10	12	11	10	15	14	10	5
MONTANA													
Under 1 year	139	10	9	13	14	11	7	10	12	13	18	11	11
White	116	9	7	7	11	11	6	6	12	13	15	8	11
All other	23	1	2	6	3	-	1	4	-	-	3	3	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-
Under 28 days	68	5	4	4	5	7	5	5	7	6	8	5	7
White	57	5	4	4	3	7	4	4	7	6	6	2	7
All other	11	-	-	2	2	-	1	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 35

Table 2-13. Deaths Under 1 Year and Under 28 Days, by Month and Race: Each State, 1985—Con.

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year	246	31	19	21	13	18	20	17	17	22	21	22	25
White	212	28	15	17	10	15	19	16	15	20	19	19	19
All other	34	3	4	4	3	3	1	1	2	2	2	3	6
Black	24	-	2	3	3	3	-	1	1	1	2	3	5
Under 28 days	159	20	13	11	9	11	17	10	12	13	16	16	11
White	139	20	10	10	6	10	16	10	10	12	15	13	7
All other	20	-	3	1	3	1	1	-	2	1	1	3	4
Black	15	-	2	1	3	1	-	-	1	-	1	3	3
NEVADA													
Under 1 year	130	15	14	16	11	10	6	13	7	11	6	8	13
White	110	13	11	15	8	7	5	10	5	10	6	8	12
All other	20	2	3	1	3	3	1	3	2	1	-	-	1
Black	18	2	3	1	3	3	1	2	2	-	-	-	1
Under 28 days	73	9	8	8	5	9	4	10	4	7	2	4	3
White	57	8	6	7	4	6	3	7	2	6	2	4	2
All other	16	1	2	1	1	3	1	3	2	1	-	-	1
Black	14	1	2	1	1	3	1	2	2	-	-	-	1
NEW HAMPSHIRE													
Under 1 year	144	16	10	7	9	4	17	14	11	14	13	14	15
White	140	16	9	7	9	4	16	14	11	13	13	14	14
All other	4	-	1	-	-	-	1	-	-	1	-	-	1
Black	4	-	1	-	-	-	1	-	-	1	-	-	1
Under 28 days	98	9	6	4	6	4	14	10	6	9	12	7	11
White	96	9	6	4	6	4	13	10	6	9	12	7	10
All other	2	-	-	-	-	-	1	-	-	-	-	-	1
Black	2	-	-	-	-	-	1	-	-	-	-	-	1
NEW JERSEY													
Under 1 year	1,119	99	94	100	89	95	86	92	66	92	98	106	102
White	723	54	62	66	55	71	61	51	43	58	58	72	72
All other	396	45	32	34	34	24	25	41	23	34	40	34	30
Black	386	45	32	32	34	23	23	41	23	32	37	34	30
Under 28 days	764	55	58	69	60	66	69	68	53	64	63	72	67
White	517	28	43	46	39	49	50	41	36	44	40	53	48
All other	247	27	15	23	21	17	19	27	17	20	23	19	19
Black	243	27	15	23	21	17	17	27	17	19	22	19	19
NEW MEXICO													
Under 1 year	295	29	26	21	25	29	28	14	18	27	19	25	34
White	243	22	24	17	22	26	25	11	13	21	15	18	29
All other	52	7	2	4	3	3	3	3	5	6	4	7	5
Black	10	1	1	1	-	-	-	-	2	-	1	2	2
Under 28 days	174	20	12	12	14	20	22	6	14	17	10	13	14
White	145	15	11	8	12	17	21	5	11	14	8	9	14
All other	29	5	1	4	2	3	1	1	3	3	2	4	-
Black	6	1	-	1	-	-	-	-	1	-	1	2	-
NEW YORK													
Under 1 year	2,791	241	206	249	247	232	206	237	202	245	247	200	279
White	1,813	152	137	171	162	155	136	154	118	156	157	141	174
All other	978	89	69	78	85	77	70	83	84	89	90	59	105
Black	925	82	64	74	85	76	63	82	75	84	85	57	98
Under 28 days	1,912	154	143	159	155	172	151	186	152	172	175	115	178
White	1,273	98	98	112	108	116	104	114	93	113	115	84	118
All other	639	56	45	47	47	56	47	72	59	59	60	31	60
Black	611	54	42	43	47	55	43	71	55	56	57	31	57
NORTH CAROLINA													
Under 1 year	1,051	115	69	109	91	83	64	93	92	87	77	72	99
White	582	61	31	64	48	47	40	45	50	47	43	45	61
All other	469	54	38	45	43	36	24	48	42	40	34	27	38
Black	449	48	36	43	41	35	22	47	41	40	33	26	37
Under 28 days	695	70	39	77	61	57	42	70	74	59	51	40	55
White	379	38	19	42	29	29	27	36	39	32	29	25	34
All other	316	32	20	35	32	28	15	34	35	27	22	15	21
Black	305	27	20	33	32	28	14	34	34	27	21	15	20
NORTH DAKOTA													
Under 1 year	100	11	9	14	8	8	6	6	8	7	5	14	4
White	89	10	8	14	7	7	6	5	6	5	5	12	4
All other	11	1	1	-	1	1	1	1	2	2	-	2	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-
Under 28 days	63	3	5	12	4	4	5	5	5	7	2	8	3
White	56	3	4	12	3	3	5	5	4	5	2	7	3
All other	7	-	1	-	1	1	-	-	1	2	-	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-
OHIO													
Under 1 year	1,660	106	111	160	139	148	135	158	134	141	155	142	131
White	1,261	80	88	116	107	112	96	114	102	107	131	101	107
All other	399	26	23	44	32	36	39	44	32	34	24	41	24
Black	390	26	23	43	32	34	39	43	30	33	24	39	24
Under 28 days	1,082	63	61	104	95	98	91	106	88	99	108	101	68
White	827	50	48	77	74	72	65	76	66	76	92	75	56
All other	255	13	13	27	21	26	26	30	22	23	16	26	12
Black	250	13	13	27	21	24	26	30	20	23	16	25	12

SECTION 2 - INFANT MORTALITY - PAGE 36

Table 2-13. Deaths Under 1 Year and Under 28 Days, by Month and Race: Each State, 1985—Con.

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA													
Under 1 year	577	53	49	69	52	53	48	42	35	41	49	33	53
White	453	44	33	53	42	41	39	39	28	32	37	23	42
All other	124	9	16	16	10	12	9	3	7	9	12	10	11
Black	98	8	12	13	8	7	8	2	6	6	11	7	10
Under 28 days	363	28	33	46	37	31	32	29	23	29	29	13	33
White	285	25	21	35	30	26	25	26	18	23	22	9	25
All other	78	3	12	11	7	5	7	3	5	6	7	4	8
Black	64	2	9	10	7	3	6	2	4	5	6	2	8
OREGON													
Under 1 year	389	37	36	31	34	32	27	28	33	27	37	29	38
White	356	34	33	29	30	31	25	27	32	25	31	26	33
All other	33	3	3	2	4	1	2	1	1	2	6	3	5
Black	17	2	1	1	2	-	1	1	1	1	3	2	2
Under 28 days	209	21	18	13	15	18	22	16	16	15	19	14	22
White	191	19	17	13	13	18	21	16	16	14	14	12	18
All other	18	2	1	-	2	-	1	-	-	1	5	2	4
Black	9	2	1	-	1	-	-	-	-	-	2	1	2
PENNSYLVANIA													
Under 1 year	1,766	185	127	168	143	152	136	153	143	133	133	142	151
White	1,298	140	93	116	103	110	106	119	101	95	87	112	116
All other	468	45	34	52	40	42	30	34	42	38	46	30	35
Black	455	40	34	51	39	42	29	34	41	35	46	30	34
Under 28 days	1,227	122	76	118	100	113	96	99	111	110	97	91	94
White	914	88	53	80	78	79	80	82	79	82	66	73	74
All other	313	34	23	38	22	34	16	17	32	28	31	18	20
Black	302	31	23	37	21	34	15	17	31	25	31	18	19
RHODE ISLAND													
Under 1 year	107	10	7	11	9	8	10	8	13	7	7	10	7
White	95	9	7	10	8	3	9	7	13	7	7	8	7
All other	12	1	-	1	1	5	1	1	-	-	-	2	-
Black	10	1	-	-	1	4	1	1	-	-	-	2	-
Under 28 days	78	7	5	8	4	7	10	5	11	5	7	4	5
White	69	6	5	8	3	3	9	4	11	5	7	3	5
All other	9	1	-	-	1	4	1	1	-	-	-	1	-
Black	8	1	-	-	1	3	1	1	-	-	-	1	-
SOUTH CAROLINA													
Under 1 year	738	65	74	64	59	49	55	55	69	77	58	52	61
White	303	29	32	29	22	21	24	18	29	26	24	22	27
All other	435	36	42	35	37	28	31	37	40	51	34	30	34
Black	432	36	42	35	36	28	29	37	40	51	34	30	34
Under 28 days	519	41	45	41	37	35	43	45	55	55	42	39	41
White	207	18	17	14	13	15	18	16	26	19	19	18	14
All other	312	23	28	27	24	20	25	29	29	36	23	21	27
Black	309	23	28	27	23	20	23	29	29	36	23	21	27
SOUTH DAKOTA													
Under 1 year	120	7	9	15	9	9	10	7	11	9	16	7	11
White	90	5	7	11	6	8	5	6	9	7	14	5	7
All other	30	2	2	4	3	1	5	1	2	2	2	2	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	65	1	6	5	7	6	4	4	9	3	9	4	7
White	55	1	5	5	5	5	2	4	9	3	9	3	4
All other	10	-	1	-	2	1	2	-	-	-	-	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE													
Under 1 year	759	67	51	62	69	63	67	67	50	89	49	62	63
White	453	41	30	39	52	25	40	45	26	43	37	40	35
All other	306	26	21	23	17	38	27	22	24	46	12	22	28
Black	306	26	21	23	17	38	27	22	24	46	12	22	28
Under 28 days	503	41	31	45	37	47	45	50	38	66	34	35	34
White	279	24	15	25	26	16	26	33	19	29	25	22	19
All other	224	17	16	20	11	31	19	17	19	37	9	13	15
Black	224	17	16	20	11	31	19	17	19	37	9	13	15
TEXAS													
Under 1 year	3,014	279	280	251	247	231	245	259	243	254	228	227	270
White	2,338	210	226	197	185	172	193	212	193	196	180	179	195
All other	676	69	54	54	62	59	52	47	50	58	48	48	75
Black	644	63	51	48	62	56	48	46	50	55	47	44	74
Under 28 days	1,903	147	155	164	157	153	172	175	178	172	144	138	148
White	1,491	114	130	127	117	119	140	144	138	131	112	112	107
All other	412	33	25	37	40	34	32	31	40	41	32	26	41
Black	394	30	23	36	40	34	28	30	40	38	31	23	41
UTAH													
Under 1 year	360	30	31	35	30	31	26	26	25	21	39	29	37
White	345	29	30	32	29	29	25	25	24	20	39	28	35
All other	15	1	1	3	1	2	1	1	1	1	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	204	14	17	19	15	23	17	18	16	12	16	15	22
White	196	13	17	18	14	21	17	17	15	12	16	14	22
All other	8	1	-	1	1	2	-	1	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-

SECTION 2 - INFANT MORTALITY - PAGE 37

Table 2-13. Deaths Under 1 Year and Under 28 Days, by Month and Race: Each State, 1985—Con.

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT													
Under 1 year	68	6	7	4	7	6	6	4	8	4	5	7	4
White	68	6	7	4	7	6	6	4	8	4	5	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	43	5	4	3	3	5	4	2	4	2	4	5	2
White	43	5	4	3	3	5	4	2	4	2	4	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	989	82	75	90	87	90	68	71	78	91	74	89	94
White	586	44	47	54	53	57	39	43	47	51	41	52	58
All other	403	38	28	36	34	33	29	28	31	40	33	37	36
Black	391	38	27	34	31	29	29	28	31	39	33	36	36
Under 28 days	695	55	54	62	59	64	52	55	57	64	53	61	59
White	411	31	36	33	39	42	29	35	34	33	29	34	36
All other	284	24	18	29	20	22	23	20	23	31	24	27	23
Black	278	24	18	28	18	21	23	20	23	30	24	26	23
WASHINGTON													
Under 1 year	752	60	54	65	80	58	45	47	63	62	78	73	67
White	669	55	47	59	76	50	42	45	50	53	70	63	59
All other	83	5	7	6	4	8	3	2	13	9	8	10	8
Black	41	-	3	2	-	4	1	1	9	5	5	5	6
Under 28 days	435	24	31	43	46	35	29	32	40	41	43	41	30
White	389	22	26	40	45	29	28	31	31	37	39	35	26
All other	46	2	5	3	1	6	1	1	9	4	4	6	4
Black	26	-	1	1	-	4	-	1	6	2	3	4	4
WEST VIRGINIA													
Under 1 year	259	22	24	20	32	16	17	18	18	19	23	17	33
White	239	21	21	18	31	15	15	15	17	19	21	17	29
All other	20	1	3	2	1	1	2	3	1	-	2	-	4
Black	20	1	3	2	1	1	2	3	1	-	2	-	4
Under 28 days	177	14	14	11	24	9	13	15	11	16	16	11	23
White	162	14	12	9	23	9	11	13	10	16	15	11	19
All other	15	-	2	2	1	-	2	2	1	-	1	-	4
Black	15	-	2	2	1	-	2	2	1	-	1	-	4
WISCONSIN													
Under 1 year	674	73	43	48	62	68	42	44	54	50	67	56	67
White	558	57	39	44	55	55	34	31	47	48	53	42	53
All other	116	16	4	4	7	13	8	13	7	2	14	14	14
Black	99	15	2	2	6	11	6	12	6	1	13	12	13
Under 28 days	415	43	28	30	32	42	31	32	37	29	39	38	34
White	342	32	25	27	30	33	24	21	34	29	32	26	27
All other	73	11	3	3	2	9	7	11	3	-	7	10	7
Black	66	11	2	1	2	9	5	11	3	-	7	8	7
WYOMING													
Under 1 year	114	8	10	9	13	8	4	9	4	8	17	10	14
White	108	8	10	9	10	8	4	8	3	7	17	10	14
All other	6	-	-	-	3	-	-	1	1	1	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-
Under 28 days	60	3	5	5	7	5	1	4	2	6	11	5	6
White	57	3	5	5	6	5	1	4	1	5	11	5	6
All other	3	-	-	-	1	-	-	-	1	1	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 38

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Month:
United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year - All causes	40,030	3,573	3,124	3,426	3,350	3,325	3,103	3,247	3,113	3,326	3,355	3,383	3,705
Certain intestinal infections (008-009)	98	7	5	10	8	7	7	7	14	9	8	11	5
Whooping cough (033)	3	1	-	-	1	-	-	-	-	-	-	1	-
Meningococcal infection (036)	69	14	9	7	10	6	3	1	2	1	6	6	4
Septicemia (038)	303	30	23	29	23	18	22	25	18	21	20	42	32
Viral diseases (045-079)	105	12	7	5	9	15	4	9	6	5	11	9	13
Congenital syphilis (090)	7	-	-	2	-	2	1	1	1	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	135	12	9	16	7	8	6	10	14	15	14	10	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	114	7	5	9	8	11	4	14	8	13	14	5	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	4	2	6	5	3	3	4	11	8	7	2	6
Diseases of thymus gland (254)	5	1	-	-	1	-	-	-	-	1	1	-	-
Cystic fibrosis (277.0)	17	-	1	2	3	-	1	3	1	2	1	2	1
Diseases of blood and blood-forming organs (280-289)	77	5	5	6	9	5	4	11	7	6	5	4	10
Meningitis (320-322)	257	22	25	25	27	22	22	18	11	20	21	21	23
Other diseases of nervous system and sense organs (323-389)	465	43	47	40	38	37	42	29	30	33	40	44	42
Acute upper respiratory infections (460-465)	57	9	11	7	4	3	-	2	4	2	4	5	6
Bronchitis and bronchiolitis (466,490-491)	104	5	14	13	11	8	2	5	2	5	6	11	22
Pneumonia and influenza (480-487)	705	81	58	85	54	52	40	37	40	50	55	61	92
Pneumonia (480-486)	698	80	56	83	54	52	40	37	39	50	55	61	91
Influenza (487)	7	1	2	2	-	-	-	-	1	-	-	-	1
Remainder of diseases of respiratory system (470-478,492-519)	473	38	33	51	42	38	28	42	27	33	44	42	55
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	81	10	3	6	11	4	10	2	6	5	10	5	9
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	104	9	11	6	9	6	6	6	8	9	10	13	11
Remainder of diseases of digestive system (520-534,536-543,562-579)	225	27	17	22	10	26	20	22	10	22	14	15	20
Congenital anomalies (740-759)	8,561	747	656	729	725	681	709	768	708	720	726	677	715
Anencephalus and similar anomalies (740)	691	68	57	56	62	65	58	58	45	78	53	44	47
Spina bifida (741)	95	6	8	8	5	7	10	7	11	8	7	9	9
Congenital hydrocephalus (742.3)	203	17	20	24	15	23	10	17	22	21	7	11	16
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	274	20	18	11	28	23	26	26	29	22	22	29	20
Congenital anomalies of heart (745-746)	2,585	225	202	232	211	185	200	213	220	218	234	209	236
Other congenital anomalies of circulatory system (747)	689	43	48	64	75	55	64	62	70	49	59	50	50
Congenital anomalies of respiratory system (748)	1,094	105	83	79	84	101	101	98	99	84	84	86	90
Congenital anomalies of digestive system (749-751)	150	19	17	9	12	13	13	21	6	8	7	10	15
Congenital anomalies of genitourinary system (752-753)	509	40	40	43	44	38	39	52	31	47	54	40	41
Congenital anomalies of musculoskeletal system (754-756)	644	57	51	49	45	57	50	66	52	60	56	46	55
Down's syndrome (758.0)	74	7	7	8	-	5	9	8	3	4	6	10	10
Other chromosomal anomalies (758.1-758.9)	792	67	52	80	75	56	68	60	64	62	68	81	59
All other and unspecified congenital anomalies (744,757,759)	761	73	53	66	69	53	61	81	51	60	71	56	67
Certain conditions originating in the perinatal period (760-779)	19,068	1,563	1,396	1,573	1,569	1,725	1,592	1,647	1,633	1,647	1,611	1,493	1,619
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	105	9	9	8	13	10	11	4	8	8	8	7	10
Newborn affected by maternal complications of pregnancy (761)	1,335	113	88	122	113	117	102	122	105	103	124	104	122
Newborn affected by complications of placenta, cord, and membranes (762)	891	69	62	74	76	82	67	76	72	66	89	80	78
Newborn affected by other complications of labor and delivery (763)	80	7	3	4	10	6	13	9	5	7	4	4	8
Slow fetal growth and fetal malnutrition (764)	36	3	2	4	3	4	3	4	4	3	-	2	4
Disorders relating to short gestation and unspecified low birthweight (765)	3,257	260	248	267	287	299	276	245	271	263	281	278	282
Disorders relating to long gestation and high birthweight (766)	1	-	-	1	-	-	-	-	-	-	-	-	-
Birth trauma (767)	329	34	22	33	37	27	30	15	28	27	31	27	18
Intrauterine hypoxia and birth asphyxia (768)	1,158	97	93	106	92	113	93	96	95	108	89	81	95
Fetal distress in liveborn infant (768.2-768.4)	225	16	19	24	22	17	20	17	19	22	15	16	18
Birth asphyxia (768.5-768.9)	933	81	74	82	70	96	73	79	76	86	74	65	77
Respiratory distress syndrome (769)	3,691	301	276	271	294	326	293	352	328	322	321	284	323
Other respiratory conditions of newborn (770)	3,746	328	285	297	283	316	308	325	313	338	318	310	325
Infections specific to the perinatal period (771)	955	76	63	75	82	83	93	85	90	79	80	69	80
Neonatal hemorrhage (772)	369	28	29	33	27	29	27	38	47	40	18	24	29
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	51	4	5	6	6	4	5	3	7	5	3	1	2
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	8	1	-	2	-	1	-	-	-	1	3	-	-
Hemorrhagic disease of newborn (776.0)	9	-	1	-	-	1	1	-	2	-	-	1	3
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3,047	233	210	270	246	307	270	273	258	277	242	221	240
Symptoms, signs, and ill-defined conditions (780-799)	5,945	653	548	522	505	414	360	327	312	432	499	645	728
Sudden infant death syndrome (798.0)	5,315	587	493	454	452	372	312	291	277	387	452	591	647
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	630	66	55	68	53	42	48	36	35	45	47	54	81
Accidents and adverse effects (E800-E949)	890	89	59	78	64	66	69	87	66	86	73	71	82
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	170	28	12	16	14	12	13	16	7	17	12	12	11
Accidental mechanical suffocation (E913)	171	16	10	15	11	10	20	15	16	18	19	7	14
Other accidental causes and adverse effects (E800-E910,E914-E949)	549	45	37	47	39	44	36	56	43	51	42	52	57
Homicide (E960-E969)	200	14	18	18	22	10	8	13	18	20	20	24	15
Child battering and other maltreatment (E967)	63	4	6	4	8	3	5	4	4	9	3	7	6
Other homicide (E960-E966,E968-E969)	137	10	12	14	14	7	3	9	14	11	17	17	9
All other causes (Residual)	1,901	170	162	159	175	158	140	156	156	161	135	164	165

SECTION 2 - INFANT MORTALITY - PAGE 39

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Month:
United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975.]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 28 days - All causes	26,179	2,134	1,901	2,166	2,187	2,305	2,194	2,307	2,243	2,287	2,219	2,062	2,174
Certain intestinal infections (008-009)	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	23	1	2	1	2	4	-	3	1	2	3	2	2
Congenital syphilis (090)	4	-	-	1	-	1	1	1	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	17	1	-	3	1	1	3	2	2	1	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	29	1	-	3	3	4	2	1	1	4	3	2	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	2	1	1	-	2	1	3	8	7	3	2	3
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	2	-	-	-	-	-	-	1	-	1	-	-	-
Diseases of blood and blood-forming organs (280-289)	20	1	2	1	1	1	-	6	2	1	2	-	3
Meningitis (320-322)	50	1	1	6	4	4	5	8	3	3	7	3	5
Other diseases of nervous system and sense organs (323-389)	24	-	1	1	2	-	6	2	2	1	3	4	2
Acute upper respiratory infections (460-465)	2	-	-	-	-	-	-	-	1	-	-	-	1
Bronchitis and bronchiolitis (466,490-491)	4	-	-	2	1	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	151	14	8	11	14	11	14	12	12	19	10	14	12
Pneumonia (480-486)	151	14	8	11	14	11	14	12	12	19	10	14	12
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	81	6	8	4	6	7	6	8	3	8	10	6	9
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	4	2	2	3	2	4	-	5	2	6	1	3
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	23	3	-	1	4	4	-	2	2	1	2	3	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	47	3	4	7	1	7	3	6	3	5	3	1	4
Congenital anomalies (740-759)	6,369	533	483	528	545	523	542	596	541	560	526	490	502
Anencephalus and similar anomalies (740)	677	66	56	56	60	64	55	56	45	76	53	43	47
Spina bifida (741)	57	4	5	3	4	6	6	4	7	5	5	4	4
Congenital hydrocephalus (742.3)	122	8	16	12	7	17	6	14	12	13	2	8	7
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	169	10	6	6	17	15	19	13	22	16	14	20	11
Congenital anomalies of heart (745-746)	1,535	120	124	134	131	108	122	131	138	137	130	123	137
Other congenital anomalies of circulatory system (747)	545	34	36	52	60	42	57	55	59	35	42	37	36
Congenital anomalies of respiratory system (748)	1,008	89	79	72	80	97	94	91	90	79	76	78	83
Congenital anomalies of digestive system (749-751)	66	6	7	4	7	5	7	8	4	5	3	2	8
Congenital anomalies of genitourinary system (752-753)	489	38	38	40	41	37	38	51	30	45	52	40	39
Congenital anomalies of musculoskeletal system (754-756)	559	51	43	40	38	49	45	60	47	53	50	40	43
Down's syndrome (758.0)	24	2	2	2	-	1	2	3	3	1	2	3	3
Other chromosomal anomalies (758.1-758.9)	518	45	30	56	45	38	40	41	45	43	50	52	33
All other and unspecified congenital anomalies (744,757,759)	600	60	41	51	55	44	51	69	39	52	47	40	51
Certain conditions originating in the perinatal period (760-779)	17,937	1,448	1,287	1,477	1,491	1,643	1,494	1,559	1,557	1,530	1,526	1,407	1,518
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	102	8	8	8	13	10	11	4	8	7	8	7	10
Newborn affected by maternal complications of pregnancy (761)	1,318	110	88	119	113	117	102	122	103	100	123	104	117
Newborn affected by complications of placenta, cord, and membranes (762)	888	69	62	74	76	81	67	76	72	66	88	80	77
Newborn affected by other complications of labor and delivery (763)	77	7	3	4	10	5	13	9	5	6	3	4	8
Slow fetal growth and fetal malnutrition (764)	32	3	2	4	3	3	3	3	4	2	-	1	4
Disorders relating to short gestation and unspecified low birthweight (765)	3,227	256	246	264	285	292	273	243	271	261	279	277	280
Disorders relating to long gestation and high birthweight (766)	1	-	-	1	-	-	-	-	-	-	-	-	-
Birth trauma (767)	322	34	21	32	37	26	30	15	26	27	30	27	17
Intrauterine hypoxia and birth asphyxia (768)	1,084	88	81	102	88	106	85	88	91	104	86	76	89
Fetal distress in liveborn infant (768.2-768.4)	208	13	15	22	21	17	17	16	19	22	14	15	17
Birth asphyxia (768.5-768.9)	876	75	66	80	67	89	68	72	72	82	72	61	72
Respiratory distress syndrome (769)	3,420	272	246	251	275	302	270	333	313	291	301	264	302
Other respiratory conditions of newborn (770)	3,166	273	235	241	242	288	258	284	271	281	269	257	267
Infections specific to the perinatal period (771)	915	71	57	74	78	81	88	81	89	73	77	68	78
Neonatal hemorrhage (772)	367	28	29	33	27	29	27	38	46	40	18	23	29
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	42	4	5	5	5	3	5	1	5	5	2	1	1
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	7	1	-	2	-	1	-	-	-	1	2	-	-
Hemorrhagic disease of newborn (776.0)	7	-	-	-	-	-	1	-	2	-	-	1	3
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	2,962	224	204	263	239	299	261	262	251	266	240	217	236
Symptoms, signs, and ill-defined conditions (780-799)	532	46	40	42	43	35	49	32	35	54	50	49	57
Sudden infant death syndrome (788.0)	382	31	30	26	32	25	29	24	30	44	32	36	43
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	150	15	10	16	11	10	20	8	5	10	18	13	14
Accidents and adverse effects (E800-E949)	85	14	4	13	4	3	7	6	5	14	6	6	3
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	18	4	-	3	1	1	-	3	1	3	-	2	-
Accidental mechanical suffocation (E913)	15	2	1	2	-	1	1	1	2	3	2	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	52	8	3	8	3	1	6	2	2	8	4	4	3
Homicide (E960-E969)	42	5	1	3	6	-	-	3	6	5	3	8	2
Child battering and other maltreatment (E967)	8	-	1	1	2	-	-	-	-	1	1	-	-
Other homicide (E960-E966,E968-E969)	34	5	-	2	4	-	-	1	6	4	2	8	2
All other causes (Residual)	668	50	57	59	56	52	57	56	54	69	54	62	42

SECTION 2 - INFANT MORTALITY - PAGE 40

Table 2-14. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Month:
United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 days-11 months - All causes	13,851	1,439	1,223	1,260	1,163	1,020	909	940	870	1,039	1,136	1,321	1,531
Certain intestinal infections (008-009)	97	7	5	10	8	6	7	7	14	9	8	11	5
Whooping cough (033)	3	1	-	-	1	-	-	-	-	-	-	1	-
Meningococcal infection (036)	68	13	9	7	10	6	3	1	2	1	6	6	4
Septicemia (038)	303	30	23	29	23	18	22	25	18	21	20	42	32
Viral diseases (045-079)	82	11	5	4	7	11	4	6	5	3	8	7	11
Congenital syphilis (090)	3	-	-	1	-	1	-	-	1	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	118	11	9	13	6	7	3	8	12	14	12	9	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	85	6	5	6	5	7	2	13	7	9	11	3	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	28	2	1	5	5	1	2	1	3	1	4	-	3
Diseases of thymus gland (254)	5	1	-	-	1	-	-	1	-	1	1	-	-
Cystic fibrosis (277.0)	15	-	1	2	3	-	1	2	1	1	1	2	1
Diseases of blood and blood-forming organs (280-289)	57	4	3	5	8	4	4	5	5	5	3	4	7
Meningitis (320-322)	207	21	24	19	23	18	17	10	8	17	14	18	18
Other diseases of nervous system and sense organs (323-389)	441	43	46	39	36	37	36	27	28	32	37	40	40
Acute upper respiratory infections (460-465)	55	9	11	7	4	3	-	2	3	2	4	5	5
Bronchitis and bronchiolitis (466,490-491)	100	5	14	11	10	8	2	5	2	5	6	10	22
Pneumonia and influenza (480-487)	554	67	50	74	40	41	26	25	28	31	45	47	80
Pneumonia (480-486)	547	66	48	72	40	41	26	25	27	31	45	47	79
Influenza (487)	7	1	2	2	-	-	-	-	1	-	-	-	1
Remainder of diseases of respiratory system (470-478,492-519)	392	32	25	47	36	31	22	34	24	25	34	36	46
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	6	1	4	8	2	6	2	1	3	4	4	6
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	81	6	11	5	5	2	6	4	6	8	8	10	10
Remainder of diseases of digestive system (520-534,536-543,562-579)	178	24	13	15	9	19	17	16	7	17	11	14	16
Congenital anomalies (740-759)	2,192	214	173	201	180	158	167	172	167	160	200	187	213
Anencephalus and similar anomalies (740)	14	2	1	-	2	1	3	2	-	2	-	1	-
Spina bifida (741)	38	2	3	5	1	1	4	3	4	3	2	5	5
Congenital hydrocephalus (742.3)	81	9	4	12	8	6	4	3	10	8	5	3	9
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	105	10	12	5	11	8	7	13	7	6	8	9	9
Congenital anomalies of heart (745-748)	1,050	105	78	98	80	77	78	82	82	81	104	86	99
Other congenital anomalies of circulatory system (747)	144	9	12	12	15	13	7	7	11	14	17	13	14
Congenital anomalies of respiratory system (748)	86	16	4	7	4	4	7	7	9	5	8	8	7
Congenital anomalies of digestive system (749-751)	84	13	10	5	5	8	6	13	2	3	4	8	7
Congenital anomalies of genitourinary system (752-753)	20	2	2	3	3	1	1	1	1	2	2	-	2
Congenital anomalies of musculoskeletal system (754-756)	85	6	8	9	7	8	5	6	5	7	6	6	12
Down's syndrome (758.0)	50	5	5	6	-	4	7	4	5	2	2	3	7
Other chromosomal anomalies (758.1-758.9)	274	22	22	24	30	18	28	19	19	19	18	29	26
All other and unspecified congenital anomalies (744,757,759)	161	13	12	15	14	9	10	12	12	8	24	16	16
Certain conditions originating in the perinatal period (760-779)	1,131	115	109	96	78	82	98	88	76	117	85	86	101
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	3	1	1	-	-	-	-	-	-	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	17	3	-	3	-	-	-	-	2	3	1	-	5
Newborn affected by complications of placenta, cord, and membranes (762)	3	-	-	-	-	1	-	-	-	-	1	-	1
Newborn affected by other complications of labor and delivery (763)	3	-	-	-	-	1	-	-	-	1	1	-	-
Slow fetal growth and fetal malnutrition (764)	4	-	-	-	-	1	-	1	-	1	-	1	-
Disorders relating to short gestation and unspecified low birthweight (765)	30	4	2	3	2	7	3	2	-	2	2	1	2
Disorders relating to long gestation and high birthweight (766)	7	-	1	1	-	1	-	-	2	-	1	-	1
Birth trauma (767)	9	9	12	4	4	7	8	8	4	4	3	5	6
Intrauterine hypoxia and birth asphyxia (768)	74	9	12	4	2	1	3	1	-	-	1	1	1
Fetal distress in liveborn infant (768.2-768.4)	17	3	4	2	3	7	5	7	4	4	2	4	5
Birth asphyxia (768.5-768.9)	57	6	8	2	3	7	5	7	4	4	2	4	5
Respiratory distress syndrome (769)	271	29	30	20	19	24	23	19	15	31	20	20	21
Other respiratory conditions of newborn (770)	580	55	50	56	41	28	50	41	42	57	49	53	58
Infections specific to the perinatal period (771)	40	5	6	1	4	2	5	4	1	6	3	1	2
Neonatal hemorrhage (772)	2	-	-	-	-	-	-	-	1	-	-	1	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	9	-	-	1	1	1	-	2	2	-	1	-	1
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	-	-	-	-	-	-	-	-	1	-	-
Hemorrhagic disease of newborn (776.0)	2	-	1	-	-	1	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	85	9	6	7	7	8	9	11	7	11	2	4	4
Symptoms, signs, and ill-defined conditions (780-799)	5,413	607	508	480	462	379	311	295	277	378	449	596	671
Sudden infant death syndrome (798.0)	4,933	556	463	428	420	347	283	267	247	343	420	555	604
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	480	51	45	52	42	32	28	28	30	35	29	41	67
Accidents and adverse effects (E800-E949)	805	75	55	65	60	63	62	81	61	72	67	65	79
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	152	24	12	13	13	11	13	13	6	14	12	10	11
Accidental mechanical suffocation (E913)	156	14	9	13	11	9	19	14	14	15	17	7	14
Other accidental causes and adverse effects (E800-E910,E914-E949)	497	37	34	39	36	43	30	54	41	43	38	48	54
Homicide (E960-E969)	158	9	17	15	16	10	8	10	12	15	17	16	13
Child battering and other maltreatment (E967)	55	4	5	3	6	3	5	2	4	8	7	7	6
Other homicide (E960-E966,E968-E969)	103	5	12	12	10	7	3	8	8	7	15	9	7
All other causes (Residual)	1,233	120	105	100	119	106	83	100	102	92	81	102	123

SECTION 2 - INFANT MORTALITY - PAGE 41

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All infants under 1 year									
All causes	40,030	24,903	15,127	30,807	22,780	8,027	9,223	2,123	7,100
Certain intestinal infections (008-009)	98	73	25	77	70	7	21	3	18
Whooping cough (033)	3	2	1	1	1	-	2	1	1
Meningococcal infection (036)	69	47	22	48	42	6	21	5	16
Septicemia (038)	303	193	110	232	174	58	71	19	52
Viral diseases (045-079)	105	68	37	83	64	19	22	4	18
Congenital syphilis (090)	7	6	1	7	6	1	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	135	96	39	110	91	19	25	5	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	114	73	41	87	64	23	27	9	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	35	26	52	32	20	9	3	6
Diseases of thymus gland (254)	5	2	3	2	1	1	3	1	2
Cystic fibrosis (277.0)	17	8	9	12	7	5	5	1	4
Diseases of blood and blood-forming organs (280-289)	77	47	30	61	44	17	16	3	13
Meningitis (320-322)	257	143	114	172	126	46	85	17	68
Other diseases of nervous system and sense organs (323-389)	465	264	201	355	246	109	110	18	92
Acute upper respiratory infections (460-465)	57	35	22	40	29	11	17	6	11
Bronchitis and bronchiolitis (466,490-491)	104	69	35	78	65	13	26	4	22
Pneumonia and influenza (480-487)	705	428	277	501	393	108	204	35	169
Pneumonia (480-486)	698	422	276	496	388	108	202	34	168
Influenza (487)	7	6	1	5	5	-	2	1	1
Remainder of diseases of respiratory system (470-478,492-519)	473	272	201	348	243	105	125	29	96
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	81	45	36	57	41	16	24	4	20
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	104	62	42	74	56	18	30	6	24
Remainder of diseases of digestive system (520-534,536-543,562-579)	225	144	81	167	132	35	58	12	46
Congenital anomalies (740-759)	8,561	5,067	3,494	6,579	4,638	1,941	1,982	429	1,553
Anencephalus and similar anomalies (740)	691	415	276	545	381	164	146	34	112
Spina bifida (741)	95	47	48	65	40	25	30	7	23
Congenital hydrocephalus (742.3)	203	129	74	163	117	46	40	12	28
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	274	168	106	206	152	54	68	16	52
Congenital anomalies of heart (745-746)	2,585	1,464	1,121	1,959	1,345	614	626	119	507
Other congenital anomalies of circulatory system (747)	689	432	257	552	408	144	137	24	113
Congenital anomalies of respiratory system (748)	1,094	641	453	820	572	248	274	69	205
Congenital anomalies of digestive system (749-751)	150	92	58	110	84	26	40	8	32
Congenital anomalies of genitourinary system (752-753)	509	311	198	391	280	111	118	31	87
Congenital anomalies of musculoskeletal system (754-756)	644	387	257	482	355	127	162	32	130
Down's syndrome (758.0)	74	38	36	51	34	17	23	4	19
Other chromosomal anomalies (758.1-758.9)	792	462	330	635	434	201	157	28	129
All other and unspecified congenital anomalies (744,757,759)	761	481	280	600	436	164	161	45	116
Certain conditions originating in the perinatal period (760-779)	19,068	12,324	6,744	14,975	11,325	3,650	4,093	999	3,094
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	105	68	37	84	64	20	21	4	17
Newborn affected by maternal complications of pregnancy (761)	1,335	788	547	1,015	718	297	320	70	250
Newborn affected by complications of placenta, cord, and membranes (762)	891	539	352	669	486	183	222	53	169
Newborn affected by other complications of labor and delivery (763)	80	49	31	63	45	18	17	4	13
Slow fetal growth and fetal malnutrition (764)	36	26	10	32	23	9	4	3	1
Disorders relating to short gestation and unspecified low birthweight (765)	3,257	2,181	1,076	2,631	2,019	612	626	162	464
Disorders relating to long gestation and high birthweight (766)	1	1	-	1	1	-	-	-	-
Birth trauma (767)	329	210	119	250	193	57	79	17	62
Intrauterine hypoxia and birth asphyxia (768)	1,158	736	422	859	652	207	299	84	215
Fetal distress in liveborn infant (768.2-768.4)	225	132	93	154	112	42	71	20	51
Birth asphyxia (768.5-768.9)	933	604	329	705	540	165	228	64	164
Respiratory distress syndrome (769)	3,691	2,312	1,379	2,841	2,106	735	850	206	644
Other respiratory conditions of newborn (770)	3,746	2,423	1,323	2,985	2,262	723	781	161	600
Infections specific to the perinatal period (771)	955	590	365	712	527	185	243	63	180
Neonatal hemorrhage (772)	369	259	110	292	233	59	77	26	51
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	51	26	25	35	24	11	16	2	14
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	8	4	4	5	4	1	3	-	3
Hemorrhagic disease of newborn (776.0)	9	4	5	6	4	2	3	-	3
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3,047	2,108	939	2,495	1,964	531	552	144	408
Symptoms, signs, and ill-defined conditions (780-799)	5,945	3,643	2,302	4,478	3,317	1,161	1,467	326	1,141
Sudden infant death syndrome (798.0)	5,315	3,215	2,100	3,957	2,906	1,049	1,358	307	1,051
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	630	428	202	521	409	112	109	19	90
Accidents and adverse effects (E800-E949)	890	460	430	594	396	198	296	64	232
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	170	77	93	104	65	39	66	12	54
Accidental mechanical suffocation (E913)	171	96	75	116	78	38	55	18	37
Other accidental causes and adverse effects (E800-E910,E914-E949)	549	287	262	374	253	121	175	34	141
Homicide (E960-E969)	200	134	66	164	126	38	36	8	28
Child battering and other maltreatment (E967)	63	40	23	50	37	13	13	3	10
Other homicide (E960-E966,E968-E969)	137	94	43	114	89	25	23	5	18
All other causes (Residual)	1,901	1,183	738	1,453	1,061	402	448	112	336

SECTION 2 - INFANT MORTALITY - PAGE 42

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White infants under 1 year									
All causes	27,864	15,633	12,231	20,824	14,085	6,739	7,040	1,548	5,492
Certain intestinal infections (008-009)	51	34	17	37	33	4	14	1	13
Whooping cough (033)	1	-	1	-	-	-	1	-	1
Meningococcal infection (036)	54	34	20	35	31	4	19	3	16
Septicemia (038)	191	120	71	152	109	43	39	11	28
Viral diseases (045-079)	71	43	28	52	40	12	19	3	16
Congenital syphilis (090)	4	4	-	4	4	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	81	54	27	63	51	12	18	3	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	93	59	34	72	52	20	21	7	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	26	24	43	24	19	7	2	5
Diseases of thymus gland (254)	4	1	3	1	-	1	3	1	2
Cystic fibrosis (277.0)	17	8	9	12	7	5	5	1	4
Diseases of blood and blood-forming organs (280-289)	46	27	19	35	24	11	11	3	8
Meningitis (320-322)	155	73	82	97	62	35	58	11	47
Other diseases of nervous system and sense organs (323-389)	347	187	160	259	169	90	88	18	70
Acute upper respiratory infections (460-465)	33	15	18	24	13	11	9	2	7
Bronchitis and bronchiolitis (466,490-491)	77	51	26	59	48	11	18	3	15
Pneumonia and influenza (480-487)	443	239	204	306	218	88	137	21	116
Pneumonia (480-486)	439	235	204	303	215	88	136	20	116
Influenza (487)	4	4	-	3	3	-	1	1	-
Remainder of diseases of respiratory system (470-478,492-519)	303	146	157	215	127	88	88	19	69
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	61	31	30	42	28	14	19	3	16
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	55	26	29	37	23	14	18	3	15
Remainder of diseases of digestive system (520-534,536-543,562-579)	145	86	59	108	79	29	37	7	30
Congenital anomalies (740-759)	6,898	3,833	3,065	5,225	3,479	1,746	1,673	354	1,319
Anencephalus and similar anomalies (740)	603	343	260	471	316	155	132	27	105
Spina bifida (741)	82	40	42	59	34	25	23	6	17
Congenital hydrocephalus (742.3)	146	88	58	115	76	39	31	12	19
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	223	125	98	163	113	50	60	12	48
Congenital anomalies of heart (745-746)	2,069	1,093	976	1,553	1,003	550	516	90	426
Other congenital anomalies of circulatory system (747)	520	299	221	411	279	132	109	20	89
Congenital anomalies of respiratory system (748)	868	476	392	636	415	221	232	61	171
Congenital anomalies of digestive system (749-751)	123	78	45	89	70	19	34	8	26
Congenital anomalies of genitourinary system (752-753)	419	240	179	315	213	102	104	27	77
Congenital anomalies of musculoskeletal system (754-756)	538	315	223	402	289	113	136	26	110
Down's syndrome (758.0)	60	27	33	40	25	15	20	2	18
Other chromosomal anomalies (758.1-758.9)	641	350	291	504	323	181	137	27	110
All other and unspecified congenital anomalies (744,757,759)	606	359	247	467	323	144	139	36	103
Certain conditions originating in the perinatal period (760-779)	12,520	7,233	5,287	9,500	6,541	2,959	3,020	692	2,328
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	70	42	28	55	40	15	15	2	13
Newborn affected by maternal complications of pregnancy (761)	912	474	438	685	426	259	247	48	199
Newborn affected by complications of placenta, cord, and membranes (762)	650	362	288	465	319	146	185	43	142
Newborn affected by other complications of labor and delivery (763)	60	35	25	48	31	17	12	4	8
Slow fetal growth and fetal malnutrition (764)	21	12	9	19	11	8	2	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	1,864	1,108	756	1,455	1,002	453	409	106	303
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-
Birth trauma (767)	222	129	93	163	117	46	59	12	47
Intrauterine hypoxia and birth asphyxia (768)	780	427	353	546	365	181	234	62	172
Fetal distress in liveborn infant (768.2-768.4)	163	81	82	103	65	38	60	16	44
Birth asphyxia (768.5-768.9)	617	346	271	443	300	143	174	46	128
Respiratory distress syndrome (769)	2,708	1,541	1,167	2,033	1,386	647	675	155	520
Other respiratory conditions of newborn (770)	2,511	1,472	1,039	1,944	1,363	581	567	109	458
Infections specific to the perinatal period (771)	652	364	288	483	322	161	169	42	127
Neonatal hemorrhage (772)	239	147	92	185	134	51	54	13	41
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	37	16	21	23	14	9	14	2	12
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	6	2	4	3	2	1	3	-	3
Hemorrhagic disease of newborn (776.0)	9	4	5	6	4	2	3	-	3
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,779	1,098	681	1,407	1,005	402	372	93	279
Symptoms, signs, and ill-defined conditions (780-799)	4,118	2,226	1,892	2,974	1,979	995	1,144	247	897
Sudden infant death syndrome (798.0)	3,757	2,016	1,741	2,684	1,785	899	1,073	231	842
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	361	210	151	290	194	96	71	16	55
Accidents and adverse effects (E800-E949)	626	294	332	410	249	161	216	45	171
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	112	47	65	70	39	31	42	8	34
Accidental mechanical suffocation (E913)	141	70	71	92	57	35	49	13	36
Other accidental causes and adverse effects (E800-E910,E914-E949)	373	177	196	248	153	95	125	24	101
Homicide (E960-E969)	121	68	53	95	64	31	26	4	22
Child battering and other maltreatment (E967)	37	19	18	27	17	10	10	2	8
Other homicide (E960-E966,E968-E969)	84	49	35	68	47	21	16	2	14
All other causes (Residual)	1,299	715	584	967	631	336	332	84	248

SECTION 2 - INFANT MORTALITY - PAGE 43

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All other infants under 1 year									
All causes	12,166	9,270	2,896	9,983	8,695	1,288	2,183	575	1,608
Certain intestinal infections (008-009)	47	39	8	40	37	3	7	2	5
Whooping cough (033)	2	2	-	1	1	-	1	1	-
Meningococcal infection (036)	15	13	2	13	11	2	2	2	-
Septicemia (038)	112	73	39	80	65	15	32	9	24
Viral diseases (045-079)	34	25	9	31	24	7	3	1	2
Congenital syphilis (090)	3	2	1	3	2	1	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	54	42	12	47	40	7	7	2	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	21	14	7	15	12	3	6	2	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	9	2	9	8	1	2	1	1
Diseases of thymus gland (254)	1	1	-	1	1	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	31	20	11	26	20	6	5	-	5
Meningitis (320-322)	102	70	32	75	64	11	27	6	21
Other diseases of nervous system and sense organs (323-389)	118	77	41	96	77	19	22	-	22
Acute upper respiratory infections (460-465)	24	20	4	16	16	-	8	4	4
Bronchitis and bronchiolitis (466,490-491)	27	18	9	19	17	2	8	1	7
Pneumonia and influenza (480-487)	262	189	73	195	175	20	67	14	53
Pneumonia (480-486)	259	187	72	193	173	20	66	14	52
Influenza (487)	3	2	1	2	2	-	1	-	1
Remainder of diseases of respiratory system (470-478,492-519)	170	126	44	133	116	17	37	10	27
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	14	6	15	13	2	5	1	4
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	49	36	13	37	33	4	12	3	9
Remainder of diseases of digestive system (520-534,536-543,562-579)	80	58	22	59	53	6	21	5	16
Congenital anomalies (740-759)	1,663	1,234	429	1,354	1,159	195	309	75	234
Anencephalus and similar anomalies (740)	88	72	16	74	65	9	14	7	7
Spina bifida (741)	13	7	6	6	6	-	7	1	6
Congenital hydrocephalus (742.3)	57	41	16	48	41	7	9	-	9
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	51	43	8	43	39	4	8	4	4
Congenital anomalies of heart (745-746)	516	371	145	406	342	64	110	29	81
Other congenital anomalies of circulatory system (747)	169	133	36	141	129	12	28	4	24
Congenital anomalies of respiratory system (748)	226	165	61	184	157	27	42	8	34
Congenital anomalies of digestive system (749-751)	27	14	13	21	14	7	6	-	6
Congenital anomalies of genitourinary system (752-753)	90	71	19	76	67	9	14	4	10
Congenital anomalies of musculoskeletal system (754-756)	106	72	34	80	66	14	26	6	20
Down's syndrome (758.0)	14	11	3	11	9	2	3	2	1
Other chromosomal anomalies (758.1-758.9)	151	112	39	131	111	20	20	1	19
All other and unspecified congenital anomalies (744,757,759)	155	122	33	133	113	20	22	9	13
Certain conditions originating in the perinatal period (760-779)	6,548	5,091	1,457	5,475	4,784	691	1,073	307	766
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	35	26	9	29	24	5	6	2	4
Newborn affected by maternal complications of pregnancy (761)	423	314	109	350	292	58	73	22	51
Newborn affected by complications of placenta, cord, and membranes (762)	241	177	64	204	167	37	37	10	27
Newborn affected by other complications of labor and delivery (763)	20	14	6	15	14	1	5	-	5
Slow fetal growth and fetal malnutrition (764)	15	14	1	13	12	1	2	2	-
Disorders relating to short gestation and unspecified low birthweight (765)	1,393	1,073	320	1,176	1,017	159	217	56	161
Disorders relating to long gestation and high birthweight (766)	1	1	-	1	1	-	-	-	-
Birth trauma (767)	107	81	26	87	76	11	20	5	15
Intrauterine hypoxia and birth asphyxia (768)	378	309	69	313	287	26	65	22	43
Fetal distress in liveborn infant (768.2-768.4)	62	51	11	51	47	4	11	4	7
Birth asphyxia (768.5-768.9)	316	258	58	262	240	22	54	18	36
Respiratory distress syndrome (769)	983	771	212	808	720	88	175	51	124
Other respiratory conditions of newborn (770)	1,235	951	284	1,041	899	142	194	52	142
Infections specific to the perinatal period (771)	303	226	77	229	205	24	74	21	53
Neonatal hemorrhage (772)	130	112	18	107	99	8	23	13	10
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	14	10	4	12	10	2	2	-	2
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	2	2	-	2	2	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,268	1,010	258	1,088	959	129	180	51	129
Symptoms, signs, and ill-defined conditions (780-799)	1,827	1,417	410	1,504	1,338	166	323	79	244
Sudden infant death syndrome (788.0)	1,558	1,199	359	1,273	1,123	150	265	76	209
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	269	218	51	231	215	16	38	3	35
Accidents and adverse effects (E800-E949)	264	166	98	184	147	37	80	19	61
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	58	30	28	34	26	8	24	4	20
Accidental mechanical suffocation (E913)	30	26	4	24	21	3	6	5	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	176	110	66	126	100	26	50	10	40
Homicide (E960-E969)	79	66	13	69	62	7	10	4	6
Child battering and other maltreatment (E967)	26	21	5	23	20	3	3	1	2
Other homicide (E960-E966,E968-E969)	53	45	8	46	42	4	7	3	4
All other causes (Residual)	602	448	154	486	420	66	116	28	88

SECTION 2 - INFANT MORTALITY - PAGE 44

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Black infants under 1 year									
All causes	11,063	8,579	2,484	9,196	8,046	1,150	1,867	533	1,334
Certain intestinal infections (008-009)	44	37	7	37	35	2	7	2	5
Whooping cough (033)	2	2	-	1	1	-	1	1	-
Meningococcal infection (036)	14	12	2	12	10	2	2	2	-
Septicemia (038)	109	73	36	80	65	15	29	8	21
Viral diseases (045-079)	30	22	8	27	21	6	3	1	2
Congenital syphilis (090)	2	1	1	2	1	1	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	48	38	10	41	36	5	7	2	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19	13	6	13	11	2	6	2	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	7	2	7	6	1	2	1	1
Diseases of thymus gland (254)	1	1	-	1	1	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	27	18	9	23	18	5	4	-	4
Meningitis (320-322)	87	61	26	67	56	11	20	5	15
Other diseases of nervous system and sense organs (323-389)	100	64	36	83	64	19	17	-	17
Acute upper respiratory infections (460-465)	23	19	4	16	16	-	7	3	4
Bronchitis and bronchiolitis (466,490-491)	25	17	8	18	16	2	7	1	6
Pneumonia and influenza (480-487)	237	177	60	183	163	20	54	14	40
Pneumonia (480-486)	235	176	59	182	162	20	53	14	39
Influenza (487)	2	1	1	1	1	-	1	-	1
Remainder of diseases of respiratory system (470-478,492-519)	156	117	39	125	108	17	31	9	22
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	13	5	14	12	2	4	1	3
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	44	34	10	35	32	3	9	2	7
Remainder of diseases of digestive system (520-534,536-543,562-579)	67	49	18	50	45	5	17	4	13
Congenital anomalies (740-759)	1,419	1,067	352	1,161	1,000	161	258	67	191
Anencephalus and similar anomalies (740)	59	47	12	48	42	6	11	5	6
Spina bifida (741)	13	7	6	6	6	-	7	1	6
Congenital hydrocephalus (742.3)	48	35	13	40	35	5	8	-	8
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	43	37	6	36	33	3	7	4	3
Congenital anomalies of heart (745-746)	442	323	119	352	296	56	90	27	63
Other congenital anomalies of circulatory system (747)	156	124	32	132	120	12	24	4	20
Congenital anomalies of respiratory system (748)	200	147	53	162	139	23	38	8	30
Congenital anomalies of digestive system (749-751)	25	13	12	20	13	7	5	-	5
Congenital anomalies of genitourinary system (752-753)	84	68	16	72	64	8	12	4	8
Congenital anomalies of musculoskeletal system (754-756)	85	59	26	63	53	10	22	6	16
Down's syndrome (758.0)	11	10	1	9	8	1	2	2	-
Other chromosomal anomalies (758.1-758.9)	123	95	28	108	94	14	15	1	14
All other and unspecified congenital anomalies (744,757,759)	130	102	28	113	97	16	17	5	12
Certain conditions originating in the perinatal period (760-779)	6,140	4,809	1,331	5,168	4,521	647	972	288	684
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	32	25	7	27	23	4	5	2	3
Newborn affected by maternal complications of pregnancy (761)	399	299	100	334	279	55	65	20	45
Newborn affected by complications of placenta, cord, and membranes (762)	225	166	59	190	156	34	35	10	25
Newborn affected by other complications of labor and delivery (763)	18	13	5	14	13	1	4	-	4
Slow fetal growth and fetal malnutrition (764)	15	14	1	13	12	1	2	2	-
Disorders relating to short gestation and unspecified low birthweight (765)	1,325	1,029	296	1,127	975	152	198	54	144
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-
Birth trauma (767)	99	74	25	80	70	10	19	4	15
Intrauterine hypoxia and birth asphyxia (768)	354	292	62	295	271	24	59	21	38
Fetal distress in liveborn infant (768.2-768.4)	54	45	9	44	41	3	10	4	6
Birth asphyxia (768.5-768.9)	300	247	53	251	230	21	49	17	32
Respiratory distress syndrome (769)	911	721	190	756	673	83	155	48	107
Other respiratory conditions of newborn (770)	1,135	885	250	967	838	129	168	47	121
Infections specific to the perinatal period (771)	289	216	73	220	196	24	69	20	49
Neonatal hemorrhage (772)	125	109	16	103	96	7	22	13	9
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	10	6	4	8	6	2	2	-	2
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	2	2	-	2	2	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,201	958	243	1,032	911	121	169	47	122
Symptoms, signs, and ill-defined conditions (780-799)	1,606	1,304	302	1,364	1,233	131	242	71	171
Sudden infant death syndrome (798.0)	1,357	1,096	261	1,146	1,028	118	211	68	143
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	249	208	41	218	205	13	31	3	28
Accidents and adverse effects (E800-E949)	227	150	77	165	132	33	62	18	44
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E811-E912)	50	28	22	30	24	6	20	4	16
Accidental mechanical suffocation (E913)	29	26	3	24	21	3	5	5	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	148	96	52	111	87	24	37	9	28
Homicide (E960-E969)	75	63	12	66	59	7	9	4	5
Child battering and other maltreatment (E967)	26	21	5	23	20	3	3	1	2
Other homicide (E960-E966,E968-E969)	49	42	7	43	39	4	6	3	3
All other causes (Residual)	534	411	123	437	384	53	97	27	70

SECTION 2 - INFANT MORTALITY - PAGE 45

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All infants under 28 days									
All causes	26,179	16,486	9,693	20,432	15,125	5,307	5,747	1,361	4,386
Certain intestinal infections (008-009)	1	1	-	1	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	1	1	-	-	-	-
Septicemia (038)	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	23	12	11	19	12	7	4	-	4
Congenital syphilis (090)	4	3	1	4	3	1	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	17	12	5	13	12	1	4	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	29	16	13	22	14	8	7	2	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	18	15	29	17	12	4	1	3
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	2	2	-	1	1	-	1	1	-
Diseases of blood and blood-forming organs (280-289)	20	11	9	14	11	3	6	-	6
Meningitis (320-322)	50	28	22	36	23	13	14	5	9
Other diseases of nervous system and sense organs (323-389)	24	16	8	18	14	4	6	2	4
Acute upper respiratory infections (460-465)	2	1	1	1	-	1	1	1	-
Bronchitis and bronchiolitis (466,490-491)	4	2	2	4	2	2	46	7	39
Pneumonia and influenza (480-487)	151	92	59	105	85	20	46	7	39
Pneumonia (480-486)	151	92	59	105	85	20	46	7	39
Influenza (487)	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	81	44	37	64	40	24	17	4	13
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	18	16	25	16	9	9	2	7
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	23	14	9	17	14	3	6	-	6
Remainder of diseases of digestive system (520-534,536-543,562-579)	47	28	19	35	27	8	12	1	11
Congenital anomalies (740-759)	6,369	3,776	2,593	4,897	3,444	1,453	1,472	332	1,140
Anencephalus and similar anomalies (740)	677	406	271	531	372	159	146	34	112
Spina bifida (741)	57	27	30	39	21	18	18	6	12
Congenital hydrocephalus (742.3)	122	73	49	94	65	29	28	8	20
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	169	96	73	121	85	36	48	11	37
Congenital anomalies of heart (745-746)	1,535	873	662	1,168	804	364	367	69	298
Other congenital anomalies of circulatory system (747)	545	347	198	437	328	109	108	19	89
Congenital anomalies of respiratory system (748)	1,008	587	421	753	522	231	255	65	190
Congenital anomalies of digestive system (749-751)	66	42	24	50	37	13	16	5	11
Congenital anomalies of genitourinary system (752-753)	489	301	188	376	270	106	113	31	82
Congenital anomalies of musculoskeletal system (754-756)	559	331	228	414	301	113	145	30	115
Down's syndrome (758.0)	24	15	9	18	15	3	6	-	6
Other chromosomal anomalies (758.1-758.9)	518	297	221	420	279	141	98	18	80
All other and unspecified congenital anomalies (744,757,759)	600	381	219	476	345	131	124	36	88
Certain conditions originating in the perinatal period (760-779)	17,937	11,590	6,347	14,089	10,650	3,439	3,848	940	2,908
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	102	65	37	81	61	20	21	4	17
Newborn affected by maternal complications of pregnancy (761)	1,318	778	540	1,007	710	297	311	68	243
Newborn affected by complications of placenta, cord, and membranes (762)	888	536	352	666	483	183	222	53	169
Newborn affected by other complications of labor and delivery (763)	77	47	30	61	43	18	16	4	12
Slow fetal growth and fetal malnutrition (764)	32	22	10	30	21	9	2	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	3,227	2,158	1,069	2,606	1,997	609	621	161	460
Disorders relating to long gestation and high birthweight (766)	1	1	-	1	1	-	-	-	-
Birth trauma (767)	322	206	116	245	189	56	77	17	60
Intrauterine hypoxia and birth asphyxia (768)	1,084	693	391	808	614	194	276	79	197
Fetal distress in liveborn infant (768.2-768.4)	208	120	88	141	100	41	67	20	47
Birth asphyxia (768.5-768.9)	876	573	303	667	514	153	209	59	150
Respiratory distress syndrome (769)	3,420	2,140	1,280	2,631	1,946	685	789	194	595
Other respiratory conditions of newborn (770)	3,166	2,038	1,128	2,517	1,906	611	649	132	517
Infections specific to the perinatal period (771)	915	566	349	682	507	175	233	59	174
Neonatal hemorrhage (772)	367	257	110	290	231	59	77	26	51
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	42	20	22	27	18	9	15	2	13
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	7	4	3	5	4	1	2	-	2
Hemorrhagic disease of newborn (776.0)	7	3	4	5	3	2	2	-	2
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	2,962	2,056	906	2,427	1,916	511	535	140	395
Symptoms, signs, and ill-defined conditions (780-799)	532	320	212	394	293	101	138	27	111
Sudden infant death syndrome (788.0)	382	226	156	272	200	72	110	26	84
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	150	94	56	122	93	29	28	1	27
Accidents and adverse effects (E800-E949)	85	50	35	64	45	19	21	5	16
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	18	12	6	13	9	4	5	3	2
Accidental mechanical suffocation (E913)	15	8	7	11	8	3	4	-	4
Other accidental causes and adverse effects (E800-E910,E914-E949)	52	30	22	40	28	12	12	2	10
Homicide (E960-E969)	42	24	18	34	24	10	8	-	8
Child battering and other maltreatment (E967)	8	5	3	6	5	1	2	-	2
Other homicide (E960-E966,E968-E969)	34	19	15	28	19	9	6	-	6
All other causes (Residual)	668	407	261	545	378	169	123	31	92

SECTION 2 - INFANT MORTALITY - PAGE 46

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White infants under 28 days									
All causes	18,233	10,370	7,863	13,822	9,383	4,439	4,411	987	3,424
Certain intestinal infections (008-009)	1	1	-	1	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-
Septicemia (038)
Viral diseases (045-079)	15	8	7	12	8	4	3	-	3
Congenital syphilis (090)	2	2	-	2	2	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	15	11	4	11	11	-	4	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	23	12	11	17	10	7	6	2	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	28	14	14	24	13	11	4	1	3
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	2	2	-	1	1	-	1	1	-
Diseases of blood and blood-forming organs (280-289)	9	4	5	5	4	1	4	-	4
Meningitis (320-322)	25	10	15	16	7	9	9	3	6
Other diseases of nervous system and sense organs (323-389)	20	13	7	15	11	4	5	2	3
Acute upper respiratory infections (460-465)	1	-	1	1	-	1	-	-	-
Bronchitis and bronchiolitis (466,490-491)	2	-	2	2	-	2	-	-	-
Pneumonia and influenza (480-487)	104	58	46	70	52	18	34	6	28
Pneumonia (480-486)	104	58	46	70	52	18	34	6	28
Influenza (487)	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	47	19	28	35	17	18	12	2	10
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	15	15	22	14	8	8	1	7
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	12	6	6	8	6	2	4	-	4
Remainder of diseases of digestive system (520-534,536-543,562-579)	32	18	14	23	17	6	9	1	8
Congenital anomalies (740-759)	5,175	2,886	2,289	3,922	2,613	1,309	1,253	273	980
Anencephalus and similar anomalies (740)	592	336	256	460	309	151	132	27	105
Spina bifida (741)	49	22	27	35	17	18	14	5	9
Congenital hydrocephalus (742.3)	87	49	38	66	41	25	21	8	13
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	140	71	69	98	64	34	42	7	35
Congenital anomalies of heart (745-746)	1,247	663	584	936	612	324	311	51	260
Other congenital anomalies of circulatory system (747)	406	237	169	323	222	101	83	15	68
Congenital anomalies of respiratory system (748)	803	440	363	586	381	205	217	59	158
Congenital anomalies of digestive system (749-751)	57	37	20	42	32	10	15	5	10
Congenital anomalies of genitourinary system (752-753)	402	232	170	302	205	97	100	27	73
Congenital anomalies of musculoskeletal system (754-756)	470	270	200	348	246	102	122	24	98
Down's syndrome (758.0)	19	11	8	13	11	2	6	-	6
Other chromosomal anomalies (758.1-758.9)	428	233	195	342	216	126	86	17	69
All other and unspecified congenital anomalies (744,757,759)	475	285	190	371	257	114	104	28	76
Certain conditions originating in the perinatal period (760-779)	11,759	6,791	4,968	8,928	6,144	2,784	2,831	647	2,184
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	69	41	28	54	39	15	15	2	13
Newborn affected by maternal complications of pregnancy (761)	905	470	435	662	423	239	243	47	196
Newborn affected by complications of placenta, cord, and membranes (762)	649	361	288	464	318	146	185	43	142
Newborn affected by other complications of labor and delivery (763)	57	33	24	46	29	17	11	4	7
Slow fetal growth and fetal malnutrition (764)	20	11	9	18	10	8	2	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	1,846	1,094	752	1,440	989	451	406	105	301
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-
Birth trauma (767)	217	127	90	160	115	45	57	12	45
Intrauterine hypoxia and birth asphyxia (768)	725	401	324	512	343	169	213	58	155
Fetal distress in liveborn infant (768.2-768.4)	153	76	77	97	60	37	56	16	40
Birth asphyxia (768.5-768.9)	572	325	247	415	283	132	157	42	115
Respiratory distress syndrome (769)	2,518	1,435	1,083	1,893	1,290	603	625	145	480
Other respiratory conditions of newborn (770)	2,124	1,236	888	1,641	1,150	491	483	86	397
Infections specific to the perinatal period (771)	626	350	276	463	311	152	163	39	124
Neonatal hemorrhage (772)	237	145	92	183	132	51	54	13	41
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	32	13	19	19	11	8	13	2	11
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	5	2	3	3	2	1	2	-	2
Hemorrhagic disease of newborn (776.0)	7	3	4	5	3	2	2	-	2
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,722	1,069	653	1,365	979	386	357	90	267
Symptoms, signs, and ill-defined conditions (780-799)	348	176	172	247	157	90	101	19	82
Sudden infant death syndrome (796.0)	251	122	129	169	104	65	82	18	64
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	97	54	43	78	53	25	19	1	18
Accidents and adverse effects (E800-E949)	64	36	28	49	33	16	15	3	12
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E811-E912)	12	8	4	9	6	3	3	2	1
Accidental mechanical suffocation (E913)	13	6	7	9	6	3	4	-	4
Other accidental causes and adverse effects (E800-E910,E914-E949)	39	22	17	31	21	10	8	1	7
Homicide (E960-E969)	28	12	16	21	12	9	7	-	7
Child battering and other maltreatment (E967)	5	2	3	3	2	1	2	-	2
Other homicide (E960-E966,E968-E969)	23	10	13	18	10	8	5	-	5
All other causes (Residual)	491	276	215	390	250	140	101	26	75

SECTION 2 - INFANT MORTALITY - PAGE 47

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All other infants under 28 days									
All causes	7,946	6,116	1,830	6,610	5,742	868	1,336	374	962
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	1	1	-	-	-	-
Septicemia (038)	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	8	4	4	7	4	3	1	-	1
Congenital syphilis (090)	2	1	1	2	1	1	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	2	1	1	2	1	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6	4	2	5	4	1	1	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	4	1	5	4	1	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	11	7	4	9	7	2	2	-	2
Meningitis (320-322)	25	18	7	20	16	4	5	2	3
Other diseases of nervous system and sense organs (323-389)	4	3	1	3	3	-	1	-	1
Acute upper respiratory infections (460-465)	1	1	-	-	-	-	1	1	-
Bronchitis and bronchiolitis (466,490-491)	2	2	-	2	2	-	-	-	-
Pneumonia and influenza (480-487)	47	34	13	35	33	2	12	1	11
Pneumonia (480-486)	47	34	13	35	33	2	12	1	11
Influenza (487)	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	34	25	9	29	23	6	5	2	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	3	1	3	2	1	1	1	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	11	8	3	9	8	1	2	-	2
Remainder of diseases of digestive system (520-534,536-543,562-579)	15	10	5	12	10	2	3	-	3
Congenital anomalies (740-759)	1,194	890	304	975	831	144	219	59	160
Anencephalus and similar anomalies (740)	85	70	15	71	63	8	14	7	7
Spina bifida (741)	8	5	3	4	4	-	4	1	3
Congenital hydrocephalus (742.3)	35	24	11	28	24	4	7	-	7
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	29	25	4	23	21	2	6	4	2
Congenital anomalies of heart (745-746)	288	210	78	232	192	40	56	18	38
Other congenital anomalies of circulatory system (747)	139	110	29	114	106	8	25	4	21
Congenital anomalies of respiratory system (748)	205	147	58	167	141	26	38	6	32
Congenital anomalies of digestive system (749-751)	9	5	4	8	5	3	1	-	1
Congenital anomalies of genitourinary system (752-753)	87	69	18	74	65	9	13	4	9
Congenital anomalies of musculoskeletal system (754-756)	89	61	28	66	55	11	23	6	17
Down's syndrome (758.0)	5	4	1	5	4	1	-	-	-
Other chromosomal anomalies (758.1-758.9)	90	64	26	78	63	15	12	1	11
All other and unspecified congenital anomalies (744,757,759)	125	96	29	105	88	17	20	8	12
Certain conditions originating in the perinatal period (760-779)	6,178	4,799	1,379	5,161	4,506	655	1,017	293	724
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	33	24	9	27	22	5	6	2	4
Newborn affected by maternal complications of pregnancy (761)	413	308	105	345	287	58	68	21	47
Newborn affected by complications of placenta, cord, and membranes (762)	239	175	64	202	165	37	37	10	27
Newborn affected by other complications of labor and delivery (763)	20	14	6	15	14	1	5	-	5
Slow fetal growth and fetal malnutrition (764)	12	11	1	12	11	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	1,381	1,064	317	1,166	1,008	158	215	56	159
Disorders relating to long gestation and high birthweight (766)	1	1	-	-	-	-	-	-	-
Birth trauma (767)	105	79	26	85	74	11	20	5	15
Intrauterine hypoxia and birth asphyxia (768)	359	292	67	296	271	25	63	21	42
Fetal distress in liveborn infant (768.2-768.4)	55	44	11	44	40	4	11	4	7
Birth asphyxia (768.5-768.9)	304	248	56	252	231	21	52	17	35
Respiratory distress syndrome (769)	902	705	197	738	656	82	164	49	115
Other respiratory conditions of newborn (770)	1,042	802	240	876	756	120	166	46	120
Infections specific to the perinatal period (771)	289	216	73	219	196	23	70	20	50
Neonatal hemorrhage (772)	130	112	18	107	99	8	23	13	10
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	10	7	3	8	7	1	2	-	2
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	2	2	-	2	2	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,240	987	253	1,062	937	125	178	50	128
Symptoms, signs, and ill-defined conditions (780-799)	184	144	40	147	136	11	37	8	29
Sudden infant death syndrome (798.0)	131	104	27	103	96	7	28	8	20
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	53	40	13	44	40	4	9	-	9
Accidents and adverse effects (E800-E949)	21	14	7	15	12	3	6	2	4
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	6	4	2	4	3	1	2	1	1
Accidental mechanical suffocation (E913)	2	2	-	2	2	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	13	8	5	9	7	2	4	1	3
Homicide (E960-E969)	14	12	2	13	12	1	1	-	1
Child battering and other maltreatment (E967)	3	3	-	3	3	-	-	-	-
Other homicide (E960-E966,E968-E969)	11	9	2	10	9	1	1	-	1
All other causes (Residual)	177	131	46	155	126	29	22	5	17

SECTION 2 - INFANT MORTALITY - PAGE 48

Table 2-15. Deaths Under 1 Year and Under 28 Days, From 61 Selected Causes, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. "All other infants" includes "Black infants." Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Cause of death, age, and race	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Black infants under 28 days									
All causes	7,340	5,704	1,636	6,152	5,358	794	1,188	346	842
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	1	1	-	-	-	-
Septicemia (038)	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	8	4	4	7	4	3	1	-	1
Congenital syphilis (090)	1	-	1	1	-	1	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	1	-	1	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5	4	1	4	4	-	1	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	3	1	4	3	1	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	8	5	3	6	5	1	2	-	2
Meningitis (320-322)	24	17	7	19	15	4	5	2	3
Other diseases of nervous system and sense organs (323-389)	4	3	1	3	3	-	1	-	1
Acute upper respiratory infections (460-465)	1	1	-	-	-	-	1	1	-
Bronchitis and bronchiolitis (466,490-491)	2	2	-	2	2	-	-	-	-
Pneumonia and influenza (480-487)	44	33	11	34	32	2	10	1	9
Pneumonia (480-486)	44	33	11	34	32	2	10	1	9
Influenza (487)	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	33	25	8	29	23	6	4	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	3	1	3	2	1	1	1	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	10	8	2	8	8	-	2	-	2
Remainder of diseases of digestive system (520-534,536-543,562-579)	14	9	5	11	9	2	3	-	3
Congenital anomalies (740-759)	1,019	764	255	833	713	120	186	51	135
Anencephalus and similar anomalies (740)	56	45	11	45	40	5	11	5	6
Spina bifida (741)	8	5	3	4	4	-	4	1	3
Congenital hydrocephalus (742.3)	30	20	10	24	20	4	6	-	6
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	25	23	2	20	19	1	5	4	1
Congenital anomalies of heart (745-746)	248	181	67	201	165	36	47	16	31
Other congenital anomalies of circulatory system (747)	129	103	26	107	99	8	22	4	18
Congenital anomalies of respiratory system (748)	182	131	51	147	125	22	35	6	29
Congenital anomalies of digestive system (749-751)	8	4	4	7	4	3	1	-	1
Congenital anomalies of genitourinary system (752-753)	81	66	15	70	62	8	11	4	7
Congenital anomalies of musculoskeletal system (754-756)	71	49	22	51	43	8	20	6	14
Down's syndrome (758.0)	4	3	1	4	3	1	-	-	-
Other chromosomal anomalies (758.1-758.9)	74	56	18	65	55	10	9	1	8
All other and unspecified congenital anomalies (744,757,759)	103	78	25	88	74	14	15	4	11
Certain conditions originating in the perinatal period (760-779)	5,806	4,544	1,262	4,884	4,268	616	922	276	646
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	30	23	7	25	21	4	5	2	3
Newborn affected by maternal complications of pregnancy (761)	390	294	96	329	274	55	61	20	41
Newborn affected by complications of placenta, cord, and membranes (762)	223	164	59	188	154	34	35	10	25
Newborn affected by other complications of labor and delivery (763)	18	13	5	14	13	1	4	-	4
Slow fetal growth and fetal malnutrition (764)	12	11	1	12	11	1	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	1,313	1,020	293	1,117	966	151	196	54	142
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-
Birth trauma (767)	97	72	25	78	68	10	19	4	15
Intrauterine hypoxia and birth asphyxia (768)	336	276	60	279	256	23	57	20	37
Fetal distress in liveborn infant (768.2-768.4)	48	39	9	38	35	3	10	4	6
Birth asphyxia (768.5-768.9)	288	237	51	241	221	20	47	16	31
Respiratory distress syndrome (769)	839	662	177	694	616	78	145	46	99
Other respiratory conditions of newborn (770)	964	753	211	820	711	109	144	42	102
Infections specific to the perinatal period (771)	275	206	69	210	187	23	65	19	46
Neonatal hemorrhage (772)	125	109	16	103	96	7	22	13	9
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	7	4	3	5	4	1	2	-	2
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	2	2	-	2	2	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,175	935	240	1,008	889	119	167	46	121
Symptoms, signs, and ill-defined conditions (780-799)	164	134	30	137	128	9	27	6	21
Sudden infant death syndrome (798.0)	117	97	20	97	91	6	20	6	14
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	47	37	10	40	37	3	7	-	7
Accidents and adverse effects (E800-E949)	19	12	7	14	11	3	5	1	4
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	6	4	2	4	3	1	2	1	1
Accidental mechanical suffocation (E913)	2	2	-	2	2	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	11	6	5	8	6	2	3	-	3
Homicide (E960-E969)	13	12	1	13	12	1	-	-	-
Child battering and other maltreatment (E967)	3	3	-	3	3	-	-	-	-
Other homicide (E960-E966,E968-E969)	10	9	1	10	9	1	-	-	-
All other causes (Residual)	155	119	36	138	114	24	17	5	12

SECTION 2 - INFANT MORTALITY - PAGE 50

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
All races, both sexes - All causes	40,030	3,994	10,968	2,801	1,574	989	612	494	433	21,865	2,010	1,291	1,013	26,179
Certain intestinal infections (008-009)	98	-	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough (033)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	69	-	1	-	-	-	-	-	-	1	-	-	-	1
Septicemia (038)	303	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	105	-	3	-	-	-	-	-	1	4	10	7	2	23
Congenital syphilis (090)	7	1	-	-	1	1	-	-	-	3	1	-	-	4
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	135	-	4	1	2	1	1	1	-	10	5	2	-	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	114	5	9	1	-	2	-	2	-	19	4	1	5	29
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	6	13	2	3	1	1	-	-	26	3	2	2	33
Diseases of thymus gland (254)	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	17	-	-	-	-	-	-	-	-	-	1	-	1	2
Diseases of blood and blood-forming organs (280-289)	77	3	5	-	1	-	1	1	1	12	4	3	1	20
Meningitis (320-322)	257	-	2	-	1	2	1	2	1	9	13	12	16	50
Other diseases of nervous system and sense organs (323-389)	465	1	-	1	1	2	2	-	2	9	4	4	7	24
Acute upper respiratory infections (460-465)	57	-	-	-	-	-	-	-	-	-	2	-	-	2
Bronchitis and bronchiolitis (466,490-491)	104	-	-	-	-	-	-	-	-	-	-	3	1	4
Pneumonia and influenza (480-487)	705	8	31	13	10	4	4	2	2	74	31	21	25	151
Pneumonia (480-486)	698	8	31	13	10	4	4	2	2	74	31	21	25	151
Influenza (487)	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	473	4	18	11	3	2	1	4	1	44	16	9	12	81
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	81	12	6	6	2	2	-	-	-	28	6	-	-	34
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	104	-	1	1	2	2	1	-	-	7	5	7	4	23
Remainder of diseases of digestive system (520-534,536-543,562-579)	225	2	3	3	2	4	1	1	1	17	15	8	7	47
Congenital anomalies (740-759)	8,561	785	2,094	822	521	344	237	171	168	5,142	637	349	241	6,369
Anencephalus and similar anomalies (740)	691	212	321	56	29	14	13	6	6	657	9	8	3	677
Spina bifida (741)	95	14	17	2	3	3	1	-	2	42	5	4	6	57
Congenital hydrocephalus (742.3)	203	24	42	8	10	2	2	5	3	96	11	7	8	122
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	274	27	66	9	9	11	3	5	3	133	15	12	9	169
Congenital anomalies of heart (745-746)	2,585	27	149	181	204	168	115	82	72	998	296	146	95	1,535
Other congenital anomalies of circulatory system (747)	689	4	55	90	90	51	42	23	25	380	94	47	24	545
Congenital anomalies of respiratory system (748)	1,084	138	512	179	64	19	8	10	17	947	27	23	11	1,008
Congenital anomalies of digestive system (749-751)	150	6	21	5	3	4	1	1	1	42	11	9	4	66
Congenital anomalies of genitourinary system (752-753)	509	62	311	74	12	6	2	3	4	474	5	8	2	489
Congenital anomalies of musculoskeletal system (754-756)	644	62	244	114	41	14	10	8	10	503	35	9	12	559
Down's syndrome (758.0)	74	2	6	1	3	-	-	1	14	5	3	2	24	24
Other chromosomal anomalies (758.1-758.9)	792	33	90	55	34	38	32	20	19	321	95	51	51	518
All other and unspecified congenital anomalies (744,757,759)	761	174	260	48	19	14	8	7	5	535	29	22	14	600
Certain conditions originating in the perinatal period (760-779)	19,068	3,090	8,605	1,831	936	549	319	264	215	15,809	1,052	633	443	17,937
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	105	38	43	8	4	-	2	1	-	96	4	2	-	102
Newborn affected by maternal complications of pregnancy (761)	1,335	461	780	40	17	4	3	2	-	1,307	10	1	-	1,318
Newborn affected by complications of placenta, cord, and membranes (762)	891	364	402	54	20	11	7	6	3	867	15	3	3	888
Newborn affected by other complications of labor and delivery (763)	80	30	31	7	2	2	-	-	1	73	2	2	-	77
Slow fetal growth and fetal malnutrition (764)	36	7	17	1	-	2	3	-	-	30	-	1	1	32
Disorders relating to short gestation and unspecified low birthweight (765)	3,257	971	2,043	128	28	11	7	7	1	3,196	20	7	4	3,227
Disorders relating to long gestation and high birthweight (766)	1	-	1	-	-	-	-	-	-	1	-	-	-	1
Birth trauma (767)	329	11	55	58	46	28	10	22	7	237	43	19	23	322
Intrauterine hypoxia and birth asphyxia (768)	1,158	170	413	123	77	49	37	31	28	928	90	46	20	1,084
Fetal distress in liveborn infant (768.2-768.4)	225	23	61	29	21	6	7	11	12	170	19	12	7	208
Birth asphyxia (768.5-768.9)	933	147	352	94	56	43	30	20	16	758	71	34	13	876
Respiratory distress syndrome (769)	3,691	93	1,320	620	339	202	115	80	70	2,839	317	169	95	3,420
Other respiratory conditions of newborn (770)	3,746	389	1,574	377	184	102	65	36	40	2,767	188	111	100	3,166
Infections specific to the perinatal period (771)	955	35	258	142	45	33	14	23	27	577	146	106	86	915
Neonatal hemorrhage (772)	369	5	78	69	55	29	18	15	13	282	47	24	14	367
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	51	6	7	5	8	2	1	-	-	29	7	2	4	42
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	8	1	1	2	1	-	1	-	-	6	-	-	1	7
Hemorrhagic disease of newborn (776.0)	9	-	3	-	1	-	-	-	-	4	1	2	-	7
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3,047	509	1,579	197	109	74	36	41	25	2,570	162	138	92	2,962
Symptoms, signs, and ill-defined conditions (780-799)	5,945	27	55	21	15	13	5	10	10	156	69	132	175	532
Sudden infant death syndrome (798.0)	5,315	4	15	6	5	8	3	7	7	55	52	115	160	382
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	630	23	40	15	10	5	2	3	3	101	17	17	15	150
Accidents and adverse effects (E800-E949)	890	7	16	6	3	3	2	3	-	40	16	17	12	85
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	170	-	5	2	-	-	-	1	-	8	2	3	5	18
Accidental mechanical suffocation (E913)	171	-	-	-	-	-	1	1	-	2	5	7	1	15
Other accidental causes and adverse effects (E800-E910,E914-E949)	549	7	11	4	3	3	1	1	-	30	9	7	6	52
Homicide (E960-E969)	200	15	11	3	1	-	-	1	1	32	2	4	4	42
Child battering and other maltreatment (E967)	63	4	-	-	-	-	-	-	-	4	-	2	2	8
Other homicide (E960-E966,E968-E969)	137	11	11	3	1	-	-	1	1	28	2	2	2	34
All other causes (Residual)	1,901	28	91	79	70	57	36	32	30	423	113	77	55	668

SECTION 2 - INFANT MORTALITY - PAGE 51

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All races, both sexes - All causes	3,474	2,870	2,047	1,400	1,015	782	612	470	443	335	243
Certain intestinal infections (008-009)	57	17	5	4	6	2	-	2	2	1	1
Whooping cough (033)	3	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	9	7	9	6	7	7	5	4	6	3
Septicemia (038)	116	47	39	21	15	9	14	9	16	9	8
Viral diseases (045-079)	13	15	9	8	5	8	5	3	8	6	2
Congenital syphilis (090)	-	1	2	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	44	15	16	7	8	6	7	6	4	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10	6	9	4	5	4	9	5	7	12	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	5	4	5	1	1	1	3	-	2	3
Diseases of thymus gland (254)	3	-	1	-	-	1	-	-	-	-	-
Cystic fibrosis (277.0)	-	1	5	1	4	-	1	-	1	1	1
Diseases of blood and blood-forming organs (280-289)	8	11	5	6	2	3	8	3	5	2	4
Meningitis (320-322)	32	26	15	21	28	17	25	10	11	9	13
Other diseases of nervous system and sense organs (323-389)	48	61	46	42	56	36	33	31	31	34	23
Acute upper respiratory infections (460-465)	13	14	7	4	3	4	4	1	4	1	-
Bronchitis and bronchiolitis (466,490-491)	14	18	24	12	11	5	7	2	4	2	1
Pneumonia and influenza (480-487)	119	114	88	58	45	37	23	17	21	15	17
Pneumonia (480-486)	118	112	88	58	44	35	22	17	21	15	17
Influenza (487)	1	2	-	-	1	2	1	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	97	76	53	34	34	28	24	12	17	11	6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	6	7	3	5	7	2	3	1	-	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	27	9	9	10	4	8	4	1	2	1	6
Remainder of diseases of digestive system (520-534,536-543,562-579)	35	35	21	19	15	12	16	8	8	5	4
Congenital anomalies (740-759)	590	370	248	229	161	147	108	117	79	81	62
Anencephalus and similar anomalies (740)	9	3	-	2	-	-	-	-	-	-	-
Spina bifida (741)	12	9	6	2	2	2	1	-	1	3	-
Congenital hydrocephalus (742.3)	26	14	10	7	5	6	2	6	1	2	2
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	19	13	14	16	8	9	1	12	7	4	2
Congenital anomalies of heart (745-746)	245	174	121	111	80	85	59	55	40	45	35
Other congenital anomalies of circulatory system (747)	53	23	15	16	9	5	10	5	2	-	6
Congenital anomalies of respiratory system (748)	24	15	9	14	7	5	4	1	4	3	-
Congenital anomalies of digestive system (749-751)	15	11	6	4	5	6	5	9	14	7	2
Congenital anomalies of genitourinary system (752-753)	8	2	1	1	-	1	3	3	1	-	-
Congenital anomalies of musculoskeletal system (754-756)	29	16	6	7	2	5	6	6	2	2	4
Down's syndrome (758.0)	8	7	9	2	6	3	4	3	3	4	1
Other chromosomal anomalies (758.1-758.9)	106	64	29	26	13	10	6	8	3	3	6
All other and unspecified congenital anomalies (744,757,759)	36	19	22	21	24	10	7	9	1	8	4
Certain conditions originating in the perinatal period (760-779)	405	154	121	104	95	71	52	34	31	37	27
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	1	-	1	1	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	2	5	4	4	1	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	2	-	-	-	-	-	1	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	-	-	-	-	-	1	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	2	1	-	-	-	-	-	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	9	9	4	3	2	2	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	1	-	1	-	-	-	-
Birth trauma (767)	4	-	1	6	5	4	5	3	-	1	1
Intrauterine hypoxia and birth asphyxia (768)	30	8	11	6	1	1	2	1	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	5	-	4	3	1	1	2	1	-	-	-
Birth asphyxia (768.5-768.9)	25	8	7	3	4	3	3	2	-	1	1
Respiratory distress syndrome (769)	129	34	24	24	14	18	11	4	3	5	5
Other respiratory conditions of newborn (770)	148	69	68	63	59	43	31	27	24	29	19
Infections specific to the perinatal period (771)	25	10	-	-	3	-	-	-	1	-	1
Neonatal hemorrhage (772)	2	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	3	1	2	1	1	-	1	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	1	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	2	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	47	15	5	2	8	3	1	-	1	2	1
Symptoms, signs, and ill-defined conditions (780-789)	1,377	1,528	1,077	586	345	197	121	67	46	43	26
Sudden infant death syndrome (798.0)	1,279	1,411	1,007	537	307	164	95	57	35	23	18
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	98	117	70	49	38	33	26	10	11	20	8
Accidents and adverse effects (E800-E949)	89	86	66	76	78	75	69	68	79	57	62
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	22	30	24	16	13	7	5	10	9	10	6
Accidental mechanical suffocation (E913)	22	17	6	19	25	19	19	10	9	6	4
Other accidental causes and adverse effects (E800-E910,E914-E949)	45	39	36	41	40	49	45	48	61	41	52
Homicide (E960-E969)	23	26	17	12	10	23	12	6	9	12	8
Child battering and other maltreatment (E967)	8	10	6	4	4	9	4	2	3	4	1
Other homicide (E960-E966,E968-E969)	15	16	11	8	6	14	8	4	6	8	7
All other causes (Residual)	331	220	146	125	73	74	60	57	53	46	48

SECTION 2 - INFANT MORTALITY - PAGE 52

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
All races, male - All causes	22,958	2,189	6,240	1,634	924	591	351	292	263	12,484	1,167	735	562	14,948
Certain intestinal infections (008-009)	55	-	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough (033)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	45	-	1	-	-	-	-	-	-	1	-	-	-	1
Septicemia (038)	178
Viral diseases (045-079)	64	-	2	-	-	-	-	-	-	2	7	3	-	14
Congenital syphilis (090)	3	-	-	-	-	1	-	-	-	1	-	-	2	1
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-086,091-139)	69	-	1	1	-	-	-	1	-	3	1	-	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	56	1	5	-	-	1	-	-	-	7	2	1	3	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	3	3	-	-	1	1	-	-	8	3	-	-	11
Diseases of thymus gland (254)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	48	1	2	-	-	-	-	-	-	3	2	2	1	8
Meningitis (320-322)	142	-	-	-	1	2	-	1	-	4	8	7	10	29
Other diseases of nervous system and sense organs (323-389)	262	1	-	-	-	2	1	-	2	6	3	2	5	16
Acute upper respiratory infections (460-465)	31	-	-	-	-	-	-	-	-	-	2	-	-	2
Bronchitis and bronchiolitis (466,490-491)	72	-	-	-	-	-	-	-	-	-	-	2	-	2
Pneumonia and influenza (480-487)	412	5	19	7	9	2	3	1	2	48	20	12	15	95
Influenza (487)	409	5	19	7	9	2	3	1	2	48	20	12	15	95
Remainder of diseases of respiratory system (470-478,492-519)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	262	2	10	3	1	1	1	4	-	22	6	4	8	40
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	43	6	2	4	1	1	-	-	-	14	3	-	-	17
Remainder of diseases of digestive system (520-534,536-543,562-579)	62	-	-	1	2	2	1	-	-	6	2	5	3	16
Congenital anomalies (740-759)	123	2	1	1	-	-	-	-	1	5	10	4	2	21
Anencephalus and similar anomalies (740)	4,709	408	1,178	486	329	209	133	89	100	2,932	367	187	117	3,603
Spina bifida (741)	298	87	132	28	17	11	4	3	1	283	5	2	1	291
Congenital hydrocephalus (742.3)	48	5	12	1	2	1	-	-	1	22	3	3	3	31
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	113	16	24	4	4	2	1	2	1	54	6	5	4	69
Congenital anomalies of heart (745-746)	124	6	29	7	6	6	-	4	1	59	6	7	4	76
Other congenital anomalies of circulatory system (747)	1,487	17	95	126	139	100	76	44	47	644	174	79	48	945
Congenital anomalies of respiratory system (748)	405	3	28	47	54	35	20	13	16	216	63	28	9	316
Congenital anomalies of digestive system (749-751)	677	82	321	105	45	12	5	6	12	588	17	15	7	627
Congenital anomalies of genitourinary system (752-753)	99	5	17	4	2	2	1	-	31	6	5	3	-	45
Congenital anomalies of musculoskeletal system (754-756)	332	44	202	46	6	5	2	2	309	2	6	2	2	319
Down's syndrome (758.0)	347	35	129	63	24	8	4	4	6	273	20	2	10	305
Other chromosomal anomalies (758.1-758.9)	40	1	3	-	2	-	-	-	1	7	2	3	1	13
All other and unspecified congenital anomalies (744,757,759)	331	14	45	27	18	18	15	8	10	155	47	21	18	241
Certain conditions originating in the perinatal period (760-779)	408	93	141	28	10	9	5	3	2	291	16	11	7	325
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	10,979	1,716	4,920	1,078	531	325	188	171	133	9,062	609	369	253	10,293
Newborn affected by maternal complications of pregnancy (761)	64	19	33	4	1	-	-	-	-	57	3	2	-	62
Newborn affected by complications of placenta, cord, and membranes (762)	728	248	434	18	10	3	1	1	-	715	7	-	-	722
Newborn affected by other complications of labor and delivery (763)	502	212	221	27	11	8	4	3	3	489	8	2	1	500
Slow fetal growth and fetal malnutrition (764)	43	20	13	4	1	-	-	-	1	39	1	1	-	41
Disorders relating to short gestation and unspecified low birthweight (765)	22	5	11	-	-	1	2	-	-	19	-	1	-	20
Disorders relating to long gestation and high birthweight (766)	1,796	546	1,123	73	13	4	4	5	-	1,768	8	3	2	1,781
Birth trauma (767)	1	-	1	-	-	-	-	-	-	1	-	-	-	1
Intrauterine hypoxia and birth asphyxia (768)	195	8	32	34	25	20	7	14	5	145	18	11	15	189
Fetal distress in liveborn infant (768.2-768.4)	624	95	227	60	40	26	18	20	16	502	46	23	13	584
Birth asphyxia (768.5-768.9)	117	11	38	16	9	3	2	7	5	91	11	4	4	110
Respiratory distress syndrome (769)	507	84	189	44	31	23	16	13	11	411	35	19	9	474
Other respiratory conditions of newborn (770)	2,330	51	844	396	212	125	74	56	47	1,805	197	96	59	2,157
Infections specific to the perinatal period (771)	2,185	223	905	218	92	61	36	22	26	1,583	117	69	53	1,822
Neonatal hemorrhage (772)	544	20	135	91	26	17	7	13	15	324	84	62	53	523
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	222	3	54	36	32	20	13	9	6	173	27	14	6	220
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	27	1	4	2	4	-	1	-	-	12	3	1	4	20
Hemorrhagic disease of newborn (776.0)	2	-	-	-	1	-	-	-	-	1	-	-	1	2
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3	-	-	-	1	-	-	-	-	1	1	-	-	2
Symptoms, signs, and ill-defined conditions (780-799)	1,691	265	883	115	62	40	21	28	14	1,428	89	84	46	1,647
Sudden infant death syndrome (798.0)	3,643	17	34	9	7	9	2	5	6	89	37	79	103	308
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	3,278	3	9	3	3	5	1	3	4	31	28	66	93	218
Accidents and adverse effects (E800-E949)	365	14	25	6	4	4	1	2	2	58	9	13	10	90
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	481	3	7	4	-	-	-	1	-	15	8	9	6	38
Accidental mechanical suffocation (E913)	95	-	2	-	-	-	-	1	-	3	1	1	4	9
Other accidental causes and adverse effects (E800-E910,E914-E949)	95	-	-	-	-	-	-	-	-	-	2	3	1	6
Homicide (E960-E969)	291	3	5	4	-	-	-	-	-	12	5	5	1	23
Child battering and other maltreatment (E967)	106	8	4	3	1	-	-	-	-	16	1	3	1	21
Other homicide (E960-E966,E968-E969)	32	1	-	-	-	-	-	-	-	1	-	2	-	3
All other causes (Residual)	74	7	4	3	1	-	-	-	-	15	1	1	1	18
	1,081	16	51	37	42	35	21	19	19	240	75	46	32	393

SECTION 2 - INFANT MORTALITY - PAGE 53

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All races, male - All causes	2,030	1,710	1,214	926	582	447	354	249	214	196	188
Certain intestinal infections (008-009)	30	10	2	4	1	2	-	2	1	1	1
Whooping cough (033)	2	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	6	1	7	5	5	4	5	2	6	-
Septicemia (038)	72	27	20	10	14	4	7	4	9	5	6
Viral diseases (045-079)	8	8	6	4	2	7	3	3	4	4	1
Con genital syphilis (090)	-	1	1	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	25	8	9	4	4	3	4	3	3	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3	1	2	1	2	2	6	3	4	8	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	1	1	1	1	-	-	3	-	2	1
Diseases of thymus gland (254)	2	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	3	-	2	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	5	8	3	4	2	3	5	3	4	1	2
Meningitis (320-322)	15	17	10	15	14	10	14	4	4	4	6
Other diseases of nervous system and sense organs (323-389)	31	34	28	25	30	19	21	17	9	20	12
Acute upper respiratory infections (460-465)	7	9	3	2	1	3	1	-	2	1	-
Bronchitis and bronchiolitis (466,490-491)	8	15	22	7	6	5	3	1	2	-	1
Pneumonia and influenza (480-487)	63	72	55	29	27	18	13	7	11	10	12
Pneumonia (480-486)	63	70	55	29	27	17	13	7	11	10	12
Influenza (487)	-	2	-	-	-	1	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	57	45	26	20	22	15	15	7	7	4	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	3	3	2	4	4	2	-	-	-	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	14	3	4	7	2	6	4	1	1	1	3
Remainder of diseases of digestive system (520-534,536-543,562-579)	19	15	10	14	10	8	13	5	2	3	3
Congenital anomalies (740-759)	310	185	125	105	82	81	59	56	35	39	29
Anencephalus and similar anomalies (740)	4	2	-	1	-	-	-	-	-	-	-
Spina bifida (741)	6	2	5	1	1	-	1	-	-	1	-
Congenital hydrocephalus (742.3)	17	6	7	5	1	3	1	1	1	1	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	6	7	6	7	2	5	-	8	5	2	-
Congenital anomalies of heart (745-746)	141	96	62	49	42	46	31	25	13	22	15
Other congenital anomalies of circulatory system (747)	32	12	7	8	7	4	9	4	1	-	5
Congenital anomalies of respiratory system (748)	13	10	3	10	6	4	1	-	2	1	-
Congenital anomalies of digestive system (749-751)	12	7	6	2	4	3	3	3	9	4	1
Congenital anomalies of genitourinary system (752-753)	5	2	1	-	-	1	2	1	1	-	-
Congenital anomalies of musculoskeletal system (754-756)	14	6	4	3	1	1	4	5	1	1	2
Down's syndrome (758.0)	3	5	6	1	4	2	2	2	1	1	-
Other chromosomal anomalies (758.1-758.9)	37	16	10	8	5	4	3	3	-	1	3
All other and unspecified congenital anomalies (744,757,759)	20	14	8	10	9	8	2	4	1	5	2
Certain conditions originating in the perinatal period (760-779)	242	99	69	71	60	36	35	19	19	20	16
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	1	1	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	2	2	2	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	-	-	-	-	-	1	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	-	-	-	-	-	-	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	5	4	3	1	1	-	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	4	-	1	-	-	-	1	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	15	6	6	4	2	2	1	2	-	1	1
Fetal distress in liveborn infant (768.2-768.4)	2	-	1	2	-	1	1	-	-	-	1
Birth asphyxia (768.5-768.9)	13	6	5	2	2	1	-	2	-	1	1
Respiratory distress syndrome (769)	82	28	13	17	9	10	7	1	1	3	2
Other respiratory conditions of newborn (770)	89	45	41	45	39	21	23	16	15	16	13
Infections specific to the perinatal period (771)	15	3	-	-	2	-	-	-	1	-	-
Neonatal hemorrhage (772)	2	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	3	1	1	1	-	-	1	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	23	9	2	-	6	3	1	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	845	942	675	378	198	127	66	41	25	21	16
Sudden infant death syndrome (798.0)	792	876	626	344	178	110	56	37	19	11	11
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	53	66	50	34	20	17	10	4	6	10	5
Accidents and adverse effects (E800-E949)	51	59	36	42	46	38	34	38	40	23	36
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	10	23	13	9	8	3	2	5	4	4	5
Accidental mechanical suffocation (E913)	15	10	4	11	17	10	10	6	4	1	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	26	26	19	22	21	25	22	27	32	18	30
Homicide (E960-E969)	13	16	10	6	5	12	7	2	3	6	5
Child battering and other maltreatment (E967)	3	6	4	2	2	5	2	1	1	2	1
Other homicide (E960-E966,E968-E969)	10	10	6	4	3	7	5	1	2	4	4
All other causes (Residual)	197	126	89	68	42	39	38	25	27	15	22

SECTION 2 - INFANT MORTALITY - PAGE 54

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
All races, female - All causes	17,072	1,805	4,728	1,167	650	398	261	202	170	9,381	843	556	451	11,231
Certain intestinal infections (008-009)	43	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	125	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	41	-	1	-	-	-	-	-	1	2	3	4	-	9
Congenital syphilis (090)	4	1	-	-	1	-	-	-	-	2	1	-	-	3
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	66	-	3	-	2	1	1	-	-	7	4	2	-	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	58	4	4	1	-	1	-	2	-	12	2	-	2	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	39	3	10	2	3	-	-	-	-	18	-	2	2	22
Diseases of thymus gland (254)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	11	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of blood and blood-forming organs (280-289)	29	2	3	-	1	-	1	1	1	9	2	1	-	12
Meningitis (320-322)	115	-	2	-	-	-	1	1	1	5	5	5	6	21
Other diseases of nervous system and sense organs (323-389)	203	-	-	1	1	-	1	-	-	3	1	2	2	8
Acute upper respiratory infections (460-465)	26	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466-490-491)	32	-	-	-	-	-	-	-	-	-	-	1	1	2
Pneumonia and influenza (480-487)	293	3	12	6	1	2	1	1	-	26	11	9	10	56
Pneumonia (480-486)	289	3	12	6	1	2	1	1	-	26	11	9	10	56
Influenza (487)	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	211	2	8	8	2	1	-	-	1	22	10	5	4	41
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	6	4	2	1	1	-	-	-	14	3	-	-	17
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	42	-	1	-	-	-	-	-	-	1	3	2	1	7
Remainder of diseases of digestive system (520-534,536-543,562-579)	102	-	2	2	2	4	1	1	-	12	5	4	5	26
Congenital anomalies (740-759)	3,852	377	916	336	192	135	104	82	68	2,210	270	162	124	2,766
Anencephalus and similar anomalies (740)	393	125	189	28	12	3	9	3	5	374	4	6	2	386
Spina bifida (741)	47	9	5	1	1	2	1	-	1	20	2	1	3	26
Congenital hydrocephalus (742.3)	90	8	18	4	6	-	1	3	2	42	5	2	4	53
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	150	21	37	2	3	5	3	1	2	74	9	5	5	93
Congenital anomalies of heart (745-746)	1,098	10	54	55	65	68	39	38	25	354	122	67	47	590
Other congenital anomalies of circulatory system (747)	284	1	27	43	36	16	22	10	9	164	31	19	15	229
Congenital anomalies of respiratory system (748)	417	56	191	74	19	7	3	4	5	359	10	8	4	381
Congenital anomalies of digestive system (749-751)	51	1	4	1	1	2	-	1	1	11	5	4	1	21
Congenital anomalies of genitourinary system (752-753)	177	18	109	28	6	1	-	1	2	165	3	2	-	170
Congenital anomalies of musculoskeletal system (754-756)	297	27	115	51	17	6	6	4	4	230	15	7	2	254
Down's syndrome (758.0)	34	1	3	1	1	-	-	1	-	7	3	-	1	11
Other chromosomal anomalies (758.1-758.9)	461	19	45	28	16	20	17	12	9	166	48	30	33	277
All other and unspecified congenital anomalies (744,757,759)	353	81	119	20	9	5	3	4	3	244	13	11	7	275
Certain conditions originating in the perinatal period (760-779)	8,089	1,374	3,685	753	405	224	131	93	82	6,747	443	264	190	7,644
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	41	19	10	4	3	-	2	1	-	39	1	-	-	40
Newborn affected by maternal complications of pregnancy (761)	607	213	346	22	7	1	2	1	-	592	3	1	-	596
Newborn affected by complications of placenta, cord, and membranes (762)	389	152	181	27	9	3	3	3	-	378	7	1	2	388
Newborn affected by other complications of labor and delivery (763)	37	10	18	3	1	2	-	-	-	34	1	1	-	36
Slow fetal growth and fetal malnutrition (764)	14	2	6	1	-	1	1	-	-	11	-	-	1	12
Disorders relating to short gestation and unspecified low birthweight (765)	1,461	425	920	55	15	7	3	2	1	1,428	12	4	2	1,446
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	134	3	23	24	21	8	3	8	2	92	25	8	8	133
Intrauterine hypoxia and birth asphyxia (768)	534	75	186	63	37	23	19	11	12	426	44	23	7	500
Fetal distress in liveborn infant (768.2-768.4)	108	12	23	13	12	3	5	4	7	79	8	8	3	98
Birth asphyxia (768.5-768.9)	426	63	163	50	25	20	14	7	5	347	36	15	4	402
Respiratory distress syndrome (769)	1,361	42	476	224	127	77	41	24	23	1,034	120	73	36	1,263
Other respiratory conditions of newborn (770)	1,561	166	669	159	92	41	29	14	14	1,184	71	42	47	1,344
Infections specific to the perinatal period (771)	411	15	123	51	19	16	7	10	12	253	62	44	33	392
Neonatal hemorrhage (772)	147	2	24	33	23	9	5	6	7	109	20	10	8	147
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	24	5	3	3	4	2	-	-	-	17	4	1	-	22
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	6	1	1	2	-	-	1	-	-	5	-	-	-	5
Hemorrhagic disease of newborn (776.0)	6	-	3	-	-	-	-	-	-	3	-	2	-	5
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,356	244	696	82	47	34	15	13	11	1,142	73	54	46	1,315
Symptoms, signs, and ill-defined conditions (780-799)	2,302	10	21	12	8	4	3	5	4	67	32	53	72	224
Sudden infant death syndrome (798.0)	2,037	1	6	3	2	3	2	4	3	24	24	49	67	164
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	265	9	15	9	6	1	1	1	1	43	8	4	5	60
Accidents and adverse effects (E800-E949)	409	4	9	2	3	3	2	2	-	25	8	8	6	47
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	75	-	3	2	-	-	-	-	-	5	1	2	1	9
Accidental mechanical suffocation (E913)	76	-	-	-	-	-	1	1	-	2	3	4	-	9
Other accidental causes and adverse effects (E800-E910,E914-E949)	258	4	6	-	3	3	1	1	-	18	4	2	5	29
Homicide (E960-E969)	94	7	7	-	-	-	-	1	1	16	1	1	3	21
Child battering and other maltreatment (E967)	31	3	-	-	-	-	-	-	-	3	-	-	2	5
Other homicide (E960-E966,E968-E969)	63	4	7	-	-	-	-	1	1	13	1	1	1	16
All other causes (Residual)	820	12	40	42	28	22	15	13	11	183	38	31	23	275

SECTION 2 - INFANT MORTALITY - PAGE 55

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All races, female - All causes	1,444	1,160	833	574	433	335	258	221	229	199	155
Certain intestinal infections (008-009)	27	7	3	-	5	-	-	-	1	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	3	6	2	1	2	3	-	2	-	3
Septicemia (038)	44	20	19	11	1	5	7	5	7	4	2
Viral diseases (045-079)	5	7	3	4	3	1	2	-	4	2	1
Congenital syphilis (090)	-	-	1	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	19	7	7	3	4	3	3	3	1	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7	5	7	3	3	2	3	2	3	4	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	4	3	4	-	1	1	-	-	-	2
Diseases of thymus gland (254)	1	-	1	-	-	1	-	-	-	-	-
Cystic fibrosis (277.0)	-	1	2	1	2	-	1	-	1	1	1
Diseases of blood and blood-forming organs (280-289)	3	3	2	2	-	-	3	-	1	1	2
Meningitis (320-322)	17	9	5	6	14	7	11	6	7	5	7
Other diseases of nervous system and sense organs (323-389)	17	27	18	17	26	17	12	14	22	14	11
Acute upper respiratory infections (460-465)	6	5	4	2	2	1	3	1	2	-	-
Bronchitis and bronchiolitis (466,490-491)	6	3	2	5	5	-	4	1	2	2	-
Pneumonia and influenza (480-487)	56	42	33	29	18	19	10	10	10	5	5
Pneumonia (480-486)	55	42	33	29	17	18	9	10	10	5	5
Influenza (487)	1	-	-	-	1	1	1	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	40	31	27	14	12	13	9	5	10	7	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	3	4	1	1	3	-	3	1	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	13	6	5	3	2	2	-	-	1	-	3
Remainder of diseases of digestive system (520-534,536-543,562-579)	16	20	11	5	5	4	3	3	6	2	1
Congenital anomalies (740-759)	280	185	123	124	79	66	49	61	44	42	33
Anencephalus and similar anomalies (740)	5	1	-	1	-	-	-	-	-	-	-
Spina bifida (741)	6	7	1	1	1	2	-	-	1	2	-
Congenital hydrocephalus (742.3)	9	8	3	2	4	3	1	-	-	1	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	13	6	8	9	6	4	1	4	2	2	2
Congenital anomalies of heart (745-746)	104	78	59	62	38	39	28	30	27	23	20
Other congenital anomalies of circulatory system (747)	21	11	8	8	2	1	1	1	1	-	1
Congenital anomalies of respiratory system (748)	11	5	6	4	1	1	3	1	2	2	-
Congenital anomalies of digestive system (749-751)	3	4	-	2	1	3	2	6	5	3	1
Congenital anomalies of genitourinary system (752-753)	3	-	1	-	-	-	1	2	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	15	10	2	4	1	4	2	1	1	1	2
Down's syndrome (758.0)	5	2	3	1	2	1	2	1	2	3	1
Other chromosomal anomalies (758.1-758.9)	69	48	19	18	8	6	3	5	3	2	3
All other and unspecified congenital anomalies (744,757,759)	16	5	14	11	15	2	5	-	3	3	2
Certain conditions originating in the perinatal period (760-779)	163	55	52	33	35	35	17	15	12	17	11
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	1	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	2	3	2	2	1	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	-	-	-	-	-	-	1	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	1	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	4	5	1	2	1	2	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	-	-	-	-	1	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	15	2	5	2	3	2	4	1	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	3	-	3	1	1	1	1	1	-	-	-
Birth asphyxia (768.5-768.9)	12	2	2	1	2	2	3	-	-	-	-
Respiratory distress syndrome (769)	47	6	11	7	5	8	4	3	2	2	3
Other respiratory conditions of newborn (770)	59	24	27	18	20	22	8	11	9	13	6
Infections specific to the perinatal period (771)	10	7	-	-	1	-	-	-	-	-	1
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	1	-	1	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	1	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	24	6	3	2	2	-	-	-	1	2	1
Symptoms, signs, and ill-defined conditions (780-799)	532	586	401	208	147	70	55	26	21	22	10
Sudden infant death syndrome (798.0)	487	535	381	193	129	54	39	20	16	12	7
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	45	51	20	15	18	16	16	6	5	10	3
Accidents and adverse effects (E800-E949)	38	27	30	34	32	37	35	30	38	34	26
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	12	7	11	7	5	4	3	5	5	6	1
Accidental mechanical suffocation (E913)	7	7	2	8	8	9	9	4	5	5	3
Other accidental causes and adverse effects (E800-E910,E914-E949)	19	13	17	19	19	24	23	21	29	23	22
Homicide (E960-E969)	10	10	7	6	5	11	5	4	6	6	3
Child battering and other maltreatment (E967)	5	4	2	2	2	4	2	2	2	2	-
Other homicide (E960-E966,E968-E969)	5	6	5	4	3	7	3	3	4	4	3
All other causes (Residual)	134	94	57	57	31	35	22	32	26	31	26

SECTION 2 - INFANT MORTALITY - PAGE 56

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
White, both sexes - All causes	27,864	2,786	7,313	1,998	1,152	718	459	354	317	15,097	1,486	954	696	18,233
Certain intestinal infections (008-009)	51	-	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	54	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	191	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	71	-	2	-	-	-	-	-	-	2	5	6	2	15
Congenital syphilis (090)	4	-	-	-	1	-	-	-	-	1	1	-	-	2
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	81	-	3	1	2	1	1	1	-	9	5	1	-	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	93	3	6	1	-	2	-	2	-	14	3	1	5	23
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	4	11	2	3	1	1	-	-	22	3	2	1	28
Diseases of thymus gland (254)	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	17	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of blood and blood-forming organs (280-289)	46	1	2	-	-	-	-	-	-	-	1	-	1	2
Meningitis (320-322)	155	-	-	-	1	-	1	1	-	4	2	2	1	9
Other diseases of nervous system and sense organs (323-389)	347	1	-	1	1	2	2	-	2	9	3	5	9	25
Acute upper respiratory infections (460-465)	33	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	77	-	-	-	-	-	-	-	-	-	1	-	-	1
Pneumonia and influenza (480-487)	443	3	24	12	4	2	3	1	1	50	21	18	15	104
Pneumonia (480-486)	439	3	24	12	4	2	3	1	1	50	21	18	15	104
Influenza (487)	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	303	3	7	8	2	2	1	2	-	25	9	6	7	47
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	61	11	5	6	1	2	-	-	-	25	5	-	-	30
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	55	-	1	1	1	-	-	-	-	3	3	5	1	12
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	145	1	2	1	2	1	-	1	1	9	11	6	6	32
Congenital anomalies (740-759)	6,898	651	1,727	669	422	275	192	125	123	4,184	513	291	187	5,175
Anencephalus and similar anomalies (740)	603	186	282	51	27	9	11	4	6	576	7	7	2	592
Spina bifida (741)	82	14	12	2	2	2	1	-	2	35	5	4	5	49
Congenital hydrocephalus (742.3)	146	19	32	8	7	-	2	3	2	73	8	4	2	87
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	223	25	52	6	8	10	2	4	3	110	12	11	7	140
Congenital anomalies of heart (745-746)	2,069	23	127	148	166	132	100	61	53	810	240	121	76	1,247
Other congenital anomalies of circulatory system (747)	520	3	34	65	68	38	31	14	16	269	76	41	20	406
Congenital anomalies of respiratory system (748)	868	109	420	138	48	15	5	9	11	755	21	18	9	803
Congenital anomalies of digestive system (749-751)	123	4	19	5	3	1	1	1	1	37	10	6	4	57
Congenital anomalies of genitourinary system (752-753)	419	49	262	60	12	5	1	-	2	391	3	7	1	402
Congenital anomalies of musculoskeletal system (754-756)	538	52	206	96	35	14	7	8	9	427	27	9	7	470
Down's syndrome (758.0)	60	2	4	1	2	-	-	1	-	10	5	3	1	19
Other chromosomal anomalies (758.1-758.9)	641	28	74	48	27	37	24	14	13	265	78	44	41	428
All other and unspecified congenital anomalies (744,757,759)	606	137	203	41	17	10	7	6	5	426	21	16	12	475
Certain conditions originating in the perinatal period (760-779)	12,520	2,054	5,403	1,212	648	383	225	185	157	10,267	753	450	289	11,759
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	70	27	26	6	3	-	2	1	-	65	3	1	-	69
Newborn affected by maternal complications of pregnancy (761)	912	349	504	24	13	3	3	2	-	898	6	1	-	905
Newborn affected by complications of placenta, cord, and membranes (762)	650	272	292	36	16	8	5	4	3	636	10	3	-	649
Newborn affected by other complications of labor and delivery (763) ..	60	20	23	6	2	2	-	-	1	54	2	1	-	57
Slow fetal growth and fetal malnutrition (764)	21	4	9	1	-	2	3	-	-	19	-	1	-	20
Disorders relating to short gestation and unspecified low birthweight (765)	1,864	593	1,137	68	10	9	5	4	-	1,826	15	3	2	1,846
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	222	9	34	38	27	16	9	15	4	152	33	15	17	217
Intrauterine hypoxia and birth asphyxia (768)	780	106	269	77	51	34	27	22	21	607	67	39	12	725
Fetal distress in liveborn infant (768.2-768.4)	163	17	43	19	16	5	6	10	11	127	11	12	3	153
Birth asphyxia (768.5-768.9)	617	89	226	58	35	29	21	12	10	480	56	27	9	572
Respiratory distress syndrome (769)	2,708	66	945	449	249	154	90	60	56	2,069	244	133	72	2,518
Other respiratory conditions of newborn (770)	2,511	262	1,027	249	131	67	37	25	28	1,826	146	82	70	2,124
Infections specific to the perinatal period (771)	652	23	175	112	34	19	10	15	18	406	103	65	52	626
Neonatal hemorrhage (772)	239	4	49	41	37	19	11	9	11	181	29	19	8	237
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	37	6	5	3	6	2	1	-	-	23	6	-	3	32
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	6	1	1	1	1	-	1	-	-	5	-	-	-	5
Hemorrhagic disease of newborn (776.0)	9	-	3	-	1	-	-	-	-	4	1	2	-	7
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,779	312	904	101	67	48	21	28	15	1,496	88	85	53	1,722
Symptoms, signs, and ill-defined conditions (780-799)	4,118	19	34	12	11	7	4	6	8	101	43	89	115	348
Sudden infant death syndrome (798.0)	3,757	2	8	2	5	5	2	3	6	33	34	79	105	251
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	361	17	26	10	6	2	2	3	2	68	9	10	10	97
Accidents and adverse effects (E800-E949)	626	5	11	3	3	2	2	2	-	28	13	13	10	64
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	112	-	2	1	-	-	-	-	-	3	2	3	4	12
Accidental mechanical suffocation (E913)	141	-	-	-	-	-	1	1	-	2	5	5	1	13
Other accidental causes and adverse effects (E800-E910,E914-E949)	373	5	9	2	3	2	1	1	-	23	6	5	5	39
Homicide (E960-E969)	121	7	9	2	1	-	-	1	1	21	2	3	2	28
Child battering and other maltreatment (E967)	37	3	9	2	1	-	-	-	-	3	-	1	1	5
Other homicide (E960-E966,E968-E969)	84	4	9	2	1	-	-	1	1	18	2	2	1	23
All other causes (Residual)	1,299	23	66	67	49	38	27	27	23	320	80	53	38	491

SECTION 2 - INFANT MORTALITY - PAGE 57

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
White, both sexes - All causes	2,346	2,041	1,465	984	634	539	431	314	307	264	246
Certain intestinal infections (008-009)	28	11	1	2	3	2	-	1	1	1	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	8	3	8	6	6	7	4	2	5	3
Septicemia (038)	67	27	27	9	11	9	10	8	12	7	4
Viral diseases (045-079)	9	10	5	6	4	8	2	1	4	5	2
Congenital syphilis (090)	-	-	2	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	25	8	12	4	4	1	4	3	2	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7	6	8	3	4	4	7	5	4	9	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	5	2	5	1	1	1	1	-	2	2
Diseases of thymus gland (254)	3	-	1	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	1	5	1	4	-	1	-	1	1	1
Diseases of blood and blood-forming organs (280-289)	7	4	3	3	2	2	5	2	5	1	3
Meningitis (320-322)	19	14	9	13	16	12	19	4	7	7	10
Other diseases of nervous system and sense organs (323-389)	35	44	38	30	45	25	28	22	23	25	12
Acute upper respiratory infections (460-465)	7	7	5	1	1	2	4	1	4	-	-
Bronchitis and bronchiolitis (466,490-491)	12	15	21	6	7	5	5	-	1	2	1
Pneumonia and influenza (480-487)	64	67	61	36	32	16	14	12	14	10	13
Pneumonia (480-486)	63	66	61	36	31	15	14	12	14	10	13
Influenza (487)	1	1	-	-	1	1	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	61	55	38	22	23	18	14	5	9	6	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	5	5	2	5	3	2	3	-	-	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	12	6	4	6	3	3	3	-	-	1	5
Remainder of diseases of digestive system (520-534,536-543,562-579)	18	26	14	13	7	7	10	6	7	2	3
Congenital anomalies (740-759)	455	292	193	189	125	110	88	90	69	62	50
Anencephalus and similar anomalies (740)	7	2	-	2	-	-	-	-	-	-	-
Spina bifida (741)	11	7	4	2	2	2	1	-	1	3	-
Congenital hydrocephalus (742.3)	17	11	7	6	4	3	2	5	1	1	2
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	15	10	13	12	7	5	-	10	6	3	2
Congenital anomalies of heart (745-746)	190	138	89	94	59	66	48	40	36	34	28
Other congenital anomalies of circulatory system (747)	39	19	12	14	9	4	7	4	2	-	4
Congenital anomalies of respiratory system (748)	15	11	7	12	6	5	3	-	3	3	-
Congenital anomalies of digestive system (749-751)	12	8	5	4	2	4	3	9	12	6	1
Congenital anomalies of genitourinary system (752-753)	6	2	1	1	-	-	3	3	2	1	-
Congenital anomalies of musculoskeletal system (754-756)	22	15	4	6	2	4	6	3	2	3	3
Down's syndrome (758.0)	6	5	8	2	5	3	3	2	3	2	5
Other chromosomal anomalies (758.1-758.9)	85	47	24	21	10	6	6	5	2	6	4
All other and unspecified congenital anomalies (744,757,759)	30	17	19	13	19	8	6	9	-	-	-
Certain conditions originating in the perinatal period (760-779)	278	101	79	64	65	50	36	23	21	23	21
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	1	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	2	1	2	1	1	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	-	-	-	-	-	-	1	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	-	-	-	-	-	1	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	4	5	4	2	2	1	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	-	1	-	1	-	1	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	25	6	8	4	4	4	1	2	-	-	1
Fetal distress in liveborn infant (768.2-768.4)	4	-	2	2	-	1	-	1	-	-	-
Birth asphyxia (768.5-768.9)	21	6	6	2	4	3	1	1	-	-	1
Respiratory distress syndrome (769)	94	21	14	14	12	13	11	2	2	3	4
Other respiratory conditions of newborn (770)	97	48	44	39	41	29	19	19	17	19	15
Infections specific to the perinatal period (771)	17	6	-	-	1	-	-	-	1	-	1
Neonatal hemorrhage (772)	2	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	1	-	1	-	-	1	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	1	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	2	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	29	12	5	2	3	3	1	-	1	1	-
Symptoms, signs, and ill-defined conditions (780-799)	945	1,103	775	417	224	134	70	37	29	22	14
Sudden infant death syndrome (798.0)	897	1,031	737	386	204	114	58	33	22	13	11
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	48	72	38	31	20	20	12	4	7	9	3
Accidents and adverse effects (E800-E949)	51	62	51	51	51	58	54	45	53	41	45
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	12	20	19	11	9	3	2	6	5	9	4
Accidental mechanical suffocation (E913)	18	13	5	11	20	19	19	8	8	3	4
Other accidental causes and adverse effects (E800-E910,E914-E949)	21	29	27	29	22	36	33	31	40	29	37
Homicide (E960-E969)	11	15	9	7	9	12	7	3	8	6	6
Child battering and other maltreatment (E967)	4	6	3	2	3	4	3	2	3	1	1
Other homicide (E960-E966,E968-E969)	7	9	6	5	6	8	4	1	5	5	5
All other causes (Residual)	222	149	94	86	42	51	40	38	31	25	30

SECTION 2 - INFANT MORTALITY - PAGE 58

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
White, male - All causes	16,218	1,536	4,201	1,192	689	424	260	214	193	8,709	887	553	387	10,536
Certain intestinal infections (008-009)	31	-	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	38	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	113	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	44	-	1	-	-	-	-	-	-	1	4	3	2	10
Congenital syphilis (090)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	40	-	1	1	-	-	-	1	-	3	1	-	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	48	-	3	-	-	1	-	-	-	4	2	1	3	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	2	2	-	-	1	1	-	-	6	3	-	-	9
Diseases of thymus gland (254)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	6	-	-	-	-	-	-	-	-	-	-	-	1	1
Diseases of blood and blood-forming organs (280-289)	28	-	-	-	-	-	-	-	-	-	1	2	1	4
Meningitis (320-322)	86	-	-	-	1	-	-	-	-	1	5	2	7	15
Other diseases of nervous system and sense organs (323-389)	196	1	-	-	-	2	1	-	2	6	2	1	4	13
Acute upper respiratory infections (460-465)	18	-	-	-	-	-	-	-	-	-	1	-	-	1
Bronchitis and bronchiolitis (466,490-491)	56	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	256	3	15	7	3	-	2	-	1	31	13	11	10	65
Influenza (487)	255	3	15	7	3	-	2	-	1	31	13	11	10	65
Remainder of diseases of respiratory system (470-478,492-519)	168	1	7	1	-	1	1	2	-	13	3	3	4	23
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	32	6	2	4	-	1	-	-	-	13	2	-	-	15
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	33	-	-	1	1	-	-	-	-	2	1	4	1	8
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	76	1	1	-	-	-	-	-	1	3	7	3	2	15
Congenital anomalies (740-759)	3,836	342	976	396	267	167	108	69	73	2,398	304	159	90	2,951
Anencephalus and similar anomalies (740)	255	79	113	24	15	7	2	2	1	243	4	2	-	249
Spina bifida (741)	38	5	7	1	1	-	-	-	1	15	3	3	3	24
Congenital hydrocephalus (742.3)	77	12	16	4	2	-	1	1	1	37	4	3	2	46
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	101	5	23	4	5	-	-	3	1	46	5	7	4	62
Congenital anomalies of heart (745-746)	1,221	17	81	102	118	81	66	38	36	539	149	66	38	792
Other congenital anomalies of circulatory system (747)	313	2	20	40	40	25	15	8	11	161	49	26	8	244
Congenital anomalies of respiratory system (748)	537	67	261	79	32	11	4	6	9	469	13	12	5	499
Congenital anomalies of digestive system (749-751)	86	3	16	4	2	2	1	-	-	28	5	3	3	39
Congenital anomalies of genitourinary system (752-753)	283	36	180	38	6	4	3	-	-	265	1	5	1	272
Congenital anomalies of musculoskeletal system (754-756)	290	29	111	52	21	8	3	4	5	233	15	2	6	256
Down's syndrome (758.0)	30	1	1	-	-	-	-	-	-	3	2	3	1	9
Other chromosomal anomalies (758.1-758.9)	275	11	36	23	16	17	11	5	6	125	42	19	13	199
All other and unspecified congenital anomalies (744,757,759)	330	75	111	25	8	7	4	2	2	234	12	8	6	260
Certain conditions originating in the perinatal period (760-779)	7,329	1,149	3,129	737	379	226	127	123	95	5,965	450	264	171	6,850
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	45	18	19	3	1	-	-	-	-	41	2	1	-	44
Newborn affected by maternal complications of pregnancy (761)	504	186	286	12	8	2	1	1	-	496	5	-	-	501
Newborn affected by complications of placenta, cord, and membranes (762)	365	152	165	18	9	5	3	2	3	357	6	2	-	365
Newborn affected by other complications of labor and delivery (763) ..	33	14	10	3	1	-	-	-	1	29	1	1	-	31
Slow fetal growth and fetal malnutrition (764)	14	3	6	-	-	1	2	-	-	12	-	1	-	13
Disorders relating to short gestation and unspecified low birthweight (765)	1,052	344	636	40	4	3	3	3	-	1,033	6	3	1	1,043
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	129	6	21	20	15	11	6	10	2	91	14	8	12	125
Intrauterine hypoxia and birth asphyxia (768)	420	63	145	36	25	18	12	14	11	324	37	21	8	390
Fetal distress in liveborn infant (768.2-768.4)	79	8	24	8	7	2	1	6	5	61	7	4	1	73
Birth asphyxia (768.5-768.9)	341	55	121	28	18	16	11	8	6	263	30	17	7	317
Respiratory distress syndrome (769)	1,728	37	611	296	161	92	58	44	37	1,336	150	73	43	1,602
Other respiratory conditions of newborn (770)	1,492	148	592	152	68	43	18	14	18	1,053	90	56	40	1,239
Infections specific to the perinatal period (771)	366	13	88	72	20	10	4	9	9	225	62	35	32	354
Neonatal hemorrhage (772)	147	2	34	20	21	15	8	6	6	112	18	11	4	145
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	18	1	2	1	2	-	1	-	-	7	3	-	3	13
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	-	-	1	-	-	-	-	1	-	-	-	1
Hemorrhagic disease of newborn (776.0)	3	-	-	-	1	-	-	-	-	1	1	-	-	2
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,012	162	514	64	42	26	11	20	8	847	55	52	28	982
Symptoms, signs, and ill-defined conditions (780-799)	2,608	11	21	7	6	4	2	3	5	59	27	57	66	209
Sudden infant death syndrome (788.0)	2,390	1	6	2	3	2	1	1	4	20	21	48	60	149
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	218	10	15	5	3	2	1	2	1	39	6	9	6	60
Accidents and adverse effects (E800-E949)	342	2	4	2	-	-	-	-	-	8	7	6	5	26
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	70	-	-	-	-	-	-	-	-	-	1	1	3	5
Accidental mechanical suffocation (E913)	77	-	-	-	-	-	-	-	-	-	2	2	1	5
Other accidental causes and adverse effects (E800-E910,E914-E949)	195	2	4	2	-	-	-	-	-	8	4	3	1	16
Homicide (E960-E969)	58	4	3	2	1	-	-	-	-	10	1	2	-	13
Child battering and other maltreatment (E967)	17	1	-	-	-	-	-	-	-	1	1	-	-	2
Other homicide (E960-E966,E968-E969)	41	3	3	2	1	-	-	-	-	9	1	1	-	11
All other causes (Residual)	755	14	36	34	31	21	18	16	16	186	52	35	20	293

SECTION 2 - INFANT MORTALITY - PAGE 59

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
White, male - All causes	1,406	1,229	886	577	417	316	258	167	147	137	142
Certain intestinal infections (008-009)	15	8	-	2	1	2	-	1	-	1	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	6	-	6	5	4	4	4	2	5	-
Septicemia (038)	40	17	14	4	10	4	6	4	7	4	3
Viral diseases (045-079)	5	6	4	3	2	7	-	1	2	3	1
Congenital syphilis (090)	-	-	1	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	15	5	7	1	2	-	2	1	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	1	2	1	2	2	5	3	3	6	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	1	-	1	1	-	-	1	-	2	1
Diseases of thymus gland (254)	2	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	3	-	2	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	4	2	2	2	2	2	2	2	4	1	4
Meningitis (320-322)	10	10	5	9	9	7	12	1	2	2	4
Other diseases of nervous system and sense organs (323-389)	24	23	22	19	25	12	18	12	6	15	7
Acute upper respiratory infections (460-465)	5	3	2	1	1	2	1	-	2	-	-
Bronchitis and bronchiolitis (468,490-491)	7	13	19	4	4	5	2	-	1	-	1
Pneumonia and influenza (480-487)	32	40	36	21	21	7	8	5	7	6	8
Pneumonia (480-486)	32	39	36	21	21	7	8	5	7	6	8
Influenza (487)	-	1	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	39	30	21	12	14	9	6	3	5	3	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	2	3	1	4	3	2	-	-	-	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	7	2	1	4	1	3	3	-	-	1	3
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	11	11	5	10	4	5	8	4	1	-	2
Congenital anomalies (740-759)	244	147	98	83	69	57	54	46	31	31	25
Anencephalus and similar anomalies (740)	4	1	-	1	-	-	-	-	-	-	-
Spina bifida (741)	6	1	3	1	1	-	1	-	-	1	-
Congenital hydrocephalus (742.3)	12	4	4	5	1	1	1	-	1	1	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	4	6	6	5	2	4	-	7	4	1	-
Congenital anomalies of heart (745-746)	110	73	47	39	35	32	29	22	13	16	13
Other congenital anomalies of circulatory system (747)	21	11	5	8	7	3	7	3	1	-	3
Congenital anomalies of respiratory system (748)	9	7	3	8	5	4	-	-	1	1	-
Congenital anomalies of digestive system (749-751)	11	6	5	2	2	2	3	3	8	4	1
Congenital anomalies of genitourinary system (752-753)	4	2	1	-	-	-	2	1	1	-	-
Congenital anomalies of musculoskeletal system (754-756)	12	6	3	2	1	-	4	3	1	1	-
Down's syndrome (758.0)	2	3	5	1	3	2	2	1	-	1	3
Other chromosomal anomalies (758.1-758.9)	32	14	9	5	4	3	2	2	-	1	2
All other and unspecified congenital anomalies (744,757,759)	17	13	7	6	8	6	2	4	-	5	2
Certain conditions originating in the perinatal period (760-779)	170	68	48	44	42	26	25	14	14	15	13
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	1	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	1	1	1	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763) ..	1	-	-	-	-	-	1	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	3	2	3	-	1	-	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	-	1	-	-	-	1	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	12	4	5	3	2	2	-	1	-	-	1
Fetal distress in liveborn infant (768.2-768.4)	2	-	1	2	-	1	-	-	-	-	-
Birth asphyxia (768.5-768.9)	10	4	4	1	2	1	-	1	-	-	1
Respiratory distress syndrome (769)	61	18	8	10	9	7	7	-	1	3	2
Other respiratory conditions of newborn (770)	62	33	28	28	27	14	14	13	12	12	10
Infections specific to the perinatal period (771)	10	1	-	-	-	-	-	-	1	-	-
Neonatal hemorrhage (772)	2	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	1	-	1	-	-	1	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	14	7	2	-	3	3	1	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	598	686	498	273	137	94	42	22	16	14	9
Sudden infant death syndrome (798.0)	569	656	470	251	125	84	37	21	12	8	8
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	29	40	28	22	12	10	5	1	4	6	1
Accidents and adverse effects (E800-E949)	30	43	30	28	31	32	27	26	24	16	29
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	7	15	13	7	7	2	1	4	2	4	3
Accidental mechanical suffocation (E913)	12	8	3	6	12	10	10	6	3	1	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	11	20	14	15	12	20	16	16	19	11	25
Homicide (E960-E969)	5	7	6	3	4	6	5	1	2	2	4
Child battering and other maltreatment (E967)	2	2	2	1	1	2	2	1	1	-	1
Other homicide (E960-E966,E968-E969)	3	5	4	2	3	4	3	-	1	2	3
All other causes (Residual)	136	88	59	45	24	27	26	16	16	9	16

SECTION 2 - INFANT MORTALITY - PAGE 60

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
White, female - All causes	11,646	1,250	3,112	806	463	294	199	140	124	6,388	599	401	309	7,697
Certain intestinal infections (008-009)	20	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	16	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	78	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	27	-	1	-	-	-	-	-	-	1	1	3	-	5
Congenital syphilis (090)	3	-	-	-	1	-	-	-	-	1	1	-	-	2
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037-039,041,080-088,091-139)	41	-	2	-	2	1	1	-	-	6	4	1	-	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	45	3	3	1	-	1	-	2	-	10	1	-	2	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	2	9	2	3	-	-	-	-	16	-	2	1	19
Diseases of thymus gland (254)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	11	-	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of blood and blood-forming organs (280-289)	18	1	2	-	-	-	-	1	-	4	1	-	-	1
Meningitis (320-322)	69	-	-	-	-	-	1	-	1	2	3	3	2	5
Other diseases of nervous system and sense organs (323-359)	151	-	-	1	1	-	1	-	-	3	1	1	2	10
Acute upper respiratory infections (460-465)	15	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,480-491)	21	-	-	-	-	-	-	-	-	-	-	1	-	2
Pneumonia and influenza (480-487)	187	-	9	5	1	2	1	1	-	19	8	7	5	39
Pneumonia (480-486)	184	-	9	5	1	2	1	1	-	19	8	7	5	39
Influenza (487)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	135	2	-	7	2	1	-	-	-	12	6	3	3	24
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	5	3	2	1	1	-	-	-	12	3	-	-	15
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	22	-	1	-	-	-	-	-	-	1	2	1	-	4
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	69	-	1	1	2	1	-	1	-	6	4	3	4	17
Congenital anomalies (740-759)	3,062	309	751	273	155	108	84	56	50	1,786	209	132	97	2,224
Anencephalus and similar anomalies (740)	348	107	169	27	12	2	9	2	5	333	3	5	2	343
Spina bifida (741)	44	9	5	1	1	2	1	-	1	20	2	1	2	25
Congenital hydrocephalus (742.3)	69	7	16	4	5	-	1	2	1	36	4	1	-	41
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	122	20	29	2	3	5	2	1	2	64	7	4	3	78
Congenital anomalies of heart (745-746)	848	6	46	46	48	51	34	23	17	271	91	55	38	455
Other congenital anomalies of circulatory system (747)	207	1	14	25	28	13	16	6	5	108	27	15	12	162
Congenital anomalies of respiratory system (748)	331	42	159	59	16	4	1	3	2	286	8	6	4	304
Congenital anomalies of digestive system (749-751)	37	1	3	1	1	-	1	-	1	9	5	3	1	18
Congenital anomalies of genitourinary system (752-753)	136	13	82	22	6	1	-	-	2	126	2	2	-	130
Congenital anomalies of musculoskeletal system (754-756)	248	23	95	44	14	6	4	4	4	194	12	7	1	214
Down's syndrome (758.0)	30	1	3	1	1	-	-	1	-	7	3	-	-	10
Other chromosomal anomalies (758.1-758.9)	366	17	38	25	11	20	13	9	7	140	36	25	28	229
All other and unspecified congenital anomalies (744,757,759)	276	62	92	16	9	3	3	4	3	192	9	8	6	215
Certain conditions originating in the perinatal period (760-779)	5,191	905	2,274	475	269	157	98	62	62	4,302	303	186	118	4,909
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	25	9	7	3	2	-	2	1	-	24	1	-	-	25
Newborn affected by maternal complications of pregnancy (761)	408	163	218	12	5	1	2	1	-	402	1	1	-	404
Newborn affected by complications of placenta, cord, and membranes (762)	285	120	127	18	7	3	2	2	-	279	4	1	-	284
Newborn affected by other complications of labor and delivery (763) ...	27	6	13	3	1	2	-	-	-	25	1	-	-	26
Slow fetal growth and fetal malnutrition (764)	7	1	3	1	-	1	1	-	-	7	-	-	-	7
Disorders relating to short gestation and unspecified low birthweight (765)	812	249	501	28	6	6	2	1	-	793	9	-	1	803
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	93	3	13	18	12	5	3	5	2	61	19	7	5	92
Intrauterine hypoxia and birth asphyxia (768)	360	43	124	41	26	16	15	8	10	283	30	18	4	335
Fetal distress in liveborn infant (768.2-768.4)	84	9	19	11	9	3	5	4	6	66	4	8	2	80
Birth asphyxia (768.5-768.9)	276	34	105	30	17	13	10	4	4	217	26	10	2	255
Respiratory distress syndrome (769)	980	29	334	153	88	62	32	16	19	733	94	60	29	916
Other respiratory conditions of newborn (770)	1,019	114	435	97	63	24	19	11	10	773	56	26	30	885
Infections specific to the perinatal period (771)	286	10	87	40	14	9	6	6	9	181	41	30	20	272
Neonatal hemorrhage (772)	92	2	15	21	16	4	3	3	5	69	11	8	4	92
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	19	5	3	2	4	2	-	-	-	16	3	-	-	19
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	5	1	1	1	-	-	1	-	-	4	-	-	-	4
Hemorrhagic disease of newborn (776.0)	6	-	3	-	-	-	-	-	-	3	-	2	-	5
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	767	150	390	37	25	22	10	8	7	649	33	33	25	740
Symptoms, signs, and ill-defined conditions (780-799)	1,510	8	13	5	5	3	2	3	3	42	16	32	49	139
Sudden infant death syndrome (788.0)	1,367	1	2	-	2	3	1	2	2	13	13	31	45	102
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	143	7	11	5	3	-	1	1	1	29	3	1	4	37
Accidents and adverse effects (E800-E949)	284	3	7	1	3	2	2	2	-	20	6	7	5	38
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	42	-	2	1	-	-	-	-	-	3	1	2	1	7
Accidental mechanical suffocation (E913)	64	-	-	-	-	-	1	1	-	2	3	3	-	8
Other accidental causes and adverse effects (E800-E910,E914-E949)	178	3	5	-	3	2	1	1	-	15	2	2	4	23
Homicide (E960-E969)	63	3	6	-	-	-	-	1	1	11	1	1	2	15
Child battering and other maltreatment (E967)	20	2	-	-	-	-	-	-	-	2	-	-	1	3
Other homicide (E960-E966,E968-E969)	43	1	6	-	-	-	-	-	-	9	1	1	1	12
All other causes (Residual)	544	9	30	33	18	17	9	11	7	134	28	18	18	198

SECTION 2 - INFANT MORTALITY - PAGE 61

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
White, female - All causes	940	812	579	407	277	223	173	147	160	127	104
Certain intestinal infections (008-009)	13	3	1	-	2	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	3	2	1	2	3	-	-	-	3
Septicemia (038)	27	10	13	5	1	5	4	4	5	3	1
Viral diseases (045-079)	4	4	1	3	2	1	2	-	2	2	1
Congenital syphilis (090)	-	-	1	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	10	3	5	3	2	1	2	2	-	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5	5	6	2	2	2	2	2	1	3	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	4	2	4	-	1	1	-	-	-	1
Diseases of thymus gland (254)	1	-	1	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	1	2	1	2	-	-	-	1	1	1
Diseases of blood and blood-forming organs (280-289)	3	2	1	1	-	-	3	-	1	-	2
Meningitis (320-322)	9	4	4	4	7	5	7	3	5	5	6
Other diseases of nervous system and sense organs (323-359)	11	21	16	11	20	13	10	10	17	10	5
Acute upper respiratory infections (460-465)	2	4	3	-	-	-	3	1	2	-	-
Bronchitis and bronchiolitis (466,490-491)	5	2	2	2	3	-	-	-	-	-	-
Pneumonia and influenza (480-487)	32	27	25	15	11	9	6	7	7	2	4
Pneumonia (480-486)	31	27	25	15	10	8	6	7	7	4	5
Influenza (487)	1	-	-	-	1	1	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	22	25	17	10	9	9	8	2	4	3	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	3	2	1	1	-	-	3	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	5	4	3	2	2	-	-	-	-	-	2
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	7	15	9	3	3	2	2	2	6	2	1
Congenital anomalies (740-759)	211	145	95	106	56	53	34	44	38	31	25
Anencephalus and similar anomalies (740)	3	1	-	1	-	-	-	-	-	-	-
Spina bifida (741)	5	6	1	1	1	2	-	-	1	2	-
Congenital hydrocephalus (742.3)	5	7	3	1	3	2	1	5	-	-	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	11	4	7	7	5	1	-	3	2	2	2
Congenital anomalies of heart (745-746)	80	65	42	55	24	34	19	18	23	18	15
Other congenital anomalies of circulatory system (747)	18	8	7	6	2	1	-	1	1	-	1
Congenital anomalies of respiratory system (748)	6	4	4	4	1	1	3	-	2	2	-
Congenital anomalies of digestive system (749-751)	1	2	-	2	-	2	-	6	4	2	-
Congenital anomalies of genitourinary system (752-753)	2	-	-	1	-	-	1	2	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	10	9	1	4	1	4	2	-	1	1	1
Down's syndrome (758.0)	4	2	3	1	2	1	1	1	2	2	1
Other chromosomal anomalies (758.1-758.9)	53	33	15	16	6	3	3	3	2	1	2
All other and unspecified congenital anomalies (744,757,759)	13	4	12	7	11	2	4	5	-	1	2
Certain conditions originating in the perinatal period (760-779)	108	33	31	20	23	24	11	9	7	8	8
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	2	-	1	-	1	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	-	-	-	-	-	-	1	-	-	-	-
Newborn affected by other complications of labor and delivery (763) ..	1	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	1	3	1	2	1	1	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	1	-	-	-	-	-	-
Birth trauma (767)	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	13	2	3	1	2	2	1	1	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	2	-	1	-	-	-	-	1	-	-	-
Birth asphyxia (768.5-768.9)	11	2	2	1	2	2	1	-	-	-	-
Respiratory distress syndrome (769)	33	3	6	4	3	6	4	2	1	-	2
Other respiratory conditions of newborn (770)	35	15	16	11	14	15	5	6	5	7	5
Infections specific to the perinatal period (771)	7	5	-	-	1	-	-	-	-	-	1
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	1	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	15	5	3	2	-	-	-	-	1	1	-
Symptoms, signs, and ill-defined conditions (780-799)	347	407	277	144	87	40	28	15	13	8	5
Sudden infant death syndrome (798.0)	328	375	267	135	79	30	21	12	10	5	3
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	19	32	10	9	8	10	7	3	3	3	2
Accidents and adverse effects (E800-E949)	21	19	21	23	20	26	27	19	29	25	16
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	5	5	6	4	2	1	1	2	3	5	1
Accidental mechanical suffocation (E913)	6	5	2	5	8	9	9	2	5	2	3
Other accidental causes and adverse effects (E800-E910,E914-E949)	10	9	13	14	10	16	17	15	21	18	12
Homicide (E960-E969)	6	8	3	4	5	6	2	2	6	4	2
Child battering and other maltreatment (E967)	2	4	1	1	2	2	1	1	2	1	-
Other homicide (E960-E966,E968-E969)	4	4	2	3	3	4	1	1	4	3	2
All other causes (Residual)	86	61	35	41	18	24	14	22	15	16	14

SECTION 2 - INFANT MORTALITY - PAGE 62

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
All other, both sexes - All causes	12,166	1,208	3,655	803	422	271	153	140	116	6,768	524	337	317	7,946
Certain intestinal infections (008-009)	47	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	15	-	1	-	-	-	-	-	-	1	-	-	-	1
Septicemia (038)	112	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	34	-	1	-	-	-	-	-	1	2	5	1	-	8
Congenital syphilis (090)	3	1	-	-	-	1	-	-	-	2	-	-	-	2
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	54	-	1	-	-	-	-	-	-	1	-	1	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	21	2	3	-	-	-	-	-	-	5	1	-	-	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	2	2	-	-	-	-	-	-	4	-	-	1	5
Diseases of thymus gland (254)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	31	2	3	-	1	-	1	-	1	8	2	1	-	11
Meningitis (320-322)	102	-	2	-	-	2	-	2	-	6	5	7	7	25
Other diseases of nervous system and sense organs (323-389)	118	-	-	-	-	-	-	-	-	-	1	2	1	4
Acute upper respiratory infections (460-465)	24	-	-	-	-	-	-	-	-	-	1	-	-	1
Bronchitis and bronchiolitis (466,490-491)	27	-	-	-	-	-	-	-	-	-	-	2	-	2
Pneumonia and influenza (480-487)	262	5	7	1	6	2	1	1	1	24	10	3	10	47
Pneumonia (480-486)	259	5	7	1	6	2	1	1	1	24	10	3	10	47
Influenza (487)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	170	1	11	3	1	-	-	2	1	19	7	3	5	34
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	1	1	-	1	-	-	-	-	3	1	-	-	4
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	49	-	-	-	1	2	1	-	-	4	2	2	3	11
Remainder of diseases of digestive system (520-534,536-543,562-579)	80	1	1	2	-	3	1	-	-	8	4	2	1	15
Congenital anomalies (740-759)	1,663	134	367	153	99	69	45	46	45	958	124	58	54	1,194
Anencephalus and similar anomalies (740)	88	26	39	5	2	5	2	2	-	81	2	1	1	85
Spina bifida (741)	13	-	5	-	1	1	-	-	-	7	-	-	-	8
Congenital hydrocephalus (742.3)	57	5	10	-	3	2	-	2	1	23	3	3	6	35
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	51	2	14	3	1	1	1	1	-	23	3	1	2	29
Congenital anomalies of heart (745-746)	516	4	22	33	38	36	15	21	19	188	56	25	19	288
Other congenital anomalies of circulatory system (747)	169	1	21	25	22	13	11	9	9	111	18	6	4	139
Congenital anomalies of respiratory system (748)	226	29	92	41	16	4	3	1	6	192	6	5	2	205
Congenital anomalies of digestive system (749-751)	27	2	2	-	-	1	-	-	-	5	1	3	-	9
Congenital anomalies of genitourinary system (752-753)	90	13	49	14	-	1	1	3	2	83	2	1	1	87
Congenital anomalies of musculoskeletal system (754-756)	106	10	38	18	6	-	3	-	1	76	8	-	5	89
Down's syndrome (758.0)	14	-	2	-	1	-	-	-	1	4	-	-	-	5
Other chromosomal anomalies (758.1-758.9)	151	5	16	7	7	1	8	6	6	56	17	7	10	90
All other and unspecified congenital anomalies (744,757,759)	155	37	57	7	2	4	1	1	-	109	8	6	2	125
Certain conditions originating in the perinatal period (760-779)	6,548	1,036	3,202	619	288	166	94	79	58	5,542	299	183	154	6,178
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	35	11	17	2	1	-	-	-	-	31	1	1	-	33
Newborn affected by maternal complications of pregnancy (761)	423	112	276	16	4	1	-	-	-	409	4	-	-	413
Newborn affected by complications of placenta, cord, and membranes (762)	241	92	110	18	4	3	2	2	-	231	5	-	3	239
Newborn affected by other complications of labor and delivery (763)	20	10	8	1	-	-	-	-	-	19	-	1	-	20
Slow fetal growth and fetal malnutrition (764)	15	3	8	-	-	-	-	-	-	11	-	-	1	12
Disorders relating to short gestation and unspecified low birthweight (765)	1,393	378	906	60	18	2	2	3	1	1,370	5	4	2	1,381
Disorders relating to long gestation and high birthweight (766)	1	-	1	-	-	-	-	-	-	1	-	-	-	1
Birth trauma (767)	107	2	21	20	19	12	1	7	3	85	10	4	6	105
Intrauterine hypoxia and birth asphyxia (768)	378	64	144	46	26	15	10	9	7	321	23	7	8	359
Fetal distress in liveborn infant (768.2-768.4)	62	6	18	10	5	1	1	1	1	43	8	-	4	55
Birth asphyxia (768.5-768.9)	316	58	126	36	21	14	9	8	6	278	15	7	4	304
Respiratory distress syndrome (769)	983	27	375	171	90	48	25	20	14	770	73	36	23	902
Other respiratory conditions of newborn (770)	1,235	127	547	128	53	35	28	11	12	941	42	29	30	1,042
Infections specific to the perinatal period (771)	303	12	83	30	11	14	4	8	9	171	43	41	34	289
Neonatal hemorrhage (772)	130	1	29	28	18	10	7	6	2	101	18	5	6	130
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	14	-	2	2	2	-	-	-	-	6	1	2	1	10
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	2	-	-	1	-	-	-	-	-	1	-	-	1	2
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,268	197	675	96	42	26	15	13	10	1,074	74	53	39	1,240
Symptoms, signs, and ill-defined conditions (780-799)	1,827	8	21	9	4	6	1	4	2	55	26	43	60	184
Sudden infant death syndrome (798.0)	1,558	2	7	4	-	3	1	4	1	22	18	36	55	131
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	269	6	14	5	4	3	-	-	1	33	8	7	5	53
Accidents and adverse effects (E800-E949)	264	2	5	3	-	1	-	1	-	12	3	4	2	21
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	58	-	3	1	-	-	-	1	-	5	-	-	1	6
Accidental mechanical suffocation (E913)	30	-	-	-	-	-	-	-	-	-	-	2	-	2
Other accidental causes and adverse effects (E800-E910,E914-E949)	176	2	2	2	-	1	-	-	-	7	3	2	1	13
Homicide (E960-E969)	79	8	2	1	-	-	-	-	-	11	-	1	2	14
Child battering and other maltreatment (E967)	26	1	-	-	-	-	-	-	-	1	-	1	1	3
Other homicide (E960-E966,E968-E969)	53	7	2	1	-	-	-	-	-	10	-	-	1	11
All other causes (Residual)	602	5	25	12	21	19	9	5	7	103	33	24	17	177

SECTION 2 - INFANT MORTALITY - PAGE 63

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All other, both sexes - All causes	1,128	829	582	416	321	243	191	156	136	131	97
Certain intestinal infections (008-009)	29	6	4	2	3	-	-	1	1	-	1
Whooping cough (033)	2	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	4	1	-	1	-	1	2	1	-
Septicemia (038)	49	20	12	12	4	-	4	1	4	2	4
Viral diseases (045-079)	4	5	4	2	1	-	3	2	4	1	-
Congenital syphilis (090)	1	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	19	7	4	3	4	5	3	3	2	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3	-	1	1	1	-	2	-	3	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	2	-	-	-	-	2	-	-	1
Diseases of thymus gland (254)	-	-	-	-	-	1	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	1	7	2	3	-	1	3	1	-	1	1
Meningitis (320-322)	13	12	6	8	12	5	6	6	4	2	3
Other diseases of nervous system and sense organs (323-389)	13	17	8	12	11	11	5	9	8	9	11
Acute upper respiratory infections (460-465)	6	7	2	3	2	2	-	-	-	1	-
Bronchitis and bronchiolitis (466,490-491)	2	3	3	6	4	-	2	2	3	-	-
Pneumonia and influenza (480-487)	55	47	27	22	13	21	9	5	7	5	4
Pneumonia (480-486)	55	46	27	22	13	20	8	5	7	5	4
Influenza (487)	-	1	-	-	-	1	1	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	36	21	15	12	11	10	10	7	8	5	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	2	1	-	4	-	-	1	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	15	3	5	4	1	5	1	1	2	-	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	17	9	7	6	8	5	6	2	1	3	1
Congenital anomalies (740-759)	135	78	55	40	36	37	20	27	10	19	12
Anencephalus and similar anomalies (740)	2	1	-	-	-	-	-	-	-	-	-
Spina bifida (741)	1	2	2	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	9	3	3	1	1	3	-	1	-	1	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	4	3	1	4	1	4	1	2	1	1	-
Congenital anomalies of heart (745-746)	55	36	32	17	21	19	11	15	4	11	7
Other congenital anomalies of circulatory system (747)	14	4	3	2	-	1	3	1	-	-	2
Congenital anomalies of respiratory system (748)	9	4	2	2	1	-	1	1	1	-	-
Congenital anomalies of digestive system (749-751)	3	3	1	-	3	2	2	-	2	1	1
Congenital anomalies of genitourinary system (752-753)	2	-	-	-	-	1	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	7	1	2	1	-	1	-	3	-	1	1
Down's syndrome (758.0)	2	2	1	-	1	-	1	1	-	1	-
Other chromosomal anomalies (758.1-758.9)	21	17	5	5	3	4	-	3	1	1	1
All other and unspecified congenital anomalies (744,757,759)	6	2	3	8	5	2	1	-	1	2	-
Certain conditions originating in the perinatal period (760-779)	127	53	42	40	30	21	16	11	10	14	6
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	1	-	-	1	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	4	2	3	-	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	1	-	-	-	-	-	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	5	4	-	1	-	1	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	5	2	3	2	1	-	4	1	-	1	-
Fetal distress in liveborn infant (768.2-768.4)	1	-	2	1	1	-	2	-	-	-	-
Birth asphyxia (768.5-768.9)	4	2	1	1	-	-	2	1	-	1	-
Respiratory distress syndrome (769)	35	13	10	10	2	5	-	2	1	2	1
Other respiratory conditions of newborn (770)	51	21	24	24	18	14	12	8	7	10	4
Infections specific to the perinatal period (771)	8	4	-	-	2	-	-	-	-	-	-
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	-	2	-	1	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	18	3	-	-	5	-	-	-	-	1	1
Symptoms, signs, and ill-defined conditions (780-799)	432	425	302	169	121	63	51	30	17	21	12
Sudden infant death syndrome (798.0)	382	380	270	151	103	50	37	24	13	10	7
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	50	45	32	18	18	13	14	6	4	11	5
Accidents and adverse effects (E800-E949)	38	24	15	25	27	17	15	23	26	16	17
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	10	10	5	5	4	4	3	4	4	1	2
Accidental mechanical suffocation (E913)	4	4	1	8	5	-	-	2	1	3	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	24	10	9	12	18	13	12	17	21	12	15
Homicide (E960-E969)	12	11	8	5	1	11	5	3	1	6	2
Child battering and other maltreatment (E967)	4	4	3	2	1	5	4	5	1	3	2
Other homicide (E960-E966,E968-E969)	8	7	5	3	-	6	1	1	1	3	1
All other causes (Residual)	109	71	52	39	31	23	20	19	22	21	18

SECTION 2 - INFANT MORTALITY - PAGE 64

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
All other, male - All causes	6,740	653	2,039	442	235	167	91	78	70	3,775	280	182	175	4,412
Certain intestinal infections (008-009)	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	-	1	-	-	-	-	-	-	1	-	-	-	1
Septicemia (038)	65	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	20	-	1	-	-	-	-	-	-	1	3	-	-	4
Congenital syphilis (090)	2	-	-	-	-	1	-	-	-	1	-	-	-	1
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	29	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8	1	2	-	-	-	-	-	-	3	-	-	-	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	1	1	-	-	-	-	-	-	2	-	-	-	2
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	20	1	2	-	-	-	-	-	-	3	1	-	-	4
Meningitis (320-322)	56	-	-	-	-	2	-	1	-	3	1	5	3	14
Other diseases of nervous system and sense organs (323-389)	66	-	-	-	-	-	-	-	-	1	1	1	1	3
Acute upper respiratory infections (460-465)	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	16	-	-	-	-	-	-	-	-	-	1	-	-	1
Pneumonia and influenza (480-487)	156	2	4	-	6	2	1	1	1	17	7	1	5	30
Pneumonia (480-486)	154	2	4	-	6	2	1	1	1	17	7	1	5	30
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	94	1	3	2	1	-	-	2	-	9	3	1	4	17
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	1	-	-	-	-	1	1	-	-	2
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	29	-	-	-	1	2	1	-	-	4	1	1	2	8
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	47	1	-	1	-	-	-	-	-	2	3	1	-	6
Congenital anomalies (740-759)	873	66	202	90	62	42	25	20	27	534	63	28	27	652
Anencephalus and similar anomalies (740)	43	8	19	4	2	4	2	1	-	40	1	-	1	42
Spina bifida (741)	10	-	5	-	1	1	-	-	-	7	-	-	-	7
Congenital hydrocephalus (742.3)	36	4	8	-	2	2	-	1	-	17	2	2	2	23
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	23	1	6	3	1	1	-	1	-	13	1	-	-	14
Congenital anomalies of heart (745-746)	266	-	14	24	21	19	10	6	11	105	25	13	10	153
Other congenital anomalies of circulatory system (747)	92	1	8	7	14	10	5	5	5	55	14	2	1	72
Congenital anomalies of respiratory system (748)	140	15	60	26	13	1	1	-	3	119	4	3	2	128
Congenital anomalies of digestive system (749-751)	13	2	1	-	-	-	-	-	-	3	1	2	-	6
Congenital anomalies of genitourinary system (752-753)	49	8	22	8	-	1	1	2	2	44	1	1	1	47
Congenital anomalies of musculoskeletal system (754-756)	57	6	18	11	3	-	1	-	1	40	5	-	4	49
Down's syndrome (758.0)	10	-	2	-	1	-	-	-	1	4	-	-	-	4
Other chromosomal anomalies (758.1-758.9)	56	3	9	4	2	1	4	3	4	30	5	2	5	42
All other and unspecified congenital anomalies (744,757,759)	78	18	30	3	2	2	1	1	-	57	4	3	1	65
Certain conditions originating in the perinatal period (760-779)	3,650	567	1,791	341	152	99	61	48	38	3,097	159	105	82	3,443
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	19	1	14	1	-	-	-	-	-	16	1	1	-	18
Newborn affected by maternal complications of pregnancy (761)	224	62	148	6	2	1	-	-	-	219	2	-	-	221
Newborn affected by complications of placenta, cord, and membranes (762)	137	60	56	9	2	3	1	1	-	132	2	-	1	135
Newborn affected by other complications of labor and delivery (763) ..	10	6	3	1	-	-	-	-	-	10	-	-	-	10
Slow fetal growth and fetal malnutrition (764)	8	2	5	-	-	-	-	-	-	7	-	-	-	7
Disorders relating to short gestation and unspecified low birthweight (765)	744	202	487	33	9	1	1	2	-	735	2	-	1	738
Disorders relating to long gestation and high birthweight (766)	1	-	1	-	-	-	-	-	-	1	-	-	-	1
Birth trauma (767)	66	2	11	14	10	9	1	4	3	54	4	3	3	64
Intrauterine hypoxia and birth asphyxia (768)	204	32	82	24	15	8	6	6	5	178	9	2	5	194
Fetal distress in liveborn infant (768.2-768.4)	38	3	14	8	2	1	1	1	-	30	4	-	3	37
Birth asphyxia (768.5-768.9)	166	29	68	16	13	7	5	5	5	148	5	2	2	157
Respiratory distress syndrome (769)	602	14	233	100	51	33	16	12	10	469	47	23	16	555
Other respiratory conditions of newborn (770)	693	75	313	66	24	18	18	8	8	530	27	13	13	583
Infections specific to the perinatal period (771)	178	7	47	19	6	7	3	4	6	99	22	27	21	169
Neonatal hemorrhage (772)	75	1	20	16	11	5	5	3	-	61	9	3	2	75
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	9	-	2	1	2	-	-	-	-	5	-	1	1	7
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	679	103	369	51	20	14	10	8	6	581	34	32	18	665
Symptoms, signs, and ill-defined conditions (780-799)	1,035	6	13	2	1	5	-	2	1	30	10	22	37	99
Sudden infant death syndrome (788.0)	888	2	3	1	-	3	-	2	-	11	7	18	33	69
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	147	4	10	1	1	2	-	-	1	19	3	4	4	30
Accidents and adverse effects (E800-E949)	139	1	3	2	-	-	-	1	-	7	1	3	1	12
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	25	-	2	-	-	-	-	1	-	3	-	-	1	4
Accidental mechanical suffocation (E913)	18	-	-	-	-	-	-	-	-	-	-	1	-	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	96	1	1	2	-	-	-	-	-	4	1	2	-	7
Homicide (E960-E969)	48	4	1	1	-	-	-	-	-	6	-	1	1	8
Child battering and other maltreatment (E967)	15	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	33	4	1	1	-	-	-	-	-	-	-	1	-	1
All other causes (Residual)	326	2	15	3	11	14	3	3	3	54	23	11	12	100

SECTION 2 - INFANT MORTALITY - PAGE 65

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975.]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All other, male - All causes	624	481	328	249	165	131	96	82	67	59	46
Certain intestinal infections (008-009)	15	2	2	2	-	-	-	1	1	-	1
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	1	-	1	-	1	-	1	-
Septicemia (038)	32	10	6	6	4	-	1	-	2	1	3
Viral diseases (045-079)	3	2	2	1	-	-	3	2	2	1	-
Congenital syphilis (090)	-	1	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	10	3	2	3	2	3	2	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	-	-	-	-	1	-	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	1	-	-	-	-	2	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	1	6	1	2	-	1	3	1	-	-	1
Meningitis (320-322)	5	7	5	6	5	3	2	3	2	2	2
Other diseases of nervous system and sense organs (323-389)	7	11	6	6	5	7	3	5	3	5	5
Acute upper respiratory infections (460-465)	2	6	1	1	-	1	-	-	-	1	-
Bronchitis and bronchiolitis (466,490-491)	1	2	3	3	2	-	1	1	1	-	-
Pneumonia and influenza (480-487)	31	32	19	8	6	11	5	2	4	4	4
Pneumonia (480-486)	31	31	19	8	6	10	5	2	4	4	4
Influenza (487)	-	1	-	-	-	1	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	18	15	5	8	8	6	9	4	2	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	-	1	-	1	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	7	1	3	3	1	3	1	1	1	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	8	4	5	4	6	3	5	1	1	3	1
Congenital anomalies (740-759)	66	38	27	22	13	24	5	10	4	8	4
Anencephalus and similar anomalies (740)	-	1	-	-	-	-	-	-	-	-	-
Spina bifida (741)	-	1	2	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	5	2	3	-	-	2	-	1	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	1	-	2	-	1	-	1	1	1	-
Congenital anomalies of heart (745-746)	31	23	15	10	7	14	2	3	-	6	2
Other congenital anomalies of circulatory system (747)	11	1	2	-	-	1	2	1	-	-	2
Congenital anomalies of respiratory system (748)	4	3	-	2	1	-	1	-	1	-	-
Congenital anomalies of digestive system (749-751)	1	1	1	-	2	1	-	-	1	-	-
Congenital anomalies of genitourinary system (752-753)	1	-	-	-	-	1	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	2	-	1	1	-	1	-	2	-	1	-
Down's syndrome (758.0)	1	2	1	-	1	-	-	1	-	-	-
Other chromosomal anomalies (758.1-758.9)	5	2	1	3	1	-	-	1	-	-	-
All other and unspecified congenital anomalies (744,757,759)	3	1	1	4	1	2	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	72	31	21	27	18	10	10	5	5	5	3
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	1	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	1	1	1	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	2	2	-	1	-	-	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	3	2	1	1	-	-	1	1	-	1	-
Fetal distress in liveborn infant (768.2-768.4)	-	-	-	-	-	-	1	-	-	-	-
Birth asphyxia (768.5-768.9)	3	2	1	1	-	-	-	1	-	1	-
Respiratory distress syndrome (769)	21	10	5	7	-	3	-	1	-	-	-
Other respiratory conditions of newborn (770)	27	12	13	17	12	7	9	3	3	4	3
Infections specific to the perinatal period (771)	5	2	-	-	2	-	-	-	-	-	-
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	-	1	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	9	2	-	-	3	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	247	246	178	105	61	33	24	19	9	7	7
Sudden infant death syndrome (798.0)	223	220	156	93	53	26	19	16	7	3	3
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	24	26	22	12	8	7	5	3	2	4	4
Accidents and adverse effects (E800-E949)	21	16	6	14	15	6	7	12	16	7	7
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	3	8	-	2	1	1	1	1	2	-	2
Accidental mechanical suffocation (E913)	3	2	1	5	5	-	-	-	1	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	15	6	5	7	9	5	6	11	13	7	5
Homicide (E960-E969)	8	9	4	3	1	6	2	1	1	4	1
Child battering and other maltreatment (E967)	1	4	2	1	1	3	-	-	-	2	-
Other homicide (E960-E966,E968-E969)	7	5	2	2	-	3	2	1	1	2	1
All other causes (Residual)	61	38	30	23	18	12	12	9	11	6	6

SECTION 2 - INFANT MORTALITY - PAGE 66

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
All other, female - All causes	5,426	555	1,616	361	187	104	62	62	46	2,993	244	155	142	3,534
Certain intestinal infections (008-009)	23	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	47	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	14	-	-	-	-	-	-	-	1	1	2	1	-	4
Congenital syphilis (090)	1	1	-	-	-	-	-	-	-	1	-	-	-	1
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	25	-	1	-	-	-	-	-	-	1	-	1	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13	1	1	-	-	-	-	-	-	2	1	-	-	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	1	1	-	-	-	-	-	-	2	-	-	1	3
Diseases of thymus gland (254)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	11	1	1	-	1	-	1	-	1	5	1	1	-	7
Meningitis (320-322)	46	-	2	-	-	-	-	1	-	3	2	2	4	11
Other diseases of nervous system and sense organs (323-389)	52	-	-	-	-	-	-	-	-	-	-	1	-	1
Acute upper respiratory infections (460-465)	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	106	3	3	1	-	-	-	-	-	7	3	2	5	17
Pneumonia (480-485)	105	3	3	1	-	-	-	-	-	7	3	2	5	17
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	76	-	8	1	-	-	-	-	1	10	4	2	1	17
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	1	1	-	-	-	-	-	-	2	-	-	-	2
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	20	-	-	-	-	-	-	-	-	-	1	1	1	3
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	33	-	1	1	-	3	1	-	-	6	1	1	1	9
Congenital anomalies (740-759)	790	68	165	63	37	27	20	26	18	424	61	30	27	542
Anencephalus and similar anomalies (740)	45	18	20	1	-	1	-	1	-	41	1	1	-	43
Spina bifida (741)	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Congenital hydrocephalus (742.3)	21	1	2	-	1	-	-	1	1	6	1	1	4	12
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	28	1	8	-	-	-	1	-	-	10	2	1	2	15
Congenital anomalies of heart (745-746)	250	4	8	9	17	17	5	8	83	31	12	9	135	135
Other congenital anomalies of circulatory system (747)	77	-	13	18	8	3	6	15	4	56	4	4	3	67
Congenital anomalies of respiratory system (748)	86	14	32	15	3	3	2	1	3	73	2	2	-	77
Congenital anomalies of digestive system (749-751)	14	-	1	-	-	1	-	-	-	2	-	1	-	3
Congenital anomalies of genitourinary system (752-753)	41	5	27	6	-	-	-	1	-	39	1	-	-	40
Congenital anomalies of musculoskeletal system (754-756)	49	4	20	7	3	-	2	-	-	36	3	-	1	40
Down's syndrome (758.0)	4	-	-	-	-	-	-	-	-	-	-	-	1	1
Other chromosomal anomalies (758.1-758.9)	95	2	7	3	5	-	4	3	2	26	12	5	5	48
All other and unspecified congenital anomalies (744,757,759)	77	19	27	4	-	2	-	-	-	52	4	3	1	60
Certain conditions originating in the perinatal period (760-779)	2,898	469	1,411	278	136	67	33	31	20	2,445	140	78	72	2,735
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	16	10	3	1	1	-	-	-	-	15	-	-	-	15
Newborn affected by maternal complications of pregnancy (761)	199	50	128	10	2	-	-	-	-	190	2	-	-	192
Newborn affected by complications of placenta, cord, and membranes (762)	104	32	54	9	2	-	1	1	-	99	3	-	2	104
Newborn affected by other complications of labor and delivery (763) ...	10	4	5	-	-	-	-	-	-	9	-	1	-	10
Slow fetal growth and fetal malnutrition (764)	7	1	3	-	-	-	-	-	-	4	-	-	1	5
Disorders relating to short gestation and unspecified low birthweight (765)	649	176	419	27	9	1	1	1	1	635	3	4	1	643
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	41	-	10	6	9	3	-	3	-	31	6	1	3	41
Intrauterine hypoxia and birth asphyxia (768)	174	32	62	22	11	7	4	3	2	143	14	5	3	165
Fetal distress in liveborn infant (768.2-768.4)	24	3	4	2	3	-	-	-	1	13	4	-	1	18
Birth asphyxia (768.5-768.9)	150	29	58	20	8	7	4	3	1	130	10	5	2	147
Respiratory distress syndrome (769)	381	13	142	71	39	15	9	8	4	301	26	13	7	347
Other respiratory conditions of newborn (770)	542	52	234	62	29	17	10	3	4	411	15	16	17	459
Infections specific to the perinatal period (771)	125	5	36	11	5	7	1	4	3	72	21	14	13	120
Neonatal hemorrhage (772)	55	-	9	12	7	5	2	3	2	40	9	2	4	55
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	5	-	-	1	-	-	-	-	-	1	1	1	-	3
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	-	1	-	-	-	-	-	1	-	-	-	1
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	589	94	306	45	22	12	5	5	4	493	40	21	21	575
Symptoms, signs, and ill-defined conditions (780-799)	792	2	8	7	3	1	1	2	1	25	16	21	23	85
Sudden infant death syndrome (798.0)	670	-	4	3	-	-	1	2	1	11	11	18	22	62
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	122	2	4	4	3	1	-	-	-	14	5	3	1	23
Accidents and adverse effects (E800-E949)	125	1	2	1	-	1	-	-	-	5	2	1	1	9
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	33	-	1	1	-	-	-	-	-	2	-	-	-	2
Accidental mechanical suffocation (E913)	12	-	-	-	-	-	-	-	-	-	-	1	-	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	80	1	1	-	-	1	-	-	-	3	2	-	1	6
Homicide (E960-E969)	31	4	1	-	-	-	-	-	-	5	-	-	1	6
Child battering and other maltreatment (E967)	11	1	-	-	-	-	-	-	-	1	-	-	1	2
Other homicide (E960-E966,E968-E969)	20	3	1	-	-	-	-	-	-	4	-	-	-	4
All other causes (Residual)	276	3	10	9	10	5	6	2	4	49	10	13	5	77

SECTION 2 - INFANT MORTALITY - PAGE 67

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

(Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975)

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
All other, female - All causes	504	349	254	167	156	112	85	74	69	72	51
Certain intestinal infections (008-009)	14	4	2	-	3	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	3	-	-	-	-	-	2	-	-
Septicemia (038)	17	10	6	6	-	-	3	1	2	1	1
Viral diseases (045-079)	1	3	2	1	1	-	-	-	2	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	9	4	2	-	2	2	1	1	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	-	1	1	1	-	1	-	2	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	1	-	-	-	-	-	-	-	1
Diseases of thymus gland (254)	-	-	-	-	-	1	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	-	1	1	1	-	-	-	-	-	1	-
Meningitis (320-322)	8	5	1	2	7	2	4	3	2	1	1
Other diseases of nervous system and sense organs (323-389)	6	6	2	6	6	4	2	4	5	4	6
Acute upper respiratory infections (460-465)	4	1	1	2	2	1	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	1	1	-	3	2	-	1	1	2	-	-
Pneumonia and influenza (480-487)	24	15	8	14	7	10	4	3	3	1	-
Pneumonia (480-486)	24	15	8	14	7	10	3	3	3	1	-
Influenza (487)	-	-	-	-	-	-	1	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	18	6	10	4	3	4	1	3	6	4	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	2	-	-	3	-	-	1	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	8	2	2	1	-	2	-	-	1	-	1
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	9	5	2	2	2	2	1	1	-	-	-
Congenital anomalies (740-759)	69	40	28	18	23	13	15	17	6	11	8
Anencephalus and similar anomalies (740)	2	-	-	-	-	-	-	-	-	-	-
Spina bifida (741)	1	1	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	4	1	-	1	1	1	-	-	-	1	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	2	1	2	1	3	1	1	-	-	-
Congenital anomalies of heart (745-746)	24	13	17	7	14	5	9	12	4	5	5
Other congenital anomalies of circulatory system (747)	3	3	1	2	-	-	1	-	-	-	-
Congenital anomalies of respiratory system (748)	5	1	2	-	-	-	-	1	-	-	-
Congenital anomalies of digestive system (749-751)	2	2	-	-	1	1	2	-	1	1	1
Congenital anomalies of genitourinary system (752-753)	1	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	5	1	1	-	-	-	-	1	-	-	1
Down's syndrome (758.0)	1	-	-	-	-	-	1	-	-	1	-
Other chromosomal anomalies (758.1-758.9)	16	15	4	2	2	3	-	2	1	1	1
All other and unspecified congenital anomalies (744,757,759)	3	1	2	4	4	-	1	-	-	2	-
Certain conditions originating in the perinatal period (760-779)	55	22	21	13	12	11	6	6	5	9	3
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	1	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	3	1	2	-	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763) ..	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	1	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	3	2	-	-	-	1	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	2	-	2	1	1	-	3	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	1	-	2	1	1	-	1	-	-	-	-
Birth asphyxia (768.5-768.9)	1	-	-	-	-	-	2	-	-	-	-
Respiratory distress syndrome (769)	14	3	5	3	2	2	-	1	1	2	1
Other respiratory conditions of newborn (770)	24	9	11	7	6	7	3	5	4	6	1
Infections specific to the perinatal period (771)	3	2	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	1	-	1	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	9	1	-	-	2	-	-	-	-	1	1
Symptoms, signs, and ill-defined conditions (780-799)	185	179	124	64	60	30	27	11	8	14	5
Sudden infant death syndrome (798.0)	159	160	114	58	50	24	18	8	6	7	4
Symptoms, signs, and all other ill-defined conditions (780-797,798,1-799)	26	19	10	6	10	6	9	3	2	7	1
Accidents and adverse effects (E800-E949)	17	8	9	11	12	11	8	11	10	9	10
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	7	2	5	3	3	3	2	3	2	1	-
Accidental mechanical suffocation (E913)	1	2	-	3	-	-	-	2	-	3	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	9	4	4	5	9	8	6	6	8	5	10
Homicide (E960-E969)	4	2	4	2	-	5	3	2	-	2	1
Child battering and other maltreatment (E967)	3	-	1	1	-	2	1	-	-	1	-
Other homicide (E960-E966,E968-E969)	1	2	3	1	-	3	2	2	-	1	1
All other causes (Residual)	48	33	22	16	13	11	8	10	11	15	12

SECTION 2 - INFANT MORTALITY - PAGE 68

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Black, both sexes - All causes	11,063	1,107	3,431	725	390	246	135	129	102	6,265	477	308	290	7,340
Certain intestinal infections (008-009)	44	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	14	-	1	-	-	-	-	-	-	1	-	-	-	1
Septicemia (038)	109	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	30	-	1	-	-	-	-	-	1	2	5	1	-	8
Congenital syphilis (090)	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	48	-	-	-	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19	1	3	-	-	-	-	-	-	4	1	-	-	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	1	2	-	-	-	-	-	-	3	-	-	1	4
Diseases of thymus gland (254)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	27	-	2	-	1	-	1	-	1	5	2	1	-	8
Meningitis (320-322)	87	-	2	-	-	2	-	2	-	6	5	7	6	24
Other diseases of nervous system and sense organs (323-389)	100	-	-	-	-	-	-	-	-	-	1	2	1	4
Acute upper respiratory infections (460-465)	23	-	-	-	-	-	-	-	-	-	1	-	-	1
Bronchitis and bronchiolitis (466,490-491)	25	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	237	4	7	1	6	2	1	1	1	23	9	3	9	44
Pneumonia (480-486)	235	4	7	1	6	2	1	1	1	23	9	3	9	44
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	156	1	11	3	1	-	-	2	1	19	6	3	5	33
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	1	1	-	1	-	-	-	-	3	1	-	-	4
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	44	-	-	-	1	1	1	-	-	3	2	2	3	10
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	67	1	1	2	-	3	-	-	-	7	4	2	1	14
Congenital anomalies (740-759)	1,419	107	314	124	92	59	37	43	35	811	109	53	46	1,019
Anencephalus and similar anomalies (740)	59	17	27	2	1	2	2	2	-	53	2	1	-	56
Spina bifida (741)	13	-	5	-	1	1	-	-	-	7	-	-	-	8
Congenital hydrocephalus (742.3)	48	5	8	-	2	2	-	2	1	20	2	2	6	30
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	43	2	12	2	1	1	-	-	-	19	3	1	2	25
Congenital anomalies of heart (745-746)	442	2	19	25	36	31	11	21	17	162	47	23	16	248
Other congenital anomalies of circulatory system (747)	156	1	21	22	20	13	9	9	7	102	18	6	3	129
Congenital anomalies of respiratory system (748)	200	29	78	35	15	4	3	1	5	170	5	5	2	182
Congenital anomalies of digestive system (749-751)	25	2	2	-	-	1	-	-	-	5	1	2	-	8
Congenital anomalies of genitourinary system (752-753)	84	12	47	11	-	1	1	3	2	77	2	1	1	81
Congenital anomalies of musculoskeletal system (754-756)	85	8	28	15	6	-	3	-	-	60	7	-	4	71
Down's syndrome (758.0)	11	-	2	-	1	-	-	-	-	3	-	-	-	4
Other chromosomal anomalies (758.1-758.9)	123	2	15	6	7	1	6	4	3	44	15	7	8	74
All other and unspecified congenital anomalies (744,757,759)	130	27	50	6	2	2	1	1	-	89	7	5	2	103
Certain conditions originating in the perinatal period (760-779)	6,140	971	3,038	574	265	154	86	74	56	5,218	276	167	145	5,806
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	32	11	14	2	1	-	-	-	-	28	1	1	-	30
Newborn affected by maternal complications of pregnancy (761)	399	107	260	15	3	1	-	-	-	386	4	-	-	390
Newborn affected by complications of placenta, cord, and membranes (762)	225	87	104	16	4	2	2	2	-	217	4	-	2	223
Newborn affected by other complications of labor and delivery (763) ..	18	9	7	1	-	-	-	-	-	17	-	1	-	18
Slow fetal growth and fetal malnutrition (764)	15	3	8	-	-	-	-	-	-	11	-	-	1	12
Disorders relating to short gestation and unspecified low birthweight (765)	1,325	361	862	56	17	2	1	3	1	1,303	4	4	2	1,313
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	99	1	21	18	18	9	1	6	3	77	10	4	6	97
Intrauterine hypoxia and birth asphyxia (768)	354	61	137	41	23	14	9	9	7	301	21	7	7	336
Fetal distress in liveborn infant (768.2-768.4)	54	4	16	9	5	1	-	1	1	37	7	-	4	48
Birth asphyxia (768.5-768.9)	300	57	121	32	18	13	9	8	6	264	14	7	3	288
Respiratory distress syndrome (769)	911	25	358	157	83	47	25	18	14	727	64	28	20	839
Other respiratory conditions of newborn (770)	1,135	112	513	118	49	31	23	11	12	869	39	28	28	964
Infections specific to the perinatal period (771)	289	10	79	29	10	14	4	8	9	163	40	38	34	275
Neonatal hemorrhage (772)	125	1	26	27	17	10	7	6	2	96	18	5	6	125
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	10	-	-	2	1	-	-	-	-	3	1	2	1	7
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	2	-	-	1	-	-	-	-	-	1	-	-	1	2
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,201	183	649	91	39	24	14	11	8	1,019	70	49	37	1,175
Symptoms, signs, and ill-defined conditions (780-799)	1,606	6	20	6	3	5	1	3	2	46	24	40	54	164
Sudden infant death syndrome (798.0)	1,357	2	6	2	-	3	1	3	1	18	16	33	50	117
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	249	4	14	4	3	2	-	-	1	28	8	7	4	47
Accidents and adverse effects (E800-E949)	227	2	4	3	-	1	-	1	-	11	3	3	2	19
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	50	-	3	1	-	-	-	1	-	5	-	-	1	6
Accidental mechanical suffocation (E913)	29	-	-	-	-	-	-	-	-	-	-	2	-	2
Other accidental causes and adverse effects (E800-E910,E914-E949)	148	2	1	2	-	1	-	-	-	6	3	1	1	11
Homicide (E960-E969)	75	8	1	1	-	-	-	-	-	10	-	1	2	13
Child battering and other maltreatment (E967)	26	1	-	-	-	-	-	-	-	1	-	1	1	3
Other homicide (E960-E966,E968-E969)	49	7	1	1	-	-	-	-	-	9	-	-	-	10
All other causes (Residual)	534	4	23	11	20	18	8	3	5	92	28	20	15	155

SECTION 2 - INFANT MORTALITY - PAGE 69

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Black, both sexes - All causes	1,008	727	506	365	289	212	154	100	120	116	84
Certain intestinal infections (008-009)	28	6	3	2	2	-	-	-	1	-	1
Whooping cough (033)	2	1	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	3	1	-	-	-	-	2	-	-
Septicemia (038)	49	20	11	11	4	-	4	1	4	2	3
Viral diseases (045-079)	3	4	3	1	1	-	3	2	4	1	-
Congenital syphilis (090)	-	1	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	19	5	4	1	4	5	2	3	2	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	-	1	1	1	-	2	-	3	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	2	-	-	-	-	1	-	-	1
Diseases of thymus gland (254)	-	-	-	-	-	1	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	1	6	2	3	-	1	3	1	-	1	1
Meningitis (320-322)	13	9	5	5	9	4	6	5	4	1	2
Other diseases of nervous system and sense organs (323-389)	11	16	5	5	10	11	4	9	6	9	10
Acute upper respiratory infections (460-465)	6	6	2	3	2	2	-	-	-	1	-
Bronchitis and bronchiolitis (466,490-491)	2	3	2	6	3	-	2	2	3	-	-
Pneumonia and influenza (480-487)	49	41	25	20	11	20	9	3	7	4	4
Pneumonia (480-486)	49	41	25	20	11	19	8	3	7	4	4
Influenza (487)	-	-	-	-	-	1	1	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	34	18	14	10	10	6	10	7	8	5	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	2	1	-	3	-	-	1	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	14	2	3	4	1	5	1	1	2	-	1
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	13	8	6	6	6	4	5	2	1	2	-
Congenital anomalies (740-759)	112	65	48	39	32	29	17	23	9	15	11
Anencephalus and similar anomalies (740)	2	1	-	-	-	-	-	-	-	-	-
Spina bifida (741)	1	2	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	8	3	2	1	-	3	-	1	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	3	-	4	1	4	1	1	1	1	-
Congenital anomalies of heart (745-746)	45	29	28	17	18	13	11	13	4	9	7
Other congenital anomalies of circulatory system (747)	13	4	3	1	-	1	2	1	-	-	2
Congenital anomalies of respiratory system (748)	8	4	2	2	1	-	-	1	-	-	-
Congenital anomalies of digestive system (749-751)	3	3	1	-	3	2	2	-	2	1	-
Congenital anomalies of genitourinary system (752-753)	2	-	-	-	-	1	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	5	1	2	1	-	1	-	2	-	1	1
Down's syndrome (758.0)	2	1	1	-	1	-	-	1	-	1	-
Other chromosomal anomalies (758.1-758.9)	15	13	5	5	3	2	-	3	1	1	1
All other and unspecified congenital anomalies (744,757,759)	6	1	2	8	5	2	1	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	113	44	40	37	30	18	13	10	10	14	5
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	1	-	-	1	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	3	2	3	-	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763) ..	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	1	-	-	-	-	-	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	5	4	-	1	-	1	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	5	2	3	2	1	-	3	1	-	1	-
Fetal distress in liveborn infant (768.2-768.4)	1	-	2	1	1	-	1	-	-	-	-
Birth asphyxia (768.5-768.9)	4	2	1	1	-	-	2	1	-	1	-
Respiratory distress syndrome (769)	29	11	10	10	2	4	-	2	1	2	1
Other respiratory conditions of newborn (770)	45	16	22	21	18	12	10	7	7	10	3
Infections specific to the perinatal period (771)	8	4	-	-	2	-	-	-	-	-	-
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	2	-	1	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	17	2	-	-	5	-	-	-	-	1	1
Symptoms, signs, and ill-defined conditions (780-799)	384	376	261	146	108	57	42	24	14	18	12
Sudden infant death syndrome (798.0)	337	333	233	128	92	44	29	18	10	9	7
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	47	43	28	18	16	13	13	6	4	9	5
Accidents and adverse effects (E800-E949)	35	19	15	23	25	16	15	16	19	13	12
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	8	8	5	4	4	3	3	3	4	1	1
Accidental mechanical suffocation (E913)	4	4	1	8	5	-	-	2	1	2	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	23	7	9	11	16	13	12	11	14	10	11
Homicide (E960-E969)	12	11	8	3	1	10	5	3	1	6	2
Child battering and other maltreatment (E967)	4	4	3	2	1	5	1	-	-	3	-
Other homicide (E960-E966,E968-E969)	8	7	5	1	-	5	4	3	1	3	2
All other causes (Residual)	96	65	43	37	29	19	18	18	19	19	16

SECTION 2 - INFANT MORTALITY - PAGE 70

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Black, male - All causes	6,127	605	1,916	400	215	150	82	73	61	3,502	251	169	153	4,075
Certain intestinal infections (008-009)	23	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	-	1	-	-	-	-	-	-	1	-	-	-	1
Septicemia (038)	63	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	17	-	1	-	-	-	-	-	-	1	3	-	-	4
Congenital syphilis (090)	2	-	-	-	-	1	-	-	-	1	-	-	-	1
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7	1	2	-	-	-	-	-	-	3	-	-	-	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	1	1	-	-	-	-	-	-	2	-	-	-	2
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	17	-	1	-	-	-	-	-	-	1	1	-	-	2
Meningitis (320-322)	47	-	-	-	-	2	-	1	-	3	3	5	2	13
Other diseases of nervous system and sense organs (323-389)	58	-	-	-	-	-	-	-	-	-	1	1	1	3
Acute upper respiratory infections (460-465)	12	-	-	-	-	-	-	-	-	-	1	-	-	1
Bronchitis and bronchiolitis (466,490-491)	15	-	-	-	-	-	-	-	-	-	-	2	-	2
Pneumonia and influenza (480-487)	141	2	4	-	6	2	1	1	1	17	7	1	4	29
Influenza (487)	140	2	4	-	6	2	1	1	1	17	7	1	4	29
Remainder of diseases of respiratory system (470-478,492-519)	84	1	3	2	1	-	-	2	-	9	2	1	4	16
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	-	-	-	1	-	-	-	-	1	1	-	-	2
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	28	-	-	-	1	1	1	-	-	3	1	1	2	7
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	39	1	-	1	-	-	-	-	-	2	3	1	-	6
Congenital anomalies (740-759)	745	55	176	73	55	34	21	18	21	453	57	25	22	557
Anencephalus and similar anomalies (740)	25	5	12	1	1	1	2	1	-	23	1	-	-	24
Spina bifida (741)	10	-	5	-	1	1	-	-	-	7	-	1	-	7
Congenital hydrocephalus (742.3)	32	4	7	-	1	2	-	1	-	15	2	1	2	20
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	19	1	5	2	1	1	-	-	-	10	1	-	-	11
Congenital anomalies of heart (745-746)	221	-	13	18	19	15	8	6	11	90	20	11	8	129
Other congenital anomalies of circulatory system (747)	87	1	8	7	12	10	4	5	4	51	14	2	1	68
Congenital anomalies of respiratory system (748)	125	15	52	24	12	1	1	-	2	107	4	3	2	116
Congenital anomalies of digestive system (749-751)	13	2	1	-	-	-	-	-	-	3	1	2	-	6
Congenital anomalies of genitourinary system (752-753)	46	7	22	6	-	1	1	2	2	41	1	1	1	44
Congenital anomalies of musculoskeletal system (754-756)	4	4	14	9	-	1	-	-	-	31	4	-	3	38
Down's syndrome (758.0)	8	-	2	-	1	-	-	-	-	3	-	-	-	3
Other chromosomal anomalies (758.1-758.9)	47	2	9	3	2	1	3	2	2	24	5	2	4	35
All other and unspecified congenital anomalies (744,757,759)	68	14	26	3	2	1	1	1	-	48	4	3	1	56
Certain conditions originating in the perinatal period (760-779)	3,423	534	1,698	317	140	92	56	46	36	2,919	144	98	75	3,236
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	18	1	13	1	-	-	-	-	-	15	1	1	-	17
Newborn affected by maternal complications of pregnancy (761)	213	61	139	5	2	1	-	-	-	208	2	-	-	210
Newborn affected by complications of placenta, cord, and membranes (762)	126	56	52	8	2	2	1	1	-	122	1	-	1	124
Newborn affected by other complications of labor and delivery (763) ..	8	5	2	1	-	-	-	-	-	8	-	-	-	8
Slow fetal growth and fetal malnutrition (764)	8	2	5	-	-	-	-	-	-	7	-	-	-	7
Disorders relating to short gestation and unspecified low birthweight (765)	709	196	464	29	8	1	1	2	-	701	1	-	1	703
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	60	1	11	13	10	6	1	3	3	48	4	3	3	58
Intrauterine hypoxia and birth asphyxia (768)	189	30	77	22	13	8	5	6	5	166	8	2	4	180
Fetal distress in liveborn infant (768.2-768.4)	32	2	12	7	2	1	-	1	-	25	4	-	3	32
Birth asphyxia (768.5-768.9)	157	28	65	15	11	7	5	5	5	141	4	2	1	148
Respiratory distress syndrome (769)	556	14	221	90	46	33	16	12	10	442	40	18	13	513
Other respiratory conditions of newborn (770)	637	65	291	63	24	16	15	8	8	490	26	12	12	540
Infections specific to the perinatal period (771)	172	6	45	18	5	7	3	4	6	94	21	27	21	163
Neonatal hemorrhage (772)	74	1	19	16	11	5	5	3	-	60	9	3	2	74
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	5	-	-	1	1	-	-	-	-	2	-	1	1	4
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	647	96	359	50	18	13	9	7	4	556	31	31	16	634
Symptoms, signs, and ill-defined conditions (780-799)	913	4	13	1	1	5	-	2	1	27	8	22	31	88
Sudden infant death syndrome (798.0)	775	2	3	-	-	3	-	2	-	10	5	18	28	61
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	138	2	10	1	1	2	-	-	1	17	3	4	3	27
Accidents and adverse effects (E800-E949)	118	1	2	2	-	-	-	1	-	6	1	2	1	10
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	21	-	2	-	-	-	-	1	-	3	-	-	1	4
Accidental mechanical suffocation (E913)	18	-	-	-	-	-	-	-	-	-	-	1	-	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	79	1	-	2	-	-	-	-	-	3	1	1	-	5
Homicide (E960-E969)	46	4	-	1	-	-	-	-	-	5	-	1	1	7
Child battering and other maltreatment (E967)	15	-	-	-	-	-	-	-	-	-	-	1	-	1
Other homicide (E960-E966,E968-E969)	31	4	-	1	-	-	-	-	-	5	-	-	1	6
All other causes (Residual)	284	1	14	3	10	13	3	2	2	48	18	9	10	85

SECTION 2 - INFANT MORTALITY - PAGE 71

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Black, male - All causes	556	421	295	221	150	109	82	67	59	51	41
Certain intestinal infections (008-009)	14	2	2	2	-	-	-	1	1	-	1
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	1	-	1	-	1	-	1	-
Septicemia (038)	32	10	6	5	4	-	1	-	2	1	2
Viral diseases (045-079)	2	2	1	-	-	-	3	2	2	1	-
Congenital syphilis (090)	-	1	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	10	1	2	1	2	3	1	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	1	-	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	1	-	-	-	-	1	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	5	1	2	-	1	3	1	-	-	1
Diseases of blood and blood-forming organs (280-289)	5	4	5	5	4	2	2	2	2	1	2
Meningitis (320-322)	5	11	4	4	5	7	2	5	2	5	5
Other diseases of nervous system and sense organs (323-389)	2	5	1	1	-	1	-	-	-	1	-
Acute upper respiratory infections (460-465)	1	2	2	3	2	-	1	1	1	-	-
Bronchitis and bronchiolitis (466,490-491)	28	27	18	8	5	10	5	-	4	3	4
Pneumonia and influenza (480-487)	28	27	18	8	5	9	5	-	4	3	4
Pneumonia (480-486)	-	-	-	-	-	1	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	16	13	5	6	7	4	9	4	2	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	1	-	1	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	7	1	3	3	1	3	1	1	1	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	6	4	4	4	5	2	4	1	1	2	-
Congenital anomalies (740-759)	55	29	25	22	13	19	4	7	3	7	4
Anencephalus and similar anomalies (740)	-	1	-	-	-	-	-	-	-	-	-
Spina bifida (741)	5	1	2	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	5	2	2	-	-	2	-	1	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	1	-	2	-	1	-	-	1	1	-
Congenital anomalies of heart (745-746)	24	17	14	10	7	9	2	2	-	5	-
Other congenital anomalies of circulatory system (747)	10	1	2	-	-	1	2	1	-	-	2
Congenital anomalies of respiratory system (748)	3	3	-	2	1	-	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	1	1	1	-	2	1	-	-	1	-	-
Congenital anomalies of genitourinary system (752-753)	1	-	-	-	-	1	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	1	-	1	1	-	1	-	1	-	1	-
Down's syndrome (758.0)	1	1	1	-	1	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	4	1	1	3	1	1	-	1	-	-	-
All other and unspecified congenital anomalies (744,757,759)	3	-	1	4	1	2	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	65	26	21	24	18	8	7	5	5	5	3
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	1	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	1	1	1	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	1	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	2	2	-	1	-	-	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	2	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	3	2	1	1	-	-	-	1	-	1	-
Fetal distress in liveborn infant (768.2-768.4)	-	-	-	-	-	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	3	2	1	1	-	-	-	1	-	1	-
Respiratory distress syndrome (769)	19	8	5	7	-	3	-	1	-	-	-
Other respiratory conditions of newborn (770)	23	10	13	14	12	5	7	3	3	4	3
Infections specific to the perinatal period (771)	5	2	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	1	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	9	1	-	-	3	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	220	221	159	92	54	27	18	15	6	6	7
Sudden infant death syndrome (798.0)	198	196	139	80	47	20	13	12	4	2	3
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	22	25	20	12	7	7	5	3	2	4	4
Accidents and adverse effects (E800-E949)	19	12	6	13	13	6	7	9	14	5	4
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	2	6	-	2	1	1	1	1	2	-	1
Accidental mechanical suffocation (E913)	3	2	1	5	5	-	-	-	1	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	14	4	5	6	7	5	6	8	11	5	3
Homicide (E960-E969)	8	9	4	2	1	6	2	1	1	4	1
Child battering and other maltreatment (E967)	1	4	2	1	1	3	-	-	-	2	-
Other homicide (E960-E966,E968-E969)	7	5	2	1	-	3	2	1	1	2	1
All other causes (Residual)	53	35	24	22	16	9	11	8	10	5	6

SECTION 2 - INFANT MORTALITY - PAGE 72

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days	Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days
Black, female - All causes	4,936	502	1,515	325	175	96	53	56	41	2,763	226	139	137	3,265
Certain intestinal infections (008-009)	21	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	46	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	13	-	-	-	-	-	-	-	1	1	2	1	-	4
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	24	-	-	-	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12	-	1	-	-	-	-	-	-	1	1	-	-	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	1	-	-	-	-	-	-	1	-	-	1	2
Diseases of thymus gland (254)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	10	-	1	-	1	-	1	-	1	4	1	1	-	6
Meningitis (320-322)	40	-	2	-	-	-	-	1	-	3	2	2	4	11
Other diseases of nervous system and sense organs (323-389)	42	-	-	-	-	-	-	-	-	-	-	1	-	1
Acute upper respiratory infections (460-465)	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	96	2	3	1	-	-	-	-	-	6	2	2	5	15
Influenza (487)	95	2	3	1	-	-	-	-	-	6	2	2	5	15
Remainder of diseases of respiratory system (470-478,492-519)	72	-	8	1	-	-	-	-	1	10	4	2	1	17
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	1	1	-	-	-	-	-	-	2	-	-	-	2
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	16	-	-	-	-	-	-	-	-	-	1	1	1	3
Remainder of diseases of digestive system (520-534,536-543,562-579)	28	-	1	1	-	3	-	-	-	5	1	1	1	8
Congenital anomalies (740-759)	674	52	138	51	37	25	16	25	14	358	52	28	24	462
Anencephalus and similar anomalies (740)	34	12	15	1	-	1	-	1	-	30	1	1	-	32
Spina bifida (741)	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Congenital hydrocephalus (742.3)	16	1	1	-	1	-	-	1	1	5	-	1	4	10
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	24	1	7	-	-	-	1	-	-	9	2	1	2	14
Congenital anomalies of heart (745-746)	221	2	6	7	17	16	3	15	6	72	27	12	8	119
Other congenital anomalies of circulatory system (747)	69	-	13	15	8	3	5	4	3	51	4	4	2	61
Congenital anomalies of respiratory system (748)	75	14	26	11	3	3	2	1	3	63	1	2	-	66
Congenital anomalies of digestive system (749-751)	12	-	1	-	-	1	-	-	-	2	-	-	-	2
Congenital anomalies of genitourinary system (752-753)	38	5	25	5	-	-	-	1	-	36	1	-	-	37
Congenital anomalies of musculoskeletal system (754-756)	41	4	14	6	3	-	2	-	-	29	3	-	1	33
Down's syndrome (758.0)	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Other chromosomal anomalies (758.1-758.9)	76	-	6	3	5	-	3	2	1	20	10	5	4	39
All other and unspecified congenital anomalies (744,757,759)	62	13	24	3	-	1	-	-	-	41	3	2	1	47
Certain conditions originating in the perinatal period (760-779)	2,717	437	1,340	257	125	62	30	28	20	2,299	132	69	70	2,570
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	14	10	1	1	1	-	-	-	-	13	-	-	-	13
Newborn affected by maternal complications of pregnancy (761)	186	46	121	10	1	-	-	-	-	178	2	-	-	180
Newborn affected by complications of placenta, cord, and membranes (762)	99	31	52	8	2	-	1	1	-	95	3	-	1	99
Newborn affected by other complications of labor and delivery (763)	10	4	5	-	-	-	-	-	-	9	-	1	-	10
Slow fetal growth and fetal malnutrition (764)	7	1	3	-	-	-	-	-	-	4	-	-	1	5
Disorders relating to short gestation and unspecified low birthweight (765)	616	165	398	27	9	1	-	1	1	602	3	4	1	610
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	39	-	10	5	8	3	-	3	-	29	6	1	3	39
Intrauterine hypoxia and birth asphyxia (768)	165	31	60	19	10	6	4	3	2	135	13	5	3	156
Fetal distress in liveborn infant (768.2-768.4)	22	2	4	2	3	-	-	-	1	12	3	-	1	16
Birth asphyxia (768.5-768.9)	143	29	56	17	7	6	4	3	1	123	10	5	2	140
Respiratory distress syndrome (769)	355	11	137	67	37	14	9	6	4	285	24	10	7	326
Other respiratory conditions of newborn (770)	498	47	222	55	25	15	8	3	4	379	13	16	16	424
Infections specific to the perinatal period (771)	117	4	34	11	5	7	1	4	3	69	19	11	13	112
Neonatal hemorrhage (772)	51	-	7	11	6	5	2	3	2	36	9	2	4	51
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	5	-	-	1	-	-	-	-	-	1	1	1	-	3
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	-	1	-	-	-	-	-	1	-	-	-	1
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	554	87	290	41	21	11	5	4	4	463	39	18	21	541
Symptoms, signs, and ill-defined conditions (780-799)	693	2	7	5	2	-	1	1	1	19	16	18	23	76
Sudden infant death syndrome (798.0)	582	-	3	2	-	-	1	1	1	8	11	15	22	56
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	111	2	4	3	2	-	-	-	-	11	5	3	1	20
Accidents and adverse effects (E800-E949)	109	1	2	1	-	1	-	-	-	5	2	1	1	9
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	29	-	1	1	-	-	-	-	-	2	-	-	-	2
Accidental mechanical suffocation (E913)	11	-	-	-	-	-	-	-	-	-	-	1	-	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	69	1	1	-	-	1	-	-	-	3	2	-	1	6
Homicide (E960-E969)	29	4	1	-	-	-	-	-	-	5	-	-	1	6
Child battering and other maltreatment (E967)	11	1	-	-	-	-	-	-	-	1	-	-	1	2
Other homicide (E960-E966,E968-E969)	18	3	1	-	-	-	-	-	-	4	-	-	-	4
All other causes (Residual)	250	3	9	8	10	5	5	1	3	44	10	11	5	70

SECTION 2 - INFANT MORTALITY - PAGE 73

Table 2-16. Deaths Under 1 Year From 61 Selected Causes, by Age, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
Black, female - All causes	452	306	213	144	139	103	79	66	61	65	43
Certain intestinal infections (008-009)	14	4	1	-	2	-	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	2	-	-	-	-	-	2	-	-
Septicemia (038)	17	10	5	6	-	-	3	1	2	1	1
Viral diseases (045-079)	1	2	2	1	1	-	-	-	2	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	9	4	2	-	2	2	1	1	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	-	1	1	1	-	1	-	2	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	1	-	-	-	-	-	-	-	1
Diseases of thymus gland (254)	-	-	-	-	-	1	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	-	1	1	1	-	-	-	-	-	1	-
Meningitis (320-322)	8	5	-	-	5	2	4	3	2	-	-
Other diseases of nervous system and sense organs (323-389)	6	5	1	1	5	4	2	4	4	4	5
Acute upper respiratory infections (460-465)	4	1	1	2	2	1	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	1	1	-	3	1	-	1	1	2	-	-
Pneumonia and influenza (480-487)	21	14	7	12	6	10	4	3	3	1	-
Pneumonia (480-486)	21	14	7	12	6	10	3	3	3	1	-
Influenza (487)	-	-	-	-	-	-	1	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	18	5	9	4	3	2	1	3	6	4	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	2	-	-	3	-	-	1	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	7	1	-	1	-	-	-	-	1	-	1
Remainder of diseases of digestive system (520-534,536-543,562-579) ..	7	4	2	2	1	2	1	1	-	-	-
Congenital anomalies (740-759)	57	36	23	17	19	10	13	16	6	8	7
Anencephalus and similar anomalies (740)	2	-	-	-	-	-	-	-	-	-	-
Spina bifida (741)	1	1	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	3	1	-	1	-	1	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	-	2	-	2	1	3	1	1	-	-	-
Congenital anomalies of heart (745-746)	21	12	14	7	11	4	9	11	4	4	5
Other congenital anomalies of circulatory system (747)	3	3	1	1	-	-	-	-	-	-	-
Congenital anomalies of respiratory system (748)	5	1	2	-	-	-	-	1	-	-	-
Congenital anomalies of digestive system (749-751)	2	2	-	-	1	1	2	-	1	1	-
Congenital anomalies of genitourinary system (752-753)	1	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	4	1	1	-	-	-	-	1	-	-	1
Down's syndrome (758.0)	1	-	-	-	-	-	-	-	-	1	-
Other chromosomal anomalies (758.1-758.9)	11	12	4	2	2	1	-	2	1	1	1
All other and unspecified congenital anomalies (744,757,759)	3	1	1	4	4	-	1	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	48	18	19	13	12	10	6	5	5	9	2
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	1	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	-	2	1	2	-	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763) ..	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	1	1	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	3	2	-	-	-	1	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	2	-	2	1	1	-	3	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	1	-	2	1	1	-	1	-	-	-	-
Birth asphyxia (768.5-768.9)	1	-	-	-	-	-	2	-	-	-	-
Respiratory distress syndrome (769)	10	3	5	3	2	1	-	1	1	2	1
Other respiratory conditions of newborn (770)	22	6	9	7	6	7	3	4	4	6	-
Infections specific to the perinatal period (771)	3	2	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	1	-	1	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	8	1	-	-	2	-	-	-	-	1	1
Symptoms, signs, and ill-defined conditions (780-799)	164	155	102	54	54	30	24	9	8	12	5
Sudden infant death syndrome (798.0)	139	137	94	48	45	24	16	6	6	7	4
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	25	18	8	6	9	6	8	3	2	5	1
Accidents and adverse effects (E800-E949)	16	7	9	10	12	10	8	7	5	8	8
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	6	2	5	2	3	2	2	2	2	1	-
Accidental mechanical suffocation (E913)	1	2	-	3	-	-	-	2	-	2	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	9	3	4	5	9	8	6	3	3	5	8
Homicide (E960-E969)	4	2	4	1	-	4	3	2	-	2	1
Child battering and other maltreatment (E967)	3	-	1	1	-	2	1	-	-	1	-
Other homicide (E960-E966,E968-E969)	1	2	3	-	-	2	2	2	-	1	1
All other causes (Residual)	43	30	19	15	13	10	7	10	9	14	10

SECTION 2 - INFANT MORTALITY - PAGE 74

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States								Alabama									
	All races, under 1 year	Under 28 days				28 days-11 months				All races, under 1 year	Under 28 days				28 days-11 months			
		All races	White	All other		All races	White	All other			White	All other		White	All other			
				Total	Black			Total	Black			Total	Black		Total	Black		
All causes	40,030	26,179	18,233	7,946	7,340	13,851	9,631	4,220	3,723	752	273	223	222	132	124	122		
Certain intestinal infections (008-009)	98	1	1	-	-	97	50	47	44	2	-	-	-	1	1	1		
Whooping cough (033)	3	-	-	-	-	3	1	2	2	-	-	-	-	-	-	-		
Meningococcal infection (036)	69	1	-	1	1	68	54	14	13	-	-	-	-	-	-	-		
Septicemia (038)	303	-	-	-	-	303	191	112	109	8	-	-	-	3	5	5		
Viral diseases (045-079)	105	23	15	8	8	82	56	26	22	2	-	-	-	2	-	-		
Congenital syphilis (090)	7	4	2	2	1	3	2	1	1	-	-	-	-	-	-	-		
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	135	17	15	2	1	118	66	52	47	3	-	-	-	2	1	1		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	114	29	23	6	5	85	70	15	14	2	-	1	1	1	-	-		
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	33	28	5	4	28	22	6	5	2	1	1	1	-	-	-		
Diseases of thymus gland (254)	5	-	-	-	-	5	4	1	1	-	-	-	-	-	-	-		
Cystic fibrosis (277.0)	17	2	2	-	-	15	15	-	-	2	-	-	-	2	-	-		
Diseases of blood and blood-forming organs (280-289)	77	20	9	11	8	57	37	20	19	4	-	2	2	1	1	1		
Meningitis (320-322)	257	50	25	25	24	207	130	77	63	12	1	-	-	3	8	8		
Other diseases of nervous system and sense organs (323-389) ..	465	24	20	4	4	441	327	114	96	11	-	-	-	7	4	4		
Acute upper respiratory infections (460-465)	57	2	1	1	1	55	32	23	22	-	-	-	-	-	-	-		
Bronchitis and bronchiolitis (466,490-491)	104	4	2	2	2	100	75	25	23	-	-	-	-	-	-	-		
Pneumonia and influenza (480-487)	705	151	104	47	44	554	339	215	193	16	-	1	1	6	9	9		
Pneumonia (480-486)	698	151	104	47	44	547	335	212	191	16	-	1	1	6	9	9		
Influenza (487)	7	-	-	-	-	7	4	3	2	-	-	-	-	-	-	-		
Remainder of diseases of respiratory system (470-478,492-519)	473	81	47	34	33	392	256	136	123	6	-	1	1	3	2	2		
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	81	34	30	4	4	47	31	16	14	2	1	-	-	1	-	-		
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	104	23	12	11	10	81	43	38	34	2	-	-	-	-	2	2		
Remainder of diseases of digestive system (520-534,536-543,562-579)	225	47	32	15	14	178	113	65	53	4	-	-	-	3	1	1		
Congenital anomalies (740-759)	8,561	6,369	5,175	1,194	1,019	2,192	1,723	469	400	145	76	29	29	25	15	15		
Anencephalus and similar anomalies (740)	691	677	592	85	56	14	11	3	3	11	10	1	1	-	-	-		
Spina bifida (741)	95	57	49	8	8	38	33	5	5	3	-	2	2	1	-	-		
Congenital hydrocephalus (742.3)	203	122	87	35	30	81	59	22	18	4	2	-	-	1	1	1		
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	274	169	140	29	25	105	83	22	18	3	1	1	1	1	-	-		
Congenital anomalies of heart (745-746)	2,585	1,535	1,247	288	248	1,050	822	228	194	56	24	11	11	13	8	8		
Other congenital anomalies of circulatory system (747)	689	545	406	139	129	144	114	30	27	16	6	5	5	5	-	-		
Congenital anomalies of respiratory system (748)	1,094	1,008	803	205	182	86	65	21	18	9	5	2	2	-	2	2		
Congenital anomalies of digestive system (749-751)	150	66	57	9	8	84	66	18	17	3	-	1	1	1	1	1		
Congenital anomalies of genitourinary system (752-753)	509	489	402	87	81	20	17	3	3	14	13	1	1	-	-	-		
Congenital anomalies of musculoskeletal system (754-756)	644	559	470	89	71	85	68	17	14	9	5	3	3	-	1	1		
Down's syndrome (758.0)	74	24	19	5	4	50	41	9	7	-	-	-	-	-	-	-		
Other chromosomal anomalies (758.1-758.9)	792	518	428	90	74	274	213	61	49	8	2	2	2	2	2	2		
All other and unspecified congenital anomalies (744,757,759) ...	761	600	475	125	103	161	131	30	27	9	8	-	-	1	-	-		
Certain conditions originating in the perinatal period (760-779)	19,068	17,937	11,759	6,178	5,806	1,131	761	370	334	377	181	178	177	6	12	11		
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	105	102	69	33	30	3	1	2	2	1	-	1	1	-	-	-		
Newborn affected by maternal complications of pregnancy (761)	1,335	1,318	905	413	390	17	7	10	9	36	21	14	14	-	1	1		
Newborn affected by complications of placenta, cord, and membranes (762)	891	888	649	239	223	3	1	2	2	17	7	10	10	-	-	-		
Newborn affected by other complications of labor and delivery (763)	80	77	57	20	18	3	3	-	-	1	-	1	1	-	-	-		
Slow fetal growth and fetal malnutrition (764)	36	32	20	12	12	4	1	3	3	-	-	-	-	-	-	-		
Disorders relating to short gestation and unspecified low birthweight (765)	3,257	3,227	1,846	1,381	1,313	30	18	12	12	43	20	23	23	-	-	-		
Disorders relating to long gestation and high birthweight (766)	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Birth trauma (767)	329	322	217	105	97	7	5	2	2	2	-	2	2	-	-	-		
Intrauterine hypoxia and birth asphyxia (768)	1,158	1,084	725	359	336	74	55	19	18	20	9	11	11	-	-	-		
Fetal distress in liveborn infant (768.2-768.4)	225	208	153	55	48	17	10	7	6	2	-	2	2	-	-	-		
Birth asphyxia (768.5-768.9)	933	876	572	304	288	57	45	12	12	18	9	9	9	-	-	-		
Respiratory distress syndrome (769)	3,691	3,420	2,518	902	839	271	190	81	72	86	40	44	44	-	2	2		
Other respiratory conditions of newborn (770)	3,746	3,166	2,124	1,042	964	580	387	193	171	79	45	25	24	5	4	4		
Infections specific to the perinatal period (771)	955	915	626	289	275	40	26	14	14	26	12	13	13	-	1	1		
Neonatal hemorrhage (772)	369	367	237	130	125	2	2	-	-	14	9	5	5	-	-	-		
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	51	42	32	10	7	9	5	4	3	-	-	-	-	-	-	-		
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	8	7	5	2	2	1	1	-	-	-	-	-	-	-	-	-		
Hemorrhagic disease of newborn (776.0)	9	7	7	-	-	2	2	-	-	-	-	-	-	-	-	-		
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3,047	2,962	1,722	1,240	1,175	85	57	28	26	52	18	29	29	1	4	3		
Symptoms, signs, and ill-defined conditions (780-799)	5,945	532	348	184	164	5,413	3,770	1,643	1,442	91	6	6	6	43	36	36		
Sudden infant death syndrome (798.0)	5,315	382	251	131	117	4,933	3,506	1,427	1,240	80	6	5	5	37	32	32		
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	630	150	97	53	47	480	264	216	202	11	-	1	1	6	4	4		
Accidents and adverse effects (E800-E949)	890	85	64	21	19	805	562	243	208	21	-	-	-	10	11	10		
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	170	18	12	6	6	152	100	52	44	4	-	-	-	-	4	3		
Accidental mechanical suffocation (E913)	171	15	13	2	2	156	128	28	27	4	-	-	-	3	1	1		
Other accidental causes and adverse effects (E800-E910,E914-E949)	549	52	39	13	11	497	334	163	137	13	-	-	-	7	6	6		
Homicide (E960-E969)	200	42	28	14	13	158	93	65	62	3	-	-	-	1	2	2		
Child battering and other maltreatment (E967)	63	8	5	3	3	55	32	23	23	1	-	-	-	-	1	1		
Other homicide (E960-E966,E968-E969)	137	34	23	11	10	103	61	42	39	2	-	-	-	1	1	1		
All other causes (Residual)	1,901	668	491	177	155	1,233	808	425	379	37	7	4	4	12	14	14		

SECTION 2 - INFANT MORTALITY - PAGE 75

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Alaska							Arizona						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	139	46	19	6	41	33	6	577	293	59	25	176	49	7
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	5	-	-	-	2	3	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	-	-	-	-	-	-	-	6	-	-	-	4	2	-
Viral diseases (045-079)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	2	1	8	-	-	-	5	3	-
Other diseases of nervous system and sense organs (323-389) ..	2	-	-	-	1	1	-	7	-	-	-	5	2	1
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	-	1	-	1	1	-	15	1	-	-	9	5	1
Pneumonia (480-486)	3	-	1	-	1	1	-	15	1	-	-	9	5	1
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	1	-	-	-	-	1	-	3	-	-	-	2	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	3	1	-	-	2	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	3	-	-	-	1	2	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	1	-	-	-	-	1	-	5	-	-	-	4	1	-
Congenital anomalies (740-759)	26	13	7	4	4	2	1	149	106	12	5	24	7	-
Anencephalus and similar anomalies (740)	2	2	-	-	-	-	-	11	9	2	1	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	1	1	-	-	-	-	-	4	2	-	-	-	2	-
Congenital anomalies of heart (745-746)	10	5	3	3	2	-	-	56	33	3	1	17	3	-
Other congenital anomalies of circulatory system (747)	-	-	-	-	-	-	-	8	5	1	1	1	1	-
Congenital anomalies of respiratory system (748)	2	1	-	-	-	1	1	24	21	3	2	-	-	-
Congenital anomalies of digestive system (749-751)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Congenital anomalies of genitourinary system (752-753)	1	1	-	-	-	-	-	16	15	1	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	4	1	2	-	-	1	-	14	9	2	-	3	-	-
Down's syndrome (758.0)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	2	1	-	-	1	-	-	8	6	-	-	1	1	-
All other and unspecified congenital anomalies (744,757,759) ..	3	1	2	1	-	-	-	6	5	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	37	28	8	1	1	-	-	232	171	42	19	14	5	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	2	-	2	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	2	1	1	1	-	-	-	25	20	4	3	-	1	-
Newborn affected by complications of placenta, cord, and membranes (762)	3	2	1	-	-	-	-	7	7	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	-	1	-	-	-	-	2	2	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	5	3	2	-	-	-	-	28	23	5	2	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	3	3	-	-	-	-	-	19	11	8	4	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	-	-	-	-	-	-	-	6	5	1	-	-	-	-
Birth asphyxia (768.5-768.9)	3	3	-	-	-	-	-	13	6	7	4	-	-	-
Respiratory distress syndrome (769)	6	5	1	-	-	-	-	48	36	6	-	5	1	-
Other respiratory conditions of newborn (770)	8	5	2	-	1	-	-	43	27	5	3	8	3	-
Infections specific to the perinatal period (771)	3	3	-	-	-	-	-	17	13	4	2	-	-	-
Neonatal hemorrhage (772)	1	1	-	-	-	-	-	5	4	1	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	4	4	-	-	-	-	-	34	27	7	4	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	49	3	1	-	25	20	3	90	4	3	1	74	9	2
Sudden infant death syndrome (798.0)	48	3	1	-	25	19	3	84	3	3	1	73	5	2
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	1	-	-	-	-	1	-	6	1	-	-	1	4	-
Accidents and adverse effects (E800-E949)	5	-	-	-	3	2	-	16	1	-	-	11	4	1
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	1	-	-	-	1	-	-	3	-	-	-	2	1	-
Accidental mechanical suffocation (E913)	-	-	-	-	-	-	-	2	-	-	-	2	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	4	-	-	-	2	2	-	11	1	-	-	7	3	1
Homicide (E960-E969)	2	-	-	-	1	1	1	3	1	1	-	1	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	2	-	-	-	1	1	1	1	-	1	-	-	-	-
All other causes (Residual)	8	2	2	1	2	2	-	27	8	1	-	13	5	1

SECTION 2 - INFANT MORTALITY - PAGE 76

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Arkansas							California						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	409	178	71	70	112	48	47	4,490	2,155	665	469	1,239	431	288
Certain intestinal infections (008-009)	2	-	-	-	1	1	1	16	-	-	-	11	5	4
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	12	-	-	-	9	3	2
Septicemia (038)	6	-	-	-	2	4	4	25	3	1	1	19	6	6
Viral diseases (045-079)	2	1	-	-	1	-	-	18	-	-	-	10	4	2
Congenital syphilis (090)	-	-	-	-	-	-	-	3	-	1	-	2	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	4	2	-	-	1	1	1	21	6	-	-	10	5	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4	2	-	-	2	-	-	10	1	-	-	6	3	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	-	1	1	9	4	1	1	4	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	1	-	-	12	-	4	2	4	4	4
Meningitis (320-322)	5	-	1	1	1	3	3	25	6	2	2	11	6	1
Other diseases of nervous system and sense organs (323-389) ..	8	-	-	-	6	2	2	52	3	-	-	38	11	3
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	6	-	-	-	5	1	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	25	-	-	-	21	4	3
Pneumonia and influenza (480-487)	13	3	3	3	5	2	2	74	11	1	1	46	16	13
Pneumonia (480-486)	13	3	3	3	5	2	2	74	11	1	1	46	16	13
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	2	-	-	-	1	1	1	69	8	5	4	33	23	18
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	1	-	-	-	-	-	9	4	1	1	2	2	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	16	1	1	-	10	4	4
Remainder of diseases of digestive system (520-534,536-543,562-579)	4	-	1	1	2	1	1	25	6	1	-	13	5	1
Congenital anomalies (740-759)	76	49	12	11	14	1	1	1,043	627	141	70	214	61	38
Anencephalus and similar anomalies (740)	7	6	1	-	-	-	-	102	81	21	7	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	13	6	1	1	6	-	-
Congenital hydrocephalus (742.3)	3	2	1	1	-	-	-	31	15	6	3	9	1	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	1	-	-	1	-	-	49	27	3	1	15	4	3
Congenital anomalies of heart (745-746)	25	15	3	3	6	1	1	306	150	31	16	98	27	15
Other congenital anomalies of circulatory system (747)	7	4	2	2	-	-	-	71	40	12	8	14	5	4
Congenital anomalies of respiratory system (748)	12	10	2	2	-	-	-	128	88	26	17	8	6	4
Congenital anomalies of digestive system (749-751)	-	-	-	-	-	-	-	12	6	-	-	5	1	1
Congenital anomalies of genitourinary system (752-753)	5	2	3	3	-	-	-	54	44	9	7	1	-	-
Congenital anomalies of musculoskeletal system (754-756)	4	4	-	-	-	-	-	70	48	8	3	14	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	8	4	1	-	3	-	-
Other chromosomal anomalies (758.1-758.9)	9	5	-	-	4	-	-	122	73	10	5	27	12	6
All other and unspecified congenital anomalies (744,757,759) ...	2	-	-	-	2	-	-	77	45	13	2	14	5	4
Certain conditions originating in the perinatal period (760-779)	168	110	49	49	6	3	3	1,977	1,361	470	363	94	52	37
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2	-	2	2	-	-	-	14	10	3	2	1	-	-
Newborn affected by maternal complications of pregnancy (761)	8	7	1	1	-	-	-	105	81	24	22	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	5	5	-	-	-	-	-	91	74	17	12	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	-	1	1	-	-	-	17	14	2	2	1	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	2	1	-	-	-	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	16	10	6	6	-	-	-	328	217	107	86	2	2	2
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	6	3	3	3	-	-	-	29	20	8	6	1	-	-
Intrauterine hypoxia and birth asphyxia (768)	14	8	5	5	1	-	-	108	75	29	19	3	1	1
Fetal distress in liveborn infant (768.2-768.4)	2	2	-	-	-	-	-	19	9	8	5	1	1	1
Birth asphyxia (768.5-768.9)	12	6	5	5	1	-	-	89	66	21	14	2	-	-
Respiratory distress syndrome (769)	39	30	8	8	1	-	-	397	298	64	44	22	13	8
Other respiratory conditions of newborn (770)	35	21	8	8	3	3	3	435	271	83	61	51	30	21
Infections specific to the perinatal period (771)	9	6	2	2	1	-	-	100	68	25	20	6	1	1
Neonatal hemorrhage (772)	2	1	1	1	-	-	-	32	25	7	7	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	4	2	1	1	-	1	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	30	18	12	12	-	-	-	314	204	100	81	7	3	3
Symptoms, signs, and ill-defined conditions (780-799)	68	1	2	2	45	20	20	708	35	12	9	510	151	101
Sudden infant death syndrome (796.0)	61	1	1	1	41	18	18	679	29	10	8	492	148	99
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	7	-	1	1	4	2	2	29	6	2	1	18	3	2
Accidents and adverse effects (E800-E949)	14	1	-	-	11	2	2	111	12	1	1	78	20	13
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	8	-	-	-	6	2	2	18	-	-	-	16	2	2
Accidental mechanical suffocation (E913)	2	-	-	-	2	-	-	21	3	-	-	15	3	3
Other accidental causes and adverse effects (E800-E910,E914-E949)	4	1	-	-	3	-	-	72	9	1	1	47	15	8
Homicide (E960-E969)	1	-	-	-	1	-	-	24	2	-	-	15	7	5
Child battering and other maltreatment (E967)	1	-	-	-	1	-	-	11	-	-	-	8	3	3
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	13	2	-	-	7	4	2
All other causes (Residual)	28	8	3	3	11	6	5	199	65	23	14	73	38	27

SECTION 2 - INFANT MORTALITY - PAGE 77

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Colorado							Connecticut						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	519	264	38	26	194	23	19	438	251	92	89	71	24	23
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Septicemia (038)	2	1	1	1	2	2	-	-
Viral diseases (045-079)	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	6	-	1	-	4	1	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	2	-	-	-	1	1	1	1	-	1	1	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389) ..	9	1	-	-	7	1	1	5	2	-	-	3	-	-
Acute upper respiratory infections (460-465)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	4	-	-	-	4	-	-	1	-	-	-	1	-	-
Pneumonia and influenza (480-487)	8	1	1	1	6	-	-	10	2	-	-	5	3	3
Pneumonia (480-486)	8	1	1	1	6	-	-	10	2	-	-	5	3	3
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	4	-	1	1	2	1	1	3	1	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	3	-	-	-	3	-	-	3	-	1	1	2	-	-
Congenital anomalies (740-759)	127	89	7	3	28	3	3	90	67	8	8	10	5	5
Anencephalus and similar anomalies (740)	8	7	1	-	-	-	-	7	6	-	-	1	-	-
Spina bifida (741)	3	3	-	-	-	-	-	1	1	-	-	-	-	-
Congenital hydrocephalus (742.3)	3	3	-	-	-	-	-	2	2	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	9	6	-	-	1	2	2	3	-	-	-	1	2	2
Congenital anomalies of heart (745-746)	40	23	2	1	14	1	1	22	15	2	2	4	1	1
Other congenital anomalies of circulatory system (747)	9	7	1	1	1	-	-	11	9	-	-	2	-	-
Congenital anomalies of respiratory system (748)	16	14	-	-	2	-	-	17	14	3	3	-	-	-
Congenital anomalies of digestive system (749-751)	2	-	-	-	2	-	-	3	1	-	-	2	-	-
Congenital anomalies of genitourinary system (752-753)	8	6	1	1	1	-	-	5	4	1	1	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	8	6	-	-	2	-	-	7	7	-	-	-	-	-
Down's syndrome (758.0)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	12	7	1	-	4	-	-	6	4	2	2	-	-	-
All other and unspecified congenital anomalies (744,757,759) ...	8	7	1	-	-	-	-	6	4	-	-	-	2	2
Certain conditions originating in the perinatal period (760-779)	196	154	27	20	14	1	1	252	166	77	74	7	2	2
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	1	-	1	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	12	12	-	-	-	-	-	24	16	8	8	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	12	6	6	5	-	-	-	19	15	4	4	-	-	-
Newborn affected by other complications of labor and delivery (763)	3	3	-	-	-	-	-	1	-	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	33	24	9	8	-	-	-	36	20	16	16	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	18	15	3	2	-	-	-	18	15	3	3	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	8	7	1	1	-	-	-	-	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	10	8	2	1	-	-	-	18	15	3	3	-	-	-
Respiratory distress syndrome (769)	21	18	-	-	3	-	-	45	33	8	8	3	1	1
Other respiratory conditions of newborn (770)	53	37	7	4	8	1	1	37	23	11	10	3	-	-
Infections specific to the perinatal period (771)	12	11	-	-	1	-	-	15	11	4	4	-	-	-
Neonatal hemorrhage (772)	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	24	21	2	1	1	-	-	55	32	21	19	1	1	1
Symptoms, signs, and ill-defined conditions (780-799)	101	2	-	-	88	11	9	47	4	4	4	28	11	10
Sudden infant death syndrome (798.0)	99	2	-	-	86	11	9	38	2	2	2	25	9	8
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	2	-	-	-	2	-	-	9	2	2	2	3	2	2
Accidents and adverse effects (E800-E949)	10	2	-	-	6	2	1	2	-	-	-	2	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	2	-	-	-	2	-	-
Accidental mechanical suffocation (E913)	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	8	2	-	-	4	2	1	-	-	-	-	1	-	-
Homicide (E960-E969)	2	-	-	-	2	-	-	1	-	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	2	-	-	-	2	-	-	1	-	-	-	1	-	-
All other causes (Residual)	40	15	1	1	24	-	-	17	9	1	1	5	2	2

SECTION 2 - INFANT MORTALITY - PAGE 78

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Delaware							District of Columbia							
	All races, under 1 year	Under 28 days				28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other		White		All other		White	All other		
			Total	Black		Total	Black			Total	Black		Total	Black	
All causes	142	63	39	38	22	18	18	205	14	143	142	5	43	43	
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	2	-	-	-	-	2	2	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral diseases (045-079)	1	-	-	-	-	1	1	1	-	1	1	-	-	-	
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis (320-322)	1	-	-	-	1	-	-	2	-	-	-	-	2	2	
Other diseases of nervous system and sense organs (323-389) ..	2	-	-	-	2	-	-	2	-	-	-	-	2	2	
Acute upper respiratory infections (460-465)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	-	-	3	-	-	2	2	
Pneumonia and influenza (480-487)	-	-	-	-	-	-	-	5	-	3	3	-	2	2	
Pneumonia (480-486)	-	-	-	-	-	-	-	5	-	3	3	-	2	2	
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of diseases of respiratory system (470-478,492-519)	3	-	-	-	1	2	2	4	-	2	2	-	2	2	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	-	1	1	-	-	-	-	-	-	-	
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2	-	-	-	-	2	2	1	-	-	-	1	-	-	
Remainder of diseases of digestive system (520-534,536-543,562-579)	2	2	-	-	-	-	-	3	-	-	-	1	2	2	
Congenital anomalies (740-759)	27	16	8	8	3	-	-	30	6	18	17	1	5	5	
Anencephalus and similar anomalies (740)	4	3	1	1	-	-	-	3	1	2	2	-	-	-	
Spina bifida (741)	-	-	-	-	-	-	-	1	-	1	1	-	-	-	
Congenital hydrocephalus (742.3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	1	-	-	-	1	-	-	1	-	1	1	-	-	-	
Congenital anomalies of heart (745-746)	3	3	-	-	-	-	-	9	1	4	4	-	4	4	
Other congenital anomalies of circulatory system (747)	1	1	-	-	-	-	-	3	-	3	3	-	-	-	
Congenital anomalies of respiratory system (748)	8	3	5	5	-	-	-	2	1	1	1	-	-	-	
Congenital anomalies of digestive system (749-751)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies of genitourinary system (752-753)	3	2	1	1	-	-	-	4	2	2	2	-	-	-	
Congenital anomalies of musculoskeletal system (754-756)	-	-	-	-	-	-	-	2	1	1	1	-	-	-	
Down's syndrome (758.0)	2	-	1	1	1	-	-	-	-	-	-	-	-	-	
Other chromosomal anomalies (758.1-758.9)	2	2	-	-	-	-	-	3	-	2	2	1	-	-	
All other and unspecified congenital anomalies (744,757,759) ...	3	2	-	-	1	-	-	2	-	1	1	-	1	1	
Certain conditions originating in the perinatal period (760-779)	76	44	30	29	2	-	-	124	8	114	114	-	2	2	
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newborn affected by maternal complications of pregnancy (761)	5	3	2	2	-	-	-	8	-	8	8	-	-	-	
Newborn affected by complications of placenta, cord, and membranes (762)	3	1	2	2	-	-	-	2	-	2	2	-	-	-	
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Disorders relating to short gestation and unspecified low birthweight (765)	28	15	13	13	-	-	-	35	4	31	31	-	-	-	
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma (767)	-	-	-	-	-	-	-	2	-	2	2	-	-	-	
Intrauterine hypoxia and birth asphyxia (768)	3	3	-	-	-	-	-	8	2	6	6	-	-	-	
Fetal distress in liveborn infant (768.2-768.4)	2	2	-	-	-	-	-	2	1	1	1	-	-	-	
Birth asphyxia (768.5-768.9)	1	1	-	-	-	-	-	6	1	5	5	-	-	-	
Respiratory distress syndrome (769)	7	5	2	2	-	-	-	16	-	15	15	-	1	1	
Other respiratory conditions of newborn (770)	18	10	6	5	2	-	-	37	1	35	35	-	1	1	
Infections specific to the perinatal period (771)	8	5	3	3	-	-	-	4	1	3	3	-	-	-	
Neonatal hemorrhage (772)	1	-	1	1	-	-	-	2	-	2	2	-	-	-	
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	3	2	1	1	-	-	-	10	-	10	10	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	17	-	1	1	9	7	7	22	-	4	4	1	17	17	
Sudden infant death syndrome (798.0)	17	-	1	1	9	7	7	11	-	2	2	1	8	8	
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	-	-	-	-	-	-	-	11	-	2	2	-	9	9	
Accidents and adverse effects (E800-E949)	4	-	-	-	3	1	1	4	-	-	-	-	4	4	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	2	-	-	-	-	2	2	
Accidental mechanical suffocation (E913)	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
Other accidental causes and adverse effects (E800-E910,E914-E949)	2	-	-	-	1	1	1	2	-	-	-	-	2	2	
Homicide (E960-E969)	2	-	-	-	-	2	2	-	-	-	-	-	-	-	
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other homicide (E960-E966,E968-E969)	2	-	-	-	-	2	2	-	-	-	-	-	-	-	
All other causes (Residual)	2	1	-	-	-	1	1	4	-	1	1	-	3	3	

SECTION 2 - INFANT MORTALITY - PAGE 79

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida							Georgia						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	1,847	734	474	466	395	244	241	1,222	406	423	421	181	212	209
Certain intestinal infections (008-009)	5	-	-	-	2	3	3	2	-	-	-	1	1	1
Whooping cough (033)	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	1	-	-	-	-	1	1
Septicemia (038)	15	-	-	-	8	7	7	10	-	-	-	3	7	7
Viral diseases (045-079)	9	-	-	-	3	6	6	-	-	-	-	-	-	-
Congenital syphilis (090)	2	1	1	1	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	13	-	-	-	5	8	8	4	-	-	-	1	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7	-	1	1	4	2	2	3	1	-	-	-	2	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	1	1	-	-	-	1	-	-	-	1	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	4	-	1	1	1	2	2	3	1	-	-	-	2	2
Meningitis (320-322)	17	1	1	1	10	5	5	7	-	3	3	3	1	1
Other diseases of nervous system and sense organs (323-389) ..	21	-	1	1	16	4	4	11	1	-	-	6	4	4
Acute upper respiratory infections (460-465)	3	-	-	-	-	-	-	2	-	-	-	1	1	1
Bronchitis and bronchiolitis (466,490-491)	3	-	-	-	1	2	2	1	-	-	-	-	-	-
Pneumonia and influenza (480-487)	39	8	3	3	19	9	9	38	3	4	4	14	17	17
Pneumonia (480-486)	39	8	3	3	19	9	9	38	3	4	4	14	17	17
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	27	3	5	5	11	8	8	18	1	2	2	8	7	7
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	-	2	-	-	3	2	1	1	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	6	1	1	1	1	3	3	3	-	2	2	-	1	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	12	2	2	2	5	3	3	11	2	2	2	2	5	5
Congenital anomalies (740-759)	387	222	58	56	73	34	34	225	99	63	62	31	32	32
Anencephalus and similar anomalies (740)	33	25	5	4	2	1	1	13	12	1	1	-	-	-
Spina bifida (741)	5	3	-	-	2	-	-	2	-	1	1	-	1	1
Congenital hydrocephalus (742.3)	10	9	-	-	1	-	-	8	-	1	1	2	5	5
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	8	3	1	1	3	1	1	9	3	4	4	-	-	-
Congenital anomalies of heart (745-746)	108	41	14	14	34	19	19	60	20	11	11	19	10	10
Other congenital anomalies of circulatory system (747)	46	27	11	11	7	1	1	23	10	7	7	4	2	2
Congenital anomalies of respiratory system (748)	42	32	9	9	1	-	-	28	10	13	13	1	4	4
Congenital anomalies of digestive system (749-751)	5	1	-	-	1	3	3	5	2	2	2	-	1	1
Congenital anomalies of genitourinary system (752-753)	27	21	6	6	-	-	-	15	13	2	2	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	23	14	2	1	4	3	3	20	14	6	6	-	1	1
Down's syndrome (758.0)	1	-	-	-	1	-	-	2	-	-	-	1	1	1
Other chromosomal anomalies (758.1-758.9)	40	21	4	4	11	4	4	19	6	7	6	2	4	4
All other and unspecified congenital anomalies (744,757,759) ..	39	25	6	6	6	2	2	21	9	8	8	-	4	4
Certain conditions originating in the perinatal period (760-779)	885	465	375	370	29	16	16	636	281	329	328	8	18	18
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	4	2	2	2	-	-	-	4	3	1	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	58	30	27	25	1	-	-	57	20	34	34	-	3	3
Newborn affected by complications of placenta, cord, and membranes (762)	21	10	11	11	-	-	-	30	12	18	18	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	-	2	2	-	-	-	2	1	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	191	93	97	97	-	1	1	163	65	98	98	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	17	13	4	4	-	-	-	8	5	3	3	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	68	33	29	29	2	4	4	21	12	9	9	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	9	8	1	1	-	-	-	5	2	3	3	-	-	-
Birth asphyxia (768.5-768.9)	59	25	28	28	2	4	4	16	10	6	6	-	-	-
Respiratory distress syndrome (769)	165	98	56	56	7	4	4	125	70	48	48	3	4	4
Other respiratory conditions of newborn (770)	174	91	61	61	16	6	6	107	48	46	45	4	9	9
Infections specific to the perinatal period (771)	37	22	14	14	-	1	1	30	12	17	17	-	1	1
Neonatal hemorrhage (772)	18	12	6	6	-	-	-	9	3	6	6	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	4	3	1	1	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	129	60	66	63	3	-	-	76	27	47	47	1	1	1
Symptoms, signs, and ill-defined conditions (780-799)	245	8	11	11	140	86	84	150	8	9	9	64	69	68
Sudden infant death syndrome (798.0)	206	6	4	4	125	71	69	142	7	8	8	61	66	65
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	39	2	7	7	15	15	15	8	1	1	1	3	3	3
Accidents and adverse effects (E800-E949)	54	2	1	1	31	20	20	43	1	-	-	20	22	20
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	3	-	-	-	2	1	1	6	-	-	-	2	4	4
Accidental mechanical suffocation (E913)	13	1	-	-	9	3	3	10	-	-	-	7	3	3
Other accidental causes and adverse effects (E800-E910,E914-E949)	38	1	1	1	20	16	16	27	1	-	-	11	15	13
Homicide (E960-E969)	9	1	1	1	5	2	2	4	-	-	-	1	3	3
Child battering and other maltreatment (E967)	4	-	1	1	2	1	1	1	-	-	-	-	1	1
Other homicide (E960-E966,E968-E969)	5	1	-	-	3	1	1	3	-	-	-	1	2	2
All other causes (Residual)	80	19	11	10	27	23	22	46	6	8	8	16	16	16

SECTION 2 - INFANT MORTALITY - PAGE 80

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Hawaii							Idaho						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	162	27	80	13	8	47	5	183	109	2	-	69	3	-
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Viral diseases (045-079)	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	1	-	-	-	-	1	-	-	-	1	-	-
Meningitis (320-322)	2	-	-	-	-	2	-	1	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389) ..	1	-	-	-	-	1	-	3	-	-	-	3	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Pneumonia and influenza (480-487)	3	1	-	-	1	1	-	1	-	-	-	-	1	-
Pneumonia (480-486)	3	1	-	-	1	1	-	1	-	-	-	-	1	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	3	-	-	-	-	3	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	1	-	-	-	-	1	-	1	1	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	1	-	-	-	-	1	-	2	-	-	-	2	-	-
Congenital anomalies (740-759)	49	10	22	3	4	13	4	41	30	-	-	11	-	-
Anencephalus and similar anomalies (740)	4	-	4	-	-	-	-	1	1	-	-	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	2	1	-	-	-	1	1	1	1	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	-	2	1	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	16	2	4	-	3	7	1	11	5	-	-	6	-	-
Other congenital anomalies of circulatory system (747)	3	2	1	1	-	-	-	4	2	-	-	2	-	-
Congenital anomalies of respiratory system (748)	7	4	3	-	-	-	-	6	6	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	3	-	-	-	1	2	1	1	1	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	1	-	1	-	-	-	-	3	3	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	4	1	3	1	-	-	-	4	4	-	-	-	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	4	-	2	-	-	2	-	6	4	-	-	2	-	-
All other and unspecified congenital anomalies (744,757,759) ...	3	-	2	-	-	1	1	4	3	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	67	13	49	10	-	5	-	73	68	1	-	4	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	7	2	5	2	-	-	-	10	9	1	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	6	-	6	-	-	-	-	4	4	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	17	3	14	6	-	-	-	13	12	-	-	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	1	-	1	-	-	-	-	2	2	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	1	-	-	-	-	1	-	4	4	-	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	1	-	-	-	-	-	-	2	2	-	-	-	-	-
Birth asphyxia (768.5-768.9)	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Respiratory distress syndrome (769)	14	4	10	1	-	-	-	13	12	-	-	1	-	-
Other respiratory conditions of newborn (770)	12	2	6	-	-	4	-	12	11	-	-	1	-	-
Infections specific to the perinatal period (771)	1	-	1	1	-	-	-	5	5	-	-	-	-	-
Neonatal hemorrhage (772)	1	-	1	-	-	-	-	1	1	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	7	2	5	-	-	-	-	7	7	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	24	-	5	-	2	17	-	41	5	1	-	33	2	-
Sudden infant death syndrome (798.0)	20	-	4	-	1	15	-	37	2	1	-	32	2	-
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	4	-	1	-	1	2	-	4	3	-	-	1	-	-
Accidents and adverse effects (E800-E949)	2	-	1	-	-	1	-	5	-	-	-	5	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Accidental mechanical suffocation (E913)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	1	-	1	-	-	-	-	5	-	-	-	5	-	-
Homicide (E960-E969)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes (Residual)	6	2	1	-	1	2	-	9	3	-	-	6	-	-

SECTION 2 - INFANT MORTALITY - PAGE 81

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Illinois							Indiana							
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months			
		White	All other		White	All other			White	All other		White	All other		
			Total	Black		Total	Black			Total	Black		Total	Black	
All causes	2,123	893	548	542	391	291	286	883	483	121	118	231	48	48	
Certain intestinal infections (008-009)	6	-	-	-	3	3	3	3	-	-	-	2	1	1	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	2	-	-	-	1	1	1	2	-	-	-	2	-	-	
Septicemia (038)	14	8	6	6	7	5	2	2	
Viral diseases (045-079)	5	2	1	1	2	-	-	-	-	-	-	-	-	-	
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	2	-	1	1	-	1	1	4	1	-	-	3	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5	-	-	-	5	-	-	3	2	1	1	-	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	2	-	-	-	1	1	-	-	-	-	-	-	-	
Diseases of thymus gland (254)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Cystic fibrosis (277.0)	3	1	-	-	1	1	1	2	1	-	-	1	-	-	
Diseases of blood and blood-forming organs (280-289)	11	-	4	4	5	2	2	10	1	1	1	6	2	2	
Meningitis (320-322)	15	-	-	-	10	5	4	5	-	-	-	5	-	-	
Other diseases of nervous system and sense organs (323-389)	2	-	-	-	1	1	1	1	-	-	-	1	-	-	
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	2	-	-	-	2	-	-	
Bronchitis and bronchiolitis (466,490-491)	43	8	7	7	11	17	17	21	5	-	-	13	3	3	
Pneumonia and influenza (480-487)	43	8	7	7	11	17	17	20	5	-	-	13	2	2	
Pneumonia (480-486)	-	-	-	-	-	-	-	1	-	-	-	-	1	1	
Influenza (487)	15	-	3	3	8	4	4	11	1	-	-	9	1	1	
Remainder of diseases of respiratory system (470-478,492-519)	3	-	-	-	1	2	2	1	1	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	2	-	-	2	4	4	-	-	-	-	-	-	-	
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	10	-	1	1	5	4	4	3	-	-	-	3	-	-	
Remainder of diseases of digestive system (520-534,536-543,562-579)	406	228	69	67	85	24	23	210	143	23	22	36	8	8	
Congenital anomalies (740-759)	19	19	-	-	-	-	-	25	23	1	1	1	-	-	
Anencephalus and similar anomalies (740)	1	1	-	-	-	-	-	3	2	1	1	-	-	-	
Spina bifida (741)	10	4	1	1	5	-	-	3	1	-	-	1	1	1	
Congenital hydrocephalus (742.3)	8	5	1	1	2	-	-	3	1	-	-	2	-	-	
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	124	51	23	22	35	15	14	64	33	6	6	20	5	5	
Congenital anomalies of heart (745-746)	38	23	8	8	6	1	1	17	10	5	5	1	1	1	
Other congenital anomalies of circulatory system (747)	43	31	7	6	4	1	1	30	24	4	3	2	-	-	
Congenital anomalies of respiratory system (748)	6	3	-	-	3	-	-	6	3	-	-	3	-	-	
Congenital anomalies of digestive system (749-751)	36	29	7	7	-	-	-	15	12	3	3	-	-	-	
Congenital anomalies of genitourinary system (752-753)	35	24	6	6	5	-	-	19	19	-	-	-	-	-	
Congenital anomalies of musculoskeletal system (754-756)	6	1	-	-	5	-	-	-	-	-	-	-	-	-	
Down's syndrome (758.0)	45	18	9	9	12	6	6	13	7	-	-	5	1	1	
Other chromosomal anomalies (758.1-758.9)	35	19	7	7	8	1	1	12	8	3	3	1	-	-	
All other and unspecified congenital anomalies (744,757,759)	1,102	614	426	422	39	23	22	417	305	92	90	17	3	3	
Certain conditions originating in the perinatal period (760-779)	2	2	-	-	-	-	-	4	3	1	1	-	-	-	
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	97	67	28	28	2	-	-	28	22	6	6	-	-	-	
Newborn affected by maternal complications of pregnancy (761)	50	33	16	16	1	-	-	14	10	4	4	-	-	-	
Newborn affected by complications of placenta, cord, and membranes (762)	3	1	2	2	-	-	-	3	3	-	-	-	-	-	
Newborn affected by other complications of labor and delivery (763)	2	2	-	-	-	-	-	1	-	1	1	-	-	-	
Slow fetal growth and fetal malnutrition (764)	Disorders relating to short gestation and unspecified low birthweight (765)	197	102	94	93	-	1	1	62	44	17	17	1	-	-
Disorders relating to long gestation and high birthweight (766)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma (767)	23	9	13	12	-	1	1	9	6	3	3	-	-	-	
Intrauterine hypoxia and birth asphyxia (768)	57	25	29	29	2	1	1	25	15	8	8	2	-	-	
Fetal distress in liveborn infant (768.2-768.4)	10	3	7	7	-	-	-	7	4	2	2	1	-	-	
Birth asphyxia (768.5-768.9)	47	22	22	22	2	1	1	18	11	6	6	1	-	-	
Respiratory distress syndrome (769)	233	149	70	70	9	5	4	99	80	15	15	3	1	1	
Other respiratory conditions of newborn (770)	212	102	77	76	22	11	11	82	54	16	14	10	2	2	
Infections specific to the perinatal period (771)	49	33	15	15	-	1	1	21	16	5	5	-	-	-	
Neonatal hemorrhage (772)	34	13	21	21	-	-	-	12	9	3	3	-	-	-	
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	2	-	-	-	-	-	1	1	-	-	-	-	-	
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	139	74	59	59	3	3	3	56	42	13	13	1	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	345	13	24	24	155	153	151	106	9	-	-	81	16	16	
Sudden infant death syndrome (798.0)	332	11	22	22	152	147	145	101	8	-	-	77	16	16	
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	13	2	2	2	3	6	6	5	1	-	-	4	-	-	
Accidents and adverse effects (E800-E949)	34	-	2	2	20	12	12	22	2	-	-	16	4	4	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	5	-	-	-	5	-	-	3	1	-	-	1	1	1	
Accidental mechanical suffocation (E913)	8	-	-	-	4	4	4	5	-	-	-	5	-	-	
Other accidental causes and adverse effects (E800-E910,E914-E949)	21	-	2	2	11	8	8	14	1	-	-	10	3	3	
Homicide (E960-E969)	13	2	1	1	5	5	5	4	1	-	-	3	-	-	
Child battering and other maltreatment (E967)	4	-	1	1	1	2	2	3	1	-	-	2	-	-	
Other homicide (E960-E966,E968-E969)	9	2	-	-	4	3	3	1	-	-	-	1	-	-	
All other causes (Residual)	74	21	9	9	22	22	22	48	11	4	4	25	8	8	

SECTION 2 - INFANT MORTALITY - PAGE 82

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Iowa							Kansas							
	All races, under 1 year	Under 28 days				28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other		White		All other		White	All other		
			Total	Black		Total	Black			Total	Black		Total	Black	
All causes	391	230	13	7	142	6	6	369	205	32	30	112	20	17	
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Septicemia (038)	2	-	-	-	2	-	-	3	-	-	-	3	-	-	
Viral diseases (045-079)	-	-	-	-	-	-	-	2	-	-	-	2	-	-	
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Diseases of thymus gland (254)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Meningitis (320-322)	2	-	-	-	2	-	-	1	-	-	-	-	1	1	
Other diseases of nervous system and sense organs (323-389) ..	7	-	-	-	5	2	2	4	-	-	-	4	-	-	
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Bronchitis and bronchiolitis (466,490-491)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	6	-	-	-	5	1	1	6	1	2	2	3	-	-	
Pneumonia (480-486)	5	-	-	-	4	1	1	6	1	2	2	3	-	-	
Influenza (487)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Remainder of diseases of respiratory system (470-478,492-519)	4	2	-	-	2	-	-	7	-	-	-	7	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	1	1	-	-	-	-	-	1	-	-	-	1	-	-	
Remainder of diseases of digestive system (520-534,536-543,562-579)	3	1	-	-	2	-	-	2	-	1	1	1	-	-	
Congenital anomalies (740-759)	109	70	3	2	36	-	-	83	61	6	6	14	2	1	
Anencephalus and similar anomalies (740)	5	4	1	-	-	-	-	14	13	-	-	1	-	-	
Spina bifida (741)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Congenital hydrocephalus (742.3)	2	2	-	-	-	-	-	3	2	-	-	1	-	-	
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	1	-	-	-	1	-	-	2	1	-	-	1	-	-	
Congenital anomalies of heart (745-746)	42	22	-	-	20	-	-	30	20	1	1	7	2	1	
Other congenital anomalies of circulatory system (747)	1	1	-	-	-	-	-	5	3	-	-	2	-	-	
Congenital anomalies of respiratory system (748)	14	12	1	1	1	-	-	6	6	-	-	-	-	-	
Congenital anomalies of digestive system (749-751)	3	1	-	-	2	-	-	3	2	1	1	-	-	-	
Congenital anomalies of genitourinary system (752-753)	4	4	-	-	-	-	-	5	5	-	-	-	-	-	
Congenital anomalies of musculoskeletal system (754-756)	9	6	1	1	2	-	-	2	1	1	1	-	-	-	
Down's syndrome (758.0)	3	-	-	-	3	-	-	-	-	-	-	-	-	-	
Other chromosomal anomalies (758.1-758.9)	13	8	-	-	5	-	-	7	4	1	1	2	-	-	
All other and unspecified congenital anomalies (744,757,759) ...	12	10	-	-	2	-	-	5	3	2	2	-	-	-	
Certain conditions originating in the perinatal period (760-779)	172	148	9	5	14	1	1	161	130	22	20	7	2	2	
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	1	1	-	-	-	-	-	
Newborn affected by maternal complications of pregnancy (761)	9	8	1	-	-	-	-	15	14	1	1	-	-	-	
Newborn affected by complications of placenta, cord, and membranes (762)	18	17	1	1	-	-	-	11	10	1	1	-	-	-	
Newborn affected by other complications of labor and delivery (763)	3	2	-	-	1	-	-	-	-	-	-	-	-	-	
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	1	1	-	-	-	-	-	
Disorders relating to short gestation and unspecified low birthweight (765)	25	22	3	1	-	-	-	25	20	5	5	-	-	-	
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma (767)	3	3	-	-	-	-	-	3	3	-	-	-	-	-	
Intrauterine hypoxia and birth asphyxia (768)	10	7	-	-	3	-	-	10	8	1	1	1	-	-	
Fetal distress in liveborn infant (768.2-768.4)	3	3	-	-	-	-	-	2	1	-	-	1	-	-	
Birth asphyxia (768.5-768.9)	7	4	-	-	3	-	-	8	7	1	1	-	-	-	
Respiratory distress syndrome (769)	36	31	1	1	4	-	-	30	26	1	1	1	2	2	
Other respiratory conditions of newborn (770)	27	19	2	1	5	1	1	31	20	6	4	5	-	-	
Infections specific to the perinatal period (771)	6	6	-	-	-	-	-	6	5	1	1	-	-	-	
Neonatal hemorrhage (772)	9	8	1	1	-	-	-	5	4	1	1	-	-	-	
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	24	23	-	-	1	-	-	23	18	5	5	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	59	4	-	-	54	1	1	57	3	-	-	49	5	3	
Sudden infant death syndrome (798.0)	57	4	-	-	52	1	1	54	3	-	-	46	5	3	
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	2	-	-	-	2	-	-	3	-	-	-	3	-	-	
Accidents and adverse effects (E800-E949)	3	-	-	-	3	-	-	11	1	-	-	7	3	3	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
Accidental mechanical suffocation (E913)	1	-	-	-	1	-	-	6	1	-	-	3	2	2	
Other accidental causes and adverse effects (E800-E910,E914-E949)	-	-	-	-	-	-	-	5	-	-	-	4	1	1	
Homicide (E960-E969)	1	-	-	-	1	-	-	1	1	-	-	-	-	-	
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other homicide (E960-E966,E968-E969)	1	-	-	-	1	-	-	1	1	-	-	-	-	-	
All other causes (Residual)	20	4	1	-	14	1	1	23	7	1	1	8	7	7	

SECTION 2 - INFANT MORTALITY - PAGE 83

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Kentucky							Louisiana						
	All races, under 1 year	Under 28 days		28 days-11 months			All races, under 1 year	Under 28 days		28 days-11 months				
		White	All other	White	All other			White	All other		White	All other		
			Total		Black	Total			Black	Total		Black	Total	Black
All causes	594	326	70	68	167	31	30	968	286	343	338	132	207	202
Certain intestinal infections (008-009)	1	-	-	-	1	-	-	5	-	-	-	-	5	5
Whooping cough (033)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Meningococcal infection (036)	1	-	-	-	1	-	-	4	-	-	-	3	1	1
Septicemia (038)	3	3	8	3	5	5
Viral diseases (045-079)	-	-	-	-	-	-	-	3	-	-	-	1	2	2
Congenital syphilis (090)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	1	-	-	5	-	-	-	1	4	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	5	2	-	-	1	2	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Cystic fibrosis (277.0)	1	1	-	-	-	-	-	1	-	-	-	-	1	1
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Meningitis (320-322)	2	-	-	-	2	-	-	10	1	-	-	5	4	3
Other diseases of nervous system and sense organs (323-389) ..	3	-	-	-	2	1	-	12	-	1	1	5	6	6
Acute upper respiratory infections (460-465)	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	2	-	-	-	2	-	-	5	-	-	-	-	5	5
Pneumonia and influenza (480-487)	14	4	-	-	7	3	3	31	2	3	3	2	24	24
Pneumonia (480-486)	14	4	-	-	7	3	3	31	2	3	3	2	24	24
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	7	-	1	1	5	1	1	23	1	1	1	8	13	13
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	1	-	-	1	-	-	-	-	1	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	3	-	-	-	-	3	3
Remainder of diseases of digestive system (520-534,536-543,562-579)	4	1	-	-	3	-	-	6	-	-	-	2	4	3
Congenital anomalies (740-759)	126	80	12	11	30	4	4	200	87	52	52	32	29	28
Anencephalus and similar anomalies (740)	10	8	2	2	-	-	-	10	4	5	5	-	1	1
Spina bifida (741)	4	2	-	-	2	-	-	3	3	-	-	-	-	-
Congenital hydrocephalus (742.3)	3	2	1	1	-	-	-	8	3	3	3	1	1	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	6	5	-	-	1	-	-	6	1	1	1	1	3	3
Congenital anomalies of heart (745-746)	35	18	1	1	14	2	2	55	23	11	11	11	10	10
Other congenital anomalies of circulatory system (747)	10	8	-	-	1	1	1	12	6	3	3	1	2	2
Congenital anomalies of respiratory system (748)	19	13	3	3	3	-	-	25	15	8	8	2	-	-
Congenital anomalies of digestive system (749-751)	2	1	-	-	-	1	1	5	1	-	-	2	2	2
Congenital anomalies of genitourinary system (752-753)	12	8	4	4	-	-	-	9	5	2	2	1	1	1
Congenital anomalies of musculoskeletal system (754-756)	5	5	-	-	-	-	-	19	10	5	5	2	2	2
Down's syndrome (758.0)	1	1	-	-	-	-	-	1	-	1	1	-	-	-
Other chromosomal anomalies (758.1-758.9)	6	3	-	-	3	-	-	22	7	6	6	4	5	5
All other and unspecified congenital anomalies (744,757,759) ...	13	6	1	-	6	-	-	25	9	7	7	7	2	1
Certain conditions originating in the perinatal period (760-779)	295	225	56	55	11	3	3	473	175	277	272	7	14	14
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	2	-	1	1	-	1	1
Newborn affected by maternal complications of pregnancy (761)	15	11	4	3	-	-	-	30	12	17	15	-	1	1
Newborn affected by complications of placenta, cord, and membranes (762)	19	16	3	3	-	-	-	13	6	7	7	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	49	33	15	15	1	-	-	79	25	54	53	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	3	3	-	-	-	-	-	20	8	12	11	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	22	17	3	3	2	-	-	45	14	30	30	-	1	1
Fetal distress in liveborn infant (768.2-768.4)	6	4	2	2	-	-	-	1	-	1	1	-	-	-
Birth asphyxia (768.5-768.9)	16	13	1	1	2	-	-	44	14	29	29	-	1	1
Respiratory distress syndrome (769)	85	76	9	9	-	-	-	72	36	31	31	3	2	2
Other respiratory conditions of newborn (770)	49	34	8	8	5	2	2	70	19	38	38	4	9	9
Infections specific to the perinatal period (771)	12	7	3	3	2	-	-	21	12	9	9	-	-	-
Neonatal hemorrhage (772)	1	1	-	-	-	-	-	7	5	2	2	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	2	-	-	-	-	-	1	1	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	38	25	11	11	1	1	1	113	37	76	75	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	86	8	-	-	64	14	14	78	7	2	2	36	33	32
Sudden infant death syndrome (798.0)	83	6	-	-	63	14	14	65	7	2	2	32	24	23
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	3	2	-	-	1	-	-	13	-	-	-	4	9	9
Accidents and adverse effects (E800-E949)	15	3	-	-	10	2	2	17	1	-	-	6	10	9
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	4	1	-	-	2	1	1	4	-	-	-	2	2	1
Accidental mechanical suffocation (E913)	3	1	-	-	2	-	-	1	-	-	-	-	1	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	8	1	-	-	6	1	1	12	1	-	-	4	7	7
Homicide (E960-E969)	3	-	-	-	2	1	1	6	-	-	-	1	5	5
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	5	-	-	-	-	5	5
Other homicide (E960-E966,E968-E969)	3	-	-	-	2	1	1	1	-	-	-	1	-	-
All other causes (Residual)	26	3	-	-	21	2	2	69	10	7	7	19	33	33

SECTION 2 - INFANT MORTALITY - PAGE 84

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine							Maryland						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	154	110	-	-	43	1	1	808	273	283	276	138	114	109
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	2	-	-	-	-	1	1
Septicemia (038)	-	-	-	-	-	-	-	6	-	-	-	-	2	4
Viral diseases (045-079)	-	-	-	-	-	-	-	2	-	1	1	-	1	1
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	2	-	-	-	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	2	1	-	-	-	1	1
Meningitis (320-322)	1	-	-	-	1	-	-	6	1	-	-	4	1	-
Other diseases of nervous system and sense organs (323-389) ..	-	-	-	-	-	-	-	9	1	-	-	6	2	2
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	-	-	-	3	-	-	10	3	-	-	1	6	6
Pneumonia (480-486)	3	-	-	-	3	-	-	10	3	-	-	1	6	6
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	-	-	-	-	-	-	-	6	3	1	1	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	-	-	-	-	-	-	-	3	-	-	-	1	2	2
Congenital anomalies (740-759)	38	32	-	-	6	-	-	138	73	30	28	24	11	10
Anencephalus and similar anomalies (740)	2	2	-	-	-	-	-	9	6	3	2	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Congenital hydrocephalus (742.3)	2	1	-	-	1	-	-	2	-	1	1	1	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	-	-	-	-	-	-	-	8	5	1	1	1	1	1
Congenital anomalies of heart (745-746)	10	8	-	-	2	-	-	40	21	5	5	10	4	4
Other congenital anomalies of circulatory system (747)	1	1	-	-	-	-	-	22	11	6	6	4	1	1
Congenital anomalies of respiratory system (748)	12	11	-	-	1	-	-	17	8	8	8	-	1	1
Congenital anomalies of digestive system (749-751)	1	-	-	-	1	-	-	3	1	-	-	-	2	2
Congenital anomalies of genitourinary system (752-753)	1	-	-	-	1	-	-	6	5	1	1	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	4	4	-	-	-	-	-	7	3	1	1	2	1	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	2	-	-	-	2	-	-
Other chromosomal anomalies (758.1-758.9)	3	3	-	-	-	-	-	8	3	2	2	3	-	-
All other and unspecified congenital anomalies (744,757,759) ...	2	2	-	-	-	-	-	13	10	2	1	-	1	1
Certain conditions originating in the perinatal period (760-779)	79	73	-	-	6	-	-	428	168	235	231	15	10	10
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	2	1	1	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	5	5	-	-	-	-	-	17	8	9	9	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	8	8	-	-	-	-	-	23	8	15	15	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	4	3	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	11	11	-	-	-	-	-	95	35	58	57	1	1	1
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	2	-	-	-	-	-	13	7	6	5	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	3	3	-	-	-	-	-	16	7	8	8	1	-	-
Fetal distress in liveborn infant (768.2-768.4)	2	2	-	-	-	-	-	3	1	2	2	-	-	-
Birth asphyxia (768.5-768.9)	1	1	-	-	-	-	-	13	6	6	6	1	-	-
Respiratory distress syndrome (769)	24	23	-	-	1	-	-	55	28	22	22	2	3	3
Other respiratory conditions of newborn (770)	13	10	-	-	3	-	-	101	38	50	49	9	4	4
Infections specific to the perinatal period (771)	5	5	-	-	-	-	-	14	5	9	9	-	-	-
Neonatal hemorrhage (772)	2	2	-	-	-	-	-	12	5	7	6	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	5	3	-	-	2	-	-	76	23	49	49	2	2	2
Symptoms, signs, and ill-defined conditions (780-799)	20	1	-	-	18	1	1	130	12	4	4	62	52	51
Sudden infant death syndrome (798.0)	19	-	-	-	18	1	1	121	7	4	4	60	50	49
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	1	1	-	-	-	-	-	9	5	-	-	2	2	2
Accidents and adverse effects (E800-E949)	3	-	-	-	3	-	-	12	-	1	1	8	3	2
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	4	-	1	1	2	1	-
Accidental mechanical suffocation (E913)	1	-	-	-	1	-	-	2	-	-	-	2	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	2	-	-	-	2	-	-	6	-	-	-	4	2	2
Homicide (E960-E969)	1	1	-	-	-	-	-	5	1	2	2	1	1	1
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	1	1	-	-	-	-	-	5	1	2	2	1	1	1
All other causes (Residual)	7	2	-	-	5	-	-	41	8	9	8	7	17	16

SECTION 2 - INFANT MORTALITY - PAGE 85

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Massachusetts							Michigan						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	743	445	90	85	161	47	41	1,572	699	371	363	354	148	145
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	2	-	-	-	-	2	2
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Septicemia (038)	3	3	6	6
Viral diseases (045-079)	1	1	-	-	-	-	-	4	-	-	-	1	3	3
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	3	1	-	-	2	-	-	4	-	-	-	2	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	-	-	1	-	-	6	1	1	1	4	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	3	-	-	-	2	1	1
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	2	-	-	-	2	-	-	1	-	-	-	1	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	1	-	-	7	-	1	1	5	1	1
Meningitis (320-322)	7	1	-	-	5	1	1	20	-	-	-	15	5	5
Other diseases of nervous system and sense organs (323-389)	1	-	-	-	1	-	-	4	-	-	-	2	2	2
Acute upper respiratory infections (460-465)	8	1	-	-	2	5	5	11	1	-	-	8	2	2
Bronchitis and bronchiolitis (466,490-491)	8	1	-	-	2	5	5	11	1	-	-	8	2	2
Pneumonia and influenza (480-487)	8	1	-	-	2	5	5	11	1	-	-	8	2	2
Pneumonia (480-486)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	2	-	-	12	1	1	1	7	3	3
Remainder of diseases of respiratory system (470-478,492-519)	2	-	-	-	2	-	-	12	1	1	1	7	3	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	2	-	-	2	1	-	-	1	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2	-	-	-	2	-	-	4	-	1	1	-	3	3
Remainder of diseases of digestive system (520-534,536-543,562-579)	6	1	-	-	4	1	1	6	1	-	-	4	1	1
Congenital anomalies (740-759)	199	135	14	13	41	9	6	330	201	53	50	60	16	15
Anencephalus and similar anomalies (740)	8	6	2	1	-	-	-	28	25	2	2	1	-	-
Spina bifida (741)	1	-	-	-	1	-	-	2	2	-	-	-	-	-
Congenital hydrocephalus (742.3)	1	-	-	-	-	1	1	8	1	2	1	4	1	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	8	7	-	-	1	-	-	8	4	1	1	3	-	-
Congenital anomalies of heart (745-746)	54	20	3	3	25	6	4	88	38	10	9	31	9	9
Other congenital anomalies of circulatory system (747)	31	27	4	4	-	-	-	22	14	6	6	2	-	-
Congenital anomalies of respiratory system (748)	29	23	4	4	2	-	-	40	30	6	5	3	1	1
Congenital anomalies of digestive system (749-751)	5	3	-	-	2	-	-	3	2	-	-	1	-	-
Congenital anomalies of genitourinary system (752-753)	8	7	1	1	-	-	-	22	15	3	3	3	1	1
Congenital anomalies of musculoskeletal system (754-756)	19	16	-	-	3	-	-	29	21	5	5	2	1	1
Down's syndrome (758.0)	-	-	-	-	-	-	-	6	3	1	1	1	1	1
Other chromosomal anomalies (758.1-758.9)	12	6	-	-	5	1	-	38	23	7	7	6	2	2
All other and unspecified congenital anomalies (744,757,759)	23	20	-	-	2	1	1	36	23	10	10	3	-	-
Certain conditions originating in the perinatal period (760-779)	361	279	70	66	7	5	4	812	463	304	300	32	13	13
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	5	3	2	2	-	-	-
Newborn affected by maternal complications of pregnancy (761)	32	27	5	5	-	-	-	52	35	15	15	2	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	23	17	6	5	-	-	-	34	23	11	11	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	1	1	1	-	-	-	2	-	2	2	-	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	5	2	3	3	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	62	54	8	7	-	-	-	150	81	69	69	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	4	4	-	-	-	-	-	14	10	4	4	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	27	24	2	2	1	-	-	43	24	16	16	1	2	2
Fetal distress in liveborn infant (768.2-768.4)	8	7	-	-	1	-	-	6	4	-	-	-	-	-
Birth asphyxia (768.5-768.9)	19	17	2	2	-	-	-	37	20	16	16	1	-	-
Respiratory distress syndrome (769)	55	47	7	6	1	-	-	176	119	47	45	7	3	3
Other respiratory conditions of newborn (770)	66	42	16	15	3	5	4	132	69	40	40	18	5	5
Infections specific to the perinatal period (771)	15	11	4	4	-	-	-	33	13	19	19	1	-	-
Neonatal hemorrhage (772)	9	6	2	2	1	-	-	10	8	2	2	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	1	-	-	-	-	-	1	-	-	-	-	1	1
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	63	43	19	19	1	-	-	154	75	74	72	3	2	2
Symptoms, signs, and ill-defined conditions (780-799)	89	9	4	4	59	17	16	235	14	7	6	143	71	69
Sudden infant death syndrome (798.0)	71	2	2	2	55	12	12	229	14	7	6	139	69	67
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	18	7	2	2	4	5	4	6	-	-	-	4	2	2
Accidents and adverse effects (E800-E949)	14	1	-	-	10	3	3	33	1	-	-	22	10	10
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	3	-	-	-	3	-	-	5	-	-	-	3	2	2
Accidental mechanical suffocation (E913)	3	-	-	-	3	-	-	5	-	-	-	5	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	8	1	-	-	4	3	3	23	1	-	-	14	8	8
Homicide (E960-E969)	4	1	-	-	1	2	1	7	-	1	1	5	1	1
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	3	-	-	-	3	1	1
Other homicide (E960-E966,E968-E969)	4	1	-	-	1	2	1	4	-	-	-	3	-	-
All other causes (Residual)	37	15	2	2	16	4	4	55	15	2	2	27	11	11

SECTION 2 - INFANT MORTALITY - PAGE 86

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Minnesota							Mississippi						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	594	336	30	20	210	18	11	596	127	240	239	86	143	140
Certain intestinal infections (008-009)	1	-	-	-	1	-	-	5	-	-	-	2	3	3
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	2	-	-	1	-	-	-	1	-	-
Septicemia (038)	2	-	-	-	2	-	-	10	-	-	-	1	9	9
Viral diseases (045-079)	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5	1	-	-	4	-	-	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	7	-	1	1	6	-	-	5	1	2	2	1	1	1
Other diseases of nervous system and sense organs (323-389) ..	7	1	-	-	5	1	1	4	-	-	-	1	3	3
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	4	-	-	-	-	4	4
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	9	2	-	-	5	2	-	17	-	1	1	7	9	9
Pneumonia (480-486)	9	2	-	-	5	2	-	15	-	1	1	6	8	8
Influenza (487)	-	-	-	-	-	-	-	2	-	-	-	1	1	1
Remainder of diseases of respiratory system (470-478,492-519)	6	2	-	-	3	1	1	10	-	-	-	4	6	6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	-	1	1	1	1	-	-	-	-	1	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	2	1	-	-	1	-	-	7	-	-	-	3	4	4
Congenital anomalies (740-759)	140	99	4	2	36	1	1	106	38	44	44	13	11	11
Anencephalus and similar anomalies (740)	17	16	-	-	1	-	-	5	3	2	2	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	3	-	1	1	-	2	2
Congenital hydrocephalus (742.3)	3	-	1	1	2	-	-	1	-	-	-	1	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	4	3	-	-	1	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	34	16	-	-	17	1	1	31	9	13	13	4	5	5
Other congenital anomalies of circulatory system (747)	12	7	1	-	4	-	-	15	6	7	7	2	-	-
Congenital anomalies of respiratory system (748)	23	21	-	-	2	-	-	13	6	5	5	1	1	1
Congenital anomalies of digestive system (749-751)	4	1	1	-	2	-	-	2	-	1	1	1	-	-
Congenital anomalies of genitourinary system (752-753)	7	7	-	-	-	-	-	8	4	4	4	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	11	10	-	-	1	-	-	10	7	3	3	-	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	2	-	-	-	2	-	-
Other chromosomal anomalies (758.1-758.9)	13	9	-	-	4	-	-	8	2	3	3	-	3	3
All other and unspecified congenital anomalies (744,757,759) ...	12	9	1	1	2	-	-	8	1	5	5	2	-	-
Certain conditions originating in the perinatal period (760-779)	240	207	22	15	11	-	-	281	81	179	178	8	13	13
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	2	2	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	31	28	3	3	-	-	-	18	7	10	10	1	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	20	20	-	-	-	-	-	6	1	5	5	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	2	-	-	-	-	-	2	1	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	1	-	-	-	-	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	34	25	8	6	1	-	-	47	6	39	38	-	2	2
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	5	4	1	1	-	-	-	2	2	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	9	8	-	-	1	-	-	32	7	24	24	-	1	1
Fetal distress in liveborn infant (768.2-768.4)	2	2	-	-	-	-	-	6	1	5	5	-	-	-
Birth asphyxia (768.5-768.9)	7	6	-	-	1	-	-	26	6	19	19	-	1	1
Respiratory distress syndrome (769)	53	47	4	1	2	-	-	70	26	38	38	1	5	5
Other respiratory conditions of newborn (770)	41	34	3	3	4	-	-	31	10	14	14	5	2	2
Infections specific to the perinatal period (771)	17	15	2	1	-	-	-	25	5	18	18	-	2	2
Neonatal hemorrhage (772)	5	5	-	-	-	-	-	5	1	4	4	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	18	15	-	-	3	-	-	40	13	26	26	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	134	12	2	2	110	10	6	75	3	6	6	20	46	45
Sudden infant death syndrome (798.0)	134	12	2	2	110	10	6	63	3	4	4	20	36	35
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	-	-	-	-	-	-	-	12	-	2	2	-	10	10
Accidents and adverse effects (E800-E949)	13	2	-	-	9	2	1	26	1	1	1	11	13	13
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	2	-	-	-	2	-	-	8	1	1	1	1	3	3
Accidental mechanical suffocation (E913)	5	1	-	-	3	1	1	2	-	-	-	1	1	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	6	1	-	-	4	1	-	18	-	-	-	9	9	9
Homicide (E960-E969)	1	-	-	-	1	-	-	1	1	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	1	-	-	-	1	-	-	1	1	-	-	-	-	-
All other causes (Residual)	17	6	-	-	11	-	-	41	2	7	7	12	20	18

SECTION 2 - INFANT MORTALITY - PAGE 87

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Missouri							Montana						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	789	370	130	122	208	81	81	139	57	11	1	59	12	-
Certain intestinal infections (008-009)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Septicemia (038)	7	-	-	-	6	1	1	1	-	-	-	1	-	-
Viral diseases (045-079)	4	-	2	2	1	1	1	1	-	-	-	1	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3	-	-	-	2	1	1	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	-	-	-	1	-	-	2	-	-	-	1	1	-
Diseases of blood and blood-forming organs (280-289)	6	1	-	-	4	1	1	2	-	-	-	2	-	-
Meningitis (320-322)	7	2	-	-	5	-	-	3	-	-	-	3	-	-
Other diseases of nervous system and sense organs (323-389) ..	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	3	-	-	-	3	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	9	2	-	-	5	2	2	3	1	-	-	1	1	-
Pneumonia and influenza (480-487)	9	2	-	-	5	2	2	3	1	-	-	1	1	-
Pneumonia (480-486)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	10	2	1	1	6	1	1	2	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	1	1	-	1	1	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2	-	-	-	2	-	-	1	-	-	-	1	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	4	-	1	1	3	-	-	1	1	-	-	-	-	-
Congenital anomalies (740-759)	176	120	16	15	34	6	6	28	20	2	1	5	1	-
Anencephalus and similar anomalies (740)	15	14	1	1	-	-	-	2	2	-	-	-	-	-
Spina bifida (741)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	4	3	1	1	-	-	-	2	1	-	-	1	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	53	28	2	2	20	3	3	9	5	2	1	1	1	-
Other congenital anomalies of circulatory system (747)	7	6	1	1	-	-	-	3	3	-	-	-	-	-
Congenital anomalies of respiratory system (748)	34	27	6	5	1	-	-	3	3	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	3	-	1	1	1	1	1	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	14	13	1	1	-	-	-	1	1	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	13	10	2	2	1	-	-	2	2	-	-	-	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	17	9	1	1	6	1	1	5	3	-	-	2	-	-
All other and unspecified congenital anomalies (744,757,759) ...	14	10	-	-	3	1	1	1	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	344	228	100	93	7	9	9	43	30	9	-	4	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2	1	1	1	-	-	-	1	1	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	32	26	6	6	-	-	-	7	5	2	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	19	10	9	8	-	-	-	2	2	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	48	29	19	18	-	-	-	6	3	3	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	7	5	2	2	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	19	12	6	5	-	1	1	6	6	-	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	3	1	1	-	-	1	1	1	1	-	-	-	-	-
Birth asphyxia (768.5-768.9)	16	11	5	5	-	-	-	5	5	-	-	-	-	-
Respiratory distress syndrome (769)	69	53	12	12	1	3	3	10	8	-	-	2	-	-
Other respiratory conditions of newborn (770)	87	52	25	23	5	5	5	4	1	1	-	2	-	-
Infections specific to the perinatal period (771)	15	14	1	1	-	-	-	4	3	1	-	-	-	-
Neonatal hemorrhage (772)	3	1	2	2	-	-	-	1	1	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	40	24	16	15	-	-	-	2	-	2	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	157	9	4	4	100	44	44	35	1	-	-	29	5	-
Sudden infant death syndrome (798.0)	127	3	-	-	87	37	37	34	-	-	-	29	5	-
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	30	6	4	4	13	7	7	1	1	-	-	-	-	-
Accidents and adverse effects (E800-E949)	12	-	-	-	10	2	2	8	1	-	-	5	2	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	2	-	-	-	1	1	1	2	-	-	-	1	1	-
Accidental mechanical suffocation (E913)	2	-	-	-	2	-	-	2	1	-	-	1	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	8	-	-	-	7	1	1	4	-	-	-	3	1	-
Homicide (E960-E969)	2	-	-	-	1	1	1	1	1	-	-	-	-	-
Child battering and other maltreatment (E967)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	1	-	-	-	-	1	1	-	-	-	-	-	-	-
All other causes (Residual)	36	6	5	5	15	10	10	5	2	-	-	3	-	-

SECTION 2 - INFANT MORTALITY - PAGE 88

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Nebraska							Nevada						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	246	139	20	15	73	14	9	130	57	16	14	53	4	4
Certain intestinal infections (008-009)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	-	-	-	2	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	-	-	-	1	1	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389) ..	4	-	-	-	3	1	1	1	-	-	-	1	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Pneumonia and influenza (480-487)	4	-	-	-	4	-	-	4	1	-	-	3	-	-
Pneumonia (480-486)	4	-	-	-	4	-	-	4	1	-	-	3	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	2	-	-	-	2	-	-	4	-	1	1	3	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	1	-	-	-	1	-	-	1	1	-	-	-	-	-
Congenital anomalies (740-759)	68	48	2	2	16	2	2	27	20	1	-	5	1	1
Anencephalus and similar anomalies (740)	4	4	-	-	-	-	-	2	2	-	-	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	22	14	-	-	7	1	1	7	5	-	-	1	1	1
Other congenital anomalies of circulatory system (747)	-	-	-	-	-	-	-	3	1	1	-	1	-	-
Congenital anomalies of respiratory system (748)	12	11	1	1	-	-	-	4	3	-	-	1	-	-
Congenital anomalies of digestive system (749-751)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	6	5	1	1	-	-	-	4	3	-	-	1	-	-
Congenital anomalies of musculoskeletal system (754-756)	4	3	-	-	1	-	-	2	2	-	-	-	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other chromosomal anomalies (758.1-758.9)	7	3	-	-	4	-	-	3	3	-	-	-	-	-
All other and unspecified congenital anomalies (744,757,759) ...	7	4	-	-	2	1	1	1	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	111	86	17	13	6	2	2	48	32	13	12	3	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	6	6	-	-	-	-	-	6	5	1	1	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	6	5	1	1	-	-	-	4	3	1	1	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	10	8	2	1	-	-	-	6	4	2	2	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	6	4	2	1	-	-	-	1	1	-	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	4	2	2	1	-	-	-	1	1	-	-	-	-	-
Respiratory distress syndrome (769)	32	24	6	5	1	1	1	11	8	3	3	-	-	-
Other respiratory conditions of newborn (770)	15	11	1	-	2	1	1	8	3	2	2	3	-	-
Infections specific to the perinatal period (771)	10	10	-	-	-	-	-	3	1	2	1	-	-	-
Neonatal hemorrhage (772)	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	21	14	4	4	3	-	-	7	5	2	2	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	29	-	1	-	21	7	2	31	-	-	-	28	3	3
Sudden infant death syndrome (798.0)	29	-	1	-	21	7	2	30	-	-	-	28	2	2
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Accidents and adverse effects (E800-E949)	5	-	-	-	5	-	-	3	1	-	-	2	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation (E913)	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	4	-	-	-	4	-	-	1	-	-	-	1	-	-
Homicide (E960-E969)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
All other causes (Residual)	15	4	-	-	10	1	1	5	1	1	1	3	-	-

SECTION 2 - INFANT MORTALITY - PAGE 89

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire								New Jersey						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months			
		White	All other		White	All other			White	All other		White	All other		
			Total	Black		Total	Black			Total	Black		Total	Black	
All causes	144	96	2	2	44	2	2	1,119	517	247	243	206	149	143	
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	2	-	-	-	2	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	1	-	-	-	1	-	-	4	-	-	-	2	2	2	
Septicemia (038)	2	-	-	-	2	-	-	15	-	-	-	7	8	8	
Viral diseases (045-079)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	8	-	-	-	3	5	3	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	-	-	1	-	-	4	2	-	-	1	1	1	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	2	2	-	-	-	-	-	
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	2	1	-	-	1	-	-	
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	6	-	1	1	1	4	4	
Meningitis (320-322)	2	-	-	-	2	-	-	17	-	-	-	8	9	8	
Other diseases of nervous system and sense organs (323-389) ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis and bronchiolitis (466,490-491)	1	1	-	-	-	-	-	16	3	3	3	5	5	5	
Pneumonia and influenza (480-487)	1	1	-	-	-	-	-	16	3	3	3	5	5	5	
Pneumonia (480-486)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of diseases of respiratory system (470-478,492-519)	-	-	-	-	-	-	-	13	1	2	2	5	5	5	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	3	1	-	-	2	-	-	
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	1	1	-	-	-	-	-	1	-	-	-	-	1	1	
Remainder of diseases of digestive system (520-534,536-543,562-579)	-	-	-	-	-	-	-	7	-	1	1	5	1	1	
Congenital anomalies (740-759)	39	28	-	-	10	1	1	237	136	32	32	56	13	13	
Anencephalus and similar anomalies (740)	2	2	-	-	-	-	-	27	26	-	-	-	1	1	
Spina bifida (741)	1	-	-	-	1	-	-	3	1	-	-	2	-	-	
Congenital hydrocephalus (742.3)	1	-	-	-	1	-	-	5	1	1	1	2	1	1	
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	1	1	-	-	-	-	-	9	4	2	2	3	-	-	
Congenital anomalies of heart (745-746)	9	5	-	-	4	-	-	73	28	11	11	28	6	6	
Other congenital anomalies of circulatory system (747)	3	2	-	-	-	1	1	14	8	4	4	1	1	1	
Congenital anomalies of respiratory system (748)	8	7	-	-	1	-	-	32	24	8	8	-	-	-	
Congenital anomalies of digestive system (749-751)	2	1	-	-	1	-	-	5	-	-	-	4	1	1	
Congenital anomalies of genitourinary system (752-753)	2	2	-	-	-	-	-	8	7	-	-	1	-	-	
Congenital anomalies of musculoskeletal system (754-756)	4	4	-	-	-	-	-	18	12	1	1	4	1	1	
Down's syndrome (758.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other chromosomal anomalies (758.1-758.9)	4	2	-	-	2	-	-	19	8	3	3	7	1	1	
All other and unspecified congenital anomalies (744,757,759) ...	2	2	-	-	-	-	-	24	17	2	2	4	1	1	
Certain conditions originating in the perinatal period (760-779)	69	64	2	2	3	-	-	579	348	204	200	16	11	11	
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Newborn affected by maternal complications of pregnancy (761)	10	10	-	-	-	-	-	35	27	8	6	-	-	-	
Newborn affected by complications of placenta, cord, and membranes (762)	5	5	-	-	-	-	-	19	15	4	4	-	-	-	
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	2	2	-	-	-	-	-	
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	2	-	2	2	-	-	-	
Disorders relating to short gestation and unspecified low birthweight (765)	4	3	1	1	-	-	-	94	49	45	44	-	-	-	
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma (767)	1	1	-	-	-	-	-	16	10	6	6	-	-	-	
Intrauterine hypoxia and birth asphyxia (768)	3	3	-	-	-	-	-	30	16	12	12	1	1	1	
Fetal distress in liveborn infant (768.2-768.4)	1	1	-	-	-	-	-	4	3	-	-	-	1	1	
Birth asphyxia (768.5-768.9)	2	2	-	-	-	-	-	26	13	12	12	1	-	-	
Respiratory distress syndrome (769)	14	12	1	1	1	-	-	129	79	44	44	4	2	2	
Other respiratory conditions of newborn (770)	15	13	-	-	2	-	-	96	54	27	26	8	7	7	
Infections specific to the perinatal period (771)	2	2	-	-	-	-	-	34	21	10	10	2	1	1	
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	7	4	3	3	-	-	-	
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	14	14	-	-	-	-	-	112	68	43	43	1	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	20	1	-	-	19	-	-	134	6	1	1	62	65	62	
Sudden infant death syndrome (798.0)	20	1	-	-	19	-	-	99	4	-	-	52	43	41	
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	-	-	-	-	-	-	-	35	2	1	1	10	22	21	
Accidents and adverse effects (E800-E949)	1	-	-	-	1	-	-	9	-	-	-	5	4	4	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	2	-	-	-	2	-	-	
Accidental mechanical suffocation (E913)	1	-	-	-	1	-	-	2	-	-	-	1	1	1	
Other accidental causes and adverse effects (E800-E910,E914-E949)	-	-	-	-	-	-	-	5	-	-	-	2	3	3	
Homicide (E960-E969)	-	-	-	-	-	-	-	7	3	-	-	1	3	3	
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	4	1	-	-	-	3	3	
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	3	2	-	-	1	-	-	
All other causes (Residual)	7	1	-	-	5	1	1	52	13	3	3	24	12	12	

SECTION 2 - INFANT MORTALITY - PAGE 90

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Mexico							New York						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	295	145	29	6	98	23	4	2,791	1,273	639	611	540	339	314
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	5	-	-	-	4	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	7	-	-	-	5	2	2
Septicemia (038)	2	1	1	1	18	12	6	6
Viral diseases (045-079)	-	-	-	-	-	-	-	11	2	-	-	8	1	1
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	1	-	-	10	1	-	-	4	5	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	3	-	-	-	3	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	2	1	-	-	-	1	1
Diseases of thymus gland (254)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	1	-	-	10	-	2	2	6	2	2
Meningitis (320-322)	5	-	-	-	4	1	-	10	1	1	1	4	4	4
Other diseases of nervous system and sense organs (323-389) ..	4	1	-	-	3	-	-	29	-	1	1	17	11	11
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	4	1	-	-	2	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	4	1	-	-	3	-	-
Pneumonia and influenza (480-487)	6	-	-	-	3	3	-	52	6	3	3	24	19	18
Pneumonia (480-486)	6	-	-	-	3	3	-	51	6	3	3	23	19	18
Influenza (487)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Remainder of diseases of respiratory system (470-478,492-519)	1	-	-	-	1	-	-	19	4	2	2	11	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	1	-	-	-	-	-	10	5	-	-	3	2	2
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2	-	-	-	2	-	-	7	-	2	2	4	1	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	4	1	-	-	2	1	-	15	2	2	2	7	4	3
Congenital anomalies (740-759)	73	38	10	-	21	4	-	544	300	74	66	127	43	34
Anencephalus and similar anomalies (740)	3	3	-	-	-	-	-	30	27	3	3	-	-	-
Spina bifida (741)	1	1	-	-	-	-	-	6	3	-	-	2	1	1
Congenital hydrocephalus (742.3)	4	1	-	-	2	1	-	10	3	2	1	2	3	1
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	3	2	-	-	1	-	-	14	5	-	-	6	3	3
Congenital anomalies of heart (745-746)	25	11	3	-	9	2	-	170	72	20	17	64	14	11
Other congenital anomalies of circulatory system (747)	4	1	1	-	2	-	-	47	21	10	10	10	6	6
Congenital anomalies of respiratory system (748)	6	3	2	-	1	-	-	67	50	14	13	3	-	-
Congenital anomalies of digestive system (749-751)	3	2	-	-	1	-	-	13	7	-	-	6	-	-
Congenital anomalies of genitourinary system (752-753)	1	1	-	-	-	-	-	26	16	7	6	3	-	-
Congenital anomalies of musculoskeletal system (754-756)	5	5	-	-	-	-	-	42	29	4	4	4	5	4
Down's syndrome (758.0)	1	-	-	-	-	1	-	9	2	-	-	5	2	2
Other chromosomal anomalies (758.1-758.9)	6	3	2	-	1	-	-	45	27	2	2	11	5	3
All other and unspecified congenital anomalies (744,757,759) ...	11	5	2	-	4	-	-	65	38	12	10	11	4	3
Certain conditions originating in the perinatal period (760-779)	119	96	17	6	5	1	-	1,485	881	523	504	50	31	28
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	13	7	5	5	-	1	1
Newborn affected by maternal complications of pregnancy (761)	14	10	4	3	-	-	-	73	45	27	26	-	1	1
Newborn affected by complications of placenta, cord, and membranes (762)	7	7	-	-	-	-	-	47	36	11	11	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	6	5	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	5	3	1	1	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	26	23	2	1	1	-	-	268	170	94	92	4	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	1	1	-	-	-	-	-	26	19	7	6	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	7	5	2	-	-	-	-	73	43	21	21	6	3	3
Fetal distress in liveborn infant (768.2-768.4)	2	1	1	-	-	-	-	6	3	2	2	-	1	1
Birth asphyxia (768.5-768.9)	5	4	1	-	-	-	-	67	40	19	19	6	2	2
Respiratory distress syndrome (769)	25	22	2	1	1	-	-	285	156	102	99	14	13	11
Other respiratory conditions of newborn (770)	24	13	7	1	3	1	-	269	163	79	78	19	8	8
Infections specific to the perinatal period (771)	5	5	-	-	-	-	-	44	28	14	14	1	1	1
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	29	18	10	8	1	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	2	-	-	-	-	-	3	1	2	2	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	7	7	-	-	-	-	-	344	187	149	140	4	4	3
Symptoms, signs, and ill-defined conditions (780-799)	52	2	1	-	42	7	2	362	25	12	12	178	147	141
Sudden infant death syndrome (798.0)	50	1	-	-	42	7	2	273	13	6	6	147	107	101
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	2	1	1	-	-	-	-	89	12	6	6	31	40	40
Accidents and adverse effects (E800-E949)	7	1	-	-	4	2	-	37	4	1	1	16	16	15
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	12	1	-	-	6	5	4
Accidental mechanical suffocation (E913)	2	-	-	-	2	-	-	4	1	-	-	2	1	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	5	1	-	-	2	2	-	21	2	1	1	8	10	10
Homicide (E960-E969)	4	-	-	-	3	1	1	19	2	2	2	8	7	7
Child battering and other maltreatment (E967)	4	-	-	-	3	1	1	2	1	-	-	1	-	-
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	17	1	2	2	7	7	7
All other causes (Residual)	13	5	1	-	5	2	-	129	38	14	13	43	34	30

SECTION 2 - INFANT MORTALITY - PAGE 91

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	North Carolina							North Dakota						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	1,051	379	316	305	203	153	144	100	56	7	1	33	4	-
Certain intestinal infections (008-009)	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	1	1	2	-	-	-	-	-	-	-	-	-
Septicemia (038)	12	4	8	8	1	1	-	-
Viral diseases (045-079)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	2	-	-	-	1	1	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3	-	-	-	2	1	1	1	1	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	1	1	1	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Meningitis (320-322)	13	1	2	2	8	2	2	1	1	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	22	-	-	-	13	9	7	3	-	-	-	3	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	6	-	-	-	3	3	2	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	15	1	1	1	2	11	10	1	-	1	-	-	-	-
Pneumonia (480-486)	15	1	1	1	2	11	10	1	-	1	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	11	1	-	-	3	7	7	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	-	1	1	1	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	1	-	-	-	-	1	1	1	-	-	-	1	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	6	1	-	-	4	1	1	1	-	-	-	1	-	-
Congenital anomalies (740-759)	216	99	60	56	39	18	17	16	13	1	-	2	-	-
Anencephalus and similar anomalies (740)	8	7	-	-	1	-	-	1	1	-	-	-	-	-
Spina bifida (741)	3	1	-	-	1	1	1	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	6	1	3	3	2	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	7	3	1	1	2	1	1	1	-	-	-	1	-	-
Congenital anomalies of heart (745-746)	73	22	16	15	23	12	11	6	6	-	-	-	-	-
Other congenital anomalies of circulatory system (747)	16	11	4	3	-	1	1	1	-	-	-	1	-	-
Congenital anomalies of respiratory system (748)	36	22	12	12	2	-	-	5	5	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	10	6	3	3	-	1	1	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	15	7	7	6	1	-	-	1	1	-	-	-	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	17	9	4	3	4	-	-	-	-	-	-	-	-	-
All other and unspecified congenital anomalies (744,757,759)	23	9	10	10	2	2	2	1	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	528	259	235	230	20	14	13	45	36	5	1	4	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	4	2	2	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	40	26	13	13	1	-	-	5	5	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	25	19	6	6	-	-	-	4	4	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	95	41	53	51	-	1	1	5	4	1	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	10	2	8	8	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	25	15	6	6	2	2	2	3	2	-	-	1	-	-
Fetal distress in liveborn infant (768.2-768.4)	4	4	-	-	-	-	-	1	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	21	11	6	6	2	2	2	1	9	6	2	1	-	-
Respiratory distress syndrome (769)	75	45	25	25	4	1	1	9	6	2	1	2	-	-
Other respiratory conditions of newborn (770)	123	44	59	57	11	9	8	13	9	2	1	2	-	-
Infections specific to the perinatal period (771)	30	15	15	15	-	-	-	1	1	-	-	-	-	-
Neonatal hemorrhage (772)	7	3	4	4	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	3	1	2	1	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	91	46	42	42	2	1	1	5	5	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	128	4	4	3	72	48	46	21	2	-	-	15	4	-
Sudden infant death syndrome (798.0)	125	2	3	3	72	48	46	21	2	-	-	15	4	-
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	23	2	4	4	9	8	8	3	-	-	-	3	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	6	1	1	1	-	4	4	-	-	-	-	-	-	-
Accidental mechanical suffocation (E913)	5	1	-	-	3	1	1	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	12	-	3	3	6	3	3	3	-	-	-	3	-	-
Homicide (E960-E969)	6	1	1	1	2	2	2	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	6	1	1	1	2	2	2	-	-	-	-	-	-	-
All other causes (Residual)	49	9	8	7	17	15	14	3	3	-	-	-	-	-

SECTION 2 - INFANT MORTALITY - PAGE 92

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Ohio							Oklahoma						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	1,660	827	255	250	434	144	140	577	285	78	64	168	46	34
Certain intestinal infections (008-009)	3	-	-	-	2	1	1	1	-	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Septicemia (038)	11	7	4	4	9	7	2	1
Viral diseases (045-079)	3	-	-	-	3	-	-	2	-	-	-	1	1	1
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8	3	-	-	4	1	1	3	1	-	-	2	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	1	-	-	2	1	-	1	-	1	1	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	1	-	-	-	-	-	2	1	-	-	1	-	-
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	1	-	-	6	1	1	1	3	-	-
Meningitis (320-322)	8	2	-	-	4	1	1	3	-	1	1	2	1	1
Other diseases of nervous system and sense organs (323-389) ..	15	1	-	-	13	1	1	3	-	1	1	2	-	-
Acute upper respiratory infections (460-465)	20	-	-	-	8	12	12	1	-	-	-	-	1	1
Bronchitis and bronchiolitis (466,490-491)	9	-	-	-	7	2	2	1	-	-	-	1	-	-
Pneumonia and influenza (480-487)	28	3	2	2	20	3	3	10	2	-	-	8	-	-
Pneumonia (480-486)	28	3	2	2	20	3	3	10	2	-	-	8	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	41	2	-	-	23	16	16	5	-	1	1	3	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	1	-	-	-	-	-	3	-	-	-	2	1	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	3	-	1	1	1	1	1	1	-	-	-	1	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	6	1	-	-	1	4	4	6	-	-	-	3	3	3
Congenital anomalies (740-759)	376	256	32	32	77	11	11	117	78	9	6	25	5	3
Anencephalus and similar anomalies (740)	41	34	6	6	1	-	-	12	9	2	1	1	-	-
Spina bifida (741)	4	3	-	-	1	-	-	1	1	-	-	-	-	-
Congenital hydrocephalus (742.3)	7	2	2	2	1	2	2	2	1	1	1	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	18	9	2	2	6	1	1	4	-	-	-	3	1	-
Congenital anomalies of heart (745-746)	106	66	6	6	31	3	3	36	25	-	-	9	2	1
Other congenital anomalies of circulatory system (747)	38	25	5	5	7	1	1	16	10	2	1	3	1	1
Congenital anomalies of respiratory system (748)	33	29	2	2	2	-	-	11	11	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	6	2	-	-	3	1	1	3	2	-	-	1	-	-
Congenital anomalies of genitourinary system (752-753)	15	13	1	1	1	-	-	6	4	2	1	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	26	21	2	2	3	-	-	7	5	-	-	2	-	-
Down's syndrome (758.0)	4	1	1	1	1	1	1	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	31	20	-	-	9	2	2	8	4	1	1	2	1	1
All other and unspecified congenital anomalies (744,757,759) ...	47	31	5	5	11	-	-	11	6	1	1	4	-	-
Certain conditions originating in the perinatal period (760-779)	767	521	200	196	33	13	13	266	183	64	53	14	5	5
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	7	6	1	1	-	-	-	2	-	2	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	63	38	25	25	-	-	-	14	9	5	4	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	36	29	7	7	-	-	-	12	10	2	2	-	-	-
Newborn affected by other complications of labor and delivery (763)	2	2	-	-	-	-	-	2	2	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	1	-	-	-	-	1	1
Disorders relating to short gestation and unspecified low birthweight (765)	111	66	43	42	1	1	1	33	22	11	8	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	7	5	1	1	1	-	-	5	3	2	2	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	42	28	12	12	2	-	-	16	7	5	4	4	-	-
Fetal distress in liveborn infant (768.2-768.4)	5	5	-	-	-	-	-	4	3	-	-	1	-	-
Birth asphyxia (768.5-768.9)	37	23	12	12	2	-	-	12	4	5	4	3	-	-
Respiratory distress syndrome (769)	157	128	20	20	7	2	2	43	33	7	5	2	1	1
Other respiratory conditions of newborn (770)	165	103	35	34	20	7	7	66	43	13	10	7	3	3
Infections specific to the perinatal period (771)	35	23	10	10	1	1	1	19	17	1	1	1	-	-
Neonatal hemorrhage (772)	12	4	8	8	-	-	-	5	2	3	3	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	2	1	-	-	-	1	1	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	126	87	37	35	1	1	1	47	34	13	13	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	234	15	10	9	159	50	49	103	7	1	1	75	20	13
Sudden infant death syndrome (796.0)	155	9	3	2	118	25	24	94	5	-	-	70	19	12
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	79	6	7	7	41	25	25	9	2	1	1	5	1	1
Accidents and adverse effects (E800-E949)	32	3	-	-	24	5	4	15	1	-	-	11	3	2
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	6	1	-	-	3	2	2	3	-	-	-	3	-	-
Accidental mechanical suffocation (E913)	5	-	-	-	5	-	-	4	1	-	-	3	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	21	2	-	-	16	3	2	8	-	-	-	5	3	2
Homicide (E960-E969)	6	-	1	1	1	4	4	2	-	-	-	2	-	-
Child battering and other maltreatment (E967)	1	-	-	-	-	1	1	2	-	-	-	2	-	-
Other homicide (E960-E966,E968-E969)	5	-	1	1	1	3	3	-	-	-	-	-	-	-
All other causes (Residual)	82	17	9	9	43	13	12	19	11	-	-	6	2	2

SECTION 2 - INFANT MORTALITY - PAGE 93

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Oregon								Pennsylvania						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months			
		White	All other		White	All other			White	All other		White	All other		
			Total	Black		Total	Black			Total	Black		Total	Black	
All causes	389	191	18	9	165	15	8	1,766	914	313	302	384	155	153	
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	3	-	-	-	2	1	1	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	2	-	-	-	2	-	-	2	-	-	-	-	-	-	
Septicemia (038)	1	-	-	-	-	-	-	21	-	-	-	16	5	5	
Viral diseases (045-079)	1	-	-	-	1	-	-	5	1	1	1	2	1	1	
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	5	-	-	-	1	4	4	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	1	-	-	-	-	-	6	3	-	-	3	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	4	3	-	-	1	-	-	
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of blood and blood-forming organs (280-289)	1	1	-	-	-	-	-	2	-	-	-	1	1	1	
Meningitis (320-322)	2	-	-	-	2	-	-	10	2	1	1	5	2	2	
Other diseases of nervous system and sense organs (323-389)	5	-	-	-	5	-	-	22	2	-	-	18	2	2	
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	2	1	-	-	1	-	-	
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	5	1	-	-	2	2	2	
Pneumonia and influenza (480-487)	3	3	-	-	-	-	-	31	6	-	-	17	8	8	
Pneumonia (480-486)	3	3	-	-	-	-	-	30	6	-	-	16	8	8	
Influenza (487)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Remainder of diseases of respiratory system (470-478,492-519)	3	1	-	-	2	-	-	13	3	1	1	8	1	1	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	1	-	-	3	2	-	-	1	-	-	
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	3	1	-	-	2	-	-	4	-	1	1	1	2	2	
Remainder of diseases of digestive system (520-534,536-543,562-579)	2	1	-	-	1	-	-	9	3	1	1	4	1	1	
Congenital anomalies (740-759)	100	64	5	2	29	2	2	380	242	44	40	80	14	14	
Anencephalus and similar anomalies (740)	8	7	1	1	-	-	-	39	37	2	2	-	-	-	
Spina bifida (741)	1	-	-	-	1	-	-	3	2	-	-	1	-	-	
Congenital hydrocephalus (742.3)	2	-	-	-	2	-	-	10	5	2	2	2	1	1	
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	3	2	-	-	1	-	-	9	4	2	2	3	-	-	
Congenital anomalies of heart (745-746)	30	17	1	-	10	2	2	126	66	8	7	44	8	8	
Other congenital anomalies of circulatory system (747)	4	2	-	-	2	-	-	23	15	3	2	4	1	1	
Congenital anomalies of respiratory system (748)	9	8	-	-	1	-	-	48	30	15	14	3	-	-	
Congenital anomalies of digestive system (749-751)	1	-	-	-	1	-	-	7	2	1	1	4	-	-	
Congenital anomalies of genitourinary system (752-753)	6	6	-	-	-	-	-	19	16	3	3	-	-	-	
Congenital anomalies of musculoskeletal system (754-756)	11	8	2	1	1	-	-	27	23	2	1	2	-	-	
Down's syndrome (758.0)	2	1	-	-	1	-	-	2	-	-	-	2	-	-	
Other chromosomal anomalies (758.1-758.9)	19	9	1	-	9	-	-	34	17	4	4	10	3	3	
All other and unspecified congenital anomalies (744,757,759)	4	4	-	-	-	-	-	33	25	2	2	5	1	1	
Certain conditions originating in the perinatal period (760-779)	129	103	11	6	14	1	1	918	609	250	245	40	19	18	
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	5	4	1	1	-	-	-	
Newborn affected by maternal complications of pregnancy (761)	16	15	1	-	-	-	-	62	48	13	12	-	1	1	
Newborn affected by complications of placenta, cord, and membranes (762)	14	12	2	2	-	-	-	47	40	7	7	-	-	-	
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	1	1	-	-	-	-	-	
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	3	3	-	-	-	-	-	
Disorders relating to short gestation and unspecified low birthweight (765)	16	15	1	1	-	-	-	182	114	67	65	1	-	-	
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma (767)	1	1	-	-	-	-	-	24	20	3	3	1	-	-	
Intrauterine hypoxia and birth asphyxia (768)	6	4	-	-	2	-	-	49	31	15	15	3	-	-	
Fetal distress in liveborn infant (768.2-768.4)	-	-	-	-	-	-	-	23	14	8	8	1	-	-	
Birth asphyxia (768.5-768.9)	6	4	-	-	2	-	-	26	17	7	7	2	-	-	
Respiratory distress syndrome (769)	19	14	2	-	2	1	1	151	115	26	25	7	3	3	
Other respiratory conditions of newborn (770)	33	24	1	1	8	-	-	178	104	42	41	21	11	10	
Infections specific to the perinatal period (771)	4	3	-	-	1	-	-	43	26	14	14	2	1	1	
Neonatal hemorrhage (772)	1	1	-	-	-	-	-	23	19	4	4	-	-	-	
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	18	13	4	2	1	-	-	149	83	58	58	5	3	3	
Symptoms, signs, and ill-defined conditions (780-799)	108	10	1	-	87	10	4	214	11	6	6	123	74	73	
Sudden infant death syndrome (798.0)	105	9	1	-	86	9	3	204	7	5	5	120	72	71	
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	3	1	-	-	1	1	1	10	4	1	1	3	2	2	
Accidents and adverse effects (E800-E949)	13	1	-	-	12	-	-	26	1	2	1	21	2	2	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	1	-	-	-	1	-	-	6	1	-	-	5	-	-	
Accidental mechanical suffocation (E913)	4	-	-	-	4	-	-	5	-	-	-	-	-	-	
Other accidental causes and adverse effects (E800-E910,E914-E949)	8	1	-	-	7	-	-	15	-	2	1	11	2	2	
Homicide (E960-E969)	1	-	-	-	1	-	-	7	-	-	-	2	5	5	
Child battering and other maltreatment (E967)	1	-	-	-	-	-	-	1	-	-	-	-	1	1	
Other homicide (E960-E966,E968-E969)	1	-	-	-	1	-	-	6	-	-	-	2	4	4	
All other causes (Residual)	13	5	1	1	5	2	1	74	24	6	5	33	11	11	

SECTION 2 - INFANT MORTALITY - PAGE 94

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Rhode Island							South Carolina						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	107	69	9	8	26	3	2	738	207	312	309	96	123	123
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	6	-	-	-	-	6	6
Whooping cough (033)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Meningococcal infection (036)	-	-	-	-	-	-	-	5	-	-	-	3	2	2
Septicemia (038)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Viral diseases (045-079)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	1	-	-	-	-	-	7	1	-	-	1	5	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	3	1	-	-	2	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	2	-	-	-	-	2	2
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	6	-	1	1	-	5	5
Meningitis (320-322)	-	-	-	-	-	-	-	11	1	-	-	7	3	3
Other diseases of nervous system and sense organs (323-389) ..	2	-	-	-	2	-	-	1	-	-	-	1	-	-
Acute upper respiratory infections (460-465)	1	-	-	-	1	1	1	1	-	-	-	1	1	1
Bronchitis and bronchiolitis (466,490-491)	1	-	-	-	1	-	-	2	-	-	-	6	3	3
Pneumonia and influenza (480-487)	3	-	-	-	2	1	-	9	-	-	-	6	3	3
Pneumonia (480-486)	3	-	-	-	2	1	-	9	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	2	-	-	-	2	-	-	12	3	1	1	4	4	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	1	-	-	2	1	1	1	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-556)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	-	-	-	-	-	-	-	3	-	-	-	2	1	1
Congenital anomalies (740-759)	25	17	1	1	7	-	-	132	50	49	49	18	15	15
Anencephalus and similar anomalies (740)	1	1	-	-	-	-	-	8	5	3	3	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	3	-	-	-	3	-	-
Congenital hydrocephalus (742.3)	1	-	-	-	1	-	-	3	-	3	3	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	1	1	-	-	-	-	-	4	1	1	1	2	-	-
Congenital anomalies of heart (745-746)	7	2	-	-	5	-	-	44	12	15	15	8	9	9
Other congenital anomalies of circulatory system (747)	-	-	-	-	-	-	-	5	1	3	3	-	1	1
Congenital anomalies of respiratory system (748)	1	1	-	-	-	-	-	25	11	12	12	1	1	1
Congenital anomalies of digestive system (749-751)	1	1	-	-	-	-	-	2	-	-	-	-	2	2
Congenital anomalies of genitourinary system (752-753)	5	5	-	-	-	-	-	7	4	3	3	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	2	2	-	-	-	-	-	15	7	6	6	-	2	2
Down's syndrome (758.0)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other chromosomal anomalies (758.1-758.9)	3	1	1	1	1	-	-	5	3	1	1	1	-	-
All other and unspecified congenital anomalies (744,757,759) ..	3	3	-	-	-	-	-	10	6	2	2	2	-	-
Certain conditions originating in the perinatal period (760-779)	47	42	4	4	1	-	-	408	138	250	247	7	13	13
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2	2	-	-	-	-	-	2	1	1	1	-	-	-
Newborn affected by maternal complications of pregnancy (761)	4	4	-	-	-	-	-	32	15	16	16	-	1	1
Newborn affected by complications of placenta, cord, and membranes (762)	10	9	1	1	-	-	-	20	8	12	11	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	3	2	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	4	4	-	-	-	-	-	73	23	49	49	-	1	1
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	1	1	1	1	-	-	-	6	1	5	5	-	1	1
Intrauterine hypoxia and birth asphyxia (768)	5	4	1	1	-	-	-	27	15	11	10	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	-	-	-	-	-	-	-	4	3	1	-	-	-	-
Birth asphyxia (768.5-768.9)	5	4	1	1	-	-	-	23	12	10	10	-	-	-
Respiratory distress syndrome (769)	11	9	1	1	1	-	-	53	16	33	33	2	2	2
Other respiratory conditions of newborn (770)	-	-	-	-	-	-	-	75	18	46	46	4	7	7
Infections specific to the perinatal period (771)	7	7	-	-	-	-	-	16	4	11	11	-	1	1
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	8	3	5	5	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	3	1	1	1	1	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	2	2	-	-	-	-	-	90	31	59	58	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	15	8	3	2	4	-	-	63	4	3	3	20	36	36
Sudden infant death syndrome (780.0)	4	1	-	-	3	-	-	59	2	3	3	20	34	34
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	11	7	3	2	1	-	-	4	2	-	-	-	2	2
Accidents and adverse effects (E800-E949)	3	-	-	-	3	-	-	25	2	2	2	8	13	13
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	11	1	1	1	3	6	6
Accidental mechanical suffocation (E913)	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	2	-	-	-	2	-	-	13	1	1	1	4	7	7
Homicide (E960-E969)	2	-	-	-	2	-	-	8	1	1	1	3	3	3
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Other homicide (E960-E966,E968-E969)	2	-	-	-	2	-	-	7	1	1	1	3	2	2
All other causes (Residual)	4	1	1	1	1	1	1	30	5	4	4	12	9	9

SECTION 2 - INFANT MORTALITY - PAGE 95

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Dakota								Tennessee						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months			
		White	All other		White	All other			White	All other		White	All other		
			Total	Black		Total	Black			Total	Black		Total	Black	
All causes	120	55	10	-	35	20	-	759	279	224	224	174	82	82	
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	6	-	-	-	4	2	2	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Septicemia (038)	1	-	-	-	1	-	-	5	-	-	-	1	4	4	
Viral diseases (045-079)	-	-	-	-	-	-	-	3	1	-	-	1	1	1	
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	-	-	1	-	-	2	1	-	-	1	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis (320-322)	2	-	-	-	2	-	-	5	2	-	-	1	2	2	
Other diseases of nervous system and sense organs (323-389)	1	-	-	-	-	1	-	13	-	-	-	6	7	7	
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	1	-	-	-	1	-	-	10	3	1	1	4	2	2	
Pneumonia (480-486)	1	-	-	-	1	-	-	10	3	1	1	4	2	2	
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of diseases of respiratory system (470-478,492-519)	1	-	-	-	-	1	-	5	-	-	-	3	2	2	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	1	-	-	3	-	-	-	2	1	1	
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	2	-	1	1	-	1	1	
Remainder of diseases of digestive system (520-534,536-543,562-579)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies (740-759)	18	15	1	-	1	1	-	150	76	34	34	33	7	7	
Anencephalus and similar anomalies (740)	-	-	-	-	-	-	-	9	7	2	2	-	-	-	
Spina bifida (741)	-	-	-	-	-	-	-	3	-	-	-	3	-	-	
Congenital hydrocephalus (742.3)	2	2	-	-	-	-	-	2	1	1	1	-	-	-	
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	-	-	-	-	-	-	-	8	6	-	-	1	1	1	
Congenital anomalies of heart (745-746)	5	4	1	-	-	-	-	46	13	14	14	15	4	4	
Other congenital anomalies of circulatory system (747)	1	1	-	-	-	-	-	14	7	4	4	3	-	-	
Congenital anomalies of respiratory system (748)	4	3	-	-	-	1	-	11	6	3	3	2	-	-	
Congenital anomalies of digestive system (749-751)	-	-	-	-	-	-	-	2	1	-	-	1	-	-	
Congenital anomalies of genitourinary system (752-753)	2	2	-	-	-	-	-	16	12	4	4	-	-	-	
Congenital anomalies of musculoskeletal system (754-756)	2	2	-	-	-	-	-	14	12	2	2	-	-	-	
Down's syndrome (758.0)	1	-	-	-	1	-	-	1	-	-	-	1	-	-	
Other chromosomal anomalies (758.1-758.9)	1	1	-	-	-	-	-	9	4	-	-	3	2	2	
All other and unspecified congenital anomalies (744,757,759)	-	-	-	-	-	-	-	15	7	4	4	4	-	-	
Certain conditions originating in the perinatal period (760-779)	48	35	8	-	5	-	-	370	180	166	166	17	7	7	
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Newborn affected by maternal complications of pregnancy (761)	6	5	1	-	-	-	-	19	9	10	10	-	-	-	
Newborn affected by complications of placenta, cord, and membranes (762)	2	2	-	-	-	-	-	15	11	4	4	-	-	-	
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Disorders relating to short gestation and unspecified low birthweight (765)	7	4	2	-	1	-	-	40	18	22	22	-	-	-	
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma (767)	-	-	-	-	-	-	-	7	3	4	4	-	-	-	
Intrauterine hypoxia and birth asphyxia (768)	6	5	-	-	1	-	-	21	7	11	11	3	-	-	
Fetal distress in liveborn infant (768.2-768.4)	5	4	-	-	1	-	-	3	1	2	2	-	-	-	
Birth asphyxia (768.5-768.9)	1	1	-	-	-	-	-	18	6	9	9	3	-	-	
Respiratory distress syndrome (769)	8	4	2	-	2	-	-	71	45	18	18	7	1	1	
Other respiratory conditions of newborn (770)	10	8	1	-	1	-	-	77	27	37	37	7	6	6	
Infections specific to the perinatal period (771)	2	1	1	-	-	-	-	22	13	9	9	-	-	-	
Neonatal hemorrhage (772)	2	2	-	-	-	-	-	7	2	5	5	-	-	-	
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	3	3	-	-	-	-	-	
Syndrome of "Infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	5	4	1	-	-	-	-	86	40	46	46	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	29	2	-	-	18	9	-	128	4	11	11	75	38	38	
Sudden infant death syndrome (798.0)	28	2	-	-	18	8	-	123	4	11	11	71	37	37	
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	1	-	-	-	-	1	-	5	-	-	-	4	1	1	
Accidents and adverse effects (E800-E949)	3	-	-	-	1	2	-	14	3	2	2	6	3	3	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	3	-	1	1	1	1	1	
Accidental mechanical suffocation (E913)	-	-	-	-	-	-	-	5	1	1	1	2	1	1	
Other accidental causes and adverse effects (E800-E910,E914-E949)	3	-	-	-	1	2	-	6	2	-	-	3	1	1	
Homicide (E960-E969)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
All other causes (Residual)	13	3	1	-	4	5	-	41	8	9	9	19	5	5	

SECTION 2 - INFANT MORTALITY - PAGE 96

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Texas							Utah						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	3,014	1,491	412	394	847	264	250	360	196	8	1	149	7	-
Certain intestinal infections (008-009)	7	-	-	-	4	3	3	1	1	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	-	-	-	3	2	2	1	-	-	-	1	-	-
Septicemia (038)	36	-	-	-	27	9	9	5	-	-	-	5	-	-
Viral diseases (045-079)	9	-	1	1	6	2	1	2	-	-	-	2	-	-
Congenital syphilis (090)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	13	-	-	-	11	2	2	2	-	-	-	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10	1	1	1	7	1	1	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	4	-	-	3	-	-	2	1	-	-	1	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	3	-	-	-	3	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	16	1	1	1	9	5	5	5	-	-	-	5	-	-
Other diseases of nervous system and sense organs (323-389) ..	41	-	-	-	34	7	7	4	1	-	-	3	-	-
Acute upper respiratory infections (460-465)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	10	-	2	2	5	3	3	2	-	-	-	2	-	-
Pneumonia and influenza (480-487)	48	7	2	2	30	9	9	12	3	1	-	6	2	-
Pneumonia (480-486)	48	7	2	2	30	9	9	11	3	1	-	6	1	-
Influenza (487)	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Remainder of diseases of respiratory system (470-478,492-519)	41	2	1	1	29	9	9	1	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	-	-	1	1	1	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	7	-	1	1	6	-	-	1	-	-	-	1	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	16	2	1	1	7	6	6	1	-	-	-	-	1	-
Congenital anomalies (740-759)	662	437	60	56	144	21	20	70	52	2	-	16	-	-
Anencephalus and similar anomalies (740)	61	56	4	2	1	-	-	6	6	-	-	-	-	-
Spina bifida (741)	5	4	-	-	1	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	21	7	2	2	10	2	2	2	-	-	-	2	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	19	11	2	2	6	-	-	4	1	-	-	3	-	-
Congenital anomalies of heart (745-746)	192	102	14	13	65	11	10	20	14	1	-	5	-	-
Other congenital anomalies of circulatory system (747)	43	27	5	5	10	1	1	3	3	-	-	-	-	-
Congenital anomalies of respiratory system (748)	82	72	6	6	2	2	2	9	9	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	12	3	1	1	8	-	-	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	34	28	3	3	3	-	-	4	4	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	51	39	8	8	4	-	-	6	4	1	-	1	-	-
Down's syndrome (758.0)	6	2	-	-	2	2	2	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	76	43	7	6	23	3	3	11	8	-	-	3	-	-
All other and unspecified congenital anomalies (744,757,759) ...	60	43	8	8	9	-	-	5	3	-	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	1,376	946	321	308	86	23	23	146	130	5	1	10	1	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	5	3	2	2	-	-	-	1	1	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	62	47	15	15	-	-	-	10	10	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	52	38	12	12	-	2	2	15	15	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	221	120	97	95	3	1	1	16	15	1	1	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	27	22	3	3	1	1	1	1	1	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	96	77	14	14	5	-	-	9	9	-	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	23	20	2	2	1	-	-	2	2	-	-	-	-	-
Birth asphyxia (768.5-768.9)	73	57	12	12	4	-	-	7	7	-	-	-	-	-
Respiratory distress syndrome (769)	277	197	47	47	31	2	2	36	33	1	-	2	-	-
Other respiratory conditions of newborn (770)	285	198	41	36	33	13	13	31	24	1	-	5	1	-
Infections specific to the perinatal period (771)	87	64	17	17	5	1	1	10	9	-	-	1	-	-
Neonatal hemorrhage (772)	36	27	9	9	-	-	-	3	3	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	9	4	2	1	2	1	1	1	-	-	-	1	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	1	-	-	-	-	-	1	-	-	-	1	-	-
Hemorrhagic disease of newborn (776.0)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	214	144	62	57	6	2	2	12	10	2	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	402	29	10	10	265	98	92	81	3	-	-	76	2	-
Sudden infant death syndrome (798.0)	298	18	7	7	204	69	65	79	2	-	-	75	2	-
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	104	11	3	3	61	29	27	2	1	-	-	1	-	-
Accidents and adverse effects (E800-E949)	92	8	1	1	65	18	15	10	-	-	-	10	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	18	3	1	1	11	3	3	1	-	-	-	1	-	-
Accidental mechanical suffocation (E913)	14	-	-	-	13	1	1	1	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	60	5	-	-	41	14	11	8	-	-	-	8	-	-
Homicide (E960-E969)	22	5	2	2	10	5	5	1	-	-	-	1	-	-
Child battering and other maltreatment (E967)	7	-	-	-	5	2	2	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	15	5	2	2	5	3	3	1	-	-	-	-	-	-
All other causes (Residual)	184	46	8	7	90	40	37	12	5	-	-	6	1	-

SECTION 2 - INFANT MORTALITY - PAGE 97

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Vermont							Virginia						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	68	43	-	-	25	-	-	989	411	284	278	175	119	113
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Septicemia (038)	-	-	-	-	-	-	-	6	-	-	-	2	4	4
Viral diseases (045-079)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	-	-	-	-	-	-	-	3	-	-	-	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	4	1	-	-	-	3	3
Other diseases of nervous system and sense organs (323-389) ..	1	-	-	-	1	-	-	9	-	-	-	4	5	4
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	4	-	-	-	2	2	2
Pneumonia and influenza (480-487)	3	1	-	-	2	-	-	10	2	2	2	2	4	4
Pneumonia (480-486)	3	1	-	-	2	-	-	10	2	2	2	2	4	4
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	1	-	-	-	1	-	-	9	-	1	1	6	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	-	-	-	-	-	-	-	3	-	-	-	1	2	2
Remainder of diseases of digestive system (520-534,536-543,562-579)	-	-	-	-	-	-	-	5	1	-	-	1	3	2
Congenital anomalies (740-759)	19	14	-	-	5	-	-	186	110	37	35	30	9	9
Anencephalus and similar anomalies (740)	2	2	-	-	-	-	-	10	8	2	2	-	-	-
Spina bifida (741)	-	-	-	-	-	-	-	3	1	1	1	1	-	-
Congenital hydrocephalus (742.3)	-	-	-	-	-	-	-	3	3	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	-	-	-	-	-	-	-	5	2	1	1	2	-	-
Congenital anomalies of heart (745-746)	4	1	-	-	3	-	-	61	29	5	5	18	9	9
Other congenital anomalies of circulatory system (747)	1	1	-	-	-	-	-	24	14	9	9	1	-	-
Congenital anomalies of respiratory system (748)	3	3	-	-	-	-	-	25	16	8	7	1	-	-
Congenital anomalies of digestive system (749-751)	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	1	1	-	-	-	-	-	13	8	5	5	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	1	1	-	-	-	-	-	12	10	1	1	1	-	-
Down's syndrome (758.0)	1	1	-	-	-	-	-	2	1	-	-	1	-	-
Other chromosomal anomalies (758.1-758.9)	6	4	-	-	2	-	-	9	7	2	1	-	-	-
All other and unspecified congenital anomalies (744,757,759) ...	-	-	-	-	-	-	-	17	9	3	3	5	-	-
Certain conditions originating in the perinatal period (760-779)	27	26	-	-	1	-	-	533	270	231	228	18	14	14
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	1	1	-	-	-	-	-	46	21	25	25	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	4	4	-	-	-	-	-	18	12	6	6	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	8	3	5	5	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	2	2	-	-	-	-	-	122	57	64	62	-	1	1
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	1	1	-	-	-	-	-	28	18	9	8	1	-	-
Fetal distress in liveborn infant (768.2-768.4)	-	-	-	-	-	-	-	4	3	1	1	-	-	-
Birth asphyxia (768.5-768.9)	1	1	-	-	-	-	-	24	15	8	7	1	-	-
Respiratory distress syndrome (769)	12	11	-	-	1	-	-	79	48	22	22	7	2	2
Other respiratory conditions of newborn (770)	3	3	-	-	-	-	-	106	49	37	37	10	10	10
Infections specific to the perinatal period (771)	1	1	-	-	-	-	-	25	18	6	6	-	1	1
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	7	4	3	3	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1	1	-	-	-	-	-	90	36	54	54	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	8	-	-	-	8	-	-	127	9	6	5	65	47	44
Sudden infant death syndrome (798.0)	8	-	-	-	8	-	-	113	5	4	4	59	45	42
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	-	-	-	-	-	-	-	14	4	2	1	6	2	2
Accidents and adverse effects (E800-E949)	1	-	-	-	1	-	-	19	1	2	2	10	6	6
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	5	1	-	-	4	-	-
Accidental mechanical suffocation (E913)	-	-	-	-	-	-	-	6	-	1	1	2	3	3
Other accidental causes and adverse effects (E800-E910,E914-E949)	1	-	-	-	1	-	-	8	-	1	1	4	3	3
Homicide (E960-E969)	-	-	-	-	-	-	-	4	-	1	1	1	2	2
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	3	-	1	1	1	1	1
All other causes (Residual)	7	2	-	-	5	-	-	59	15	4	4	25	15	14

SECTION 2 - INFANT MORTALITY - PAGE 98

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Washington							West Virginia						
	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
		White	All other		White	All other			White	All other		White	All other	
			Total	Black		Total	Black			Total	Black		Total	Black
All causes	752	389	46	26	280	37	15	259	162	15	15	77	5	5
Certain intestinal infections (008-009)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	2	-	-	1	-	-	-	1	-	-
Septicemia (038)	3	-	-	-	3	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	2	-	-	-	1	1	1	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	2	-	-	-	1	1	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	2	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	1	-	1	1	1	-	-	-	-	4	-	-
Other diseases of nervous system and sense organs (323-389) ..	7	1	-	-	6	-	-	4	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	1	-	-	-	1	-	-	2	-	-	-	2	-	-
Pneumonia and influenza (480-487)	9	-	-	-	9	-	-	3	-	-	-	3	-	-
Pneumonia (480-486)	9	-	-	-	9	-	-	3	-	-	-	3	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	11	3	-	-	8	-	-	8	1	-	-	7	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	3	1	-	-	2	-	-	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	4	-	-	-	1	3	3	1	1	-	-	-	-	-
Congenital anomalies (740-759)	153	109	9	5	33	2	-	66	52	1	1	13	-	-
Anencephalus and similar anomalies (740)	16	15	1	1	-	-	-	7	7	-	-	-	-	-
Spina bifida (741)	4	3	-	-	1	-	-	2	2	-	-	-	-	-
Congenital hydrocephalus (742.3)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	6	4	1	-	1	-	-	2	2	-	-	-	-	-
Congenital anomalies of heart (745-746)	47	32	1	-	14	-	-	20	14	-	-	6	-	-
Other congenital anomalies of circulatory system (747)	12	7	-	-	4	1	-	5	4	-	-	1	-	-
Congenital anomalies of respiratory system (748)	18	14	-	-	4	-	-	13	11	-	-	2	-	-
Congenital anomalies of digestive system (749-751)	1	-	-	-	1	-	-	2	1	-	-	1	-	-
Congenital anomalies of genitourinary system (752-753)	11	10	1	1	-	-	-	1	1	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	12	11	1	-	-	-	-	4	2	1	1	1	-	-
Down's syndrome (758.0)	3	1	-	-	1	1	-	1	1	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	14	6	3	2	5	-	-	5	3	-	-	2	-	-
All other and unspecified congenital anomalies (744,757,759) ...	8	6	1	1	1	-	-	4	4	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	297	243	33	19	18	3	2	122	100	14	14	8	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	19	18	-	-	-	1	1	9	9	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	16	14	2	2	-	-	-	4	3	1	1	-	-	-
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Slow fetal growth and fetal malnutrition (764)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	40	37	3	3	-	-	-	16	14	2	2	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	7	6	1	-	-	-	-	1	1	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	22	18	2	1	2	-	-	12	11	-	-	1	-	-
Fetal distress in liveborn infant (768.2-768.4)	3	3	-	-	-	-	-	4	3	-	-	1	-	-
Birth asphyxia (768.5-768.9)	19	15	2	1	2	-	-	8	8	-	-	-	-	-
Respiratory distress syndrome (769)	73	56	13	8	4	-	-	27	20	3	3	4	-	-
Other respiratory conditions of newborn (770)	73	56	6	3	9	2	1	19	14	2	2	3	-	-
Infections specific to the perinatal period (771)	16	14	1	-	1	-	-	9	8	1	1	-	-	-
Neonatal hemorrhage (772)	3	3	-	-	-	-	-	8	7	1	1	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	27	21	5	2	1	-	-	16	13	3	3	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	200	16	2	2	159	23	7	32	3	-	-	27	2	2
Sudden infant death syndrome (798.0)	199	15	2	2	159	23	7	27	2	-	-	24	1	1
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	1	1	-	-	-	-	-	5	1	-	-	3	1	1
Accidents and adverse effects (E800-E949)	12	3	-	-	7	2	1	7	1	-	-	5	1	1
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Accidental mechanical suffocation (E913)	3	-	-	-	2	1	-	2	-	-	-	2	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	9	3	-	-	5	1	1	4	1	-	-	2	1	1
Homicide (E960-E969)	4	1	-	-	3	-	-	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	3	1	-	-	2	-	-	-	-	-	-	-	-	-
All other causes (Residual)	34	10	1	-	22	1	-	11	2	-	-	7	2	2

SECTION 2 - INFANT MORTALITY - PAGE 99

Table 2-17. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, by Race: United States and Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Wisconsin								Wyoming							
	All races, under 1 year	Under 28 days				28 days-11 months			All races, under 1 year	Under 28 days				28 days-11 months		
		White	All other		White	All other		White		All other		White	All other			
			Total	Black		Total	Black			Total	Black		Total	Black		
All causes	674	342	73	66	216	43	33	114	57	3	1	51	3	-		
Certain intestinal infections (008-009)	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
Septicemia (038)	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
Viral diseases (045-079)	2	-	-	-	2	-	-	-	-	-	-	-	-	-		
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	-	-	-	1	1	-	-	-	-	-	1	-		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3	-	-	-	3	-	-	1	-	-	-	-	-	-		
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cystic fibrosis (277.0)	2	-	-	-	2	-	-	1	-	-	-	1	-	-		
Diseases of blood and blood-forming organs (280-289)	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
Meningitis (320-322)	8	1	-	-	7	-	-	-	-	-	-	-	-	-		
Other diseases of nervous system and sense organs (323-389) ..	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
Acute upper respiratory infections (460-465)	2	-	-	-	2	-	-	-	-	-	-	-	-	-		
Bronchitis and bronchiolitis (466,490-491)	10	2	1	1	4	3	3	-	-	-	-	-	-	-		
Pneumonia and influenza (480-487)	10	2	1	1	4	3	3	-	-	-	-	-	-	-		
Pneumonia (480-486)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza (487)	9	1	-	-	6	2	1	3	-	-	-	3	-	-		
Remainder of diseases of respiratory system (470-478,492-519)	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	-	-	-	2	1	-	-	-	-	-	-	-		
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	3	-	-	-	3	-	-	1	-	-	-	1	-	-		
Remainder of diseases of digestive system (520-534,536-543,562-579)	163	110	16	13	37	-	-	20	14	1	-	5	-	-		
Congenital anomalies (740-759)	18	17	1	-	-	-	-	1	1	-	-	-	-	-		
Anencephalus and similar anomalies (740)	3	2	-	-	1	-	-	1	1	-	-	-	-	-		
Spina bifida (741)	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital hydrocephalus (742.3)	6	4	1	1	1	-	-	-	-	-	-	-	-	-		
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	55	33	6	5	16	-	-	10	5	1	-	4	-	-		
Congenital anomalies of heart (745-746)	12	5	4	4	3	-	-	2	1	-	-	1	-	-		
Other congenital anomalies of circulatory system (747)	21	13	3	2	5	-	-	2	2	-	-	-	-	-		
Congenital anomalies of respiratory system (748)	3	2	-	-	1	-	-	1	1	-	-	-	-	-		
Congenital anomalies of digestive system (749-751)	8	7	-	-	1	-	-	-	-	-	-	-	-	-		
Congenital anomalies of genitourinary system (752-753)	9	7	-	-	2	-	-	1	1	-	-	-	-	-		
Congenital anomalies of musculoskeletal system (754-756)	3	-	-	-	3	-	-	-	-	-	-	-	-	-		
Down's syndrome (758.0)	8	6	-	-	-	-	-	1	1	-	-	-	-	-		
Other chromosomal anomalies (758.1-758.9)	15	12	1	1	2	-	-	1	1	-	-	-	-	-		
All other and unspecified congenital anomalies (744,757,759) ...	277	214	53	49	10	-	-	45	41	2	1	2	-	-		
Certain conditions originating in the perinatal period (760-779)	4	4	-	-	-	-	-	-	-	-	-	-	-	-		
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	35	22	13	13	-	-	-	3	3	-	-	-	-	-		
Newborn affected by maternal complications of pregnancy (761)	22	17	5	5	-	-	-	7	7	-	-	-	-	-		
Newborn affected by complications of placenta, cord, and membranes (762)	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Slow fetal growth and fetal malnutrition (764)	35	29	6	6	-	-	-	5	5	-	-	-	-	-		
Disorders relating to short gestation and unspecified low birthweight (765)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Disorders relating to long gestation and high birthweight (766)	5	5	-	-	-	-	-	-	-	-	-	-	-	-		
Birth trauma (767)	36	29	6	6	1	-	-	5	5	-	-	-	-	-		
Intrauterine hypoxia and birth asphyxia (768)	3	1	1	1	1	-	-	3	3	-	-	-	-	-		
Fetal distress in liveborn infant (768.2-768.4)	33	28	5	5	-	-	-	2	2	-	-	-	-	-		
Birth asphyxia (768.5-768.9)	41	35	3	2	3	-	-	4	4	-	-	-	-	-		
Respiratory distress syndrome (769)	54	37	11	10	6	-	-	12	10	1	1	1	-	-		
Other respiratory conditions of newborn (770)	15	12	3	2	-	-	-	5	4	1	-	-	-	-		
Infections specific to the perinatal period (771)	4	4	-	-	-	-	-	-	-	-	-	-	-	-		
Neonatal hemorrhage (772)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hemorrhagic disease of newborn (776.0)	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	23	17	6	5	-	-	-	4	3	-	-	-	1	-		
Symptoms, signs, and ill-defined conditions (780-799)	134	6	-	-	101	27	22	31	-	-	-	29	2	-		
Sudden infant death syndrome (798.0)	132	6	-	-	100	26	21	28	-	-	-	27	1	-		
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	2	-	-	-	1	1	1	3	-	-	-	2	1	-		
Accidents and adverse effects (E800-E949)	11	-	-	-	9	2	1	5	-	-	-	4	1	-		
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	4	-	-	-	2	2	1	-	-	-	-	-	-	-		
Accidental mechanical suffocation (E913)	1	-	-	-	1	-	-	1	-	-	-	1	-	-		
Other accidental causes and adverse effects (E800-E910,E914-E949)	6	-	-	-	6	-	-	4	-	-	-	3	1	-		
Homicide (E960-E969)	2	2	-	-	-	-	-	1	-	-	-	1	-	-		
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other homicide (E960-E966,E968-E969)	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
All other causes (Residual)	37	4	3	3	24	6	4	6	2	-	-	4	-	-		

SECTION 2 - INFANT MORTALITY - PAGE 100

Table 2-18. Infant Deaths by Specified Hispanic Origin and Race for Non-Hispanic Origin: 22 Reporting States and the District of Columbia, 1985

[For discussion of completeness of reporting and comparability of data among the States see Technical Appendix]

State	All origins	Hispanic						Non-Hispanic			Not stated ²
		Total	Mexican	Puerto Rican	Cuban	Central and South American	Other and unknown Hispanic	Total ¹	White	Black	
Arizona	577	128	122	-	-	-	6	443	346	28	6
Arkansas	409	-	-	-	-	-	-	356	258	96	53
California	4,490	1,242	935	14	8	97	188	3,057	2,041	701	191
Colorado	519	58	16	-	-	-	42	456	398	43	5
District of Columbia	205	4	-	-	-	-	4	172	11	161	29
Georgia	1,222	3	1	-	-	-	2	1,174	553	617	45
Hawaii	162	22	1	11	-	1	9	139	33	17	1
Illinois	2,123	115	73	13	2	3	24	1,875	1,078	786	133
Indiana	883	21	13	-	-	-	8	807	650	155	55
Kansas	369	9	7	-	-	1	1	299	258	36	61
Maine	154	-	-	-	-	-	-	102	101	1	52
Mississippi	596	-	-	-	-	-	-	546	187	355	50
Nebraska	246	4	3	-	-	-	1	226	194	24	16
Nevada	130	7	5	-	-	1	9	87	72	13	36
New Jersey	1,119	111	1	71	8	22	9	807	442	358	201
New Mexico ³	295	121	10	1	-	-	110	174	122	10	-
New York	2,791	310	4	172	4	28	102	1,913	1,186	679	568
North Dakota	100	-	-	-	-	-	-	94	83	1	6
Ohio	1,660	9	1	4	-	-	4	1,447	1,081	357	204
Tennessee	759	2	2	-	-	-	-	540	333	207	217
Texas	3,014	884	830	5	3	15	31	2,081	1,419	630	49
Utah	360	22	18	-	-	-	4	333	319	1	5
Wyoming	114	4	1	-	-	-	3	105	100	1	5

¹ Includes races other than white and black.

² Includes infant deaths that occurred in States that did not report Hispanic origin on the death certificate.

³ Figures for "Not stated" origin are included in total Non-Hispanic; see Technical Appendix.

SECTION 2 - INFANT MORTALITY - PAGE 101

Table 2-19. Infant, Neonatal, and Postneonatal Deaths and Mortality Rates, by Specified Hispanic Origin and Race for Non-Hispanic Origin: Total of 17 Reporting States and the District of Columbia, 1985

[Rates per 1,000 live births in specified group. Live births based on origin of mother. For a listing of reporting States see Technical Appendix]

Age	All origins	Hispanic					Non-Hispanic			Not Stated ³
		Total	Mexican	Puerto Rican	Cuban	Other Hispanic ¹	Total ²	White	Black	
NUMBER										
Total, under 1 year	19,840	2,835	2,025	219	17	574	15,523	10,195	4,688	1,482
Under 28 days	12,848	1,775	1,247	128	14	386	9,911	6,574	2,975	1,162
28 days to 11 months	6,992	1,060	778	91	3	188	5,612	3,621	1,713	320
RATE										
Total, under 1 year	10.4	8.6	8.5	8.1	7.6	8.9	10.2	8.9	16.8	...
Under 28 days	6.8	5.4	5.2	4.8	6.3	6.0	6.5	5.7	10.7	...
28 days to 11 months	3.7	3.2	3.3	3.4	1.3	2.9	3.7	3.2	6.1	...

¹ Includes Central and South American and other and unknown Hispanic.

² Includes races other than white and black.

³ Includes infant deaths that occurred in States that did not report Hispanic origin on the death certificate.

SECTION 2 - INFANT MORTALITY - PAGE 102

Table 2-20. Infant Deaths from 61 Selected Causes, by Specified Hispanic Origin and Race for Non-Hispanic Origin: Total of 17 Reporting States and the District of Columbia, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death	All origins	Hispanic						Non-Hispanic			Not stated ²
		Total	Mexican	Puerto Rican	Cuban	Central and South American	Other and unknown Hispanic	Total ¹	White	Black	
All causes	19,840	2,835	2,025	219	17	145	429	15,523	10,195	4,688	1,482
Respiratory infections (008-009)	58	8	6	-	-	1	1	49	25	21	1
Crouping cough (033)	-	-	-	-	-	-	-	-	-	-	-
Pneumococcal infection (036)	35	4	3	-	-	-	1	29	20	8	2
Sepsis (038)	156	29	19	4	-	4	2	113	64	47	14
Neonatal diseases (045-079)	57	8	6	1	-	-	1	47	36	7	2
Neonatal syphilis (090)	4	2	2	-	-	-	-	1	-	-	1
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	67	16	14	-	-	2	-	46	30	13	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	57	7	5	-	-	-	2	44	33	9	6
Malign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	6	5	-	-	1	-	26	21	4	-
Diseases of thymus gland (254)	3	1	1	-	-	-	-	2	2	-	-
Stic fibrosis (277.0)	6	-	-	-	-	-	-	6	6	-	-
Diseases of blood and blood-forming organs (280-289)	40	7	6	-	-	1	-	32	16	13	1
Leukemia (280-282)	116	20	16	-	1	-	3	89	44	36	7
Other diseases of nervous system and sense organs (323-389)	214	37	28	4	-	-	5	171	120	40	6
Acute upper respiratory infections (460-465)	43	2	-	1	-	1	-	39	20	18	2
Tracheitis and bronchitis (466,490-491)	57	9	6	-	-	3	-	48	37	10	-
Pneumonia and influenza (480-487)	388	68	47	8	-	3	10	304	179	113	16
Pneumonia (480-486)	383	68	47	8	-	3	10	299	177	111	16
Influenza (487)	5	-	-	-	-	-	-	5	2	2	-
Remainder of diseases of respiratory system (470-478,492-519)	253	32	20	2	-	4	6	212	126	77	9
Obstruction of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	6	5	1	-	-	-	25	17	7	7
Stirritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	52	12	10	-	-	-	2	36	18	15	4
Remainder of diseases of digestive system (520-534,536-543,562-579)	115	19	15	2	1	-	1	84	42	35	12
Neonatal anomalies (740-759)	4,280	692	479	53	2	46	112	3,247	2,495	594	321
Neurocephalus and similar anomalies (740)	355	76	57	6	-	4	9	253	208	24	26
Spina bifida (741)	43	13	10	-	-	1	2	29	21	8	1
Neonatal hydrocephalus (742.3)	107	24	16	2	-	3	3	79	50	23	4
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	148	21	17	-	-	1	3	118	93	19	9
Neonatal anomalies of heart (745-746)	1,287	204	139	21	1	12	31	983	753	179	100
Other congenital anomalies of circulatory system (747)	333	56	36	5	-	2	13	253	177	70	24
Neonatal anomalies of respiratory system (748)	519	61	42	3	-	4	12	418	328	74	40
Neonatal anomalies of digestive system (749-751)	73	13	6	-	-	2	5	49	42	6	11
Neonatal anomalies of genitourinary system (752-753)	252	31	18	2	-	1	10	202	165	33	19
Neonatal anomalies of musculoskeletal system (754-756)	319	49	31	3	-	6	9	240	197	33	30
Down's syndrome (758.0)	38	6	3	1	1	-	1	29	21	7	3
Other chromosomal anomalies (758.1-758.9)	421	76	63	2	-	5	6	324	244	60	21
All other and unspecified congenital anomalies (744,757,759)	365	62	41	8	-	5	8	270	196	58	33
Maternal conditions originating in the perinatal period (760-779)	9,336	1,263	910	81	10	62	200	7,202	4,487	2,474	871
Stillborn affected by maternal conditions which may be unrelated to present pregnancy (760)	59	10	8	1	-	1	-	36	21	13	13
Stillborn affected by maternal complications of pregnancy (761)	602	65	48	4	-	2	11	498	324	166	39
Stillborn affected by complications of placenta, cord, and membranes (762)	401	45	35	3	1	1	5	324	229	85	32
Stillborn affected by other complications of labor and delivery (763)	44	4	2	-	-	-	2	37	29	8	3
Low fetal growth and fetal malnutrition (764)	14	2	2	-	-	-	-	9	6	3	3
Disorders relating to short gestation and unspecified low birthweight (765)	1,587	198	124	14	4	8	48	1,216	619	558	173
Disorders relating to long gestation and high birthweight (766)	1	-	-	-	-	-	-	1	-	-	-
Birth trauma (767)	149	20	15	2	-	1	2	112	71	36	17
Intrauterine hypoxia and birth asphyxia (768)	547	85	67	5	-	5	8	429	266	147	33
Fetal distress in liveborn infant (768.2-768.4)	111	17	14	1	-	-	2	89	58	27	5
Birth asphyxia (768.5-768.9)	436	68	53	4	-	5	6	340	208	120	28
Respiratory distress syndrome (769)	1,892	263	199	16	2	10	36	1,444	1,009	387	185
Other respiratory conditions of newborn (770)	1,868	260	191	16	1	8	44	1,438	941	442	170
Infections specific to the perinatal period (771)	466	62	46	2	1	5	8	378	244	128	26
Neonatal hemorrhage (772)	192	30	20	2	-	2	6	145	79	63	17
Emphysema of newborn, due to isoimmunization, and other perinatal asphyxia (773-774)	29	5	5	-	-	-	-	21	13	6	3
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	4	1	1	-	-	-	-	3	1	2	-
Neonatal hemorrhage (776.0)	2	1	1	-	-	-	-	1	1	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	1,479	212	146	16	1	19	30	1,110	634	430	157
Symptoms, signs, and ill-defined conditions (780-799)	2,906	370	268	44	2	10	46	2,430	1,559	762	106
Sudden infant death syndrome (798.0)	2,529	315	231	30	2	10	42	2,133	1,411	624	81
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	377	55	37	14	-	-	4	297	148	138	25
Accidents and adverse effects (E800-E949)	477	71	57	4	-	2	8	377	255	108	29
Asphyxiation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	90	16	15	-	-	-	1	69	43	24	5
Accidental mechanical suffocation (E913)	83	11	8	1	-	-	2	71	57	14	1
Other accidental causes and adverse effects (E800-E910,E914-E949)	304	44	34	3	-	2	5	237	155	70	23
Accidents (E960-E969)	103	11	5	3	-	1	2	86	50	33	6
Child battering and other maltreatment (E967)	33	4	4	-	-	-	-	29	19	10	-
Other homicide (E960-E966,E968-E969)	70	7	1	3	-	1	2	57	31	23	6
Other causes (Residual)	967	135	92	11	1	4	27	778	493	244	54

Includes races other than white and black.

Includes infant deaths that occurred in States that did not report Hispanic origin on the death certificate.

SECTION 2 - INFANT MORTALITY - PAGE 103

Table 2-21. Infant Mortality Rates for 61 Selected Causes, by Specified Hispanic Origin and Race for Non-Hispanic Origin: Total of 17 Reporting States and the District of Columbia, 1985

[Rates are deaths under 1 year per 100,000 live births in specified group. Live births based on origin of mother. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. For a listing of reporting States see Technical Appendix]

Cause of death	All origins ¹	Hispanic					Non-Hispanic		
		Total	Mexican	Puerto Rican	Cuban	Other Hispanic ²	Total ³	White	Black
All causes	1,043.0	856.8	852.4	814.6	* 759.3	893.8	1,021.7	891.3	1,678.3
Certain intestinal infections (008-009)	3.0	* 2.4	* 2.5	-	-	* 3.1	3.2	2.2	7.5
Whooping cough (033)	1.8	* 1.2	* 1.3	-	-	* 1.6	1.9	1.7	* 2.9
Meningococcal infection (036)	8.2	8.8	* 8.0	* 14.9	-	* 9.3	7.4	5.6	16.8
Septicemia (038)	3.0	* 2.4	* 2.5	* 3.7	-	* 1.6	3.1	3.1	* 2.5
Viral diseases (045-079)	* 2	* 6	* 8	-	-	-	* 1	-	-
Congenital syphilis (090)	3.5	* 4.8	* 5.9	-	-	* 3.1	3.0	2.6	* 4.7
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	3.0	* 2.1	* 2.1	-	-	* 3.1	2.9	2.9	* 3.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1.7	* 1.8	* 2.1	-	-	* 1.6	1.7	1.8	* 1.4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	* 2	* 3	* 4	-	-	-	* 1	* 2	-
Diseases of thymus gland (254)	* 3	-	-	-	-	-	* 4	* 5	-
Cystic fibrosis (277.0)	2.1	* 2.1	* 2.5	-	-	* 1.6	2.1	* 1.4	* 4.7
Diseases of blood and blood-forming organs (280-289)	6.1	6.0	* 6.7	-	* 44.7	* 4.7	5.9	3.8	12.9
Meningitis (320-322)	11.3	11.2	11.8	* 14.9	-	* 7.8	11.3	10.5	14.3
Other diseases of nervous system and sense organs (323-389)	2.3	* 6	-	* 3.7	-	* 1.6	2.6	1.7	* 6.4
Acute upper respiratory infections (460-465)	3.0	* 2.7	* 2.5	-	-	* 4.7	3.2	3.2	* 3.6
Bronchitis and bronchiolitis (466,490-491)	20.4	20.6	19.8	* 29.8	-	* 20.2	20.0	15.6	40.5
Pneumonia and influenza (480-487)	20.1	20.6	19.8	* 29.8	-	* 20.2	19.7	15.5	39.7
Influenza (487)	* 3	-	-	-	-	-	* 3	* 2	* 7
Remainder of diseases of respiratory system (470-478,492-519)	13.3	9.7	8.4	* 7.4	-	* 15.6	14.0	11.0	27.6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2.0	* 1.8	* 2.1	* 3.7	-	-	1.6	* 1.5	* 2.5
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2.7	* 3.6	* 4.2	-	-	* 3.1	2.4	* 1.6	* 5.4
Remainder of diseases of digestive system (520-534,536-543,562-579)	6.0	* 5.7	* 6.3	* 7.4	* 44.7	* 1.6	5.5	3.7	12.5
Congenital anomalies (740-759)	224.0	209.1	201.6	197.1	* 89.3	246.0	213.7	218.1	212.7
Anencephalus and similar anomalies (740)	18.7	23.0	24.0	* 22.3	-	* 20.2	16.7	18.2	8.6
Spina bifida (741)	2.3	* 3.9	* 4.2	-	-	* 4.7	1.9	1.8	* 2.9
Congenital hydrocephalus (742.3)	5.6	7.3	* 6.7	* 7.4	-	* 9.3	5.2	4.4	8.2
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	7.8	6.3	* 7.2	-	-	* 6.2	7.8	8.1	* 6.8
Congenital anomalies of heart (745-746)	67.7	61.7	58.5	78.1	* 44.7	67.0	64.7	65.8	64.1
Other congenital anomalies of circulatory system (747)	17.5	16.9	15.2	* 18.6	-	* 23.4	16.7	15.5	25.1
Congenital anomalies of respiratory system (748)	27.3	18.4	17.7	* 11.2	-	* 24.9	27.5	28.7	26.5
Congenital anomalies of digestive system (749-751)	3.8	* 3.9	* 2.5	-	-	* 10.9	3.2	3.7	* 2.1
Congenital anomalies of genitourinary system (752-753)	13.2	9.4	* 7.6	* 7.4	-	* 17.1	13.3	14.4	11.8
Congenital anomalies of musculoskeletal system (754-756)	16.8	14.8	13.0	* 11.2	-	* 23.4	15.8	17.2	11.8
Down's syndrome (758.0)	2.0	* 1.8	* 1.3	* 3.7	* 44.7	* 1.6	1.9	1.8	* 2.5
Other chromosomal anomalies (758.1-758.9)	22.1	23.0	26.5	* 7.4	-	* 17.1	21.3	21.3	21.5
All other and unspecified congenital anomalies (744,757,759)	19.2	18.7	17.3	* 29.8	-	* 20.2	17.8	17.1	20.8
Certain conditions originating in the perinatal period (760-779)	490.8	381.7	383.1	301.3	* 446.6	408.0	474.0	392.3	885.7
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	3.1	* 3.0	* 3.4	* 3.7	-	* 1.6	2.4	1.8	* 4.7
Newborn affected by maternal complications of pregnancy (761)	31.6	19.6	20.2	* 14.9	-	* 20.2	32.8	28.3	59.4
Newborn affected by complications of placenta, cord, and membranes (762)	21.1	13.6	14.7	* 11.2	* 44.7	* 9.3	21.3	20.0	30.4
Newborn affected by other complications of labor and delivery (763)	2.3	* 1.2	* 1.8	-	-	* 3.1	2.4	2.5	* 2.9
Slow fetal growth and fetal malnutrition (764)	* 7	* 6	* 8	-	-	-	* 6	* 5	* 1.1
Disorders relating to short gestation and unspecified low birthweight (765)	83.4	59.8	52.2	* 52.1	* 178.7	87.2	80.0	54.1	199.8
Disorders relating to long gestation and high birthweight (766)	* 1	-	-	-	-	-	* 1	-	-
Birth trauma (767)	7.8	6.0	* 6.3	* 7.4	-	* 4.7	7.4	6.2	12.9
Intrauterine hypoxia and birth asphyxia (768)	28.8	25.7	28.2	* 18.6	-	* 20.2	28.2	23.3	52.6
Fetal distress in liveborn infant (768.2-768.4)	5.8	* 5.1	* 5.9	* 3.7	-	* 3.1	5.9	5.1	9.7
Birth asphyxia (768.5-768.9)	22.9	20.6	22.3	* 14.9	-	* 17.1	22.4	18.2	43.0
Respiratory distress syndrome (769)	99.5	79.5	83.8	* 59.5	* 89.3	71.6	95.0	88.2	138.5
Other respiratory conditions of newborn (770)	98.2	78.6	80.4	* 59.5	* 44.7	81.0	94.6	82.3	158.2
Infections specific to the perinatal period (771)	24.5	18.7	19.4	* 7.4	* 44.7	* 20.2	24.9	21.3	45.8
Neonatal hemorrhage (772)	10.1	9.1	8.4	* 7.4	-	* 12.5	9.5	6.9	22.6
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1.5	* 1.5	* 2.1	-	-	-	1.4	* 1.1	* 2.1
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	* 2	* 3	* 4	-	-	-	* 2	* 1	* 7
Hemorrhagic disease of newborn (776.0)	* 1	* 3	* 4	-	-	-	* 1	* 1	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	77.8	64.1	61.5	* 59.5	* 44.7	76.3	73.1	55.4	153.9
Symptoms, signs, and ill-defined conditions (780-799)	152.8	111.8	112.8	163.7	* 89.3	87.2	159.9	136.3	272.8
Sudden infant death syndrome (798.0)	133.0	95.2	97.2	111.6	* 89.3	81.0	140.4	123.4	223.4
Symptoms, signs, and all other ill-defined conditions (780-797, 798.1-799)	19.8	16.6	15.6	* 52.1	-	* 6.2	19.5	12.9	49.4
Accidents and adverse effects (E800-E949)	25.1	21.5	24.0	* 14.9	-	* 15.6	24.8	22.3	38.7
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	4.7	* 4.8	* 6.3	-	-	* 1.6	4.5	3.8	8.6
Accidental mechanical suffocation (E913)	4.4	* 3.3	* 3.4	* 3.7	-	* 3.1	4.7	5.0	* 5.0
Other accidental causes and adverse effects (E800-E910,E914-E949)	16.0	13.3	14.3	* 11.2	-	* 10.9	15.6	13.6	25.1
Homicide (E960-E969)	5.4	* 3.3	* 2.1	* 11.2	-	* 4.7	5.7	4.4	11.8
Child battering and other maltreatment (E967)	1.7	* 1.2	* 1.7	-	-	-	1.9	* 1.7	* 3.6
Other homicide (E960-E966,E968-E969)	3.7	* 2.1	* 4	* 11.2	-	* 4.7	3.8	2.7	8.2
All other causes (Residual)	50.8	40.8	38.7	* 40.9	* 44.7	48.3	51.2	43.1	87.4

¹ Figures for origin not stated included in "All origins" but not distributed among origins.

² Includes Central and South American and other and unknown Hispanic.

³ Includes races other than white and black.

⁴ Rate based on less than 20 infant deaths.

Section 3. Fetal Mortality

Page		Page
3-1.	Fetal deaths by period of gestation and State of occurrence: United States and each State, 1985 -----	1
3-2.	Fetal deaths and fetal-death ratios by race: United States, 1942-85 -----	2
3-3.	Number and percent distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1985-----	3
3-4.	Fetal deaths and fetal-death ratios, by marital status, age of mother, and race: Total of 42 reporting areas, 1985 -----	4
3-5.	Fetal deaths and fetal-death rates, by plurality of birth, race, and sex: United States, 1985 -----	5
3-6.	Fetal deaths by period of gestation and race, and fetal-death ratios by race, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1985 -----	6
3-7.	Fetal-death ratios by race: United States, each division and State, 1981-85 -----	8
3-8.	Fetal deaths by State of occurrence distributed according to resident status: United States and each State, 1985 -----	9
3-9.	Fetal deaths by month and race: United States and each State, 1985 -----	12
3-10.	Fetal deaths by sex, total-birth order, race, and age of mother: United States, 1985 -----	15
3-11.	Fetal deaths by age of mother and race: United States and each State, 1985 -----	17
3-12.	Fetal deaths by total-birth order and race: United States and each State, 1985-----	20
3-13.	Fetal deaths by place of delivery, gestation group, and race: United States and each State, 1985 -----	23
3-14.	Fetal deaths by birth weight, plurality of birth, race, and sex: United States, 1985-----	26
3-15.	Fetal deaths by period of gestation, plurality of birth, race, and sex: United States, 1985 -----	27
3-16.	Fetal deaths by birth weight and race for the United States and each State; and by sex for the United States: 1985 -----	28
3-17.	Fetal deaths by period of gestation and race for the United States and each State; and by sex for the United States: 1985 -----	31
3-18.	Fetal deaths by birth weight, period of gestation, and race: United States, 1985 -----	34

SECTION 3 - FETAL MORTALITY - PAGE 1

Table 3-1. Fetal Deaths by Period of Gestation and State of Occurrence: United States and Each State, 1985

[Data by place of occurrence include fetal deaths that occur to nonresidents. Minimum period of gestation for which fetal death reporting is required varies by reporting area; see Technical Appendix]

Area	Total fetal deaths	Period of gestation ¹														
		Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks	42 weeks and over	Not stated
United States	59,690	803	5,289	11,546	7,033	3,478	5,541	3,960	3,269	3,927	1,229	3,983	1,546	961	1,299	5,826
Alabama	664	-	4	-	3	12	154	87	89	98	30	101	32	20	30	4
Alaska	85	-	-	-	-	2	8	8	8	7	2	9	2	2	1	36
Arizona	420	1	-	-	-	9	80	46	62	59	25	66	25	17	18	12
Arkansas	283	1	-	-	-	2	23	20	31	34	12	33	12	11	15	89
California	3,211	-	1	2	7	58	373	354	318	429	130	445	141	129	157	667
Colorado	2,827	79	397	925	543	247	130	92	52	49	15	67	30	18	21	162
Connecticut	330	1	2	-	1	5	63	30	30	24	9	19	20	8	5	113
Delaware	67	-	-	1	1	2	10	11	11	9	4	9	5	1	-	3
District of Columbia	216	-	1	-	-	6	33	24	21	12	4	14	4	6	1	90
Florida	1,415	-	2	1	-	4	175	159	146	162	35	136	46	38	60	451
Georgia	6,811	160	1,033	2,134	1,346	591	422	211	126	130	61	129	53	17	46	352
Hawaii	1,530	45	244	529	363	119	67	22	17	24	4	11	8	6	5	66
Idaho	121	-	-	1	-	1	14	20	10	21	5	22	10	6	8	3
Illinois	1,461	-	2	1	7	26	160	169	138	172	62	196	69	55	71	333
Indiana	602	-	-	-	5	17	53	59	48	65	34	56	43	16	38	168
Iowa	247	-	-	-	-	5	46	37	22	32	10	45	18	10	20	2
Kansas	273	-	-	-	-	5	32	25	27	34	8	41	9	5	13	74
Kentucky	459	2	-	-	3	11	77	70	68	70	18	58	31	14	20	17
Louisiana	774	1	3	1	6	16	94	85	86	115	25	102	22	17	34	167
Maine	103	1	1	-	-	1	20	13	14	11	8	9	11	1	4	9
Maryland	505	-	-	-	-	15	54	33	40	54	9	40	8	10	8	234
Massachusetts	552	-	-	1	2	11	88	79	58	83	26	81	28	20	27	48
Michigan	857	-	1	2	1	14	159	133	109	135	38	136	68	18	39	4
Minnesota	453	-	-	-	-	2	28	34	31	41	9	40	15	14	18	221
Mississippi	538	1	1	2	4	27	125	80	66	74	28	63	27	12	17	11
Missouri	556	1	-	-	1	16	127	80	66	63	22	83	34	17	25	21
Montana	90	-	-	-	1	1	9	14	8	16	5	19	8	4	2	3
Nebraska	200	-	-	-	-	6	22	22	24	27	12	24	14	7	9	33
Nevada	105	-	-	-	1	3	18	15	18	10	6	11	9	3	4	7
New Hampshire	93	-	1	-	-	-	18	16	8	12	4	19	1	8	6	-
New Jersey	798	1	-	1	6	13	63	78	58	72	19	69	17	31	31	339
New Mexico	161	-	-	-	-	4	8	23	12	20	9	15	15	1	2	52
New York	15,490	291	2,301	5,187	3,008	1,142	735	416	260	296	78	341	101	62	102	1,170
New York excluding New York City	10,091	191	1,675	3,761	2,120	710	425	213	140	140	39	190	64	39	54	330
New York City	5,399	100	626	1,426	888	432	310	203	120	156	39	151	37	23	48	840
North Carolina	783	2	-	1	3	21	154	120	89	128	33	105	43	24	26	34
North Dakota	83	-	-	-	1	2	14	11	7	16	5	12	8	1	2	4
Ohio	1,235	1	-	1	1	14	235	160	160	187	67	193	87	43	44	42
Oklahoma	379	-	-	-	1	2	22	41	20	33	10	35	8	15	13	179
Oregon	254	-	-	-	1	3	49	34	29	38	14	32	16	14	24	-
Pennsylvania	1,798	2	5	5	23	326	381	223	170	208	61	205	77	45	56	11
Rhode Island	761	15	95	289	170	81	33	12	15	15	3	22	7	1	2	1
South Carolina	573	-	2	-	5	20	134	79	96	72	19	71	27	21	23	4
South Dakota	83	-	-	-	1	1	7	6	8	16	8	14	16	2	2	2
Tennessee	550	-	1	-	1	8	49	71	65	118	35	90	45	31	28	8
Texas	2,368	-	3	9	23	70	419	304	277	355	107	373	168	86	119	55
Utah	271	-	-	-	1	5	63	43	27	41	10	53	12	9	6	1
Vermont	56	-	-	-	-	-	9	10	4	9	6	9	1	3	2	3
Virginia	7,035	198	1,187	2,452	1,489	509	301	146	116	104	29	112	36	17	36	303
Washington	413	-	1	-	2	4	51	39	22	25	14	37	14	15	22	167
West Virginia	220	-	-	-	-	11	29	22	18	23	10	34	10	5	7	51
Wisconsin	469	-	1	1	2	7	93	67	55	71	27	71	28	21	25	-
Wyoming	62	-	-	-	-	1	10	7	9	8	5	6	7	4	5	-

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 2

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Race: United States, 1942-85

[Fetal deaths for 1969-85 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Beginning 1970 excludes fetal deaths occurring to nonresidents of the United States; see Technical Appendix. Ratios per 1,000 live births in specified group]

Year	Number			Ratio		
	All races	White	All other	All races	White	All other
1985	29,661	20,954	8,707	7.9	7.0	11.3
1984	30,099	21,497	8,602	8.2	7.4	11.5
1983	30,752	21,650	9,102	8.5	7.5	12.4
1982	32,694	23,316	9,378	8.9	7.9	12.7
1981	32,596	23,364	9,232	9.0	8.0	12.8
1980	33,353	23,766	9,587	9.2	8.2	13.4
1979	32,969	23,489	9,480	9.4	8.4	13.8
1978	32,301	22,696	9,605	9.7	8.5	14.7
1977	33,053	23,628	9,425	9.9	8.8	14.8
1976	33,111	23,987	9,124	10.5	9.3	15.2
1975	33,796	24,309	9,487	10.7	9.5	16.0
1974	36,281	26,365	9,916	11.5	10.2	17.0
1973	38,309	27,433	10,876	12.2	10.8	18.6
1972	41,380	29,611	11,769	12.7	11.2	19.5
1971	47,818	34,308	13,510	13.4	11.8	21.2
1970	52,961	38,481	14,480	14.2	12.4	22.6
1969	50,749	37,091	13,658	14.1	12.4	22.5
1968	55,293	40,206	15,087	15.8	13.8	25.6
1967	54,934	39,500	15,434	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,859	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963	64,640	45,495	17,075	15.8	13.7	26.7
1962	66,421	47,326	17,128	15.9	13.9	26.7
1961	68,767	50,728	18,039	16.1	14.1	27.0
1960	68,480	50,894	17,586	16.1	14.1	26.8
1959	68,613	50,911	17,702	16.2	14.2	27.3
1958	69,355	51,969	17,386	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.3	14.5	26.8
1956	68,659	51,865	16,794	16.5	14.6	27.2
1955	69,153	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,393	53,252	16,141	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,262	52,319	15,943	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,838	56,232	16,606	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	59,494	15,355	22.8	20.4	40.9
1945	65,513	51,242	14,271	23.9	21.4	42.0
1944	68,374	---	---	24.5	---	---
1943	71,873	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

¹ Figures by race exclude data for residents of New Jersey; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 3

Table 3-3. Number and Percent Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation:
Selected Areas Combined, 1985

[Includes only fetal deaths that occur to residents of selected areas in the United States which report all periods of gestation; see Technical Appendix]

Age of mother	Period of gestation ¹							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	33,512	26,327	5,169	2,016	100.0	100.0	100.0	100.0
Under 15 years	93	61	26	6	0.3	0.2	0.5	0.3
15-19 years	3,417	2,495	666	256	10.2	9.5	12.9	12.7
20-24 years	8,267	6,346	1,423	498	24.7	24.1	27.5	24.7
25-29 years	9,668	7,679	1,432	557	28.8	29.2	27.7	27.6
30-34 years	7,497	6,050	1,061	386	22.4	23.0	20.5	19.1
35-39 years	3,592	2,904	450	238	10.7	11.0	8.7	11.8
40-44 years	905	732	103	70	2.7	2.8	2.0	3.5
45-49 years	73	60	8	5	.2	.2	.2	.2

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 4

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Marital Status, Age of Mother, and Race: Total of 42 Reporting Areas, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. For list of States reporting marital status of women see Technical Appendix]

Age of mother and race	Number			Ratio		
	Total	Married women ¹	Unmarried women	Total	Married women ¹	Unmarried women
All races	18,648	12,890	5,758	8.1	7.2	11.6
Under 15 years	118	7	111	17.9	17.0	17.9
15-19 years	2,808	979	1,829	9.5	8.0	10.6
20-24 years	5,592	3,638	1,954	7.9	6.9	10.7
25-29 years	5,086	4,033	1,053	8.1	6.3	12.2
30-34 years	3,344	2,826	518	11.4	10.5	14.7
35-39 years	1,398	1,158	240	18.6	17.6	20.0
40 years and over	302	249	53			25.6
White	12,855	10,552	2,303	7.1	6.7	9.7
Under 15 years	28	3	25	12.4	8.2	13.2
15-19 years	1,590	830	760	8.2	7.5	9.1
20-24 years	3,735	2,954	781	6.8	6.4	8.9
25-29 years	3,727	3,326	401	6.1	5.9	9.9
30-34 years	2,513	2,315	198	7.2	7.0	11.9
35-39 years	1,033	922	111	10.3	9.8	18.2
40 years and over	229	202	27	18.0	17.4	24.7
All other	5,793	2,338	3,455	12.2	10.9	13.3
Under 15 years	90	4	86	20.7	83.3	20.0
15-19 years	1,218	149	1,069	12.1	12.2	12.1
20-24 years	1,857	684	1,173	11.7	10.7	12.3
25-29 years	1,359	707	652	11.3	9.5	14.3
30-34 years	831	511	320	12.9	11.2	17.2
35-39 years	365	236	129	16.6	14.7	21.9
40 years and over	73	47	26	20.8	18.5	26.7
Black	5,229	1,947	3,282	13.4	12.8	13.7
Under 15 years	88	4	84	21.1	125.0	20.3
15-19 years	1,154	129	1,025	12.7	15.1	12.4
20-24 years	1,707	594	1,113	12.6	12.5	12.6
25-29 years	1,204	590	614	12.7	11.1	14.6
30-34 years	715	412	303	15.1	13.5	18.0
35-39 years	299	179	120	19.1	17.1	23.2
40 years and over	62	39	23	25.3	23.8	28.2

¹ Includes marital status of women not stated.

SECTION 3 - FETAL MORTALITY - PAGE 5

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Race, and Sex: United States, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.
Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and race	Number				Rate ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
All races	29,661	14,988	13,303	1,370	7.8	8.1	7.6
Fetal deaths in single deliveries	27,412	13,873	12,267	1,272	7.4	7.6	7.1
Fetal deaths in twin deliveries	2,158	1,070	991	97	27.2	28.2	26.3
Fetal deaths in other plural deliveries	91	45	45	1	45.1	46.5	43.8
White	20,954	10,567	9,485	902	7.0	7.1	6.8
Fetal deaths in single deliveries	19,227	9,706	8,689	832	6.5	6.7	6.3
Fetal deaths in twin deliveries	1,656	830	757	69	27.1	28.2	26.0
Fetal deaths in other plural deliveries	71	31	39	1	41.8	37.4	46.0
All other	8,707	4,421	3,818	468	11.2	11.8	10.6
Fetal deaths in single deliveries	8,185	4,167	3,578	440	10.8	11.4	10.1
Fetal deaths in twin deliveries	502	240	234	28	27.6	28.0	27.2
Fetal deaths in other plural deliveries	20	14	6	-	62.9	88.1	37.7
Black	7,738	3,926	3,386	426	12.6	13.3	11.8
Fetal deaths in single deliveries	7,274	3,695	3,178	401	12.1	12.8	11.4
Fetal deaths in twin deliveries	449	220	204	25	28.8	30.0	27.6
Fetal deaths in other plural deliveries	15	11	4	-	57.0	85.3	29.9

¹ Figures for sex not stated are distributed.

SECTION 3 - FETAL MORTALITY - PAGE 6

Table 3-6. Fetal Deaths by Period of Gestation and Race, and Fetal-Death Ratios by Race, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area and race	Fetal deaths								Fetal-death ratios
	Total	Period of gestation ¹							
		20-27 weeks	28 weeks and over	28-31 weeks	32-36 weeks	37-41 weeks	42 weeks and over	Not stated	
United States	29,661	9,494	16,205	3,268	5,154	6,484	1,299	3,962	7.9
White	20,954	6,397	11,987	2,240	3,695	5,012	1,040	2,570	7.0
All other	8,707	3,097	4,218	1,028	1,459	1,472	259	1,392	11.3
Black	7,738	2,837	3,668	921	1,287	1,242	218	1,233	12.7
Urban places	17,800	5,730	9,424	1,931	3,102	3,663	728	2,646	8.1
White	11,480	3,477	6,433	1,210	2,046	2,627	550	1,570	7.1
All other	6,320	2,253	2,991	721	1,056	1,036	178	1,076	10.9
Black	5,710	2,089	2,648	657	947	886	158	973	12.2
Balance of area	11,861	3,764	6,781	1,337	2,052	2,821	571	1,316	7.6
White	9,474	2,920	5,554	1,030	1,649	2,385	490	1,000	6.9
All other	2,387	844	1,227	307	403	436	81	316	12.6
Black	2,028	748	1,020	264	340	356	60	260	14.5
Metropolitan counties	22,368	7,195	11,911	2,475	3,798	4,708	930	3,262	7.8
White	15,432	4,730	8,660	1,664	2,692	3,577	727	2,042	6.8
All other	6,936	2,465	3,251	811	1,106	1,131	203	1,220	11.0
Black	6,222	2,269	2,855	733	990	957	175	1,098	12.3
Urban places	16,161	5,173	8,520	1,765	2,790	3,310	655	2,468	8.1
White	10,279	3,103	5,736	1,083	1,822	2,345	486	1,440	7.0
All other	5,882	2,070	2,784	682	968	965	169	1,028	10.8
Black	5,310	1,916	2,463	622	869	822	150	931	12.1
Balance of area	6,207	2,022	3,391	710	1,008	1,398	275	794	7.0
White	5,153	1,627	2,924	581	870	1,232	241	602	6.5
All other	1,054	395	467	129	138	166	34	192	11.9
Black	912	353	392	111	121	135	25	167	13.9
Nonmetropolitan counties	7,293	2,299	4,294	793	1,356	1,776	369	700	8.3
White	5,522	1,667	3,327	576	1,003	1,435	313	528	7.5
All other	1,771	632	967	217	353	341	56	172	12.9
Black	1,516	568	813	188	297	285	43	135	14.7
Urban places	1,639	557	904	166	312	353	73	178	8.6
White	1,201	374	697	127	224	282	64	130	7.8
All other	438	183	207	39	88	71	9	48	12.3
Black	400	173	185	35	78	64	8	42	13.8
Balance of area	5,654	1,742	3,390	627	1,044	1,423	296	522	8.3
White	4,321	1,293	2,630	449	779	1,153	249	398	7.4
All other	1,333	449	760	178	265	270	47	124	13.1
Black	1,116	395	628	153	219	221	35	93	15.0
New England	1,197	383	649	128	209	266	46	165	6.7
White	1,036	320	570	107	181	236	46	146	6.4
All other	161	63	79	21	28	30	-	19	9.9
Black	148	59	70	17	25	28	-	19	11.7
Metropolitan counties	1,030	340	541	106	175	220	40	149	6.8
White	872	277	464	86	147	191	40	131	6.4
All other	158	63	77	20	28	29	-	18	10.0
Black	145	59	68	16	25	27	-	18	11.8
Nonmetropolitan counties	167	43	108	22	34	46	6	16	6.2
White	164	43	106	21	34	45	6	15	6.5
All other	3	-	2	1	-	1	-	1	5.5
Black	3	-	2	1	-	1	-	1	11.2
Middle Atlantic	4,783	1,904	2,360	490	736	946	188	519	9.1
White	3,361	1,298	1,772	344	536	746	146	291	8.2
All other	1,422	606	588	146	200	200	42	228	12.4
Black	1,334	562	552	138	192	182	40	220	13.3
Metropolitan counties	4,297	1,711	2,088	442	644	831	171	498	9.3
White	2,890	1,109	1,507	298	447	633	129	274	8.2
All other	1,407	602	581	144	197	198	42	224	12.5
Black	1,323	559	548	138	189	181	40	216	13.4
Nonmetropolitan counties	486	193	272	48	92	115	17	21	7.8
White	471	189	265	46	89	113	17	17	7.8
All other	15	4	7	2	3	2	-	4	7.9
Black	11	3	4	-	3	1	-	4	8.1
East North Central	4,595	1,314	2,718	514	870	1,114	220	563	7.2
White	3,412	939	2,109	367	665	898	179	364	6.5
All other	1,183	375	609	147	205	216	41	199	10.9
Black	1,111	361	560	141	192	192	35	190	11.3
Metropolitan counties	3,666	1,052	2,138	416	678	887	157	476	7.3
White	2,527	690	1,549	273	477	682	117	288	6.4
All other	1,139	362	589	143	201	205	40	188	10.9
Black	1,078	351	548	139	190	184	35	179	11.2
Nonmetropolitan counties	929	262	580	98	192	227	63	87	7.1
White	885	249	560	94	188	216	62	76	7.0
All other	44	13	20	4	4	11	1	11	10.7
Black	33	10	12	2	2	8	-	11	13.3
West North Central	1,814	473	990	183	294	425	88	351	6.6
White	1,547	393	855	153	251	367	84	299	6.3
All other	267	80	135	30	43	58	4	52	9.1
Black	209	71	101	26	30	41	4	37	10.5
Metropolitan counties	1,005	262	508	112	156	198	42	235	6.5
White	806	199	413	88	128	159	38	194	6.1
All other	199	63	95	24	28	39	4	41	9.0
Black	178	61	85	23	24	34	4	32	10.2
Nonmetropolitan counties	809	211	482	71	138	227	46	116	6.8
White	741	194	442	65	123	208	46	105	6.6
All other	68	17	40	6	15	19	-	11	9.6
Black	31	10	16	3	6	7	-	5	13.1

SECTION 3 - FETAL MORTALITY - PAGE 7

Table 3-6. Fetal Deaths by Period of Gestation and Race, and Fetal-Death Ratios by Race, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area and race	Fetal deaths								Fetal-death ratios
	Total	Period of gestation ¹							
		20-27 weeks	28 weeks and over	28-31 weeks	32-36 weeks	37-41 weeks	42 weeks and over	Not stated	
South Atlantic	5,767	2,112	2,787	661	894	1,023	209	868	9.6
White	3,282	1,135	1,703	366	508	684	145	444	7.9
All other	2,485	977	1,084	295	386	339	64	424	13.7
Black	2,435	955	1,058	286	376	332	64	422	14.4
Metropolitan counties	4,029	1,426	1,867	464	602	660	141	736	9.3
White	2,268	758	1,152	259	352	445	96	358	7.5
All other	1,761	668	715	205	250	215	45	378	13.3
Black	1,724	652	696	199	243	209	45	376	14.0
Nonmetropolitan counties	1,738	686	920	197	292	363	68	132	10.5
White	1,014	377	551	107	156	239	49	86	8.7
All other	724	309	369	90	136	124	19	46	14.9
Black	711	303	362	87	133	123	19	46	15.4
East South Central	2,099	694	1,358	286	468	513	91	47	9.4
White	1,217	373	816	159	277	322	58	28	7.6
All other	882	321	542	127	191	191	33	19	14.2
Black	861	317	526	124	187	183	32	18	14.3
Metropolitan counties	1,019	357	645	132	233	236	44	17	8.6
White	579	190	379	73	144	136	26	10	6.8
All other	440	167	266	59	89	100	18	7	12.9
Black	431	165	260	58	87	97	18	6	13.0
Nonmetropolitan counties	1,080	337	713	154	235	277	47	30	10.4
White	638	183	437	86	133	186	32	18	8.4
All other	442	154	276	68	102	91	15	12	15.9
Black	430	152	266	66	100	86	14	12	15.8
West South Central	3,659	1,008	2,168	410	695	880	183	483	7.7
White	2,584	683	1,611	283	496	679	153	290	6.9
All other	1,075	325	557	127	199	201	30	193	10.6
Black	989	310	512	121	182	183	26	167	11.4
Metropolitan counties	2,642	764	1,571	306	493	648	124	307	7.4
White	1,879	527	1,175	207	352	510	106	177	6.7
All other	763	237	396	99	141	138	18	130	10.0
Black	707	226	367	94	132	125	16	114	10.8
Nonmetropolitan counties	1,017	244	597	104	202	232	59	176	8.5
White	705	156	436	76	144	169	47	113	7.4
All other	312	88	161	28	58	63	12	63	12.4
Black	282	84	145	27	50	58	10	53	13.2
Mountain	1,707	601	1,005	197	307	434	67	101	7.3
White	1,493	526	881	165	264	394	58	86	7.2
All other	214	75	124	32	43	40	9	15	8.0
Black	81	42	36	10	17	9	-	3	9.8
Metropolitan counties	1,083	411	619	136	196	256	31	53	7.2
White	957	358	553	117	174	232	30	46	7.0
All other	126	53	66	19	22	24	1	7	8.7
Black	73	38	32	8	15	9	-	3	10.1
Nonmetropolitan counties	624	190	386	61	111	178	36	48	7.4
White	536	168	328	48	90	162	28	40	7.4
All other	88	22	58	13	21	16	8	8	7.3
Black	8	4	4	2	2	-	-	-	7.9
Pacific	4,040	1,005	2,170	399	681	883	207	865	6.6
White	3,022	730	1,670	296	517	686	171	622	6.3
All other	1,018	275	500	103	164	197	36	243	7.9
Black	570	160	253	58	86	92	17	157	10.9
Metropolitan counties	3,597	872	1,934	361	621	772	180	791	6.5
White	2,654	622	1,468	263	471	589	145	564	6.2
All other	943	250	466	98	150	183	35	227	7.9
Black	563	158	251	58	85	91	17	154	11.0
Nonmetropolitan counties	443	133	236	38	60	111	27	74	7.2
White	368	108	202	33	46	97	26	58	7.2
All other	75	25	34	5	14	14	1	16	7.6
Black	7	2	2	-	1	1	-	3	7.1

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 8

Table 3-7. Fetal-Death Ratios by Race: United States, Each Division and State, 1981-85

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group]

Division and State	1985			1984			1983			1982			1981		
	All races	White	All other	All races	White	All other	All races	White	All other	All races	White	All other	All races	White	All other
United States	7.9	7.0	11.3	8.2	7.4	11.5	8.5	7.5	12.4	8.9	7.9	12.7	9.0	8.0	12.8
Geographic divisions:															
New England	6.7	6.4	9.9	7.1	6.9	9.6	6.6	6.2	11.0	7.6	7.2	12.2	7.5	7.2	10.3
Middle Atlantic	9.1	8.2	12.4	9.4	8.4	13.2	9.9	8.8	14.2	10.3	9.4	13.9	10.1	9.4	13.2
East North Central	7.2	6.5	10.9	7.3	6.5	11.1	7.5	6.9	10.7	8.0	7.3	11.7	8.2	7.5	11.9
West North Central	6.6	6.3	9.1	7.2	6.8	10.5	7.3	6.9	11.2	7.5	6.9	12.6	7.5	7.1	11.7
South Atlantic	9.6	7.9	13.7	10.1	8.4	14.1	10.7	8.5	15.7	11.1	9.1	15.7	11.4	9.5	15.8
East South Central	9.4	7.6	14.2	9.3	7.7	13.4	10.0	8.2	14.7	10.1	8.4	14.5	10.7	8.6	16.1
West South Central	7.7	6.9	10.6	8.3	7.6	11.1	8.1	7.1	11.7	8.4	7.7	11.3	8.3	7.6	11.2
Mountain	7.3	7.2	8.0	7.4	7.3	8.3	7.7	7.4	9.9	8.0	7.7	10.8	8.1	7.8	10.3
Pacific	6.6	6.3	7.9	6.8	6.6	7.4	7.0	6.8	8.0	7.7	7.4	8.8	7.8	7.4	9.3
New England:															
Maine	6.2	6.3	13.2	7.1	7.0	12.0	6.8	6.9	-	7.1	7.0	19.1	5.7	5.8	-
New Hampshire	5.9	6.0	-	6.2	6.4	-	5.9	6.0	-	6.9	6.9	14.2	6.9	6.8	13.5
Vermont	7.1	7.2	-	8.0	7.8	26.0	5.4	5.3	15.2	7.8	7.7	28.2	6.3	6.2	16.7
Massachusetts	6.5	6.0	10.3	7.1	6.7	10.9	6.8	6.4	11.1	7.6	7.1	11.9	7.3	6.9	11.0
Rhode Island	7.7	7.2	12.7	7.3	8.0	1.5	7.8	7.4	11.2	9.0	8.5	13.3	9.9	9.5	13.5
Connecticut	7.1	6.7	9.7	7.3	6.9	9.9	6.4	5.4	12.0	7.6	6.8	12.6	8.1	8.0	9.1
Middle Atlantic:															
New York	9.8	8.7	12.9	9.7	8.7	12.6	10.6	9.6	13.7	11.2	10.2	14.3	11.0	10.3	13.5
New Jersey	7.7	6.7	11.1	8.5	7.2	12.8	8.1	6.7	13.0	8.3	7.3	11.7	7.9	7.0	10.9
Pennsylvania	8.9	8.3	12.3	9.6	8.7	15.3	10.0	8.9	16.8	10.2	9.4	14.9	10.1	9.4	14.5
East North Central:															
Ohio	7.6	6.9	11.5	7.5	6.7	11.9	8.0	7.3	11.4	8.3	7.7	11.8	8.3	7.7	11.5
Indiana	7.3	6.9	10.6	7.5	7.1	10.8	7.8	7.1	13.1	8.1	7.6	11.8	8.3	7.7	12.8
Illinois	8.0	6.8	12.1	8.3	7.0	12.4	8.3	7.2	11.7	8.8	7.5	13.2	9.1	7.9	13.1
Michigan	6.2	5.9	7.7	6.0	5.5	8.3	6.2	6.0	7.4	6.9	6.5	8.7	7.3	6.8	9.9
Wisconsin	6.3	5.6	12.6	7.0	6.5	11.8	6.7	6.4	9.7	7.3	6.8	12.8	7.5	7.2	10.9
West North Central:															
Minnesota	6.6	6.5	7.7	7.0	6.7	10.9	6.8	6.6	10.9	6.3	6.3	7.2	6.8	6.5	11.9
Iowa	6.0	6.0	5.5	7.7	7.7	8.8	6.4	6.4	7.2	6.4	6.3	8.8	7.1	7.1	7.3
Missouri	6.8	6.1	10.1	7.3	6.6	10.6	8.0	7.4	11.5	8.5	7.5	13.7	8.4	7.4	13.2
North Dakota	5.5	5.5	6.3	6.6	6.4	8.7	6.9	6.5	12.2	6.9	6.3	13.2	7.6	7.3	10.8
South Dakota 2	6.3	5.9	8.0	7.7	7.1	10.9	7.6	6.8	11.6	7.8	6.9	13.0	6.7	6.1	10.4
Nebraska	7.3	7.2	1.0	7.2	6.9	10.9	7.7	7.5	10.6	8.5	7.8	17.4	7.9	7.9	9.0
Kansas	6.9	6.4	10.8	7.0	6.6	10.5	7.5	6.9	11.9	8.2	7.5	13.8	7.5	7.1	10.8
South Atlantic:															
Delaware	6.6	5.5	10.0	8.4	8.2	9.0	7.6	6.7	10.1	9.0	7.7	13.5	11.3	9.3	17.3
Maryland	8.1	6.4	11.4	9.2	7.5	12.6	8.6	7.1	11.8	9.0	6.6	13.8	9.3	7.9	12.2
District of Columbia	12.2	5.1	13.7	15.0	12.3	15.6	14.1	9.3	15.2	11.9	7.0	13.1	14.6	9.1	15.7
Virginia	10.6	8.9	15.2	10.6	9.0	15.2	11.5	9.2	17.9	12.3	10.4	17.7	12.5	10.6	17.4
West Virginia	8.1	7.8	13.7	8.5	8.4	10.4	9.9	9.8	11.4	10.1	10.1	9.5	9.6	9.6	11.3
North Carolina	8.5	7.2	11.6	8.9	7.9	11.2	9.7	7.9	13.8	10.1	8.5	13.3	10.2	8.3	14.3
South Carolina	10.9	8.0	15.3	12.1	9.3	16.4	12.0	8.6	17.1	12.8	9.1	18.1	12.2	8.9	17.0
Georgia	12.2	10.1	16.1	11.5	9.5	14.9	13.5	10.0	19.6	13.8	11.3	18.1	15.1	12.2	20.0
Florida	8.7	7.2	13.1	9.5	7.7	14.7	9.8	8.1	14.5	10.1	8.4	14.9	10.1	8.8	13.7
East South Central:															
Kentucky	8.5	8.0	13.2	7.9	7.4	12.5	8.7	7.9	15.9	8.9	8.6	11.5	9.5	9.0	13.8
Tennessee 2	7.4	6.7	9.8	7.6	7.2	8.9	7.7	7.2	9.5	8.2	7.4	11.0	8.8	7.7	12.5
Alabama	10.7	8.1	15.7	10.0	8.1	13.7	10.8	8.6	14.9	11.0	9.0	14.7	12.0	9.0	17.4
Mississippi	11.8	7.8	16.3	12.5	8.8	16.5	14.0	10.5	17.7	13.3	9.6	17.4	13.4	9.1	17.9
West South Central:															
Arkansas	8.0	6.7	12.3	7.4	6.5	10.2	7.3	6.4	9.9	7.0	6.2	9.2	8.2	6.4	13.4
Louisiana	9.2	6.7	12.8	9.0	7.1	11.9	9.0	6.6	12.9	10.1	7.8	13.8	9.6	7.4	13.1
Oklahoma	7.6	7.3	8.5	8.4	8.2	9.5	8.4	6.9	14.4	7.9	7.4	9.7	8.7	8.2	10.7
Texas	7.2	6.8	9.4	8.2	7.7	11.0	7.8	7.3	10.5	8.3	7.9	10.4	7.9	7.6	9.6
Mountain:															
Montana	7.0	6.6	9.6	7.9	8.0	7.7	6.9	6.5	9.9	6.4	6.1	8.8	6.0	5.8	7.9
Idaho	7.3	7.2	10.2	7.7	7.4	17.1	7.1	7.1	8.1	7.1	7.2	6.1	7.6	7.7	4.9
Wyoming	6.7	6.7	7.6	7.3	7.2	8.4	6.7	6.5	11.9	8.3	8.6	1.9	8.6	8.9	3.8
Colorado	8.9	8.8	9.9	9.3	9.1	12.3	9.4	9.3	11.4	9.9	9.7	11.7	10.4	10.1	13.8
New Mexico 2	5.9	6.0	5.7	6.8	7.1	5.4	7.6	7.4	9.0	7.8	7.3	10.0	6.9	6.6	8.3
Arizona	6.9	6.6	8.4	6.2	6.2	6.5	7.0	6.5	9.6	8.0	7.3	11.7	7.4	6.8	10.4
Utah	6.9	6.9	6.7	6.7	6.7	6.8	7.0	6.9	8.6	6.6	6.4	10.9	7.6	7.5	11.0
Nevada	6.6	6.4	7.3	6.9	5.8	12.2	8.2	7.6	10.8	7.8	6.9	11.9	8.4	7.8	11.0
Pacific:															
Washington	5.8	5.5	7.8	6.5	6.4	7.2	6.9	7.0	6.5	7.2	7.1	8.2	7.3	7.2	8.4
Oregon	6.1	6.3	9.4	6.6	6.6	6.7	6.7	6.7	6.9	6.4	6.5	5.5	7.1	6.9	8.9
California	6.7	6.3	7.9	6.8	6.7	7.4	6.9	6.7	8.0	7.7	7.5	8.6	7.8	7.5	9.3
Alaska	6.6	6.9	5.8	5.9	6.2	5.4	5.5	5.0	6.7	7.6	7.1	8.8	5.7	4.9	7.7
Hawaii	8.9	8.0	9.2	7.9	6.9	8.2	10.5	13.2	9.5	11.7	13.6	11.0	10.8	13.4	10.1

SECTION 3 - FETAL MORTALITY - PAGE 9

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to Resident Status: United States and Each State, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents]

State of occurrence	All fetal deaths occurring in State	Fetal deaths to residents of county of occurrence	Total fetal deaths to non-residents of county of occurrence	Fetal deaths to intra-state non-residents of county of occurrence	Fetal deaths to interstate nonresidents by State of residence													
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
United States	29,687	22,445	7,242	6,288	928	21	2	5	25	24	8	7	4	6	31	19	1	14
Alabama	645	457	188	162	25	...	-	-	-	-	-	-	-	-	8	8	-	-
Alaska	83	77	6	6	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona	410	366	44	39	3	-	-	...	-	2	-	-	-	-	-	-	-	-
Arkansas	280	176	104	82	22	-	-	-	...	-	1	-	-	-	-	-	-	-
California	3,143	2,780	363	340	19	-	-	3	-	...	-	-	-	-	1	-	-	-
Colorado	493	315	178	165	13	-	-	1	-	-	...	-	-	-	-	-	-	-
Connecticut	321	258	63	49	12	-	-	-	-	-	-	...	-	-	-	-	-	-
Delaware	63	53	10	6	4	-	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia ..	209	114	95	-	95	-	-	-	-	-	1	-	-	...	-	-	1	-
Florida	1,408	1,202	206	192	12	2	-	-	-	-	-	-	1	-	...	4	-	-
Georgia	1,212	712	500	449	51	13	-	-	-	-	-	-	-	-	10	...	-	-
Hawaii	165	157	8	5	2	-	-	-	-	1	-	1	-	-	-	-	...	-
Idaho	119	95	24	19	5	-	-	-	-	-	1	-	-	-	-	-	-	...
Illinois	1,425	1,184	241	220	21	-	-	-	1	2	1	-	-	-	-	-	-	-
Indiana	580	432	148	131	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	242	146	96	77	19	-	-	-	-	1	1	-	-	-	-	-	-	-
Kansas	268	199	69	60	9	-	-	-	-	-	1	-	-	-	-	-	-	-
Kentucky	443	261	182	155	27	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	747	443	304	288	16	-	-	-	4	-	-	-	-	-	-	-	-	-
Maine	100	67	33	32	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	490	340	150	128	22	-	-	-	-	-	-	-	1	4	-	-	-	-
Massachusetts	538	385	153	130	23	-	-	-	-	1	-	-	-	-	-	-	-	-
Michigan	839	642	197	191	6	-	-	-	-	-	-	-	-	-	2	-	-	-
Minnesota	451	300	151	130	21	-	-	-	-	1	-	-	-	-	1	-	-	-
Mississippi	503	299	204	184	20	4	-	-	1	-	-	-	-	-	-	-	-	-
Missouri	538	309	229	189	40	-	-	-	-	-	-	-	-	-	-	-	-	-
Montana	88	70	18	17	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Nebraska	194	139	55	40	15	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	101	86	15	7	8	-	-	-	-	8	-	-	-	-	-	-	-	-
New Hampshire	92	64	28	17	11	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	777	619	158	154	4	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico ¹	157	121	36	33	3	-	-	-	-	-	1	-	-	-	1	-	-	-
New York	2,549	2,398	151	113	37	-	-	-	-	1	-	3	-	-	-	-	-	-
North Carolina	756	560	196	187	9	1	-	-	-	-	-	-	-	-	1	-	-	-
North Dakota	80	48	32	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	1,218	901	317	284	33	-	-	-	-	-	-	-	-	-	-	1	-	-
Oklahoma	376	266	110	107	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Oregon	250	164	86	72	14	-	1	-	-	2	-	-	-	-	-	-	-	-
Pennsylvania	1,437	1,076	361	327	34	-	-	-	-	-	-	-	1	-	2	-	-	-
Rhode Island	110	81	29	16	13	-	-	-	-	-	-	2	-	-	-	-	-	-
South Carolina	546	395	151	143	8	-	-	-	-	1	-	1	-	1	2	1	-	-
South Dakota ¹	81	47	34	27	7	-	-	-	-	-	-	-	-	-	-	5	-	-
Tennessee ¹	540	341	199	141	58	1	-	-	10	-	-	-	-	-	1	-	-	-
Texas	2,263	1,810	453	403	37	-	1	-	8	2	-	-	-	-	-	-	-	2
Utah	265	225	40	31	9	-	-	1	-	-	-	-	-	-	-	-	-	-
Vermont	56	36	20	14	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	902	384	518	485	33	-	-	-	1	1	-	-	1	1	-	-	-	8
Washington	406	334	72	58	14	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	209	107	102	64	38	-	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	458	356	102	93	9	-	-	-	-	-	-	-	-	-	-	-	-	2
Wyoming	61	48	13	10	3	-	-	-	-	-	1	-	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY - PAGE 10

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to Resident Status: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents]

	Fetal deaths to interstate nonresidents by State of residence																			
State of occurrence	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
United States ...	50	27	23	14	33	15	6	82	14	25	15	30	24	7	8	8	10	42	11	32
Alabama	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Arkansas	-	-	-	-	-	2	-	-	-	-	-	-	8	-	-	-	-	-	-	-
California	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	2
Colorado	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-
Connecticut	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	10
District of Columbia ..	-	-	-	-	-	-	-	71	-	-	-	-	-	-	-	-	-	1	-	-
Florida	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1
Georgia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	9	4	2	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-
Indiana	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Iowa	8	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-
Kentucky	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Louisiana	1	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	2	9	1	1	-
Michigan	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Minnesota	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mississippi	2	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	24	-	-	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New York	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	22	-	-
North Carolina	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	10	-	-	5	-	-	-	-	-	-
Ohio	-	6	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma	1	-	-	-	-	-	-	-	-	10	-	-	1	-	-	-	-	-	1	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	16	-	2
Rhode Island	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1
Tennessee	-	1	-	-	14	-	-	-	-	-	-	19	1	-	-	-	-	-	-	-
Texas	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	4	1
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	1	-	-	-	3	-	-	4	-	-	-	-	-	-	-	-	-	1	-	6
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
West Virginia	-	-	-	-	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	2	-	2	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY - PAGE 11

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to Resident Status: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence																		Fetal deaths to non-residents of U.S.
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States ...	15	1	40	29	6	22	4	26	2	15	15	2	7	39	14	24	19	5	26
Alabama	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Arizona	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arkansas	-	-	-	-	1	2	-	-	-	-	3	1	-	-	1	-	-	-	4
California	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-
Connecticut	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Delaware	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia ..	-	-	-	-	-	-	-	-	-	-	1	-	-	19	-	1	-	-	-
Florida	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2
Georgia	1	-	-	-	-	-	-	24	-	2	1	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Illinois	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-
Indiana	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Kansas	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kentucky	-	-	3	-	-	-	-	-	-	5	-	-	-	-	3	2	-	-	-
Louisiana	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1	-	-	-	-	5	-	-	-	-	-	-	-	3	-	6	-	-	-
Massachusetts	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	-	-	-
Michigan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Minnesota	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	14	-	-
Mississippi	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Missouri	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Nebraska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-
New Jersey	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico ¹	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
New York	-	-	1	-	-	7	-	-	-	-	1	-	-	-	-	-	-	-	1
North Carolina	-	-	-	-	-	-	-	2	-	-	-	-	-	-	3	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Ohio	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-
Oklahoma	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-
Pennsylvania	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
South Dakota ¹	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee ¹	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-
Texas	1	-	1	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	9	-	-	-	-	1	-	-	-	1	-	-	-	-	-	6	-	-	-
Washington	-	-	-	-	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-
West Virginia	-	-	24	-	-	1	-	-	-	-	-	-	-	5	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 12

Table 3-9. Fetal Deaths by Month and Race: United States and Each State, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	29,661	2,556	2,227	2,458	2,375	2,538	2,477	2,652	2,721	2,518	2,433	2,334	2,372
White	20,954	1,859	1,577	1,732	1,672	1,846	1,736	1,819	1,921	1,756	1,737	1,654	1,645
All other	8,707	697	650	726	703	692	741	833	800	762	696	680	727
Black	7,738	606	581	646	631	615	661	743	723	673	621	594	644
Alabama	640	48	46	42	57	54	57	56	55	54	60	57	54
White	315	26	23	22	26	32	27	24	32	23	28	27	25
All other	325	22	23	20	31	22	30	32	23	31	32	30	29
Black	320	22	23	20	31	22	30	30	23	31	30	29	29
Alaska	85	9	5	7	5	6	8	10	10	5	6	10	4
White	63	7	2	7	5	3	3	7	7	5	6	7	4
All other	22	2	3	-	-	3	5	3	3	-	-	3	-
Black	3	-	2	-	-	-	-	1	-	-	-	-	-
Arizona	410	33	27	35	33	34	36	44	40	45	27	32	24
White	330	25	23	30	27	29	34	34	32	36	21	25	19
All other	80	8	4	5	6	5	7	10	8	9	6	7	5
Black	30	2	2	2	2	2	3	5	1	4	4	-	3
Arkansas	283	19	21	18	24	25	20	27	30	24	23	25	27
White	177	12	13	14	12	18	13	15	16	11	15	19	19
All other	106	7	8	4	12	7	7	12	14	13	8	6	8
Black	100	6	7	3	11	7	7	12	14	12	8	5	8
California	3,144	244	213	244	255	270	290	295	266	301	276	236	254
White	2,352	180	166	185	193	202	218	212	200	222	201	175	188
All other	792	64	47	59	62	68	72	83	66	79	75	61	56
Black	518	37	34	40	40	47	50	53	44	52	52	39	30
Colorado	488	40	43	30	45	50	43	47	34	43	45	27	41
White	442	34	38	29	43	45	40	40	29	40	42	23	39
All other	46	6	5	1	2	5	3	7	5	3	3	4	2
Black	28	4	2	1	-	3	2	4	5	1	2	3	1
Connecticut	314	23	24	33	22	30	28	23	22	30	28	25	26
White	255	20	20	27	18	25	25	14	17	25	24	20	17
All other	59	3	4	6	4	2	3	9	5	5	4	5	9
Black	57	3	4	6	3	2	3	9	5	4	4	5	9
Delaware	63	13	4	5	6	6	4	4	7	3	5	1	5
White	40	9	1	4	4	4	2	3	4	3	2	1	3
All other	23	4	3	1	2	2	2	1	4	-	3	-	2
Black	22	4	3	-	2	2	2	1	3	-	3	-	2
District of Columbia	120	10	7	16	16	5	8	13	12	12	9	5	7
White	9	-	-	1	1	-	1	-	2	1	2	-	1
All other	111	10	7	15	15	5	7	13	10	11	7	5	6
Black	111	10	7	15	15	5	7	13	10	11	7	5	6
Florida	1,425	120	89	131	110	126	101	133	144	120	115	105	131
White	878	86	62	81	71	75	56	73	80	73	72	68	81
All other	547	34	27	50	39	51	45	60	64	47	43	37	50
Black	539	33	26	49	39	50	45	60	63	47	41	36	50
Georgia	1,180	98	85	102	83	99	92	101	119	104	97	102	98
White	627	57	41	52	48	52	49	51	56	50	61	53	57
All other	553	41	44	50	35	47	43	50	63	54	36	49	41
Black	545	41	44	50	35	47	41	50	61	53	34	49	40
Hawaii	163	23	12	21	8	13	9	9	11	19	8	22	8
White	37	8	2	6	2	-	-	2	3	2	4	7	1
All other	126	15	10	15	6	13	9	7	8	17	4	15	7
Black	10	2	-	2	-	-	-	-	2	2	-	1	1
Idaho	128	15	12	7	11	11	9	12	11	10	7	13	10
White	121	15	11	7	11	11	9	12	9	10	6	10	10
All other	7	-	-	-	-	-	-	-	2	-	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	1,454	124	102	131	124	125	119	121	112	131	130	119	116
White	945	88	64	89	83	81	80	74	78	72	78	82	76
All other	509	36	38	42	41	44	39	47	34	59	52	37	40
Black	482	34	35	42	39	43	37	45	32	55	50	33	37
Indiana	590	41	54	46	48	36	45	63	63	49	41	57	47
White	492	33	43	40	40	33	40	53	52	39	34	47	38
All other	98	8	11	6	8	3	5	10	11	10	7	10	9
Black	90	8	11	6	8	2	4	7	11	10	5	9	9
Iowa	246	9	15	24	13	31	22	29	23	23	19	23	15
White	237	9	14	24	11	30	21	29	22	23	18	22	14
All other	9	-	1	-	2	1	1	-	1	-	1	1	1
Black	6	-	1	-	1	1	-	-	1	-	-	-	-
Kansas	273	26	21	24	21	26	14	28	35	19	24	20	15
White	225	20	18	19	18	25	11	22	27	16	19	20	10
All other	48	6	3	5	3	1	3	6	8	3	5	-	5
Black	42	6	3	5	3	1	3	4	7	2	4	-	4
Kentucky	449	43	35	54	34	36	32	31	43	39	36	35	31
White	381	37	32	47	27	30	26	29	36	33	32	29	23
All other	68	6	3	7	7	6	6	2	7	6	4	6	8
Black	66	5	3	7	6	6	6	2	7	6	4	6	8
Louisiana	746	63	63	51	61	56	57	76	69	69	55	54	72
White	326	37	31	25	25	24	24	36	22	27	21	24	30
All other	420	26	32	26	36	32	33	40	47	42	34	30	42
Black	414	25	32	26	36	32	33	40	45	40	34	29	42

SECTION 3 - FETAL MORTALITY - PAGE 13

Table 3-9. Fetal Deaths by Month and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maine	105	9	11	2	16	12	11	6	9	5	6	12	6
White	104	9	11	2	16	12	11	5	9	5	6	12	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	550	45	47	46	51	51	45	53	51	40	37	41	43
White	291	22	27	29	24	27	25	25	24	24	18	22	24
All other	259	23	20	17	27	24	20	28	27	16	19	19	19
Black	250	22	20	15	27	22	20	28	27	16	18	17	18
Massachusetts	529	54	31	36	49	43	45	42	54	40	46	51	38
White	445	44	28	36	42	38	39	34	47	27	38	42	30
All other	84	10	3	-	7	5	6	8	7	13	8	9	8
Black	75	8	3	-	6	5	6	7	7	11	6	9	7
Michigan	858	78	56	82	72	75	60	70	83	71	73	52	86
White	665	64	39	67	45	60	45	54	75	51	64	41	60
All other	193	14	17	15	27	15	15	16	8	20	9	11	25
Black	183	13	17	14	27	14	14	16	7	17	9	11	24
Minnesota	445	47	31	47	27	37	49	28	45	25	39	37	33
White	406	44	28	45	25	34	48	25	40	20	34	34	29
All other	39	3	3	2	2	3	1	3	5	5	5	3	4
Black	21	2	1	-	2	1	1	1	3	3	4	2	1
Mississippi	513	44	39	44	33	48	46	46	54	46	40	30	43
White	178	10	14	13	13	22	16	15	16	16	16	13	14
All other	335	34	25	31	20	26	30	31	38	30	24	17	29
Black	328	32	23	31	20	26	30	31	38	30	22	17	28
Missouri	522	48	47	38	40	56	51	30	38	58	48	34	34
White	392	37	36	29	32	44	34	22	27	44	36	26	25
All other	130	11	11	9	8	12	17	8	11	14	12	8	9
Black	126	10	11	9	8	11	17	8	11	14	10	8	9
Montana	94	9	10	5	6	4	10	13	6	5	8	9	9
White	78	6	10	4	5	4	8	11	6	5	5	7	7
All other	16	3	-	1	1	-	2	2	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	187	15	22	15	16	19	11	14	16	17	12	14	16
White	169	13	20	15	15	17	9	13	16	15	10	12	14
All other	18	2	2	-	1	2	2	1	-	2	2	2	2
Black	13	2	1	-	-	-	2	1	-	2	2	2	1
Nevada	101	5	7	7	9	6	6	9	11	11	7	15	8
White	81	4	6	6	6	3	5	9	10	8	6	12	6
All other	20	1	1	1	3	3	1	-	1	3	1	3	2
Black	15	1	1	1	2	2	1	-	1	1	1	2	2
New Hampshire	91	6	5	12	7	6	8	6	8	12	10	5	6
White	91	6	5	12	7	6	8	6	8	12	10	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	815	72	72	64	75	77	65	69	66	58	63	58	76
White	550	51	41	42	54	51	41	42	46	40	48	35	58
All other	265	21	31	22	21	26	24	27	20	18	15	22	18
Black	245	19	28	20	21	22	23	25	20	16	15	20	16
New Mexico	165	20	19	10	10	17	16	9	20	9	16	13	6
White	137	15	14	7	7	15	15	7	15	9	16	13	4
All other	28	5	5	3	3	2	1	2	5	-	-	-	2
Black	3	1	-	1	-	-	-	-	1	-	-	-	-
New York	2,543	220	205	213	197	222	217	232	219	213	191	209	205
White	1,686	146	138	137	128	155	139	157	147	145	131	137	126
All other	857	74	67	76	69	67	78	75	72	68	60	72	79
Black	804	71	62	69	63	64	72	71	67	65	57	68	75
North Carolina	762	67	66	72	54	73	59	62	61	54	79	54	61
White	442	43	38	39	34	39	29	33	35	36	47	34	35
All other	320	24	28	33	20	34	30	29	26	18	32	20	26
Black	305	23	26	32	19	32	30	27	24	18	30	19	25
North Dakota	65	7	5	7	6	6	6	9	6	2	4	5	2
White	58	7	4	5	6	6	5	9	5	2	4	3	2
All other	7	-	1	2	-	-	1	-	1	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Ohio	1,225	115	85	96	101	100	101	116	91	120	105	108	87
White	940	96	63	70	69	77	79	91	72	96	78	83	66
All other	285	19	22	26	32	23	22	25	19	24	27	25	21
Black	276	19	22	25	32	22	22	23	17	24	25	24	21
Oklahoma	402	31	25	39	35	29	35	35	49	29	28	34	33
White	306	26	22	26	24	23	30	25	36	21	24	28	21
All other	96	5	3	13	11	6	5	10	13	8	4	6	12
Black	54	1	3	7	7	4	-	7	7	4	2	4	8
Oregon	242	25	20	29	15	17	16	20	19	21	19	19	22
White	232	23	20	28	15	16	16	19	17	21	18	18	21
All other	10	2	-	1	-	1	-	1	2	-	1	1	1
Black	4	1	-	1	-	-	-	-	1	-	1	-	-
Pennsylvania	1,425	124	106	117	101	124	112	129	146	126	102	117	121
White	1,125	106	88	84	78	97	91	90	123	102	79	89	98
All other	300	18	18	33	23	27	21	39	23	24	23	28	23
Black	285	18	18	31	23	26	19	37	23	22	22	27	19

SECTION 3 - FETAL MORTALITY - PAGE 14

Table 3-9. Fetal Deaths by Month and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Rhode Island	101	6	5	7	8	12	13	5	9	7	10	5	14
White	84	6	5	6	8	11	10	4	7	7	8	4	8
All other	17	-	-	1	-	1	3	1	2	-	2	1	6
Black	16	-	-	1	-	1	3	1	2	-	1	1	6
South Carolina	564	40	45	43	45	45	52	55	53	47	51	51	37
White	254	20	27	12	21	21	24	23	24	22	24	19	17
All other	310	20	18	31	24	24	28	32	29	25	27	32	20
Black	308	20	18	31	24	24	28	32	29	24	26	32	20
South Dakota ¹	76	4	3	5	8	5	5	5	10	7	11	5	8
White	60	3	2	3	6	4	4	5	10	5	8	4	6
All other	16	1	1	2	2	1	1	-	-	2	3	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee ¹	497	41	40	42	46	35	44	45	53	32	42	29	48
White	343	29	29	25	36	25	28	35	31	28	26	24	27
All other	154	12	11	17	10	10	16	10	22	4	16	5	21
Black	147	12	9	16	10	7	16	9	22	4	16	5	21
Texas	2,228	197	177	166	174	181	184	205	230	179	207	172	156
White	1,775	153	136	138	142	151	148	161	189	139	166	130	122
All other	453	44	41	28	32	30	36	44	41	40	41	42	34
Black	421	42	37	24	29	29	33	40	40	39	40	39	29
Utah	258	26	20	21	23	25	17	20	24	26	14	24	18
White	245	26	17	21	22	23	17	20	23	24	13	22	17
All other	13	-	3	-	1	2	-	-	1	2	1	2	1
Black	3	-	-	-	-	1	-	-	-	-	-	2	-
Vermont	57	3	3	6	5	3	3	7	6	11	3	4	3
White	57	3	3	6	5	3	3	7	6	11	3	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	908	94	68	83	80	81	75	77	69	59	76	79	67
White	561	60	30	48	50	59	41	52	40	36	51	51	43
All other	347	34	38	35	30	22	34	25	29	23	25	28	24
Black	341	32	37	34	29	22	33	25	29	23	25	28	24
Washington	406	39	32	25	26	31	46	36	36	34	26	32	43
White	338	30	28	22	22	29	38	26	31	25	22	29	36
All other	68	9	4	3	4	2	8	10	5	9	4	3	7
Black	35	7	2	1	2	1	4	5	3	5	2	1	2
West Virginia	195	15	7	12	23	13	18	23	18	22	17	11	16
White	180	14	6	10	23	12	14	19	17	22	17	11	15
All other	15	1	1	2	-	1	4	4	1	-	-	-	1
Black	14	1	1	2	-	1	4	4	1	-	-	-	-
Wisconsin	468	40	29	43	35	40	51	49	50	29	28	35	39
White	370	32	28	33	21	34	37	40	41	24	21	28	31
All other	98	8	1	10	14	6	14	9	9	5	7	7	8
Black	80	7	1	7	9	6	10	9	8	5	5	5	8
Wyoming	63	9	11	3	6	6	6	5	5	3	4	2	3
White	59	8	10	3	6	6	5	5	4	3	4	2	3
All other	4	1	1	-	-	-	1	-	1	-	-	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	-

¹ Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 15

Table 3-10. Fetal Deaths by Sex, Total-Birth Order, Race, and Age of Mother: United States, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including all spontaneous fetal deaths and induced terminations of pregnancy for most States. See Technical Appendix.]

Age of mother, race, and sex	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
All races	29,661	10,032	7,181	4,740	2,578	1,356	733	355	586	2,100
Under 15 years	174	153	11	2	1	-	-	-	-	7
15-19 years	4,232	2,722	887	258	72	25	5	-	-	259
20-24 years	8,607	3,419	2,363	1,306	547	225	101	16	39	601
25-29 years	8,267	2,263	2,210	1,587	816	429	174	88	102	598
30-34 years	5,486	1,104	1,267	1,097	704	377	235	122	164	416
35-39 years	2,361	311	404	422	375	249	159	84	175	182
40-44 years	493	57	35	65	57	59	54	44	90	32
45-49 years	41	3	4	3	6	2	5	1	12	5
Male	14,988	5,245	3,584	2,355	1,268	676	359	161	295	1,045
Under 15 years	96	84	8	1	-	-	-	-	-	3
15-19 years	2,214	1,452	463	126	29	13	3	-	4	124
20-24 years	4,389	1,772	1,175	658	272	103	58	7	18	326
25-29 years	4,114	1,145	1,087	805	407	209	84	40	49	288
30-34 years	2,718	580	633	531	341	188	114	51	82	198
35-39 years	1,196	177	199	201	190	130	79	37	91	92
40-44 years	244	32	18	32	28	32	21	25	44	12
45-49 years	17	3	1	1	1	1	-	1	7	2
Female	13,303	4,437	3,266	2,132	1,163	617	338	170	262	918
Under 15 years	71	63	3	1	1	-	-	-	-	3
15-19 years	1,860	1,193	378	118	38	11	2	-	-	120
20-24 years	3,842	1,520	1,089	592	238	99	38	7	21	238
25-29 years	3,765	1,035	1,020	701	364	197	81	45	49	273
30-34 years	2,459	476	563	499	325	172	109	59	70	186
35-39 years	1,056	126	195	189	168	113	73	40	75	77
40-44 years	227	24	15	31	24	24	30	19	42	18
45-49 years	23	-	3	1	5	1	5	-	5	3
Sex not stated	1,370	350	331	253	147	63	36	24	29	137
Under 15 years	7	6	-	-	-	-	-	-	-	1
15-19 years	158	77	46	14	5	1	-	-	-	15
20-24 years	376	127	99	56	37	13	5	2	-	37
25-29 years	388	83	103	81	45	23	9	3	4	37
30-34 years	309	48	71	67	38	17	12	12	12	32
35-39 years	109	8	10	32	17	6	7	7	9	13
40-44 years	22	1	2	2	5	3	3	-	4	2
45-49 years	1	-	-	1	-	-	-	-	-	-
White	20,954	7,183	5,259	3,361	1,758	881	459	219	360	1,474
Under 15 years	56	47	4	1	-	-	-	-	-	4
15-19 years	2,537	1,714	473	140	38	10	1	-	3	158
20-24 years	5,899	2,455	1,700	824	310	118	51	8	21	412
25-29 years	6,125	1,796	1,712	1,170	558	259	100	51	50	429
30-34 years	4,144	880	1,020	851	523	280	144	62	99	305
35-39 years	1,791	243	315	327	277	191	118	65	120	135
40-44 years	375	46	33	46	27	43	41	33	59	27
45-49 years	27	2	2	2	5	-	4	-	8	4
Male	10,567	3,757	2,606	1,669	870	440	224	95	175	731
Under 15 years	30	26	3	-	-	-	-	-	-	1
15-19 years	1,311	910	239	65	14	4	-	-	3	76
20-24 years	3,020	1,277	843	418	157	57	31	3	11	223
25-29 years	3,051	900	845	599	285	122	53	25	25	197
30-34 years	2,045	477	501	407	249	129	65	22	45	150
35-39 years	909	137	158	159	139	103	60	27	56	70
40-44 years	189	28	16	20	25	25	15	18	30	12
45-49 years	12	2	1	1	1	-	-	-	5	2
Female	9,485	3,209	2,413	1,519	796	404	211	107	165	661
Under 15 years	24	20	1	1	-	-	-	-	-	2
15-19 years	1,135	761	206	65	22	6	1	-	-	74
20-24 years	2,650	1,096	791	374	133	54	17	3	10	172
25-29 years	2,820	847	789	518	246	121	43	25	23	208
30-34 years	1,864	368	460	390	245	121	71	32	46	131
35-39 years	808	100	150	146	128	85	52	32	57	58
40-44 years	169	17	15	24	18	17	23	15	26	14
45-49 years	15	-	1	1	4	-	4	-	3	2
Sex not stated	902	217	240	173	92	37	24	17	20	82
Under 15 years	2	1	-	-	-	-	-	-	-	1
15-19 years	91	43	28	10	2	-	-	-	-	8
20-24 years	229	82	66	32	20	7	3	2	-	17
25-29 years	254	49	78	53	27	16	4	1	2	24
30-34 years	235	35	59	54	29	10	8	8	8	24
35-39 years	74	6	7	22	10	3	6	6	7	7
40-44 years	17	1	2	2	4	1	3	-	3	1
45-49 years	-	-	-	-	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY - PAGE 16

Table 3-10. Fetal Deaths by Sex, Total-Birth Order, Race, and Age of Mother: United States, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including all spontaneous fetal deaths and induced terminations of pregnancy for most States. See Technical Appendix]

Age of mother, race, and sex	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
All other	8,707	2,849	1,922	1,379	820	475	274	136	226	626
Under 15 years	118	106	7	1	1	-	-	-	-	3
15-19 years	1,695	1,008	414	118	34	15	4	-	1	101
20-24 years	2,708	964	663	482	237	97	50	8	18	189
25-29 years	2,142	467	498	417	258	170	74	37	52	169
30-34 years	1,342	224	247	246	181	117	91	60	65	111
35-39 years	570	68	89	95	98	58	41	19	55	47
40-44 years	118	11	2	19	10	16	13	11	31	5
45-49 years	14	1	2	1	1	2	1	1	4	1
Male	4,421	1,488	978	686	398	236	135	66	120	314
Under 15 years	66	58	5	1	-	-	-	-	-	2
15-19 years	903	542	224	61	15	9	3	-	1	48
20-24 years	1,369	495	332	240	115	46	27	4	7	103
25-29 years	1,063	245	242	206	122	87	31	15	24	91
30-34 years	673	103	132	124	92	59	49	29	37	48
35-39 years	287	40	41	42	51	27	19	10	35	22
40-44 years	55	4	2	12	3	7	6	7	14	-
45-49 years	5	1	-	-	-	1	-	1	2	-
Female	3,818	1,228	853	613	367	213	127	63	97	257
Under 15 years	47	43	2	-	1	-	-	-	-	1
15-19 years	725	432	172	53	16	5	1	-	-	46
20-24 years	1,192	424	298	218	105	45	21	4	11	66
25-29 years	945	188	231	183	118	76	38	20	26	65
30-34 years	595	108	103	109	80	51	38	27	24	55
35-39 years	248	26	45	43	40	28	21	8	18	19
40-44 years	58	7	-	7	6	7	7	4	16	4
45-49 years	8	-	2	-	1	1	1	-	2	1
Sex not stated	468	133	91	80	55	26	12	7	9	55
Under 15 years	5	5	-	-	-	-	-	-	-	-
15-19 years	67	34	18	4	3	1	-	-	-	7
20-24 years	147	45	33	24	17	6	2	-	-	20
25-29 years	134	34	25	28	18	7	5	2	2	13
30-34 years	74	13	12	13	9	7	4	4	4	8
35-39 years	35	2	3	10	7	3	1	1	2	6
40-44 years	5	-	-	-	1	2	-	-	1	1
45-49 years	1	-	-	1	-	-	-	-	-	-
Black	7,738	2,540	1,711	1,217	729	422	243	124	202	550
Under 15 years	116	104	7	1	1	-	-	-	-	3
15-19 years	1,605	959	386	111	34	14	4	-	1	96
20-24 years	2,488	869	608	452	222	93	48	6	16	174
25-29 years	1,852	382	428	369	231	150	68	35	48	141
30-34 years	1,122	169	205	203	155	102	83	56	58	91
35-39 years	448	48	73	64	78	48	31	16	50	40
40-44 years	95	8	2	16	7	13	8	11	26	4
45-49 years	12	1	2	1	1	2	1	-	3	1
Male	3,926	1,331	876	605	348	205	122	60	107	272
Under 15 years	65	57	5	1	-	-	-	-	-	2
15-19 years	858	515	211	58	15	9	3	-	1	46
20-24 years	1,264	450	310	222	109	43	27	4	6	93
25-29 years	908	196	210	182	111	71	28	13	24	73
30-34 years	556	77	107	101	74	52	46	28	32	39
35-39 years	224	32	31	31	36	22	14	8	31	19
40-44 years	47	3	2	10	3	7	4	7	11	-
45-49 years	4	1	-	-	-	1	-	-	2	-
Female	3,386	1,090	756	537	329	195	110	57	88	224
Under 15 years	46	42	2	-	1	-	-	-	-	1
15-19 years	682	411	158	49	16	4	1	-	-	43
20-24 years	1,086	377	269	207	97	44	19	2	10	61
25-29 years	827	160	197	160	103	73	36	20	23	55
30-34 years	496	81	88	89	72	43	33	24	22	44
35-39 years	196	14	40	26	35	24	16	7	18	16
40-44 years	46	5	-	6	4	6	4	4	14	3
45-49 years	7	-	2	-	1	1	1	-	1	1
Sex not stated	426	119	79	75	52	22	11	7	7	54
Under 15 years	5	5	-	-	-	-	-	-	-	-
15-19 years	65	33	17	4	3	1	-	-	-	7
20-24 years	138	42	29	23	16	6	2	-	-	20
25-29 years	117	26	21	27	17	6	4	2	1	13
30-34 years	70	11	10	13	9	7	4	4	4	8
35-39 years	28	2	2	7	7	2	1	1	1	5
40-44 years	2	-	-	-	-	-	-	-	-	1
45-49 years	1	-	-	1	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY - PAGE 17

Table 3-11. Fetal Deaths by Age of Mother and Race: United States and Each State, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and race	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States	29,661	174	4,232	8,607	8,267	5,486	2,361	493	41
White	20,954	56	2,537	5,899	6,125	4,144	1,791	375	27
All other	8,707	118	1,695	2,708	2,142	1,342	570	118	14
Black	7,738	116	1,605	2,488	1,852	1,122	448	95	12
Alabama	640	9	134	207	150	93	42	4	1
White	315	2	64	98	86	46	17	2	-
All other	325	7	70	109	64	47	25	2	1
Black	320	7	69	108	62	47	24	2	1
Alaska	85	-	8	31	25	14	6	1	-
White	63	-	5	25	16	10	6	1	-
All other	22	-	3	6	9	4	-	-	-
Black	3	-	-	1	2	-	-	-	-
Arizona	410	-	66	120	114	61	37	12	-
White	330	-	49	98	96	51	26	10	-
All other	80	-	17	22	18	10	11	2	-
Black	30	-	7	10	7	2	4	-	-
Arkansas	283	2	63	94	71	34	17	2	-
White	177	-	33	66	51	15	10	2	-
All other	106	2	30	28	20	19	7	-	-
Black	100	2	29	27	19	16	7	-	-
California	3,144	13	361	799	959	617	311	80	4
White	2,352	9	266	593	719	459	242	61	3
All other	792	4	95	206	240	158	69	19	1
Black	518	4	81	160	148	86	31	7	1
Colorado	488	1	41	145	132	122	40	7	-
White	442	1	36	134	116	113	35	7	-
All other	46	-	5	11	16	9	5	-	-
Black	28	-	4	9	8	5	2	-	-
Connecticut	314	2	29	74	94	81	31	3	-
White	255	1	17	60	79	70	25	3	-
All other	59	1	12	14	15	11	6	-	-
Black	57	1	12	14	14	10	6	-	-
Delaware	63	1	7	21	16	13	4	1	-
White	40	-	2	9	14	12	3	-	-
All other	23	1	5	12	2	1	1	1	-
Black	22	1	5	11	2	1	1	1	-
District of Columbia	120	1	24	33	33	19	8	1	1
White	9	-	-	2	2	3	1	1	-
All other	111	1	24	31	31	16	7	-	1
Black	111	1	24	31	31	16	7	-	1
Florida	1,425	12	250	419	386	241	97	18	2
White	878	2	117	251	251	172	68	16	1
All other	547	10	133	168	135	69	29	2	1
Black	539	10	133	167	134	64	28	2	1
Georgia	1,180	14	238	346	294	194	74	19	1
White	627	2	114	176	157	123	42	13	-
All other	553	12	124	170	137	71	32	6	1
Black	545	12	124	168	134	69	31	6	1
Hawaii	163	-	15	52	43	25	21	5	2
White	37	-	2	13	11	5	4	1	1
All other	126	-	13	39	32	20	17	4	1
Black	10	-	2	5	-	2	1	-	-
Idaho	128	-	10	35	39	32	11	1	-
White	121	-	10	33	36	31	10	1	-
All other	7	-	-	2	3	1	1	-	-
Black	-	-	-	-	-	-	-	-	-
Illinois	1,454	8	190	408	425	273	130	17	3
White	945	3	80	251	307	187	100	15	2
All other	509	5	110	157	118	86	30	2	1
Black	482	5	108	151	111	78	26	2	1
Indiana	590	3	62	218	155	97	46	9	-
White	492	2	47	175	138	83	38	9	-
All other	98	1	15	43	17	14	8	-	-
Black	90	1	15	40	14	12	8	-	-
Iowa	246	1	26	74	63	52	23	6	1
White	237	1	24	73	61	50	22	6	-
All other	9	-	2	1	2	2	1	-	1
Black	6	-	2	1	-	2	1	-	-
Kansas	273	1	40	87	61	58	19	7	-
White	225	1	25	73	53	49	18	6	-
All other	48	-	15	14	8	9	1	1	-
Black	42	-	14	12	8	7	-	1	-
Kentucky	449	3	70	159	110	67	26	14	-
White	381	-	51	133	104	56	24	13	-
All other	68	3	19	26	6	11	2	1	-
Black	66	3	19	26	5	10	2	1	-
Louisiana	746	9	136	245	194	102	47	12	1
White	326	1	47	104	92	54	23	4	1
All other	420	8	89	141	102	48	24	8	-
Black	414	8	89	140	102	45	22	8	-

SECTION 3 - FETAL MORTALITY - PAGE 18

Table 3-11. Fetal Deaths by Age of Mother and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and race	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Maine	105	-	20	40	30	11	4	-	-
White	104	-	19	40	30	11	4	-	-
All other	1	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-
Maryland	550	6	78	152	166	105	35	8	-
White	291	3	29	75	92	61	25	6	-
All other	259	3	49	77	74	44	10	2	-
Black	250	3	48	74	71	43	9	2	-
Massachusetts	529	-	52	122	162	127	53	13	-
White	445	-	39	97	142	111	45	11	-
All other	84	-	13	25	20	16	8	2	-
Black	75	-	12	24	17	13	8	1	-
Michigan	858	3	111	249	252	181	52	9	1
White	665	-	68	197	203	151	39	6	1
All other	193	3	43	52	49	30	13	3	-
Black	183	3	41	50	45	28	13	3	-
Minnesota	445	-	43	111	165	92	27	6	1
White	406	-	34	98	157	86	24	6	1
All other	39	-	9	13	8	6	3	-	-
Black	21	-	7	7	4	2	1	-	-
Mississippi	513	8	103	180	116	72	27	7	-
White	178	-	30	66	41	29	10	2	-
All other	335	8	73	114	75	43	17	5	-
Black	328	8	73	108	75	42	17	5	-
Missouri	522	5	79	153	147	94	37	7	-
White	392	1	50	112	119	76	31	3	-
All other	130	4	29	41	28	18	6	4	-
Black	126	4	27	41	27	17	6	4	-
Montana	94	-	15	26	25	16	11	1	-
White	78	-	11	22	22	13	9	1	-
All other	16	-	4	4	3	3	2	-	-
Black	-	-	-	-	-	-	-	-	-
Nebraska	187	-	20	57	55	38	14	2	1
White	169	-	16	51	51	35	13	2	1
All other	18	-	4	6	4	3	1	-	-
Black	13	-	2	4	3	3	1	-	-
Nevada	101	-	15	30	34	12	9	1	-
White	81	-	10	26	27	11	6	1	-
All other	20	-	5	4	7	1	3	-	-
Black	15	-	4	4	5	1	1	-	-
New Hampshire	91	-	9	22	34	19	6	1	-
White	91	-	9	22	34	19	6	1	-
All other	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-
New Jersey	815	6	78	191	271	185	71	11	2
White	550	2	36	103	198	148	52	9	2
All other	265	4	42	88	73	37	19	2	-
Black	245	4	42	84	69	30	14	2	-
New Mexico	165	-	30	54	37	27	13	4	-
White	137	-	26	45	31	20	12	3	-
All other	28	-	4	9	6	7	1	1	-
Black	3	-	1	-	2	-	-	-	-
New York	2,543	7	244	621	770	576	262	60	3
White	1,686	4	132	390	529	402	191	37	1
All other	857	3	112	231	241	174	71	23	2
Black	804	3	111	224	216	163	64	21	2
North Carolina	762	7	147	263	185	110	42	8	-
White	442	-	73	150	119	73	24	3	-
All other	320	7	74	113	66	37	18	5	-
Black	305	6	73	106	63	35	17	5	-
North Dakota	65	-	6	17	23	13	6	-	-
White	58	-	5	15	20	12	6	-	-
All other	7	-	1	2	3	1	-	-	-
Black	1	-	-	1	-	-	-	-	-
Ohio	1,225	11	190	367	326	214	88	28	1
White	940	2	128	273	262	174	76	25	-
All other	285	9	62	94	64	40	12	3	1
Black	276	9	60	91	64	38	10	3	1
Oklahoma	402	3	77	131	102	58	28	1	2
White	306	3	62	96	77	42	23	1	2
All other	96	-	15	35	25	16	5	-	-
Black	54	-	8	24	11	9	2	-	-
Oregon	242	-	16	65	76	61	22	2	-
White	232	-	15	63	73	58	21	2	-
All other	10	-	1	2	3	3	1	-	-
Black	4	-	-	1	2	-	1	-	-
Pennsylvania	1,425	11	195	362	390	316	134	16	1
White	1,125	2	139	281	318	254	114	16	1
All other	300	9	56	81	72	62	20	-	-
Black	285	9	55	77	67	59	18	-	-

SECTION 3 - FETAL MORTALITY - PAGE 19

Table 3-11. Fetal Deaths by Age of Mother and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and race	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Rhode Island	101	-	6	27	32	25	7	4	-
White	84	-	4	25	26	21	5	3	-
All other	17	-	2	2	6	4	2	1	-
Black	16	-	2	2	6	4	2	-	-
South Carolina	564	4	107	172	151	91	31	7	1
White	254	1	37	80	70	52	12	2	-
All other	310	3	70	92	81	39	19	5	1
Black	308	3	70	91	80	39	19	5	1
South Dakota ¹	76	-	9	21	19	15	9	2	1
White	60	-	6	15	16	14	6	2	1
All other	16	-	3	6	3	1	3	-	-
Black	-	-	-	-	-	-	-	-	-
Tennessee ¹	497	1	82	167	127	81	29	7	3
White	343	-	52	120	91	54	22	2	2
All other	154	1	30	47	36	27	7	5	1
Black	147	1	29	47	33	26	5	5	1
Texas	2,228	14	390	710	567	344	169	30	4
White	1,775	9	290	537	470	293	147	26	3
All other	453	5	100	173	97	51	22	4	1
Black	421	5	98	168	90	39	16	4	1
Utah	258	1	27	76	76	44	28	5	1
White	245	1	24	72	73	42	27	5	1
All other	13	-	3	4	3	2	1	-	-
Black	3	-	2	1	-	-	-	-	-
Vermont	57	-	6	17	22	8	4	-	-
White	57	-	6	17	22	8	4	-	-
All other	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-
Virginia	908	4	149	286	221	164	68	13	3
White	561	2	79	161	141	116	49	10	3
All other	347	2	70	125	80	48	19	3	-
Black	341	2	69	124	79	47	17	3	-
Washington	406	2	51	125	121	68	32	7	-
White	338	1	44	100	107	52	28	6	-
All other	68	1	7	25	14	16	4	1	-
Black	35	-	4	18	5	6	1	1	-
West Virginia	195	-	31	67	45	37	13	2	-
White	180	-	30	57	44	35	12	2	-
All other	15	-	1	10	1	2	1	-	-
Black	14	-	1	10	1	1	1	-	-
Wisconsin	468	1	70	134	139	77	37	10	-
White	370	-	40	103	115	72	31	9	-
All other	98	1	30	31	24	5	6	1	-
Black	80	1	28	25	16	5	4	1	-
Wyoming	63	-	6	25	17	10	3	2	-
White	59	-	5	23	16	10	3	2	-
All other	4	-	1	2	1	-	-	-	-
Black	2	-	1	1	-	-	-	-	-

¹ Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 20

Table 3-12. Fetal Deaths by Total-Birth Order and Race: United States and Each State, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including all spontaneous fetal deaths and induced terminations of pregnancy for most States. See Technical Appendix]

Area and race	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States	29,661	10,032	7,181	4,740	2,578	1,356	733	355	586	2,100
White	20,954	7,183	5,259	3,361	1,758	881	459	219	360	1,474
All other	8,707	2,849	1,922	1,379	820	475	274	136	226	626
Black	7,738	2,540	1,711	1,217	729	422	243	124	202	550
Alabama	640	242	160	110	53	25	11	8	15	16
White	315	135	76	63	22	6	3	2	2	6
All other	325	107	84	47	31	19	8	6	13	10
Black	320	105	84	45	31	19	8	6	13	9
Alaska	85	23	20	17	3	3	2	-	1	16
White	63	14	17	15	2	1	2	-	1	11
All other	22	9	3	2	1	2	-	-	-	5
Black	3	1	-	-	1	1	-	-	-	-
Arizona	410	144	99	65	42	17	20	10	10	3
White	330	120	77	52	35	13	17	8	6	2
All other	80	24	22	13	7	4	3	2	4	1
Black	30	12	8	3	2	2	-	1	1	1
Arkansas	283	130	62	37	17	14	6	8	6	3
White	177	88	43	24	5	7	4	2	2	2
All other	106	42	19	13	12	7	2	6	4	1
Black	100	39	18	13	11	7	2	5	4	1
California	3,144	1,070	691	489	277	175	96	37	67	242
White	2,352	796	514	365	205	129	72	29	52	190
All other	792	274	177	124	72	46	24	8	15	52
Black	518	181	117	81	44	29	15	7	10	34
Colorado	488	130	144	94	45	24	9	5	15	22
White	442	128	126	83	40	20	8	4	13	20
All other	46	2	18	11	5	4	1	1	2	2
Black	28	1	11	8	2	2	1	1	1	1
Connecticut	314	70	50	29	23	5	2	1	3	131
White	255	58	39	18	17	5	1	1	3	113
All other	59	12	11	11	6	-	1	-	-	18
Black	57	12	10	11	6	-	1	-	-	17
Delaware	63	17	13	13	9	1	-	-	3	7
White	40	9	10	7	7	1	-	-	3	3
All other	23	8	3	6	2	-	-	-	-	4
Black	22	8	3	6	2	-	-	-	-	3
District of Columbia	120	62	23	13	8	4	2	-	-	8
White	9	3	1	3	1	-	-	-	-	1
All other	111	59	22	10	7	4	2	-	-	7
Black	111	59	22	10	7	4	2	-	-	7
Florida	1,425	541	352	211	111	53	27	16	24	90
White	878	362	225	130	67	19	13	7	15	40
All other	547	179	127	81	44	34	14	9	9	50
Black	539	177	126	79	42	34	14	9	9	49
Georgia	1,180	412	335	203	113	49	25	14	9	20
White	627	217	195	107	54	25	8	6	1	14
All other	553	195	140	96	59	24	17	8	8	6
Black	545	192	138	96	58	24	17	8	7	5
Hawaii	163	51	40	28	12	9	6	4	6	7
White	37	10	8	10	3	1	-	2	2	1
All other	126	41	32	18	9	8	6	2	4	6
Black	10	3	3	3	-	-	-	-	1	-
Idaho	128	33	39	22	9	8	6	4	6	1
White	121	31	38	20	9	8	6	3	6	-
All other	7	2	1	2	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-
Illinois	1,454	515	368	236	124	67	31	18	22	73
White	945	355	246	155	77	39	16	9	12	36
All other	509	160	122	81	47	28	15	9	10	37
Black	482	141	119	80	45	28	15	9	9	36
Indiana	590	152	134	91	42	22	16	7	9	117
White	492	131	115	78	34	17	14	6	8	89
All other	98	21	19	13	8	5	2	1	1	28
Black	90	20	17	11	8	5	2	1	1	25
Iowa	246	78	62	53	22	12	8	1	7	3
White	237	76	62	51	22	10	8	-	5	3
All other	9	2	-	2	-	2	-	1	2	-
Black	6	2	-	1	-	1	-	-	2	-
Kansas	273	101	72	42	25	15	10	3	2	3
White	225	89	58	34	22	11	6	2	2	1
All other	48	12	14	8	3	4	4	1	-	2
Black	42	11	13	7	3	3	3	1	-	1
Kentucky	449	164	127	65	38	22	9	5	4	15
White	381	135	114	53	31	19	7	5	4	13
All other	68	29	13	12	7	3	2	-	-	2
Black	66	29	11	12	7	3	2	-	-	2
Louisiana	746	286	168	125	68	41	16	6	19	17
White	326	133	80	64	26	12	5	1	3	2
All other	420	153	88	61	42	29	11	5	16	15
Black	414	152	88	58	41	28	11	5	16	15

SECTION 3 - FETAL MORTALITY - PAGE 21

Table 3-12. Fetal Deaths by Total-Birth Order and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including all spontaneous fetal deaths and induced terminations of pregnancy for most States. See Technical Appendix]

Area and race	Total	Total-birth order									Not stated
		1	2	3	4	5	6	7	8 and over		
Maine	105	34	19	20	6	4	2	-	2	18	
White	104	34	19	20	6	3	2	-	2	18	
All other	1	-	-	-	-	1	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	
Maryland	550	169	146	89	44	15	9	7	6	65	
White	291	89	90	40	21	8	4	2	-	37	
All other	259	80	56	49	23	7	5	5	6	28	
Black	250	74	55	47	23	7	5	5	6	28	
Massachusetts	529	149	98	77	48	22	9	3	9	114	
White	445	128	87	69	41	17	5	3	5	90	
All other	84	21	11	8	7	5	4	-	4	24	
Black	75	20	9	5	7	5	4	-	2	23	
Michigan	858	238	235	164	91	41	27	18	19	25	
White	665	186	190	132	68	28	20	13	14	14	
All other	193	52	45	32	23	13	7	5	5	11	
Black	183	51	43	29	22	12	7	5	5	9	
Minnesota	445	152	114	67	38	15	4	3	6	46	
White	406	142	103	59	34	11	2	3	6	46	
All other	39	10	11	8	4	4	2	-	-	-	
Black	21	6	7	4	2	1	1	-	-	-	
Mississippi	513	180	126	98	39	31	15	8	9	7	
White	178	65	49	37	13	5	4	1	1	3	
All other	335	115	77	61	26	26	11	7	8	4	
Black	328	112	77	60	24	26	11	7	8	3	
Missouri	522	163	148	92	48	31	15	3	13	9	
White	392	133	111	71	33	25	11	2	2	4	
All other	130	30	37	21	15	6	4	1	11	5	
Black	126	28	36	20	15	6	4	1	11	5	
Montana	94	34	26	15	6	7	-	-	1	5	
White	78	28	22	11	4	7	-	-	1	5	
All other	16	6	4	4	2	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	
Nebraska	187	64	50	31	12	13	6	4	2	5	
White	169	60	44	29	11	11	5	3	2	4	
All other	18	4	6	2	1	2	1	1	-	1	
Black	13	4	4	1	1	1	1	-	-	1	
Nevada	101	36	24	13	7	3	4	3	1	10	
White	81	27	22	11	5	3	3	2	1	7	
All other	20	9	2	2	2	-	1	1	-	3	
Black	15	7	2	2	2	-	1	1	-	-	
New Hampshire	91	26	24	16	12	5	3	-	-	5	
White	91	26	24	16	12	5	3	-	-	5	
All other	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	
New Jersey	815	207	134	93	40	23	12	8	7	291	
White	550	144	91	71	32	16	6	8	3	179	
All other	265	63	43	22	8	7	6	-	4	112	
Black	245	54	43	17	8	6	6	-	3	108	
New Mexico ¹	165	48	29	18	14	10	5	-	7	34	
White	137	39	25	13	10	9	4	-	3	34	
All other	28	9	4	5	4	1	1	-	4	-	
Black	3	2	-	-	-	-	1	-	-	-	
New York	2,543	767	550	388	261	133	79	47	69	249	
White	1,686	520	397	268	167	75	40	24	35	160	
All other	857	247	153	120	94	58	39	23	34	89	
Black	804	222	140	114	89	58	37	23	34	87	
North Carolina	762	318	216	113	59	24	16	5	7	4	
White	442	188	141	64	22	9	10	4	3	1	
All other	320	130	75	49	37	15	6	1	4	3	
Black	305	126	73	43	35	14	6	1	4	3	
North Dakota	65	27	13	12	7	2	-	1	2	1	
White	58	24	12	11	6	2	-	1	1	1	
All other	7	3	1	1	1	-	-	-	1	-	
Black	1	1	-	-	-	-	-	-	-	-	
Ohio	1,225	396	310	204	115	54	33	14	35	64	
White	940	312	251	157	78	40	21	9	23	49	
All other	285	84	59	47	37	14	12	5	12	15	
Black	276	81	55	45	37	14	12	5	12	15	
Oklahoma	402	121	89	45	26	8	3	1	2	107	
White	306	99	72	29	18	3	3	-	2	80	
All other	96	22	17	16	8	5	-	1	-	27	
Black	54	16	9	8	3	2	-	1	-	15	
Oregon	242	70	61	52	29	10	3	4	11	2	
White	232	67	61	48	27	10	3	4	10	2	
All other	10	3	-	4	2	-	-	-	1	-	
Black	4	1	-	1	1	-	-	-	-	-	
Pennsylvania	1,425	451	358	261	126	83	45	16	51	34	
White	1,125	378	295	200	97	70	26	7	30	22	
All other	300	73	63	61	29	13	19	9	21	12	
Black	285	69	59	56	29	13	17	9	21	12	

SECTION 3 - FETAL MORTALITY - PAGE 22

Table 3-12. Fetal Deaths by Total-Birth Order and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more. Total-birth order refers to number of children ever born to mother, including all spontaneous fetal deaths and induced terminations of pregnancy for most States. See Technical Appendix]

Area and race	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Rhode Island	101	15	17	14	3	2	-	-	-	50
White	84	14	14	12	3	1	-	-	-	40
All other	17	1	3	2	-	1	-	-	-	10
Black	16	1	3	2	-	1	-	-	-	9
South Carolina	564	214	134	108	50	31	10	3	5	9
White	254	106	66	41	22	10	4	2	1	2
All other	310	108	68	67	28	21	6	1	4	7
Black	308	108	66	67	28	21	6	1	4	7
South Dakota ¹	76	26	18	7	13	-	2	4	1	5
White	60	20	15	7	11	-	2	2	-	3
All other	16	6	3	-	2	-	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-
Tennessee ¹	497	166	143	85	47	19	15	5	9	8
White	343	116	103	54	35	14	7	2	4	8
All other	154	50	40	31	12	5	8	3	5	-
Black	147	47	37	31	11	5	8	3	5	-
Texas	2,228	936	561	342	167	84	47	24	33	34
White	1,775	732	461	273	130	70	34	20	29	26
All other	453	204	100	69	37	14	13	4	4	8
Black	421	195	94	63	31	13	10	4	3	8
Utah	258	72	68	28	30	18	14	7	19	2
White	245	68	64	26	29	17	13	7	19	2
All other	13	4	4	2	1	1	1	-	-	-
Black	3	1	1	-	1	-	-	-	-	-
Vermont	57	22	15	9	3	2	3	1	-	2
White	57	22	15	9	3	2	3	1	-	2
All other	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-
Virginia	908	329	238	154	99	34	17	8	6	23
White	561	204	159	90	59	15	11	4	2	17
All other	347	125	79	64	40	19	6	4	4	6
Black	341	123	76	64	40	18	6	4	4	6
Washington	406	123	87	62	31	19	8	5	6	65
White	338	100	70	57	28	15	7	3	5	53
All other	68	23	17	5	3	4	1	2	1	12
Black	35	16	8	2	-	2	1	-	1	5
West Virginia	195	79	57	29	9	9	2	1	6	3
White	180	70	54	26	9	9	2	1	6	3
All other	15	9	3	3	-	-	-	-	-	-
Black	14	9	3	2	-	-	-	-	-	-
Wisconsin	468	161	100	78	49	34	22	5	12	7
White	370	136	76	65	37	24	13	4	8	7
All other	98	25	24	13	12	10	9	1	4	-
Black	80	20	22	10	10	7	6	1	4	-
Wyoming	63	18	14	13	8	4	1	-	2	3
White	59	16	12	13	8	4	1	-	2	3
All other	4	2	2	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-

¹ Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 23

Table 3-13. Fetal Deaths by Place of Delivery, Gestation Group, and Race: United States and Each State, 1985

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more. Group IV includes fetal deaths with gestation period not stated, but presumed to be 20 weeks or more. For definition of Groups II, III, and IV, see Technical Appendix]

Area and race	All fetal deaths in Groups II, III, and IV			Group II - fetal deaths of 20-27 weeks gestation ¹			Group III - fetal deaths of 28 weeks gestation or more ¹		
	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital
United States	29,661	29,177	439	9,494	9,339	143	16,205	16,009	181
White	20,954	20,635	288	6,397	6,291	96	11,987	11,846	129
All other	8,707	8,542	151	3,097	3,048	47	4,218	4,163	52
Black	7,738	7,589	137	2,837	2,791	45	3,668	3,621	45
Alabama	640	631	9	235	230	5	400	396	4
White	315	310	5	114	111	3	200	198	2
All other	325	321	4	121	119	2	200	198	2
Black	320	316	4	120	118	2	196	194	2
Alaska	85	82	2	17	16	1	32	31	-
White	63	61	2	17	16	1	23	23	-
All other	22	21	-	-	-	-	9	8	-
Black	3	3	-	-	-	-	2	2	-
Arizona	410	403	7	126	125	1	270	264	6
White	330	325	5	100	99	1	218	214	4
All other	80	78	2	26	26	-	52	50	2
Black	30	30	-	15	15	-	14	14	-
Arkansas	283	280	3	51	51	-	146	146	-
White	177	176	1	33	33	-	99	99	-
All other	106	104	2	18	18	-	47	47	-
Black	100	98	2	18	18	-	44	44	-
California	3,144	3,105	38	731	722	9	1,751	1,740	10
White	2,352	2,325	26	539	534	5	1,343	1,335	7
All other	792	780	12	192	188	4	408	405	3
Black	518	513	5	148	146	2	233	232	1
Colorado	488	476	6	218	210	2	249	245	4
White	442	432	4	193	185	2	230	228	2
All other	46	44	2	25	25	-	19	17	2
Black	28	28	-	17	17	-	10	10	-
Connecticut	314	310	1	92	92	-	116	114	-
White	255	251	1	67	67	-	97	95	-
All other	59	59	-	25	25	-	19	19	-
Black	57	57	-	24	24	-	18	18	-
Delaware	63	63	-	22	22	-	38	38	-
White	40	40	-	16	16	-	23	23	-
All other	23	23	-	6	6	-	15	15	-
Black	22	22	-	5	5	-	15	15	-
District of Columbia	120	113	5	32	31	1	35	35	-
White	9	8	-	1	1	-	4	4	-
All other	111	105	5	31	30	1	31	31	-
Black	111	105	5	31	30	1	31	31	-
Florida	1,425	1,393	28	345	338	7	630	623	7
White	878	861	15	205	200	5	423	419	4
All other	547	532	13	140	138	2	207	204	3
Black	539	524	13	136	134	2	204	201	3
Georgia	1,180	1,165	14	616	608	7	548	542	6
White	627	621	5	314	310	3	309	307	2
All other	553	544	9	302	298	4	239	235	4
Black	545	536	9	297	293	4	236	232	4
Hawaii	163	162	1	88	88	-	74	74	-
White	37	37	-	21	21	-	16	16	-
All other	126	125	1	67	67	-	58	58	-
Black	10	10	-	5	5	-	5	5	-
Idaho	128	123	5	37	35	2	87	84	3
White	121	116	5	34	32	2	83	80	3
All other	7	7	-	3	3	-	4	4	-
Black	-	-	-	-	-	-	-	-	-
Illinois	1,454	1,426	27	341	338	2	778	771	7
White	945	928	16	216	214	1	536	530	6
All other	509	498	11	125	124	1	242	241	1
Black	482	471	11	122	121	1	224	223	1
Indiana	590	579	10	122	118	3	306	304	2
White	492	484	7	106	102	3	267	265	2
All other	98	95	3	16	16	-	39	39	-
Black	90	88	2	15	15	-	35	35	-
Iowa	246	243	3	81	79	2	162	161	1
White	237	234	3	79	77	2	155	154	1
All other	9	9	-	2	2	-	7	7	-
Black	6	6	-	2	2	-	4	4	-
Kansas	273	272	-	61	61	-	140	140	-
White	225	224	-	52	52	-	124	124	-
All other	48	48	-	9	9	-	16	16	-
Black	42	42	-	9	9	-	13	13	-
Kentucky	449	443	5	142	139	3	286	283	2
White	381	376	4	117	115	2	245	242	2
All other	68	67	1	25	24	1	41	41	-
Black	66	65	1	25	24	1	39	39	-
Louisiana	746	738	8	181	180	1	401	396	5
White	326	323	3	66	65	1	191	190	1
All other	420	415	5	115	115	-	210	206	4
Black	414	409	5	113	113	-	209	205	4

SECTION 3 - FETAL MORTALITY - PAGE 24

Table 3-13. Fetal Deaths by Place of Delivery, Gestation Group, and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more. Group IV includes fetal deaths with gestation period not stated, but presumed to be 20 weeks or more. For definition of Groups II, III, and IV, see Technical Appendix]

Area and race	All fetal deaths in Groups II, III, and IV			Group II - fetal deaths of 20-27 weeks gestation ¹			Group III - fetal deaths of 28 weeks gestation or more ¹		
	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital
Maine	105	105	-	35	35	-	61	61	-
White	104	104	-	34	34	-	61	61	-
All other	1	1	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-
Maryland	550	534	11	101	99	1	190	187	3
White	291	284	6	59	58	1	108	105	3
All other	259	250	5	42	41	-	82	82	-
Black	250	241	5	39	38	-	77	77	-
Massachusetts	529	524	4	169	168	1	318	316	1
White	445	442	2	136	135	1	271	270	-
All other	84	82	2	33	33	-	47	46	1
Black	75	73	2	31	31	-	40	39	1
Michigan	858	840	13	296	292	4	556	542	9
White	665	654	8	222	220	2	440	431	6
All other	193	186	5	74	72	2	116	111	3
Black	183	176	5	70	68	2	110	105	3
Minnesota	445	442	3	63	63	-	170	170	-
White	406	403	3	59	59	-	152	152	-
All other	39	39	-	4	4	-	18	18	-
Black	21	21	-	3	3	-	11	11	-
Mississippi	513	502	11	205	199	6	293	288	5
White	178	174	4	72	69	3	99	98	1
All other	335	328	7	133	130	3	194	190	4
Black	328	321	7	131	128	3	190	186	4
Missouri	522	512	9	192	189	3	305	299	6
White	392	384	8	140	137	3	234	229	5
All other	130	128	1	52	52	-	71	70	1
Black	126	124	1	52	52	-	67	66	1
Montana	94	94	-	27	27	-	64	64	-
White	78	78	-	25	25	-	51	51	-
All other	16	16	-	2	2	-	13	13	-
Black	-	-	-	-	-	-	-	-	-
Nebraska	187	185	2	45	44	1	109	109	-
White	169	167	2	39	38	1	100	100	-
All other	18	18	-	6	6	-	9	9	-
Black	13	13	-	4	4	-	6	6	-
Nevada	101	101	-	34	34	-	61	61	-
White	81	81	-	27	27	-	48	48	-
All other	20	20	-	7	7	-	13	13	-
Black	15	15	-	6	6	-	9	9	-
New Hampshire	91	91	-	28	28	-	60	60	-
White	91	91	-	28	28	-	60	60	-
All other	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-
New Jersey	815	802	11	160	159	1	314	312	2
White	550	543	6	110	110	-	241	239	2
All other	265	259	5	50	49	1	73	73	-
Black	245	239	5	45	44	1	65	65	-
New Mexico ²	165	158	6	37	36	1	76	73	3
White	137	130	6	29	28	1	65	62	3
All other	28	28	-	8	8	-	11	11	-
Black	3	3	-	1	1	-	1	1	-
New York	2,543	2,516	26	1,146	1,134	12	1,233	1,219	14
White	1,686	1,664	21	758	748	10	849	838	11
All other	857	852	5	388	386	2	384	381	3
Black	804	799	5	357	355	2	363	360	3
North Carolina	762	749	12	280	276	4	450	442	8
White	442	435	7	140	137	3	286	282	4
All other	320	314	5	140	139	1	164	160	4
Black	305	299	5	134	133	1	155	151	4
North Dakota	65	65	-	19	19	-	43	43	-
White	58	58	-	16	16	-	39	39	-
All other	7	7	-	3	3	-	4	4	-
Black	1	1	-	1	1	-	-	-	-
Ohio	1,225	1,199	26	392	385	7	780	767	13
White	940	920	20	276	270	6	622	611	11
All other	285	279	6	116	115	1	158	156	2
Black	276	270	6	115	114	1	150	148	2
Oklahoma	402	395	7	75	72	3	147	144	3
White	306	300	6	57	55	2	117	114	3
All other	96	95	1	18	17	1	30	30	-
Black	54	53	1	14	13	1	12	12	-
Oregon	242	237	5	81	79	2	160	157	3
White	232	227	5	78	76	2	153	150	3
All other	10	10	-	3	3	-	7	7	-
Black	4	4	-	1	1	-	3	3	-
Pennsylvania	1,425	1,402	22	598	592	5	813	799	14
White	1,125	1,107	18	430	427	3	682	670	12
All other	300	295	4	168	165	2	131	129	2
Black	285	281	4	160	158	2	124	122	2

SECTION 3 - FETAL MORTALITY - PAGE 25

Table 3-13. Fetal Deaths by Place of Delivery, Gestation Group, and Race: United States and Each State, 1985—Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more. Group IV includes fetal deaths with gestation period not stated, but presumed to be 20 weeks or more. For definition of Groups II, III, and IV, see Technical Appendix]

Area and race	All fetal deaths in Groups II, III, and IV			Group II - fetal deaths of 20-27 weeks gestation ¹			Group III - fetal deaths of 28 weeks gestation or more ¹		
	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital	Total	In hospital	Not in hospital
Rhode Island	101	100	1	40	40	-	59	58	1
White	84	83	1	36	36	-	46	45	1
All other	17	17	-	4	4	-	13	13	-
Black	16	16	-	4	4	-	12	12	-
South Carolina	564	551	13	225	216	9	335	331	4
White	254	253	1	99	98	1	153	153	-
All other	310	298	12	126	118	8	182	178	4
Black	308	296	12	125	117	8	181	177	4
South Dakota ²	76	76	-	12	12	-	61	61	-
White	60	60	-	8	8	-	51	51	-
All other	16	16	-	4	4	-	10	10	-
Black	-	-	-	-	-	-	-	-	-
Tennessee ²	497	492	5	112	110	2	379	377	2
White	343	339	4	70	68	2	272	270	2
All other	154	153	1	42	42	-	107	107	-
Black	147	146	1	41	41	-	101	101	-
Texas	2,228	2,178	50	701	679	22	1,474	1,451	23
White	1,775	1,736	39	527	511	16	1,204	1,185	19
All other	453	442	11	174	168	6	270	266	4
Black	421	410	11	165	159	6	247	243	4
Utah	258	254	2	102	101	1	155	152	1
White	245	242	1	100	99	1	145	143	-
All other	13	12	1	2	2	-	10	9	1
Black	3	3	-	1	1	-	2	2	-
Vermont	57	57	-	19	19	-	35	35	-
White	57	57	-	19	19	-	35	35	-
All other	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-
Virginia	908	895	11	440	432	7	458	453	4
White	561	553	6	254	250	3	301	297	3
All other	347	342	5	186	182	4	157	156	1
Black	341	336	5	184	180	4	153	152	1
Washington	406	399	7	88	88	-	153	152	1
White	338	334	4	75	75	-	135	134	1
All other	68	65	3	13	13	-	18	18	-
Black	35	32	3	6	6	-	10	10	-
West Virginia	195	192	2	51	50	1	103	102	-
White	180	177	2	47	46	1	96	95	-
All other	15	15	-	4	4	-	7	7	-
Black	14	14	-	4	4	-	6	6	-
Wisconsin	468	461	7	163	160	3	298	294	4
White	370	364	6	119	116	3	244	241	3
All other	98	97	1	44	44	-	54	53	1
Black	80	79	1	39	39	-	41	40	1
Wyoming	63	62	1	20	19	1	43	43	-
White	59	59	-	18	18	-	41	41	-
All other	4	3	1	2	1	1	2	2	-
Black	2	1	1	2	1	1	-	-	-

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

² Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 26

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Race, and Sex: United States, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Plurality of birth, race, and sex	Total	Birth weight ¹												Not stated
		Under 350 grams	350-499 grams	500-999 grams	1,000-1,499 grams	1,500-1,999 grams	2,000-2,499 grams	2,500-2,999 grams	3,000-3,499 grams	3,500-3,999 grams	4,000-4,499 grams	4,500-4,999 grams	5,000 grams or more	
All races	29,661	2,350	2,757	6,029	2,753	2,678	2,597	2,494	2,229	1,366	485	185	114	3,624
Fetal deaths in single deliveries	27,412	1,984	2,445	5,563	2,495	2,486	2,386	2,392	2,186	1,356	483	184	113	3,339
Fetal deaths in twin deliveries	2,158	344	292	449	246	189	210	102	43	10	2	1	1	269
Fetal deaths in other plural deliveries	91	22	20	17	12	3	1	-	-	-	-	-	-	16
Male	14,988	1,189	1,393	3,102	1,426	1,417	1,364	1,268	1,162	770	298	120	66	1,413
Fetal deaths in single deliveries	13,873	1,015	1,231	2,860	1,281	1,330	1,259	1,217	1,136	762	297	120	66	1,299
Fetal deaths in twin deliveries	1,070	163	154	234	137	86	105	51	26	8	1	-	-	105
Fetal deaths in other plural deliveries	45	11	8	8	8	1	-	-	-	-	-	-	-	9
Female	13,303	972	1,287	2,851	1,304	1,249	1,221	1,221	1,063	590	186	64	47	1,248
Fetal deaths in single deliveries	12,267	796	1,140	2,634	1,194	1,145	1,118	1,170	1,046	588	185	63	46	1,142
Fetal deaths in twin deliveries	991	166	135	208	106	102	102	51	17	2	1	1	1	99
Fetal deaths in other plural deliveries	45	10	12	9	4	2	1	-	-	-	-	-	-	7
Sex not stated	1,370	189	77	76	23	12	12	5	4	6	1	1	1	963
Fetal deaths in single deliveries	1,272	173	74	69	20	11	9	5	4	6	1	1	1	898
Fetal deaths in twin deliveries	97	15	3	7	3	1	3	-	-	-	-	-	-	65
Fetal deaths in other plural deliveries	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	20,954	1,653	1,810	3,934	1,873	1,861	1,875	1,861	1,743	1,128	399	138	84	2,595
Fetal deaths in single deliveries	19,227	1,362	1,585	3,578	1,685	1,712	1,695	1,777	1,704	1,119	397	137	83	2,393
Fetal deaths in twin deliveries	1,656	276	209	339	178	147	179	84	39	9	2	1	1	192
Fetal deaths in other plural deliveries	71	15	16	17	10	2	1	-	-	-	-	-	-	10
Male	10,567	845	901	2,013	951	997	974	929	909	642	243	87	50	1,026
Fetal deaths in single deliveries	9,706	707	782	1,825	847	923	888	887	886	635	242	87	50	947
Fetal deaths in twin deliveries	830	132	114	180	98	73	86	42	23	7	1	-	-	74
Fetal deaths in other plural deliveries	31	6	5	8	6	1	-	-	-	-	-	-	-	5
Female	9,485	691	860	1,877	913	854	891	928	832	482	155	50	33	919
Fetal deaths in single deliveries	8,689	552	756	1,714	831	780	800	886	816	480	154	49	32	839
Fetal deaths in twin deliveries	757	131	93	154	78	73	90	42	16	2	1	1	1	75
Fetal deaths in other plural deliveries	39	8	11	9	4	1	1	-	-	-	-	-	-	5
Sex not stated	902	117	49	44	9	10	10	4	2	4	1	1	1	650
Fetal deaths in single deliveries	832	103	47	39	7	9	7	4	2	4	1	1	1	607
Fetal deaths in twin deliveries	69	13	2	5	2	1	3	-	-	-	-	-	-	43
Fetal deaths in other plural deliveries	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	8,707	697	947	2,095	880	817	722	633	486	238	86	47	30	1,029
Fetal deaths in single deliveries	8,185	622	860	1,985	810	774	691	615	482	237	86	47	30	946
Fetal deaths in twin deliveries	502	68	83	110	68	42	31	18	4	1	-	-	-	77
Fetal deaths in other plural deliveries	20	7	4	-	2	1	-	-	-	-	-	-	-	6
Male	4,421	344	492	1,089	475	420	390	339	253	128	55	33	16	387
Fetal deaths in single deliveries	4,167	308	449	1,035	434	407	371	330	250	127	55	33	16	352
Fetal deaths in twin deliveries	240	31	40	54	39	13	19	9	3	1	-	-	-	31
Fetal deaths in other plural deliveries	14	5	3	-	2	-	-	-	-	-	-	-	-	4
Female	3,818	281	427	974	391	395	330	293	231	108	31	14	14	329
Fetal deaths in single deliveries	3,578	244	384	920	363	365	318	284	230	108	31	14	14	303
Fetal deaths in twin deliveries	234	35	42	54	28	29	12	9	1	-	-	-	-	24
Fetal deaths in other plural deliveries	6	2	1	-	-	1	-	-	-	-	-	-	-	2
Sex not stated	468	72	28	32	14	2	2	1	2	2	-	-	-	313
Fetal deaths in single deliveries	440	70	27	30	13	2	2	1	2	2	-	-	-	291
Fetal deaths in twin deliveries	28	2	1	2	1	-	-	-	-	-	-	-	-	22
Fetal deaths in other plural deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7,738	621	870	1,924	800	708	642	549	412	192	72	35	24	889
Fetal deaths in single deliveries	7,274	554	790	1,824	736	673	616	533	408	191	72	35	24	818
Fetal deaths in twin deliveries	449	64	76	100	62	35	26	16	4	1	-	-	-	65
Fetal deaths in other plural deliveries	15	3	4	-	2	-	-	-	-	-	-	-	-	6
Male	3,926	313	452	996	425	365	349	292	217	105	46	23	14	329
Fetal deaths in single deliveries	3,695	280	411	948	389	354	331	284	214	104	46	23	14	297
Fetal deaths in twin deliveries	220	31	38	48	34	11	18	8	3	1	-	-	-	28
Fetal deaths in other plural deliveries	11	2	3	-	2	-	-	-	-	-	-	-	-	4
Female	3,386	245	392	897	361	341	291	256	193	85	26	12	10	277
Fetal deaths in single deliveries	3,178	213	353	847	334	317	283	248	192	85	26	12	10	258
Fetal deaths in twin deliveries	204	31	38	50	27	24	8	8	1	-	-	-	-	17
Fetal deaths in other plural deliveries	4	1	1	-	-	-	-	-	-	-	-	-	-	2
Sex not stated	426	63	26	31	14	2	2	1	2	2	-	-	-	283
Fetal deaths in single deliveries	401	61	26	29	13	2	2	1	2	2	-	-	-	263
Fetal deaths in twin deliveries	25	2	-	2	1	-	-	-	-	-	-	-	-	20
Fetal deaths in other plural deliveries	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 27

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Race, and Sex: United States, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Plurality of birth, race, and sex	Total	Period of gestation ¹									
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks	42 weeks or more	Not stated
All races	29,661	5,536	3,958	3,268	3,925	1,229	3,980	1,544	960	1,299	3,962
Fetal deaths in single deliveries	27,412	5,025	3,605	3,000	3,635	1,136	3,670	1,465	929	1,263	3,684
Fetal deaths in twin deliveries	2,158	491	337	254	277	90	307	78	30	35	259
Fetal deaths in other plural deliveries	91	20	16	14	13	3	3	1	1	1	19
Male	14,988	2,743	1,881	1,627	2,036	643	2,061	810	488	627	2,072
Fetal deaths in single deliveries	13,873	2,488	1,697	1,491	1,882	604	1,915	773	472	612	1,939
Fetal deaths in twin deliveries	1,070	244	176	132	146	38	146	37	16	14	121
Fetal deaths in other plural deliveries	45	11	8	4	8	1	-	-	-	1	12
Female	13,303	2,046	1,798	1,536	1,829	579	1,876	721	466	635	1,817
Fetal deaths in single deliveries	12,267	1,827	1,642	1,411	1,701	526	1,725	682	452	618	1,683
Fetal deaths in twin deliveries	991	210	148	115	124	51	148	38	13	17	127
Fetal deaths in other plural deliveries	45	9	8	10	4	2	3	1	1	-	7
Sex not stated	1,370	747	279	105	60	7	43	13	6	37	73
Fetal deaths in single deliveries	1,272	710	266	98	52	6	30	10	5	33	62
Fetal deaths in twin deliveries	97	37	13	7	7	1	13	3	1	4	11
Fetal deaths in other plural deliveries	1	-	-	-	1	-	-	-	-	-	-
White	20,954	3,681	2,716	2,240	2,780	915	3,032	1,203	777	1,040	2,570
Fetal deaths in single deliveries	19,227	3,306	2,440	2,023	2,559	835	2,778	1,141	749	1,015	2,381
Fetal deaths in twin deliveries	1,656	361	264	204	210	77	251	61	27	24	177
Fetal deaths in other plural deliveries	71	14	12	13	11	3	3	1	1	1	12
Male	10,567	1,819	1,283	1,102	1,462	493	1,564	637	396	494	1,317
Fetal deaths in single deliveries	9,706	1,625	1,140	996	1,340	460	1,443	610	380	484	1,228
Fetal deaths in twin deliveries	830	188	137	102	116	32	121	27	16	9	82
Fetal deaths in other plural deliveries	31	6	6	4	6	1	-	-	-	1	7
Female	9,485	1,372	1,245	1,068	1,282	418	1,437	555	376	518	1,214
Fetal deaths in single deliveries	8,689	1,215	1,119	964	1,190	372	1,315	523	365	506	1,120
Fetal deaths in twin deliveries	757	149	120	95	88	44	119	31	10	12	89
Fetal deaths in other plural deliveries	39	8	6	9	4	2	3	1	1	-	5
Sex not stated	902	490	188	70	36	4	31	11	5	28	39
Fetal deaths in single deliveries	832	466	181	63	29	3	20	8	4	25	33
Fetal deaths in twin deliveries	69	24	7	7	6	1	11	3	1	3	6
Fetal deaths in other plural deliveries	1	-	-	-	1	-	-	-	-	-	-
All other	8,707	1,855	1,242	1,028	1,145	314	948	341	183	259	1,392
Fetal deaths in single deliveries	8,185	1,719	1,165	977	1,076	301	892	324	180	248	1,303
Fetal deaths in twin deliveries	502	130	73	50	67	13	56	17	3	11	82
Fetal deaths in other plural deliveries	20	6	4	1	2	-	-	-	-	-	7
Male	4,421	924	598	525	574	150	497	173	92	133	755
Fetal deaths in single deliveries	4,167	863	557	495	542	144	472	163	92	128	711
Fetal deaths in twin deliveries	240	56	39	30	30	6	25	10	-	5	39
Fetal deaths in other plural deliveries	14	5	2	-	2	-	-	-	-	-	5
Female	3,818	674	553	468	547	161	439	166	90	117	603
Fetal deaths in single deliveries	3,578	612	523	447	511	154	410	159	87	112	563
Fetal deaths in twin deliveries	234	61	28	20	36	7	29	7	3	5	38
Fetal deaths in other plural deliveries	6	1	2	1	-	-	-	-	-	-	2
Sex not stated	468	257	91	35	24	3	12	2	1	9	34
Fetal deaths in single deliveries	440	244	85	35	23	3	10	2	1	8	29
Fetal deaths in twin deliveries	28	13	6	-	1	-	2	-	-	1	5
Fetal deaths in other plural deliveries	-	-	-	-	-	-	-	-	-	-	-
Black	7,738	1,696	1,141	921	1,008	279	820	275	147	218	1,233
Fetal deaths in single deliveries	7,274	1,572	1,070	879	952	269	767	261	145	208	1,151
Fetal deaths in twin deliveries	449	121	68	42	54	10	53	14	2	10	75
Fetal deaths in other plural deliveries	15	3	3	-	2	-	-	-	-	-	7
Male	3,926	850	551	462	516	128	427	143	77	106	666
Fetal deaths in single deliveries	3,695	792	512	438	489	124	403	135	77	101	624
Fetal deaths in twin deliveries	220	55	38	24	25	4	24	8	-	5	37
Fetal deaths in other plural deliveries	11	3	1	-	2	-	-	-	-	-	5
Female	3,386	616	508	425	468	148	382	130	70	103	536
Fetal deaths in single deliveries	3,178	561	481	407	440	142	355	124	68	99	501
Fetal deaths in twin deliveries	204	55	25	18	28	6	27	6	2	4	33
Fetal deaths in other plural deliveries	4	-	2	-	-	-	-	-	-	-	2
Sex not stated	426	230	82	34	24	3	11	2	-	9	31
Fetal deaths in single deliveries	401	219	77	34	23	3	9	2	-	8	26
Fetal deaths in twin deliveries	25	11	5	-	1	-	2	-	-	1	5
Fetal deaths in other plural deliveries	-	-	-	-	-	-	-	-	-	-	-

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 28

Table 3-16. Fetal Deaths by Birth Weight and Race for the United States and Each State; and by Sex for the United States: 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, race, and sex	Total	Birth weight ¹												Not stated
		Under 350 grams	350-499 grams	500-999 grams	1,000-1,499 grams	1,500-1,999 grams	2,000-2,499 grams	2,500-2,999 grams	3,000-3,499 grams	3,500-3,999 grams	4,000-4,499 grams	4,500-4,999 grams	5,000 grams or more	
United States	29,661	2,350	2,757	6,029	2,753	2,678	2,597	2,494	2,229	1,366	485	185	114	3,624
White	20,954	1,653	1,810	3,934	1,873	1,861	1,875	1,861	1,743	1,128	399	138	84	2,595
All other	8,707	697	947	2,095	880	817	722	633	486	238	86	47	30	1,029
Black	7,738	621	870	1,924	800	708	642	549	412	192	72	35	24	889
Male	14,988	1,189	1,393	3,102	1,426	1,417	1,364	1,268	1,162	770	298	120	66	1,413
White	10,567	845	901	2,013	951	997	974	929	909	642	243	87	50	1,026
All other	4,421	344	492	1,089	475	420	390	339	253	128	55	33	16	387
Black	3,926	313	452	996	425	365	349	292	217	105	46	23	14	329
Female	13,303	972	1,287	2,851	1,304	1,249	1,221	1,221	1,063	590	186	64	47	1,248
White	9,485	691	860	1,877	913	854	891	928	832	482	155	50	33	919
All other	3,818	281	427	974	391	395	330	293	231	108	31	14	14	329
Black	3,386	245	392	897	361	341	291	256	193	85	26	12	10	277
Sex not stated	1,370	189	77	76	23	12	12	5	4	6	1	1	1	963
White	902	117	49	44	9	10	10	4	2	4	1	1	1	650
All other	468	72	28	32	14	2	2	1	2	2	-	-	-	313
Black	426	63	26	31	14	2	2	1	2	2	-	-	-	283
Alabama	640	44	65	141	70	44	59	59	55	26	15	6	4	52
White	315	25	30	67	32	19	27	32	29	15	7	5	1	26
All other	325	19	35	74	38	25	32	27	26	11	8	1	3	26
Black	320	19	34	74	37	23	32	27	26	10	8	1	3	26
Alaska	85	4	8	14	7	6	8	5	7	3	2	-	-	21
White	63	3	8	10	5	4	6	5	5	3	2	-	-	12
All other	22	1	-	4	2	2	2	-	2	-	-	-	-	9
Black	3	-	-	-	2	-	-	-	1	-	-	-	-	-
Arizona	410	32	34	90	43	43	43	37	34	21	10	4	-	19
White	330	28	27	63	38	36	38	32	26	15	9	3	-	15
All other	80	4	7	27	5	7	5	5	8	6	1	1	-	4
Black	30	3	2	14	2	5	1	1	1	-	-	-	-	1
Arkansas	283	9	20	62	36	35	22	26	26	23	2	1	1	20
White	177	5	13	38	24	20	15	10	17	19	1	-	1	14
All other	106	4	7	24	12	15	7	16	9	4	1	1	-	6
Black	100	4	7	23	12	13	6	14	9	4	1	1	-	6
California	3,144	181	300	719	299	313	293	320	301	193	68	19	15	123
White	2,352	141	213	524	218	220	218	245	238	164	57	13	13	88
All other	792	40	87	195	81	93	75	75	63	29	11	6	2	35
Black	518	27	68	141	55	55	49	47	40	12	4	2	1	17
Colorado	488	30	45	71	33	32	38	41	34	21	7	1	2	133
White	442	27	38	62	30	29	32	38	34	19	7	1	1	124
All other	46	3	7	9	3	3	6	3	-	2	-	-	1	9
Black	28	2	6	6	3	1	5	-	-	1	-	-	-	4
Connecticut	314	30	28	88	22	23	12	20	17	11	5	1	1	56
White	255	26	18	68	21	19	9	16	15	10	5	1	1	46
All other	59	4	10	20	1	4	3	4	2	1	-	-	-	10
Black	57	3	10	19	1	4	3	4	2	1	-	-	-	10
Delaware	63	5	4	14	6	8	4	5	4	6	-	-	-	7
White	40	5	4	7	2	5	3	3	2	4	-	-	-	5
All other	23	-	-	7	4	3	1	2	2	2	-	-	-	2
Black	22	-	-	6	4	3	1	2	2	2	-	-	-	2
District of Columbia	120	5	16	41	8	12	7	9	3	2	1	-	-	16
White	9	-	3	1	-	-	1	1	-	1	-	-	-	2
All other	111	5	13	40	8	12	6	8	3	1	1	-	-	14
Black	111	5	13	40	8	12	6	8	3	1	1	-	-	14
Florida	1,425	107	150	330	146	145	128	106	101	71	24	9	4	104
White	878	60	85	178	83	97	82	68	76	53	17	8	2	69
All other	547	47	65	152	63	48	46	38	25	18	7	1	2	35
Black	539	45	63	151	63	46	45	38	25	18	7	1	2	35
Georgia	1,180	159	141	200	76	84	66	81	62	46	10	2	4	249
White	627	84	64	114	35	41	39	42	36	29	7	1	1	134
All other	553	75	77	86	41	43	27	39	26	17	3	1	3	115
Black	545	75	77	82	41	43	26	38	26	17	3	1	3	113
Hawaii	163	29	16	22	7	15	8	10	5	4	1	3	2	41
White	37	10	3	6	1	3	4	2	-	1	-	1	-	6
All other	126	19	13	16	6	12	4	8	5	3	1	2	2	35
Black	10	1	2	3	2	-	-	1	-	-	-	1	-	-
Idaho	128	13	13	18	9	12	13	22	13	8	1	-	-	6
White	121	13	12	17	5	12	13	22	13	8	1	-	-	5
All other	7	-	1	1	4	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Illinois	1,454	103	120	324	164	151	156	122	116	84	28	9	6	71
White	945	64	75	193	95	102	105	78	84	66	24	5	3	51
All other	509	39	45	131	69	49	51	44	32	18	4	4	3	20
Black	482	38	44	127	64	46	47	40	30	16	3	4	3	20
Indiana	590	31	36	96	44	49	43	49	48	26	16	5	1	146
White	492	27	30	81	35	35	36	44	44	22	15	3	1	119
All other	98	4	6	15	9	14	7	5	4	4	1	2	-	27
Black	90	4	5	15	8	13	6	4	3	4	1	2	-	25
Iowa	246	15	31	45	22	22	16	33	23	18	7	1	-	13
White	237	15	29	45	22	20	16	31	22	18	7	1	-	11
All other	9	-	2	-	-	2	-	2	1	-	-	-	-	2
Black	6	-	2	-	-	1	-	-	1	-	-	-	-	2

SECTION 3 - FETAL MORTALITY - PAGE 29

Table 3-16. Fetal Deaths by Birth Weight and Race for the United States and Each State; and by Sex for the United States: 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, race, and sex	Total	Birth weight ¹													Not stated
		Under 350 grams	350-499 grams	500-999 grams	1,000-1,499 grams	1,500-1,999 grams	2,000-2,499 grams	2,500-2,999 grams	3,000-3,499 grams	3,500-3,999 grams	4,000-4,499 grams	4,500-4,999 grams	5,000 grams or more		
Kansas	273	2	41	62	27	31	34	31	22	12	7	1	1	2	
White	225	2	36	45	21	25	27	28	19	11	7	1	1	2	
All other	48	-	5	17	6	6	7	3	3	1	-	-	-	-	
Black	42	-	5	15	5	6	4	3	3	1	-	-	-	-	
Kentucky	449	35	43	96	42	46	53	36	30	29	7	5	1	26	
White	381	34	35	74	38	35	42	32	29	26	7	5	-	24	
All other	68	1	8	22	4	11	11	4	1	3	-	-	1	2	
Black	66	1	8	22	4	11	11	3	-	3	-	-	1	2	
Louisiana	746	35	84	180	90	78	79	72	51	30	6	6	-	35	
White	326	21	32	52	38	38	36	40	26	15	3	5	-	20	
All other	420	14	52	128	52	40	43	32	25	15	3	1	-	15	
Black	414	14	52	127	51	39	41	31	25	15	3	1	-	15	
Maine	105	11	9	20	6	6	6	9	5	2	-	2	-	29	
White	104	11	8	20	6	6	6	9	5	2	-	2	-	29	
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Maryland	550	39	39	120	48	39	46	32	30	13	4	6	3	131	
White	291	25	18	61	22	18	21	16	16	9	2	3	1	79	
All other	259	14	21	59	26	21	25	16	14	4	2	3	2	52	
Black	250	11	21	57	24	21	24	16	14	4	2	3	2	51	
Massachusetts	529	49	58	103	42	47	40	44	45	23	8	5	2	63	
White	445	42	38	88	36	37	35	38	42	22	7	5	2	53	
All other	84	7	20	15	6	10	5	6	3	1	1	-	-	10	
Black	75	7	19	13	6	9	3	5	2	1	1	-	-	9	
Michigan	858	77	87	172	85	88	89	89	79	40	15	4	3	30	
White	665	61	59	126	65	71	67	72	68	35	10	3	3	25	
All other	193	16	28	46	20	17	22	17	11	5	5	1	-	5	
Black	183	14	27	45	19	16	22	16	11	3	5	1	-	4	
Minnesota	445	20	35	72	26	37	39	34	33	22	8	4	-	115	
White	406	18	30	66	23	32	35	31	29	21	8	2	-	111	
All other	39	2	5	6	3	5	4	3	4	1	-	2	-	4	
Black	21	1	3	4	2	1	3	3	2	1	-	1	-	-	
Mississippi	513	51	57	112	47	53	59	41	32	21	2	2	1	35	
White	178	27	13	38	14	15	16	16	14	9	1	1	1	13	
All other	335	24	44	74	33	38	43	25	18	12	1	1	-	22	
Black	328	24	44	73	33	38	43	22	17	12	1	-	-	21	
Missouri	522	45	55	118	46	41	48	58	43	18	7	3	4	36	
White	392	35	43	77	36	32	35	45	32	17	6	3	3	28	
All other	130	10	12	41	10	9	13	13	11	1	1	-	1	8	
Black	126	10	12	41	10	7	12	13	10	1	1	-	1	8	
Montana	94	6	11	11	10	5	17	8	8	2	2	-	-	14	
White	78	5	11	9	6	3	16	8	5	2	2	-	-	11	
All other	16	1	-	2	4	2	1	-	3	-	-	-	-	3	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nebraska	187	19	13	36	18	22	21	13	19	6	6	1	2	11	
White	169	17	11	34	17	19	18	13	17	6	6	1	2	8	
All other	18	2	2	2	1	3	3	-	2	-	-	-	-	3	
Black	13	2	2	1	-	2	2	-	2	-	-	-	-	2	
Nevada	101	1	7	21	10	9	5	9	8	5	2	-	-	24	
White	81	1	6	16	9	8	4	8	8	4	2	-	-	15	
All other	20	-	1	5	1	1	1	1	-	1	-	-	-	9	
Black	15	-	-	5	1	1	-	1	-	1	-	-	-	6	
New Hampshire	91	4	13	17	9	6	10	11	7	9	2	-	-	3	
White	91	4	13	17	9	6	10	11	7	9	2	-	-	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Jersey	815	41	54	159	83	62	48	64	48	32	9	1	-	214	
White	550	31	36	97	53	48	35	47	37	26	9	1	-	130	
All other	265	10	18	62	30	14	13	17	11	6	-	-	-	84	
Black	245	9	18	59	29	12	12	14	9	6	-	-	-	77	
New Mexico ²	165	6	8	22	14	16	11	14	9	4	1	-	-	60	
White	137	3	6	17	11	12	10	11	9	3	-	-	-	55	
All other	28	3	2	5	3	4	1	3	-	1	1	-	-	5	
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	
New York	2,543	214	206	430	174	166	172	136	120	92	28	11	7	787	
White	1,686	141	124	246	109	109	109	94	93	75	21	8	4	553	
All other	857	73	82	184	65	57	63	42	27	17	7	3	3	234	
Black	804	64	77	177	60	56	62	39	25	15	7	3	3	216	
North Carolina	762	60	81	173	81	77	79	52	59	25	16	4	6	49	
White	442	28	47	98	47	40	50	29	42	19	11	2	5	24	
All other	320	32	34	75	34	37	29	23	17	6	5	2	1	25	
Black	305	31	31	74	30	35	29	23	16	5	5	2	1	23	
North Dakota	65	6	3	10	8	10	4	8	4	4	2	-	-	6	
White	58	6	3	6	8	9	4	8	2	4	2	-	-	6	
All other	7	-	-	4	-	1	-	-	2	-	-	-	-	-	
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Ohio	1,225	94	115	250	120	108	121	118	79	50	23	9	8	130	
White	940	68	78	173	94	90	95	100	65	40	19	6	7	105	
All other	285	26	37	77	26	18	26	18	14	10	4	3	1	25	
Black	276	25	37	76	26	18	25	18	13	8	3	2	1	24	

SECTION 3 - FETAL MORTALITY - PAGE 30

Table 3-16. Fetal Deaths by Birth Weight and Race for the United States and Each State; and by Sex for the United States: 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, race, and sex	Total	Birth weight ¹												Not stated
		Under 350 grams	350-499 grams	500-999 grams	1,000-1,499 grams	1,500-1,999 grams	2,000-2,499 grams	2,500-2,999 grams	3,000-3,499 grams	3,500-3,999 grams	4,000-4,499 grams	4,500-4,999 grams	5,000 grams or more	
Oklahoma	402	14	25	82	34	36	21	29	28	18	7	5	1	102
White	306	9	20	61	27	24	12	23	23	15	6	5	1	80
All other	96	5	5	21	7	12	9	6	5	3	1	—	—	22
Black	54	5	2	12	5	6	5	4	1	1	—	—	—	13
Oregon	242	23	26	46	17	23	26	18	28	15	10	1	—	9
White	232	21	24	44	15	23	25	18	27	15	10	1	—	9
All other	10	2	2	2	2	—	1	—	1	—	—	—	—	—
Black	4	—	1	—	2	—	1	—	—	—	—	—	—	—
Pennsylvania	1,425	283	158	246	127	126	120	90	131	55	12	8	8	61
White	1,125	207	118	171	100	107	108	75	114	52	10	8	7	48
All other	300	76	40	75	27	19	12	15	17	3	2	—	1	13
Black	285	71	38	73	26	18	11	14	15	3	2	—	1	13
Rhode Island	101	7	5	10	3	6	5	2	4	4	1	1	—	53
White	84	7	2	7	3	3	3	2	3	4	—	—	—	50
All other	17	—	3	3	—	3	2	—	1	—	—	—	—	3
Black	16	—	3	2	—	3	2	—	1	—	1	1	—	3
South Carolina	564	46	80	142	62	51	40	47	41	29	6	4	—	16
White	254	26	33	59	25	20	17	26	18	18	4	2	—	6
All other	310	20	47	83	37	31	23	21	23	11	2	2	—	10
Black	308	20	46	82	37	31	23	21	23	11	2	2	—	10
South Dakota ²	76	1	5	10	6	10	13	10	9	7	1	1	—	3
White	60	—	4	9	4	10	10	8	7	6	1	—	—	1
All other	16	1	1	1	2	—	3	2	2	1	—	1	—	2
Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tennessee ²	497	3	5	126	73	74	55	49	45	35	11	3	1	17
White	343	3	4	78	54	50	40	37	30	29	8	1	—	9
All other	154	—	1	48	19	24	15	12	15	6	3	2	1	8
Black	147	—	1	46	18	23	14	12	14	5	3	2	1	8
Texas	2,228	124	188	503	256	217	234	245	188	112	49	21	15	76
White	1,775	97	146	374	196	167	188	194	166	104	45	18	14	66
All other	453	27	42	129	60	50	46	51	22	8	4	3	1	10
Black	421	26	41	118	58	46	45	45	19	7	3	2	1	10
Utah	258	29	27	42	25	15	23	21	24	11	7	1	2	31
White	245	28	27	41	22	14	23	18	21	10	7	1	2	31
All other	13	1	—	1	3	1	—	3	3	1	—	—	—	—
Black	3	—	—	1	1	—	—	1	—	—	—	—	—	—
Vermont	57	5	4	12	5	7	10	7	2	2	—	—	—	3
White	57	5	4	12	5	7	10	7	2	2	—	—	—	3
All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Virginia	908	94	82	147	73	78	48	44	47	24	10	6	3	252
White	561	56	47	84	41	39	36	30	32	21	8	4	3	160
All other	347	38	35	63	32	39	12	14	15	3	2	2	—	92
Black	341	38	34	61	32	37	11	14	15	3	2	2	—	92
Washington	406	24	41	66	34	24	27	34	29	17	9	2	2	97
White	338	17	32	51	25	22	21	28	28	16	8	1	2	87
All other	68	7	9	15	9	2	6	6	1	1	1	1	—	10
Black	35	1	2	13	7	—	2	3	1	—	1	—	—	5
West Virginia	195	21	17	37	13	23	23	18	14	10	6	2	1	10
White	180	18	16	33	12	21	22	17	14	10	5	2	1	9
All other	15	3	1	4	1	2	1	1	—	—	1	—	—	1
Black	14	3	1	4	1	1	1	1	—	—	1	—	—	1
Wisconsin	468	57	45	93	44	36	47	49	56	19	3	5	2	12
White	370	40	31	69	33	29	38	46	49	18	2	5	—	10
All other	98	17	14	24	11	7	9	3	7	1	1	—	2	2
Black	80	17	12	20	9	5	7	3	5	—	1	—	—	1
Wyoming	63	7	3	8	3	11	8	7	3	6	1	—	1	5
White	59	6	3	7	3	10	7	7	3	6	1	—	1	5
All other	4	1	—	1	—	1	1	—	—	—	—	—	—	—
Black	2	1	—	1	—	—	—	—	—	—	—	—	—	—

¹ Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.
² Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 31

Table 3-17. Fetal Deaths by Period of Gestation and Race for the United States and Each State; and by Sex for the United States: 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, race, and sex	Total	Period of gestation ¹									
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks	42 weeks or more	Not stated
United States	29,661	5,536	3,958	3,268	3,925	1,229	3,980	1,544	960	1,299	3,962
White	20,954	3,681	2,716	2,240	2,780	915	3,032	1,203	777	1,040	2,570
All other	8,707	1,855	1,242	1,028	1,145	314	948	341	183	259	1,392
Black	7,738	1,696	1,141	921	1,008	279	820	275	147	218	1,233
Male	14,988	2,743	1,881	1,627	2,036	643	2,061	810	488	627	2,072
White	10,567	1,819	1,283	1,102	1,462	493	1,564	637	396	494	1,317
All other	4,421	924	598	525	574	150	497	173	92	133	755
Black	3,926	850	551	462	516	128	427	143	77	106	666
Female	13,303	2,046	1,798	1,536	1,829	579	1,876	721	466	635	1,817
White	9,485	1,372	1,245	1,068	1,282	418	1,437	555	376	518	1,214
All other	3,818	674	553	468	547	161	439	166	90	117	603
Black	3,386	616	508	425	468	148	382	130	70	103	536
Sex not stated	1,370	747	279	105	60	7	43	13	6	37	73
White	902	490	188	70	36	4	31	11	5	28	39
All other	468	257	91	35	24	3	12	2	1	9	34
Black	426	230	82	34	24	3	11	2	-	9	31
Alabama	640	147	88	89	97	29	99	34	21	31	5
White	315	72	42	42	44	15	51	18	13	17	1
All other	325	75	46	47	53	14	48	16	8	14	4
Black	320	74	46	46	52	14	48	16	7	13	4
Alaska	85	8	9	9	7	2	9	2	2	1	36
White	63	8	9	6	4	1	7	2	2	1	23
All other	22	-	-	3	3	1	2	-	-	-	13
Black	3	-	-	1	-	-	1	-	-	-	1
Arizona	410	80	46	63	59	23	66	25	16	18	14
White	330	63	37	46	51	20	57	21	12	11	12
All other	80	17	9	17	8	3	9	4	4	7	2
Black	30	11	4	4	5	1	2	1	1	-	1
Arkansas	283	28	23	29	37	11	34	11	10	14	86
White	177	17	16	19	26	8	22	7	8	9	45
All other	106	11	7	10	11	3	12	4	2	5	41
Black	100	11	7	10	10	3	11	4	2	4	38
California	3,144	375	356	321	426	130	446	143	129	156	662
White	2,352	271	268	242	324	101	340	110	100	126	470
All other	792	104	88	79	102	29	106	33	29	30	192
Black	518	84	64	48	65	18	59	11	15	17	137
Colorado	488	127	91	51	48	15	66	30	18	21	21
White	442	116	77	47	40	15	61	28	18	21	19
All other	46	11	14	4	8	-	5	2	-	-	2
Black	28	8	9	2	6	-	1	1	-	-	1
Connecticut	314	62	30	30	26	8	20	19	8	5	106
White	255	42	25	24	21	7	16	16	8	5	91
All other	59	20	5	6	5	1	4	3	-	-	15
Black	57	19	5	5	5	1	4	3	-	-	15
Delaware	63	11	11	11	8	4	9	5	1	-	3
White	40	9	7	6	4	3	6	3	1	-	1
All other	23	2	4	5	4	1	3	2	-	-	2
Black	22	2	3	5	4	1	3	2	-	-	2
District of Columbia	120	18	14	12	8	2	6	2	4	1	53
White	9	-	1	-	-	1	1	1	1	-	4
All other	111	18	13	12	8	1	5	1	3	1	49
Black	111	18	13	12	8	1	5	1	3	1	49
Florida	1,425	184	161	145	163	36	141	46	38	61	450
White	878	111	94	83	106	27	96	41	28	42	250
All other	547	73	67	62	57	9	45	5	10	19	200
Black	539	71	65	61	57	8	44	5	10	19	199
Georgia	1,180	411	205	123	128	57	128	50	17	45	16
White	627	206	108	74	61	24	82	31	10	27	4
All other	553	205	97	49	67	33	46	19	7	18	12
Black	545	203	94	49	65	33	45	19	7	18	12
Hawaii	163	67	21	17	23	4	11	8	6	5	1
White	37	16	5	5	5	1	1	2	1	1	-
All other	126	51	16	12	18	3	10	6	5	4	1
Black	10	4	1	3	-	1	-	-	1	-	-
Idaho	128	19	18	10	23	7	22	10	6	9	4
White	121	17	17	8	23	6	21	10	6	9	4
All other	7	2	1	2	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Illinois	1,454	168	173	141	181	62	196	73	55	70	335
White	945	109	107	79	121	44	146	45	48	53	193
All other	509	59	66	62	60	18	50	28	7	17	142
Black	482	58	64	59	56	17	47	25	5	15	136
Indiana	590	61	61	51	64	35	60	40	16	40	162
White	492	54	52	45	55	29	53	36	14	35	119
All other	98	7	9	6	9	6	7	4	2	5	43
Black	90	7	8	6	6	6	7	3	2	5	40
Iowa	246	42	39	25	29	11	47	19	10	21	3
White	237	41	38	24	28	11	42	19	10	21	3
All other	9	1	1	1	1	-	5	-	-	-	-
Black	6	1	1	-	1	-	3	-	-	-	-

SECTION 3 - FETAL MORTALITY - PAGE 32

Table 3-17. Fetal Deaths by Period of Gestation and Race for the United States and Each State; and by Sex for the United States: 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, race, and sex	Total	Period of gestation ¹									
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks	42 weeks or more	Not stated
Kansas	273	35	26	26	36	8	40	11	6	13	72
White	225	32	20	21	30	7	37	10	6	13	49
All other	48	3	6	5	6	1	3	1	-	-	23
Black	42	3	6	5	5	1	1	1	-	-	20
Kentucky	449	69	73	70	75	18	59	33	13	18	21
White	381	58	59	56	64	17	52	26	13	17	19
All other	68	11	14	14	11	1	7	7	-	1	2
Black	66	11	14	14	11	1	7	5	-	1	2
Louisiana	746	99	82	87	115	25	104	20	17	33	164
White	326	36	30	33	56	10	49	11	9	23	69
All other	420	63	52	54	59	15	55	9	8	10	95
Black	414	61	52	54	59	15	54	9	8	10	92
Maine	105	22	13	14	12	9	9	11	1	5	9
White	104	21	13	14	12	9	9	11	1	5	9
All other	1	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Maryland	550	62	39	47	57	12	46	9	11	8	259
White	291	35	24	27	27	5	28	8	6	7	124
All other	259	27	15	20	30	7	18	1	5	1	135
Black	250	25	14	18	29	6	17	1	5	1	134
Massachusetts	529	91	78	59	82	26	77	27	20	27	42
White	445	73	63	46	67	23	68	22	18	27	38
All other	84	18	15	13	15	3	9	5	2	-	4
Black	75	16	15	11	13	2	8	4	2	-	4
Michigan	858	162	134	111	139	39	137	70	20	40	6
White	665	124	98	86	103	32	116	53	18	32	3
All other	193	38	36	25	36	7	21	17	2	8	3
Black	183	36	34	25	36	7	19	15	1	7	3
Minnesota	445	26	37	31	42	11	41	15	15	15	212
White	406	23	36	29	37	10	35	14	13	14	195
All other	39	3	1	2	5	1	6	1	2	1	17
Black	21	2	1	2	3	-	4	-	1	1	7
Mississippi	513	123	82	65	76	30	61	32	12	17	15
White	178	48	24	18	22	10	21	16	7	5	7
All other	335	75	58	47	54	20	40	16	5	12	8
Black	328	74	57	47	53	19	39	15	5	12	7
Missouri	522	117	75	66	58	23	82	33	16	27	25
White	392	90	50	47	45	18	70	23	7	24	18
All other	130	27	25	19	13	5	12	10	9	3	7
Black	126	27	25	18	11	5	12	9	9	3	7
Montana	94	11	16	7	17	5	20	9	4	2	3
White	78	9	16	5	12	4	17	9	3	1	2
All other	16	2	-	2	5	1	3	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-
Nebraska	187	25	20	21	28	11	22	12	7	8	33
White	169	19	20	19	22	11	21	12	7	8	30
All other	18	6	-	2	6	-	1	-	-	-	3
Black	13	4	-	1	4	-	1	-	-	-	3
Nevada	101	17	17	18	10	7	10	9	3	4	6
White	81	15	12	15	6	5	9	6	3	4	6
All other	20	2	5	3	4	2	1	3	-	-	-
Black	15	1	5	3	3	1	1	1	-	-	-
New Hampshire	91	16	12	9	11	3	23	1	8	5	3
White	91	16	12	9	11	3	23	1	8	5	3
All other	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
New Jersey	815	75	85	62	76	21	72	20	32	31	341
White	550	49	61	42	56	17	58	14	27	27	199
All other	265	26	24	20	20	4	14	6	5	4	142
Black	245	24	21	18	19	4	11	5	4	4	135
New Mexico ²	165	10	27	14	20	11	14	14	1	2	52
White	137	8	21	11	16	9	13	13	1	2	43
All other	28	2	6	3	4	2	1	1	-	-	9
Black	3	1	-	1	-	-	-	-	-	-	1
New York	2,543	732	414	261	290	79	339	103	61	100	164
White	1,686	488	270	171	194	53	238	77	46	70	79
All other	857	244	144	90	96	26	101	26	15	30	85
Black	804	222	135	87	91	25	94	23	14	29	84
North Carolina	762	161	119	89	128	33	107	43	24	26	32
White	442	77	63	54	80	15	74	28	17	18	16
All other	320	84	56	35	48	18	33	15	7	8	16
Black	305	80	54	32	44	18	33	14	6	8	16
North Dakota	65	11	8	6	12	4	11	7	1	2	3
White	58	9	7	5	11	4	11	5	1	2	3
All other	7	2	1	1	1	-	-	2	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-
Ohio	1,225	231	161	156	184	68	194	89	44	45	53
White	940	153	123	115	144	62	148	77	40	36	42
All other	285	78	38	41	40	6	46	12	4	9	11
Black	276	77	38	40	38	6	44	12	4	6	11

SECTION 3 - FETAL MORTALITY - PAGE 33

Table 3-17. Fetal Deaths by Period of Gestation and Race for the United States and Each State; and by Sex for the United States: 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, race, and sex	Total	Period of gestation ¹									
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks	42 weeks or more	Not stated
Oklahoma	402	31	44	22	39	11	35	9	15	16	180
White	306	23	34	18	28	7	30	8	13	13	132
All other	96	8	10	4	11	4	5	1	2	3	48
Black	54	6	8	2	3	3	1	1	1	1	28
Oregon	242	47	34	26	37	13	33	14	14	23	1
White	232	45	33	24	33	13	33	13	14	23	1
All other	10	2	1	2	4	-	-	1	-	-	-
Black	4	1	-	1	2	-	-	-	-	-	-
Pennsylvania	1,425	375	223	167	210	60	201	73	45	57	14
White	1,125	269	161	131	169	47	180	63	43	49	13
All other	300	106	62	36	41	13	21	10	2	8	1
Black	285	100	60	33	40	13	19	10	2	7	1
Rhode Island	101	29	11	12	15	3	19	7	1	2	2
White	84	26	10	10	11	3	15	4	1	2	2
All other	17	3	1	2	4	-	4	3	-	-	-
Black	16	3	1	1	4	-	4	3	-	-	-
South Carolina	564	141	84	98	71	20	73	28	22	23	4
White	254	57	42	38	30	8	35	16	13	13	2
All other	310	84	42	60	41	12	38	12	9	10	2
Black	308	83	42	59	41	12	38	12	9	10	2
South Dakota ²	76	7	5	8	14	7	13	16	1	2	3
White	60	5	3	8	13	4	10	14	-	2	1
All other	16	2	2	-	1	3	3	2	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-
Tennessee ²	497	49	63	62	112	31	81	39	29	25	6
White	343	31	39	43	83	22	59	25	21	19	1
All other	154	18	24	19	29	9	22	14	8	6	5
Black	147	17	24	17	28	9	21	13	7	6	5
Texas	2,228	402	299	272	350	107	373	165	87	120	53
White	1,775	299	228	213	275	86	300	143	79	108	44
All other	453	103	71	59	75	21	73	22	8	12	9
Black	421	98	67	55	70	19	66	19	7	11	9
Utah	258	62	40	25	40	10	53	12	9	6	1
White	245	60	40	25	36	10	51	11	7	5	-
All other	13	2	-	-	4	-	2	1	2	1	1
Black	3	1	-	-	1	-	-	-	1	-	-
Vermont	57	9	10	4	9	5	11	1	3	2	3
White	57	9	10	4	9	5	11	1	3	2	3
All other	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Virginia	908	296	144	118	104	31	114	37	18	36	10
White	561	173	81	68	62	26	74	28	14	29	6
All other	347	123	63	50	42	5	40	9	4	7	4
Black	341	122	62	48	42	5	39	8	4	7	4
Washington	406	47	41	26	25	14	36	15	15	22	165
White	338	43	32	19	22	13	34	14	13	20	128
All other	68	4	9	7	3	1	2	1	2	2	37
Black	35	1	5	5	-	-	2	1	2	-	19
West Virginia	195	30	21	18	23	9	32	8	4	9	41
White	180	27	20	16	21	8	31	8	3	9	37
All other	15	3	1	2	2	1	1	-	1	-	4
Black	14	3	1	2	1	1	1	-	1	-	4
Wisconsin	468	96	67	55	72	26	72	28	20	25	7
White	370	69	50	42	52	23	64	22	18	23	7
All other	98	27	17	13	20	3	8	6	2	2	-
Black	80	23	16	11	17	3	4	3	1	2	-
Wyoming	63	12	8	9	9	3	6	7	4	5	-
White	59	10	8	8	8	3	6	7	4	5	-
All other	4	2	-	1	1	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

² Minimum reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 3 - FETAL MORTALITY - PAGE 34

Table 3-18. Fetal Deaths by Birth Weight, Period of Gestation, and Race: United States, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Race and period of gestation	Total	Birth weight ¹												Not stated
		Under 350 grams	350-499 grams	500-999 grams	1,000-1,499 grams	1,500-1,999 grams	2,000-2,499 grams	2,500-2,999 grams	3,000-3,499 grams	3,500-3,999 grams	4,000-4,499 grams	4,500-4,999 grams	5,000 grams or more	
All races	29,661	2,350	2,757	6,029	2,753	2,678	2,597	2,494	2,229	1,366	485	185	114	3,624
White	20,954	1,653	1,810	3,934	1,873	1,861	1,875	1,861	1,743	1,128	399	138	84	2,595
All other	8,707	697	947	2,095	880	817	722	633	486	238	86	47	30	1,029
Black	7,738	621	870	1,924	800	708	642	549	412	192	72	35	24	889
20-23 weeks	5,536	1,388	1,515	1,383	80	31	17	15	7	8	6	5	11	1,070
White	3,681	969	996	864	51	22	10	7	5	5	2	4	9	737
All other	1,855	419	519	519	29	9	7	8	2	3	4	1	2	333
Black	1,696	373	482	490	28	9	6	6	2	3	4	1	2	290
24-27 weeks	3,958	486	600	1,959	334	65	30	13	1	4	5	-	1	460
White	2,716	350	408	1,329	227	39	15	5	1	3	4	-	1	334
All other	1,242	136	192	630	107	26	15	8	-	1	1	-	-	126
Black	1,141	119	174	589	98	25	14	7	-	1	1	-	-	113
28-31 weeks	3,268	145	226	1,121	856	412	134	47	18	8	1	1	6	293
White	2,240	100	157	772	586	285	80	30	9	7	1	1	5	207
All other	1,028	45	69	349	270	127	54	17	9	1	-	-	1	86
Black	921	42	66	307	242	114	48	16	8	1	-	-	1	76
32-35 weeks	3,925	49	65	464	801	1,015	739	321	120	43	19	7	8	274
White	2,780	32	38	320	567	701	536	237	91	33	15	3	6	201
All other	1,145	17	27	144	234	314	203	84	29	10	4	4	2	73
Black	1,008	16	24	127	215	266	180	77	26	8	4	3	2	60
36 weeks	1,229	9	9	56	114	235	275	236	130	36	14	11	4	100
White	915	5	5	30	80	177	213	178	97	31	11	9	4	75
All other	314	4	4	26	34	58	62	58	33	5	3	2	-	25
Black	279	4	3	21	30	53	58	53	26	4	3	2	-	22
37-39 weeks	3,980	32	14	116	163	425	723	914	788	383	97	34	27	264
White	3,032	27	9	73	111	313	537	699	620	322	78	23	18	202
All other	948	5	5	43	52	112	186	215	168	61	19	11	9	62
Black	820	5	5	38	45	90	164	188	150	49	15	8	6	57
40 weeks	1,544	5	11	20	31	79	159	299	390	277	99	39	17	118
White	1,203	3	7	13	22	60	116	230	305	226	82	30	13	96
All other	341	2	4	7	9	19	43	69	85	51	17	9	4	22
Black	275	2	4	7	6	17	39	56	67	40	12	6	2	17
41 weeks	960	6	3	18	15	39	102	156	252	195	91	24	10	49
White	777	5	3	14	13	27	83	123	203	170	79	14	7	36
All other	183	1	-	4	2	12	19	33	49	25	12	10	3	13
Black	147	1	-	4	1	11	16	27	27	19	10	7	2	8
42 weeks and over	1,299	14	8	29	39	53	120	210	302	274	102	42	16	90
White	1,040	9	4	21	26	38	90	166	249	231	85	40	13	68
All other	259	5	4	8	13	15	30	44	53	43	17	2	3	22
Black	218	5	4	7	13	11	25	37	42	31	16	2	3	22
Not stated	3,962	216	306	863	320	324	298	283	221	138	51	22	14	906
White	2,570	153	183	498	190	199	195	186	163	100	42	14	8	639
All other	1,392	63	123	365	130	125	103	97	58	38	9	8	6	267
Black	1,233	54	108	334	122	112	92	82	50	36	7	6	6	224

¹ Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Section 4. Perinatal Mortality

Table	Page
4-1. Perinatal mortality ratios for three definitions, by race: United States, 1950-85-----	1
4-2. Perinatal deaths and mortality ratios and rates for three definitions, by race and sex: United States, 1985-----	2
4-3. Perinatal deaths and mortality ratios and rates for three definitions, by race, for metropolitan and nonmetropolitan counties: United States, 1985-----	3
4-4. Perinatal mortality ratios for three definitions, by race: United States and each State, 1981-85-----	4
4-5. Perinatal deaths and mortality ratios and rates for three definitions, by race: United States and each State, 1985-----	7

SECTION 4 - PERINATAL MORTALITY - PAGE 1

Table 4-1. Perinatal Mortality Ratios for Three Definitions, by Race: United States, 1950-85

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more. Presumed gestational age not stated was changed beginning in 1969; see Technical Appendix. Beginning 1970 excludes infant and fetal deaths and live births occurring to nonresidents of the United States; see Technical Appendix. Ratios per 1,000 live births]

Year	Perinatal Definition I ¹				Perinatal Definition II				Perinatal Definition III			
	All races	White	All other		All races	White	All other		All races	White	All other	
			Total	Black			Total	Black			Total	Black
1985	10.8	9.6	15.3	17.5	14.8	13.1	21.7	24.8	13.7	12.1	20.1	23.0
1984	11.1	10.0	15.5	17.5	15.2	13.5	21.8	24.7	14.1	12.5	20.3	23.1
1983	11.6	10.4	16.3	18.3	15.7	13.9	23.1	26.1	14.6	12.8	21.6	24.3
1982	12.3	11.1	17.2	19.3	16.6	14.7	24.0	27.0	15.3	13.6	22.3	25.0
1981	12.6	11.4	17.6	19.6	17.0	15.1	24.6	27.4	15.7	13.9	22.8	25.3
1980	13.3	11.9	18.9	20.9	17.7	15.7	26.0	28.7	16.3	14.4	24.0	26.5
1979	13.9	12.6	19.5	21.2	18.3	16.2	26.7	29.3	16.9	15.0	24.8	27.2
1978	14.7	13.1	21.1	---	19.2	16.9	28.7	---	17.7	15.5	26.7	---
1977	15.5	14.0	21.9	---	19.8	17.5	29.5	---	18.3	16.2	27.1	---
1976	16.9	15.2	24.1	---	21.4	19.0	31.5	---	19.8	17.6	29.1	---
1975	17.9	16.2	25.3	---	22.3	19.9	32.8	---	20.7	18.5	30.4	---
1974	19.1	17.4	26.3	---	23.7	21.4	34.2	---	22.2	20.0	31.8	---
1973	20.2	18.5	27.9	---	25.2	22.6	36.4	---	23.6	21.2	34.2	---
1972	21.4	19.5	30.0	---	26.3	23.5	38.7	---	24.8	22.2	36.4	---
1971	21.9	20.0	30.6	---	27.6	24.8	40.8	---	26.3	23.6	38.7	---
1970	23.2	21.1	33.2	---	29.3	26.2	44.0	---	27.8	24.9	41.7	---
1969	24.2	22.0	34.8	---	29.7	26.6	45.1	---	28.2	25.3	42.5	---
1968	26.1	23.8	37.7	---	31.9	28.5	48.6	---	30.4	27.3	46.0	---
1967	26.5	23.9	38.9	---	32.1	28.5	49.6	---	30.6	27.2	46.9	---
1966	27.2	24.6	39.9	---	32.9	29.2	50.9	---	31.2	27.8	47.8	---
1965	28.0	25.2	41.3	---	33.8	30.0	52.6	---	31.2	28.5	49.3	---
1964	28.4	25.5	43.2	---	34.3	30.3	54.7	---	32.5	28.8	51.2	---
1963 ²	28.2	25.6	41.8	---	34.0	30.4	52.8	---	32.2	28.8	49.4	---
1962 ²	28.5	26.0	41.7	---	34.3	30.8	52.7	---	32.4	29.3	49.2	---
1961	28.6	26.2	41.7	---	34.5	31.0	53.2	---	32.6	29.4	49.4	---
1960	28.9	26.5	42.4	---	34.8	31.4	53.6	---	32.8	29.7	49.6	---
1959	29.1	26.6	43.3	---	35.2	31.6	55.0	---	33.1	29.9	50.7	---
1958	29.6	27.0	44.5	---	36.0	32.3	56.5	---	33.6	30.4	51.9	---
1957	29.2	26.8	43.0	---	35.4	32.1	54.6	---	33.1	30.1	50.0	---
1956	29.3	26.9	42.8	---	35.4	32.1	54.2	---	33.1	30.2	49.8	---
1955	30.0	27.7	43.9	---	36.2	32.9	55.6	---	34.0	31.1	51.4	---
1954	30.2	27.8	44.3	---	36.5	33.3	55.9	---	34.2	31.3	51.5	---
1953	31.0	28.6	45.4	---	37.3	34.2	57.0	---	34.9	32.1	52.3	---
1952	31.6	29.0	47.5	---	38.1	34.6	60.3	---	35.6	32.5	55.2	---
1951	32.2	29.8	47.5	---	38.9	35.6	59.4	---	36.3	33.3	54.8	---
1950	33.0	30.5	48.1	---	39.7	36.4	60.0	---	37.0	34.1	55.3	---

¹ Figures for gestational age not stated are distributed for fetal deaths; see Technical Appendix.

² Figures by race exclude data for residents of New Jersey; see Technical Appendix.

SECTION 4 - PERINATAL MORTALITY - PAGE 2

Table 4-2. Perinatal Deaths and Mortality Ratios and Rates for Three Definitions, by Race and Sex: United States, 1985

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.
Ratios per 1,000 live births. Rates per 1,000 live births and specified fetal deaths]

Race and sex ¹	Perinatal Definition I ²			Perinatal Definition II			Perinatal Definition III		
	Deaths	Ratio	Rate	Deaths	Ratio	Rate	Deaths	Ratio	Rate
All races	40,568	10.8	10.7	55,840	14.8	14.7	51,526	13.7	13.6
Male	22,217	11.5	11.5	30,666	15.9	15.8	28,202	14.6	14.5
Female	18,351	10.0	10.0	25,174	13.7	13.6	23,324	12.7	12.6
White	28,766	9.6	9.6	39,187	13.1	13.0	36,051	12.1	12.0
Male	15,830	10.3	10.3	21,608	14.1	14.0	19,781	12.9	12.8
Female	12,936	8.9	8.9	17,579	12.1	12.0	16,270	11.2	11.1
All other	11,802	15.3	15.2	16,653	21.7	21.4	15,475	20.1	19.9
Male	6,387	16.3	16.2	9,058	23.1	22.9	8,421	21.5	21.3
Female	5,415	14.3	14.2	7,595	20.1	19.9	7,054	18.7	18.5
Black	10,628	17.5	17.4	15,078	24.8	24.5	14,003	23.0	22.7
Male	5,764	18.7	18.5	8,210	26.6	26.3	7,637	24.7	24.4
Female	4,864	16.2	16.1	6,868	22.9	22.7	6,366	21.2	21.0

¹ Figures for sex not stated are distributed for fetal deaths; see Technical Appendix.

² Figures for gestational age not stated are distributed for fetal deaths; see Technical Appendix.

SECTION 4 - PERINATAL MORTALITY - PAGE 3

Table 4-3. Perinatal Deaths and Mortality Ratios and Rates for Three Definitions, by Race, for Metropolitan and Nonmetropolitan Counties: United States, 1985

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Frequencies for Perinatal Definition I may not add to totals; see Technical Appendix. Ratios per 1,000 births. Rates per 1,000 live births and specified fetal deaths]

Geographic area and race	Perinatal Definition I ¹			Perinatal Definition II			Perinatal Definition III		
	Deaths	Ratio	Rate	Deaths	Ratio	Rate	Deaths	Ratio	Rate
United States	40,568	10.8	10.7	55,840	14.8	14.7	51,526	13.7	13.6
White	28,766	9.6	9.6	39,187	13.1	13.0	36,051	12.1	12.0
All other	11,802	15.3	15.2	16,653	21.7	21.4	15,475	20.1	19.9
Black	10,628	17.5	17.4	15,078	24.8	24.5	14,003	23.0	22.7
Metropolitan counties	31,075	10.8	10.7	42,800	14.8	14.7	39,498	13.7	13.6
White	21,456	9.5	9.5	29,254	13.0	12.9	26,901	11.9	11.9
All other	9,619	15.2	15.1	13,546	21.4	21.2	12,597	19.9	19.7
Black	8,741	17.3	17.2	12,374	24.5	24.2	11,496	22.8	22.5
Nonmetropolitan counties	9,485	10.8	10.8	13,040	14.9	14.8	12,028	13.7	13.6
White	7,307	9.9	9.9	9,933	13.5	13.4	9,150	12.4	12.3
All other	2,178	15.9	15.8	3,107	22.7	22.4	2,878	21.0	20.7
Black	1,884	18.2	18.1	2,704	26.2	25.8	2,507	24.3	23.9

¹ Figures for gestational age not stated are distributed for fetal deaths; see Technical Appendix.

SECTION 4 - PERINATAL MORTALITY - PAGE 4

Table 4-4. Perinatal Mortality Ratios for Three Definitions, by Race: United States and Each State, 1981-85

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births]

Area and race	Perinatal Definition I ^a					Perinatal Definition II					Perinatal Definition III				
	1985	1984	1983	1982	1981	1985	1984	1983	1982	1981	1985	1984	1983	1982	1981
United States	10.8	11.1	11.6	12.3	12.6	14.8	15.2	15.7	16.6	17.0	13.7	14.1	14.6	15.3	15.7
White	9.6	10.0	10.4	11.1	11.4	13.1	13.5	13.9	14.7	15.1	12.1	12.5	12.8	13.6	13.9
All other	15.3	15.5	16.3	17.2	17.6	21.7	21.8	23.1	24.0	24.6	20.1	20.3	21.6	22.3	22.8
Black	17.5	17.5	18.3	19.3	19.6	24.8	24.7	26.1	27.0	27.4	23.0	23.1	24.3	25.0	25.3
Alabama	13.4	13.9	13.8	14.3	14.8	19.0	18.8	19.1	20.3	20.4	17.4	17.3	17.8	18.6	18.8
White	10.8	11.2	11.3	11.9	11.7	15.0	15.0	15.5	16.3	15.8	13.8	13.9	14.5	15.0	14.5
All other	18.3	18.9	18.5	18.6	20.5	26.5	25.8	25.7	27.4	28.7	24.2	23.6	23.9	25.2	26.6
Black	18.4	19.1	18.7	18.9	20.7	26.8	26.0	26.0	27.8	29.1	24.4	23.7	24.2	25.6	26.9
Alaska	8.2	6.7	8.7	9.6	10.3	11.7	11.6	12.1	14.1	13.8	10.4	9.8	10.6	12.5	12.4
White	7.8	5.8	7.4	9.0	9.0	12.0	10.9	10.8	13.1	12.1	10.8	9.0	9.3	11.9	11.0
All other	9.0	9.1	11.8	11.2	13.4	10.9	13.6	15.1	16.4	17.7	9.6	11.9	13.7	14.0	15.7
Black	* 13.7	* 15.6	* 22.9	* 16.0	* 21.9	* 15.4	* 21.5	* 26.7	* 22.0	* 32.8	* 13.7	* 21.5	* 22.9	* 22.0	* 28.4
Arizona	9.6	9.0	9.3	10.0	11.4	12.8	11.9	12.9	13.7	14.8	11.8	10.6	11.6	12.6	13.2
White	9.4	8.8	8.9	9.9	10.9	12.5	11.8	12.2	13.4	14.2	11.5	10.5	11.0	12.2	12.6
All other	10.3	9.9	11.2	10.7	13.9	14.5	12.3	16.3	15.4	18.5	13.2	11.1	14.7	14.8	16.3
Black	13.1	11.8	16.4	13.4	23.8	21.3	13.8	25.0	18.1	30.1	18.9	13.0	22.8	17.7	26.9
Arkansas	11.3	10.7	10.9	11.1	12.2	15.1	14.3	13.5	12.7	15.2	13.3	12.8	12.2	11.5	13.5
White	9.9	9.2	9.8	9.7	9.9	13.4	12.2	12.0	11.0	12.5	11.6	10.7	10.6	10.0	10.8
All other	15.5	15.4	14.2	15.2	19.0	20.5	20.5	17.8	17.8	22.8	18.9	18.9	16.7	15.8	21.4
Black	15.4	15.9	14.4	15.2	19.5	20.6	21.0	18.2	17.9	23.4	18.9	19.4	17.0	15.8	22.0
California	9.6	9.8	10.2	10.6	11.1	12.7	12.8	13.2	14.0	14.3	11.6	11.8	12.2	12.7	13.2
White	9.2	9.6	9.7	10.4	10.9	12.2	12.5	12.6	13.6	13.8	11.0	11.5	11.6	12.3	12.7
All other	11.0	10.6	11.8	11.5	12.2	14.6	14.0	15.3	15.5	16.6	13.5	13.1	14.2	14.3	15.1
Black	15.5	14.7	16.6	15.0	15.4	21.3	19.9	21.5	21.0	21.0	19.9	18.6	19.8	19.2	19.2
Colorado	9.5	10.1	10.5	10.2	10.9	14.3	15.1	15.3	15.5	16.9	13.6	14.1	14.4	14.5	15.9
White	9.3	9.6	10.3	10.0	10.7	14.0	14.7	15.0	15.3	16.6	13.3	13.7	14.1	14.2	15.5
All other	11.2	15.2	12.1	12.1	13.1	18.2	20.4	19.2	17.7	20.5	16.9	19.5	17.6	17.3	20.0
Black	11.3	18.1	15.9	15.6	16.1	19.1	25.8	25.9	23.3	25.2	17.7	24.7	23.7	22.5	24.4
Connecticut	10.8	11.1	10.2	12.7	13.6	14.9	14.8	14.1	16.2	17.6	14.0	13.8	12.9	15.3	16.7
White	9.7	10.1	9.0	11.3	12.4	13.4	13.5	12.2	14.5	16.3	12.5	12.5	11.1	13.6	15.4
All other	17.7	16.9	17.8	21.0	20.8	24.8	22.7	25.8	26.6	25.5	23.3	21.5	24.5	25.1	24.8
Black	19.4	18.5	19.4	23.7	22.4	27.2	24.7	28.3	28.9	27.3	25.6	23.4	27.0	27.1	26.7
Delaware	13.8	13.4	12.2	16.0	17.0	17.2	16.0	14.4	19.4	21.3	16.2	15.3	14.0	18.2	20.7
White	11.3	11.9	9.2	13.0	13.5	14.1	14.3	11.5	16.4	16.9	13.7	13.6	11.0	15.2	16.2
All other	21.7	18.1	21.0	26.0	27.2	27.0	21.3	22.7	29.2	34.5	24.4	20.8	22.7	27.8	34.1
Black	22.6	18.9	21.2	25.8	28.4	27.6	22.3	23.0	29.2	36.1	24.9	21.8	23.0	27.8	35.6
District of Columbia	20.4	23.0	19.5	18.7	26.7	28.1	31.0	28.3	27.5	34.0	26.1	28.7	26.5	25.4	32.0
White	11.4	12.3	14.5	* 7.0	18.2	13.1	17.3	20.4	* 10.4	25.3	12.5	16.2	20.4	* 8.7	22.7
All other	22.3	25.4	20.6	21.4	28.5	31.3	34.2	30.1	31.4	35.8	29.1	31.5	27.8	29.2	33.8
Black	23.1	25.6	20.9	21.3	28.5	32.5	34.5	30.5	31.0	35.9	30.2	31.7	28.2	28.8	34.0
Florida	11.7	11.7	12.6	14.9	14.4	16.1	16.4	17.4	19.2	19.0	14.8	15.3	16.2	17.7	17.4
White	9.8	9.6	10.5	12.2	11.9	13.2	13.4	14.5	15.6	15.8	12.2	12.5	13.5	14.4	14.5
All other	17.2	17.9	18.3	22.3	21.0	24.5	25.2	25.6	29.0	27.5	22.4	23.5	23.8	26.9	25.2
Black	17.8	18.2	18.8	22.8	21.7	25.4	25.8	26.3	29.7	28.3	23.2	24.1	24.4	27.6	25.8
Georgia	13.0	12.9	14.1	14.3	14.6	20.9	20.2	22.5	22.1	23.9	19.4	19.0	21.1	20.9	22.6
White	10.5	10.4	10.9	11.7	11.5	16.7	16.2	16.7	17.7	18.8	15.5	15.2	15.8	16.7	17.7
All other	17.5	17.6	19.8	18.8	19.8	28.4	27.4	32.6	29.6	32.5	26.4	25.8	30.5	27.9	30.9
Black	17.9	17.8	20.3	19.1	20.2	29.1	27.8	33.0	30.0	33.0	27.1	26.1	30.9	28.4	31.3
Hawaii	8.8	9.2	9.4	10.5	10.2	14.7	14.4	16.8	17.4	18.0	13.7	13.3	15.7	16.5	16.8
White	7.8	7.7	9.5	10.9	11.1	13.8	12.0	20.2	19.0	21.5	12.3	11.2	18.8	18.1	20.8
All other	9.2	9.7	9.4	10.4	10.0	15.1	15.2	15.6	16.9	17.0	14.2	14.0	14.7	16.0	15.7
Black	* 17.8	* 14.2	* 6.3	* 18.7	* 9.4	25.6	* 20.1	* 13.8	31.7	* 15.6	23.4	* 18.9	* 11.3	30.3	* 14.1
Idaho	10.5	8.9	10.2	10.3	9.6	13.6	12.8	12.9	13.4	12.9	12.6	11.6	12.0	12.5	11.9
White	10.6	8.9	10.1	10.4	9.8	13.6	12.4	12.9	13.6	13.1	12.7	11.2	12.0	12.7	12.1
All other	* 7.3	* 10.9	* 11.3	* 6.1	* 1.6	* 13.1	* 23.3	* 14.5	* 7.6	* 4.9	* 11.6	* 21.7	* 12.9	* 7.6	* 4.9
Black	-	* 11.2	* 21.5	* 27.3	* 11.0	-	* 22.5	* 43.0	* 27.3	* 22.0	-	* 22.5	* 32.3	* 27.3	* 22.0
Illinois	12.4	12.6	12.7	14.4	14.8	16.0	16.3	16.5	18.2	18.9	14.9	15.1	15.2	16.6	17.3
White	10.5	10.6	10.9	12.2	12.9	13.3	13.6	14.0	15.2	16.1	12.4	12.5	12.9	13.9	14.8
All other	19.0	19.3	18.6	21.4	21.2	25.1	25.2	24.6	27.9	28.1	23.0	23.4	22.6	25.5	25.5
Black	19.9	20.5	19.5	22.6	22.1	26.5	26.8	26.0	29.8	29.9	24.3	24.9	23.8	27.2	27.1
Indiana	11.5	11.5	12.3	12.4	13.0	14.8	14.6	15.4	15.7	16.4	13.5	13.5	14.3	14.5	15.1
White	10.5	10.7	11.5	11.5	12.3	13.6	13.6	14.3	14.5	15.4	12.4	12.6	13.2	13.3	14.1
All other	18.9	17.7	18.5	19.1	18.4	23.7	22.1	23.3	25.2	23.6	21.9	20.7	22.1	23.1	22.2
Black	19.3	18.6	19.5	18.9	19.4	24.4	23.5	24.7	25.0	24.8	22.5	22.0	23.4	22.8	23.3
Iowa	8.9	10.4	9.1	10.0	10.5	11.9	13.6	12.1	12.7	13.6	10.9	12.7	11.2	11.6	12.7
White	8.7	10.3	9.0	9.9	10.5	11.8	13.6	11.9	12.5	13.6	10.8	12.6	11.1	11.5	12.6
All other	12.2	12.3	12.6	12.3	12.4	13.4	15.8	16.8	18.2	14.7	13.4	14.7	15.0	15.3	14.1
Black	* 10.4	* 17.9	* 18.8	* 16.5	* 14.3	* 12.3	23.6	23.7	25.2	17.9	* 12.3	21.7	22.7	21.3	* 17.0
Kansas	9.6	10.5	10.3	11.7	12.2	12.9	13.5	13.6	15.1	15.6	11.7	12.1	12.7	14.1	14.2
White	9.3	9.9	10.0	11.2	11.6	12.2	12.6	13.0	14.1	14.7	11.2	11.3	12.0	13.2	13.3
All other	12.6	15.6	13.0	15.7	17.9	20.7	18.6	22.8	23.1	16.1	16.1	18.5	18.1	21.3	21.1
Black	14.4	17.5	13.2	18.0	20.3	22.1	23.3	20.4	27.6	26.8	19.6	20.9	19.8	25.6	24.2

SECTION 4 - PERINATAL MORTALITY - PAGE 5

Table 4-4. Perinatal Mortality Ratios for Three Definitions, by Race: United States and Each State, 1981-85—Con.

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.
Ratios per 1,000 live births]

Area and race	Perinatal Definition I					Perinatal Definition II					Perinatal Definition III				
	1985	1984	1983	1982	1981	1985	1984	1983	1982	1981	1985	1984	1983	1982	1981
Kentucky	12.0	11.2	12.7	12.8	13.7	16.0	15.3	16.5	16.6	17.5	14.9	14.2	15.4	15.4	16.5
White	11.2	10.5	12.2	12.4	13.2	14.8	14.3	15.5	15.9	16.6	13.8	13.2	14.3	14.8	15.6
All other	19.9	17.7	17.4	17.1	18.5	26.9	24.3	25.9	22.9	25.5	24.9	23.6	25.1	20.8	24.3
Black	20.5	18.4	18.9	18.1	19.4	28.1	25.6	27.9	24.4	27.0	26.0	24.8	27.1	22.1	25.7
Louisiana	12.6	13.2	13.9	14.0	14.0	16.9	17.0	18.0	18.5	18.8	15.4	15.9	16.7	17.1	17.2
White	9.6	10.4	10.9	11.1	11.2	12.6	13.0	13.2	14.1	14.3	11.4	12.0	12.1	13.2	13.0
All other	17.0	17.5	18.5	18.8	18.4	23.2	23.1	25.5	25.5	26.0	21.4	21.7	23.8	23.4	23.8
Black	17.5	18.0	19.0	19.2	18.9	23.9	23.9	26.2	26.1	26.8	22.1	22.4	24.5	23.9	24.6
Maine	9.4	9.0	9.8	10.0	9.6	12.7	12.2	12.7	13.3	12.5	11.7	11.3	11.9	12.8	11.5
White	9.6	8.8	9.9	10.0	9.8	12.9	12.0	12.8	13.3	12.8	11.8	11.1	12.0	12.9	11.7
All other	-	* 18.1	* 6.2	* 9.1	-	* 3.2	* 21.1	* 9.3	* 12.1	-	* 3.2	* 21.1	* 6.2	* 12.1	-
Black	-	* 19.4	* 10.3	* 10.5	-	-	* 19.4	* 20.6	* 10.5	-	-	* 19.4	* 10.3	* 10.5	-
Maryland	12.4	13.3	12.3	13.0	13.7	16.3	17.3	16.8	17.4	18.4	15.2	16.4	15.6	16.0	16.8
White	9.1	11.3	9.5	9.6	11.5	12.5	14.3	13.1	12.9	15.4	11.4	13.5	12.1	11.7	13.9
All other	18.7	17.3	17.9	20.0	18.2	23.8	23.6	24.3	26.6	24.6	22.6	22.4	22.6	25.0	22.8
Black	20.3	18.3	18.8	21.4	19.0	25.8	25.2	25.7	28.5	25.7	24.4	23.9	23.9	26.7	23.9
Massachusetts	9.7	9.9	10.2	11.7	10.8	13.0	13.2	13.3	15.2	14.2	11.9	12.6	12.6	14.2	13.2
White	9.0	9.6	9.8	11.2	10.3	12.1	12.6	12.5	14.4	13.6	11.1	12.0	11.8	13.5	12.6
All other	15.6	12.6	14.4	16.3	15.4	21.2	18.5	21.0	22.7	20.4	19.9	18.0	20.2	21.3	19.5
Black	19.1	14.6	17.1	19.3	17.8	26.4	22.1	25.9	27.7	24.0	24.6	21.4	24.8	25.9	22.8
Michigan	10.7	11.0	11.1	12.2	13.0	14.0	14.1	14.2	15.6	16.4	12.8	13.0	13.0	14.4	15.2
White	9.1	9.2	9.6	10.7	11.3	12.1	11.8	12.4	13.4	14.2	11.1	10.9	11.4	12.4	13.2
All other	17.8	18.8	17.7	19.6	20.6	22.6	23.8	22.5	25.6	26.3	20.8	22.2	20.6	23.4	24.4
Black	19.1	19.6	18.8	21.2	21.9	24.1	25.1	23.8	27.6	27.9	22.2	23.3	21.8	25.3	26.0
Minnesota	9.4	9.5	10.1	10.0	10.7	12.0	12.5	13.1	12.2	13.5	11.2	11.9	12.3	11.5	12.5
White	9.3	9.4	9.9	9.9	10.3	11.9	12.2	12.7	12.1	12.9	11.1	11.6	11.9	11.3	11.9
All other	10.8	10.0	13.2	10.8	17.0	13.6	16.4	17.9	14.8	22.0	12.2	16.0	17.3	14.2	20.6
Black	16.0	14.7	20.1	12.3	23.4	20.5	22.1	27.4	17.6	33.9	18.5	22.1	26.2	16.4	32.7
Mississippi	13.9	14.8	16.6	16.8	17.4	20.3	21.6	23.3	23.5	23.9	18.8	20.2	22.0	21.6	22.2
White	8.8	11.7	13.5	12.2	12.2	13.3	15.8	17.5	16.5	16.1	12.1	15.1	16.7	15.1	15.0
All other	19.6	18.3	20.0	21.8	22.8	28.1	27.8	29.4	31.2	32.1	26.2	25.6	27.6	28.7	29.9
Black	19.7	18.5	20.3	22.0	22.8	28.3	28.1	29.8	31.4	32.1	26.4	25.9	28.0	29.1	29.9
Missouri	9.7	10.3	11.4	12.7	13.2	13.3	13.7	15.2	16.0	17.1	12.3	12.7	14.1	14.9	15.4
White	8.6	9.4	10.2	11.4	12.5	11.9	12.1	13.5	14.1	15.6	10.9	11.3	12.6	13.2	14.2
All other	14.8	14.8	17.5	19.4	16.8	20.1	21.6	24.1	25.7	24.6	19.1	19.9	21.7	23.7	21.2
Black	15.0	15.3	18.3	20.2	17.9	20.8	22.6	25.1	26.7	26.1	19.6	20.9	22.7	24.6	22.5
Montana	9.5	8.3	8.2	9.8	9.6	12.0	12.4	11.2	12.9	12.3	11.6	11.3	9.7	11.6	11.6
White	8.8	8.5	7.9	9.9	9.7	11.4	12.5	10.5	12.8	12.3	11.0	11.6	9.5	11.4	11.6
All other	14.5	* 6.5	* 10.5	* 8.8	* 9.2	16.3	* 11.2	16.1	13.6	12.2	15.7	* 9.5	* 11.8	13.0	* 11.6
Black	-	* 14.5	-	* 14.5	* 30.3	* 13.2	* 14.5	-	* 29.0	* 30.3	-	* 14.5	-	* 29.0	* 30.3
Nebraska	10.1	9.9	11.3	12.2	10.7	13.5	13.4	14.3	15.4	14.0	12.2	12.2	13.3	14.1	13.1
White	9.8	9.6	11.1	11.5	10.4	13.1	12.8	14.0	14.4	13.6	11.8	11.7	13.0	13.1	12.7
All other	13.5	13.4	14.2	20.4	14.9	18.9	20.4	17.7	26.8	19.1	16.9	18.4	16.7	25.8	18.1
Black	14.7	16.9	17.3	19.3	17.5	20.6	23.5	21.9	27.5	22.1	18.4	22.0	20.4	26.7	20.6
Nevada	8.0	8.4	9.3	9.7	11.3	11.4	12.9	14.0	14.0	14.9	10.4	11.7	12.4	12.6	13.5
White	7.9	8.0	9.1	8.8	11.0	11.0	11.9	13.5	13.0	13.8	10.2	10.6	11.9	11.6	12.9
All other	8.8	10.2	10.4	14.0	13.1	13.2	17.6	16.3	18.9	20.3	11.4	16.9	14.8	17.2	16.9
Black	13.0	16.5	13.7	17.1	17.8	18.8	27.6	22.7	24.9	27.8	16.8	26.9	20.6	22.1	22.1
New Hampshire	9.3	10.0	9.3	12.6	9.5	12.2	13.3	11.7	15.5	13.2	11.2	12.1	10.9	14.3	12.3
White	9.4	10.2	9.3	12.6	9.5	12.3	13.4	11.8	15.6	13.1	11.4	12.4	11.0	14.4	12.2
All other	* 3.3	-	* 8.3	* 8.4	* 13.5	* 6.6	* 7.4	* 8.3	* 8.4	* 18.0	* 3.3	-	* 8.3	* 8.4	* 18.0
Black	* 7.5	-	* 21.1	* 19.8	* 26.8	* 14.9	* 18.9	* 21.1	* 19.8	* 35.7	* 7.5	-	* 21.1	* 19.8	* 35.7
New Jersey	11.1	11.8	12.0	13.2	11.5	15.0	16.0	15.9	16.4	15.2	13.7	14.7	14.6	15.4	13.9
White	9.8	10.3	10.4	11.6	10.3	13.0	14.0	13.3	14.4	13.4	11.9	12.8	12.3	13.4	12.4
All other	15.5	16.8	17.7	18.7	15.5	21.5	23.0	24.7	23.6	21.5	19.8	21.3	22.8	22.3	19.4
Black	16.9	18.3	18.5	19.9	16.6	23.7	24.9	26.1	25.4	23.3	21.8	23.2	24.0	24.0	21.0
New Mexico	9.5	9.5	9.7	10.5	* 9.0	* 12.2	* 12.8	* 13.2	* 14.3	12.8	* 11.5	* 11.6	* 11.7	* 12.8	11.5
White	9.6	9.8	9.5	10.1	* 9.3	12.3	13.3	12.9	14.2	12.7	11.5	12.1	11.6	12.5	11.4
All other	9.0	7.8	11.2	12.8	* 7.2	11.7	10.1	14.8	14.7	13.2	11.5	9.3	12.4	14.1	11.9
Black	* 11.5	* 6.2	* 11.2	* 21.8	* 15.9	* 13.0	* 6.2	* 18.1	* 21.8	* 24.5	* 13.0	* 6.2	* 15.3	* 21.8	* 20.2
New York	11.5	11.6	12.6	13.4	13.3	17.2	17.2	18.5	19.7	19.6	16.2	16.1	17.4	18.4	18.5
White	10.4	10.6	11.4	12.0	11.9	15.3	15.6	16.6	17.8	17.6	14.5	14.6	15.7	16.6	16.6
All other	14.7	14.7	16.4	17.6	17.8	22.5	21.8	24.1	25.5	25.8	21.2	20.5	22.7	23.9	24.3
Black	16.2	15.8	17.7	18.7	19.3	24.6	23.5	26.1	26.8	27.8	23.1	22.1	24.6	25.2	26.2
North Carolina	12.0	13.0	13.6	14.7	14.5	16.3	17.0	18.5	19.5	19.0	15.3	15.8	17.0	18.2	17.9
White	10.0	11.1	11.2	12.1	12.2	13.3	14.6	14.9	15.7	15.4	12.4	13.3	13.6	14.5	14.4
All other	16.5	17.2	18.9	20.0	19.4	23.0	22.4	26.2	27.5	26.6	21.8	21.2	24.5	25.8	25.3
Black	17.2	17.9	19.6	20.9	20.2	24.2	23.3	27.1	28.7	27.7	22.8	22.1	25.5	26.8	26.3
North Dakota	8.0	8.0	10.1	10.8	10.6	10.9	11.1	13.0	13.7	14.8	9.7	10.1	12.3	12.8	12.8
White	7.9	7.8	9.5	10.4	10.4	10.7	10.9	12.4	12.9	14.3	9.5	10.0	11.7	12.0	12.6
All other	* 9.0	* 10.6	* 16.8	* 14.1	* 12.7	* 12.6	* 12.5	19.6	22.1	20.6	* 11.7	* 11.6	18.7	20.3	* 15.7
Black	-	* 15.3	* 22.2	* 7.8	* 8.8	* 13.9	* 15.3	* 22.2	* 31.0	* 17.5	* 6.9	* 15.3	* 22.2	* 23.3	* 17.5

SECTION 4 - PERINATAL MORTALITY - PAGE 6

Table 4-4. Perinatal Mortality Ratios for Three Definitions, by Race: United States and Each State, 1981-85—Con.

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births]

Area and race	Perinatal Definition I ¹					Perinatal Definition II					Perinatal Definition III				
	1985	1984	1983	1982	1981	1985	1984	1983	1982	1981	1985	1984	1983	1982	1981
Ohio	10.7	10.7	11.8	12.6	13.2	14.4	14.3	15.6	16.2	16.9	13.3	13.1	14.5	15.1	15.6
White	9.8	9.7	10.9	11.6	12.1	13.0	12.8	14.2	14.8	15.2	11.9	11.7	13.1	13.7	14.1
All other	15.7	16.2	17.1	18.0	19.2	21.8	22.5	23.9	24.4	26.2	20.5	21.3	22.0	22.9	23.9
Black	16.3	16.7	17.7	18.8	20.0	22.8	23.1	24.8	25.5	27.5	21.5	21.9	22.8	23.9	24.9
Oklahoma	10.6	11.2	11.6	12.1	12.6	14.4	15.5	15.3	15.3	15.9	13.1	14.3	14.1	13.9	14.6
White	10.4	11.0	10.6	11.5	12.3	14.1	15.3	13.7	14.8	15.3	12.8	14.1	12.6	13.4	14.1
All other	11.1	12.1	15.8	14.5	14.1	15.4	16.1	21.3	17.2	18.2	14.3	15.2	20.1	16.0	16.5
Black	14.9	16.9	12.7	19.8	16.2	22.3	21.0	18.1	23.9	22.3	20.4	20.1	16.6	21.8	19.9
Oregon	8.3	8.0	9.2	9.5	10.2	11.4	11.4	12.1	12.5	14.0	10.3	10.4	11.1	11.6	12.6
White	8.4	8.1	9.2	9.5	10.2	11.6	11.5	12.2	12.6	13.8	10.5	10.4	11.1	11.6	12.5
All other	7.2	7.0	9.4	9.7	10.5	9.6	9.8	11.8	11.6	16.5	8.3	9.5	11.1	11.0	14.3
Black	* 10.2	* 14.3	* 15.3	* 12.2	* 19.5	* 13.3	* 14.3	* 17.3	* 14.3	25.9	* 11.2	* 14.3	* 16.3	* 13.3	23.8
Pennsylvania	11.6	11.4	12.2	12.7	12.9	16.5	16.8	17.9	18.4	18.6	15.4	15.7	16.6	17.1	17.3
White	10.7	10.3	11.0	12.0	12.0	15.0	14.8	15.8	16.8	17.1	13.9	13.8	14.6	15.6	15.9
All other	16.6	18.1	19.0	17.4	18.2	25.1	29.0	30.3	28.0	27.8	23.5	27.3	28.6	26.0	25.9
Black	17.5	19.0	19.9	18.4	19.4	26.3	30.7	31.8	29.5	29.7	24.8	28.8	30.1	27.5	27.7
Rhode Island	9.4	10.3	11.5	11.0	12.9	13.7	14.3	16.8	16.9	19.2	12.6	13.1	15.6	15.8	17.8
White	8.8	10.5	11.3	10.9	12.8	13.1	14.7	16.1	16.0	18.5	12.0	13.6	14.9	15.0	17.3
All other	14.9	* 8.3	* 13.4	* 12.5	* 14.3	19.4	* 10.6	23.1	25.0	25.4	17.9	* 9.1	20.9	22.7	22.2
Black	* 19.3	* 9.2	* 17.6	* 14.7	* 15.9	25.7	* 12.6	32.8	28.3	28.2	23.5	* 10.3	29.3	27.0	24.5
South Carolina	14.9	15.4	15.4	16.9	16.7	20.9	21.8	21.8	23.5	23.0	19.2	20.5	20.4	22.1	21.2
White	10.2	12.3	11.4	12.8	12.3	14.6	17.0	15.7	17.2	17.0	13.4	15.9	14.6	16.1	15.3
All other	22.1	20.2	21.4	23.1	23.0	30.6	29.2	30.9	32.7	31.8	28.4	27.6	28.9	30.9	29.6
Black	22.5	20.5	21.9	23.5	23.3	31.1	29.7	31.4	33.3	32.1	28.9	28.1	29.5	31.4	29.8
South Dakota	9.6	9.7	11.1	11.4	11.2	* 11.6	* 13.2	* 13.4	* 14.8	14.3	* 10.6	* 11.7	* 12.8	* 13.3	13.1
White	9.5	8.7	10.0	10.3	10.4	11.4	12.2	12.1	13.2	13.2	10.3	10.6	11.5	11.9	12.1
All other	10.0	15.6	16.7	17.7	16.4	12.9	18.7	20.2	23.9	20.8	11.9	17.7	19.7	21.3	19.2
Black	-	* 19.8	-	-	* 30.9	-	* 19.8	-	* 23.0	* 30.9	-	* 19.8	-	* 11.5	* 30.9
Tennessee	11.7	12.4	13.1	12.8	14.3	* 15.0	* 15.6	* 16.1	* 16.2	17.7	* 13.4	* 14.3	* 14.9	* 14.8	16.3
White	9.5	11.0	11.8	11.0	12.0	12.2	13.6	14.2	14.0	14.7	10.9	12.6	13.3	12.7	13.7
All other	18.7	16.9	17.5	19.1	21.9	24.0	22.1	22.5	23.7	27.6	21.5	19.9	20.4	22.0	25.0
Black	19.0	17.1	17.9	19.7	22.3	24.4	22.5	23.1	24.4	28.2	21.8	20.3	21.0	22.6	25.6
Texas	10.0	10.7	11.3	11.5	11.9	13.4	14.8	14.7	15.3	15.6	12.3	13.6	13.4	13.9	14.1
White	9.4	10.1	10.6	11.0	11.4	12.6	13.8	13.7	14.4	14.6	11.5	12.7	12.4	13.0	13.3
All other	12.9	14.1	14.8	14.2	14.9	17.9	19.8	19.9	19.9	20.8	16.6	18.5	18.7	18.3	18.5
Black	14.1	15.5	16.1	15.3	16.0	19.6	21.6	21.8	21.5	22.4	18.1	20.2	20.4	19.8	19.9
Utah	8.3	8.9	8.9	10.0	9.7	12.3	12.2	12.3	13.4	13.4	11.0	11.1	11.5	12.4	12.3
White	8.3	8.8	8.8	9.9	9.6	12.4	12.1	12.3	13.3	13.2	11.1	11.1	11.4	12.3	12.1
All other	* 7.7	10.4	11.6	11.4	13.1	10.8	14.6	13.7	14.6	17.9	* 8.7	12.0	13.1	13.5	16.3
Black	* 10.0	* 14.9	* 6.6	* 14.4	* 21.1	* 13.4	* 14.9	* 10.0	* 18.0	* 28.2	* 13.4	* 14.9	* 10.0	* 14.4	* 21.1
Vermont	9.2	10.0	8.2	8.8	8.2	12.4	13.5	11.6	14.0	10.6	11.7	12.8	10.8	12.1	10.3
White	9.3	9.9	8.1	8.7	8.1	12.5	13.3	11.4	13.8	10.5	11.8	12.7	10.6	11.9	10.3
All other	-	* 13.0	* 15.2	* 28.2	* 16.7	-	* 26.0	* 30.3	* 28.2	* 16.7	-	* 26.0	* 30.3	* 28.2	* 16.7
Black	-	-	* 43.5	* 35.7	-	-	-	* 87.0	* 35.7	-	-	-	* 87.0	* 35.7	-
Virginia	12.2	12.8	12.6	14.4	14.2	18.6	19.3	19.8	21.6	21.5	17.3	18.0	18.6	20.1	20.2
White	10.1	10.9	10.1	12.4	12.1	15.4	16.1	15.6	18.1	18.2	14.1	15.0	14.6	16.9	17.1
All other	18.0	18.0	19.4	20.1	19.9	27.6	28.0	31.4	31.7	30.5	26.2	26.0	29.5	29.0	28.8
Black	19.7	19.2	21.0	21.4	21.0	30.4	30.2	33.7	33.7	32.0	28.8	28.0	31.5	30.7	30.2
Washington	8.5	8.7	9.4	10.2	10.4	12.0	11.9	12.3	13.2	13.7	10.6	10.7	11.1	12.2	12.6
White	8.5	8.5	9.4	10.1	10.4	11.8	11.7	12.4	13.1	13.6	10.4	10.5	11.2	12.0	12.4
All other	8.4	9.8	9.2	11.4	10.6	13.0	13.6	12.1	14.4	14.5	11.6	12.5	10.8	13.3	14.0
Black	12.9	15.1	15.8	16.9	11.3	18.8	20.6	20.1	21.3	19.2	16.9	18.4	18.1	18.8	18.2
West Virginia	11.5	11.4	12.9	13.2	14.7	15.4	15.6	16.9	17.3	18.5	14.2	14.4	15.7	16.3	17.3
White	11.0	11.3	12.7	13.1	14.4	14.8	15.4	16.7	17.3	18.2	13.6	14.2	15.5	16.3	17.0
All other	22.8	* 14.2	* 15.7	* 14.2	20.9	27.4	20.9	21.8	19.0	25.2	27.4	19.9	20.1	16.6	24.3
Black	24.8	* 15.0	* 17.7	* 16.0	23.5	29.9	22.5	23.6	21.3	26.5	29.9	21.4	21.7	18.6	25.5
Wisconsin	9.0	10.2	10.0	10.1	11.1	12.0	13.2	13.0	13.5	14.5	11.2	12.1	12.0	12.5	13.3
White	8.3	9.6	9.7	9.6	10.8	10.8	12.2	12.5	12.6	13.9	10.1	11.2	11.5	11.7	12.8
All other	15.1	15.9	12.5	14.7	14.3	21.9	22.6	18.2	23.3	20.4	20.8	20.5	16.9	20.6	18.7
Black	17.4	18.5	14.6	17.6	15.4	25.7	25.7	21.0	28.2	23.3	24.3	24.2	19.8	25.1	21.0
Wyoming	10.2	10.8	9.7	11.4	12.9	13.1	14.4	11.8	14.2	16.7	12.4	13.1	11.4	13.7	15.8
White	10.3	10.9	9.3	11.7	13.3	13.1	14.2	11.5	14.5	17.2	12.3	13.1	11.1	14.0	16.2
All other	* 9.6	* 8.4	* 17.8	* 5.7	* 5.6	* 13.4	* 16.8	* 17.8	* 7.6	* 7.5	* 13.4	* 12.6	* 17.8	* 7.6	* 7.5
Black	* 9.9	-	* 9.2	* 9.3	-	* 29.7	* 18.9	* 9.2	* 9.3	-	* 29.7	* 9.4	* 9.2	* 9.3	-

¹ Figures for gestational age not stated are distributed for fetal deaths; see Technical Appendix.

² Ratio based on less than 20 infant and fetal deaths.

³ The data for Perinatal Definition I may be slightly affected by a coding problem with fetal deaths occurring in New Mexico; see Technical Appendix.

⁴ Minimum fetal death reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 4 - PERINATAL MORTALITY - PAGE 7

Table 4-5. Perinatal Deaths and Mortality Ratios and Rates for Three Definitions, by Race: United States and Each State, 1985

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Frequencies for Perinatal Definition I may not add to totals; see Technical Appendix. Ratios per 1,000 live births. Rates per 1,000 live births and specified fetal deaths]

Area and race	Perinatal Definition I ¹			Perinatal Definition II			Perinatal Definition III		
	Deaths	Ratio	Rate	Deaths	Ratio	Rate	Deaths	Ratio	Rate
United States	40,568	10.8	10.7	55,840	14.8	14.7	51,526	13.7	13.6
White	28,766	9.6	9.6	39,187	13.1	13.0	36,051	12.1	12.0
All other	11,802	15.3	15.2	16,653	21.7	21.4	15,475	20.1	19.9
Black	10,528	17.5	17.4	15,078	24.8	24.5	14,003	23.0	22.7
Alabama	801	13.4	13.3	1,136	19.0	18.8	1,038	17.4	17.2
White	424	10.8	10.8	588	15.0	14.9	538	13.8	13.7
All other	378	18.3	18.1	548	26.5	26.1	500	24.2	23.8
Black	372	18.4	18.2	542	26.8	26.4	494	24.4	24.1
Alaska	105	8.2	8.1	150	11.7	11.6	134	10.4	10.4
White	71	7.8	7.8	109	12.0	11.9	98	10.8	10.7
All other	34	9.0	9.0	41	10.9	10.8	36	9.6	9.5
Black	8	13.7	13.6	9	15.4	15.3	8	13.7	13.6
Arizona	569	9.6	9.5	762	12.8	12.8	699	11.8	11.7
White	470	9.4	9.4	623	12.5	12.4	573	11.5	11.4
All other	99	10.3	10.3	139	14.5	14.4	126	13.2	13.1
Black	34	13.1	13.1	55	21.3	21.0	49	18.9	18.7
Arkansas	397	11.3	11.2	532	15.1	15.0	470	13.3	13.2
White	263	9.9	9.8	355	13.4	13.3	307	11.6	11.5
All other	134	15.5	15.4	177	20.5	20.2	163	18.9	18.6
Black	127	15.4	15.3	170	20.6	20.4	156	18.9	18.7
California	4,525	9.6	9.6	5,964	12.7	12.6	5,451	11.6	11.5
White	3,422	9.2	9.2	4,507	12.2	12.1	4,096	11.0	11.0
All other	1,103	11.0	11.0	1,457	14.6	14.4	1,355	13.5	13.4
Black	720	15.5	15.4	987	21.3	21.0	921	19.9	19.6
Colorado	524	9.5	9.5	790	14.3	14.2	752	13.6	13.5
White	472	9.3	9.3	706	14.0	13.9	674	13.3	13.2
All other	52	11.2	11.2	84	18.2	18.0	78	16.9	16.7
Black	32	11.3	11.3	54	19.1	18.9	50	17.7	17.5
Connecticut	477	10.8	10.8	657	14.9	14.8	616	14.0	13.9
White	369	9.7	9.7	506	13.4	13.3	474	12.5	12.4
All other	108	17.7	17.7	151	24.8	24.6	142	23.3	23.1
Black	104	19.4	19.3	146	27.2	26.9	137	25.6	25.3
Delaware	133	13.8	13.8	165	17.2	17.0	156	16.2	16.1
White	83	11.3	11.3	103	14.1	14.0	100	13.7	13.6
All other	50	21.7	21.6	62	27.0	26.7	56	24.4	24.1
Black	49	22.6	22.4	60	27.6	27.4	54	24.9	24.6
District of Columbia	201	20.4	20.2	277	28.1	27.7	258	26.1	25.8
White	20	11.4	11.4	23	13.1	13.1	22	12.5	12.5
All other	181	22.3	22.1	254	31.3	30.9	236	29.1	28.7
Black	180	23.1	22.9	253	32.5	32.0	235	30.2	29.7
Florida	1,914	11.7	11.6	2,633	16.1	15.9	2,418	14.8	14.6
White	1,199	9.8	9.8	1,612	13.2	13.1	1,484	12.2	12.1
All other	715	17.2	17.0	1,021	24.5	24.2	934	22.4	22.1
Black	704	17.8	17.6	1,005	25.4	25.0	920	23.2	22.9
Georgia	1,248	13.0	12.9	2,009	20.9	20.6	1,872	19.4	19.2
White	648	10.5	10.4	1,033	16.7	16.5	963	15.5	15.4
All other	600	17.5	17.3	976	28.4	27.9	909	26.4	26.0
Black	596	17.9	17.8	966	29.1	28.6	900	27.1	26.6
Hawaii	162	8.8	8.8	270	14.7	14.6	251	13.7	13.6
White	36	7.8	7.7	64	13.8	13.7	57	12.3	12.2
All other	126	9.2	9.2	206	15.1	14.9	194	14.2	14.1
Black	16	17.8	17.7	23	25.6	25.3	21	23.4	23.1
Idaho	184	10.5	10.4	239	13.6	13.5	222	12.6	12.5
White	179	10.6	10.6	230	13.6	13.5	214	12.7	12.6
All other	5	7.3	7.2	9	13.1	12.9	8	11.6	11.5
Black	-	-	-	-	-	-	-	-	-
Illinois	2,248	12.4	12.4	2,895	16.0	15.9	2,691	14.9	14.8
White	1,449	10.5	10.4	1,838	13.3	13.2	1,720	12.4	12.3
All other	799	19.0	18.8	1,057	25.1	24.8	971	23.0	22.8
Black	769	19.9	19.7	1,024	26.5	26.1	939	24.3	24.0
Indiana	927	11.5	11.4	1,194	14.8	14.6	1,095	13.5	13.4
White	752	10.5	10.4	975	13.6	13.5	892	12.4	12.4
All other	175	18.9	18.8	219	23.7	23.4	203	21.9	21.7
Black	165	19.3	19.2	208	24.4	24.1	192	22.5	22.3
Iowa	366	8.9	8.8	489	11.9	11.8	448	10.9	10.8
White	346	8.7	8.7	467	11.8	11.7	426	10.8	10.7
All other	20	12.2	12.1	22	13.4	13.3	22	13.4	13.3
Black	11	10.4	10.3	13	12.3	12.2	13	12.3	12.2
Kansas	382	9.6	9.6	510	12.9	12.8	465	11.7	11.6
White	326	9.3	9.2	430	12.2	12.1	393	11.2	11.1
All other	56	12.6	12.5	80	17.9	17.8	72	16.1	16.0
Black	47	14.4	14.3	72	22.1	21.8	64	19.6	19.4
Kentucky	637	12.0	12.0	845	16.0	15.8	786	14.9	14.7
White	535	11.2	11.1	707	14.8	14.7	658	13.8	13.7
All other	102	19.9	19.7	138	26.9	26.5	128	24.9	24.6
Black	98	20.5	20.4	134	28.1	27.7	124	26.0	25.6

SECTION 4 - PERINATAL MORTALITY - PAGE 8

Table 4-5. Perinatal Deaths and Mortality Ratios and Rates for Three Definitions, by Race: United States and Each State, 1985—Con.

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Frequencies for Perinatal Definition I may not add to totals; see Technical Appendix. Ratios per 1,000 live births. Rates per 1,000 live births and specified fetal deaths]

Area and race	Perinatal Definition I ¹			Perinatal Definition II			Perinatal Definition III		
	Deaths	Ratio	Rate	Deaths	Ratio	Rate	Deaths	Ratio	Rate
Louisiana	1,025	12.6	12.5	1,375	16.9	16.7	1,257	15.4	15.3
White	467	9.6	9.6	612	12.6	12.5	551	11.4	11.3
All other	558	17.0	16.8	763	23.2	22.9	706	21.4	21.2
Black	550	17.5	17.3	752	23.9	23.6	695	22.1	21.8
Maine	159	9.4	9.4	215	12.7	12.6	197	11.7	11.6
White	159	9.6	9.5	214	12.9	12.8	196	11.8	11.7
All other	-	-	-	1	3.2	3.2	1	3.2	3.2
Black	-	-	-	-	-	-	-	-	-
Maryland	840	12.4	12.3	1,106	16.3	16.1	1,031	15.2	15.0
White	414	9.1	9.1	564	12.5	12.4	517	11.4	11.3
All other	426	18.7	18.6	542	23.8	23.6	514	22.6	22.4
Black	415	20.3	20.2	526	25.8	25.4	499	24.4	24.1
Massachusetts	793	9.7	9.7	1,064	13.0	12.9	977	11.9	11.9
White	665	9.0	9.0	890	12.1	12.0	814	11.1	11.0
All other	128	15.6	15.5	174	21.2	21.0	163	19.9	19.7
Black	116	19.1	19.0	160	26.4	26.0	149	24.6	24.3
Michigan	1,473	10.7	10.6	1,928	14.0	13.9	1,771	12.8	12.8
White	1,028	9.1	9.1	1,364	12.1	12.0	1,251	11.1	11.0
All other	445	17.8	17.7	564	22.6	22.4	520	20.8	20.7
Black	433	19.1	19.0	546	24.1	23.9	504	22.2	22.1
Minnesota	633	9.4	9.3	811	12.0	12.0	753	11.2	11.1
White	578	9.3	9.2	742	11.9	11.8	691	11.1	11.0
All other	55	10.8	10.7	69	13.6	13.5	62	12.2	12.1
Black	32	16.0	15.9	41	20.5	20.3	37	18.5	18.3
Mississippi	604	13.9	13.8	880	20.3	20.0	815	18.8	18.5
White	203	8.8	8.8	305	13.3	13.2	278	12.1	12.0
All other	401	19.6	19.4	575	28.1	27.6	537	26.2	25.8
Black	395	19.7	19.5	567	28.3	27.9	529	26.4	26.0
Missouri	744	9.7	9.6	1,022	13.3	13.2	946	12.3	12.2
White	553	8.6	8.6	762	11.9	11.8	700	10.9	10.9
All other	191	14.8	14.7	260	20.1	19.9	246	19.1	18.9
Black	179	15.0	14.9	248	20.8	20.5	234	19.6	19.4
Montana	128	9.5	9.4	162	12.0	11.9	156	11.6	11.5
White	104	8.8	8.7	135	11.4	11.3	130	11.0	10.9
All other	24	14.5	14.3	27	16.3	16.1	26	15.7	15.5
Black	-	-	-	1	13.2	13.2	-	-	-
Nebraska	257	10.1	10.0	346	13.5	13.4	312	12.2	12.1
White	230	9.8	9.7	308	13.1	13.0	278	11.8	11.7
All other	27	13.5	13.4	38	18.9	18.8	34	16.9	16.8
Black	20	14.7	14.6	28	20.6	20.4	25	18.4	18.2
Nevada	123	8.0	8.0	174	11.4	11.3	159	10.4	10.3
White	99	7.9	7.8	138	11.0	10.9	128	10.2	10.1
All other	24	8.8	8.8	36	13.2	13.1	31	11.4	11.3
Black	20	13.0	12.9	29	18.8	18.6	26	16.8	16.7
New Hampshire	144	9.3	9.3	189	12.2	12.2	173	11.2	11.1
White	143	9.4	9.4	187	12.3	12.3	172	11.4	11.3
All other	1	3.3	3.3	2	6.6	6.6	1	3.3	3.3
Black	1	7.5	7.5	2	14.9	14.9	1	7.5	7.5
New Jersey	1,173	11.1	11.1	1,579	15.0	14.8	1,448	13.7	13.6
White	805	9.8	9.8	1,067	13.0	13.0	976	11.9	11.9
All other	368	15.5	15.4	512	21.5	21.3	472	19.8	19.6
Black	348	16.9	16.8	488	23.7	23.5	448	21.8	21.5
New Mexico	264	9.5	9.5	* 339	12.2	12.1	* 318	11.5	11.4
White	220	9.6	9.6	282	12.3	12.3	262	11.5	11.4
All other	44	9.0	9.0	57	11.7	11.6	56	11.5	11.4
Black	8	11.5	11.5	9	13.0	12.9	9	13.0	12.9
New York	2,986	11.5	11.5	4,455	17.2	17.0	4,211	16.2	16.1
White	2,008	10.4	10.4	2,959	15.3	15.2	2,803	14.5	14.4
All other	978	14.7	14.6	1,496	22.5	22.2	1,408	21.2	20.9
Black	931	16.2	16.1	1,415	24.6	24.3	1,330	23.1	22.8
North Carolina	1,073	12.0	11.9	1,457	16.3	16.2	1,365	15.3	15.1
White	618	10.0	10.0	821	13.3	13.2	763	12.4	12.3
All other	455	16.5	16.4	636	23.0	22.8	602	21.8	21.5
Black	435	17.2	17.1	610	24.2	23.9	576	22.8	22.6
North Dakota	94	8.0	8.0	128	10.9	10.9	114	9.7	9.7
White	84	7.9	7.9	114	10.7	10.7	101	9.5	9.5
All other	10	9.0	9.0	14	12.6	12.5	13	11.7	11.6
Black	-	-	-	2	13.9	13.8	1	6.9	6.9
Ohio	1,720	10.7	10.7	2,307	14.4	14.3	2,130	13.3	13.2
White	1,332	9.8	9.8	1,767	13.0	12.9	1,621	11.9	11.9
All other	388	15.7	15.6	540	21.8	21.5	509	20.5	20.3
Black	376	16.3	16.2	526	22.8	22.6	496	21.5	21.3
Oklahoma	561	10.6	10.5	765	14.4	14.3	697	13.1	13.0
White	436	10.4	10.4	591	14.1	14.0	536	12.8	12.7
All other	125	11.1	11.0	174	15.4	15.3	161	14.3	14.2
Black	79	14.9	14.8	118	22.3	22.0	108	20.4	20.2
Oregon	327	8.3	8.2	451	11.4	11.4	408	10.3	10.3
White	306	8.4	8.3	423	11.6	11.5	384	10.5	10.4
All other	21	7.2	7.2	28	9.6	9.6	24	8.3	8.2
Black	10	10.2	10.2	13	13.3	13.2	11	11.2	11.2

SECTION 4 - PERINATAL MORTALITY - PAGE 9

Table 4-5. Perinatal Deaths and Mortality Ratios and Rates for Three Definitions, by Race: United States and Each State, 1985—Con.

[Perinatal Definition I includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 28 weeks or more; Perinatal Definition II includes infant deaths of less than 28 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; Perinatal Definition III includes infant deaths of less than 7 days and fetal deaths with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Frequencies for Perinatal Definition I may not add to totals; see Technical Appendix. Ratios per 1,000 live births. Rates per 1,000 live births and specified fetal deaths]

Area and race	Perinatal Definition I ¹			Perinatal Definition II			Perinatal Definition III		
	Deaths	Ratio	Rate	Deaths	Ratio	Rate	Deaths	Ratio	Rate
Pennsylvania	1,864	11.6	11.6	2,652	16.5	16.4	2,468	15.4	15.2
White	1,457	10.7	10.7	2,039	15.0	14.9	1,892	13.9	13.8
All other	407	16.6	16.5	613	25.1	24.8	576	23.5	23.3
Black	392	17.5	17.5	587	26.3	25.9	553	24.8	24.4
Rhode Island	123	9.4	9.4	179	13.7	13.6	164	12.6	12.5
White	103	8.8	8.8	153	13.1	13.0	140	12.0	11.9
All other	20	14.9	14.8	26	19.4	19.1	24	17.9	17.7
Black	18	19.3	19.0	24	25.7	25.2	22	23.5	23.1
South Carolina	772	14.9	14.8	1,083	20.9	20.6	999	19.2	19.0
White	322	10.2	10.1	461	14.6	14.5	422	13.4	13.3
All other	450	22.1	21.9	622	30.6	30.1	577	28.4	28.0
Black	447	22.5	22.3	617	31.1	30.6	573	28.9	28.4
South Dakota	116	9.6	9.5	² 141	11.6	11.6	² 128	10.6	10.5
White	96	9.5	9.4	115	11.4	11.3	104	10.3	10.2
All other	20	10.0	9.9	26	12.9	12.8	24	11.9	11.8
Black	—	—	—	—	—	—	—	—	—
Tennessee	781	11.7	11.6	² 1,000	15.0	14.9	² 894	13.4	13.3
White	486	9.5	9.5	622	12.2	12.1	556	10.9	10.8
All other	295	18.7	18.6	378	24.0	23.8	338	21.5	21.3
Black	289	19.0	18.9	371	24.4	24.2	331	21.8	21.6
Texas	3,068	10.0	9.9	4,131	13.4	13.3	3,786	12.3	12.2
White	2,445	9.4	9.4	3,266	12.6	12.5	2,986	11.5	11.4
All other	623	12.9	12.9	865	17.9	17.8	800	16.6	16.4
Black	584	14.1	14.0	815	19.6	19.4	753	18.1	17.9
Utah	310	8.3	8.2	462	12.3	12.3	412	11.0	10.9
White	295	8.3	8.3	441	12.4	12.3	395	11.1	11.0
All other	15	7.7	7.7	21	10.8	10.7	17	8.7	8.7
Black	3	10.0	10.0	4	13.4	13.2	4	13.4	13.2
Vermont	74	9.2	9.2	100	12.4	12.4	94	11.7	11.6
White	74	9.3	9.2	100	12.5	12.5	94	11.8	11.7
All other	—	—	—	—	—	—	—	—	—
Black	—	—	—	—	—	—	—	—	—
Virginia	1,046	12.2	12.1	1,603	18.6	18.4	1,491	17.3	17.1
White	635	10.1	10.0	972	15.4	15.3	892	14.1	14.0
All other	411	18.0	17.8	631	27.6	27.2	599	26.2	25.8
Black	401	19.7	19.5	619	30.4	29.9	587	28.8	28.3
Washington	595	8.5	8.4	841	12.0	11.9	743	10.6	10.5
White	521	8.5	8.4	727	11.8	11.8	641	10.4	10.4
All other	74	8.4	8.4	114	13.0	12.9	102	11.6	11.5
Black	42	12.9	12.9	61	18.8	18.6	55	16.9	16.8
West Virginia	278	11.5	11.5	372	15.4	15.3	343	14.2	14.1
White	253	11.0	10.9	342	14.8	14.7	313	13.6	13.5
All other	25	22.8	22.6	30	27.4	27.0	30	27.4	27.0
Black	24	24.8	24.5	29	29.9	29.5	29	29.9	29.5
Wisconsin	663	9.0	9.0	883	12.0	11.9	828	11.2	11.2
White	545	8.3	8.2	712	10.8	10.7	666	10.1	10.0
All other	118	15.1	15.0	171	21.9	21.7	162	20.8	20.5
Black	99	17.4	17.3	146	25.7	25.4	138	24.3	24.0
Wyoming	96	10.2	10.2	123	13.1	13.0	116	12.4	12.3
White	91	10.3	10.2	116	13.1	13.0	109	12.3	12.2
All other	5	9.6	9.5	7	13.4	13.3	7	13.4	13.3
Black	1	9.9	9.9	3	29.7	29.1	3	29.7	29.1

¹ Figures for gestational age not stated are distributed for fetal deaths; see Technical Appendix.

² Minimum fetal death reporting requirements are assumed to exceed 20 weeks gestation; see Technical Appendix.

Section 5. Accident Mortality

Table	Page
5-1. Deaths from motor vehicle accidents, by person injured, cause of death, race, and sex: United States, 1985 -----	1
5-2. Deaths from motor vehicle accidents, by person injured, 5-year age groups, race, and sex: United States, 1985 -----	4
5-3. Deaths from motor vehicle accidents, by person injured, race, and sex: United States and each State, 1985 -----	14
5-4. Deaths from accidental poisoning, by age, race, and sex: United States, 1985 -----	22
5-5. Deaths from nontransport accidents, by place of accident, cause of death, race, and sex: United States, 1985 -----	26
5-6. Deaths from nontransport accidents, by place of accident, 5-year age groups, race, and sex: United States, 1985 -----	42
5-7. Deaths from nontransport accidents, by place of accident, race, and sex: United States and each State, 1985 -----	46

SECTION 5 - ACCIDENT MORTALITY - PAGE 1

Table 5-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Race, and Sex: United States, 1985

[Includes each three-digit category from E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Cause of death, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Motor vehicle traffic accidents (E810-E819)	44,822	15,824	7,748	3,106	410	2	5	820	7,185	47	9,675
Male	31,592	11,728	4,000	3,032	187	1	2	692	4,955	41	6,954
Female	13,230	4,096	3,748	74	223	1	3	128	2,230	6	2,721
White	38,713	14,099	6,603	2,812	374	2	5	684	5,543	42	8,549
Male	27,119	10,356	3,367	2,744	166	1	2	575	3,770	36	6,102
Female	11,594	3,743	3,236	68	208	1	3	109	1,773	6	2,447
All other	6,109	1,725	1,145	294	36	-	-	136	1,642	5	1,126
Male	4,473	1,372	633	288	21	-	-	117	1,185	5	852
Female	1,636	353	512	6	15	-	-	19	457	-	274
Black	4,841	1,365	847	262	26	-	-	113	1,322	4	902
Male	3,602	1,103	463	258	17	-	-	100	971	4	686
Female	1,239	262	384	4	9	-	-	13	351	-	216
Involving collision with train (E810)	538	231	113	15	-	-	-	-	-	2	177
Male	373	184	54	13	-	-	-	-	-	2	120
Female	165	47	59	2	-	-	-	-	-	-	57
White	480	211	93	15	-	-	-	-	-	2	159
Male	330	167	42	13	-	-	-	-	-	2	106
Female	150	44	51	2	-	-	-	-	-	-	53
All other	58	20	20	-	-	-	-	-	-	-	18
Male	43	17	12	-	-	-	-	-	-	-	14
Female	15	3	8	-	-	-	-	-	-	-	4
Black	48	16	17	-	-	-	-	-	-	-	15
Male	35	14	9	-	-	-	-	-	-	-	12
Female	13	2	8	-	-	-	-	-	-	-	3
Involving re-entrant collision with another motor vehicle (E811)	37	20	15	-	-	-	-	-	-	-	2
Male	22	10	10	-	-	-	-	-	-	-	2
Female	15	10	5	-	-	-	-	-	-	-	2
White	34	20	12	-	-	-	-	-	-	-	2
Male	20	10	8	-	-	-	-	-	-	-	2
Female	14	10	4	-	-	-	-	-	-	-	-
All other	3	-	3	-	-	-	-	-	-	-	-
Male	2	-	2	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Other accident involving collision with another motor vehicle (E812)	16,887	7,996	4,083	1,674	231	-	-	5	19	22	2,857
Male	10,969	5,527	1,741	1,634	93	-	-	5	15	20	1,934
Female	5,918	2,469	2,342	40	138	-	-	-	4	2	923
White	15,028	7,170	3,509	1,519	212	-	-	5	17	19	2,577
Male	9,704	4,891	1,468	1,482	83	-	-	5	14	17	1,744
Female	5,324	2,279	2,041	37	129	-	-	-	3	2	83

SECTION 5 - ACCIDENT MORTALITY - PAGE 2

Table 5-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category from E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Cause of death, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Motor vehicle traffic accidents-Con.											
Other accident involving collision on the highway (E815)	6,086	3,130	1,286	674	70	-	1	1	1	3	920
Male	4,792	2,513	841	660	33	-	1	1	1	3	739
Female	1,294	617	445	14	37	-	-	-	-	-	181
White	5,371	2,763	1,095	611	61	-	1	1	1	3	893
Male	4,221	2,213	714	597	28	-	1	1	1	3	663
Female	1,150	550	381	14	33	-	-	-	-	-	172
All other	715	367	191	63	9	-	-	-	-	-	85
Male	571	300	127	63	5	-	-	-	-	-	76
Female	144	67	64	-	4	-	-	-	-	-	9
Black	572	292	145	57	6	-	-	-	-	-	72
Male	458	240	94	57	4	-	-	-	-	-	63
Female	114	52	51	-	2	-	-	-	-	-	9
Due to loss of control without collision on the highway (E816)	7,120	3,673	1,467	560	59	-	-	-	2	4	1,355
Male	5,431	2,902	897	549	33	-	-	-	1	4	1,045
Female	1,689	771	570	11	26	-	-	-	1	-	310
White	6,270	3,249	1,258	507	51	-	-	-	2	4	1,199
Male	4,774	2,555	766	498	27	-	-	-	1	4	923
Female	1,496	694	492	9	24	-	-	-	1	-	276
All other	850	424	209	53	8	-	-	-	-	-	156
Male	657	347	131	51	6	-	-	-	-	-	122
Female	193	77	78	2	2	-	-	-	-	-	34
Black	620	321	141	45	7	-	-	-	-	-	106
Male	504	278	90	45	6	-	-	-	-	-	85
Female	116	43	51	-	1	-	-	-	-	-	21
Noncollision accident while boarding or alighting (E817)	9	1	1	-	-	1	-	-	-	-	6
Male	5	-	1	-	-	1	-	-	-	-	2
Female	4	-	-	-	-	-	-	-	-	-	4
White	8	1	1	-	-	1	-	-	-	-	5
Male	4	1	1	-	-	1	-	-	-	-	1
Female	4	-	-	-	-	-	-	-	-	-	4
All other	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
Other noncollision accident (E818)	931	116	301	28	19	-	-	-	12	11	444
Male	679	90	196	27	8	-	-	-	10	7	341
Female	252	26	105	1	11	-	-	-	2	4	103
White	774	101	236	21	19	-	-	-	12	10	375
Male	559	81	153	20	8	-	-	-	10	6	281
Female	215	20	83	1	11	-	-	-	2	4	94
All other	157	15	65	7	-	-	-	-	-	1	69
Male	120	9	43	7	-	-	-	-	-	1	60
Female	37	6	22	-	-	-	-	-	-	-	9
Black	121	10	48	6	-	-	-	-	-	1	56
Male	102	8	36	6	-	-	-	-	-	1	51
Female	19	2	12	-	-	-	-	-	-	-	5
Of unspecified nature (E819)	5,214	654	479	149	31	-	-	-	2	1	3,898
Male	3,684	501	258	144	20	-	-	-	2	1	2,758
Female	1,530	153	221	5	11	-	-	-	-	-	1,140
White	4,525	581	396	134	31	-	-	-	1	-	3,382
Male	3,172	438	213	130	20	-	-	-	1	-	2,370
Female	1,353	143	183	4	11	-	-	-	-	-	1,012
All other	689	73	83	15	-	-	-	-	1	1	516
Male	512	63	45	14	-	-	-	-	1	1	388
Female	177	10	38	1	-	-	-	-	-	-	128
Black	550	54	54	13	-	-	-	-	1	-	428
Male	408	45	29	12	-	-	-	-	1	-	321
Female	142	9	25	1	-	-	-	-	-	-	107
Motor vehicle nontraffic accidents (E820-E825)	1,079	131	70	65	7	-	-	4	456	55	291
Male	851	113	50	64	5	-	-	4	321	46	248
Female	228	18	20	1	2	-	-	-	135	9	43
White	976	119	60	62	7	-	-	4	404	51	269
Male	775	105	42	61	5	-	-	4	284	43	231
Female	201	14	18	1	2	-	-	-	120	8	38
All other	103	12	10	3	-	-	-	-	52	4	22
Male	76	8	8	3	-	-	-	-	37	3	17
Female	27	4	2	-	-	-	-	-	15	1	5
Black	75	8	9	3	-	-	-	-	41	1	13
Male	57	5	8	3	-	-	-	-	31	1	9
Female	18	3	1	-	-	-	-	-	10	-	4

SECTION 5 - ACCIDENT MORTALITY - PAGE 3

Table 5-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category from E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Cause of death, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Motor vehicle nontraffic accidents-Con.											
Involving motor-driven snow vehicle (E820)	51	10	4	1	-	-	-	-	1	1	34
Male	44	10	3	1	-	-	-	-	1	1	28
Female	7	-	1	-	-	-	-	-	-	-	6
White	50	10	4	1	-	-	-	-	1	1	33
Male	43	10	3	1	-	-	-	-	1	1	27
Female	7	-	1	-	-	-	-	-	-	-	6
All other	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Involving other off-road motor vehicle (E821)	225	46	16	23	5	-	-	-	11	42	82
Male	196	44	11	23	4	-	-	-	7	34	73
Female	29	2	5	-	1	-	-	-	4	8	9
White	214	44	14	23	5	-	-	-	9	38	81
Male	187	42	9	23	4	-	-	-	6	31	72
Female	27	2	5	-	1	-	-	-	3	7	9
All other	11	2	2	-	-	-	-	-	2	4	1
Male	9	2	2	-	-	-	-	-	1	3	1
Female	2	-	-	-	-	-	-	-	1	1	-
Black	5	-	2	-	-	-	-	-	2	1	-
Male	4	-	2	-	-	-	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	1	-	-
Other accident involving collision with moving object (E822)	467	6	5	11	-	-	-	4	430	2	9
Male	337	5	3	11	-	-	-	4	304	2	8
Female	130	1	2	-	-	-	-	-	126	-	1
White	411	3	5	9	-	-	-	4	380	2	8
Male	296	3	3	9	-	-	-	4	268	2	7
Female	115	-	2	-	-	-	-	-	112	-	1
All other	56	3	-	2	-	-	-	-	50	-	1
Male	41	2	-	2	-	-	-	-	36	-	1
Female	15	1	-	-	-	-	-	-	14	-	-
Black	43	1	-	2	-	-	-	-	39	-	1
Male	34	1	-	2	-	-	-	-	30	-	1
Female	9	-	-	-	-	-	-	-	9	-	-
Other accident involving collision with stationary object (E823)	61	29	5	9	-	-	-	-	3	-	15
Male	48	21	3	9	-	-	-	-	2	-	13
Female	13	8	2	-	-	-	-	-	1	-	2
White	56	26	4	9	-	-	-	-	3	-	14
Male	44	19	2	9	-	-	-	-	2	-	12
Female	12	7	2	-	-	-	-	-	1	-	2
All other	5	3	1	-	-	-	-	-	-	-	1
Male	4	2	1	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-
Black	5	3	1	-	-	-	-	-	-	-	1
Male	4	2	1	-	-	-	-	-	-	-	1
Female	1	1	-	-	-	-	-	-	-	-	-
Other accident while boarding and alighting (E824)	8	-	-	-	-	-	-	-	1	-	7
Male	-	-	-	-	-	-	-	-	-	-	7
Female	8	-	-	-	-	-	-	-	1	-	6
White	7	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	6
Female	7	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-
Other accident of other and unspecified nature (E825)	267	40	40	21	2	-	-	-	10	10	144
Male	226	33	30	20	1	-	-	-	7	9	126
Female	41	7	10	1	1	-	-	-	3	1	18
White	238	36	33	20	2	-	-	-	10	10	127
Male	205	31	25	19	1	-	-	-	7	9	113
Female	33	5	8	1	1	-	-	-	3	1	14
All other	29	4	7	1	-	-	-	-	-	-	17
Male	21	2	5	1	-	-	-	-	-	-	13
Female	8	2	2	-	-	-	-	-	-	-	4
Black	21	4	6	1	-	-	-	-	-	-	10
Male	15	2	5	1	-	-	-	-	-	-	7
Female	6	2	1	-	-	-	-	-	-	-	3

Person injured, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All motor vehicle accidents (E810-E825)	45,901	179	263	265	248	240	1,195	1,063	1,256	6,282	7,995	5,612	3,977	3,097
Male	32,443	95	146	146	145	164	696	657	824	4,441	6,239	4,407	3,068	2,282
Female	13,458	84	117	119	103	76	499	406	432	1,841	1,756	1,205	909	815
White	39,689	127	202	212	179	183	903	823	1,070	5,721	7,039	4,801	3,308	2,596
Male	27,894	70	107	120	101	124	522	509	692	4,024	5,484	3,779	2,564	1,900
Female	11,795	57	95	92	78	59	381	314	378	1,697	1,555	1,022	744	696
All other	6,212	52	61	53	69	57	292	240	186	561	956	811	669	501
Male	4,549	25	39	26	44	40	174	148	132	417	755	628	504	382
Female	1,663	27	22	27	25	17	118	92	54	144	201	183	165	119
Black	4,916	39	47	40	53	47	226	194	156	408	739	622	532	410
Male	3,659	17	29	21	33	33	133	121	117	305	582	493	409	324
Female	1,257	22	18	19	20	14	93	73	39	103	157	129	123	86
Driver of motor vehicle other than motorcycle (.0)	15,955	2	-	-	-	1	5	8	65	1,992	2,949	2,184	1,642	1,311
Male	11,841	1	-	-	-	1	2	7	49	1,441	2,246	1,683	1,277	991
Female	4,114	1	-	-	-	1	3	1	16	551	703	501	365	320
White	14,218	2	-	-	-	2	5	7	63	1,845	2,629	1,927	1,420	1,126
Male	10,461	1	-	-	-	1	2	6	48	1,321	1,987	1,476	1,112	841
Female	3,757	1	-	-	-	1	3	1	15	524	642	451	308	285
All other	1,737	-	-	-	-	-	-	-	1	2	147	320	257	222
Male	1,380	-	-	-	-	-	-	-	1	1	120	259	207	165
Female	357	-	-	-	-	-	-	-	1	1	27	61	50	57
Black	1,373	-	-	-	-	-	-	-	1	1	100	252	196	173
Male	1,108	-	-	-	-	-	-	-	1	1	85	203	164	128
Female	265	-	-	-	-	-	-	-	-	-	15	49	32	45
Passenger in motor vehicle other than motorcycle (.1)	7,818	130	83	91	89	81	474	303	403	1,530	1,312	743	439	315
Male	4,050	67	43	48	38	50	246	158	214	893	896	491	244	159
Female	3,768	63	40	43	51	31	228	145	189	637	416	252	195	156
White	6,663	93	61	79	68	65	366	262	333	1,360	1,135	606	336	261
Male	3,409	47	27	46	29	39	188	135	170	789	776	404	191	129
Female	3,254	46	34	33	39	26	178	127	163	571	359	202	145	132
All other	1,155	37	22	12	9	11	108	41	70	170	177	137	103	54
Male	641	20	16	2	9	11	58	23	44	104	120	87	53	30
Female	514	17	6	10	12	5	50	18	26	66	57	50	50	24
Black	856	31	17	10	14	11	63	31	55	124	123	102	71	37
Male	471	16	13	2	6	8	45	19	37	73	80	65	39	21
Female	385	15	4	8	8	3	38	12	18	51	43	37	32	16
Motorcyclist (.2)	3,171	2	-	-	-	-	2	6	62	514	964	717	364	234
Male	3,096	2	-	-	-	-	2	4	55	497	949	706	356	232
Female	75	-	-	-	-	-	-	2	7	17	15	11	8	2
White	2,874	2	-	-	-	-	2	4	59	475	868	663	326	202
Male	2,805	2	-	-	-	-	2	2	53	458	857	652	318	200
Female	69	-	-	-	-	-	-	2	6	17	11	11	8	2
All other	297	-	-	-	-	-	-	2	3	39	96	54	38	32
Male	291	-	-	-	-	-	-	2	2	39	92	54	38	32
Female	6	-	-	-	-	-	-	-	1	-	4	-	-	-
Black	265	-	-	-	-	-	-	1	3	33	82	51	35	28
Male	261	-	-	-	-	-	-	1	2	33	80	51	35	28
Female	4	-	-	-	-	-	-	-	1	-	2	-	-	-
Passenger on motorcycle (.3)	417	-	-	-	1	1	2	6	19	129	113	68	28	24
Male	192	-	-	-	1	1	2	4	17	63	55	27	10	7
Female	225	-	-	-	-	-	-	2	2	66	58	41	18	17
White	381	-	-	-	1	1	2	6	18	112	103	63	28	23
Male	171	-	-	-	1	1	2	4	16	53	49	25	10	7
Female	210	-	-	-	-	-	-	2	2	59	54	38	18	16
All other	36	-	-	-	-	-	-	-	1	17	10	5	-	1
Male	21	-	-	-	-	-	-	-	1	10	6	2	-	-
Female	15	-	-	-	-	-	-	-	-	7	4	3	-	1
Black	26	-	-	-	-	-	-	-	1	12	7	3	-	1
Male	17	-	-	-	-	-	-	-	1	8	4	2	-	-
Female	9	-	-	-	-	-	-	-	-	4	3	1	-	1
Occupant of streetcar (.4)	2	-	-	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	1	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rider of animal; occupant of animal-drawn vehicle (.5)	5	-	-	-	-	-	-	-	2	-	2	-	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	-	-	-	-
White	5	-	-	-	-	-	-	-	2	-	2	-	-	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 5

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All motor vehicle accidents (E810-E825)	2,348	1,773	1,650	1,729	1,733	1,452	1,562	1,407	1,029	542	141	19	4	35
Male	1,646	1,258	1,130	1,217	1,077	839	846	793	568	322	88	9	2	34
Female	702	515	520	512	656	613	716	614	461	220	53	10	2	1
White	1,977	1,499	1,392	1,474	1,481	1,279	1,398	1,270	964	506	134	17	3	34
Male	1,384	1,055	945	1,075	899	728	731	695	532	300	82	9	1	33
Female	593	444	447	449	582	551	667	574	432	206	52	8	2	1
All other	371	274	258	255	252	173	164	137	65	36	7	2	1	1
Male	262	203	185	178	111	115	97	36	22	6	-	-	1	1
Female	109	71	73	63	74	62	49	40	29	14	1	2	-	1
Black	292	224	206	214	217	141	126	118	53	28	6	2	1	1
Male	212	168	154	167	155	96	90	81	27	18	5	-	1	1
Female	80	56	52	47	62	45	36	37	26	10	1	2	-	-
Driver of motor vehicle other than motorcycle (.0)	997	763	698	643	679	532	537	459	307	143	37	2	-	2
Male	720	566	501	465	475	356	370	323	224	113	30	-	-	2
Female	277	197	197	178	204	176	167	136	83	30	7	2	-	-
White	868	675	609	562	603	490	496	424	294	137	35	1	-	2
Male	621	494	434	401	415	322	336	292	214	109	28	-	-	2
Female	247	181	175	161	188	168	160	132	80	28	7	1	-	-
All other	129	88	89	81	76	42	41	35	13	6	2	1	-	-
Male	99	72	67	64	60	34	34	31	10	4	2	-	-	-
Female	30	16	22	17	16	8	7	4	3	2	-	1	-	-
Black	92	72	74	69	67	37	35	30	11	5	2	1	-	-
Male	76	61	56	55	52	30	28	26	8	3	2	-	-	-
Female	16	11	18	14	15	7	7	4	3	2	-	1	-	-
Passenger in motor vehicle other than motorcycle (.1)	259	231	192	224	252	268	288	243	189	112	29	4	2	6
Male	112	103	68	87	73	71	68	68	50	35	7	-	1	6
Female	147	128	124	137	179	197	220	175	139	77	22	4	1	-
White	206	186	161	192	218	236	263	219	178	106	29	3	2	5
Male	90	82	54	75	58	63	55	58	48	31	7	-	1	5
Female	116	104	107	117	160	173	208	161	130	75	22	3	1	-
All other	53	45	31	32	34	32	25	24	11	6	-	1	-	1
Male	22	21	14	12	15	8	13	10	2	4	-	-	-	1
Female	31	24	17	20	19	24	12	14	9	2	-	1	-	-
Black	36	33	22	25	29	27	19	22	10	5	-	1	-	1
Male	14	15	10	10	12	8	10	8	1	3	-	-	-	1
Female	22	18	12	15	17	19	9	14	9	2	-	1	-	-
Motorcyclist (.2)	107	59	46	42	24	12	6	4	6	2	-	-	-	-
Male	104	57	43	42	22	11	5	4	5	2	-	-	-	-
Female	3	2	3	-	2	1	1	-	1	-	-	-	-	-
White	92	54	41	37	22	12	6	4	6	1	-	-	-	-
Male	89	52	39	37	20	11	5	4	5	1	-	-	-	-
Female	3	2	2	-	2	1	1	-	1	-	-	-	-	-
All other	15	5	5	5	2	-	-	-	-	-	-	-	-	-
Male	15	5	4	5	2	-	-	-	-	1	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	14	5	5	5	2	-	-	-	-	1	-	-	-	-
Male	14	5	4	5	2	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Passenger on motorcycle (.3)	12	4	4	3	2	1	1	1	-	-	-	-	-	-
Male	4	-	1	-	1	1	-	-	-	-	-	-	-	-
Female	8	4	3	3	1	-	1	1	-	-	-	-	-	-
White	12	4	3	3	1	1	1	1	-	-	-	-	-	-
Male	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	8	4	3	3	1	-	1	1	-	-	-	-	-	-
All other	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of streetcar (.4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rider of animal; occupant of animal-drawn vehicle (.5)	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 6

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Pedal cyclist (.6)	824	1	2	-	5	9	17	129	207	131	71	54	32	39
Male	696	1	1	-	3	8	13	101	169	125	58	47	28	33
Female	128	-	1	-	2	1	4	28	38	6	13	7	4	6
White	688	1	2	-	4	7	14	102	161	116	58	47	24	36
Male	579	1	1	-	2	6	10	81	129	112	46	41	21	30
Female	109	-	1	-	2	1	4	21	32	4	12	6	3	6
All other	136	-	-	-	1	2	3	20	40	13	12	6	7	3
Male	117	-	-	-	1	2	3	7	6	2	1	1	1	3
Female	19	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	113	-	-	-	1	2	3	21	41	11	12	5	6	3
Male	100	-	-	-	1	2	3	15	37	9	11	5	6	3
Female	13	-	-	-	-	-	-	6	4	2	1	-	-	-
Pedestrian (.7)	7,641	17	156	142	127	123	565	503	276	508	694	589	511	457
Male	5,276	12	93	84	87	92	368	313	171	354	544	469	388	336
Female	2,365	5	63	58	40	31	197	190	105	154	150	120	123	121
White	5,947	11	119	107	87	88	412	352	233	437	560	425	356	330
Male	4,054	9	70	62	58	66	265	226	142	303	441	336	270	244
Female	1,893	2	49	45	29	22	147	126	91	134	119	89	86	86
All other	1,694	6	37	35	40	35	153	151	43	71	134	164	155	127
Male	1,222	3	23	22	29	26	103	87	29	51	103	133	118	92
Female	472	3	14	13	11	9	50	64	14	20	31	31	37	35
Black	1,363	4	28	26	33	30	121	126	40	51	104	129	128	104
Male	1,002	1	16	18	23	22	80	73	28	35	81	108	98	78
Female	361	3	12	8	10	8	41	53	12	16	23	21	30	26
Other specified person (.8)	102	-	-	-	-	1	1	11	16	22	18	7	4	8
Male	87	-	-	-	-	-	-	9	12	19	17	6	4	7
Female	15	-	-	-	-	1	1	2	4	3	1	1	-	1
White	93	-	-	-	-	1	1	10	14	19	18	6	4	8
Male	79	-	-	-	-	-	-	8	10	17	17	5	4	7
Female	14	-	-	-	-	1	1	2	4	2	1	1	-	1
All other	9	-	-	-	-	-	-	1	2	3	-	1	-	-
Male	8	-	-	-	-	-	-	1	2	2	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Black	5	-	-	-	-	-	-	1	1	2	-	-	-	-
Male	5	-	-	-	-	-	-	1	1	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified person (.9)	9,966	27	22	32	24	24	129	96	206	1,456	1,872	1,250	957	708
Male	7,202	12	9	14	15	13	63	60	136	1,049	1,473	978	761	517
Female	2,764	15	13	18	9	11	66	36	70	407	399	272	196	191
White	8,818	18	20	26	17	20	101	79	187	1,357	1,666	1,064	814	609
Male	6,333	10	9	12	10	12	53	46	123	971	1,310	840	638	442
Female	2,485	8	11	14	7	8	48	33	64	386	356	224	176	167
All other	1,148	9	2	6	7	4	28	17	19	99	206	186	143	99
Male	869	2	-	2	5	1	10	14	13	78	163	138	123	75
Female	279	7	2	4	2	3	18	3	6	21	43	48	20	24
Black	915	4	2	4	5	4	19	13	14	75	159	136	119	82
Male	695	-	-	1	3	1	5	11	10	60	123	98	103	65
Female	220	4	2	3	2	3	14	2	4	15	36	38	16	17
Motor vehicle traffic accidents (E810-E819)	44,822	170	179	228	211	214	1,002	1,019	1,193	6,188	7,862	5,528	3,922	3,037
Male	31,592	89	98	124	119	144	574	629	769	4,363	6,118	4,328	3,018	2,228
Female	13,230	81	81	104	92	70	428	390	424	1,825	1,744	1,200	904	809
White	38,713	121	129	182	149	162	743	781	1,010	5,631	6,919	4,723	3,257	2,543
Male	27,119	66	66	102	79	108	421	482	639	3,949	5,373	3,706	2,517	1,852
Female	11,594	55	63	80	70	54	322	299	371	1,682	1,546	1,017	740	691
All other	6,109	49	50	46	62	52	259	238	183	557	943	805	665	494
Male	4,473	23	32	22	40	36	153	147	130	414	745	622	501	376
Female	1,636	26	18	24	22	16	106	91	53	143	198	183	164	118
Black	4,841	38	39	36	46	42	201	193	154	406	730	620	529	405
Male	3,602	17	24	18	29	29	117	120	115	303	575	491	406	320
Female	1,239	21	15	18	17	13	84	73	39	103	155	129	123	85
Driver of motor vehicle other than motorcycle (.0)	15,824	2	-	-	1	1	4	6	51	1,979	2,933	2,168	1,633	1,301
Male	11,728	1	-	-	-	-	1	5	39	1,430	2,231	1,668	1,268	981
Female	4,096	1	-	-	1	1	3	1	12	549	702	500	365	320
White	14,099	2	-	-	1	1	4	5	50	1,832	2,614	1,913	1,412	1,118
Male	10,356	1	-	-	-	-	1	4	38	1,310	1,972	1,463	1,104	833
Female	3,743	1	-	-	1	1	3	1	12	522	642	450	308	285
All other	1,725	-	-	-	-	-	-	1	1	147	319	255	221	183
Male	1,372	-	-	-	-	-	-	1	1	120	259	205	164	148
Female	353	-	-	-	-	-	-	-	-	27	60	50	57	35
Black	1,365	-	-	-	-	-	-	1	1	100	251	196	172	154
Male	1,103	-	-	-	-	-	-	1	1	85	203	164	127	128
Female	262	-	-	-	-	-	-	-	-	15	48	32	45	26
Passenger in motor vehicle other than motorcycle (.1)	7,748	129	80	88	86	79	462	298	397	1,519	1,300	738	436	314
Male	4,000	66	42	46	36	48	238	156	208	887	888	486	242	158
Female	3,748	63	38	42	50	31	224	142	189	632	412	252	194	156
White	6,603	92	59	76	67	63	357	257	328	1,349	1,124	602	333	260
Male	3,367	46	26	44	28	37	181	133	165	783	769	400	189	128
Female	3,236	46	33	32	39	26	176	124	163	566	355	202	144	132
All other	1,145	37	21	12	19	16	105	41	69	170	176	136	103	54
Male	633	20	16	2	8	11	57	23	43	104	119	86	53	30
Female	512	17	5	10	11	5	48	18	26	66	57	50	50	24
Black	847	31	17	10	12	11	81	31	54	124	122	101	71	37
Male	463	16	13	2	5	8	44	19	36	73	79	64	39	21
Female	384	15	4	8	7	3	37	12	18	51	43	37	32	16

SECTION 5 - ACCIDENT MORTALITY - PAGE 7

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Pedal cyclist (.6)	26	19	13	22	17	16	7	8	12	3	-	1	-	-
Male	21	14	10	19	13	15	6	8	12	3	-	1	-	-
Female	5	5	3	3	4	1	1	-	-	-	-	-	-	-
White	22	17	12	20	17	14	6	8	10	3	-	1	-	-
Male	17	13	9	17	13	13	5	8	10	3	-	1	-	-
Female	5	4	3	3	4	1	1	-	-	-	-	-	-	-
All other	4	2	1	2	-	2	1	-	2	-	-	-	-	-
Male	4	1	1	2	-	2	1	-	2	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	1	2	-	1	1	-	2	-	-	-	-	-
Male	3	1	1	2	-	1	1	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (.7)	388	311	332	407	382	320	398	415	310	197	44	8	2	24
Male	294	236	248	319	253	204	209	231	154	123	33	5	1	23
Female	94	75	84	88	129	116	189	184	156	74	11	3	1	1
White	290	230	249	305	296	252	333	356	281	177	40	8	1	24
Male	221	172	185	236	189	159	169	189	138	111	30	5	-	23
Female	69	58	64	69	107	93	164	167	143	66	10	3	1	1
All other	98	81	83	102	86	68	65	59	29	20	4	-	1	-
Male	73	64	63	83	64	45	40	42	16	12	3	-	1	-
Female	25	17	20	19	22	23	25	17	13	8	1	-	-	-
Black	86	68	69	86	71	49	42	49	21	15	3	-	1	-
Male	64	53	55	72	54	37	27	35	11	10	2	-	1	-
Female	22	15	14	14	17	12	15	14	10	5	1	-	-	-
Other specified person (.8)	1	2	1	5	3	-	2	1	-	-	-	-	-	-
Male	1	2	1	5	2	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	1	-	1	-	-	-	-	-	-	-
White	1	2	-	5	2	-	2	1	-	-	-	-	-	-
Male	1	2	-	5	1	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	1	-	1	-	-	-	-	-	-	-
All other	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified person (.9)	558	384	363	383	374	303	323	276	205	85	31	4	-	3
Male	390	280	258	280	238	181	187	158	123	46	18	3	-	3
Female	168	104	105	103	136	122	136	118	82	39	13	1	-	-
White	486	331	316	350	322	274	291	257	195	82	30	4	-	3
Male	341	240	224	254	203	159	160	144	117	45	17	3	-	3
Female	145	91	92	96	119	115	131	113	78	37	13	1	-	-
All other	72	53	47	33	52	29	32	19	10	3	1	-	-	-
Male	49	40	34	26	35	22	27	14	6	1	1	-	-	-
Female	23	13	13	7	17	7	5	5	4	2	-	-	-	-
Black	61	45	34	27	46	27	29	17	9	2	1	-	-	-
Male	41	33	27	23	33	20	24	12	5	1	1	-	-	-
Female	20	12	7	4	13	7	5	5	4	1	-	-	-	-
Motor vehicle traffic accidents (E810-E819)	2,304	1,738	1,615	1,682	1,695	1,414	1,534	1,366	1,005	527	137	17	3	34
Male	1,609	1,227	1,097	1,176	1,049	810	832	773	552	312	85	8	2	33
Female	695	511	518	506	646	604	702	593	453	215	52	9	1	1
White	1,936	1,465	1,361	1,434	1,448	1,245	1,370	1,235	941	491	130	15	2	33
Male	1,349	1,025	916	990	875	703	717	679	516	290	79	8	1	32
Female	587	440	445	444	573	542	653	556	425	201	51	7	1	1
All other	368	273	254	248	247	169	164	131	64	36	7	2	1	1
Male	260	202	181	186	174	107	115	94	36	22	6	-	1	1
Female	108	71	73	62	73	62	49	37	28	14	1	2	-	-
Black	291	223	203	207	213	138	126	112	52	28	6	2	1	1
Male	211	167	151	161	152	93	90	78	27	18	5	-	1	1
Female	80	56	52	46	61	45	36	34	25	10	1	2	-	-
Driver of motor vehicle other than motorcycle (.0)	986	758	693	639	675	527	532	454	306	139	36	2	-	2
Male	710	561	496	461	472	354	367	321	223	109	29	-	-	2
Female	276	197	197	178	203	173	165	133	83	30	7	2	-	-
White	858	670	604	558	601	485	491	421	293	133	34	1	-	2
Male	612	489	429	397	413	320	333	291	213	105	27	-	-	2
Female	246	181	175	161	188	165	158	130	80	28	7	1	-	-
All other	128	88	89	81	74	42	41	33	13	6	2	1	-	-
Male	98	72	67	64	59	34	34	30	10	4	2	-	-	-
Female	30	16	22	17	15	8	7	3	3	2	1	-	-	-
Black	91	72	74	69	65	37	35	28	11	5	2	1	-	-
Male	75	61	56	55	51	30	28	25	8	3	2	-	-	-
Female	16	11	18	14	14	7	7	3	3	2	-	1	-	-
Passenger in motor vehicle other than motorcycle (.1)	258	229	187	223	251	267	288	241	188	111	29	4	2	6
Male	111	101	63	86	72	70	68	67	50	35	7	-	1	6
Female	147	128	124	137	179	197	220	174	138	76	22	4	1	-
White	205	185	157	192	217	236	263	217	177	105	29	3	2	5
Male	89	81	50	75	57	63	55	57	48	31	7	-	1	5
Female	116	104	107	117	160	173	208	160	129	74	22	3	-	-
All other	53	44	30	31	34	31	25	24	11	6	-	1	-	1
Male	22	20	13	11	15	7	13	10	2	4	-	-	-	-
Female	31	24	17	20	19	24	12	14	9	2	-	1	-	-
Black	36	32	21	24	29	26	19	22	10	5	-	1	-	1
Male	14	14	9	9	12	7	10	8	1	3	-	-	-	1
Female	22	18	12	15	17	19	9	14	9	2	-	1	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 9

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Motorcyclist (.2)	106	59	43	39	23	12	6	3	5	2	-	-	-	-
Male	103	57	40	39	21	11	5	3	4	2	-	-	-	-
Female	3	2	3	-	2	1	1	1	1	-	-	-	-	-
White	91	54	38	35	21	12	6	3	5	1	-	-	-	-
Male	88	52	36	35	19	11	5	3	4	1	-	-	-	-
Female	3	2	2	-	2	1	1	-	1	-	-	-	-	-
All other	15	5	5	4	2	-	-	-	-	1	-	-	-	-
Male	15	5	4	4	2	-	-	-	-	1	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	14	5	5	4	2	-	-	-	-	1	-	-	-	-
Male	14	5	4	4	2	-	-	-	-	1	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Passenger on motorcycle (.3)	12	4	4	3	2	1	1	1	-	-	-	-	-	-
Male	4	-	1	-	1	1	-	-	-	-	-	-	-	-
Female	8	4	3	3	1	-	1	1	-	-	-	-	-	-
White	12	4	3	3	1	1	1	1	-	-	-	-	-	-
Male	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	8	4	3	3	1	-	1	1	-	-	-	-	-	-
All other	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of streetcar (.4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rider of animal; occupant of animal-drawn vehicle (.5)	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
White	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist (.6)	26	19	13	22	17	16	7	8	12	3	-	1	-	-
Male	21	14	10	19	13	15	6	8	12	3	-	-	-	-
Female	5	5	3	3	4	1	-	-	-	-	-	-	-	-
White	22	17	12	20	17	14	6	8	10	3	-	1	-	-
Male	17	13	9	17	13	13	5	8	10	3	-	-	-	-
Female	5	4	3	3	4	1	1	-	-	-	-	-	-	-
All other	4	2	1	2	-	2	1	-	2	-	-	-	-	-
Male	4	1	1	2	-	2	1	-	2	-	-	-	-	-
Female	3	1	1	2	-	-	-	-	-	-	-	-	-	-
Black	3	1	1	2	-	1	1	-	2	-	-	-	-	-
Male	3	1	1	2	-	1	1	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (.7)	366	294	318	385	362	297	384	393	297	189	42	6	1	23
Male	278	223	236	301	237	185	204	220	146	117	32	4	1	22
Female	88	71	82	84	125	112	180	173	151	72	10	2	-	1
White	269	213	236	286	278	232	319	337	269	169	38	6	-	23
Male	205	159	174	220	175	143	164	180	130	105	29	4	-	22
Female	64	54	62	66	103	89	155	157	139	64	9	2	-	1
All other	97	81	82	99	84	65	65	56	28	20	4	-	1	-
Male	73	64	62	81	62	42	40	40	16	12	3	-	-	-
Female	24	17	20	18	22	23	25	16	12	8	1	-	-	-
Black	86	68	68	83	69	47	42	46	20	15	3	-	1	-
Male	64	53	54	70	52	35	27	33	11	10	2	-	-	-
Female	22	15	14	13	17	12	15	13	9	5	1	-	-	-
Other specified person (.8)	-	1	-	3	2	-	1	-	-	-	-	-	-	-
Male	-	1	-	3	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-	-	-
White	-	1	-	3	1	-	1	-	-	-	-	-	-	-
Male	-	1	-	3	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 10

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Unspecified person (.9)	9,675	27	21	29	20	19	116	86	184	1,420	1,822	1,220	936	688
Male	6,954	12	9	13	12	9	55	53	116	1,018	1,426	950	740	489
Female	2,721	15	12	16	8	10	61	33	68	402	396	270	196	189
White	8,549	18	19	24	13	17	91	69	166	1,322	1,622	1,035	794	592
Male	6,102	10	9	11	7	9	46	39	104	941	1,268	813	618	426
Female	2,447	8	10	13	6	8	45	30	62	381	354	222	176	166
All other	1,126	9	2	5	7	2	25	17	18	98	200	185	142	96
Male	852	2	-	2	5	-	9	14	12	77	158	137	122	73
Female	274	7	2	3	2	2	16	3	6	21	42	48	20	23
Black	902	4	2	4	5	2	17	13	13	75	156	136	118	80
Male	686	-	-	1	3	-	4	11	9	60	121	98	102	64
Female	216	4	2	3	2	2	13	2	4	15	35	38	16	16
Motor vehicle nontraffic accidents (E820-E825)	1,079	9	84	37	37	26	193	44	63	94	133	84	55	60
Male	851	6	48	22	26	20	122	28	55	78	121	79	50	54
Female	228	3	36	15	11	6	71	16	8	16	12	5	5	6
White	976	6	73	30	30	21	160	42	60	90	120	78	51	53
Male	775	4	41	18	22	16	101	27	53	75	111	73	47	48
Female	201	2	32	12	8	5	59	15	7	15	9	5	4	5
All other	103	3	11	7	7	5	33	2	3	4	13	6	4	7
Male	76	2	7	4	4	4	21	1	2	3	10	6	3	6
Female	27	1	4	3	3	1	12	1	1	1	3	-	1	1
Black	75	1	8	4	7	5	25	1	2	2	9	2	3	5
Male	57	-	5	3	4	4	16	1	2	2	7	2	3	4
Female	18	1	3	1	3	1	9	-	-	-	2	-	-	1
Driver of motor vehicle other than motorcycle (.0)	131	-	-	-	1	-	1	2	14	13	16	16	9	10
Male	113	-	-	-	1	-	1	2	10	11	15	15	9	10
Female	18	-	-	-	-	-	-	-	4	2	1	1	-	-
White	119	-	-	-	1	-	1	2	13	13	15	14	8	8
Male	105	-	-	-	1	-	1	2	10	11	15	13	8	8
Female	14	-	-	-	-	-	-	-	3	2	-	1	-	-
All other	12	-	-	-	-	-	-	-	1	-	1	2	1	2
Male	8	-	-	-	-	-	-	-	-	-	-	2	1	2
Female	4	-	-	-	-	-	-	-	1	-	1	-	-	-
Black	8	-	-	-	-	-	-	-	-	-	1	-	1	1
Male	5	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Passenger in motor vehicle other than motorcycle (.1)	70	1	3	3	3	2	12	5	6	11	12	5	3	1
Male	50	1	1	2	2	2	8	2	6	6	8	5	2	1
Female	20	-	2	1	1	-	4	3	-	5	4	-	1	-
White	60	1	2	3	1	2	9	5	5	11	11	4	3	1
Male	42	1	1	2	1	2	7	2	5	6	7	4	2	1
Female	18	-	1	1	-	-	2	3	-	5	4	-	1	-
All other	10	-	1	-	2	-	3	-	1	-	1	1	-	-
Male	8	-	-	-	1	-	1	-	1	-	1	1	-	-
Female	2	-	1	-	1	-	2	-	-	-	-	-	-	-
Black	9	-	-	-	2	-	2	-	1	-	1	1	-	-
Male	8	-	-	-	1	-	1	-	1	-	1	1	-	-
Female	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Motorcyclist (.2)	65	-	-	-	-	-	-	-	8	10	19	11	3	4
Male	64	-	-	-	-	-	-	-	8	10	19	11	3	3
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1
White	62	-	-	-	-	-	-	-	8	9	18	11	3	4
Male	61	-	-	-	-	-	-	-	8	9	18	11	3	3
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	-	-	-	-	1	1	-	-	-
Male	3	-	-	-	-	-	-	-	-	1	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	-	-	-
Male	3	-	-	-	-	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Passenger on motorcycle (.3)	7	-	-	-	1	-	1	2	1	1	1	-	-	1
Male	5	-	-	-	1	-	1	2	1	-	1	-	-	1
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-
White	7	-	-	-	1	-	1	2	1	1	1	-	-	1
Male	5	-	-	-	1	-	1	2	1	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of streetcar (.4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 11

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers.]

Person injured, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Unspecified person (.9)	550	374	356	368	363	294	315	266	197	83	30	4	-	3
Male	382	270	251	267	231	174	182	154	117	46	17	3	-	3
Female	168	104	105	101	132	120	133	112	80	37	13	1	-	-
White	479	321	310	337	312	265	283	248	187	80	29	4	-	3
Male	334	230	218	243	197	152	155	140	111	45	18	3	-	3
Female	145	91	92	94	115	113	128	108	76	35	13	1	-	-
All other	71	53	46	31	51	29	32	18	10	3	1	-	-	-
Male	48	40	33	24	34	22	27	14	6	1	1	-	-	-
Female	23	13	13	7	17	7	5	4	4	2	-	-	-	-
Black	61	45	33	25	46	27	29	16	9	2	1	-	-	-
Male	41	33	26	21	33	20	24	12	5	1	1	-	-	-
Female	20	12	7	4	13	7	5	4	4	1	-	-	-	-
Motor vehicle nontraffic accidents (E820-E825)	44	35	35	47	38	38	28	41	24	15	4	2	1	1
Male	37	31	33	41	28	29	14	20	16	10	3	1	-	1
Female	7	4	2	6	10	9	14	21	8	5	1	1	1	-
White	41	34	31	40	33	34	28	35	23	15	4	2	1	1
Male	35	30	29	35	24	25	14	17	16	10	3	1	-	1
Female	6	4	2	5	9	9	14	18	7	5	1	1	1	-
All other	3	1	4	7	5	4	-	6	1	-	-	-	-	-
Male	2	1	4	6	4	4	-	3	-	-	-	-	-	-
Female	1	-	-	1	1	-	-	3	1	-	-	-	-	-
Black	1	1	3	7	4	3	-	6	1	-	-	-	-	-
Male	1	1	3	6	3	3	-	3	-	-	-	-	-	-
Female	-	-	-	1	1	-	-	3	1	-	-	-	-	-
Driver of motor vehicle other than motorcycle (.0)	11	5	5	4	4	5	5	5	1	4	1	-	-	-
Male	10	5	5	4	3	2	3	2	1	4	1	-	-	-
Female	1	-	-	-	1	3	2	3	-	-	-	-	-	-
White	10	5	5	4	2	5	5	3	1	4	1	-	-	-
Male	9	5	5	4	2	2	3	1	1	4	1	-	-	-
Female	1	-	-	-	-	3	2	2	-	-	-	-	-	-
All other	1	-	-	-	2	-	-	2	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	2	-	-	2	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Passenger in motor vehicle other than motorcycle (.1)	1	2	5	1	1	1	-	2	1	1	-	-	-	-
Male	1	2	5	1	1	1	-	1	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	1	1	1	-	-	-	-
White	1	1	4	-	1	-	-	2	1	1	-	-	-	-
Male	1	1	4	-	1	-	-	1	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	1	1	1	-	-	-	-
All other	-	1	1	1	-	1	-	-	-	-	-	-	-	-
Male	-	1	1	1	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	1	1	1	-	1	-	-	-	-	-	-	-	-
Male	-	1	1	1	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcyclist (.2)	1	-	3	3	1	-	-	1	1	-	-	-	-	-
Male	1	-	3	3	1	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	3	2	1	-	-	-	1	-	-	-	-	-
Male	1	-	3	2	1	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Passenger on motorcycle (.3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of streetcar (.4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 12

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Rider of animal; occupant of animal-drawn vehicle (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist (.6)	4	-	1	-	-	1	2	2	-	-	-	-	-	-
Male	4	-	1	-	-	1	2	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	1	-	-	1	2	2	-	-	-	-	-	-
Male	4	-	1	-	-	1	2	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (.7)	456	8	79	31	28	17	163	17	6	13	24	15	17	20
Male	321	5	46	19	19	13	102	9	4	12	21	14	13	19
Female	135	3	33	12	9	4	61	8	2	1	3	1	4	1
White	404	5	69	25	23	14	136	15	6	13	20	14	15	18
Male	284	3	39	15	16	10	83	8	4	12	18	13	12	17
Female	120	2	30	10	7	4	53	7	2	1	2	1	3	1
All other	52	3	10	6	5	3	27	2	-	-	4	1	2	2
Male	37	2	7	4	3	3	19	1	-	-	3	1	1	2
Female	15	1	3	2	2	-	8	1	-	-	1	-	1	-
Black	41	1	8	4	5	3	21	1	-	-	3	1	1	2
Male	31	-	5	3	3	3	14	1	-	-	3	1	1	2
Female	10	1	3	1	2	-	7	-	-	-	-	-	-	-
Other specified person (.8)	55	-	-	-	-	1	1	6	6	10	11	7	2	4
Male	46	-	-	-	-	-	-	4	6	8	10	6	2	3
Female	9	-	-	-	-	1	1	2	-	2	1	1	-	1
White	51	-	-	-	-	1	1	6	6	8	11	6	2	4
Male	43	-	-	-	-	-	-	4	6	7	10	5	2	3
Female	8	-	-	-	-	1	1	2	-	1	1	1	-	1
All other	4	-	-	-	-	-	-	-	-	2	-	1	-	-
Male	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified person (.9)	291	-	1	3	4	5	13	10	22	36	50	30	21	20
Male	248	-	1	3	4	8	7	20	31	47	28	21	18	18
Female	43	-	1	2	1	1	5	3	2	5	3	2	-	2
White	269	-	1	2	4	3	10	10	21	35	44	29	20	17
Male	231	-	1	3	3	7	7	19	30	42	27	20	16	16
Female	38	-	1	1	1	-	3	3	2	5	2	2	-	1
All other	22	-	-	1	-	2	3	-	1	1	6	1	1	3
Male	17	-	-	-	-	1	1	-	1	1	5	1	1	2
Female	5	-	-	1	-	1	2	-	-	-	1	-	-	1
Black	13	-	-	-	-	2	2	-	1	-	3	-	1	2
Male	9	-	-	-	-	1	1	-	1	-	2	-	1	1
Female	4	-	-	-	-	1	1	-	-	-	1	-	-	1

SECTION 5 - ACCIDENT MORTALITY - PAGE 13

Table 5-2. Deaths From Motor Vehicle Accidents, by Person Injured, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Person injured, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Rider of animal; occupant of animal-drawn vehicle (.5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist (.6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (.7)	22	17	14	22	20	23	14	22	13	8	2	2	1	1
Male	16	13	12	18	16	19	5	11	8	6	1	1	-	1
Female	6	4	2	4	4	4	9	11	5	2	1	1	1	-
White	21	17	13	19	18	20	14	19	12	8	2	2	1	1
Male	16	13	11	16	14	16	5	9	8	6	1	1	-	1
Female	5	4	2	3	4	4	9	10	4	2	1	1	1	-
All other	1	-	1	3	2	3	-	3	1	-	-	-	-	-
Male	-	-	1	2	2	3	-	2	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	1	1	-	-	-	-	-
Black	-	-	1	3	2	2	-	3	1	-	-	-	-	-
Male	-	-	1	2	2	2	-	2	-	-	-	-	-	-
Female	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Other specified person (.8)	1	1	1	2	1	-	1	1	-	-	-	-	-	-
Male	1	1	1	2	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	-	-	-	-	-	-	-
White	1	1	-	2	1	-	1	1	-	-	-	-	-	-
Male	1	1	-	2	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified person (.9)	8	10	7	15	11	9	8	10	8	2	1	-	-	-
Male	8	10	7	13	7	7	5	4	6	-	1	-	-	-
Female	-	-	-	2	4	2	3	6	2	2	-	-	-	-
White	7	10	6	13	10	9	8	9	8	2	1	-	-	-
Male	7	10	6	11	6	7	5	4	6	-	1	-	-	-
Female	-	-	-	2	4	2	3	5	2	2	-	-	-	-
All other	1	-	1	2	1	-	-	1	-	-	-	-	-	-
Male	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Male	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	1	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 14

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States	45,901	15,955	7,818	3,171	417	2	5	824	7,641	102	9,966
Male	32,443	11,841	4,050	3,096	192	1	2	696	5,276	87	7,202
Female	13,458	4,114	3,768	75	225	1	3	128	2,365	15	2,764
White	39,689	14,218	6,663	2,874	381	2	5	688	5,947	93	8,818
Male	27,894	10,461	3,409	2,805	171	1	2	579	4,054	79	6,333
Female	11,795	3,757	3,254	69	210	1	3	109	1,893	14	2,485
All other	6,212	1,737	1,155	297	36	-	-	136	1,694	9	1,148
Male	4,549	1,380	641	291	21	-	-	117	1,222	8	869
Female	1,663	357	514	6	15	-	-	19	472	1	279
Black	4,916	1,373	856	265	26	-	-	113	1,363	5	915
Male	3,659	1,108	471	261	17	-	-	100	1,002	5	695
Female	1,257	265	385	4	9	-	-	13	361	-	220
Alabama	1,013	397	186	52	6	-	1	15	119	1	236
Male	738	304	107	52	3	-	1	11	91	1	168
Female	275	93	79	-	3	-	-	4	28	-	68
White	759	319	134	40	4	-	1	9	61	1	190
Male	545	234	75	40	2	-	1	7	48	1	137
Female	214	85	59	-	2	-	-	2	13	-	53
All other	254	78	52	12	2	-	-	6	58	-	46
Male	193	70	32	12	1	-	-	4	43	-	31
Female	61	8	20	-	1	-	-	2	15	-	15
Black	252	78	51	12	2	-	-	6	58	-	45
Male	192	70	32	12	1	-	-	4	43	-	30
Female	60	8	19	-	1	-	-	2	15	-	15
Alaska	126	35	23	3	-	-	-	2	21	3	39
Male	87	25	14	3	-	-	-	1	12	3	29
Female	39	10	9	-	-	-	-	1	9	-	10
White	94	30	18	3	-	-	-	2	10	-	31
Male	63	21	11	3	-	-	-	1	5	-	22
Female	31	9	7	-	-	-	-	1	5	-	9
All other	32	5	5	-	-	-	-	-	11	3	8
Male	24	4	3	-	-	-	-	-	7	3	7
Female	8	1	2	-	-	-	-	-	4	-	1
Black	3	2	1	-	-	-	-	-	-	-	-
Male	3	2	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Arizona	869	214	134	58	15	-	-	12	186	3	247
Male	632	159	79	55	8	-	-	11	136	3	181
Female	237	55	55	3	7	-	-	1	50	-	66
White	711	193	104	54	14	-	-	11	129	3	203
Male	518	147	58	52	7	-	-	10	93	3	148
Female	193	46	46	2	7	-	-	1	36	-	55
All other	158	21	30	4	1	-	-	1	57	-	44
Male	114	12	21	3	1	-	-	1	43	-	33
Female	44	9	9	1	-	-	-	-	14	-	11
Black	17	3	-	2	-	-	-	1	9	-	2
Male	12	2	-	2	-	-	-	1	6	-	1
Female	5	1	-	-	-	-	-	-	3	-	1
Arkansas	583	57	59	9	1	-	-	5	70	1	381
Male	400	45	39	8	1	-	-	3	49	1	254
Female	183	12	20	1	-	-	-	2	21	-	127
White	499	52	50	8	1	-	-	4	60	-	324
Male	336	40	31	7	1	-	-	2	42	-	213
Female	163	12	19	1	-	-	-	2	18	-	111
All other	84	5	9	1	-	-	-	1	10	1	57
Male	64	5	8	1	-	-	-	1	7	1	41
Female	20	-	1	-	-	-	-	-	3	-	16
Black	84	5	9	1	-	-	-	-	3	-	16
Male	64	5	8	1	-	-	-	1	10	1	57
Female	20	-	1	-	-	-	-	-	7	1	41
California	5,291	1,755	928	587	76	-	-	138	944	11	852
Male	3,774	1,278	514	573	33	-	-	121	631	8	616
Female	1,517	477	414	14	43	-	-	17	313	3	236
White	4,592	1,554	788	531	70	-	-	121	768	11	749
Male	3,298	1,128	446	517	30	-	-	107	521	8	541
Female	1,294	426	342	14	40	-	-	14	247	3	208
All other	699	201	140	56	6	-	-	17	176	-	103
Male	476	150	68	56	3	-	-	14	110	-	75
Female	223	51	72	-	3	-	-	3	66	-	28
Black	384	107	71	44	5	-	-	9	93	-	55
Male	275	83	35	44	3	-	-	8	60	-	42
Female	109	24	36	-	2	-	-	1	33	-	13
Colorado	619	293	123	63	9	-	-	9	71	-	51
Male	429	212	64	62	2	-	-	5	52	-	32
Female	190	81	59	1	7	-	-	4	19	-	19
White	581	280	112	60	9	-	-	8	66	-	46
Male	411	203	62	59	2	-	-	5	50	-	30
Female	170	77	50	1	7	-	-	3	16	-	16
All other	38	13	11	3	-	-	-	1	5	-	5
Male	18	9	2	3	-	-	-	-	2	-	2
Female	20	4	9	-	-	-	-	1	3	-	3
Black	22	5	6	3	-	-	-	-	5	-	3
Male	12	4	1	3	-	-	-	-	2	-	2
Female	10	1	5	-	-	-	-	-	3	-	1

SECTION 5 - ACCIDENT MORTALITY - PAGE 15

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Connecticut	481	165	51	57	10	-	-	6	84	1	107
Male	365	128	26	55	9	-	-	6	58	1	82
Female	116	37	25	2	1	-	-	-	26	-	25
White	451	153	47	56	9	-	-	6	77	1	102
Male	344	120	22	54	8	-	-	6	53	1	80
Female	107	33	25	2	1	-	-	-	24	-	22
All other	30	12	4	1	1	-	-	-	7	-	5
Male	21	8	4	1	1	-	-	-	5	-	2
Female	9	4	-	-	-	-	-	-	2	-	3
Black	25	10	3	1	1	-	-	-	7	-	3
Male	19	7	3	1	1	-	-	-	5	-	2
Female	6	3	-	-	-	-	-	-	2	-	1
Delaware	119	43	20	17	1	-	-	2	22	-	14
Male	87	34	10	17	-	-	-	1	15	-	10
Female	32	9	10	-	1	-	-	1	7	-	4
White	99	37	16	13	1	-	-	2	14	-	13
Male	69	30	13	13	-	-	-	1	8	-	9
Female	27	7	8	-	1	-	-	1	6	-	4
All other	23	6	4	4	-	-	-	-	8	-	1
Male	18	4	2	4	-	-	-	-	7	-	1
Female	5	2	2	-	-	-	-	-	1	-	-
Black	21	6	4	4	-	-	-	-	6	-	1
Male	16	4	2	4	-	-	-	-	5	-	1
Female	5	2	2	-	-	-	-	-	1	-	-
District of Columbia	56	18	5	3	-	-	-	2	21	-	7
Male	49	16	5	3	-	-	-	2	18	-	5
Female	7	2	-	-	-	-	-	-	3	-	2
White	9	2	-	-	-	-	-	-	5	-	2
Male	7	2	-	-	-	-	-	-	4	-	1
Female	2	-	-	-	-	-	-	-	1	-	1
All other	47	16	5	3	-	-	-	2	16	-	5
Male	42	14	5	3	-	-	-	2	14	-	4
Female	5	2	-	-	-	-	-	-	2	-	1
Black	47	16	5	3	-	-	-	2	16	-	5
Male	42	14	5	3	-	-	-	2	14	-	4
Female	5	2	-	-	-	-	-	-	2	-	1
Florida	2,805	1,052	497	221	26	-	-	93	626	4	286
Male	1,975	781	235	217	12	-	-	78	431	3	218
Female	830	271	262	4	14	-	-	15	195	1	68
White	2,449	949	426	200	24	-	-	79	512	4	255
Male	1,710	703	190	196	11	-	-	65	351	3	191
Female	739	246	236	4	13	-	-	14	161	1	64
All other	356	103	71	21	2	-	-	14	114	-	31
Male	265	78	45	21	1	-	-	13	80	-	27
Female	91	25	26	-	1	-	-	1	34	-	4
Black	327	93	63	20	1	-	-	14	105	-	31
Male	249	71	41	20	1	-	-	13	76	-	27
Female	78	22	22	-	-	-	-	1	29	-	4
Georgia	1,440	329	159	41	4	-	-	24	228	2	653
Male	980	235	71	40	2	-	-	23	153	2	454
Female	460	94	88	1	2	-	-	1	75	-	199
White	1,071	262	121	34	3	-	-	11	120	2	518
Male	715	178	55	33	2	-	-	10	81	2	354
Female	356	84	66	1	1	-	-	1	39	-	164
All other	369	67	38	7	1	-	-	13	108	-	135
Male	265	57	16	-	-	-	-	13	72	-	100
Female	104	10	22	-	1	-	-	-	36	-	35
Black	354	64	36	7	1	-	-	13	105	-	128
Male	257	54	16	7	-	-	-	13	71	-	96
Female	97	10	20	-	1	-	-	-	34	-	32
Hawaii	129	38	43	8	3	-	-	4	19	-	14
Male	93	30	27	8	1	-	-	4	12	-	11
Female	36	8	16	-	2	-	-	-	7	-	3
White	44	14	10	6	1	-	-	3	4	-	6
Male	30	10	4	6	1	-	-	3	2	-	4
Female	14	4	6	-	-	-	-	-	2	-	2
All other	85	24	33	2	2	-	-	1	15	-	8
Male	63	20	23	2	-	-	-	1	10	-	7
Female	22	4	10	-	2	-	-	-	5	-	1
Black	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
Idaho	257	50	26	4	-	-	-	4	23	1	149
Male	177	36	15	3	-	-	-	3	18	1	101
Female	80	14	11	1	-	-	-	1	5	-	48
White	245	49	26	4	-	-	-	4	21	1	140
Male	172	36	15	3	-	-	-	3	16	1	98
Female	73	13	11	1	-	-	-	1	5	-	42
All other	12	1	-	-	-	-	-	-	2	-	3
Male	5	-	-	-	-	-	-	-	-	-	3
Female	7	1	-	-	-	-	-	-	-	-	6
Black	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1

SECTION 5 - ACCIDENT MORTALITY - PAGE 16

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Illinois	1,752	503	293	96	15	-	-	25	359	3	458
Male	1,182	366	141	92	5	-	-	19	235	2	322
Female	570	137	152	4	10	-	-	6	124	1	136
White	1,530	449	263	88	14	-	-	23	275	3	415
Male	1,010	318	126	84	5	-	-	17	173	2	285
Female	520	131	137	4	9	-	-	6	102	1	130
All other	222	54	30	8	1	-	-	2	84	-	43
Male	172	48	15	8	-	-	-	2	62	-	37
Female	50	6	15	-	1	-	-	-	22	-	6
Black	201	47	24	8	1	-	-	-	82	-	39
Male	155	42	10	8	-	-	-	-	61	-	34
Female	46	5	14	-	1	-	-	-	21	-	5
Indiana	1,066	164	109	31	9	-	-	15	209	2	627
Male	729	110	49	30	4	-	-	12	69	2	453
Female	337	54	60	1	5	-	-	3	40	-	174
White	1,005	154	100	29	9	-	-	13	96	2	602
Male	685	101	43	28	4	-	-	11	60	2	436
Female	320	53	57	1	5	-	-	2	36	-	166
All other	61	10	9	2	-	-	-	2	13	-	25
Male	44	9	6	2	-	-	-	1	9	-	17
Female	17	1	3	-	-	-	-	1	4	-	8
Black	60	10	9	2	-	-	-	2	13	-	24
Male	43	9	6	2	-	-	-	1	9	-	16
Female	17	1	3	-	-	-	-	1	4	-	8
Iowa	523	270	113	55	8	-	-	10	39	-	28
Male	375	209	55	54	2	-	-	9	27	-	19
Female	148	61	58	1	6	-	-	1	12	-	9
White	516	266	113	54	8	-	-	10	37	-	28
Male	369	205	55	53	2	-	-	9	26	-	19
Female	147	61	58	1	6	-	-	1	11	-	9
All other	7	4	-	1	-	-	-	-	2	-	-
Male	6	4	-	1	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-
Black	4	2	-	1	-	-	-	-	1	-	-
Male	4	2	-	1	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Kansas	518	269	130	32	3	-	-	5	48	1	30
Male	351	204	57	30	2	-	-	4	33	-	21
Female	167	65	73	2	1	-	-	1	15	1	9
White	490	258	120	29	3	-	-	5	44	1	30
Male	329	195	50	27	2	-	-	4	30	-	21
Female	161	63	70	2	1	-	-	1	14	1	9
All other	28	11	10	3	-	-	-	-	4	-	-
Male	22	9	7	3	-	-	-	-	3	-	-
Female	6	2	3	-	-	-	-	-	1	-	-
Black	21	8	7	2	-	-	-	-	4	-	-
Male	17	7	5	2	-	-	-	-	3	-	-
Female	4	1	2	-	-	-	-	-	1	-	-
Kentucky	731	264	113	26	7	-	-	9	89	1	222
Male	520	206	56	24	2	-	-	8	72	1	151
Female	211	58	57	2	5	-	-	1	17	-	71
White	686	249	105	24	7	-	-	8	79	1	213
Male	486	195	53	22	2	-	-	7	64	1	142
Female	200	54	52	2	5	-	-	1	15	-	71
All other	45	15	8	2	-	-	-	1	10	-	9
Male	34	11	3	2	-	-	-	1	8	-	9
Female	11	4	5	-	-	-	-	-	2	-	-
Black	43	13	8	2	-	-	-	1	10	-	9
Male	32	9	3	2	-	-	-	1	8	-	9
Female	11	4	5	-	-	-	-	-	2	-	-
Louisiana	991	219	111	24	3	-	-	17	137	-	480
Male	723	168	63	24	-	-	-	16	105	-	347
Female	268	51	48	-	3	-	-	1	32	-	133
White	725	177	80	19	2	-	-	10	92	-	345
Male	525	130	43	19	-	-	-	9	75	-	249
Female	200	47	37	-	2	-	-	1	17	-	96
All other	266	42	31	5	1	-	-	7	45	-	135
Male	198	38	20	5	-	-	-	7	30	-	98
Female	68	4	11	-	1	-	-	-	15	-	37
Black	256	41	30	4	1	-	-	7	43	-	130
Male	189	37	19	4	-	-	-	7	28	-	94
Female	67	4	11	-	1	-	-	-	15	-	36
Maine	211	83	40	20	2	-	-	2	42	1	21
Male	162	67	27	20	1	-	-	2	28	1	16
Female	49	16	13	-	1	-	-	-	14	-	5
White	210	82	40	20	2	-	-	2	42	1	21
Male	181	66	27	20	1	-	-	2	28	1	16
Female	49	16	13	-	1	-	-	-	14	-	5
All other	1	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 17

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers.]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Maryland	766	298	137	57	1	-	-	11	133	3	126
Male	532	218	88	53	-	-	-	10	95	3	84
Female	234	80	69	4	-	-	-	1	38	-	42
White	597	244	100	47	-	-	-	10	89	3	104
Male	412	177	50	43	-	-	-	9	63	3	67
Female	185	67	50	4	-	-	-	1	26	-	37
All other	169	54	37	10	1	-	-	1	44	-	22
Male	120	41	18	10	1	-	-	1	32	-	17
Female	49	13	19	-	-	-	-	-	12	-	5
Black	154	50	35	10	1	-	-	1	40	-	17
Male	108	38	17	10	1	-	-	1	29	-	12
Female	46	12	18	-	-	-	-	-	11	-	5
Massachusetts	810	322	169	73	8	-	-	13	167	3	55
Male	588	249	111	72	5	-	-	8	103	3	37
Female	222	73	58	1	3	-	-	5	64	-	18
White	763	304	155	71	8	-	-	13	156	3	53
Male	551	234	100	70	5	-	-	8	95	3	36
Female	212	70	55	1	3	-	-	5	61	-	17
All other	47	18	14	2	-	-	-	-	11	-	2
Male	37	15	11	2	-	-	-	-	8	-	1
Female	10	3	3	-	-	-	-	-	3	-	1
Black	35	14	8	2	-	-	-	-	9	-	2
Male	26	12	5	2	-	-	-	-	6	-	1
Female	9	2	3	-	-	-	-	-	3	-	1
Michigan	1,684	676	365	142	10	-	1	45	282	-	163
Male	1,164	487	176	140	4	-	-	35	201	-	121
Female	520	189	189	2	6	-	1	10	81	-	42
White	1,465	620	321	128	8	-	1	37	208	-	142
Male	1,000	444	152	126	3	-	-	29	143	-	103
Female	465	176	169	2	5	-	1	8	65	-	39
All other	219	56	44	14	2	-	-	8	74	-	21
Male	164	43	24	14	1	-	-	6	58	-	18
Female	55	13	20	-	1	-	-	2	16	-	3
Black	210	53	42	14	2	-	-	8	72	-	19
Male	158	41	22	14	1	-	-	6	57	-	17
Female	52	12	20	-	1	-	-	2	15	-	2
Minnesota	676	291	159	62	11	-	-	10	78	2	63
Male	451	211	73	60	4	-	-	9	46	1	47
Female	225	80	86	2	7	-	-	1	32	1	16
White	651	282	157	61	10	-	-	10	70	2	59
Male	430	203	72	59	3	-	-	9	40	1	43
Female	221	79	85	2	7	-	-	1	30	1	16
All other	25	9	2	1	1	-	-	-	8	-	4
Male	21	8	1	1	1	-	-	-	6	-	4</

SECTION 5 - ACCIDENT MORTALITY - PAGE 18

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Nebraska	261	132	58	24	4	-	-	3	25	1	14
Male	179	97	28	24	1	-	-	2	15	1	11
Female	82	35	30	-	3	-	-	1	10	-	3
White	249	127	55	24	4	-	-	2	22	1	14
Male	170	92	26	24	1	-	-	2	13	1	11
Female	79	35	29	-	3	-	-	-	9	-	3
All other	12	5	3	-	-	-	-	1	3	-	-
Male	9	5	2	-	-	-	-	-	2	-	-
Female	3	-	1	-	-	-	-	1	1	-	-
Black	7	3	2	-	-	-	-	-	2	-	-
Male	6	3	1	-	-	-	-	-	2	-	-
Female	1	-	1	-	-	-	-	-	-	-	-
Nevada	214	73	44	13	3	-	-	7	39	1	34
Male	149	52	23	12	-	-	-	5	28	1	28
Female	65	21	21	1	3	-	-	2	11	-	6
White	192	67	39	12	3	-	-	3	35	1	32
Male	132	47	20	11	-	-	-	3	24	1	26
Female	60	20	19	1	3	-	-	-	11	-	6
All other	22	6	5	1	-	-	-	4	4	-	2
Male	17	5	3	1	-	-	-	2	4	-	2
Female	5	1	2	-	-	-	-	2	-	-	-
Black	9	2	2	1	-	-	-	1	2	-	1
Male	5	1	-	1	-	-	-	-	2	-	1
Female	4	1	2	-	-	-	-	1	-	-	-
New Hampshire	176	79	36	22	1	1	-	4	22	-	11
Male	122	56	17	21	-	-	-	4	14	-	10
Female	54	23	19	1	1	1	-	-	8	-	1
White	175	79	35	22	1	1	-	4	22	-	11
Male	122	56	17	21	-	-	-	4	14	-	10
Female	53	23	18	1	1	1	-	-	8	-	1
All other	1	-	1	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,015	289	141	47	9	-	-	17	276	2	234
Male	691	203	72	44	6	-	-	14	179	2	171
Female	324	86	69	3	3	-	-	3	97	-	63
White	871	263	118	43	9	-	-	15	217	2	204
Male	601	186	63	41	6	-	-	12	143	2	148
Female	270	77	55	2	3	-	-	3	74	-	56
All other	144	26	23	4	-	-	-	2	59	-	30
Male	90	17	9	3	-	-	-	2	36	-	23
Female	54	9	14	1	-	-	-	-	23	-	7
Black	127	24	21	3	-	-	-	2	52	-	25
Male	80	15	9	3	-	-	-	2	33	-	18
Female	47	9	12	-	-	-	-	-	19	-	7
New Mexico	504	188	132	40	2	-	-	8	93	1	40
Male	367	147	73	39	-	-	-	8	69	1	30
Female	137	41	59	1	2	-	-	-	24	-	10
White	394	151	104	36	2	-	-	8	64	1	28
Male	286	117	57	35	-	-	-	8	48	1	20
Female	108	34	47	1	2	-	-	-	16	-	8
All other	110	37	28	4	-	-	-	-	29	-	12
Male	81	30	16	4	-	-	-	-	21	-	10
Female	29	7	12	-	-	-	-	-	8	-	2
Black	10	3	3	-	-	-	-	-	2	-	2
Male	7	3	1	-	-	-	-	-	1	-	2
Female	3	-	2	-	-	-	-	-	1	-	-
New York	2,176	610	328	113	16	-	-	62	634	9	404
Male	1,497	460	143	112	8	-	-	52	409	8	305
Female	679	150	185	1	8	-	-	10	225	1	99
White	1,897	569	282	98	13	-	-	52	508	8	367
Male	1,301	426	120	97	6	-	-	44	323	7	278
Female	596	143	162	1	7	-	-	8	185	1	89
All other	279	41	46	15	3	-	-	10	126	1	37
Male	196	34	23	15	2	-	-	8	86	1	27
Female	83	7	23	-	1	-	-	2	40	-	10
Black	234	33	38	15	3	-	-	10	104	1	30
Male	171	27	20	15	2	-	-	8	74	1	24
Female	63	6	18	-	1	-	-	2	30	-	6
North Carolina	1,518	762	332	92	3	-	-	23	260	1	45
Male	1,081	554	173	90	2	-	-	21	201	1	39
Female	437	208	159	2	1	-	-	2	59	-	6
White	1,124	613	234	68	1	-	-	16	152	-	40
Male	796	443	124	67	-	-	-	14	111	-	36
Female	328	170	110	1	-	-	-	2	41	-	4
All other	394	149	98	24	2	-	-	7	108	1	5
Male	285	111	49	23	1	-	-	7	90	1	3
Female	109	38	49	1	-	-	-	-	18	-	2
Black	357	129	92	23	2	-	-	4	101	1	5
Male	255	95	45	22	1	-	-	4	84	1	3
Female	102	34	47	1	1	-	-	-	17	-	2

SECTION 5 - ACCIDENT MORTALITY - PAGE 19

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
North Dakota	103	48	26	8	1	-	-	2	8	2	8
Male	74	37	14	8	-	-	-	2	6	1	6
Female	29	11	12	-	1	-	-	-	2	1	2
White	91	43	23	8	-	-	-	2	6	2	7
Male	70	35	14	8	-	-	-	2	4	1	6
Female	21	8	9	-	-	-	-	-	2	1	1
All other	12	5	3	-	1	-	-	-	-	-	1
Male	4	2	-	-	-	-	-	-	2	-	-
Female	8	3	3	-	1	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Ohio	1,657	414	214	103	9	-	-	30	230	3	654
Male	1,159	301	103	102	3	-	-	24	161	3	462
Female	498	113	111	1	6	-	-	6	69	-	192
White	1,541	379	193	99	9	-	-	27	206	3	625
Male	1,073	274	94	98	3	-	-	21	142	3	438
Female	468	105	99	1	6	-	-	6	64	-	187
All other	116	35	21	4	-	-	-	3	24	-	29
Male	86	27	9	4	-	-	-	3	19	-	24
Female	30	8	12	-	-	-	-	-	5	-	5
Black	111	35	21	4	-	-	-	3	24	-	24
Male	81	27	9	4	-	-	-	3	19	-	19
Female	30	8	12	-	-	-	-	-	5	-	5
Oklahoma	775	350	137	55	13	-	1	8	96	-	115
Male	534	244	63	55	7	-	-	6	66	-	93
Female	241	106	74	-	6	-	1	2	30	-	22
White	696	323	119	52	12	-	1	7	82	-	100
Male	478	221	54	52	6	-	-	6	57	-	82
Female	218	102	65	-	6	-	1	1	25	-	18
All other	79	27	18	3	1	-	-	1	14	-	15
Male	56	23	9	3	1	-	-	-	9	-	11
Female	23	4	9	-	-	-	-	1	5	-	4
Black	33	10	2	3	1	-	-	1	9	-	7
Male	22	9	-	3	1	-	-	-	5	-	4
Female	11	1	2	-	-	-	-	1	4	-	3
Oregon	610	272	111	52	10	-	-	16	76	-	73
Male	416	191	50	52	5	-	-	13	51	-	54
Female	194	81	61	-	5	-	-	3	25	-	19
White	575	262	103	49	10	-	-	14	68	-	69
Male	392	185	45	49	5	-	-	12	46	-	50
Female	183	77	58	-	5	-	-	2	22	-	19
All other	35	10	8	3	-	-	-	2	8	-	4
Male	24	6	5	3	-	-	-	1	5	-	4
Female	11	4	3	-	-	-	-	1	3	-	-
Black	10	3	1	1	-	-	-	1	3	-	1
Male	7	2	1	1	-	-	-	-	2	-	1
Female	3	1	-	-	-	-	-	1	-	-	-
Pennsylvania	1,823	426	210	99	15	-	1	24	283	10	755
Male	1,311	334	106	98	9	-	1	19	192	9	543
Female	512	92	104	1	6	-	-	5	91	1	212
White	1,716	400	188	90	14	-	1	23	261	10	729
Male	1,224	310	93	89	8	-	1	18	176	9	520
Female	492	90	95	1	6	-	-	5	85	1	209
All other	107	26	22	9	1	-	-	1	22	1	26
Male	87	24	13	9	1	-	-	1	16	-	23
Female	20	2	9	-	-	-	-	-	6	-	3
Black	94	25	19	9	1	-	-	-	19	-	21
Male	77	23	11	9	1	-	-	-	14	-	19
Female	17	2	8	-	-	-	-	-	5	-	2
Rhode Island	112	36	19	14	1	-	-	1	36	-	5
Male	77	29	10	14	-	-	-	1	22	-	1
Female	35	7	9	-	1	-	-	-	14	-	4
White	107	35	18	14	1	-	-	-	34	-	5
Male	74	28	10	14	-	-	-	-	21	-	1
Female	33	7	8	-	1	-	-	-	13	-	4
All other	5	1	1	-	-	-	-	1	2	-	-
Male	3	1	-	-	-	-	-	1	1	-	-
Female	2	-	1	-	-	-	-	-	1	-	-
Black	4	-	1	-	-	-	-	1	2	-	-
Male	2	-	-	-	-	-	-	1	1	-	-
Female	2	-	1	-	-	-	-	-	1	-	-
South Carolina	924	437	164	81	6	1	-	10	143	1	81
Male	662	326	79	75	4	1	-	10	110	1	56
Female	262	111	85	6	2	-	-	-	33	-	25
White	654	322	126	64	6	1	-	4	71	-	60
Male	458	233	62	60	4	1	-	4	53	-	41
Female	196	89	64	4	2	-	-	-	18	-	19
All other	270	115	38	17	-	-	-	6	72	1	21
Male	204	93	17	15	-	-	-	6	57	1	15
Female	66	22	21	2	-	-	-	-	15	-	6
Black	265	114	37	16	-	-	-	6	70	1	21
Male	201	92	17	14	-	-	-	6	56	1	15
Female	64	22	20	2	-	-	-	-	14	-	6

SECTION 5 - ACCIDENT MORTALITY - PAGE 20

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
South Dakota	147	66	42	12	2	-	-	4	14	1	6
Male	97	49	20	12	1	-	-	3	7	1	4
Female	50	17	22	-	1	-	-	1	7	-	2
White	114	58	28	11	1	-	-	4	8	1	3
Male	76	43	11	11	1	-	-	3	4	1	2
Female	38	15	17	-	-	-	-	1	4	-	1
All other	33	8	14	1	1	-	-	-	6	-	3
Male	21	6	9	1	-	-	-	-	3	-	2
Female	12	2	5	-	1	-	-	-	3	-	1
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,137	523	227	72	11	-	-	15	139	2	148
Male	810	382	131	71	5	-	-	13	95	2	111
Female	327	141	96	1	6	-	-	2	44	-	37
White	985	474	206	63	11	-	-	13	84	2	132
Male	697	346	116	63	5	-	-	11	54	2	100
Female	288	128	90	-	6	-	-	2	30	-	32
All other	152	49	21	9	-	-	-	2	55	-	16
Male	113	36	15	8	-	-	-	2	41	-	11
Female	39	13	6	1	-	-	-	-	14	-	5
Black	150	47	21	9	-	-	-	2	55	-	16
Male	112	35	15	8	-	-	-	2	41	-	11
Female	38	12	6	1	-	-	-	-	14	-	5
Texas	3,799	1,216	566	258	45	-	1	55	634	8	1,016
Male	2,818	927	324	254	24	-	-	53	458	5	773
Female	981	289	242	4	21	-	1	2	176	3	243
White	3,355	1,088	499	245	40	-	1	45	511	8	918
Male	2,489	826	296	241	19	-	-	43	365	5	694
Female	866	262	203	4	21	-	1	2	146	3	224
All other	444	128	67	13	5	-	-	10	123	-	98
Male	329	101	28	13	5	-	-	10	93	-	79
Female	115	27	39	-	-	-	-	-	30	-	19
Black	405	118	60	13	4	-	-	10	107	-	93
Male	297	93	24	13	4	-	-	10	78	-	75
Female	108	25	36	-	-	-	-	-	29	-	18
Utah	342	124	73	28	2	-	-	8	64	1	42
Male	236	96	35	27	2	-	-	6	37	1	32
Female	106	28	38	1	-	-	-	2	27	-	10
White	317	119	69	27	2	-	-	8	58	1	33
Male	218	92	33	26	2	-	-	6	33	1	25
Female	99	27	36	1	-	-	-	2	25	-	8
All other	25	5	4	1	-	-	-	-	6	-	9
Male	18	4	2	1	-	-	-	-	4	-	7
Female	7	1	2	-	-	-	-	-	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Vermont	108	34	17	4	-	-	-	-	18	-	35
Male	73	25	12	4	-	-	-	-	11	-	21
Female	35	9	5	-	-	-	-	-	7	-	14
White	108	34	17	4	-	-	-	-	18	-	35
Male	73	25	12	4	-	-	-	-	11	-	21
Female	35	9	5	-	-	-	-	-	7	-	14
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	998	382	170	57	8	-	-	11	161	7	202
Male	717	278	85	56	4	-	-	10	125	6	153
Female	281	104	85	1	4	-	-	1	36	1	49
White	752	314	124	44	8	-	-	7	103	5	147
Male	518	221	53	43	4	-	-	6	76	5	110
Female	234	93	71	1	4	-	-	1	27	-	37
All other	246	68	46	13	-	-	-	4	58	2	55
Male	199	57	32	13	-	-	-	4	49	1	43
Female	47	11	14	-	-	-	-	-	9	1	12
Black	230	64	42	12	-	-	-	4	54	1	53
Male	189	54	30	12	-	-	-	4	47	1	41
Female	41	10	12	-	-	-	-	-	7	-	12
Washington	797	235	137	47	7	-	-	12	114	-	245
Male	545	176	69	47	1	-	-	10	79	-	163
Female	252	59	68	-	6	-	-	2	35	-	82
White	729	216	125	46	7	-	-	11	99	-	225
Male	492	162	59	46	1	-	-	10	68	-	146
Female	237	54	66	-	6	-	-	1	31	-	79
All other	68	19	12	1	-	-	-	1	15	-	20
Male	53	14	10	1	-	-	-	-	11	-	17
Female	15	5	2	-	-	-	-	1	4	-	3
Black	19	6	5	1	-	-	-	-	3	-	4
Male	17	4	5	1	-	-	-	-	3	-	4
Female	2	2	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 21

Table 5-3. Deaths From Motor Vehicle Accidents, by Person Injured, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers.]

[illegible]

SECTION 5 - ACCIDENT MORTALITY - PAGE 22

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1985

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	3,612	11	13	5	3	-	32	11	380	2,227	507	454	1
Male	2,509	5	7	2	2	-	16	4	269	1,747	263	209	1
Female	1,103	6	6	3	1	-	16	7	111	480	244	245	-
White	2,984	10	6	4	1	-	21	10	337	1,782	429	404	1
Male	2,090	5	4	2	1	-	12	4	239	1,430	216	188	1
Female	894	5	2	2	-	-	9	6	98	352	213	216	-
All other	628	1	7	1	2	-	11	1	43	445	78	50	-
Male	419	-	3	-	1	-	4	-	30	317	47	21	-
Female	209	1	4	1	1	-	7	1	13	128	31	29	-
Black	580	-	7	1	2	-	10	1	33	418	73	45	-
Male	388	-	3	-	1	-	4	-	23	300	44	17	-
Female	192	-	4	1	1	-	6	1	10	118	29	28	-
By analgesics, antipyretics, antirheumatics (E850)	1,209	-	2	1	1	-	4	-	126	890	136	53	-
Male	994	-	1	1	-	-	2	-	102	772	95	23	-
Female	215	-	1	-	1	-	2	-	24	118	41	30	-
White	1,011	-	1	1	-	-	2	-	115	735	108	51	-
Male	838	-	1	1	-	-	2	-	94	646	73	23	-
Female	173	-	-	-	-	-	-	-	21	89	35	28	-
All other	198	-	1	-	1	-	2	-	11	155	28	2	-
Male	156	-	-	-	-	-	-	-	8	126	22	-	-
Female	42	-	1	-	1	-	2	-	3	29	6	2	-
Black	185	-	1	-	1	-	2	-	8	150	24	1	-
Male	147	-	-	-	-	-	-	-	5	122	20	-	-
Female	38	-	1	-	1	-	2	-	3	28	4	1	-
Opiates and related narcotics (E850.0)	867	-	-	1	1	-	2	-	89	690	76	10	-
Male	762	-	-	1	-	-	1	-	74	621	61	5	-
Female	105	-	-	-	1	-	1	-	15	69	15	5	-
White	714	-	-	1	-	-	1	-	80	567	56	10	-
Male	636	-	-	1	-	-	1	-	67	518	45	5	-
Female	78	-	-	-	-	-	-	-	13	49	11	5	-
All other	153	-	-	-	1	-	1	-	9	123	20	-	-
Male	126	-	-	-	-	-	-	-	7	103	16	-	-
Female	27	-	-	-	1	-	1	-	2	20	4	-	-
Black	146	-	-	-	1	-	1	-	7	120	18	-	-
Male	121	-	-	-	-	-	-	-	5	101	15	-	-
Female	25	-	-	-	1	-	1	-	2	19	3	-	-
Salicylates (E850.1)	58	-	-	-	-	-	-	-	1	11	22	24	-
Male	28	-	-	-	-	-	-	-	-	5	13	10	-
Female	30	-	-	-	-	-	-	-	1	6	9	14	-
White	57	-	-	-	-	-	-	-	1	11	21	24	-
Male	27	-	-	-	-	-	-	-	-	5	12	10	-
Female	30	-	-	-	-	-	-	-	1	6	9	14	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
All other analgesics, antipyretics, antirheumatics (E850.2-E850.9)	284	-	2	-	-	-	2	-	36	189	38	19	-
Male	204	-	1	-	-	-	1	-	28	146	21	8	-
Female	80	-	1	-	-	-	1	-	8	43	17	11	-
White	240	-	1	-	-	-	1	-	34	157	31	17	-
Male	175	-	1	-	-	-	1	-	27	123	16	8	-
Female	65	-	-	-	-	-	-	-	7	34	15	9	-
All other	44	-	1	-	-	-	1	-	2	32	7	2	-
Male	29	-	-	-	-	-	-	-	1	23	5	2	-
Female	15	-	1	-	-	-	1	-	1	9	2	1	-
Black	38	-	1	-	-	-	1	-	1	30	5	1	-
Male	25	-	-	-	-	-	-	-	-	21	4	-	-
Female	13	-	1	-	-	-	1	-	1	9	1	1	-
By barbiturates (E851)	42	-	-	-	-	-	-	-	5	23	9	5	-
Male	20	-	-	-	-	-	-	-	3	11	3	3	-
Female	22	-	-	-	-	-	-	-	2	12	6	2	-
White	37	-	-	-	-	-	-	-	5	21	7	4	-
Male	18	-	-	-	-	-	-	-	3	10	2	3	-
Female	19	-	-	-	-	-	-	-	2	11	5	1	-
All other	5	-	-	-	-	-	-	-	-	2	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	-	-
Male	5	-	-	-	-	-	-	-	-	2	2	1	-
Female	3	-	-	-	-	-	-	-	-	1	1	-	-
By other sedatives and hypnotics (E852)	32	-	-	-	1	-	1	-	1	21	7	2	-
Male	15	-	-	-	1	-	1	-	-	12	1	1	-
Female	17	-	-	-	-	-	-	-	1	9	6	1	-
White	29	-	-	-	-	-	-	-	1	19	7	2	-
Male	14	-	-	-	-	-	-	-	-	12	1	1	-
Female	15	-	-	-	-	-	-	-	1	7	6	1	-
All other	3	-	-	-	1	-	1	-	-	2	-	-	-
Male	1	-	-	-	1	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	-	-
Male	1	-	-	-	1	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 23

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
By tranquilizers (E853)	102	1	-	-	-	-	1	-	8	48	31	14	-
Male	57	-	-	-	-	-	-	-	4	31	17	5	-
Female	45	1	-	-	-	-	1	-	4	17	14	9	-
White	91	1	-	-	-	-	1	-	7	40	29	14	-
Male	51	-	-	-	-	-	-	-	3	27	16	5	-
Female	40	1	-	-	-	-	1	-	4	13	13	9	-
All other	11	-	-	-	-	-	-	-	1	8	2	-	-
Male	6	-	-	-	-	-	-	-	1	4	1	-	-
Female	5	-	-	-	-	-	-	-	-	4	1	-	-
Black	8	-	-	-	-	-	-	-	1	5	2	-	-
Male	4	-	-	-	-	-	-	-	1	2	1	-	-
Female	4	-	-	-	-	-	-	-	-	3	1	-	-
By other psychotropic agents (E854)	165	1	3	-	-	-	4	1	14	90	43	13	-
Male	83	-	3	-	-	-	3	-	8	52	16	4	-
Female	82	1	-	-	-	-	1	1	6	38	27	9	-
White	142	1	2	-	-	-	3	1	11	73	41	13	-
Male	71	-	2	-	-	-	2	-	7	44	14	4	-
Female	71	1	-	-	-	-	1	1	4	29	27	9	-
All other	23	-	1	-	-	-	1	-	3	17	2	-	-
Male	12	-	1	-	-	-	1	-	1	8	2	-	-
Female	11	-	-	-	-	-	-	-	2	9	-	-	-
Black	21	-	1	-	-	-	1	-	1	17	2	-	-
Male	11	-	1	-	-	-	1	-	-	8	2	-	-
Female	10	-	-	-	-	-	-	-	1	9	-	-	-
By other drugs acting on central and autonomic nervous systems (E855)	448	2	-	4	-	-	6	3	70	327	27	15	-
Male	348	-	-	1	-	-	1	3	45	270	18	11	-
Female	100	2	-	3	-	-	5	-	25	57	9	4	-
White	349	2	-	3	-	-	5	3	62	245	22	12	-
Male	275	-	-	1	-	-	1	3	39	208	16	8	-
Female	74	2	-	2	-	-	4	-	23	37	6	4	-
All other	99	-	-	1	-	-	1	-	8	62	5	3	-
Male	73	-	-	-	-	-	-	-	2	62	3	-	-
Female	26	-	-	1	-	-	1	-	2	20	2	-	-
Black	92	-	-	1	-	-	1	-	6	77	5	3	-
Male	68	-	-	-	-	-	-	-	4	59	2	3	-
Female	24	-	-	1	-	-	1	-	2	18	3	-	-
By antibiotics (E856)	50	-	-	-	-	-	-	-	1	8	15	26	-
Male	24	-	-	-	-	-	-	-	1	4	7	12	-
Female	26	-	-	-	-	-	-	-	-	4	8	14	-
White	45	-	-	-	-	-	-	-	1	7	12	25	-
Male	22	-	-	-	-	-	-	-	1	3	6	12	-
Female	23	-	-	-	-	-	-	-	-	4	6	13	-
All other	5	-	-	-	-	-	-	-	-	1	3	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	1	-
Black	5	-	-	-	-	-	-	-	-	1	3	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	2	1	-
By anti-infectives (E857)	4	-	-	-	-	-	-	-	-	1	1	2	-
Male	3	-	-	-	-	-	-	-	-	1	-	2	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	-	-	1	1	2	-
Male	3	-	-	-	-	-	-	-	-	1	-	2	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
By other drugs (E858)	1,560	7	8	-	1	-	16	7	155	819	238	324	1
Male	965	5	3	-	1	-	9	1	106	594	106	148	1
Female	595	2	5	-	-	-	7	6	49	225	132	176	-
White	1,276	6	3	-	1	-	10	6	135	641	202	281	1
Male	798	5	1	-	1	-	7	1	92	479	88	130	1
Female	478	1	2	-	-	-	3	5	43	162	114	151	-
All other	284	1	5	-	-	-	6	1	20	178	36	43	-
Male	167	-	2	-	-	-	2	-	14	115	18	18	-
Female	117	1	3	-	-	-	4	1	6	63	18	25	-
Black	261	-	5	-	-	-	5	1	17	164	35	39	-
Male	153	-	2	-	-	-	2	-	13	107	17	14	-
Female	108	-	3	-	-	-	3	1	4	57	18	25	-
Agents primarily affecting cardiovascular system (E858.3)	225	5	3	-	-	-	8	-	4	7	22	184	-
Male	96	4	2	-	-	-	6	-	2	1	11	76	-
Female	129	1	1	-	-	-	2	-	2	6	11	108	-
White	183	5	1	-	-	-	6	-	4	5	14	154	-
Male	80	4	1	-	-	-	5	-	2	1	8	64	-
Female	103	1	-	-	-	-	1	-	2	4	6	90	-
All other	42	-	2	-	-	-	2	-	-	2	8	30	-
Male	16	-	1	-	-	-	1	-	-	-	3	12	-
Female	26	-	1	-	-	-	1	-	-	2	5	18	-
Black	38	-	2	-	-	-	2	-	-	1	8	27	-
Male	13	-	1	-	-	-	1	-	-	-	3	9	-
Female	25	-	1	-	-	-	1	-	-	1	5	18	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 24

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
By other drugs-Con.													
Agents primarily affecting gastrointestinal system (E858.4)	7	-	-	-	-	-	-	-	-	2	3	2	-
Male	4	-	-	-	-	-	-	-	-	2	2	1	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other	5	-	-	-	-	-	-	-	2	2	1	-	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	-
Male	3	-	-	-	-	-	-	-	1	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other and unspecified drugs (E858.0-E858.2,E858.5-E858.9)	1,328	2	5	-	1	-	8	7	151	810	213	138	1
Male	865	1	1	-	1	-	3	1	104	592	93	71	1
Female	463	1	4	-	-	-	5	6	47	218	120	67	-
White	1,091	1	2	-	1	-	4	6	131	636	187	126	1
Male	717	1	-	-	1	-	2	1	90	478	79	66	1
Female	374	-	2	-	-	-	2	5	41	158	108	60	-
All other	237	1	3	-	-	-	4	1	20	174	26	12	-
Male	148	-	1	-	-	-	1	-	14	114	14	5	-
Female	89	1	2	-	-	-	3	1	6	60	12	7	-
Black	219	-	3	-	-	-	3	1	17	162	25	11	-
Male	137	-	1	-	-	-	1	-	13	106	13	4	-
Female	82	-	2	-	-	-	2	1	4	56	12	7	-
Accidental poisoning by other solid and liquid substances, gases, and vapors (E860-E869)	1,558	7	15	15	5	6	48	41	250	534	416	265	4
Male	1,150	-	12	10	4	5	31	29	176	445	314	151	4
Female	408	7	3	5	1	1	17	12	74	89	102	114	-
White	1,206	4	9	12	4	4	33	37	210	405	302	217	2
Male	908	-	7	8	3	3	21	27	154	342	236	126	2
Female	298	4	2	4	1	1	12	10	56	63	66	91	-
All other	352	3	6	3	1	2	15	4	40	129	114	48	2
Male	242	-	5	2	1	2	10	2	22	103	78	25	2
Female	110	3	1	1	-	-	5	2	18	26	36	23	-
Black	324	3	6	3	1	2	15	2	34	120	108	44	1
Male	224	-	5	2	1	2	10	1	18	98	74	22	1
Female	100	3	1	1	-	-	5	1	16	22	34	22	-
By alcohol, not elsewhere classified (E860)	305	1	-	1	-	-	2	-	19	118	135	29	2
Male	230	-	-	1	-	-	1	-	15	97	99	16	2
Female	75	1	-	-	-	-	-	-	4	21	36	13	-
White	185	1	-	1	-	-	2	-	12	66	87	18	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 25

Table 5-4. Deaths From Accidental Poisoning, by Age, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
By corrosives and caustics, not elsewhere classified (E864)	11	1	-	-	-	-	1	-	1	-	3	6	-
Male	4	-	-	-	-	-	-	-	1	-	1	2	-
Female	7	1	-	-	-	-	1	-	-	-	2	4	-
White	9	-	-	-	-	-	-	-	1	-	2	6	-
Male	4	-	-	-	-	-	-	-	1	-	1	2	-
Female	5	-	-	-	-	-	-	-	-	-	1	4	-
All other	2	1	-	-	-	-	1	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	1	-	-
Black	2	1	-	-	-	-	1	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	1	-	-
From foodstuffs and poisonous plants (E865)	6	-	-	-	-	-	-	1	-	1	3	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	4	-	-	-	-	-	-	1	-	-	2	1	-
White	3	-	-	-	-	-	-	1	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
All other	3	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Black	3	-	-	-	-	-	-	-	-	-	3	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
By other and unspecified solid and liquid substances (E866)	51	-	2	3	-	1	6	2	6	12	9	16	-
Male	36	-	2	2	-	1	5	2	5	11	5	8	-
Female	15	-	-	1	-	-	1	-	1	1	4	8	-
White	37	-	2	2	-	-	4	1	5	9	6	12	-
Male	28	-	2	2	-	-	4	1	4	9	4	6	-
Female	9	-	-	-	-	-	-	-	1	-	2	6	-
All other	14	-	-	1	-	1	2	1	1	3	3	4	-
Male	8	-	-	-	-	1	1	1	1	2	1	2	-
Female	6	-	-	1	-	-	1	-	-	1	2	2	-
Black	11	-	-	1	-	1	2	-	1	1	3	4	-
Male	6	-	-	-	-	1	1	-	1	1	1	2	-
Female	5	-	-	1	-	-	1	-	-	-	2	2	-
By gas distributed by pipeline (E867)	49	1	-	-	2	-	3	-	3	11	15	17	-
Male	30	-	-	-	1	-	1	-	-	8	12	9	-
Female	19	1	-	-	1	-	2	-	3	3	3	8	-
White	36	1	-	-	1	-	2	-	2	6	11	15	-
Male	21	-	-	-	-	-	-	-	-	4	9	8	-
Female	15	1	-	-	1	-	2	-	2	2	2	7	-
All other	13	-	-	-	1	-	1	-	1	5	4	2	-
Male	9	-	-	-	1	-	1	-	-	4	3	1	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-
Black	13	-	-	-	1	-	1	-	1	5	4	2	-
Male	9	-	-	-	1	-	1	-	-	4	3	1	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-
By other utility gas and other carbon monoxide (E868)	880	1	3	6	1	3	14	19	181	318	200	147	1
Male	652	-	2	2	1	3	8	14	122	260	154	93	1
Female	228	1	1	4	-	-	6	5	59	58	46	54	-
White	727	-	3	5	1	3	12	17	152	258	159	128	1
Male	550	-	2	1	1	3	7	13	106	215	127	81	1
Female	177	-	1	4	-	-	5	4	46	43	32	47	-
All other	153	1	-	1	-	-	2	2	29	60	41	19	-
Male	102	-	-	1	-	-	1	1	16	45	27	12	-
Female	51	1	-	-	-	-	1	1	13	15	14	7	-
Black	142	1	-	1	-	-	2	1	27	57	39	16	-
Male	96	-	-	1	-	-	1	1	15	44	25	10	-
Female	46	1	-	-	-	-	1	-	12	13	14	6	-
By other gases and vapors (E869)	150	2	-	2	2	2	8	10	19	47	30	36	-
Male	105	-	-	2	2	1	5	6	15	43	22	14	-
Female	45	2	-	-	-	1	3	4	4	4	8	22	-
White	124	2	-	2	2	1	7	9	18	41	24	25	-
Male	89	-	-	2	2	-	4	6	15	37	16	11	-
Female	35	2	-	-	-	1	3	3	3	4	8	14	-
All other	26	-	-	-	-	1	1	1	1	6	6	11	-
Male	16	-	-	-	-	1	1	-	-	6	6	3	-
Female	10	-	-	-	-	-	-	1	1	-	-	8	-
Black	25	-	-	-	-	1	1	1	1	6	6	10	-
Male	15	-	-	-	-	1	1	-	-	6	6	2	-
Female	10	-	-	-	-	-	-	1	1	-	-	8	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 26

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Accidental poisoning by drugs, medicaments, and biologicals (E850-E858)	3,612	1,623	2	-	15	25	68	174	75	228	1,402
Male	2,509	1,122	1	-	14	23	61	138	48	186	916
Female	1,103	501	1	-	1	2	7	36	27	42	486
White	2,984	1,360	2	-	11	24	45	147	62	195	1,138
Male	2,090	948	1	-	10	22	40	117	39	160	753
Female	894	412	1	-	1	2	5	30	23	35	385
All other	628	263	-	-	4	1	23	27	13	33	264
Male	419	174	-	-	4	1	21	21	9	26	163
Female	209	89	-	-	-	-	2	6	4	7	101
Black	580	244	-	-	3	1	19	23	12	30	248
Male	388	166	-	-	3	1	17	18	9	24	150
Female	192	78	-	-	-	-	2	5	3	6	98
By analgesics, antipyretics, antirheumatics (E850)	1,209	608	-	-	6	10	29	63	22	100	371
Male	994	482	-	-	6	10	28	52	14	88	314
Female	215	126	-	-	-	-	1	11	8	12	57
White	1,011	505	-	-	3	10	21	53	21	87	311
Male	838	404	-	-	3	10	20	46	13	78	264
Female	173	101	-	-	-	-	1	7	8	9	47
All other	198	103	-	-	3	-	8	10	1	13	60
Male	156	78	-	-	3	-	8	6	1	10	50
Female	42	25	-	-	-	-	-	4	-	3	10
Black	185	97	-	-	2	-	7	8	1	12	58
Male	147	75	-	-	2	-	7	5	1	9	48
Female	38	22	-	-	-	-	-	3	-	3	10
Opiates and related narcotics (E850.0)	867	427	-	-	6	8	28	48	15	81	254
Male	762	364	-	-	6	8	27	40	12	74	231
Female	105	63	-	-	-	-	1	8	3	7	23
White	714	350	-	-	3	8	20	39	15	71	208
Male	636	304	-	-	3	8	19	34	12	65	191
Female	78	46	-	-	-	-	1	5	3	6	17
All other	153	77	-	-	3	-	8	9	-	10	46
Male	126	60	-	-	3	-	8	6	-	9	40
Female	27	17	-	-	-	-	-	3	-	1	6
Black	146	76	-	-	2	-	7	7	-	10	44
Male	121	60	-	-	2	-	7	5	-	9	38
Female	25	16	-	-	-	-	-	2	-	1	6
Salicylates (E850.1)	58	25	-	-	-	-	1	-	3	3	26
Male	28	8	-	-	-	-	1	-	1	-	18
Female	30	17	-	-	-	-	-	-	2	3	8
White	57	25	-	-	-	-	1	-	3	3	25
Male	27	8	-	-	-	-	1	-	1	-	17
Female	30	17	-	-	-	-	-	-	2	3	8
All other	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-
All other analgesics, antipyretics, antirheumatics (E850.2-E850.9)	284	156	-	-	-	2	-	15	4	16	91
Male	204	110	-	-	-	2	-	12	1	14	65
Female	80	46	-	-	-	-	-	3	3	2	26
White	240	130	-	-	-	2	-	14	3	13	78
Male	175	92	-	-	-	2	-	12	-	13	56
Female	65	38	-	-	-	-	-	2	3	-	22
All other	44	26	-	-	-	-	-	1	1	3	13
Male	29	18	-	-	-	-	-	-	1	1	9
Female	15	8	-	-	-	-	-	1	-	2	4
Black	38	21	-	-	-	-	-	1	1	2	13
Male	25	15	-	-	-	-	-	-	1	-	9
Female	13	6	-	-	-	-	-	1	-	2	4
By barbiturates (E851)	42	24	-	-	-	-	-	1	1	3	13
Male	20	10	-	-	-	-	-	-	1	2	7
Female	22	14	-	-	-	-	-	1	-	1	6
White	37	22	-	-	-	-	-	1	1	3	10
Male	18	10	-	-	-	-	-	-	1	2	5
Female	19	12	-	-	-	-	-	1	-	1	5
All other	5	2	-	-	-	-	-	-	-	-	3
Male	2	-	-	-	-	-	-	-	-	-	2
Female	3	2	-	-	-	-	-	-	-	-	1
Black	5	2	-	-	-	-	-	-	-	-	3
Male	2	-	-	-	-	-	-	-	-	-	2
Female	3	2	-	-	-	-	-	-	-	-	1
By other sedatives and hypnotics (E852)	32	21	-	-	-	-	-	2	-	2	7
Male	15	7	-	-	-	-	-	1	-	2	5
Female	17	14	-	-	-	-	-	1	-	-	2
White	29	19	-	-	-	-	-	1	-	2	7
Male	14	7	-	-	-	-	-	-	-	2	5
Female	15	12	-	-	-	-	-	1	-	-	2
All other	3	2	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 27

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
By tranquilizers (E853)	102	52	1	-	-	2	4	2	5	5	31
Male	57	28	-	-	-	2	4	1	2	4	16
Female	45	24	1	-	-	-	-	1	3	1	15
White	91	45	1	-	-	2	3	2	5	5	28
Male	51	25	-	-	-	2	3	1	2	4	14
Female	40	20	1	-	-	-	-	1	3	1	14
All other	11	7	-	-	-	-	1	-	-	-	3
Male	6	3	-	-	-	-	1	-	-	-	2
Female	5	4	-	-	-	-	-	-	-	-	1
Black	8	5	-	-	-	-	-	-	-	-	3
Male	4	2	-	-	-	-	-	-	-	-	2
Female	4	3	-	-	-	-	-	-	-	-	1
By other psychotropic agents (E854)	165	87	-	-	-	1	1	9	3	9	55
Male	83	44	-	-	-	1	-	6	-	5	27
Female	82	43	-	-	-	-	1	3	3	4	28
White	142	71	-	-	-	1	1	7	3	9	50
Male	71	38	-	-	-	1	-	4	-	5	23
Female	71	33	-	-	-	-	1	3	3	4	27
All other	23	16	-	-	-	-	-	2	-	-	5
Male	12	6	-	-	-	-	-	2	-	-	4
Female	11	10	-	-	-	-	-	-	-	-	1
Black	21	15	-	-	-	-	-	2	-	-	4
Male	11	6	-	-	-	-	-	2	-	-	3
Female	10	9	-	-	-	-	-	-	-	-	1
By other drugs acting on central and autonomic nervous systems (E855)	448	189	1	-	5	7	17	43	13	39	134
Male	348	143	1	-	5	7	14	33	9	34	102
Female	100	46	-	-	-	-	3	10	4	5	32
White	349	154	1	-	4	6	11	38	10	33	92
Male	275	117	1	-	4	6	9	29	8	29	72
Female	74	37	-	-	-	-	2	9	2	4	20
All other	99	35	-	-	1	1	6	5	3	6	42
Male	73	26	-	-	1	1	5	4	1	5	30
Female	26	9	-	-	-	-	1	1	2	1	12
Black	92	33	-	-	1	1	5	4	3	5	40
Male	68	25	-	-	1	1	4	3	1	5	28
Female	24	8	-	-	-	-	1	1	2	-	12
By antibiotics (E856)	50	1	-	-	-	-	-	-	-	1	48
Male	24	-	-	-	-	-	-	-	-	-	23
Female	26	1	-	-	-	-	-	-	-	-	25
White	45	-	-	-	-	-	-	-	-	1	44
Male	22	-	-	-	-	-	-	-	-	1	21
Female	23	-	-	-	-	-	-	-	-	-	23
All other	5	1	-	-	-	-	-	-	-	-	4
Male	2	-	-	-	-	-	-	-	-	-	2
Female	3	1	-	-	-	-	-	-	-	-	4
Black	5	1	-	-	-	-	-	-	-	-	4
Male	2	-	-	-	-	-	-	-	-	-	2
Female	3	1	-	-	-	-	-	-	-	-	2
By anti-infectives (E857)	4	1	-	-	-	-	-	-	-	-	3
Male	3	1	-	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	1
White	4	1	-	-	-	-	-	-	-	-	3
Male	3	1	-	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
By other drugs (E858)	1,560	640	-	-	4	5	17	54	31	69	740
Male	965	407	-	-	3	3	15	45	22	50	420
Female	595	233	-	-	1	2	2	9	9	19	320
White	1,276	543	-	-	4	5	9	45	22	55	593
Male	798	346	-	-	3	3	8	37	15	39	347
Female	478	197	-	-	1	2	1	8	7	16	246
All other	284	97	-	-	-	-	8	9	9	14	147
Male	167	61	-	-	-	-	7	8	7	11	73
Female	117	36	-	-	-	-	1	1	2	3	74
Black	261	89	-	-	-	-	7	8	8	13	136
Male	153	58	-	-	-	-	6	7	7	10	65
Female	108	31	-	-	-	-	1	1	1	3	71
Agents primarily affecting cardiovascular system (E858.3)	225	21	-	-	-	-	-	1	4	2	197
Male	96	5	-	-	-	-	-	-	3	1	87
Female	129	16	-	-	-	-	-	1	1	1	110
White	183	15	-	-	-	-	-	1	4	2	161
Male	80	3	-	-	-	-	-	-	3	1	73
Female	103	12	-	-	-	-	-	1	1	1	88
All other	42	6	-	-	-	-	-	-	-	-	36
Male	16	2	-	-	-	-	-	-	-	-	14
Female	26	4	-	-	-	-	-	-	-	-	22
Black	38	6	-	-	-	-	-	-	-	-	32
Male	13	2	-	-	-	-	-	-	-	-	11
Female	25	4	-	-	-	-	-	-	-	-	21

SECTION 5 - ACCIDENT MORTALITY - PAGE 28

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
By other drugs-Con.											
Agents primarily affecting gastrointestinal system (E858.4)	7	1	-	-	-	-	-	-	1	-	5
Male	4	1	-	-	-	-	-	-	-	-	3
Female	3	-	-	-	-	-	-	-	1	-	2
White	2	-	-	-	-	-	-	-	-	-	2
Male	1	-	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1
All other	5	1	-	-	-	-	-	-	1	-	3
Male	3	1	-	-	-	-	-	-	-	-	2
Female	2	-	-	-	-	-	-	-	1	-	1
Black	4	1	-	-	-	-	-	-	-	-	3
Male	3	1	-	-	-	-	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	-	-	1
All other and unspecified drugs (E858.0-E858.2,E858.5-E858.9)	1,328	618	-	-	4	5	17	53	26	67	538
Male	865	401	-	-	3	3	15	45	19	49	330
Female	463	217	-	-	1	2	2	8	7	18	208
White	1,091	528	-	-	4	5	9	44	18	53	430
Male	717	343	-	-	3	3	8	37	12	38	273
Female	374	185	-	-	1	2	1	7	6	15	157
All other	237	90	-	-	-	-	8	9	8	14	108
Male	148	58	-	-	-	-	7	8	7	11	57
Female	89	32	-	-	-	-	1	1	1	3	51
Black	219	82	-	-	-	-	7	8	8	13	101
Male	137	55	-	-	-	-	6	7	7	10	52
Female	82	27	-	-	-	-	1	1	1	3	49
Accidental poisoning by other solid and liquid substances, gases and vapors (E860-E869)	1,558	749	15	4	104	21	67	52	3	157	386
Male	1,150	531	13	3	94	17	50	40	1	128	273
Female	408	218	2	1	10	4	17	12	2	29	113
White	1,206	586	13	4	90	18	53	41	2	118	281
Male	908	425	12	3	84	14	40	32	1	100	197
Female	298	161	1	1	6	4	13	9	1	18	84
All other	352	163	2	-	14	3	14	11	1	39	105
Male	242	106	1	-	10	3	10	8	-	28	76
Female	110	57	1	-	4	-	4	3	1	11	29
Black	324	150	2	-	14	3	12	9	1	34	99
Male	224	98	1	-	10	3	8	7	-	24	73
Female	100	52	1	-	4	-	4	2	1	10	26
By alcohol, not elsewhere classified (E860)	305	145	-	-	1	2	8	5	-	14	130
Male	230	98	-	-	1	2	7	3	-	12	107
Female	75	47	-	-	-	-	1	2	-	2	23
White	185	88	-	-	1	-	6	2	-	9	79
Male	142	63	-	-	1	-	5	1	-	9	63
Female	43	25	-	-	-	-	1	-	-	-	16
All other	120	57	-	-	-	2	2	3	-	5	51
Male	88	35	-	-	-	2	2	2	-	3	44
Female	32	22	-	-	-	-	2	1	-	2	7
Black	109	51	-	-	-	2	2	1	-	5	48
Male	81	31	-	-	-	2	2	1	-	3	42
Female	28	20	-	-	-	-	-	-	-	2	6
By cleansing and polishing agents, disinfectants, paints and varnishes (E861)	10	5	-	-	1	-	-	-	-	-	4
Male	4	-	-	-	1	-	-	-	-	-	3
Female	2	1	-	-	-	-	-	-	-	-	1
White	7	4	-	-	-	-	-	-	-	-	2
Male	6	3	-	-	1	-	-	-	-	-	2
Female	1	1	-	-	-	-	-	-	-	-	-
All other	3	1	-	-	-	-	-	-	-	-	2
Male	2	1	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1
By petroleum products, other solvents and their vapors, not elsewhere classified (E862)	75	30	-	-	6	-	2	6	-	12	19
Male	64	24	-	-	6	-	2	5	-	12	15
Female	11	6	-	-	-	-	-	1	-	-	4
White	61	24	-	-	6	-	1	6	-	8	16
Male	52	19	-	-	6	-	1	5	-	8	13
Female	9	5	-	-	-	-	-	1	-	-	3
All other	14	6	-	-	-	-	1	-	-	4	3
Male	12	5	-	-	-	-	1	-	-	4	2
Female	2	1	-	-	-	-	-	-	-	-	1
Black	13	6	-	-	-	-	1	-	-	3	2
Male	11	5	-	-	-	-	1	-	-	3	2
Female	2	1	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 29

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
By agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers (E863)	21	9	1	-	1	-	-	1	-	1	8
Male	19	9	1	-	1	-	-	1	-	1	6
Female	2	-	-	-	-	-	-	-	-	-	2
White	17	8	1	-	1	-	-	1	-	1	6
Male	15	8	1	-	1	-	-	1	-	1	5
Female	2	-	-	-	-	-	-	-	-	-	1
All other	4	1	-	-	-	-	-	-	-	-	3
Male	4	1	-	-	-	-	-	-	-	-	3
Female	-	-	-	-	-	-	-	-	-	-	0
Black	4	1	-	-	-	-	-	-	-	-	3
Male	4	1	-	-	-	-	-	-	-	-	3
Female	-	-	-	-	-	-	-	-	-	-	0
By corrosives and caustics, not elsewhere classified (E864)	11	6	-	-	-	-	-	-	1	-	4
Male	4	2	-	-	-	-	-	-	-	-	2
Female	7	4	-	-	-	-	-	-	1	-	2
White	9	5	-	-	-	-	-	-	1	-	3
Male	4	2	-	-	-	-	-	-	-	-	2
Female	5	3	-	-	-	-	-	-	1	-	1
All other	2	1	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	0
Female	2	1	-	-	-	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	-	-	1
Male	2	-	-	-	-	-	-	-	-	-	0
Female	2	1	-	-	-	-	-	-	-	-	1
From foodstuffs and poisonous plants (E865)	6	2	-	-	-	1	-	-	-	-	3
Male	2	1	-	-	-	-	-	-	-	-	0
Female	4	1	-	-	-	1	-	-	-	-	3
White	3	1	-	-	-	1	-	-	-	-	1
Male	1	-	-	-	-	1	-	-	-	-	0
Female	2	1	-	-	-	-	-	-	-	-	1
All other	3	1	-	-	-	-	-	-	-	-	2
Male	1	1	-	-	-	-	-	-	-	-	0
Female	2	-	-	-	-	-	-	-	-	-	2
Black	3	1	-	-	-	-	-	-	-	-	2
Male	1	1	-	-	-	-	-	-	-	-	0
Female	2	-	-	-	-	-	-	-	-	-	2
By other and unspecified solid and liquid substances (E866)	51	16	1	-	1	-	1	-	-	5	27
Male	36	12	1	-	1	-	1	-	-	5	16
Female	15	4	-	-	-	-	-	-	-	-	11
White	37	10	1	-	1	-	-	-	-	4	21
Male	28	8	1	-	1	-	-	-	-	4	14
Female	9	2	-	-	-	-	-	-	-	-	7
All other	14	6	-	-	-	-	1	-	-	1	6
Male	8	4	-	-	-	-	1	-	-	1	2
Female	6	2	-	-	-	-	-	-	-	-	4
Black	11	6	-	-	-	-	-	-	-	-	5
Male	6	4	-	-	-	-	-	-	-	-	2
Female	5	2	-	-	-	-	-	-	-	-	3
By gas distributed by pipeline (E867)	49	40	-	-	-	-	-	4	-	1	4
Male	30	23	-	-	-	-	-	4	-	1	2
Female	19	17	-	-	-	-	-	-	-	-	2
White	36	30	-	-	-	-	-	3	-	1	2
Male	21	16	-	-	-	-	-	3	-	1	1
Female	15	14	-	-	-	-	-	-	-	-	1
All other	13	10	-	-	-	-	-	1	-	-	2
Male	9	7	-	-	-	-	-	1	-	-	1
Female	4	3	-	-	-	-	-	-	-	-	1
Black	13	10	-	-	-	-	-	1	-	-	2
Male	9	7	-	-	-	-	-	1	-	-	1
Female	4	3	-	-	-	-	-	-	-	-	1
By other utility gas and other carbon monoxide (E868)	880	459	9	4	77	18	54	33	1	112	113
Male	652	332	7	3	67	14	38	24	-	86	81
Female	228	127	2	1	10	4	16	9	1	26	32
White	727	386	7	4	64	17	44	27	-	84	94
Male	550	284	6	3	58	13	32	20	-	67	67
Female	177	102	1	1	6	4	12	7	-	17	27
All other	153	73	2	-	13	1	10	6	1	28	19
Male	102	48	1	-	9	1	6	4	-	19	14
Female	51	25	1	-	4	-	4	2	1	9	5
Black	142	67	2	-	13	1	9	6	1	25	18
Male	96	45	1	-	9	1	5	4	-	17	14
Female	46	22	1	-	4	-	4	2	1	8	4
By other gases and vapors (E869)	150	37	4	-	17	-	2	3	1	12	74
Male	105	26	4	-	17	-	2	3	1	11	41
Female	45	11	-	-	-	-	-	-	-	1	33
White	124	30	4	-	16	-	2	2	1	11	58
Male	89	22	4	-	16	-	2	2	1	10	32
Female	35	8	-	-	-	-	-	-	-	1	26
All other	26	7	-	-	1	-	-	1	-	1	16
Male	16	4	-	-	1	-	-	1	-	1	7
Female	10	3	-	-	-	-	-	-	-	-	9
Black	25	6	-	-	1	-	-	1	-	1	16
Male	15	3	-	-	1	-	-	1	-	1	9
Female	10	3	-	-	-	-	-	-	-	-	7

SECTION 5 - ACCIDENT MORTALITY - PAGE 30

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Accidental falls (E880-E888)	12,001	5,050	55	12	305	132	362	387	1,405	761	3,532
Male	6,392	2,663	54	12	297	112	277	276	579	611	1,511
Female	5,609	2,387	1	-	8	20	85	111	826	150	2,021
White	10,798	4,505	51	12	276	118	277	345	1,322	641	3,251
Male	5,579	2,306	50	12	268	100	202	244	532	516	1,349
Female	5,219	2,199	1	-	8	18	75	101	790	125	1,902
All other	1,203	545	4	-	29	14	85	42	83	120	281
Male	813	357	4	-	29	12	75	32	47	95	162
Female	390	188	-	-	-	2	10	10	36	25	119
Black	1,048	481	4	-	25	11	73	35	69	101	249
Male	711	317	4	-	25	10	66	28	35	78	148
Female	337	164	-	-	-	1	7	7	34	23	101
Fall on or from stairs or steps (E880)	1,176	955	1	-	3	3	12	60	29	44	69
Male	667	534	1	-	2	2	8	36	12	28	44
Female	509	421	-	-	1	1	4	24	17	16	25
White	1,058	860	1	-	3	3	12	58	27	36	58
Male	585	469	1	-	2	2	4	36	10	23	34
Female	473	391	-	-	1	1	4	22	17	13	24
All other	118	95	-	-	-	-	-	2	2	8	11
Male	82	65	-	-	-	-	-	-	-	5	10
Female	36	30	-	-	-	-	-	2	2	3	1
Black	109	86	-	-	-	-	-	2	2	8	11
Male	76	59	-	-	-	-	-	-	2	5	10
Female	33	27	-	-	-	-	-	2	-	3	1
Fall on or from ladders or scaffolding (E881)	348	164	11	-	75	-	9	28	4	37	20
Male	325	146	11	-	74	-	9	27	4	34	20
Female	23	18	-	-	1	-	-	1	-	3	-
White	314	152	11	-	70	-	7	25	3	31	15
Male	292	134	11	-	69	-	7	25	3	28	15
Female	22	18	-	-	1	-	-	-	-	3	-
All other	34	12	-	-	5	-	2	3	1	6	5
Male	33	12	-	-	5	-	2	2	1	6	5
Female	1	-	-	-	-	-	-	1	-	-	-
Black	30	11	-	-	5	-	1	2	1	6	4
Male	30	11	-	-	5	-	1	2	1	6	4
Female	-	-	-	-	-	-	-	-	-	-	-
Fall from or out of building or other structure (E882) ..	661	271	13	-	95	5	29	73	22	123	30
Male	586	228	13	-	93	3	24	68	16	111	30
Female	75	43	-	-	2	2	5	5	6	12	-
White	543	213	13	-	88	5	22	59	19	101	23
Male	480	178	13	-	86	3	17	56	13	91	23
Female	63	35	-	-	2	2	5	3	6	10	-
All other	118	58	-	-	7	-	7	14	3	22	7
Male	106	50	-	-	7	-	7	12	3	20	7
Female	12	8	-	-	-	-	-	2	-	2	-
Black	101	52	-	-	5	-	5	12	3	17	7
Male	89	44	-	-	5	-	5	10	3	15	7
Female	12	8	-	-	-	-	-	2	-	2	-
Fall into hole or other opening in surface (E883)	120	13	6	8	17	11	5	12	-	37	11
Male	113	11	5	8	17	11	2	12	-	36	11
Female	7	2	1	-	-	-	3	-	-	1	-
White	108	12	5	8	15	10	4	11	-	34	9
Male	101	10	4	8	15	10	1	11	-	33	9
Female	7	2	1	-	-	-	3	-	-	1	-
All other	12	1	1	-	2	1	1	1	-	3	2
Male	12	1	1	-	2	1	1	1	-	3	2
Female	-	-	-	-	-	-	-	-	-	-	-
Black	11	1	1	-	2	1	1	1	-	2	2
Male	11	1	1	-	2	1	1	1	-	2	2
Female	-	-	-	-	-	-	-	-	-	-	-
Other fall from one level to another (E884)	1,060	313	15	3	52	61	29	26	247	232	82
Male	715	187	15	3	52	56	24	22	107	191	58
Female	345	126	-	-	-	5	5	4	140	41	24
White	931	268	14	3	44	56	23	21	232	199	71
Male	627	163	14	3	44	51	20	18	98	166	50
Female	304	105	-	-	-	5	3	3	134	33	21
All other	129	45	1	-	8	5	6	5	15	33	11
Male	88	24	1	-	8	5	4	4	9	25	8
Female	41	21	-	-	-	-	2	1	6	8	3
Black	104	35	1	-	6	3	6	3	14	25	11
Male	70	20	1	-	6	3	4	3	8	17	8
Female	34	15	-	-	-	-	2	-	6	8	3
Fall on same level from slipping, tripping, or stumbling (E885)	404	230	1	-	4	18	27	15	59	34	16
Male	204	104	1	-	4	13	19	6	25	24	8
Female	200	126	-	-	-	5	8	9	34	10	8
White	376	218	1	-	4	14	21	15	58	32	13
Male	191	100	1	-	4	11	16	6	24	23	6
Female	185	118	-	-	-	3	5	9	34	9	7
All other	28	12	-	-	-	4	6	-	1	2	3
Male	13	4	-	-	-	2	3	-	1	1	2
Female	15	8	-	-	-	2	3	-	-	1	1
Black	23	10	-	-	-	3	6	-	1	2	1
Male	10	2	-	-	-	2	3	-	1	1	1
Female	13	8	-	-	-	1	3	-	-	1	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 31

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Fall on same level from collision, pushing, or shoving, by or with other person (E886)	7	-	-	-	-	4	-	1	1	1	-
Male	6	-	-	-	-	3	-	1	1	1	-
Female	1	-	-	-	-	1	-	-	-	-	-
White	5	-	-	-	-	2	-	1	1	1	-
Male	4	-	-	-	-	1	-	1	1	1	-
Female	1	-	-	-	-	1	-	-	-	-	-
All other	2	-	-	-	-	2	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Fracture, cause unspecified (E887)	2,986	78	1	-	-	1	7	-	73	10	2,816
Male	1,114	31	1	-	-	1	3	-	25	6	1,047
Female	1,872	47	-	-	-	-	4	-	48	4	1,769
White	2,792	64	1	-	-	1	7	-	68	8	2,643
Male	1,020	26	1	-	-	1	3	-	22	4	963
Female	1,772	38	-	-	-	-	4	-	46	4	1,680
All other	194	14	-	-	-	-	-	-	5	2	173
Male	94	5	-	-	-	-	-	-	3	2	84
Female	100	9	-	-	-	-	-	-	2	89	-
Black	166	11	-	-	-	-	-	-	5	2	148
Male	83	5	-	-	-	-	-	-	3	2	73
Female	83	6	-	-	-	-	-	-	2	75	-
Other and unspecified fall (E888)	5,239	3,026	7	1	59	29	244	172	970	243	488
Male	2,662	1,422	7	1	55	23	188	104	389	180	293
Female	2,577	1,604	-	-	4	6	56	68	581	63	195
White	4,671	2,718	5	1	52	27	181	155	914	199	419
Male	2,279	1,226	5	1	48	21	130	91	361	147	249
Female	2,392	1,492	-	-	4	6	51	64	553	52	170
All other	568	308	2	-	7	2	63	17	56	44	69
Male	383	196	2	-	7	2	58	13	28	33	44
Female	185	112	-	-	-	-	5	4	28	11	25
Black	502	275	2	-	7	2	54	15	43	39	65
Male	340	175	2	-	7	2	52	12	17	30	43
Female	162	100	-	-	-	-	2	3	26	9	22
Accidents caused by fire and flames (E890-E899)	4,938	4,385	26	1	62	5	15	107	46	110	181
Male	3,008	2,608	23	1	59	5	13	85	20	85	109
Female	1,930	1,777	3	-	3	-	2	22	26	25	72
White	3,461	3,027	23	1	58	4	11	88	42	84	123
Male	2,135	1,822	20	1	55	4	10	69	18	64	72
Female	1,326	1,205	3	-	3	-	1	19	24	20	51
All other	1,477	1,358	3	-	4	1	4	19	4	26	58
Male	873	786	3	-	4	1	3	16	2	21	37
Female	604	572	-	-	-	-	1	3	2	5	21
Black	1,400	1,289	3	-	4	-	3	17	3	24	57
Male	825	744	3	-	4	-	3	14	2	19	36
Female	575	545	-	-	-	-	-	3	1	5	21
By conflagration in private dwelling (E890)	3,964	3,933	-	-	-	-	-	-	-	31	-
Male	2,372	2,348	-	-	-	-	-	-	-	24	-
Female	1,592	1,585	-	-	-	-	-	-	-	7	-
White	2,714	2,691	-	-	-	-	-	-	-	23	-
Male	1,645	1,628	-	-	-	-	-	-	-	17	-
Female	1,069	1,063	-	-	-	-	-	-	-	6	-
All other	1,250	1,242	-	-	-	-	-	-	-	8	-
Male	727	720	-	-	-	-	-	-	-	7	-
Female	523	522	-	-	-	-	-	-	-	1	-
Black	1,186	1,178	-	-	-	-	-	-	-	8	-
Male	688	681	-	-	-	-	-	-	-	7	-
Female	498	497	-	-	-	-	-	-	-	1	-
By conflagration in other unspecified building or structure (E891)	186	3	10	-	32	-	-	94	23	15	9
Male	141	1	9	-	29	-	-	74	9	13	6
Female	45	2	1	-	3	-	-	20	14	2	3
White	156	-	9	-	31	-	-	79	20	9	8
Male	117	-	8	-	28	-	-	62	7	7	5
Female	39	-	1	-	3	-	-	17	13	2	3
All other	30	3	1	-	1	-	-	15	3	6	1
Male	24	1	1	-	1	-	-	12	2	6	1
Female	6	2	-	-	-	-	-	3	1	-	-
Black	27	3	1	-	1	-	-	14	3	4	1
Male	21	1	1	-	1	-	-	11	2	4	1
Female	6	2	-	-	-	-	-	3	1	-	-
By conflagration not in building or structure (E892)	52	10	5	-	2	3	7	-	-	21	4
Male	45	9	4	-	2	3	5	-	-	18	4
Female	7	1	1	-	-	-	2	-	-	3	-
White	45	10	4	-	2	2	6	-	-	18	3
Male	40	9	3	-	2	2	5	-	-	16	3
Female	5	1	1	-	-	-	1	-	-	2	-
All other	7	-	1	-	-	1	1	-	-	3	1
Male	5	-	1	-	-	-	-	-	-	2	1
Female	2	-	-	-	-	-	-	-	-	1	-
Black	5	-	1	-	-	-	1	-	-	3	1
Male	4	-	1	-	-	-	-	-	-	2	1
Female	1	-	-	-	-	-	-	-	-	1	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 32

Table 5-5 Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
By ignition of clothing (E893)	232	193	4	-	5	-	1	3	9	11	6
Male	106	77	4	-	5	-	1	3	5	7	4
Female	126	116	-	-	-	-	-	-	4	4	2
White	177	145	3	-	4	-	1	3	9	8	4
Male	79	56	3	-	4	-	1	3	5	4	3
Female	98	89	-	-	-	-	-	-	4	4	1
All other	55	48	1	-	1	-	-	-	-	3	2
Male	27	21	1	-	1	-	-	-	-	3	1
Female	28	27	-	-	-	-	-	-	-	-	-
Black	52	45	1	-	1	-	-	-	-	3	2
Male	25	19	1	-	1	-	-	-	-	3	1
Female	27	26	-	-	-	-	-	-	-	-	1
By ignition of highly inflammable material (E894)	69	41	4	1	12	-	1	3	1	4	2
Male	60	33	3	1	12	-	1	3	1	4	2
Female	9	8	1	-	-	-	-	-	-	-	-
White	60	34	4	1	11	-	-	3	1	4	2
Male	51	26	3	1	11	-	-	3	1	4	2
Female	9	8	1	-	-	-	-	-	-	-	-
All other	9	7	-	-	1	-	1	-	-	-	-
Male	9	7	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	9	7	-	-	1	-	1	-	-	-	-
Male	9	7	-	-	1	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
By controlled fire in private dwelling (E895)	42	41	-	-	-	-	-	-	-	1	-
Male	26	26	-	-	-	-	-	-	-	-	-
Female	16	15	-	-	-	-	-	-	-	1	-
White	30	29	-	-	-	-	-	-	-	1	-
Male	18	18	-	-	-	-	-	-	-	-	-
Female	12	11	-	-	-	-	-	-	-	1	-
All other	12	12	-	-	-	-	-	-	-	-	-
Male	8	8	-	-	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	-	-	-	-	-
Black	12	12	-	-	-	-	-	-	-	-	-
Male	8	8	-	-	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	-	-	-	-	-
By controlled fire in other and unspecified building or structure (E896)	5	2	-	-	3	-	-	-	-	-	-
Male	5	2	-	-	3	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
White	4	1	-	-	3	-	-	-	-	-	-
Male	4	1	-	-	3	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
By controlled fire not in building or structure (E897)	16	12	1	-	-	1	-	-	-	2	-
Male	13	9	1	-	-	1	-	-	-	2	-
Female	3	3	-	-	-	-	-	-	-	-	-
White	13	9	1	-	-	1	-	-	-	2	-
Male	12	8	1	-	-	1	-	-	-	2	-
Female	1	1	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-
By other specified fire or flames (E898)	117	96	-	-	2	-	-	6	8	3	2
Male	82	68	-	-	2	-	-	4	3	3	2
Female	35	28	-	-	-	-	-	2	5	-	-
White	87	71	-	-	2	-	-	3	8	2	1
Male	62	53	-	-	2	-	-	1	3	2	1
Female	25	18	-	-	-	-	-	2	5	-	-
All other	30	25	-	-	-	-	-	3	-	1	1
Male	20	15	-	-	-	-	-	3	-	1	1
Female	10	10	-	-	-	-	-	-	-	-	-
Black	28	24	-	-	-	-	-	2	-	1	1
Male	19	15	-	-	-	-	-	2	-	1	1
Female	9	9	-	-	-	-	-	-	-	-	-
By unspecified fire (E899)	255	54	2	-	6	1	6	1	5	22	158
Male	158	35	2	-	6	1	6	1	2	14	91
Female	97	19	-	-	-	-	-	-	3	8	67
White	175	37	2	-	5	1	4	-	4	17	105
Male	107	23	2	-	5	1	4	-	2	12	58
Female	68	14	-	-	-	-	-	-	2	5	47
All other	80	17	-	-	1	-	2	1	1	5	33
Male	51	12	-	-	1	-	2	1	-	2	20
Female	29	5	-	-	-	-	-	-	1	3	52
Black	77	16	-	-	1	-	2	1	-	5	32
Male	49	11	-	-	1	-	2	1	-	2	22
Female	28	5	-	-	-	-	-	-	-	3	2

SECTION 5 - ACCIDENT MORTALITY - PAGE 33

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes.]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Accidents due to natural and environmental factors (E900-E909)	1,904	550	61	-	15	50	127	34	12	373	682
Male	1,296	318	49	-	14	41	99	28	4	294	449
Female	608	232	12	-	1	9	28	6	8	79	233
White	1,324	361	57	-	13	45	71	25	11	265	476
Male	871	197	46	-	13	37	52	20	4	201	301
Female	453	164	11	-	-	8	19	5	7	64	175
All other	580	189	4	-	2	5	56	9	1	108	206
Male	425	121	3	-	1	4	47	8	-	93	148
Female	155	68	1	-	1	1	9	1	-	15	58
Black	505	176	3	-	2	4	51	7	1	73	188
Male	366	111	3	-	1	4	42	6	-	64	135
Female	139	65	-	-	1	-	9	1	1	9	53
Excessive heat (E900)	226	68	2	-	3	2	7	6	2	50	86
Male	146	32	1	-	3	-	5	5	-	40	60
Female	80	36	1	-	-	2	2	1	2	10	26
White	152	44	2	-	2	1	7	4	1	39	52
Male	97	21	1	-	2	-	5	3	-	30	35
Female	55	23	1	-	-	1	2	1	1	9	17
All other	74	24	-	-	1	1	-	2	1	11	34
Male	49	11	-	-	1	-	-	2	-	10	25
Female	25	13	-	-	-	1	-	-	1	1	9
Black	69	24	-	-	1	-	-	2	1	8	33
Male	45	11	-	-	1	-	-	2	-	7	24
Female	24	13	-	-	-	-	-	-	1	1	9
Excessive cold (E901)	1,010	315	19	-	6	13	81	15	7	168	386
Male	719	194	15	-	5	12	66	13	3	140	271
Female	291	121	4	-	1	1	15	2	4	28	115
White	587	168	16	-	5	10	33	11	7	93	244
Male	398	96	13	-	5	9	24	9	3	75	164
Female	189	72	3	-	-	1	9	2	4	18	80
All other	423	147	3	-	1	3	48	4	-	75	142
Male	321	98	2	-	-	3	42	4	-	65	107
Female	102	49	1	-	1	-	6	-	-	10	35
Black	372	137	2	-	1	3	43	3	-	53	130
Male	281	91	2	-	-	3	37	3	-	47	98
Female	91	46	-	-	1	-	6	-	-	6	32
High and low air pressure and changes in air pressure (E902)	11	-	-	-	-	-	-	-	-	5	6
Male	11	-	-	-	-	-	-	-	-	5	6
Female	-	-	-	-	-	-	-	-	-	-	-
White	11	-	-	-	-	-	-	-	-	5	6
Male	11	-	-	-	-	-	-	-	-	5	6
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Travel and motion (E903)	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Hunger, thirst, exposure, neglect (E904)	195	17	-	-	-	-	1	3	-	35	139
Male	118	16	-	-	-	-	1	3	-	29	69
Female	77	1	-	-	-	-	-	-	-	6	70
White	147	7	-	-	-	-	1	1	-	24	114
Male	84	6	-	-	-	-	1	1	-	19	57
Female	63	1	-	-	-	-	-	-	-	5	57
All other	48	10	-	-	-	-	-	2	-	11	25
Male	34	10	-	-	-	-	-	2	-	10	12
Female	14	-	-	-	-	-	-	-	-	1	13
Black	36	7	-	-	-	-	-	1	-	5	23
Male	25	7	-	-	-	-	-	1	-	5	12
Female	11	-	-	-	-	-	-	-	-	-	11
Venomous animals and plants as the cause of poisoning and toxic reactions (E905)	55	20	-	-	1	2	1	1	-	9	21
Male	39	15	-	-	1	2	1	1	-	6	13
Female	16	5	-	-	-	-	-	-	-	3	8
White	52	19	-	-	1	2	1	1	-	8	20
Male	37	14	-	-	1	2	1	1	-	5	13
Female	15	5	-	-	-	-	-	-	-	3	7
All other	3	1	-	-	-	-	-	-	-	1	1
Male	2	1	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1
Black	3	1	-	-	-	-	-	-	-	1	1
Male	2	1	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1

SECTION 5 - ACCIDENT MORTALITY - PAGE 34

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Other injury caused by animals (E906)	101	34	32	-	-	6	3	1	-	14	11
Male	65	19	25	-	-	4	1	-	-	9	7
Female	36	15	7	-	-	2	2	1	-	5	4
White	97	32	32	-	-	6	3	1	-	12	11
Male	63	19	25	-	-	4	1	-	-	7	7
Female	34	13	7	-	-	2	2	1	-	5	4
All other	4	2	-	-	-	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	2	-
Female	2	2	-	-	-	-	-	-	-	-	-
Black	4	2	-	-	-	-	-	-	-	2	-
Male	2	-	-	-	-	-	-	-	-	2	-
Female	2	2	-	-	-	-	-	-	-	-	-
Lightning (E907)	85	8	6	-	2	15	7	3	1	24	19
Male	77	6	6	-	2	14	6	3	1	22	17
Female	8	2	-	-	-	1	1	-	-	2	2
White	72	5	5	-	2	14	3	3	1	21	16
Male	66	5	5	-	2	13	3	3	1	20	14
Female	6	2	-	-	-	1	-	-	-	1	2
All other	13	1	1	-	-	1	4	-	-	3	3
Male	11	-	-	-	-	1	3	-	-	2	3
Female	2	-	-	-	-	-	1	-	-	1	-
Black	10	1	1	-	-	1	4	-	-	2	1
Male	9	1	1	-	-	1	3	-	-	2	1
Female	1	-	-	-	-	-	1	-	-	-	-
Cataclysmic storms, and floods resulting from storms (E908)	198	85	2	-	1	7	25	5	2	57	14
Male	102	35	2	-	1	5	17	3	-	33	6
Female	96	50	-	-	-	2	8	2	2	24	8
White	183	81	2	-	1	7	21	4	2	52	13
Male	96	35	2	-	1	5	15	3	-	30	5
Female	87	46	-	-	-	2	6	1	2	22	8
All other	15	4	-	-	-	-	4	1	-	5	1
Male	6	-	-	-	-	-	2	-	-	3	1
Female	9	4	-	-	-	-	2	1	-	2	-
Black	11	4	-	-	-	-	4	1	-	2	-
Male	2	-	-	-	-	-	2	-	-	-	-
Female	9	4	-	-	-	-	2	1	-	2	-
Cataclysmic earth surface movements and eruptions (E909)	23	3	-	-	2	5	2	-	-	11	-
Male	19	1	-	-	2	4	2	-	-	10	-
Female	4	2	-	-	-	1	-	-	-	1	-
White	23	3	-	-	2	5	2	-	-	11	-
Male	19	1	-	-	2	4	2	-	-	10	-
Female	4	2	-	-	-	1	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Accidents caused by submersion, suffocation and foreign bodies (E910-E915)	8,917	1,756	130	62	91	894	55	134	290	2,132	3,373
Male	6,266	1,076	114	57	88	758	45	104	131	1,876	2,017
Female	2,651	680	16	5	3	136	10	30	159	256	1,356
White	7,066	1,468	109	50	70	628	46	115	250	1,616	2,714
Male	4,884	893	95	47	67	536	37	88	111	1,419	1,591
Female	2,182	575	14	3	3	92	9	27	139	197	1,123
All other	1,851	288	21	12	21	266	9	19	40	516	659
Male	1,382	183	19	10	21	222	8	16	20	457	426
Female	469	105	2	2	-	44	1	3	20	59	233
Black	1,598	235	18	12	19	234	8	16	32	430	594
Male	1,196	151	17	10	19	199	7	14	17	384	378
Female	402	84	1	2	-	35	1	2	15	46	216
Accidental drowning and submersion (E910)	4,407	771	101	45	23	881	24	48	31	2,015	468
Male	3,565	434	86	41	20	747	18	35	14	1,782	388
Female	842	337	15	4	3	134	6	13	17	233	80
White	3,331	637	82	34	18	616	20	38	20	1,516	350
Male	2,660	346	69	32	15	526	14	25	8	1,338	287
Female	671	291	13	2	3	90	6	13	12	178	63
All other	1,076	134	19	11	5	265	4	10	11	499	118
Male	905	88	17	9	5	221	4	10	6	444	101
Female	171	46	2	2	-	44	-	-	5	55	17
Black	911	105	16	11	5	233	4	8	9	415	105
Male	776	70	15	9	5	198	4	8	5	372	90
Female	135	35	1	2	-	35	-	-	4	43	15
In recreation activities (E910.0-E910.2)	1,081	24	30	23	2	298	-	15	2	641	46
Male	977	17	27	22	2	269	-	12	1	583	44
Female	104	7	3	1	-	29	-	3	1	58	2
White	797	20	23	18	1	203	-	12	1	495	24
Male	721	13	21	17	1	187	-	9	1	448	24
Female	76	7	2	1	-	16	-	3	-	47	-
All other	284	4	7	5	1	95	-	3	1	146	22
Male	256	4	6	5	1	82	-	3	-	135	20
Female	28	-	1	-	-	13	-	-	-	11	2
Black	245	2	6	5	1	81	-	3	1	125	21
Male	223	2	5	5	1	71	-	3	-	117	19
Female	22	-	1	-	-	10	-	-	1	8	2

SECTION 5 - ACCIDENT MORTALITY - PAGE 35

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Accidental drowning and submersion-Con.											
All other and unspecified (E910.3-E910.9)	3,326	747	71	22	21	583	24	33	29	1,374	422
Male	2,588	417	59	19	18	478	18	23	13	1,199	344
Female	738	330	12	3	3	105	6	10	16	175	78
White	2,534	617	59	16	17	413	20	26	19	1,021	326
Male	1,939	333	48	15	14	339	14	16	7	890	263
Female	595	284	11	1	3	74	6	10	12	131	63
All other	792	130	12	6	4	170	4	7	10	353	96
Male	649	84	11	4	4	139	4	7	6	309	81
Female	143	46	1	2	-	31	-	-	4	44	15
Black	666	103	10	6	4	152	4	5	8	290	84
Male	553	68	10	4	4	127	4	5	5	255	71
Female	113	35	-	2	-	25	-	-	3	35	13
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation (E911)											
Male	1,663	455	3	-	3	4	10	66	187	33	902
Female	946	273	3	-	3	3	8	53	83	21	499
White	1,412	381	2	-	2	3	8	61	169	30	756
Male	799	227	2	-	2	2	7	50	75	18	416
Female	613	154	-	-	-	1	1	11	94	12	340
All other	251	74	1	-	1	1	2	5	19	3	146
Male	147	46	1	-	1	1	1	3	8	3	83
Female	104	28	-	-	-	-	1	2	10	-	63
Black	215	62	1	-	1	1	1	4	15	2	128
Male	126	39	1	-	1	1	-	3	7	2	72
Female	89	23	-	-	-	-	1	1	8	-	56
Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation (E912)											
Male	1,888	63	1	-	3	5	3	6	25	10	1,772
Female	1,035	40	1	-	3	4	3	4	13	7	960
White	853	23	-	-	-	1	-	2	12	3	812
Male	1,497	47	1	-	3	5	2	5	19	4	1,411
Female	804	33	1	-	3	4	2	3	10	3	745
All other	693	14	-	-	-	1	-	2	9	1	666
Male	391	16	-	-	-	-	1	1	6	6	361
Female	231	7	-	-	-	-	1	1	3	4	215
Black	160	9	-	-	-	-	-	-	3	2	146
Male	358	14	-	-	-	-	1	1	3	6	333
Female	208	6	-	-	-	-	1	1	2	4	194
Female	150	8	-	-	-	-	-	-	1	2	139
Accidental mechanical suffocation (E913)											
Male	920	462	25	16	62	4	18	11	44	74	204
Female	697	327	24	15	62	4	16	9	19	66	155
White	223	135	1	1	-	-	2	2	25	8	49
Male	792	398	24	15	47	4	16	9	40	66	173
Female	602	285	23	14	47	4	14	8	17	60	130
All other	190	113	1	1	-	-	2	1	23	6	43
Male	128	64	1	1	15	-	2	2	4	8	31
Female	95	42	1	1	15	-	2	1	2	6	25
Black	33	22	-	-	-	-	-	1	2	2	6
Male	109	54	1	1	13	-	2	2	4	7	25
Female	82	36	1	1	13	-	2	1	2	6	20
Female	27	18	-	-	-	-	-	1	2	1	5
In bed or cradle (E913.0)											
Male	167	129	1	-	-	-	-	-	15	6	16
Female	97	76	1	-	-	-	-	-	7	4	9
White	70	53	-	-	-	-	-	-	8	2	7
Male	142	108	1	-	-	-	-	-	15	5	13
Female	80	63	1	-	-	-	-	-	7	3	6
All other	62	45	-	-	-	-	-	-	8	2	7
Male	25	21	-	-	-	-	-	-	-	1	3
Female	17	13	-	-	-	-	-	-	-	1	3
Black	8	8	-	-	-	-	-	-	-	-	-
Male	22	20	-	-	-	-	-	-	-	1	1
Female	14	12	-	-	-	-	-	-	-	1	1
Female	8	8	-	-	-	-	-	-	-	-	-
Other and unspecified (E913.1-E913.9)											
Male	753	333	24	16	62	4	18	11	29	68	188
Female	600	251	23	15	62	4	16	9	12	62	146
White	153	82	1	1	-	-	2	2	17	6	42
Male	650	290	23	15	47	4	16	9	25	61	160
Female	522	222	22	14	47	4	14	8	10	57	124
All other	128	68	1	1	-	-	2	1	15	4	36
Male	103	43	1	1	15	-	2	2	4	7	28
Female	78	29	1	1	15	-	2	1	2	5	22
Black	25	14	-	-	-	-	-	-	-	2	6
Male	87	34	1	1	13	-	2	2	4	6	24
Female	68	24	1	1	13	-	2	1	2	5	19
Female	19	10	-	-	-	-	-	1	2	1	5
Foreign body accidentally entering eye or adnexa (E914)											
Male	1	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 36

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Foreign bodies accidentally entering other orifice (E915)	38	5	-	-	-	-	-	3	3	-	27
Male	22	3	-	-	-	-	-	3	2	-	15
Female	16	2	-	-	-	-	-	-	1	-	12
White	33	5	-	-	-	-	-	2	2	-	24
Male	18	2	-	-	-	-	-	2	1	-	13
Female	15	3	-	-	-	-	-	-	1	-	11
All other	5	-	-	-	-	-	-	1	1	-	3
Male	4	-	-	-	-	-	-	1	1	-	2
Female	1	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	-	-	-	1	1	-	3
Male	4	-	-	-	-	-	-	1	1	-	2
Female	1	-	-	-	-	-	-	-	-	-	1
Other accidents (E916-E928)	7,757	1,811	717	68	1,008	99	228	187	58	846	2,735
Male	6,413	1,449	689	68	964	90	206	167	36	789	1,955
Female	1,344	362	28	-	44	9	22	20	22	57	780
White	6,571	1,507	678	65	879	88	173	159	48	723	2,251
Male	5,464	1,217	652	65	846	81	156	142	29	674	1,602
Female	1,107	290	26	-	33	7	17	17	19	49	649
All other	1,186	304	39	3	129	11	55	28	10	123	484
Male	949	232	37	3	118	9	50	25	7	115	353
Female	237	72	2	-	11	2	5	3	3	8	131
Black	1,024	263	37	3	116	9	49	20	9	103	415
Male	831	203	35	3	109	7	45	18	6	97	308
Female	193	60	2	-	7	2	4	2	3	6	107
Struck accidentally by falling object (E916)	903	244	93	25	178	13	44	25	1	220	60
Male	851	211	89	25	174	12	39	24	1	218	58
Female	52	33	4	-	4	1	5	1	-	2	2
White	763	214	85	23	150	11	32	22	1	178	47
Male	716	183	81	23	146	10	28	21	1	177	46
Female	47	31	4	-	4	1	4	1	-	1	1
All other	140	30	8	2	28	2	12	3	-	42	13
Male	135	28	8	2	28	2	11	3	-	41	12
Female	5	2	-	-	-	-	1	-	-	1	1
Black	129	26	7	2	26	2	10	2	-	41	13
Male	125	24	7	2	26	2	10	2	-	40	12
Female	4	2	-	-	-	-	-	-	-	1	1
Striking against or struck accidentally by objects or persons (E917)	255	59	9	1	45	37	11	16	8	37	32
Male	214	41	7	1	44	32	10	13	4	34	28
Female	41	18	2	-	1	5	1	3	4	3	4
White	228	54	8	1	38	33	7	15	7	35	30
Male	192	36	7	1	38	29	7	12	4	32	26
Female	36	18	1	-	-	4	-	3	3	3	4
All other	27	5	1	-	7	4	4	1	1	2	2

SECTION 5 - ACCIDENT MORTALITY - PAGE 37

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Accident caused by cutting or piercing instruments or objects-Con.											
Powered hand tools (E920.0-E920.1)	22	10	3	-	2	-	-	-	-	4	3
Male	20	8	3	-	2	-	-	-	-	4	3
Female	2	2	-	-	-	-	-	-	-	-	-
White	18	9	2	-	2	-	-	-	-	2	3
Male	17	8	2	-	2	-	-	-	-	2	3
Female	1	1	-	-	-	-	-	-	-	-	-
All other	4	1	1	-	-	-	-	-	-	2	-
Male	3	-	1	-	-	-	-	-	-	2	-
Female	1	1	-	-	-	-	-	-	-	-	-
Black	4	1	1	-	-	-	-	-	-	2	-
Male	3	-	1	-	-	-	-	-	-	2	-
Female	1	1	-	-	-	-	-	-	-	-	-
Powered household appliances and implements (E920.2)	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other hand tools and implements (E920.3-E920.4)	12	7	-	-	-	-	2	-	-	2	1
Male	9	5	-	-	-	-	2	-	-	1	1
Female	3	2	-	-	-	-	-	-	-	1	-
White	8	5	-	-	-	-	-	-	-	2	1
Male	5	3	-	-	-	-	-	-	-	1	1
Female	3	2	-	-	-	-	-	-	-	1	-
All other	4	2	-	-	-	-	2	-	-	-	-
Male	4	2	-	-	-	-	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	4	2	-	-	-	-	2	-	-	-	-
Male	4	2	-	-	-	-	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Other (E920.8)	67	42	-	-	3	-	1	5	-	10	6
Male	62	38	-	-	3	-	1	5	-	9	6
Female	5	4	-	-	-	-	-	-	-	1	-
White	49	32	-	-	2	-	1	2	-	6	6
Male	45	28	-	-	2	-	1	2	-	6	6
Female	4	4	-	-	-	-	-	-	-	-	-
All other	18	10	-	-	1	-	-	3	-	4	-
Male	17	10	-	-	1	-	-	3	-	3	-
Female	1	-	-	-	-	-	-	-	-	1	-
Black	17	10	-	-	1	-	-	3	-	3	-
Male	16	10	-	-	1	-	-	3	-	2	-
Female	1	-	-	-	-	-	-	-	-	1	-
Unspecified (E920.9)	30	7	1	-	-	-	3	-	-	-	19
Male	25	6	1	-	-	-	3	-	-	-	15
Female	5	1	-	-	-	-	-	-	-	-	4
White	23	6	1	-	-	-	3	-	-	-	13
Male	20	5	1	-	-	-	3	-	-	-	11
Female	3	1	-	-	-	-	-	-	-	-	2
All other	7	1	-	-	-	-	-	-	-	-	6
Male	5	1	-	-	-	-	-	-	-	-	4
Female	2	-	-	-	-	-	-	-	-	-	2
Black	6	1	-	-	-	-	-	-	-	-	5
Male	5	1	-	-	-	-	-	-	-	-	4
Female	1	-	-	-	-	-	-	-	-	-	1
Accident caused by explosion of pressure vessel (E921)											
Male	49	9	2	-	20	-	-	8	-	9	1
Female	46	6	2	-	20	-	-	8	-	9	1
White	38	6	1	-	15	-	-	7	-	8	1
Male	35	3	1	-	15	-	-	7	-	8	1
Female	3	3	-	-	-	-	-	-	-	-	-
All other	11	3	1	-	5	-	-	1	-	1	-
Male	11	3	1	-	5	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	8	2	1	-	4	-	-	-	-	1	-
Male	8	2	1	-	4	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
Boilers (E921.0)	8	3	-	-	2	-	-	1	-	2	-
Male	8	3	-	-	2	-	-	1	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-
White	3	1	-	-	1	-	-	-	-	1	-
Male	3	1	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other	5	2	-	-	1	-	-	1	-	1	-
Male	5	2	-	-	1	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	1	-	-	-	-	1	-
Male	3	1	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 38

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

[illegible]

SECTION 5 - ACCIDENT MORTALITY - PAGE 39

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

(Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes)

[illegible]

SECTION 5 - ACCIDENT MORTALITY - PAGE 40

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home *	Farm *	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Accident caused by hot substance or object, caustic or corrosive material, and steam (E924)	176	122	-	-	19	2	-	4	11	4	14
Male	98	60	-	-	19	1	-	2	6	1	9
Female	78	62	-	-	-	1	-	2	5	3	5
White	121	79	-	-	18	2	-	3	9	4	6
Male	68	38	-	-	18	1	-	1	5	1	4
Female	53	41	-	-	-	1	-	2	4	3	2
All other	55	43	-	-	1	-	-	1	2	-	8
Male	30	22	-	-	1	-	-	1	1	-	5
Female	25	21	-	-	-	-	-	1	1	-	3
Black	51	39	-	-	1	-	-	1	2	-	8
Male	28	20	-	-	1	-	-	1	1	-	5
Female	23	19	-	-	-	-	-	-	1	-	3
Accident caused by electric current (E925)	802	212	27	5	243	11	16	36	1	55	196
Male	742	176	26	5	234	11	16	34	1	53	186
Female	60	36	1	-	9	-	-	2	-	2	10
White	719	191	22	5	217	11	13	34	-	51	175
Male	671	159	22	5	213	11	13	32	-	50	166
Female	48	32	-	-	4	-	-	2	-	1	9
All other	83	21	5	-	26	-	3	2	1	4	21
Male	71	17	4	-	21	-	3	2	1	3	20
Female	12	4	1	-	5	-	-	-	-	1	1
Black	71	18	5	-	23	-	1	2	1	3	18
Male	62	16	4	-	19	-	1	2	1	2	17
Female	9	2	1	-	4	-	-	-	-	1	1
Domestic wiring and appliances (E925.0)	146	146	-	-	-	-	-	-	-	-	-
Male	114	114	-	-	-	-	-	-	-	-	-
Female	32	32	-	-	-	-	-	-	-	-	-
White	130	130	-	-	-	-	-	-	-	-	-
Male	102	102	-	-	-	-	-	-	-	-	-
Female	28	28	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-
Male	12	12	-	-	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-
Male	11	11	-	-	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	-	-	-	-	-
Industrial wiring, appliances and electrical machinery (E925.2)	69	3	1	5	47	-	1	4	-	6	2
Male	68	2	1	5	47	-	1	4	-	6	2
Female	1	1	-	-	-	-	-	-	-	-	-
White	67	3	1	5	45	-	1	4	-	6	2
Male	66	2	1	5	45	-	1	4	-	6	2
Female	1	1	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	2	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	2	-	-	-	-	-	-
Male	2	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other (E925.1,E925.8)	446	63	26	-	196	11	15	32	1	49	53
Male	427	60	25	-	187	11	15	30	1	47	51
Female	19	3	1	-	9	-	-	2	-	2	2
White	395	58	21	-	172	11	12	30	-	45	46
Male	384	55	21	-	168	11	12	28	-	44	45
Female	11	3	-	-	4	-	-	2	-	1	1
All other	51	5	5	-	24	-	3	2	1	4	7
Male	43	5	4	-	19	-	3	2	1	3	6
Female	8	-	1	-	5	-	-	-	-	1	1
Black	44	5	5	-	21	-	1	2	1	3	6
Male	37	5	4	-	17	-	1	2	1	2	5
Female	7	-	1	-	4	-	-	-	-	1	1
Unspecified (E925.9)	141	-	-	-	-	-	-	-	-	-	141
Male	133	-	-	-	-	-	-	-	-	-	133
Female	8	-	-	-	-	-	-	-	-	-	8
White	127	-	-	-	-	-	-	-	-	-	127
Male	119	-	-	-	-	-	-	-	-	-	119
Female	8	-	-	-	-	-	-	-	-	-	8
All other	14	-	-	-	-	-	-	-	-	-	14
Male	14	-	-	-	-	-	-	-	-	-	14
Female	-	-	-	-	-	-	-	-	-	-	-
Black	12	-	-	-	-	-	-	-	-	-	12
Male	12	-	-	-	-	-	-	-	-	-	12
Female	-	-	-	-	-	-	-	-	-	-	-
Exposure to radiation (E926)	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 41

Table 5-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Race, and Sex: United States, 1985—Con.

[Includes each three-digit category and selected four-digit subcategories E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Cause of death, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Overexertion and strenuous movements (E927)	28	4	-	-	2	-	2	-	-	1	19
Male	27	4	-	-	2	-	2	-	-	1	18
Female	1	-	-	-	-	-	-	-	-	-	1
White	24	4	-	-	2	-	2	-	-	1	15
Male	23	4	-	-	2	-	2	-	-	1	14
Female	1	-	-	-	-	-	-	-	-	-	1
All other	4	-	-	-	-	-	-	-	-	-	4
Male	4	-	-	-	-	-	-	-	-	-	4
Female	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	3
Male	3	-	-	-	-	-	-	-	-	-	3
Female	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified environmental and accidental causes (E928)	2,074	111	10	5	25	12	28	10	20	49	1,804
Male	1,330	67	9	5	24	12	21	9	10	41	1,132
Female	744	44	1	-	1	-	7	1	10	8	672
White	1,705	85	10	4	23	10	22	6	17	37	1,491
Male	1,085	50	9	4	23	10	15	6	8	32	928
Female	620	35	1	-	-	-	7	-	9	5	563
All other	369	26	-	1	2	2	6	4	3	12	313
Male	245	17	-	1	1	2	6	3	2	9	204
Female	124	9	-	-	1	-	-	1	1	3	109
Black	317	20	-	1	2	2	6	4	2	6	274
Male	215	13	-	1	1	2	6	3	1	5	183
Female	102	7	-	-	1	-	-	1	1	1	91

¹ Including home premises and any noninstitutional place of residence.

² Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 5 - ACCIDENT MORTALITY - PAGE 42

Table 5-6. Deaths From Nontransport Accidents, by Place of Accident, 5-Year Age Groups, Race, and Sex: United States, 1985

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Place of accident, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All nontransport accidents (E850-E869, E880-E928)	40,687	667	585	512	386	293	2,443	840	872	1,656	2,489	2,720	2,567	2,081
Male	27,034	363	348	317	256	194	1,478	559	697	1,400	2,110	2,276	2,152	1,713
Female	13,653	304	237	195	130	99	965	281	175	256	379	444	415	368
White	33,410	468	419	402	274	216	1,779	549	634	1,326	2,063	2,198	2,016	1,597
Male	21,931	255	252	261	183	145	1,096	374	520	1,125	1,759	1,863	1,725	1,322
Female	11,479	213	167	141	91	71	683	175	114	201	304	335	291	275
All other	7,277	199	166	110	112	77	664	291	238	330	426	522	551	484
Male	5,103	108	96	56	73	49	382	185	177	275	351	413	427	391
Female	2,174	91	70	54	39	28	282	106	61	55	75	109	124	93
Black	6,479	178	143	96	98	63	578	253	211	276	347	470	491	436
Male	4,541	98	84	44	62	41	329	159	156	233	284	374	381	358
Female	1,938	80	59	52	36	22	249	94	55	43	63	96	110	78
Home ¹ (0)	15,924	454	437	345	257	196	1,689	462	366	456	679	865	917	741
Male	9,767	249	255	195	163	122	984	280	273	347	498	654	711	564
Female	6,157	205	182	150	94	74	705	182	93	109	181	211	206	177
White	12,814	327	308	257	161	136	1,189	286	287	358	567	711	714	573
Male	7,808	175	184	155	101	84	699	179	223	276	420	547	573	439
Female	5,006	152	124	102	60	52	490	107	64	82	147	164	141	134
All other	3,110	127	129	88	96	60	500	176	79	98	112	154	203	168
Male	1,959	74	71	40	62	38	285	101	50	71	78	107	138	125
Female	1,151	53	58	48	34	22	215	75	29	27	34	47	65	43
Black	2,838	113	110	79	85	54	441	161	72	85	94	141	191	150
Male	1,790	69	61	32	53	34	249	92	44	64	64	93	131	115
Female	1,048	44	49	47	32	20	192	69	28	21	30	43	60	35
Farm ² (1)	1,006	2	12	17	17	11	59	38	37	76	52	69	54	57
Male	943	2	9	17	14	10	52	29	33	72	51	63	50	53
Female	63	-	3	-	3	1	7	9	4	4	1	6	4	4
White	933	2	9	17	17	11	56	37	36	66	47	64	46	50
Male	876	2	7	17	14	10	50	29	32	62	46	60	43	47
Female	57	-	2	-	3	1	6	8	4	4	1	4	3	3
All other	73	-	3	-	-	-	3	1	1	10	5	5	8	7
Male	67	-	2	-	-	-	2	-	1	10	5	3	7	6
Female	6	-	1	-	-	-	1	1	-	-	-	2	1	1
Black	67	-	1	-	-	-	1	1	-	8	5	5	7	7
Male	63	-	1	-	-	-	1	-	-	8	5	3	7	6
Female	4	-	-	-	-	-	-	1	-	-	-	2	-	1
Mine and quarry (2)	147	-	-	-	-	-	-	4	7	18	26	22	14	17
Male	141	-	-	-	-	-	-	2	5	16	26	22	14	17
Female	6	-	-	-	-	-	-	2	2	2	-	-	-	-
White	132	-	-	-	-	-	-	2	3	16	24	21	14	15
Male	128	-	-	-	-	-	-	2	1	14	24	21	14	15
Female	4	-	-	-	-	-	-	-	2	2	-	-	-	-
All other	15	-	-	-	-	-	-	2	4	2	2	1	-	2
Male	13	-	-	-	-	-	-	-	4	2	2	1	-	2
Female	2	-	-	-	-	-	-	2	-	-	-	-	-	-
Black	15	-	-	-	-	-	-	2	4	2	2	1	-	2
Male	13	-	-	-	-	-	-	-	4	2	2	1	-	2
Female	2	-	-	-	-	-	-	2	-	-	-	-	-	-
Industrial place and premises (3)	1,600	1	2	4	2	1	10	10	12	76	263	266	218	148
Male	1,530	-	4	2	-	-	6	9	11	69	257	259	214	136
Female	70	1	2	-	-	1	4	1	1	7	6	7	4	12
White	1,397	-	2	3	2	1	8	7	12	71	241	233	188	129
Male	1,343	-	3	2	-	-	5	7	11	65	236	227	184	121
Female	54	-	2	-	-	1	3	-	1	6	5	6	4	8
All other	203	1	1	-	-	-	2	3	-	5	22	33	30	19
Male	187	-	1	-	-	-	1	2	-	4	21	32	30	15
Female	16	1	-	-	-	-	1	1	-	1	1	1	-	4
Black	183	1	-	1	-	-	2	2	-	4	19	29	26	16
Male	171	-	-	1	-	-	1	1	-	4	18	28	26	13
Female	12	1	-	-	-	-	1	1	-	-	1	1	-	3
Place for recreation and sport (4)	1,226	4	26	37	28	16	111	71	94	184	201	132	100	77
Male	1,046	3	18	26	21	12	80	53	77	163	194	114	91	68
Female	180	1	8	11	7	4	31	18	17	21	7	18	9	9
White	925	4	22	34	26	14	100	42	41	130	152	95	84	58
Male	784	3	15	23	21	10	72	31	38	116	146	83	76	52
Female	131	1	7	11	5	4	28	11	3	14	6	12	8	6
All other	301	-	4	3	2	2	11	29	53	54	49	37	16	19
Male	252	-	3	3	-	-	8	22	39	47	48	31	15	16
Female	49	-	1	-	2	-	3	7	14	7	1	6	1	3
Black	262	-	4	3	1	1	9	24	49	51	39	33	15	18
Male	224	-	3	3	-	1	7	18	38	45	38	28	14	15
Female	38	-	1	-	1	-	2	6	11	6	1	5	1	3
Street and highway (5)	922	4	1	3	1	3	12	8	16	47	85	88	75	84
Male	751	2	-	3	1	2	8	7	13	38	73	71	66	78
Female	171	2	1	-	-	1	4	1	3	9	12	17	9	6
White	676	1	-	3	1	3	8	5	11	40	62	64	52	58
Male	537	1	-	3	1	2	7	5	9	31	55	52	45	52
Female	139	-	-	-	-	1	1	-	2	9	7	12	7	6
All other	246	3	1	-	-	-	4	3	5	7	23	24	23	26
Male	214	1	-	-	-	-	1	2	4	7	18	19	21	26
Female	32	2	1	-	-	-	3	1	-	-	5	5	2	-
Black	215	3	1	-	-	-	4	3	3	5	20	21	21	22
Male	188	1	-	-	-	-	1	2	2	5	16	16	20	22
Female	27	2	1	-	-	-	3	1	1	-	4	5	1	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 43

Table 5-6. Deaths From Nontransport Accidents, by Place of Accident, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Place of accident, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All nontransport accidents (E850-E869, E880-E928)	1,690	1,463	1,493	1,865	2,059	2,071	2,483	2,983	3,187	2,997	1,908	624	106	90
Male	1,374	1,141	1,127	1,387	1,466	1,347	1,452	1,625	1,482	1,235	678	215	38	82
Female	316	322	366	478	593	724	1,031	1,358	1,705	1,762	1,230	409	68	8
White	1,275	1,083	1,153	1,491	1,681	1,732	2,102	2,611	2,852	2,768	1,780	564	85	71
Male	1,034	842	873	1,108	1,197	1,116	1,229	1,415	1,300	1,122	624	191	31	65
Female	241	241	280	383	484	616	873	1,196	1,552	1,646	1,156	373	54	6
All other	415	380	340	374	378	339	381	372	335	229	128	60	21	19
Male	340	299	254	279	269	231	223	210	182	113	54	24	7	17
Female	75	81	86	95	109	108	158	162	153	116	74	36	14	2
Black	371	342	310	348	353	312	348	330	305	202	113	48	18	17
Male	308	271	231	261	252	213	206	178	166	97	45	18	6	15
Female	63	71	79	87	101	99	142	152	139	105	68	30	12	2
Home ¹ (0)	599	545	615	746	883	913	1,080	1,253	1,245	1,075	585	163	31	16
Male	433	381	400	489	580	558	644	652	563	442	222	64	14	14
Female	166	164	215	257	303	355	436	601	682	633	363	99	17	2
White	445	400	453	579	711	759	905	1,093	1,096	980	535	140	22	11
Male	319	269	287	380	471	455	543	563	486	399	204	55	10	11
Female	126	131	166	199	240	304	362	530	610	581	331	85	12	-
All other	154	145	162	167	172	154	175	160	149	95	50	23	9	5
Male	114	112	113	109	109	103	101	89	77	43	18	9	4	3
Female	40	33	49	58	63	51	74	71	72	52	32	14	5	2
Black	143	138	151	154	163	146	163	141	138	89	46	18	8	5
Male	106	106	106	101	105	97	94	78	72	40	15	6	4	3
Female	37	32	45	53	58	49	69	63	66	49	31	12	4	2
Farm ² (1)	51	59	59	81	80	71	67	46	31	16	1	1	-	1
Male	46	56	58	79	75	68	65	45	30	15	1	1	-	1
Female	5	3	1	2	5	3	2	1	1	1	-	-	-	-
White	47	54	57	80	76	68	60	44	28	14	1	1	-	1
Male	42	51	56	78	71	65	58	43	27	13	1	1	-	1
Female	5	3	1	2	5	3	2	1	1	1	-	-	-	-
All other	4	5	2	1	4	3	7	2	3	2	-	-	-	-
Male	4	5	2	1	4	3	7	2	3	2	-	-	-	-
Female	4	5	2	1	4	3	7	2	3	2	-	-	-	-
Black	4	5	2	1	4	3	7	2	3	2	-	-	-	-
Male	4	5	2	1	4	3	7	2	3	2	-	-	-	-
Female	4	5	2	1	4	3	7	2	3	2	-	-	-	-
Mine and quarry (2)	11	11	6	5	4	1	-	1	-	-	-	-	-	-
Male	11	11	6	5	4	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	11	10	6	4	4	1	-	1	-	-	-	-	-	-
Male	11	10	6	4	4	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial place and premises (3)	152	104	95	114	69	18	22	10	5	5	1	-	-	2
Male	143	97	91	112	67	18	21	9	4	4	1	-	-	2
Female	9	7	4	2	2	-	1	1	1	1	-	-	-	-
White	123	95	80	99	56	15	20	8	4	5	1	-	-	2
Male	118	88	76	98	54	15	20	8	3	4	1	-	-	2
Female	5	7	4	1	2	-	-	-	1	1	-	-	-	-
All other	29	9	15	15	13	3	2	2	1	-	-	-	-	-
Male	25	9	15	14	13	3	1	1	1	-	-	-	-	-
Female	4	-	-	1	-	-	1	1	-	-	-	-	-	-
Black	28	9	14	15	12	3	1	2	1	-	-	-	-	-
Male	25	9	14	14	12	3	1	1	1	-	-	-	-	-
Female	3	-	-	1	-	-	-	1	-	-	-	-	-	-
Place for recreation and sport (4)	40	35	26	28	24	30	21	16	22	9	2	2	-	1
Male	37	30	23	23	20	24	9	14	17	6	-	2	-	1
Female	3	5	3	5	4	6	12	2	5	3	2	-	-	-
White	30	30	20	25	23	24	20	16	21	9	2	2	-	1
Male	28	28	18	20	19	18	9	14	17	6	-	2	-	1
Female	2	2	2	5	4	6	11	2	4	3	2	-	-	-
All other	10	5	6	3	1	6	1	-	1	-	-	-	-	-
Male	9	2	5	3	1	6	-	-	-	-	-	-	-	-
Female	1	3	1	-	-	-	1	-	1	-	-	-	-	-
Black	7	4	3	2	1	6	-	-	1	-	-	-	-	-
Male	7	2	3	2	1	6	-	-	-	-	-	-	-	-
Female	-	2	-	-	-	-	-	-	1	-	-	-	-	-
Street and highway (5)	67	43	45	64	58	44	35	55	47	28	15	6	-	-
Male	63	38	39	57	52	33	24	39	30	16	4	2	-	-
Female	4	5	6	7	6	11	11	16	17	12	11	4	-	-
White	36	28	32	41	48	33	27	46	39	26	14	6	-	-
Male	34	24	27	35	42	23	19	32	24	15	4	2	-	-
Female	2	4	5	6	6	10	8	14	15	11	10	4	-	-
All other	31	15	13	23	10	11	8	9	8	2	1	-	-	-
Male	29	14	12	22	10	10	5	7	6	1	-	-	-	-
Female	2	1	1	1	-	3	2	2	1	1	-	-	-	-
Black	28	12	12	22	9	11	6	7	7	1	-	-	-	-
Male	26	11	11	22	9	10	4	5	6	-	-	-	-	-
Female	2	1	1	-	-	1	2	2	1	1	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 44

Table 5-6. Deaths From Nontransport Accidents, by Place of Accident, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Place of accident, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Public building (6)	1,075	3	1	8	6	1	19	11	29	51	92	104	121	109
Male	838	2	1	7	6	1	16	8	25	44	70	85	112	95
Female	237	1	1	1	1	1	3	3	4	7	22	19	9	14
White	920	1	1	8	3	1	14	9	23	39	81	86	101	87
Male	712	1	1	7	3	1	11	7	20	33	61	71	94	76
Female	208	1	1	1	1	1	3	2	3	6	20	15	7	11
All other	155	2	1	1	3	1	5	2	6	12	11	18	20	22
Male	126	2	1	1	3	1	5	1	5	11	9	14	18	19
Female	29	1	1	1	1	1	1	1	1	1	2	4	2	3
Black	127	2	1	1	3	1	5	1	5	8	7	16	16	20
Male	105	2	1	1	3	1	5	1	4	8	7	13	14	17
Female	22	1	1	1	1	1	1	1	1	1	2	3	2	3
Residential institution (7)	1,889	4	1	1	1	2	8	5	3	15	20	35	34	31
Male	819	3	1	1	1	2	4	3	3	11	15	30	22	18
Female	1,070	1	1	1	1	2	4	2	1	4	5	5	12	13
White	1,737	3	1	1	1	2	7	3	3	13	16	25	23	25
Male	734	2	1	1	1	3	2	3	3	9	12	21	15	14
Female	1,003	1	1	1	1	2	4	1	1	4	4	4	8	11
All other	152	1	1	1	1	1	2	1	1	2	4	10	11	6
Male	85	1	1	1	1	1	1	1	1	2	3	9	7	4
Female	67	1	1	1	1	1	1	1	1	1	1	1	4	2
Black	127	1	1	1	1	1	2	1	1	2	4	8	10	6
Male	69	1	1	1	1	1	1	1	1	2	3	8	7	4
Female	58	1	1	1	1	1	1	1	1	1	1	3	3	2
Other specified places (8)	4,607	26	44	49	37	39	195	150	191	452	599	561	443	320
Male	3,969	11	27	38	27	29	132	118	161	418	555	502	387	280
Female	638	15	17	11	10	10	63	32	30	34	44	59	56	40
White	3,642	22	36	41	32	32	163	94	132	369	489	446	349	242
Male	3,134	10	22	32	24	26	114	70	115	341	454	401	301	212
Female	508	12	14	9	8	6	49	24	17	28	35	45	48	30
All other	965	4	8	8	5	7	32	56	59	83	110	115	94	78
Male	835	1	5	6	3	3	18	48	46	77	101	101	86	68
Female	130	3	3	2	2	4	14	8	13	6	9	14	8	10
Black	795	4	6	4	3	5	22	41	51	67	84	100	77	68
Male	690	1	4	2	1	3	11	36	40	62	78	88	71	60
Female	105	3	2	2	2	2	11	5	11	5	6	12	6	8
Unspecified place (9)	12,291	169	62	48	37	24	340	81	117	281	472	578	591	497
Male	7,230	91	38	26	22	19	196	50	96	222	371	476	485	404
Female	5,061	78	24	22	15	5	144	31	21	59	101	102	106	93
White	10,234	108	41	38	31	16	234	64	86	224	384	453	445	360
Male	5,865	62	23	20	17	13	135	42	68	178	305	380	380	294
Female	4,369	46	18	18	14	3	99	22	18	46	79	73	65	66
All other	2,057	61	21	10	6	8	106	17	31	57	88	125	146	137
Male	1,365	29	15	6	5	6	61	8	28	44	66	96	105	110
Female	692	32	6	4	1	2	45	9	3	13	22	29	41	27
Black	1,850	55	21	9	6	3	94	16	27	44	71	116	128	127
Male	1,228	25	15	6	5	3	54	8	24	33	53	91	91	104
Female	622	30	6	3	1	1	40	8	3	11	18	25	37	23

SECTION 5 - ACCIDENT MORTALITY - PAGE 45

Table 5-6. Deaths From Nontransport Accidents, by Place of Accident, 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E898 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Place of accident, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Public building (6)	61	64	57	77	57	44	44	48	38	35	11	1	-	2
Male	51	54	50	65	43	31	23	25	19	13	7	-	-	2
Female	10	10	7	12	14	13	21	23	19	22	4	1	-	-
White	46	51	53	67	51	40	41	46	38	34	11	1	-	1
Male	39	42	47	57	40	29	21	24	19	13	7	-	-	1
Female	7	9	6	10	11	11	20	22	19	21	4	1	-	-
All other	15	13	4	10	6	4	3	2	-	1	-	-	-	1
Male	12	12	3	8	3	2	2	1	-	-	-	-	-	1
Female	3	1	1	2	3	2	1	1	-	1	-	-	-	-
Black	14	11	2	9	4	2	3	1	-	-	-	-	-	1
Male	11	11	1	7	4	2	3	1	-	-	-	-	-	1
Female	3	-	1	2	2	1	1	-	-	-	-	-	-	-
Residential institution (7)	22	26	28	46	67	78	141	219	311	352	307	127	12	2
Male	16	16	20	26	37	42	67	96	135	123	87	45	2	1
Female	6	10	8	20	30	36	74	123	176	229	220	82	10	1
White	19	20	23	43	61	64	127	200	296	339	295	122	11	2
Male	14	11	16	25	34	35	60	88	127	115	84	43	2	1
Female	5	9	7	18	27	29	67	112	169	224	211	79	9	1
All other	3	6	5	3	6	14	14	19	15	13	12	5	1	-
Male	2	5	4	1	3	7	7	8	8	3	2	2	-	-
Female	1	1	1	2	3	7	7	11	7	5	9	3	1	-
Black	3	5	5	3	6	11	13	16	11	6	12	3	1	-
Male	2	5	4	1	3	6	6	5	4	3	3	2	-	-
Female	1	-	1	2	3	5	7	11	7	3	9	1	1	-
Other specified places (8)	291	216	170	219	206	150	116	97	81	58	34	7	1	50
Male	272	193	160	192	170	126	88	62	49	31	20	3	1	49
Female	19	23	10	27	36	24	28	35	32	27	14	4	-	1
White	222	150	134	180	165	126	97	84	71	48	32	7	1	41
Male	206	136	127	155	139	105	72	54	42	26	20	3	1	40
Female	16	14	7	25	26	21	25	30	29	22	12	4	-	1
All other	69	66	36	39	41	24	19	13	10	10	2	-	-	9
Male	66	57	33	37	31	21	16	8	7	5	-	-	-	9
Female	3	9	3	2	10	3	3	5	3	5	2	-	-	-
Black	59	55	31	33	33	20	18	12	6	9	1	-	-	8
Male	57	48	28	32	24	17	15	7	4	4	-	-	-	8
Female	2	7	3	1	9	3	3	5	2	5	1	-	-	-
Unspecified place (9)	396	360	392	485	611	722	957	1,238	1,407	1,419	952	317	62	16
Male	302	265	280	339	418	446	511	682	635	585	336	98	21	12
Female	94	95	112	146	193	276	446	556	772	834	616	219	41	4
White	296	245	295	373	486	602	805	1,073	1,259	1,313	889	285	51	12
Male	223	183	213	256	323	370	427	588	555	531	303	85	18	8
Female	73	62	82	117	163	232	378	485	704	782	586	200	33	4
All other	100	115	97	112	125	120	152	165	148	106	63	32	11	4
Male	79	82	67	83	95	76	84	94	80	54	33	13	3	4
Female	21	33	30	29	30	44	68	71	68	52	30	19	8	-
Black	85	102	90	108	121	110	137	149	138	95	53	27	9	3
Male	70	73	62	80	92	70	77	80	76	48	27	10	2	3
Female	15	29	28	28	29	40	60	69	62	47	26	17	7	-

¹ Including home premises and any noninstitutional place of residence.

² Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 5 - ACCIDENT MORTALITY - PAGE 46

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
United States	40,687	15,924	1,006	147	1,600	1,226	922	1,075	1,889	4,607	12,291
Male	27,034	9,767	943	141	1,530	1,046	751	838	819	3,969	7,230
Female	13,653	6,157	63	6	70	180	171	237	1,070	638	5,061
White	33,410	12,814	933	132	1,397	925	676	920	1,737	3,642	10,224
Male	21,931	7,808	876	128	1,343	794	537	712	734	3,134	5,865
Female	11,479	5,006	57	4	54	131	139	208	1,003	508	4,359
All other	7,277	3,110	73	15	203	301	246	155	152	965	2,057
Male	5,103	1,959	67	13	187	252	214	126	85	835	1,367
Female	2,174	1,151	6	2	16	49	32	29	67	130	692
Black	6,479	2,838	67	15	183	262	215	127	127	795	1,850
Male	4,541	1,790	63	13	171	224	188	105	69	690	1,228
Female	1,938	1,048	4	2	12	38	27	22	58	105	622
Alabama	872	318	19	3	33	22	20	11	20	82	344
Male	578	191	17	3	32	18	16	10	8	75	208
Female	294	127	2	-	1	4	4	1	12	7	136
White	568	199	14	3	23	14	10	8	15	52	230
Male	381	120	13	3	22	11	9	7	5	48	143
Female	187	79	1	-	1	3	1	1	10	4	87
All other	304	119	5	-	10	8	10	3	5	30	114
Male	197	71	4	-	10	7	7	3	3	27	65
Female	107	48	1	-	1	1	3	-	2	3	49
Black	303	119	5	-	10	8	10	3	5	30	113
Male	197	71	4	-	10	7	7	3	3	27	65
Female	106	48	1	-	-	1	3	-	2	3	48
Alaska	192	33	-	-	10	2	2	3	2	29	111
Male	154	25	-	-	10	2	2	3	1	27	84
Female	38	8	-	-	-	-	-	-	1	2	27
White	117	21	-	-	10	2	1	1	1	14	67
Male	96	16	-	-	10	2	1	1	-	14	52
Female	21	5	-	-	-	-	-	-	1	-	15
All other	75	12	-	-	-	-	1	2	1	15	44
Male	58	9	-	-	-	-	1	2	1	13	32
Female	17	3	-	-	-	-	-	-	-	2	12
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Arizona	572	254	2	2	21	25	12	15	38	98	105
Male	368	135	2	2	20	22	11	9	16	87	64
Female	204	119	-	-	1	3	1	6	22	11	41
White	483	223	1	2	20	22	6	13	36	76	84
Male	298	115	1	2	19	19	6	7	16	66	47
Female	185	108	-	-	1	3	-	6	20	10	37
All other	89	31	1	-	1	3	6	2	2	22	21
Male	70	20	1	-	1	3	5	2	-	21	17
Female	19	11	-	-	-	-	1	-	2	1	4
Black	23	9	-	-	-	1	1	-	1	5	6
Male	16	6	-	-	-	1	-	-	-	5	4
Female	7	3	-	-	-	-	1	-	1	-	2
Arkansas	511	211	23	1	19	24	8	10	28	77	110
Male	350	115	22	1	17	20	5	9	16	72	73
Female	161	96	1	-	2	4	3	1	12	5	37
White	401	159	21	1	15	16	6	9	27	58	89
Male	274	87	21	1	13	12	4	8	16	54	58
Female	127	72	-	-	2	4	2	1	11	4	31
All other	110	52	2	-	4	8	2	1	1	19	21
Male	76	28	1	-	4	8	1	1	-	18	15
Female	34	24	1	-	-	-	1	-	1	1	6
Black	109	52	2	-	4	8	2	1	1	19	20
Male	75	28	1	-	4	8	1	1	-	18	14
Female	34	24	1	-	-	-	1	-	1	1	6
California	4,414	2,043	28	3	136	160	127	212	232	607	866
Male	3,059	1,294	26	3	133	129	106	163	115	500	590
Female	1,355	749	2	-	3	31	21	49	117	107	276
White	3,801	1,765	27	3	129	132	97	181	214	525	728
Male	2,635	1,128	25	3	127	109	79	137	102	430	495
Female	1,166	637	2	-	2	23	18	44	112	95	233
All other	613	278	1	-	7	28	30	31	18	82	138
Male	424	166	1	-	6	20	27	26	13	70	95
Female	189	112	-	-	1	8	3	5	5	12	43
Black	445	206	-	-	4	15	24	21	13	53	109
Male	310	124	-	-	4	10	22	18	10	45	77
Female	135	82	-	-	-	5	2	3	3	8	32
Colorado	525	157	15	3	27	17	8	26	40	70	162
Male	360	103	13	2	25	13	6	20	20	60	98
Female	165	54	2	1	2	4	2	6	20	10	64
White	493	149	15	3	26	17	8	25	38	66	146
Male	342	99	13	2	24	13	6	19	19	57	90
Female	151	50	2	1	2	4	2	6	19	9	56
All other	32	8	-	-	1	-	-	1	2	4	16
Male	18	4	-	-	1	-	-	1	1	3	8
Female	14	4	-	-	-	-	-	-	1	1	8
Black	27	6	-	-	1	-	-	-	2	4	14
Male	16	4	-	-	1	-	-	-	1	3	7
Female	11	2	-	-	-	-	-	-	1	1	7

SECTION 5 - ACCIDENT MORTALITY - PAGE 47

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Connecticut	431	117	3	-	8	7	8	10	12	20	246
Male	264	66	3	-	7	5	6	4	5	19	149
Female	167	51	-	-	1	2	2	6	7	1	97
White	397	110	3	-	8	5	7	9	12	18	225
Male	237	61	3	-	7	4	5	3	5	17	132
Female	160	49	-	-	1	1	2	6	7	1	93
All other	34	7	-	-	-	2	1	1	-	2	21
Male	27	5	-	-	-	1	1	1	-	2	17
Female	7	2	-	-	-	1	-	-	-	-	4
Black	33	7	-	-	-	2	1	1	-	1	21
Male	26	5	-	-	-	1	1	1	-	1	17
Female	7	2	-	-	-	1	-	-	-	-	4
Delaware	83	25	2	1	1	-	-	5	4	16	29
Male	58	16	2	1	1	-	-	4	4	12	18
Female	25	9	-	-	-	-	-	1	-	4	11
White	66	15	2	1	1	-	-	5	4	13	25
Male	47	11	2	1	1	-	-	4	4	9	15
Female	19	4	-	-	-	-	-	1	-	4	10
All other	17	10	-	-	-	-	-	-	-	3	4
Male	11	5	-	-	-	-	-	-	-	3	3
Female	6	5	-	-	-	-	-	-	-	-	1
Black	16	10	-	-	-	-	-	-	-	3	3
Male	11	5	-	-	-	-	-	-	-	3	3
Female	5	5	-	-	-	-	-	-	-	-	-
District of Columbia	148	34	-	-	1	1	3	1	4	30	74
Male	98	20	-	-	1	1	3	1	-	21	51
Female	50	14	-	-	-	-	-	-	4	9	23
White	37	8	-	-	-	-	-	1	3	5	20
Male	22	4	-	-	-	-	-	1	-	3	14
Female	15	4	-	-	-	-	-	-	3	2	6
All other	111	26	-	-	1	1	3	-	1	25	54
Male	76	16	-	-	1	1	3	-	-	18	37
Female	35	10	-	-	-	-	-	-	1	7	17
Black	111	26	-	-	1	1	3	-	1	25	54
Male	76	16	-	-	1	1	3	-	-	18	37
Female	35	10	-	-	-	-	-	-	1	7	17
Florida	1,860	805	9	6	89	92	35	64	95	273	392
Male	1,227	488	8	6	82	72	28	49	38	242	214
Female	633	317	1	-	7	20	7	15	57	31	178
White	1,511	670	8	1	61	65	29	57	92	208	320
Male	977	403	8	1	59	51	24	43	37	183	168
Female	534	267	-	-	2	14	5	14	55	25	152
All other	349	135	1	5	28	27	6	7	3	65	72
Male	250	85	-	5	23	21	4	6	1	59	46
Female	99	50	1	-	5	6	2	1	2	6	26
Black	342	135	1	5	27	27	6	3	3	60	46
Male	245	85	-	5	22	21	4	5	1	56	46
Female	97	50	1	-	5	6	2	1	2	4	26
Georgia	1,207	670	53	3	54	35	33	47	79	139	94
Male	824	410	50	3	53	33	24	34	31	127	59
Female	383	260	3	-	1	2	9	13	48	12	35
White	795	425	42	2	38	14	17	34	72	90	61
Male	518	247	39	2	38	13	9	23	27	81	39
Female	277	178	3	-	-	1	8	11	45	9	22
All other	412	245	11	1	16	21	16	13	7	49	33
Male	306	163	11	1	15	20	15	11	4	46	20
Female	106	82	-	-	1	1	1	2	3	3	13
Black	406	242	11	1	16	21	16	12	7	47	33
Male	302	161	11	1	15	20	15	11	4	44	20
Female	104	81	-	-	1	1	1	1	3	3	13
Hawaii	134	30	-	-	3	8	6	6	9	23	49
Male	89	19	-	-	3	6	5	3	3	21	29
Female	45	11	-	-	-	2	1	3	6	2	20
White	32	10	-	-	-	3	1	-	1	8	9
Male	25	9	-	-	-	3	1	-	-	7	5
Female	7	1	-	-	-	-	-	-	1	1	4
All other	102	20	-	-	3	5	5	6	8	15	40
Male	64	10	-	-	3	3	4	3	3	14	24
Female	38	10	-	-	-	2	1	3	5	1	16
Black	3	-	-	-	-	1	-	-	-	1	1
Male	3	-	-	-	-	1	-	-	-	1	1
Female	-	-	-	-	-	-	-	-	-	-	-
Idaho	188	76	13	4	10	4	2	3	13	34	29
Male	137	50	12	4	9	4	2	3	4	31	18
Female	51	26	1	-	1	-	-	-	9	3	11
White	181	74	12	4	10	4	2	2	13	31	29
Male	133	49	12	4	9	4	2	2	4	29	18
Female	48	25	-	-	1	-	-	-	9	2	11
All other	7	2	1	-	-	-	-	1	-	3	-
Male	4	1	-	-	-	-	-	1	-	2	-
Female	3	1	1	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 48

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Illinois	1,755	766	34	3	92	54	67	62	69	176	432
Male	1,176	501	30	1	84	47	56	52	34	144	227
Female	579	265	4	2	8	7	11	10	35	32	205
White	1,362	553	33	-	84	40	39	44	61	132	376
Male	898	360	29	-	78	33	30	39	28	107	194
Female	464	193	4	-	6	7	9	5	33	25	182
All other	393	213	1	3	8	14	28	18	8	44	56
Male	278	141	1	1	6	14	26	13	6	37	33
Female	115	72	-	2	2	-	2	5	2	7	23
Black	384	210	1	3	8	14	27	17	8	43	53
Male	272	138	1	1	6	14	25	13	6	36	32
Female	112	72	-	2	2	-	2	4	2	7	21
Indiana	836	305	44	3	40	24	14	17	42	56	291
Male	507	179	41	2	40	16	12	12	15	46	144
Female	329	126	3	1	-	8	2	5	27	10	147
White	748	271	43	2	35	16	13	16	37	46	269
Male	452	158	40	1	35	13	11	11	13	39	131
Female	296	113	3	1	-	3	2	5	24	7	138
All other	88	34	1	1	5	8	1	1	5	10	22
Male	55	21	1	1	5	3	1	1	2	7	13
Female	33	13	-	-	-	5	-	-	3	3	9
Black	85	31	1	1	5	3	1	1	5	10	22
Male	54	20	1	1	-	3	1	1	2	7	13
Female	31	11	-	-	5	5	-	-	3	3	9
Iowa	504	193	56	5	22	7	7	12	60	30	112
Male	318	100	53	5	22	6	7	9	19	26	71
Female	186	93	3	1	-	1	-	3	41	4	41
White	496	190	56	5	22	7	7	12	58	28	111
Male	313	99	53	5	22	6	7	9	18	24	70
Female	183	91	3	-	-	1	-	3	40	4	41
All other	8	3	-	-	-	-	-	-	2	2	1
Male	5	1	-	-	-	-	-	-	1	2	1
Female	3	2	-	-	-	-	-	-	1	-	-
Black	6	2	-	-	-	-	-	-	2	1	1
Male	4	1	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	1	-	-
Kansas	425	188	19	-	30	12	9	5	43	26	93
Male	255	105	18	-	29	8	7	5	11	24	48
Female	170	83	1	-	1	4	2	-	32	2	45
White	393	174	19	-	29	11	8	5	43	22	82
Male	237	99	18	-	28	8	7	5	11	20	41
Female	156	75	1	-	1	3	1	-	32	2	41
All other	32	14	-	-	1	1	1	-	-	4	11
Male	18	6	-	-	1	-	-	-	-	4	7
Female	14	8	-	-	-	1	1	-	-	-	4
Black	29	13	-	-	1	-	-	-	-	4	11
Male	18	6	-	-	1	-	-	-	-	4	7
Female	11	7	-	-	-	-	-	-	-	-	4
Kentucky	750	301	41	16	33	21	10	14	28	74	212
Male	523	188	40	16	31	17	9	12	12	62	136
Female	227	113	1	-	2	4	1	2	16	12	76
White	693	270	40	16	32	20	9	13	28	70	195
Male	481	168	39	16	30	16	8	11	12	58	123
Female	212	102	1	-	2	4	1	2	16	12	72
All other	57	31	1	-	1	1	1	1	-	4	17
Male	42	20	1	-	1	1	1	1	-	4	13
Female	15	11	-	-	-	-	-	-	-	-	4
Black	57	31	1	-	1	1	1	1	-	4	17
Male	42	20	1	-	1	1	1	1	-	4	13
Female	15	11	-	-	-	-	-	-	-	-	4
Louisiana	912	313	17	2	53	30	18	13	19	172	275
Male	665	206	17	2	50	29	16	10	8	156	171
Female	247	107	-	-	3	1	2	3	11	16	104
White	550	190	10	1	43	12	8	13	16	99	158
Male	400	130	10	1	40	12	7	10	7	90	93
Female	150	60	-	-	3	-	1	3	9	9	65
All other	362	123	7	1	10	18	10	-	3	73	117
Male	265	76	7	1	10	17	9	-	1	66	78
Female	97	47	-	-	-	1	1	-	2	7	39
Black	353	123	7	1	8	17	10	-	3	69	115
Male	258	76	7	1	8	17	9	-	1	62	77
Female	95	47	-	-	-	-	1	-	2	7	38
Maine	180	70	4	-	7	4	3	2	5	15	70
Male	117	45	3	-	7	4	3	2	3	13	37
Female	63	25	1	-	-	-	-	-	2	2	33
White	177	69	4	-	7	3	2	2	5	15	70
Male	114	44	3	-	7	3	2	2	3	13	37
Female	63	25	1	-	-	-	-	-	2	2	33
All other	3	1	-	-	-	1	1	-	-	-	-
Male	3	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 49

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes.]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Maryland	677	233	10	-	17	4	14	9	23	35	332
Male	423	131	8	-	15	4	8	7	15	33	202
Female	254	102	2	-	2	-	6	2	8	2	130
White	497	170	9	-	14	3	8	7	22	19	245
Male	306	92	7	-	13	3	3	5	14	19	150
Female	191	78	2	-	1	-	5	2	8	-	95
All other	180	63	1	-	3	1	6	2	1	16	87
Male	117	39	1	-	2	1	5	2	1	14	52
Female	63	24	-	-	1	-	1	-	-	2	35
Black	173	62	1	-	2	1	6	2	1	14	84
Male	111	38	1	-	1	1	5	2	1	12	50
Female	62	24	-	-	1	-	1	-	-	2	34
Massachusetts	919	324	4	1	22	19	22	29	56	54	388
Male	511	174	3	1	21	19	19	19	15	49	191
Female	408	150	1	-	1	-	3	10	41	5	197
White	869	298	4	1	22	19	21	26	55	50	373
Male	475	155	3	1	21	19	18	18	14	46	180
Female	394	143	1	-	1	-	3	8	41	4	193
All other	50	26	-	-	-	-	1	3	1	4	15
Male	36	19	-	-	-	-	1	1	1	3	11
Female	14	7	-	-	-	-	-	2	-	1	4
Black	47	25	-	-	-	-	1	3	1	3	14
Male	34	19	-	-	-	-	1	1	1	2	10
Female	13	6	-	-	-	-	-	2	-	1	4
Michigan	1,343	635	34	3	36	70	43	31	50	91	350
Male	902	415	33	2	36	64	36	27	18	76	195
Female	441	220	1	1	-	6	-	4	32	15	155
White	1,125	499	34	3	33	53	31	27	45	78	322
Male	741	323	33	2	33	49	24	23	17	66	171
Female	384	176	1	1	-	4	7	4	28	12	151
All other	218	136	-	-	3	17	12	4	5	13	28
Male	161	92	-	-	3	15	12	4	1	10	24
Female	57	44	-	-	-	2	-	-	4	3	4
Black	212	134	-	-	3	15	10	4	5	13	28
Male	156	90	-	-	3	14	10	4	1	10	24
Female	56	44	-	-	-	1	-	-	4	3	4
Minnesota	683	225	35	-	23	32	9	10	60	44	245
Male	431	146	31	-	23	25	7	8	18	39	134
Female	252	79	4	-	-	7	2	-	42	5	111
White	649	209	34	-	23	29	7	10	60	37	240
Male	404	135	30	-	23	22	5	8	18	34	129
Female	245	74	4	-	-	7	2	2	42	3	111
All other	34	16	1	-	-	3	2	-	-	5	5
Male	27	11	-	-	-	3	2	-	-	2	-
Female	7	5	-	-	-	-	-	-	-	-	-
Black	14	6	1	-	-	2	1	-	-	1	3
Male	13	5	1	-	-	2	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-
Mississippi	664	252	24	1	30	14	8	13	13	52	257
Male	458	160	24	1	30	11	7	10	10	48	157
Female	206	92	-	-	-	3	1	3	3	4	100
White	375	126	14	1	20	3	3	6	8	33	161
Male	265	86	14	1	20	3	3	4	7	32	95
Female	110	40	-	-	-	-	-	2	1	1	66
All other	289	126	10	-	10	11	5	7	5	19	96
Male	193	74	10	-	10	8	4	6	3	16	62
Female	96	52	-	-	-	3	1	1	2	3	34
Black	284	122	10	-	10	11	5	7	5	19	95
Male	189	71	10	-	10	8	4	6	3	16	61
Female	95	51	-	-	-	3	1	1	2	3	34
Missouri	931	352	45	2	28	24	23	15	65	79	298
Male	584	196	41	2	26	21	14	14	27	68	175
Female	347	156	4	-	2	3	9	1	38	11	123
White	812	294	45	2	25	17	19	15	61	62	272
Male	506	164	41	2	24	14	11	14	25	53	158
Female	306	130	4	-	1	3	8	1	36	9	114
All other	119	58	-	-	3	7	4	-	4	17	26
Male	78	32	-	-	2	7	3	-	2	15	17
Female	41	26	-	-	1	-	-	-	2	2	9
Black	116	56	-	-	3	7	4	-	4	17	25
Male	76	31	-	-	2	7	3	-	2	15	16
Female	40	25	-	-	1	-	1	-	2	2	9
Montana	167	62	9	-	11	8	3	4	15	20	35
Male	113	38	8	-	11	7	1	3	6	18	21
Female	54	24	1	-	-	1	2	1	9	2	14
White	151	57	9	-	11	7	3	4	15	18	27
Male	102	35	8	-	11	6	1	3	6	16	16
Female	49	22	1	-	-	1	2	1	9	2	11
All other	16	5	-	-	-	1	-	-	-	2	5
Male	11	3	-	-	-	1	-	-	-	2	5
Female	5	2	-	-	-	-	-	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 50

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Nebraska	280	109	25	2	12	13	12	5	32	10	60
Male	195	72	25	1	12	12	9	3	14	9	38
Female	85	37	—	—	—	—	3	2	18	1	22
White	267	101	25	2	11	13	12	4	32	10	57
Male	185	66	25	1	11	12	9	2	14	9	36
Female	82	35	—	—	—	—	3	2	18	1	21
All other	13	8	—	—	—	—	—	1	—	—	3
Male	10	6	—	—	—	—	—	—	—	—	2
Female	3	2	—	—	—	—	—	—	—	—	1
Black	11	6	—	—	—	—	—	1	—	—	3
Male	8	4	—	—	—	—	—	1	—	—	2
Female	3	2	—	—	—	—	—	—	—	—	1
Nevada	160	73	—	1	3	9	9	14	7	19	25
Male	119	48	—	1	3	9	9	13	3	14	19
Female	41	25	—	—	—	—	—	1	4	5	6
White	142	64	—	1	3	9	9	12	5	14	25
Male	105	41	—	1	3	9	9	11	2	10	19
Female	37	23	—	—	—	—	—	1	3	4	6
All other	18	9	—	—	—	—	—	2	2	5	—
Male	14	7	—	—	—	—	—	2	1	4	—
Female	4	2	—	—	—	—	—	—	1	1	—
Black	13	6	—	—	—	—	—	2	2	3	—
Male	9	4	—	—	—	—	—	2	1	2	—
Female	4	2	—	—	—	—	—	—	1	1	—
New Hampshire	153	56	—	1	9	2	2	5	7	18	53
Male	88	31	—	—	9	1	2	4	3	15	22
Female	65	25	—	—	—	1	—	1	4	3	31
White	152	56	—	1	9	2	2	5	7	17	53
Male	88	31	—	1	9	1	2	4	3	15	22
Female	64	25	—	—	—	1	—	1	4	2	31
All other	1	—	—	—	—	—	—	—	—	1	—
Male	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	1	—
Black	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—
New Jersey	1,078	366	5	—	33	21	29	20	20	100	484
Male	683	214	5	—	33	16	24	16	11	89	275
Female	395	152	—	—	—	5	5	4	9	11	209
White	849	258	4	—	31	15	24	14	19	76	408
Male	536	153	4	—	31	13	19	12	10	68	226
Female	313	105	—	—	—	2	5	2	9	8	182
All other	229	108	1	—	2	6	5	6	1	24	76
Male	147	61	1	—	2	3	5	4	1	21	49
Female	82	47	—	—	—	3	—	2	—	3	27
Black	219	101	1	—	2	6	5	6	1	21	49
Male	141	58	1	—	2	3	5	4	1	18	27
Female	78	43	—	—	—	3	—	2	—	3	—
New Mexico	247	83	8	1	14	10	11	3	8	54	55
Male	187	58	7	1	12	9	11	2	5	51	31
Female	60	25	1	—	2	—	—	1	3	3	24
White	200	74	7	1	13	7	7	3	7	32	49
Male	148	51	6	1	12	—	—	1	3	—	22
Female	52	23	1	—	1	—	—	—	—	1	—
All other	47	9	1	—	—	3	4	—	1	22	6
Male	39	7	1	—	—	2	4	—	1	20	4
Female	8	2	—	—	—	1	—	—	—	2	2
Black	2	—	—	—	—	1	—	—	—	1	—
Male	2	—	—	—	—	1	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—
New York	2,685	850	19	1	51	62	34	55	124	280	1,209
Male	1,693	472	18	1	51	52	30	37	62	218	752
Female	992	378	1	—	—	10	4	18	62	62	457
White	2,179	712	19	1	44	49	25	51	104	207	967
Male	1,338	389	18	1	44	42	21	34	52	164	573
Female	841	323	1	—	—	7	4	17	52	43	394
All other	506	138	—	—	7	13	9	4	20	73	242
Male	355	83	—	—	7	10	9	3	10	54	179
Female	151	55	—	—	—	3	—	1	10	19	63
Black	475	129	—	—	7	12	8	4	19	66	230
Male	337	80	—	—	7	10	8	3	9	48	172
Female	138	49	—	—	—	2	—	1	10	18	58
North Carolina	1,216	439	38	4	41	34	30	31	33	93	473
Male	831	277	36	4	40	33	21	25	21	88	286
Female	385	162	2	—	1	1	9	6	12	5	187
White	778	262	32	2	26	15	14	20	29	58	320
Male	513	174	30	2	25	14	10	16	17	54	171
Female	265	88	2	—	1	1	4	4	12	4	149
All other	438	177	6	2	15	19	16	11	4	35	153
Male	318	103	6	2	15	19	11	9	4	34	115
Female	120	74	—	—	—	—	5	2	—	1	38
Black	420	167	6	2	12	18	16	10	4	35	150
Male	303	96	6	2	12	18	11	8	4	34	112
Female	117	71	—	—	—	—	5	2	—	1	38

SECTION 5 - ACCIDENT MORTALITY - PAGE 51

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
North Dakota	110	30	15	-	7	2	3	1	7	9	36
Male	78	17	14	-	6	2	2	1	3	6	27
Female	32	13	1	-	1	-	1	-	4	3	9
White	104	27	15	-	7	1	3	1	7	7	36
Male	73	14	14	-	6	1	2	1	3	5	27
Female	31	13	1	-	1	-	1	-	4	2	9
All other	6	3	-	-	-	1	-	-	-	2	-
Male	5	3	-	-	-	1	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Ohio	1,589	620	35	10	78	40	27	39	57	144	539
Male	1,013	373	35	10	75	35	20	32	26	118	289
Female	576	247	-	-	3	5	7	7	31	26	250
White	1,393	517	34	9	72	35	18	33	53	125	497
Male	878	309	34	9	70	30	12	26	24	100	264
Female	515	208	-	-	2	5	6	7	29	25	233
All other	196	103	1	1	6	5	9	6	4	19	42
Male	135	64	1	1	5	5	8	6	2	18	25
Female	61	39	-	-	1	-	1	-	2	1	17
Black	195	102	1	1	6	5	9	6	4	19	42
Male	135	64	1	1	5	5	8	6	2	18	25
Female	60	38	-	-	1	-	1	-	2	1	17
Oklahoma	667	237	28	1	48	25	16	15	35	75	187
Male	444	154	26	1	30	23	14	12	10	62	112
Female	223	83	2	-	18	2	2	3	25	13	75
White	577	208	27	1	45	22	9	13	31	58	163
Male	375	133	25	1	29	20	8	10	9	48	92
Female	202	75	2	-	16	2	1	3	22	10	71
All other	90	29	1	-	3	3	7	2	4	17	24
Male	69	21	1	-	1	3	6	2	1	14	20
Female	21	8	-	-	2	-	1	-	3	3	4
Black	58	19	1	-	-	2	6	2	2	12	14
Male	46	14	1	-	-	2	5	2	-	10	12
Female	12	5	-	-	-	-	1	-	2	2	2
Oregon	511	212	13	-	17	19	13	14	23	87	113
Male	363	136	12	-	17	18	12	11	13	81	63
Female	148	76	1	-	-	1	1	3	10	6	50
White	481	198	13	-	17	16	13	14	23	79	108
Male	337	123	12	-	17	15	12	11	13	74	60
Female	144	75	1	-	-	1	1	3	10	5	48
All other	30	14	-	-	-	3	-	-	-	8	5
Male	26	13	-	-	-	3	-	-	-	7	2
Female	4	1	-	-	-	-	-	-	-	1	-
Black	11	8	-	-	-	2	-	-	-	1	-
Male	10	7	-	-	-	2	-	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-
Pennsylvania	1,987	844	37	10	67	22	62	34	58	132	721
Male	1,233	507	35	10	67	20	49	24	20	118	383
Female	754	337	2	-	-	2	13	10	38	14	338
White	1,727	704	37	10	63	19	51	31	52	115	645
Male	1,059	413	35	10	63	17	39	23	18	105	336
Female	668	291	2	-	-	2	12	8	34	10	309
All other	260	140	-	-	4	3	11	3	6	17	76
Male	174	94	-	-	4	3	10	1	2	13	47
Female	86	46	-	-	-	-	1	2	4	4	29
Black	258	139	-	-	4	3	11	3	5	17	76
Male	173	94	-	-	4	3	10	1	1	13	47
Female	85	45	-	-	-	-	1	2	4	4	29
Rhode Island	136	76	1	-	4	1	-	7	16	7	24
Male	77	42	1	-	4	1	-	4	7	7	11
Female	59	34	-	-	-	-	-	3	9	-	13
White	131	72	1	-	3	1	-	7	16	7	24
Male	72	38	1	-	3	1	-	4	7	7	11
Female	59	34	-	-	-	-	-	3	9	-	13
All other	5	4	-	-	1	-	-	-	-	-	-
Male	5	4	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	5	4	-	-	1	-	-	-	-	-	-
Male	5	4	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
South Carolina	665	269	18	1	19	7	7	13	10	100	221
Male	453	181	16	1	19	6	7	11	5	87	120
Female	212	88	2	-	-	1	-	2	5	13	101
White	385	144	9	1	11	4	3	9	9	51	144
Male	252	91	8	1	11	4	3	8	4	43	79
Female	133	53	1	-	-	-	-	1	5	8	65
All other	280	125	9	-	8	3	4	4	1	49	77
Male	201	90	8	-	8	2	4	3	1	44	41
Female	79	35	1	-	-	1	-	1	-	5	36
Black	277	125	9	-	8	3	4	4	1	47	78
Male	198	90	8	-	8	2	4	3	1	42	40
Female	79	35	1	-	-	1	-	1	-	5	36

SECTION 5 - ACCIDENT MORTALITY - PAGE 52

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
South Dakota	167	53	27	1	10	4	1	3	15	27	26
Male	115	34	24	1	10	3	1	2	9	22	9
Female	52	19	3	-	-	1	-	1	6	5	17
White	142	42	25	1	10	2	1	2	14	22	23
Male	101	29	23	1	10	2	1	1	8	18	8
Female	41	13	2	-	-	-	-	1	6	4	15
All other	25	11	2	-	-	2	-	1	1	5	3
Male	14	5	1	-	-	1	-	1	1	4	1
Female	11	6	1	-	-	1	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1
Tennessee	956	325	29	6	32	26	15	21	26	84	392
Male	653	202	28	6	30	26	14	17	10	76	244
Female	303	123	1	-	2	-	1	4	16	8	148
White	761	239	27	6	21	20	10	15	23	61	339
Male	522	153	26	6	19	20	9	12	18	56	213
Female	239	86	1	-	2	-	1	3	5	5	126
All other	195	86	2	-	11	6	5	5	3	23	53
Male	131	49	2	-	11	6	5	5	2	20	31
Female	64	37	-	-	-	5	-	6	3	22	22
Black	193	86	2	-	11	5	5	5	2	19	31
Male	129	49	2	-	11	5	-	1	1	3	22
Female	64	37	-	-	-	-	-	-	-	-	-
Texas	2,934	882	66	8	156	129	60	90	95	488	960
Male	2,056	554	60	8	153	110	49	78	44	416	584
Female	878	328	6	-	3	19	11	12	51	72	376
White	2,501	733	63	8	144	95	49	85	87	411	826
Male	1,750	460	57	8	142	83	40	74	37	349	500
Female	751	273	6	-	2	12	9	11	50	62	326
All other	433	149	3	-	12	34	11	5	8	77	134
Male	306	94	3	-	11	27	9	4	7	67	84
Female	127	55	-	-	1	7	2	1	1	10	50
Black	414	142	3	-	12	33	11	4	8	71	130
Male	292	88	3	-	11	26	9	3	7	64	81
Female	122	54	-	-	1	7	2	1	1	7	49
Utah	238	80	3	4	11	7	4	8	12	33	76
Male	154	48	3	4	11	6	4	7	8	28	35
Female	84	32	-	-	-	1	-	1	4	5	41
White	230	79	3	4	11	7	4	8	12	30	72
Male	149	47	3	4	11	6	4	7	8	26	33
Female	81	32	-	-	-	1	-	1	4	4	39
All other	8	1	-	-	-	-	-	-	-	3	4
Male	5	1	-	-	-	-	-	-	-	2	2
Female	3	-	-	-	-	-	-	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Vermont	87	35	4	2	6	4	2	2	-	9	23
Male	58	19	4	2	6	4	1	2	-	9	11
Female	29	16	-	-	-	-	1	-	-	-	12
White	87	35	4	2	6	4	2	2	-	9	23
Male	58	19	4	2	6	4	1	2	-	9	11
Female	29	16	-	-	-	-	1	-	-	-	12
All other	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,011	426	27	10	50	12	27	8	46	103	302
Male	671	260	26	10	49	9	23	6	16	91	181
Female	340	166	1	-	1	3	4	2	30	12	121
White	728	287	24	10	36	9	19	8	38	75	222
Male	469	167	23	10	35	7	16	6	13	66	126
Female	259	120	1	-	1	2	3	2	25	9	96
All other	283	139	3	-	14	3	8	-	8	28	80
Male	202	93	3	-	14	2	7	-	3	25	55
Female	81	46	-	-	-	1	1	-	5	3	25
Black	277	137	3	-	14	3	7	-	7	27	79
Male	198	91	3	-	14	2	7	-	2	24	55
Female	79	46	-	-	-	1	-	-	5	3	24
Washington	722	309	6	3	21	30	19	13	54	135	132
Male	485	193	5	3	20	26	12	10	22	115	79
Female	237	116	1	-	1	4	7	3	32	20	53
White	669	282	6	3	18	23	17	13	50	131	126
Male	448	174	5	3	17	20	11	10	19	113	76
Female	221	108	1	-	1	3	6	3	31	18	50
All other	53	27	-	-	3	7	2	-	4	4	6
Male	37	19	-	-	3	6	1	-	3	2	3
Female	16	8	-	-	-	1	1	-	1	2	1
Black	22	10	-	-	1	5	1	-	2	1	1
Male	15	7	-	-	1	4	1	-	1	2	-
Female	7	3	-	-	-	1	-	-	1	-	-

SECTION 5 - ACCIDENT MORTALITY - PAGE 53

Table 5-7. Deaths From Nontransport Accidents, by Place of Accident, Race, and Sex: United States and Each State, 1985—Con.

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
West Virginia	396	171	11	15	10	4	10	5	16	64	90
Male	267	108	11	15	10	4	10	5	8	55	41
Female	129	63	-	-	-	-	-	-	8	9	49
White	377	160	11	14	10	3	10	5	15	61	88
Male	254	101	11	14	10	3	10	5	7	52	41
Female	123	59	-	-	-	-	-	-	8	9	47
All other	19	11	-	1	-	1	-	-	1	3	2
Male	13	7	-	1	-	1	-	-	1	-	2
Female	6	4	-	-	-	-	-	-	-	-	-
Black	19	11	-	1	-	1	-	-	1	3	2
Male	13	7	-	1	-	1	-	-	1	3	-
Female	6	4	-	-	-	-	-	-	-	-	2
Wisconsin	690	356	44	2	34	15	12	16	61	90	60
Male	484	231	43	2	34	11	8	10	24	81	40
Female	206	125	1	-	-	4	4	6	37	9	20
White	655	332	44	2	34	13	10	16	59	89	56
Male	460	216	43	2	34	9	7	10	23	80	36
Female	195	116	1	-	-	4	3	6	36	9	20
All other	35	24	-	-	-	2	2	-	2	1	4
Male	24	15	-	-	-	2	1	-	1	1	4
Female	11	9	-	-	-	-	1	-	1	-	-
Black	27	18	-	-	-	2	2	-	1	1	3
Male	19	12	-	-	-	2	1	-	-	1	3
Female	8	6	-	-	-	-	1	-	1	-	-
Wyoming	119	31	4	2	11	8	3	4	3	24	29
Male	85	20	4	2	11	7	3	4	3	17	14
Female	34	11	-	-	-	1	-	-	-	7	15
White	116	30	4	2	11	7	2	4	3	24	29
Male	82	19	4	2	11	6	2	4	3	17	14
Female	34	11	-	-	-	1	-	-	-	7	15
All other	3	1	-	-	-	1	1	-	-	-	-
Male	3	1	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

¹ Including home premises and any noninstitutional place of residence.

² Including buildings and land under cultivation, but excluding farm home and home premises.

Section 6. Life Tables

	Page
The life table program -----	1
Life table values -----	1
Technical appendix -----	2
Population bases for computing life tables -----	2
Explanation of the columns of the life table -----	3
References -----	4
Tables	
6-1. Abridged life tables by race and sex: United States, 1985 -----	5
6-2. Number of survivors at single years of age, out of 100,000 born alive, by race and sex: United States, 1985 -----	9
6-3. Expectation of life at single years of age, by race and sex: United States, 1985 -----	10
6-4. Life table values by race and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1985 -----	11
6-5. Estimated average length of life in years, by race and sex: Death-registration States, 1900-28, and United States, 1929-85 -----	13

Guide to tables in section 6

		TABLE: 6	-1	-2	-3	-4	-5
		PAGE:	5	9	10	11	13
Years:							
1900-1985-----							15
1985 only -----			1	2	3		
Specified years and 1985 -----						24	
Type of entry:							
Proportion of dying (${}_nq_x$) -----			1				
Number surviving (${}_l x$) -----			1	2		4	
Number dying (${}_n d_x$) -----			1				
Stationary population (${}_n L_x$ and T_x) -----			1				
Average remaining lifetime (\hat{e}_x) -----			1		3	4	
Average length of life (\hat{e}_0) -----							5
Characteristics:							
Age by:							
Single years -----				2	3		
5-year intervals -----			1			4	
Race-specific -----			1	2	3		5
Sex-race specific -----			1	2	3	4	5
Sex-specific -----			1	2	3		5
Total population -----			1	2	3		5

¹ Entire United States for 1929-85; death-registration States for 1900-28.

² Entire United States for specified years from 1929 to 1985; death-registration States for specified years from 1900 to 1921.

Death rates for a specific period may be summarized by the life table method to obtain measures of comparative longevity. There are two types of life tables—the generation or cohort life table and the current life table. The generation life table provides a “longitudinal” perspective in that it follows the mortality experience of a particular cohort, all persons born in the year 1900, for example, from the moment of birth through consecutive ages in successive calendar years. Based on age-specific death rates observed during consecutive calendar years, the generation life table reflects the mortality experience of an actual cohort from birth until no lives remain in the group. To prepare just a single complete generation life table requires data over many years. It is not feasible to construct generation life tables entirely on the basis of actual data for cohorts born in this century (U.S. Bureau of the Census, 1971). It is necessary to project data for the incomplete period for cohorts whose life spans are not yet complete (NCHS, 1972).

The better known current life table may, by contrast, be characterized as “cross sectional.” Unlike the generation life table, the current life table does not represent the mortality experience of an actual cohort. Rather, the current life table considers a hypothetical cohort and assumes that it is subject to the age-specific death rates observed for an actual population during a particular period. Thus, for example, a current life table for 1985 assumes a hypothetical cohort subject throughout its lifetime to the age-specific death rates prevailing for the actual population in 1985. The current life table may thus be characterized as rendering a “snapshot” of current mortality experience, and shows the long-range implications of a set of age-specific death rates that prevailed in a given year. In this section the term “life table” refers to the current life table only and not to the generation life table.

THE LIFE TABLE PROGRAM

Three series of life tables are prepared in the National Center for Health Statistics—complete, provisional abridged, and final abridged. The complete life tables for the U.S. population contain life table values for single years of age. They are based on decennial census data and deaths for a 3-year period around the census year and have been prepared since 1900. The provisional abridged life tables contain values by 5-year age groups and are based on a 10-percent sample of deaths. The final abridged life tables (referred to in this section as “abridged life tables”) also contain values by 5-year age groups but are based on a complete count of all reported deaths.

In response to a growing number of requests for post-censal life table values, a series of abridged life tables was

abridged life tables are based on deaths occurring during the calendar year and on midyear postcensal population estimates provided by the U.S. Bureau of the Census. Refinements in the techniques for estimating the population and the methods for constructing abridged life tables permit these tables to be prepared in a way that provides reasonably accurate data on current trends in expectation of life and survivorship. Beginning with 1945, abridged life tables have been constructed by reference to a standard table (National Office of Vital Statistics, 1953). Methodology developed by Greville was used in constructing life tables for 1945–52. Since 1953 a modified method has been employed (National Center for Health Statistics, 1966). U.S. life tables for the decennial period 1979–81 are used as the standard table in constructing the 1985 abridged life tables.

The 1945 abridged life tables were prepared for white and all other males and females. Since 1946 abridged life tables for the total population have also been available, and since 1948 abridged life tables have been calculated for total males and total females. Beginning with 1951, additional abridged life tables have been calculated for the total white and total all other populations.

Numerous requests have been received annually for current life table statistics that are more detailed than those available in the abridged life tables. Therefore tables showing l_x and e_x values by single years of age interpolated from the abridged life tables have been published since 1960.

The demand for information regarding up-to-date life table values has been responsible for the introduction of a third series, provisional abridged life tables. Beginning with 1958, provisional abridged life tables have been published, for the total population only, in the “Annual Summary of Births, Marriages, Divorces, and Deaths, United States,” *Monthly Vital Statistics Report*; unpublished provisional life table data by race and sex are also produced annually. Values in these life tables are based on population estimates provided by the U.S. Bureau of the Census and on the estimated number of deaths derived from the Current Mortality Sample. The Current Mortality Sample consists of one-tenth of the death certificates filed in the vital statistics registration offices of each State, the District of Columbia, and New York City. The sample is taken by selecting 1 of every 10 death certificates received between two dates a month apart regardless of the month or year in which the death occurred.

LIFE TABLE VALUES

The data used to prepare the abridged U.S. life tables

estimates of the population by age, race, and sex prepared by the U.S. Bureau of the Census.

Expectation of life—The most frequently used life table statistic is life expectancy (e_x), which is the average number of years of life remaining for persons who have attained a given age (x). Life expectancy and other life table values at specified ages in 1985 are shown for the total population and by race and sex in table 6-1. In addition, life expectancies at single years of age by race and sex are shown in table 6-3.

Life expectancy at birth for 1985 for the total population was 74.7 years. This represents the average number of years that the members of the life table cohort may expect to live at the time of birth (table 6-1).

Survivors to specified ages—Another way of assessing longevity of the life table cohort is by determining the proportion of it that survives to specified ages. The l_x column provides the data for computing the proportion. For instance, for the total population, 78,678 out of the original 1985 life table cohort of 100,000 (or 78.7 percent) were alive at exact age 65 (table 6-2).

TECHNICAL APPENDIX

The geographic areas covered in life tables before 1929-31 were limited to the death-registration areas. Life tables for 1900-1902 and 1909-11 were constructed using mortality data from the 1900 death-registration States (10 States and the District of Columbia) and for 1919-21 from the 1920 death-registration States (34 States and the District of Columbia). The tables for 1929-31 through 1958 cover the conterminous United States. Decennial life table values for the 3-year period 1959-61 were derived from data which include both Alaska and Hawaii for each year (table 6-4). Data for each year shown in table 6-5 include Alaska beginning in 1959 and Hawaii beginning in 1960. However, it is not believed that the inclusion of these two States materially affects life table values.

Revised life table values, 1961-82—Life table values for 1961-69 and 1971-79 are based on revised intercensal estimates of the populations for those years and were constructed using the U.S. decennial life tables for 1959-61 and 1969-71, respectively, as the standard tables. Life table values for 1970-73 have also been revised by using the 1969-71 decennial life tables as the standard tables. Previously published abridged life tables for 1970-73 were constructed using the 1959-61 decennial life tables as the standard tables because the 1969-71 decennial life tables were not yet available.

The 1979-81 decennial life tables have been used as the standard life tables for the 1983-85 life tables as well as for revised life table values for 1980-82 shown in this report.

New Jersey data, 1962-64—The life tables for 1962 and 1963 for the six population groups involving race do not include data from New Jersey. This State omitted the item on race from its certificates of live birth, death, and

fetal death in use at the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without this item was used for most of 1962 as well as for 1963. For computing vital rates, populations by age, race, and sex (excluding New Jersey) were estimated to obtain comparable denominators. Approximately 7 percent of the New Jersey death records for 1964 did not contain the race designation. When the records were being electronically processed for this State, the "race not stated" deaths were allocated to white or black.

Nonresidents—Beginning in 1970, the deaths of nonresidents of the United States have been excluded from the life table statistics.

Estimates for single calendar years—There has been an increasing interest in data on average length of life (e_x) for single calendar years before the annual abridged life table series was initiated in 1945. The figures in table 6-5 for groups by race and sex for the following years were estimated to meet these needs (National Office of Vital Statistics, 1951).

Years	Race and sex
1900-45 -----	Total
1900-47 -----	Male
1900-47 -----	Female
1900-50 -----	White
1900-44 -----	White male
1900-44 -----	White female
1900-50 -----	All other
1900-44 -----	All other male
1900-44 -----	All other female

POPULATION BASES FOR COMPUTING LIFE TABLES

The population used for computing life table values shown in this report (furnished by the U.S. Bureau of the Census) represents the resident population of the United States. The populations used for computing the 1985 life table values are estimated as of July 1, 1985 (U.S. Bureau of the Census, 1987), and are based on the 1980 census levels. The 1980 census counts by race were modified to be consistent with Office of Management and Budget categories and historical categories for death data. The modification procedures are discussed in detail in a U.S. Bureau of the Census report (U.S. Bureau of the Census, 1982).

Population estimates used to compute death rates for 1984 and 1985 incorporate new estimation procedures for net migration and net undocumented immigration. Death rates for 1985 are comparable with those for 1984 but are not strictly comparable with those for previous years. For additional details, see the Technical Appendix in *Vital Statistics of the United States, 1984* (Vol. II, Mortality, Pt. A), and the report of the U.S. Bureau of the Census (U.S. Bureau of the Census, 1986).

EXPLANATION OF THE COLUMNS OF THE LIFE TABLE

Column 1—Age interval (x to $x + n$)—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20–25" means the 5-year interval between the 20th and 25th birthdays.

Column 2—Proportion dying (${}_nq_x$)—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20–25, the proportion dying is 0.0082: Out of every 1,000 males alive and exactly 20 years of age at the beginning of the period, about 8 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table. The life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x)—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 98,804 will complete the first year of life and enter the second; 98,578 will begin the sixth year; 97,709 will reach age 20; and 19,429 will live to age 85.

Column 4—Number dying (${}_nd_x$)—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 1,196 will die in the first year of life; 226 in the succeeding 4 years; 802 in the 5-year period between exact ages 20 and 25, and 19,429 will die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (${}_nL_x$ and T_x)—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When individuals left the group, either by death or by growing older and entering the next higher age

group, their places would immediately be taken by persons entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday that marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20–25 is 486,583. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 486,583 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 5,151,585 persons who have passed their 20th birthday. The male population at all ages 0 and above (the total male population of the stationary community) would be 7,119,725.

Column 7—Average remaining lifetime (e_x)—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. To arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 486,583 for males in the age interval 20–25 is the total number of years lived between the 20th and 25th birthdays by the 97,709 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure 5,151,585 in column 6 is the total number of years lived after attaining age 20 by the 97,709 reaching that age. This number of years divided by the number of persons (5,151,585 divided by 97,709) gives 52.7 years as the average remaining lifetime of males at age 20.

SECTION 6 — LIFE TABLES — PAGE 4

SYMBOLS

Data not available-----	---
Category not applicable -----	...
Quantity zero -----	-
Quantity more than 0 but less than 0.05 -----	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands -----	Z
Figure does not meet standards of reliability or precision -----	*

REFERENCES

National Center for Health Statistics, M. G. Sirken. 1966. Comparison of two methods of constructing abridged life tables by reference to a "standard" table. *Vital and Health Statistics*. Series 2, No. 4. PHS Pub. No. 1000. Public Health Service. Washington: U.S. Government Printing Office.

National Center for Health Statistics, I. M. Moriyama and S. O. Gustavus. 1972. Cohort mortality and survivorship: United States Death-Registration States, 1900-68. *Vital and Health Statistics*. Series 3, No. 16. DHEW Pub. No. (HSM) 73-1400. Health Services and Mental Health Administration. Washington: U.S. Government Printing Office.

National Office of Vital Statistics, T. N. E. Greville and G. A. Carlson. 1951. Estimated average length of life in the death-registration States. *Vital Statistics—Special Reports*. Vol. 33, No. 9. Public Health Service. Washington, D.C.

National Office of Vital Statistics, T. N. E. Greville. 1953. Method of constructing the abridged life tables for the United States, 1949. *Vital Statistics—Special Reports*. Vol. 33, No. 15. Public Health Service. Washington, D.C.

U.S. Bureau of the Census. 1971. H. S. Shryock and J. S. Siegel, and associates: *The Methods and Materials of Demography*, Vol. 2. Washington: U.S. Government Printing Office.

U.S. Bureau of the Census. 1982. Preliminary estimates of the population of the United States, by age, sex, and race: 1970 to 1981. *Current Population Reports*. Series P-25, No. 917. Washington: U.S. Government Printing Office.

U.S. Bureau of the Census. 1986. Estimates of the population of the United States, by age, sex, and race: 1980 to 1985. *Current Population Reports*. Series P-25, No. 985. Washington: U.S. Government Printing Office.

U.S. Bureau of the Census. 1987. Estimates of the Population of the United States, by age, sex, and race: 1980 to 1986. *Current Population Reports*. Series P-25, No. 1000. Washington: U.S. Government Printing Office.

SECTION 6 - LIFE TABLES - PAGE 5

Table 6-1. Abridged Life Tables by Race and Sex: United States, 1985

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years, race, and sex (1)	Proportion of persons alive at beginning of age interval dying during interval (2)	Number living at beginning of age interval (3)	Number dying during age interval (4)	In the age interval (5)	In this and all subsequent age intervals (6)	Average number of years of life remaining at beginning of age interval (7)
x to $x + n$	nq_x	l_x	$n d_x$	nL_x	T_x	e_x
ALL RACES						
0-1	0.0107	100,000	1,069	99,079	7,472,607	74.7
1-50020	98,931	200	395,255	7,373,528	74.5
5-100012	98,731	123	493,320	6,978,273	70.7
10-150014	98,608	135	492,778	6,484,953	65.8
15-200040	98,473	397	491,465	5,992,175	60.9
20-250054	98,076	534	489,072	5,500,710	56.1
25-300057	97,542	553	486,326	5,011,638	51.4
30-350067	96,989	648	483,363	4,525,312	46.7
35-400086	96,341	831	479,745	4,041,949	42.0
40-450126	95,510	1,199	474,766	3,562,204	37.3
45-500197	94,311	1,854	467,259	3,087,438	32.7
50-550316	92,457	2,924	455,434	2,620,179	28.3
55-600497	89,533	4,447	437,186	2,164,745	24.2
60-650753	85,086	6,408	410,278	1,727,559	20.3
65-701092	78,678	8,588	372,847	1,317,281	16.7
70-751625	70,090	11,391	322,963	944,434	13.5
75-802349	58,699	13,788	259,866	621,471	10.6
80-853480	44,911	15,628	185,697	361,605	8.1
85 and over	1.0000	29,283	29,283	175,908	175,908	6.0
MALE						
0-10120	100,000	1,196	98,966	7,119,725	71.2
1-50023	98,804	226	394,692	7,020,759	71.1
5-100014	98,578	140	492,508	6,626,067	67.2
10-150017	98,438	169	491,882	6,133,559	62.3
15-200057	98,269	560	490,092	5,641,677	57.4
20-250082	97,709	802	486,583	5,151,585	52.7
25-300083	96,907	807	482,495	4,665,002	48.1
30-350095	96,100	908	478,257	4,182,507	43.5
35-400118	95,192	1,121	473,299	3,704,250	38.9
40-450166	94,071	1,560	466,725	3,230,951	34.3
45-500254	92,511	2,347	457,124	2,764,226	29.9
50-550409	90,164	3,688	442,187	2,307,102	25.6
55-600651	86,476	5,631	419,094	1,864,915	21.6
60-650985	80,845	7,965	385,341	1,445,821	17.9
65-701429	72,880	10,414	339,342	1,060,480	14.6
70-752135	62,466	13,338	279,746	721,138	11.5
75-803044	49,128	14,955	208,385	441,392	9.0
80-854315	34,173	14,744	133,156	233,007	6.8
85 and over	1.0000	19,429	19,429	99,851	99,851	5.1
FEMALE						
0-10094	100,000	935	99,199	7,818,820	78.2
1-50017	99,065	173	395,846	7,719,621	77.9
5-100011	98,892	105	494,174	7,323,775	74.1
10-150010	98,787	100	493,719	6,829,601	69.1
15-200023	98,687	229	492,899	6,335,882	64.2
20-250026	98,458	260	491,652	5,842,983	59.3
25-300030	98,198	294	490,270	5,351,331	54.5
30-350039	97,904	385	488,602	4,861,061	49.7
35-400055	97,519	540	486,340	4,372,459	44.8
40-450087	96,979	842	482,946	3,886,119	40.1
45-500142	96,137	1,364	477,523	3,403,173	35.4
50-550229	94,773	2,169	468,779	2,925,650	30.9
55-600355	92,604	3,287	455,287	2,456,871	26.5
60-650547	89,317	4,883	435,088	2,001,584	22.4
65-700806	84,434	6,801	406,058	1,566,496	18.6
70-751229	77,633	9,545	365,528	1,160,438	14.9
75-801875	68,088	12,768	310,027	794,910	11.7
80-852993	55,320	16,557	236,363	484,883	8.8
85 and over	1.0000	38,763	38,763	248,520	248,520	6.4

SECTION 6 - LIFE TABLES - PAGE 6

Table 6-1. Abridged Life Tables by Race and Sex: United States, 1985—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years, race, and sex	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	nq_x	x_l	n^d_x	n^L_x	T_x	e_x
WHITE						
0-1	0.0093	100,000	935	99,193	7,533,131	75.3
1-50018	99,065	181	395,836	7,433,938	75.0
5-100011	98,884	112	494,115	7,038,102	71.2
10-150013	98,772	131	493,611	6,543,987	66.3
15-200040	98,641	397	492,301	6,050,376	61.3
20-250052	98,244	506	489,971	5,558,075	56.6
25-300051	97,738	499	487,429	5,068,104	51.9
30-350057	97,239	558	484,831	4,580,675	47.1
35-400075	96,681	722	481,704	4,095,844	42.4
40-450110	95,959	1,060	477,341	3,614,140	37.7
45-500177	94,899	1,677	470,631	3,136,799	33.1
50-550292	93,222	2,718	459,770	2,666,168	28.6
55-600468	90,504	4,235	442,579	2,206,398	24.4
60-650720	86,269	6,211	416,706	1,763,819	20.4
65-701063	80,058	8,509	379,993	1,347,113	16.8
70-751594	71,549	11,408	330,276	967,120	13.5
75-802334	60,141	14,037	266,546	636,844	10.6
80-853457	46,104	15,938	190,936	370,298	8.0
85 and over	1.0000	30,166	30,166	179,362	179,362	5.9
WHITE, MALE						
0-10106	100,000	1,059	99,084	7,185,561	71.9
1-50021	98,941	205	395,290	7,086,477	71.6
5-100013	98,736	129	493,328	6,691,187	67.8
10-150017	98,607	164	492,742	6,197,859	62.9
15-200056	98,443	556	490,965	5,705,117	58.0
20-250078	97,887	762	487,556	5,214,152	53.3
25-300075	97,125	732	483,759	4,726,596	48.7
30-350081	96,393	785	480,022	4,242,837	44.0
35-400101	95,608	970	475,740	3,762,815	39.4
40-450145	94,638	1,370	470,016	3,287,075	34.7
45-500227	93,268	2,115	461,476	2,817,059	30.2
50-550377	91,153	3,433	447,767	2,355,583	25.8
55-600617	87,720	5,411	425,891	1,907,816	21.7
60-650945	82,309	7,781	393,165	1,481,925	18.0
65-701397	74,528	10,412	347,662	1,088,760	14.6
70-752107	64,116	13,512	287,642	741,098	11.6
75-803042	50,604	15,395	214,720	453,456	9.0
80-854305	35,209	15,156	137,281	238,736	6.8
85 and over	1.0000	20,053	20,053	101,455	101,455	5.1
WHITE, FEMALE						
0-10080	100,000	803	99,309	7,874,088	78.7
1-50016	99,197	156	396,413	7,774,779	78.4
5-100010	99,041	96	494,945	7,378,366	74.5
10-150010	98,945	96	494,521	6,883,421	69.6
15-200023	98,849	231	493,703	6,388,900	64.6
20-250025	98,618	244	492,485	5,895,197	59.8
25-300026	98,374	257	491,238	5,402,712	54.9
30-350033	98,117	324	489,812	4,911,474	50.1
35-400048	97,793	468	487,876	4,421,662	45.2
40-450077	97,325	747	484,899	3,933,786	40.4
45-500128	96,578	1,236	480,036	3,448,887	35.7
50-550210	95,342	2,000	472,038	2,968,851	31.1
55-600330	93,342	3,080	459,486	2,496,813	26.7
60-650518	90,262	4,673	440,341	2,037,327	22.6
65-700777	85,589	6,653	412,232	1,596,986	18.7
70-751195	78,936	9,433	372,373	1,184,754	15.0
75-801853	69,503	12,879	316,947	812,381	11.7
80-852968	56,624	16,807	242,351	495,434	8.7
85 and over	1.0000	39,817	39,817	253,083	253,083	6.4

SECTION 6 - LIFE TABLES - PAGE 7

Table 6-1. Abridged Life Tables by Race and Sex: United States, 1985—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years, race, and sex	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x \text{ to } x + n$	nq_x	l_x	$n d_x$	nL_x	T_x	e_x
ALL OTHER						
0-1	0.0159	100,000	1,590	98,636	7,116,888	71.2
1-50028	98,410	278	392,988	7,018,252	71.3
5-100017	98,132	167	490,198	6,625,264	67.5
10-150016	97,965	154	489,503	6,135,066	62.6
15-200041	97,811	401	488,164	5,645,563	57.7
20-250069	97,410	669	485,472	5,157,399	52.9
25-300087	96,741	840	481,666	4,671,927	48.3
30-350119	95,901	1,141	476,751	4,190,261	43.7
35-400157	94,760	1,486	470,287	3,713,510	39.2
40-450223	93,274	2,079	461,487	3,243,223	34.8
45-500320	91,195	2,918	449,123	2,781,736	30.5
50-550479	88,277	4,228	431,346	2,332,613	26.4
55-600706	84,049	5,937	406,011	1,901,267	22.6
60-651022	78,112	7,979	371,275	1,495,256	19.1
65-701331	70,133	9,335	327,901	1,123,981	16.0
70-751898	60,798	11,538	275,692	796,080	13.1
75-802489	49,260	12,261	215,794	520,388	10.6
80-853725	36,999	13,783	150,287	304,594	8.2
85 and over	1.0000	23,216	23,216	154,307	154,307	6.6
ALL OTHER, MALE						
0-10173	100,000	1,731	98,503	6,722,037	67.2
1-50032	98,269	312	392,354	6,623,534	67.4
5-100019	97,957	187	489,269	6,231,180	63.6
10-150020	97,770	191	488,468	5,741,911	58.7
15-200059	97,579	581	486,623	5,253,443	53.8
20-250104	96,998	1,013	482,611	4,766,820	49.1
25-300128	95,985	1,228	476,932	4,284,209	44.6
30-350172	94,757	1,628	469,824	3,807,277	40.2
35-400225	93,129	2,099	460,637	3,337,453	35.8
40-450312	91,030	2,838	448,450	2,876,816	31.6
45-500434	88,192	3,826	431,957	2,428,366	27.5
50-550639	84,366	5,390	408,983	1,996,409	23.7
55-600916	78,976	7,238	377,397	1,587,426	20.1
60-651319	71,738	9,464	335,658	1,210,029	16.9
65-701704	62,274	10,611	285,207	874,371	14.0
70-752388	51,663	12,335	227,633	589,164	11.4
75-803059	39,328	12,031	166,283	361,531	9.2
80-854415	27,297	12,051	105,627	195,248	7.2
85 and over	1.0000	15,246	15,246	89,621	89,621	5.9
ALL OTHER, FEMALE						
0-10144	100,000	1,444	98,774	7,495,851	75.0
1-50025	98,556	245	393,639	7,397,077	75.1
5-100015	98,311	145	491,154	7,003,438	71.2
10-150012	98,166	117	490,567	6,512,284	66.3
15-200022	98,049	218	489,745	6,021,717	61.4
20-250034	97,831	336	488,362	5,531,972	56.5
25-300049	97,495	480	486,326	5,043,610	51.7
30-350072	97,015	698	483,420	4,557,284	47.0
35-400098	96,317	945	479,386	4,073,864	42.3
40-450147	95,372	1,401	473,596	3,594,478	37.7
45-500223	93,971	2,098	464,948	3,120,882	33.2
50-550346	91,873	3,180	451,841	2,655,934	28.9
55-600530	88,693	4,699	432,293	2,204,093	24.9
60-650774	83,994	6,504	404,393	1,771,800	21.1
65-701035	77,490	8,017	368,137	1,367,407	17.6
70-751528	69,473	10,615	321,721	999,270	14.4
75-802091	58,858	12,307	264,097	677,549	11.5
80-853285	46,551	15,290	194,794	413,452	8.9
85 and over	1.0000	31,261	31,261	218,658	218,658	7.0

SECTION 6 - LIFE TABLES - PAGE 8

Table 6-1. Abridged Life Tables by Race and Sex: United States, 1985—Con.

Age interval	Proportion dying	Of 100,000 born alive		Stationary population		Average remaining lifetime
Period of life between two exact ages stated in years, race, and sex	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	nq_x	l_x	nd_x	nL_x	T_x	e_x
BLACK						
0-1	0.0183	100,000	1,827	98,416	6,950,627	69.5
1-50031	98,173	301	391,986	6,852,211	69.8
5-100018	97,872	174	488,877	6,460,225	66.0
10-150017	97,698	167	488,136	5,971,348	61.1
15-200042	97,531	412	486,743	5,483,212	56.2
20-250073	97,119	711	483,931	4,996,469	51.4
25-300098	96,408	943	479,767	4,512,538	48.8
30-350140	95,465	1,338	474,106	4,032,771	42.2
35-400186	94,127	1,751	466,659	3,558,665	37.8
40-450266	92,376	2,454	456,107	3,092,006	33.5
45-500373	89,922	3,356	441,709	2,635,899	29.3
50-550549	86,566	4,756	421,504	2,194,190	25.3
55-600793	81,810	6,489	393,444	1,772,686	21.7
60-651141	75,321	8,594	355,748	1,379,242	18.3
65-701462	66,727	9,757	309,766	1,023,494	15.3
70-752060	56,970	11,738	255,961	713,728	12.5
75-802677	45,232	12,110	195,915	457,767	10.1
80-853959	33,122	13,112	132,448	261,852	7.9
85 and over	1.0000	20,010	20,010	129,404	129,404	6.5
BLACK, MALE						
0-10199	100,000	1,994	98,263	6,534,321	65.3
1-50034	98,006	334	391,251	6,436,058	65.7
5-100020	97,672	194	487,823	6,044,807	61.9
10-150021	97,478	208	486,965	5,556,984	57.0
15-200062	97,270	606	485,027	5,070,019	52.1
20-250112	96,664	1,084	480,792	4,584,992	47.4
25-300145	95,580	1,384	474,550	4,104,200	42.9
30-350206	94,196	1,936	466,288	3,629,650	38.5
35-400272	92,260	2,507	455,308	3,163,362	34.3
40-450377	89,753	3,388	440,745	2,708,054	30.2
45-500514	86,365	4,441	421,325	2,267,309	26.3
50-550740	81,924	6,062	395,116	1,845,984	22.5
55-601022	75,862	7,751	360,521	1,450,868	19.1
60-651471	68,111	10,016	316,066	1,090,347	16.0
65-701868	58,095	10,850	263,629	774,281	13.3
70-752606	47,245	12,311	205,461	510,652	10.8
75-803291	34,934	11,496	145,476	305,191	8.7
80-854681	23,438	10,972	88,907	159,715	6.8
85 and over	1.0000	12,466	12,466	70,808	70,808	5.7
BLACK, FEMALE						
0-10165	100,000	1,654	98,575	7,354,913	73.5
1-50027	98,346	266	392,745	7,256,338	73.8
5-100016	98,080	154	489,970	6,863,593	70.0
10-150012	97,926	122	489,353	6,373,623	65.1
15-200022	97,804	216	488,528	5,884,270	60.2
20-250037	97,588	360	487,097	5,395,742	55.3
25-300055	97,228	538	484,661	4,908,645	50.5
30-350083	96,690	802	481,553	4,423,784	45.8
35-400114	95,888	1,089	476,900	3,942,231	41.1
40-450172	94,799	1,630	470,196	3,465,331	36.6
45-500257	93,169	2,399	460,226	2,995,135	32.1
50-550392	90,770	3,560	445,412	2,534,909	27.9
55-600598	87,210	5,216	423,618	2,089,497	24.0
60-650866	81,994	7,097	392,905	1,665,879	20.3
65-701136	74,897	8,508	353,933	1,272,974	17.0
70-751660	66,389	11,020	305,241	919,041	13.8
75-802260	55,369	12,512	246,066	613,800	11.1
80-853517	42,857	15,071	176,731	367,734	8.6
85 and over	1.0000	27,786	27,786	191,003	191,003	6.9

SECTION 6 - LIFE TABLES - PAGE 9

Table 6-2. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Race and Sex: United States, 1985

Age	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,931	98,804	99,065	99,065	98,941	99,197	98,410	98,269	98,556	98,173	98,006	98,346
2	98,862	98,724	99,007	99,001	98,868	99,144	98,319	98,165	98,477	98,074	97,895	98,260
3	98,808	98,664	98,961	98,953	98,813	99,102	98,244	98,082	98,411	97,993	97,805	98,188
4	98,766	98,617	98,923	98,915	98,771	99,069	98,183	98,014	98,356	97,927	97,732	98,129
5	98,731	98,578	98,892	98,884	98,736	99,041	98,132	97,957	98,311	97,872	97,672	98,080
6	98,701	98,544	98,866	98,857	98,706	99,017	98,089	97,909	98,273	97,826	97,622	98,039
7	98,674	98,513	98,843	98,832	98,678	98,996	98,052	97,867	98,241	97,787	97,579	98,004
8	98,650	98,485	98,822	98,810	98,652	98,977	98,019	97,830	98,213	97,754	97,541	97,975
9	98,628	98,460	98,804	98,790	98,628	98,960	97,990	97,798	98,188	97,725	97,508	97,949
10	98,608	98,438	98,787	98,772	98,607	98,945	97,965	97,770	98,166	97,698	97,478	97,926
11	98,590	98,418	98,772	98,755	98,588	98,931	97,942	97,744	98,145	97,672	97,450	97,904
12	98,572	98,397	98,756	98,738	98,568	98,917	97,918	97,717	98,125	97,646	97,420	97,882
13	98,549	98,369	98,738	98,716	98,542	98,900	97,891	97,684	98,103	97,616	97,383	97,859
14	98,517	98,328	98,716	98,685	98,502	98,878	97,856	97,640	98,078	97,578	97,335	97,833
15	98,473	98,269	98,687	98,641	98,443	98,849	97,811	97,579	98,049	97,531	97,270	97,804
16	98,415	98,190	98,651	98,583	98,364	98,812	97,754	97,500	98,015	97,473	97,188	97,771
17	98,344	98,092	98,608	98,511	98,265	98,768	97,686	97,403	97,976	97,403	97,087	97,733
18	98,261	97,977	98,560	98,428	98,150	98,719	97,605	97,287	97,932	97,321	96,966	97,690
19	98,171	97,848	98,509	98,338	98,023	98,668	97,513	97,152	97,884	97,226	96,825	97,642
20	98,076	97,709	98,458	98,244	97,887	98,618	97,410	96,998	97,831	97,119	96,664	97,588
21	97,976	97,560	98,407	98,147	97,743	98,569	97,295	96,825	97,774	96,999	96,482	97,529
22	97,871	97,402	98,356	98,046	97,591	98,520	97,168	96,633	97,712	96,866	96,278	97,463
23	97,762	97,238	98,304	97,943	97,435	98,472	97,032	96,425	97,645	96,722	96,056	97,391
24	97,652	97,072	98,252	97,840	97,279	98,423	96,889	96,208	97,573	96,589	95,822	97,313
25	97,542	96,907	98,198	97,738	97,125	98,374	96,741	95,985	97,495	96,408	95,580	97,228
26	97,433	96,745	98,143	97,637	96,975	98,325	96,588	95,758	97,412	96,241	95,331	97,137
27	97,324	96,585	98,087	97,538	96,828	98,275	96,430	95,525	97,324	96,066	95,073	97,039
28	97,215	96,426	98,029	97,439	96,684	98,224	96,265	95,284	97,229	95,880	94,801	96,933
29	97,104	96,265	97,968	97,340	96,540	98,172	96,089	95,029	97,126	95,681	94,510	96,817
30	96,989	96,100	97,904	97,239	96,393	98,117	95,901	94,757	97,015	95,465	94,196	96,690
31	96,869	95,930	97,836	97,135	96,244	98,060	95,699	94,467	96,894	95,231	93,856	96,552
32	96,745	95,754	97,764	97,028	96,092	97,999	95,483	94,158	96,763	94,978	93,490	96,401
33	96,616	95,573	97,687	96,917	95,936	97,935	95,253	93,831	96,622	94,708	93,100	96,239
34	96,481	95,386	97,605	96,802	95,775	97,866	95,012	93,488	96,473	94,424	92,690	96,068
35	96,341	95,192	97,519	96,681	95,608	97,793	94,760	93,129	96,317	94,127	92,260	95,888
36	96,194	94,990	97,427	96,554	95,434	97,714	94,496	92,753	96,152	93,816	91,811	95,699
37	96,039	94,779	97,328	96,420	95,252	97,629	94,218	92,358	95,977	93,489	91,340	95,498
38	95,874	94,556	97,221	96,277	95,059	97,536	93,924	91,942	95,791	93,143	90,843	95,284
39	95,698	94,321	97,105	96,124	94,855	97,435	93,610	91,500	95,590	92,773	90,316	95,052
40	95,510	94,071	96,979	95,959	94,638	97,325	93,274	91,030	95,372	92,376	89,753	94,799
41	95,307	93,803	96,841	95,781	94,405	97,204	92,913	90,529	95,135	91,948	89,152	94,523
42	95,088	93,516	96,689	95,588	94,154	97,070	92,525	89,995	94,878	91,488	88,512	94,223
43	94,850	93,206	96,522	95,378	93,882	96,922	92,110	89,428	94,599	90,997	87,833	93,998
44	94,592	92,872	96,339	95,149	93,588	96,759	91,687	88,827	94,297	90,475	87,117	93,547
45	94,311	92,511	96,137	94,899	93,268	96,578	91,195	88,192	93,971	89,922	86,365	93,169
46	94,004	92,120	95,914	94,625	92,920	96,378	90,691	87,521	93,618	89,336	85,576	92,761
47	93,669	91,695	95,669	94,324	92,540	96,157	90,152	86,810	93,235	88,713	84,746	92,320
48	93,302	91,231	95,399	93,992	92,122	95,912	89,574	86,053	92,819	88,048	83,867	91,844
49	92,899	90,722	95,101	93,626	91,662	95,641	88,951	85,240	92,366	87,334	82,929	91,328
50	92,457	90,164	94,773	93,222	91,153	95,342	88,277	84,366	91,873	86,566	81,924	90,770
51	91,972	89,553	94,413	92,776	90,593	95,012	87,550	83,425	91,337	85,739	80,848	90,166
52	91,441	88,885	94,018	92,286	89,976	94,649	86,767	82,417	90,756	84,852	79,700	89,514
53	90,860	88,153	93,586	91,747	89,297	94,251	85,925	81,339	90,124	83,902	78,483	88,808
54	90,225	87,352	93,115	91,154	88,547	93,816	85,020	80,192	89,438	82,889	77,203	88,042
55	89,533	86,476	92,604	90,504	87,720	93,342	84,049	78,976	88,693	81,810	75,862	87,210
56	88,780	85,521	92,050	89,794	86,812	92,827	83,013	77,691	87,887	80,666	74,465	86,311
57	87,964	84,484	91,449	89,019	85,820	92,267	81,908	76,335	87,018	79,454	73,007	85,344
58	87,079	83,361	90,797	88,176	84,740	91,657	80,728	74,898	86,083	78,166	71,474	84,305
59	86,121	82,149	90,088	87,261	83,571	90,990	79,464	73,368	85,076	76,791	69,846	83,189
60	85,086	80,845	89,317	86,269	82,309	90,262	78,112	71,738	83,994	75,321	68,111	81,994
61	83,970	79,445	88,479	85,196	80,952	89,468	76,665	70,001	82,831	73,751	66,261	80,714
62	82,770	77,946	87,571	84,039	79,496	88,604	75,127	68,164	81,588	72,086	64,306	79,351
63	81,487	76,351	86,594	82,797	77,940	87,670	73,513	66,247	80,275	70,344	62,271	77,916
64	80,123	74,662	85,548	81,471	76,284	86,665	71,844	64,277	78,906	68,552	60,192	76,428
65	78,678	72,880	84,434	80,058	74,528	85,589	70,133	62,274	77,490	66,727	58,095	74,897
66	77,153	71,009	83,249	78,558	72,673	84,438	68,390	60,250	76,032	64,881	55,995	73,331
67	75,543	69,045	81,966	76,967	70,717	83,206	66,608	58,200	74,524	63,007	53,887	71,722
68	73,837	66,977	80,637	75,276	68,648	81,884	64,767	56,104	72,946	61,083	51,747	70,048
69	72,023	64,787	79,189	73,473	66,451	80,464	62,837	53,931	71,269	59,078	49,540	68,277
70	70,090	62,466	77,633	71,549	64,116	78,936	60,798	51,663	69,473	56,970	47,245	66,389
71												

SECTION 6 - LIFE TABLES - PAGE 10

Table 6-3. Expectation of Life at Single Years of Age, by Race and Sex: United States, 1985

Age	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
0	74.7	71.2	78.2	75.3	71.9	78.7	71.2	67.2	75.0	69.5	65.3	73.5
1	74.5	71.1	77.9	75.0	71.6	78.4	71.3	67.4	75.1	69.8	65.7	73.8
2	73.6	70.1	77.0	74.1	70.7	77.4	70.4	66.5	74.1	68.9	64.7	72.8
3	72.6	69.2	76.0	73.1	69.7	76.5	69.4	65.5	73.2	67.9	63.8	71.9
4	71.7	68.2	75.0	72.2	68.7	75.5	68.5	64.6	72.2	67.0	62.9	70.9
5	70.7	67.2	74.1	71.2	67.8	74.5	67.5	63.6	71.2	66.0	61.9	70.0
6	69.7	66.2	73.1	70.2	66.8	73.5	66.5	62.6	70.3	65.0	60.9	69.0
7	68.7	65.3	72.1	69.2	65.8	72.5	65.6	61.7	69.3	64.1	59.9	68.0
8	67.7	64.3	71.1	68.2	64.8	71.5	64.6	60.7	68.3	63.1	58.0	67.1
9	66.8	63.3	70.1	67.2	63.8	70.6	63.6	59.7	67.3	62.1	57.0	66.1
10	65.8	62.3	69.1	66.3	62.9	69.6	62.6	58.7	66.3	61.1	56.0	65.1
11	64.8	61.3	68.1	65.3	61.9	68.6	61.6	57.7	65.4	60.1	55.0	64.1
12	63.8	60.3	67.2	64.3	60.9	67.6	60.7	56.8	64.4	59.2	54.0	63.1
13	62.8	59.4	66.2	63.3	59.9	66.6	59.7	55.8	63.4	58.2	53.1	62.1
14	61.8	58.4	65.2	62.3	58.9	65.6	58.7	54.8	62.4	57.2	52.1	61.1
15	60.9	57.4	64.2	61.3	58.0	64.6	57.7	53.8	61.4	56.2	51.1	60.2
16	59.9	56.5	63.2	60.4	57.0	63.7	56.8	52.9	60.4	55.3	50.2	59.2
17	58.9	55.5	62.3	59.4	56.1	62.7	55.8	51.9	59.5	54.3	49.3	58.2
18	58.0	54.6	61.3	58.5	55.1	61.7	54.8	51.0	58.5	53.3	48.3	57.2
19	57.0	53.6	60.3	57.5	54.2	60.7	53.9	50.1	57.5	52.4	47.3	56.3
20	56.1	52.7	59.3	56.6	53.3	59.8	52.9	49.1	56.5	51.4	46.4	55.3
21	55.1	51.8	58.4	55.6	52.3	58.8	52.0	48.2	55.6	50.5	45.5	54.3
22	54.2	50.9	57.4	54.7	51.4	57.8	51.1	47.3	54.6	49.6	44.6	53.4
23	53.3	50.0	56.4	53.7	50.5	56.9	50.1	46.4	53.7	48.7	43.7	52.4
24	52.3	49.1	55.5	52.8	49.6	55.9	49.2	45.5	52.7	47.7	42.8	51.4
25	51.4	48.1	54.5	51.9	48.7	54.9	48.3	44.6	51.7	46.8	41.9	50.5
26	50.4	47.2	53.5	50.9	47.7	53.9	47.4	43.7	50.8	45.9	41.0	49.5
27	49.5	46.3	52.6	50.0	46.8	53.0	46.4	42.8	49.8	45.0	40.1	48.6
28	48.5	45.4	51.6	49.0	45.9	52.0	45.5	42.0	48.9	44.1	39.2	47.6
29	47.6	44.4	50.6	48.1	44.9	51.0	44.6	41.1	47.9	43.1	38.3	46.7
30	46.7	43.5	49.7	47.1	44.0	50.1	43.7	40.2	47.0	42.2	37.4	45.8
31	45.7	42.6	48.7	46.2	43.1	49.1	42.8	39.3	46.0	41.3	36.5	44.8
32	44.8	41.7	47.7	45.2	42.2	48.1	41.9	38.4	45.1	40.5	35.6	43.9
33	43.8	40.8	46.8	44.3	41.2	47.1	41.0	37.6	44.2	39.6	34.7	43.0
34	42.9	39.8	45.8	43.3	40.3	46.2	40.1	36.7	43.2	38.7	33.8	42.0
35	42.0	38.9	44.8	42.4	39.4	45.2	39.2	35.8	42.3	37.8	32.9	41.1
36	41.0	38.0	43.9	41.4	38.4	44.3	38.3	35.0	41.4	36.9	32.0	40.2
37	40.1	37.1	42.9	40.5	37.5	43.3	37.4	34.1	40.4	36.0	31.1	39.3
38	39.2	36.2	42.0	39.5	36.6	42.3	36.5	33.3	39.5	35.2	30.2	38.4
39	38.2	35.3	41.0	38.6	35.7	41.4	35.6	32.4	38.6	34.3	29.3	37.5
40	37.3	34.3	40.1	37.7	34.7	40.4	34.8	31.6	37.7	33.5	28.4	36.6
41	36.4	33.4	39.1	36.7	33.8	39.5	33.9	30.8	36.8	32.6	27.5	35.7
42	35.5	32.5	38.2	35.8	32.9	38.5	33.0	30.0	35.9	31.8	26.6	34.8
43	34.5	31.6	37.3	34.9	32.0	37.6	32.2	29.1	35.0	31.0	25.7	33.9
44	33.6	30.8	36.3	34.0	31.1	36.6	31.3	28.3	34.1	30.1	24.8	33.0
45	32.7	29.9	35.4	33.1	30.2	35.7	30.5	27.5	33.2	29.3	23.9	32.1
46	31.8	29.0	34.5	32.1	29.3	34.8	29.7	26.7	32.3	28.5	23.0	31.2
47	31.0	28.1	33.6	31.2	28.4	33.9	28.8	26.0	31.5	27.7	22.1	30.3
48	30.1	27.3	32.7	30.4	27.6	32.9	28.0	25.2	30.6	26.9	21.2	29.4
49	29.2	26.4	31.8	29.5	26.7	32.0	27.2	24.4	29.8	26.1	20.3	28.5
50	28.3	25.6	30.9	28.6	25.8	31.1	26.4	23.7	28.9	25.3	19.4	27.6
51	27.5	24.8	30.0	27.7	25.0	30.2	25.6	22.9	28.1	24.6	18.5	26.7
52	26.6	23.9	29.1	26.9	24.2	29.4	24.9	22.2	27.3	23.8	17.6	25.8
53	25.8	23.1	28.2	26.0	23.3	28.5	24.1	21.5	26.4	23.1	16.7	24.9
54	25.0	22.3	27.4	25.2	22.4	27.6	23.4	20.8	25.6	22.4	15.8	24.0
55	24.2	21.6	26.5	24.4	21.7	26.7	22.6	20.1	24.9	21.7	14.9	23.1
56	23.4	20.8	25.7	23.6	21.0	25.9	21.9	19.4	24.1	21.0	14.0	22.2
57	22.6	20.1	24.9	22.8	20.2	25.0	21.2	18.8	23.3	20.3	13.1	21.3
58	21.8	19.3	24.0	22.0	19.5	24.2	20.5	18.1	22.6	19.6	12.2	20.4
59	21.1	18.6	23.2	21.2	18.7	23.4	19.8	17.5	21.8	19.0	11.3	19.5
60	20.3	17.9	22.4	20.4	18.0	22.6	19.1	16.9	21.1	18.3	10.4	18.6
61	19.6	17.2	21.6	19.7	17.3	21.8	18.5	16.3	20.4	17.7	9.5	17.7
62	18.8	16.5	20.8	19.0	16.6	21.0	17.9	15.7	19.7	17.1	8.6	16.8
63	18.1	15.8	20.1	18.2	15.9	20.2	17.2	15.1	19.0	16.5	7.7	15.9
64	17.4	15.2	19.3	17.5	15.3	19.4	16.6	14.6	18.3	15.9	6.8	15.0
65	16.7	14.6	18.6	16.8	14.6	18.7	16.0	14.0	17.6	15.3	5.9	14.1
66	16.1	13.9	17.8	16.1	14.0	17.9	15.4	13.5	17.0	14.8	5.0	13.2
67	15.4	13.3	17.1	15.5	13.3	17.2	14.8	13.0	16.3	14.2	4.1	12.3
68	14.7	12.7	16.4	14.8	12.7	16.4	14.2	12.4	15.7	13.6	3.2	11.4
69	14.1	12.1	15.6	14.1	12.1	15.7	13.7	11.9	15.0	13.1	2.3	10.5
70	13.5	11.5	14.9	13.5	11.6	15.0	13.1	11.4	14.4	12.5	1.4	9.6
71	12.9	11.0	14.3	12.9	11.0	14.3	12.6	10.9	13.8	12.0	0.5	8.7
72	12.3	10.5	13.6	12.3	10.5	13.6	12.0	10.5	13.2	11.5	-0.4	7.8
73	11.7	10.0	12.9	11.7	9.9	13.0	11.5	10.0	12.6	11.0	-1.3	6.9
74	11.1	9.5	12.3	11.1	9.4	12.3	11.1	9.6	12.1	10.6	-2.2	6.0
75	10.6	9.0	11.7	10.6	9.0	11.7	10.6	9.2	11.5	10.1	-3.1	5.1
76	10.1	8.5	11.1	10.0	8.5	11.1	10.1	8.8	11.0	9.7	-4.0	4.2
77	9.5	8.1	10.5	9.5	8.0	10.5	9.6	8.3	10.4	9.2	-4.9	3.3
78	9.0	7.6	9.9	9.0	7.6	9.9	9.1	7.9	9.9	8.8	-5.8	2.4
79	8.5	7.2	9.3	8.5	7.2	9.3	8.7	7.5	9.4	8.3	-6.7	1.5
80	8.1	6.8	8.8	8.0	6.8	8.7	8.2	7.2	8.9	7.9	-7.6	0.6
81	7.6	6.4	8.2	7.6	6.4	8.2	7.8	6.8	8.4	7.5	-8.5	-0.3
82	7.2	6.1	7.7	7.1	6.0	7.7	7.5	6.5	8.0	7.2	-9.4	-1.2
83	6.7	5.7	7.3	6.7	5.7	7.2	7.1	6.2	7.6	6.9	-10.3	-2.1
84	6.4	5.4	6.8	6.3	5.4	6.8	6.9	6.0	7.3	6.6	-11.2	-3.0
85	6.0	5.1	6.4	5.9	5.1	6.4	6.6	5.9	7.0	6.5	-12.1	-3.9

SECTION 6 - LIFE TABLES - PAGE 11

Table 6-4. Life Table Values by Race and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1985

[Alaska and Hawaii included beginning in 1959. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" include only the black population. However, in no case did the black population comprise less than 95 percent of the corresponding "All other" population. Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix.]

Age, race, and sex	Number of survivors out of 100,000 born alive (<i>l_x</i>)									
	1985	1979-81	1969-71	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE										
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,941	98,769	97,994	97,408	96,931	95,188	93,768	91,975	87,674	86,655
5	98,736	98,519	97,671	97,015	96,403	94,150	91,738	88,842	82,972	80,864
10	98,607	98,357	97,441	96,758	96,069	93,601	90,810	87,530	81,519	79,109
15	98,443	98,176	97,208	96,503	95,728	93,089	90,074	86,546	80,549	78,037
20	97,887	97,525	96,480	95,908	95,104	92,293	88,904	84,997	79,116	76,376
25	97,125	96,616	95,524	95,106	94,294	91,241	87,371	83,061	77,407	73,907
30	96,393	95,783	94,716	94,401	93,489	90,092	85,707	80,888	74,810	71,219
35	95,608	94,980	93,843	93,589	92,543	88,713	83,812	78,441	72,108	68,245
40	94,638	93,984	92,631	92,427	91,173	86,880	81,457	75,733	68,848	64,954
45	93,268	92,494	90,725	90,533	89,002	84,285	78,345	72,696	65,115	61,369
50	91,153	90,105	87,690	87,424	85,601	80,521	74,288	69,107	60,741	57,274
55	87,720	86,303	83,001	82,463	80,496	75,156	68,981	64,574	55,622	52,491
60	82,309	80,625	75,969	75,485	73,172	67,787	61,933	58,498	48,987	46,452
65	74,528	72,393	66,343	65,834	63,541	58,305	52,964	50,663	40,862	39,245
70	64,116	61,384	54,138	53,825	51,735	46,739	41,880	40,873	31,527	30,640
75	50,604	47,712	40,324	40,207	38,104	33,404	29,471	29,205	21,585	21,387
80	35,209	32,788	25,885	25,993	24,005	19,860	17,221	17,655	12,160	12,266
85	20,053	18,538	13,527	13,065	12,015	9,013	7,572	8,154	5,145	5,252
ALL OTHER, MALE										
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,269	97,939	96,592	95,301	94,911	91,696	91,268	89,499	78,065	74,674
5	97,957	97,559	96,038	94,570	93,921	89,920	88,412	85,195	68,589	64,385
10	97,770	97,337	95,716	94,234	93,453	89,211	87,311	83,768	66,377	61,730
15	97,579	97,113	95,385	93,874	92,965	88,417	86,152	82,332	64,478	59,667
20	96,998	96,431	94,293	93,108	91,941	86,770	83,621	79,057	61,426	56,733
25	95,985	95,200	92,267	91,825	90,285	84,055	79,516	74,540	57,736	53,285
30	94,757	93,666	90,106	90,270	88,327	80,865	75,083	70,344	54,073	49,867
35	93,129	91,891	87,597	88,331	85,940	77,185	70,049	65,873	49,865	46,541
40	91,030	89,645	84,378	85,744	82,832	72,830	64,710	61,353	45,414	42,989
45	88,192	86,578	80,163	82,075	78,686	67,514	58,432	56,589	40,563	39,230
50	84,366	82,153	74,748	77,239	72,891	60,766	51,748	51,880	35,427	34,766
55	78,976	76,019	67,808	70,351	65,122	52,867	44,436	46,581	29,754	29,987
60	71,738	68,093	59,396	61,669	55,535	44,370	36,790	40,506	23,750	24,194
65	62,274	58,517	49,607	51,392	45,198	35,912	29,314	34,042	17,806	19,015
70	51,663	47,796	39,025	39,914	35,018	27,688	21,741	26,923	12,295	13,829
75	39,328	36,191	27,789	29,064	25,472	19,765	14,419	18,854	7,494	8,892
80	27,297	24,969	17,999	19,994	16,904	12,352	8,239	11,615	3,894	4,831
85	15,246	14,454	10,811	11,620	9,898	6,492	3,660	5,605	1,747	2,030
WHITE, FEMALE										
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	99,197	99,035	98,468	98,036	97,645	96,211	95,037	93,508	89,774	88,939
5	99,041	98,841	98,203	97,709	97,199	95,309	93,216	90,721	85,348	83,426
10	98,945	98,725	98,042	97,525	96,960	94,890	92,466	89,564	83,979	81,723
15	98,849	98,618	97,902	97,375	96,756	94,534	91,894	88,712	83,093	80,680
20	98,618	98,374	97,618	97,135	96,454	93,984	90,939	87,281	81,750	78,978
25	98,374	98,093	97,299	96,844	96,072	93,228	89,524	85,163	79,865	76,588
30	98,117	97,802	96,945	96,499	95,605	92,320	87,972	82,740	77,676	73,887
35	97,793	97,445	96,474	96,026	94,977	91,211	86,248	80,206	75,200	70,971
40	97,325	96,913	95,762	95,326	94,080	89,805	84,256	77,624	72,425	67,935
45	96,578	96,065	94,649	94,228	92,725	87,920	81,780	74,871	69,341	64,677
50	95,342	94,710	92,924	92,522	90,685	85,267	78,572	71,547	65,629	61,005
55	93,342	92,594	90,383	89,967	87,699	81,520	74,321	67,323	61,053	56,509
60	90,262	89,451	86,726	86,339	83,279	76,200	68,462	61,704	54,900	50,752
65	85,589	84,764	81,579	80,739	76,773	68,701	60,499	54,299	47,086	43,806
70	78,936	78,139	74,101	72,507	67,545	58,363	49,932	44,638	37,482	35,206
75	69,503	68,712	63,290	60,461	54,397	44,685	37,024	32,777	26,569	25,362
80	56,624	55,770	48,182	44,676	38,026	28,882	23,053	20,492	15,929	15,349
85	39,817	38,774	30,490	26,046	21,348	14,487	10,937	9,909	7,152	7,149
ALL OTHER, FEMALE										
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,556	98,261	97,235	96,172	95,913	93,318	92,796	91,251	81,493	78,525
5	98,311	97,958	96,772	95,543	95,055	91,710	90,185	87,149	72,768	68,056
10	98,166	97,806	96,546	95,265	94,679	91,092	89,201	85,607	70,508	65,111
15	98,049	97,669	96,353	95,057	94,343	90,363	88,088	83,954	68,218	62,384
20	97,831	97,404	95,917	94,660	93,544	88,505	85,078	80,154	64,764	59,053
25	97,495	96,996	95,247	94,005	92,336	85,961	81,067	75,359	61,430	55,795
30	97,015	96,441	94,370	93,070	90,799	83,147	76,816	70,633	58,281	52,773
35	96,317	95,719	93,123	91,670	88,805	79,879	72,192	65,857	54,595	49,567
40	95,372	94,646	91,247	89,676	86,052	75,908	67,271	61,130	50,568	46,146
45	93,971	93,009	88,608	86,793	82,257	71,061	61,365	56,230	45,947	42,279
50	91,873	90,523	84,964	82,979	77,007	64,886	54,920	50,780	40,886	37,681
55	88,693	86,951	80,162	77,362	70,196	57,419	47,074	44,742	35,415	33,124
60	83,994	82,000	73,984	69,941	61,758	48,102	38,761	37,954	28,908	27,524
65	77,490	75,382	66,054	60,825	52,358	40,718	30,852	31,044	22,302	21,965
70	69,473	67,147	56,375	51,274	42,612	32,579	23,341	24,107	15,871	15,140
75	58,658	56,499	44,841	40,540	32,981	24,668	18,576	17,216	10,657	11,066
80	46,551	44,378	33,373	30,315	23,712	17,157	10,822	11,151	6,324	6,708
85	31,261	30,543	22,763	19,744	15,550	10,658	6,033	5,972	3,029	3,567

SECTION 6 - LIFE TABLES - PAGE 12

Table 6-4. Life Table Values by Race and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1985—Con.

[Alaska and Hawaii included beginning in 1959. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" include only the black population. However, in no case did the black population comprise less than 95 percent of the corresponding "All other" population. Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix]

Age, race, and sex	Average number of years of life remaining (e _x)									
	1985	1979-81	1969-71	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE										
0	71.9	70.82	67.94	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1	71.6	70.70	68.33	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5	67.8	66.87	64.55	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10	62.9	61.98	59.69	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15	59.0	57.09	54.83	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20	53.3	52.45	50.22	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25	48.7	47.92	45.70	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30	44.0	43.31	41.07	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35	39.4	38.66	36.43	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40	34.7	34.04	31.87	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45	30.2	29.55	27.48	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50	25.8	25.26	23.34	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55	21.7	21.25	19.51	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60	18.0	17.56	16.07	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65	14.6	14.26	13.02	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70	11.6	11.35	10.38	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75	9.0	8.87	8.06	7.92	7.77	7.17	7.02	7.30	6.75	6.84
80	6.8	6.76	6.18	5.89	5.88	5.38	5.26	5.47	5.09	5.10
85	5.1	5.09	4.63	4.34	4.35	4.02	3.99	4.06	3.88	3.81
ALL OTHER, MALE										
0	67.2	65.63	60.98	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1	67.4	66.01	62.13	63.50	61.06	56.05	51.08	51.63	42.53	42.46
5	63.6	62.26	58.48	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10	58.7	57.40	53.67	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15	53.8	52.52	48.84	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20	49.1	47.87	44.37	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25	44.6	43.46	40.29	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30	40.2	39.13	36.20	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35	35.8	34.83	32.16	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40	31.6	30.64	28.29	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45	27.5	26.63	24.64	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50	23.7	22.92	21.24	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55	20.1	19.56	18.14	18.11	17.36	16.67	15.46	17.50	13.82	14.69
60	16.9	16.54	15.35	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65	14.0	13.83	12.87	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70	11.4	11.36	10.68	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75	9.2	9.20	8.99	8.93	8.83	8.09	6.99	7.61	6.58	6.60
80	7.2	7.22	7.57	6.87	7.07	6.46	5.42	5.83	5.53	5.12
85	5.9	5.69	6.04	5.08	5.38	5.08	4.30	4.53	4.48	4.04
WHITE, FEMALE										
0	78.7	78.22	75.49	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1	78.4	77.98	75.66	74.68	72.77	68.93	64.93	61.51	56.89	54.39
5	74.5	74.13	71.86	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10	69.6	69.21	66.97	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15	64.6	64.29	62.07	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20	59.8	59.44	57.24	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25	54.9	54.60	52.42	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30	50.1	49.76	47.60	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35	45.2	44.93	42.82	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40	40.4	40.16	38.12	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45	35.7	35.49	33.54	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50	31.1	30.96	29.11	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55	26.7	26.61	24.85	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60	22.6	22.45	20.79	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65	18.7	18.55	16.93	15.88	15.00	13.56	12.81	12.75	11.97	12.23
70	15.0	14.89	13.37	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75	11.7	11.58	10.21	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80	8.7	8.65	7.59	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85	6.4	6.32	5.54	4.66	4.83	4.34	4.24	4.24	4.06	4.10
ALL OTHER, FEMALE										
0	75.0	74.00	69.05	66.47	62.70	55.51	49.51	46.92	37.67	35.04
1	75.1	74.31	70.01	68.10	64.37	58.47	52.33	50.39	45.15	43.54
5	71.2	70.53	66.34	64.54	60.93	55.47	49.81	48.70	46.42	46.04
10	66.3	65.64	61.49	59.72	56.17	50.83	45.33	44.54	42.84	43.02
15	61.4	60.73	56.60	54.85	51.36	46.22	40.87	40.36	39.18	39.79
20	56.5	55.88	51.85	50.07	46.77	42.14	37.22	37.15	36.14	36.89
25	51.7	51.11	47.19	45.40	42.35	38.31	33.93	34.35	32.97	33.90
30	47.0	46.39	42.61	40.83	38.02	34.52	30.67	31.48	29.61	30.70
35	42.3	41.72	38.14	36.41	33.82	30.83	27.47	28.58	26.44	27.52
40	37.7	37.16	33.87	32.16	29.82	27.31	24.30	25.60	23.34	24.37
45	33.2	32.77	29.80	28.14	26.07	24.00	21.39	22.61	20.43	21.36
50	28.9	28.59	25.97	24.31	22.67	21.04	18.60	19.76	17.65	18.67
55	24.9	24.66	22.37	20.89	19.62	18.44	16.27	17.09	14.98	15.88
60	21.1	20.99	19.02	17.83	16.95	16.14	14.22	14.69	12.78	13.60
65	17.6	17.60	15.99	15.12	14.54	13.95	12.24	12.41	10.82	11.38
70	14.4	14.44	13.30	12.46	12.29	11.81	10.38	10.25	9.22	9.62
75	11.5	11.68	11.06	10.10	10.15	9.80	8.62	8.37	7.55	7.90
80	8.9	9.17	9.01	7.66	8.15	8.00	6.90	6.58	6.05	6.48
85	7.0	7.19	7.07	5.44	6.15	6.38	5.48	5.22	5.09	5.10

SECTION 6 - LIFE TABLES - PAGE 13

Table 6-5. Estimated Average Length of Life in Years, by Race and Sex: Death-Registration States, 1900-28, and United States, 1929-85

[For selected years, life table values shown are estimates; see Technical Appendix. Beginning 1970 excludes deaths of nonresidents of the United States; see Technical Appendix]

Area and year	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES ¹												
1985	74.7	71.2	78.2	75.3	71.9	78.7	71.2	67.2	75.0	69.5	65.3	73.5
1984	74.7	71.2	78.2	75.3	71.8	78.7	71.3	67.4	75.0	69.7	65.6	73.7
1983	74.6	71.0	78.1	75.2	71.7	78.7	71.1	67.2	74.9	69.6	65.4	73.6
1982	74.5	70.9	78.1	75.1	71.5	78.7	71.0	66.8	75.0	69.4	65.1	73.7
1981	74.2	70.4	77.8	74.8	71.1	78.4	70.3	66.1	74.4	68.9	64.5	73.2
1980	73.7	70.0	77.4	74.4	70.7	78.1	69.5	65.3	73.6	68.1	63.8	72.5
1979	73.9	70.0	77.8	74.6	70.8	78.4	69.8	65.4	74.1	68.5	64.0	72.9
1978	73.5	69.6	77.3	74.1	70.4	78.0	69.3	65.0	73.5	68.1	63.7	72.4
1977	73.3	69.5	77.2	74.0	70.2	77.9	68.9	64.7	73.2	67.7	63.4	72.0
1976	72.9	69.1	76.8	73.6	69.9	77.5	68.4	64.2	72.7	67.2	62.9	71.6
1975	72.6	68.8	76.6	73.4	69.5	77.3	68.0	63.7	72.4	66.8	62.4	71.3
1974	72.0	68.2	75.9	72.8	69.0	76.7	67.1	62.9	71.3	66.0	61.7	70.3
1973	71.4	67.6	75.3	72.2	68.5	76.1	66.1	62.0	70.3	65.0	60.9	69.3
1972 ²	71.2	67.4	75.1	72.0	68.3	75.9	65.7	61.5	70.1	64.7	60.4	69.1
1971	71.1	67.4	75.0	72.0	68.3	75.8	65.6	61.6	69.8	64.6	60.5	68.9
1970	70.8	67.1	74.7	71.7	68.0	75.6	65.3	61.3	69.4	64.1	60.0	68.3
1969	70.5	66.8	74.4	71.4	67.7	75.3	64.5	60.6	68.6	---	---	---
1968	70.2	66.6	74.1	71.1	67.5	75.0	64.1	60.4	67.9	---	---	---
1967	70.5	67.0	74.3	71.4	67.8	75.2	64.9	61.4	68.5	---	---	---
1966	70.2	66.7	73.9	71.1	67.5	74.8	64.2	60.9	67.6	---	---	---
1965	70.2	66.8	73.8	71.1	67.6	74.8	64.3	61.2	67.6	---	---	---
1964	70.2	66.8	73.7	71.0	67.7	74.7	64.2	61.3	67.3	---	---	---
1963 ³	69.9	66.6	73.4	70.8	67.4	74.4	63.7	61.0	66.6	---	---	---
1962 ³	70.1	66.9	73.5	70.9	67.7	74.5	64.2	61.6	66.9	---	---	---
1961	70.2	67.1	73.6	71.0	67.8	74.6	64.5	62.0	67.1	---	---	---
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3	---	---	---
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5	---	---	---
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8	---	---	---
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5	---	---	---
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1	---	---	---
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1	---	---	---
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9	---	---	---
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5	---	---	---
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8	---	---	---
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4	---	---	---
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9	---	---	---
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7	---	---	---
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5	---	---	---
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9	---	---	---
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0	---	---	---
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6	---	---	---
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7	---	---	---
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1	---	---	---
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2	---	---	---
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3	---	---	---
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9	---	---	---
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0	---	---	---
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3	---	---	---
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5	---	---	---
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4	---	---	---
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2	---	---	---
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7	---	---	---
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0	---	---	---
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6	---	---	---
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5	---	---	---
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2	---	---	---
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8	---	---	---
DEATH-REGISTRATION STATES												
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0	---	---	---
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9	---	---	---
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6	---	---	---
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7	---	---	---
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8	---	---	---
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9	---	---	---
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0	---	---	---
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3	---	---	---
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2	---	---	---
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4	---	---	---
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5	---	---	---
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8	---	---	---
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1	---	---	---
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5	---	---	---
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8	---	---	---
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3	---	---	---
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0	---	---	---
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2	---	---	---
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5	---	---	---
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3	---	---	---
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0	---	---	---
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0	---	---	---
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9	---	---	---
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1	---	---	---
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7	---	---	---
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6	---	---	---
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4	---	---	---
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3	---	---	---
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5	---	---	---

¹ Alaska included in 1959 and Hawaii in 1960.

² Deaths based on a 50-percent sample.

³ Figures by race exclude data for residents of New Jersey; see Technical Appendix.

Section 7. Technical Appendix

	Page		Page
Sources of data -----	1	Quality of data -----	15
Death and fetal-death statistics -----	1	Completeness of registration -----	15
Standard certificates and reports -----	2	Massachusetts data -----	15
History -----	2	Quality control procedures -----	15
Classification of data -----	3	Estimates of errors arising from 50-percent sample for 1972 -----	16
Classification by occurrence and residence -----	4	Computation of rates and other measures -----	16
Geographic classification -----	5	Population bases -----	16
State or country of birth -----	5	Net census undercount -----	18
Age -----	6	Age-adjusted death rates -----	19
Race -----	6	Life tables -----	19
Hispanic origin -----	6	Random variation in numbers of deaths, death rates, and mortality rates and ratios -----	19
Marital status -----	7		
Place of death and status of decedent -----	7		
Mortality by month and date of death -----	7		
Report of autopsy -----	7		
Cause of death -----	8		
Maternal deaths -----	10	Symbols used in tables -----	20
Infant deaths -----	10		
Fetal deaths -----	11		
Perinatal mortality -----	14	References -----	21

Figures

7-A. U.S. Standard Certificate of Death -----	3
7-B. U.S. Standard Report of Fetal Death -----	4

Text tables

A. Period of gestation at which fetal-death reporting is required: Each reporting area, 1985 -----	13
B. Sources for resident population and population including Armed Forces abroad: Birth- and death-registration States, 1900-1932, and United States, 1900-1985 -----	17

Population tables

7-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1985 -----	22
7-2. Estimated population of the United States, by 5-year age groups, race, and sex: July 1, 1985 -----	23
7-3. Estimated population, by age, for the United States, each division and State, Puerto Rico, Virgin Islands, and Guam: July 1, 1985 -----	24
7-4. Ratio of census-level resident population to resident population adjusted for estimated net census undercount, by age, sex, and race: April 1, 1980 -----	25

SOURCES OF DATA

Death and fetal-death statistics

Mortality statistics for 1985 are, as for all previous years except 1972, based on information from records of all deaths occurring in the United States. Fetal-death statistics for every year are based on all reports of fetal death received by the National Center for Health Statistics (NCHS).

The death-registration system and the fetal-death reporting system of the United States encompass the 50 States, the District of Columbia, New York City (which is independent of New York State for the purpose of death registration), Puerto Rico, the Virgin Islands, Guam, American Samoa, and the Trust Territory of the Pacific Islands. In the statistical tabulations of this publication, *United States* refers only to the aggregate of the 50 States (including New York City) and the District of Columbia. Tabulations for Guam, Puerto Rico, and the Virgin Islands are shown separately in this volume. No data have ever been included for American Samoa or the Trust Territory of the Pacific Islands.

The Virgin Islands was admitted to the "registration area" for deaths in 1924; Puerto Rico, in 1932; and Guam, in 1970. Tabulations of death statistics for Puerto Rico and the Virgin Islands were regularly shown in the annual volumes of *Vital Statistics of the United States* from the year of their admission through 1971 except for the years 1967 through 1969, and tabulations for Guam were included for 1970 and 1971. Death statistics for Puerto Rico, the Virgin Islands, and Guam were not included in the 1972 volume but have been included in section 8 of the volumes for each of the years 1973-78 and in section 9 beginning with 1979. Information for 1972 for these three areas was published in the respective annual vital statistics reports of the Department of Health of the Commonwealth of Puerto Rico, the Department of Health of the Virgin Islands, and the Department of Public Health and Social Services of the Government of Guam.

Procedures used by NCHS to collect death statistics have changed over the years. Before 1971, tabulations of deaths and fetal deaths were based solely on information obtained by NCHS from copies of the original certificates. The information from these copies was edited, coded, and tabulated. For 1960-70, all mortality information taken from these records was transferred by NCHS to magnetic tape for computer processing.

Beginning with 1971, an increasing number of States have provided NCHS with computer tapes of data coded according to NCHS specifications and provided to NCHS through the Vital Statistics Cooperative Program. The year in which State-coded demographic data were first transmitted on computer tape to NCHS is shown below for each

of the States, New York City, Puerto Rico, and the District of Columbia, all of which now furnish demographic or non-medical data on tape.

1971	1977
Florida	Alaska
	Idaho
1972	Massachusetts
Maine	New York City
Missouri	Ohio
New Hampshire	Puerto Rico
Rhode Island	
Vermont	1978
	Indiana
1973	Utah
Colorado	Washington
Michigan	
New York (except New York City)	1979
	Connecticut
1974	Hawaii
Illinois	Mississippi
Iowa	New Jersey
Kansas	Pennsylvania
Montana	Wyoming
Nebraska	
Oregon	1980
South Carolina	Arkansas
	New Mexico
1975	South Dakota
Louisiana	
Maryland	1982
North Carolina	North Dakota
Oklahoma	
Tennessee	
Virginia	
Wisconsin	
	1985
1976	Alabama
Kentucky	Arizona
Minnesota	California
Nevada	Delaware
Texas	Georgia
West Virginia	District of Columbia

For the Virgin Islands and Guam mortality statistics for 1985 are based on information obtained directly by

NCHS from copies of the original certificates received from the registration offices.

In 1974, States began coding medical (cause-of-death) data on computer tapes according to NCHS specifications. The year in which State-coded medical data were first transmitted to NCHS is shown below for the 19 States now furnishing such data.

1974	1980—Con.
Iowa	Pennsylvania
Michigan	South Carolina
1975	1981
Louisiana	Maine
Nebraska	
North Carolina	1983
Virginia	Minnesota
Wisconsin	
1980	1984
Colorado	Maryland
Kansas	New York State (except
Massachusetts	New York City)
Mississippi	Vermont
New Hampshire	

For 1985 and previous years except 1972, NCHS coded the medical information from copies of the original certificates received from the registration offices for all deaths occurring in those States that were not furnishing NCHS with medical data coded according to NCHS specifications. For 1981 and 1982, it was necessary to change these procedures because of a backlog in coding and processing that resulted from personnel and budgetary restrictions. To produce the mortality files on a timely basis with reduced resources, NCHS used State-coded underlying cause-of-death information supplied by 19 States for 50 percent of the records; for the other 50 percent of the records for these States as well as for 100 percent of the records for the remaining 21 registration areas, NCHS coded the medical information.

Mortality statistics for 1972 were based on information obtained from a 50-percent sample of death records instead of from all records as in other years. The sample resulted from personnel and budgetary restrictions. Sampling variation associated with the 50-percent sample is described below in the section "Estimates of errors arising from 50-percent sample for 1972."

Fetal-death data are obtained directly from copies of original reports of fetal deaths received by NCHS, except New York State (excluding New York City), which submitted State-coded data in 1985. For Oklahoma in 1985, fetal death data were obtained partly from copies of original reports of fetal deaths received by NCHS, and partly from State-coded data (see section "Quality control procedures"). Fetal-death data are not published by NCHS for the Virgin Islands and Guam.

Standard certificates and reports

The U.S. Standard Certificate of Death and the U.S. Standard Report of Fetal Death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of documents used to collect information on these events. They have been modified in each State to the extent required by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates or reports of most States conform closely in content and arrangement to the standards.

The first issue of the U.S. Standard Certificate of Death appeared in 1900. Since then, it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in such fields as public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for legal, medical and health, demographic, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting, or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the U.S. Standard Certificate of Death and the U.S. Standard Report of Fetal Death were recommended for State use beginning January 1, 1978. The U.S. Standard Certificate of Death and the U.S. Standard Report of Fetal Death are shown in figures 7-A and 7-B. The certificate of death shown in figure 7-A is for use by a physician, a medical examiner, or a coroner. Two other forms of the U.S. Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one, and for the medical examiner's or coroner's signature on the other.

Among the changes in the new revision were the additions of (1) an item asking "If Hosp. or Inst., Indicate DOA, OP/Emer. Rm., Inpatient" and (2) an item "Was Decedent Ever in U.S. Armed Forces?" The latter item was previously on the certificate but was deleted from 1968 through 1977. An item on whether autopsy findings were considered for determining cause of death was dropped.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and were based on statistics collected during the decennial census of that year. In 1880 a national "registration area" was created for deaths. Originally consisting of two States (Massachusetts and New Jersey), the District of Columbia, and several large cities having efficient systems for death registrations, the death-registration area continued to expand until 1933, when it included the entire United States for the first time. Tables that show data for death-registration States include the District of Columbia for all years; registration cities in nonreg-

SECTION 7 — TECHNICAL APPENDIX — PAGE 3

FIGURE 7-A.

(PHYSICIAN, MEDICAL EXAMINER OR CORONER) U.S. STANDARD CERTIFICATE OF DEATH										Form Approved OMB No. 68R 1901					
LOCAL FILE NUMBER										STATE FILE NUMBER					
1. DECEDENT—NAME FIRST MIDDLE LAST										2. SEX		3. DATE OF DEATH (Mo., Day, Yr.)			
4. RACE—(e.g., White, Black, American Indian, etc.) (Specify)										5a. AGE—Last Birthday (Yrs.)		6. DATE OF BIRTH (Mo., Day, Yr.)		7a. COUNTY OF DEATH	
5b. MOS.										5c. DAYS		5d. HOURS		5e. MINS	
4. CITY, TOWN OR LOCATION OF DEATH										HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number)				7d. IF HOSP OR INST. indicate DOA, OP, Emer. Rm., Inpatient (Specify)	
7b. STATE OF BIRTH (If not in U.S.A., name country)										7c. CITIZEN OF WHAT COUNTRY		MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)		SURVIVING SPOUSE (If wife, give maiden name)	
8. SOCIAL SECURITY NUMBER										10. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)				11. KIND OF BUSINESS OR INDUSTRY	
13. RESIDENCE—STATE										14a. COUNTY		14b. CITY, TOWN OR LOCATION		14c. STREET AND NUMBER	
15a. INSIDE CITY LIMITS (Specify Yes or No)										15b. CITY		15c. STATE		15d. ZIP	
16. FATHER—NAME FIRST MIDDLE LAST										17. MOTHER—MAIDEN NAME FIRST MIDDLE LAST					
18a. INFORMANT—NAME (Type or Print)										18b. MAILING ADDRESS		STREET OR R.F.D. NO.		CITY OR TOWN	
19a. BURIAL, CREMATION, REMOVAL, OTHER (Specify)										19b. CEMETERY OR CREMATORY—NAME		19c. LOCATION		CITY OR TOWN	
20a. FUNERAL SERVICE LICENSEE Or Person Acting As Such (Signature)										20b. NAME OF FACILITY		20c. ADDRESS OF FACILITY			
21a. To the best of my knowledge, death occurred at the time, date and place and due to the cause(s) stated.										21b. DATE SIGNED (Mo., Day, Yr.)		21c. HOUR OF DEATH		21d. M	
22a. On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated.										22b. DATE SIGNED (Mo., Day, Yr.)		22c. HOUR OF DEATH		22d. M	
23. NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)										23a. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)		23b. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)		23c. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)	
24a. IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).)										24b. INTERVAL BETWEEN ONSET AND DEATH		24c. INTERVAL BETWEEN ONSET AND DEATH		24d. INTERVAL BETWEEN ONSET AND DEATH	
25. PART I										25a. DUE TO, OR AS A CONSEQUENCE OF:		25b. DUE TO, OR AS A CONSEQUENCE OF:		25c. DUE TO, OR AS A CONSEQUENCE OF:	
26. PART II										26a. ACC. SUICIDE, HON., UNDET. OR PENDING INVEST. (Specify)		26b. DATE OF INJURY (Mo., Day, Yr.)		26c. HOUR OF INJURY	
27. PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)										27a. LOCATION		27b. STREET OR R.F.D. NO.		27c. CITY OR TOWN	
28. INJURY AT WORK (Specify Yes or No)										28a. PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)		28b. LOCATION		28c. STREET OR R.F.D. NO.	
29. INJURY AT WORK (Specify Yes or No)										29a. PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)		29b. LOCATION		29c. STREET OR R.F.D. NO.	

istration States are not included. For more details on the history of the death-registration area see the Technical Appendix in *Vital Statistics of the United States, 1979*, Volume II, Mortality, Part A, Section 7, pages 3–4, and the section “History and Organization of the Vital Statistics System,” chapter 1, *Vital Statistics of the United States, 1950*, Volume I, pages 2–19.

Statistics on fetal deaths were first published for the birth-registration area in 1918, and then every year beginning with 1922.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized

relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, sex, and race, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths for 1985 are set forth in two instruction manuals (NCHS, 1985a, 1985b).

A discussion of the classification of certain important

SECTION 7 — TECHNICAL APPENDIX — PAGE 4

FIGURE 7-B.

Form Approved
OMB No. 68R 1901

U. S. STANDARD
REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

1a. HOSPITAL - NAME (If not in hospital, give street and number)		1b. CITY, TOWN OR LOCATION OF DELIVERY		1c. COUNTY OF DELIVERY	
2a. DATE OF DELIVERY (Month, Day, Year)		2b. HOUR OF DELIVERY		2c. SEX OF FETUS	
2d. WEIGHT OF FETUS		2e. M		2f. 4.	
3a. MOTHER - MAIDEN NAME		3b. AGE (At time of this delivery)		3c. RESIDENCE - STATE	
3d. COUNTY		3e. FIRST		3f. MIDDLE	
3g. LAST		3h. 5b.		3i. 6a.	
3j. 5c.		3k. 5d.		3l. 5e.	
3m. 6c.		3n. 6d.		3o. 6e.	
3p. 6f.		3q. 6g.		3r. 6h.	
3s. 6i.		3t. 6j.		3u. 6k.	
3v. 6l.		3w. 6m.		3x. 6n.	
3y. 6o.		3z. 6p.		3aa. 6q.	
3ab. 6r.		3ac. 6s.		3ad. 6t.	
3ae. 6u.		3af. 6v.		3ag. 6w.	
3ah. 6x.		3ai. 6y.		3aj. 6z.	
3ak. 6aa.		3al. 6ab.		3am. 6ac.	
3an. 6ad.		3ao. 6ae.		3ap. 6af.	
3aq. 6ag.		3ar. 6ah.		3as. 6ai.	
3at. 6aj.		3au. 6ak.		3av. 6al.	
3aw. 6am.		3ax. 6an.		3ay. 6ao.	
3az. 6ap.		3ba. 6aq.		3bb. 6ar.	
3bc. 6as.		3bd. 6at.		3be. 6au.	
3bf. 6av.		3bg. 6aw.		3bh. 6ax.	
3bi. 6ay.		3bj. 6az.		3bk. 6ba.	
3bl. 6bb.		3bm. 6bc.		3bn. 6bd.	
3bo. 6be.		3bp. 6bf.		3bq. 6bg.	
3br. 6bh.		3bs. 6bi.		3bt. 6bj.	
3bu. 6bk.		3bv. 6bl.		3bw. 6bm.	
3bx. 6bn.		3by. 6bo.		3bz. 6bp.	
3ca. 6bq.		3cb. 6br.		3cc. 6bs.	
3cd. 6bt.		3ce. 6bu.		3cd. 6bv.	
3ce. 6bw.		3cf. 6bx.		3cd. 6by.	
3cf. 6bz.		3cd. 6ca.		3cd. 6cb.	
3cd. 6cc.		3cd. 6cd.		3cd. 6ce.	
3cd. 6cf.		3cd. 6cg.		3cd. 6ch.	
3cd. 6ci.		3cd. 6cj.		3cd. 6ck.	
3cd. 6cl.		3cd. 6cm.		3cd. 6cn.	
3cd. 6co.		3cd. 6cp.		3cd. 6cq.	
3cd. 6cr.		3cd. 6cs.		3cd. 6ct.	
3cd. 6cu.		3cd. 6cv.		3cd. 6cw.	
3cd. 6cx.		3cd. 6cy.		3cd. 6cz.	
3cd. 6da.		3cd. 6db.		3cd. 6dc.	
3cd. 6dd.		3cd. 6de.		3cd. 6df.	
3cd. 6dg.		3cd. 6dh.		3cd. 6di.	
3cd. 6dj.		3cd. 6dk.		3cd. 6dl.	
3cd. 6dm.		3cd. 6dn.		3cd. 6do.	
3cd. 6dp.		3cd. 6dq.		3cd. 6dr.	
3cd. 6ds.		3cd. 6dt.		3cd. 6du.	
3cd. 6dv.		3cd. 6dw.		3cd. 6dx.	
3cd. 6dy.		3cd. 6dz.		3cd. 6ea.	
3cd. 6eb.		3cd. 6ec.		3cd. 6ed.	
3cd. 6ee.		3cd. 6ef.		3cd. 6eg.	
3cd. 6eh.		3cd. 6ei.		3cd. 6ej.	
3cd. 6ek.		3cd. 6el.		3cd. 6em.	
3cd. 6en.		3cd. 6eo.		3cd. 6ep.	
3cd. 6eq.		3cd. 6er.		3cd. 6es.	
3cd. 6et.		3cd. 6eu.		3cd. 6ev.	
3cd. 6ew.		3cd. 6ex.		3cd. 6ey.	
3cd. 6ez.		3cd. 6fa.		3cd. 6fb.	
3cd. 6fc.		3cd. 6fd.		3cd. 6fe.	
3cd. 6ff.		3cd. 6fg.		3cd. 6fh.	
3cd. 6fi.		3cd. 6fj.		3cd. 6fk.	
3cd. 6fl.		3cd. 6fm.		3cd. 6fn.	
3cd. 6fo.		3cd. 6fp.		3cd. 6fq.	
3cd. 6fr.		3cd. 6fs.		3cd. 6ft.	
3cd. 6fu.		3cd. 6fv.		3cd. 6fw.	
3cd. 6fx.		3cd. 6fy.		3cd. 6fz.	
3cd. 6ga.		3cd. 6gb.		3cd. 6gc.	
3cd. 6gd.		3cd. 6ge.		3cd. 6gf.	
3cd. 6gg.		3cd. 6gh.		3cd. 6gi.	
3cd. 6gj.		3cd. 6gk.		3cd. 6gl.	
3cd. 6gm.		3cd. 6gn.		3cd. 6go.	
3cd. 6gp.		3cd. 6gq.		3cd. 6gr.	
3cd. 6gs.		3cd. 6gt.		3cd. 6gu.	
3cd. 6gv.		3cd. 6gw.		3cd. 6gx.	
3cd. 6gy.		3cd. 6gz.		3cd. 6ha.	
3cd. 6hb.		3cd. 6hc.		3cd. 6hd.	
3cd. 6he.		3cd. 6hf.		3cd. 6hg.	
3cd. 6hi.		3cd. 6hj.		3cd. 6hk.	
3cd. 6hl.		3cd. 6hm.		3cd. 6hn.	
3cd. 6ho.		3cd. 6hp.		3cd. 6hq.	
3cd. 6hr.		3cd. 6hs.		3cd. 6ht.	
3cd. 6hu.		3cd. 6hv.		3cd. 6hw.	
3cd. 6hx.		3cd. 6hy.		3cd. 6hz.	
3cd. 6ia.		3cd. 6ib.		3cd. 6ic.	
3cd. 6id.		3cd. 6ie.		3cd. 6if.	
3cd. 6ig.		3cd. 6ih.		3cd. 6ii.	
3cd. 6ij.		3cd. 6ik.		3cd. 6il.	
3cd. 6im.		3cd. 6in.		3cd. 6io.	
3cd. 6ip.		3cd. 6iq.		3cd. 6ir.	
3cd. 6is.		3cd. 6it.		3cd. 6iu.	
3cd. 6iv.		3cd. 6iw.		3cd. 6ix.	
3cd. 6iy.		3cd. 6iz.		3cd. 6ja.	
3cd. 6jb.		3cd. 6jc.		3cd. 6jd.	
3cd. 6je.		3cd. 6jf.		3cd. 6jg.	
3cd. 6jh.		3cd. 6ji.		3cd. 6jj.	
3cd. 6jk.		3cd. 6jl.		3cd. 6jm.	
3cd. 6jn.		3cd. 6jo.		3cd. 6jp.	
3cd. 6jq.		3cd. 6jr.		3cd. 6js.	
3cd. 6jt.		3cd. 6ju.		3cd. 6jv.	
3cd. 6jw.		3cd. 6jx.		3cd. 6jy.	
3cd. 6jz.		3cd. 6ka.		3cd. 6kb.	
3cd. 6kc.		3cd. 6kd.		3cd. 6ke.	
3cd. 6kf.		3cd. 6kg.		3cd. 6kh.	
3cd. 6ki.		3cd. 6kj.		3cd. 6kk.	
3cd. 6kl.		3cd. 6km.		3cd. 6kn.	
3cd. 6ko.		3cd. 6kp.		3cd. 6kq.	
3cd. 6kr.		3cd. 6ks.		3cd. 6kt.	
3cd. 6ku.		3cd. 6kv.		3cd. 6kw.	
3cd. 6kx.		3cd. 6ky.		3cd. 6kz.	
3cd. 6la.		3cd. 6lb.		3cd. 6lc.	
3cd. 6ld.		3cd. 6le.		3cd. 6lf.	
3cd. 6lg.		3cd. 6lh.		3cd. 6li.	
3cd. 6lj.		3cd. 6lk.		3cd. 6ll.	
3cd. 6lm.		3cd. 6ln.		3cd. 6lo.	
3cd. 6lp.		3cd. 6lq.		3cd. 6lr.	
3cd. 6ls.		3cd. 6lt.		3cd. 6lu.	
3cd. 6lv.		3cd. 6lw.		3cd. 6lx.	
3cd. 6ly.		3cd. 6lz.		3cd. 6ma.	
3cd. 6mb.		3cd. 6mc.		3cd. 6md.	
3cd. 6me.		3cd. 6mf.		3cd. 6mg.	
3cd. 6mh.		3cd. 6mi.		3cd. 6mj.	
3cd. 6mk.		3cd. 6ml.		3cd. 6mm.	
3cd. 6mn.		3cd. 6mo.		3cd. 6mp.	
3cd. 6mq.		3cd. 6mr.		3cd. 6ms.	
3cd. 6mt.		3cd. 6mu.		3cd. 6mv.	
3cd. 6mw.		3cd. 6mx.		3cd. 6my.	
3cd. 6mz.		3cd. 6na.		3cd. 6nb.	
3cd. 6nc.		3cd. 6nd.		3cd. 6ne.	
3cd. 6nf.		3cd. 6ng.		3cd. 6nh.	
3cd. 6ni.		3cd. 6nj.		3cd. 6nk.	
3cd. 6nl.		3cd. 6nm.		3cd. 6nn.	
3cd. 6no.		3cd. 6np.		3cd. 6nq.	
3cd. 6nr.		3cd. 6ns.		3cd. 6nt.	
3cd. 6nu.		3cd. 6nv.		3cd. 6nw.	
3cd. 6nx.		3cd. 6ny.		3cd. 6nz.	
3cd. 6oa.		3cd. 6ob.		3cd. 6oc.	
3cd. 6od.		3cd. 6oe.		3cd. 6of.	
3cd. 6og.		3cd. 6oh.		3cd. 6oi.	
3cd. 6oj.		3cd. 6ok.		3cd. 6ol.	
3cd. 6om.		3cd. 6on.		3cd. 6oo.	
3cd. 6op.		3cd. 6oq.		3cd. 6or.	
3cd. 6os.		3cd. 6ot.		3cd. 6ou.	
3cd. 6ov.		3cd. 6ow.		3cd. 6ox.	
3cd. 6oy.		3cd. 6oz.		3cd. 6pa.	
3cd. 6pb.		3cd. 6pc.		3cd. 6pd.	
3cd. 6pe.		3cd. 6pf.		3cd. 6pg.	
3cd. 6ph.		3cd. 6pi.		3cd. 6pj.	
3cd. 6pk.		3cd. 6pl.		3cd. 6pm.	
3cd. 6pn.		3cd. 6po.		3cd. 6pp.	
3cd. 6pq.		3cd. 6pr.		3cd. 6ps.	
3cd. 6pt.		3cd. 6pu.		3cd. 6pv.	
3cd. 6pw.		3cd. 6px.		3cd. 6py.	
3cd. 6pz.		3cd. 6qa.		3cd. 6qb.	
3cd. 6qc.		3cd. 6qd.		3cd. 6qe.	
3cd. 6qf.		3cd. 6qg.		3cd. 6qh.	
3cd. 6qi.		3cd. 6qj.		3cd. 6qk.	
3cd. 6ql.		3cd. 6qm.		3cd. 6qn.	
3cd. 6qo.		3cd. 6qp.		3cd. 6qq.	
3cd. 6qr.		3cd. 6qs.		3cd. 6qt.	
3cd. 6qu.		3cd. 6qv.		3cd. 6qw.	
3cd. 6qx.		3cd. 6qy.		3cd. 6qz.	
3cd. 6ra.		3cd. 6rb.		3cd. 6rc.	
3cd. 6rd.		3cd. 6re.		3cd. 6rf.	
3cd. 6rg.		3cd. 6rh.		3cd. 6ri.	
3cd. 6rj.		3cd. 6rk.		3cd. 6rl.	
3cd. 6rm.		3cd. 6rn.		3cd. 6ro.	
3cd. 6rp.		3cd. 6rq.		3cd. 6rr.	
3cd. 6rs.		3cd. 6rt.		3cd. 6ru.	
3cd. 6rv.		3cd. 6rw.		3cd. 6rx.	
3cd. 6ry.		3cd. 6rz.		3cd. 6sa.	
3cd. 6sb.		3cd. 6sc.		3cd. 6sd.	
3cd. 6se.		3cd. 6sf.		3cd. 6sg.	
3cd. 6sh.		3cd. 6si.		3cd. 6sj.	
3cd. 6sk.		3cd. 6sl.		3cd. 6sm.	
3cd. 6sn.		3cd. 6so.		3cd. 6sp.	
3cd. 6sq.		3cd. 6sr.		3cd. 6ss.	
3cd. 6st.		3cd. 6su.		3cd. 6sv.	
3cd. 6sw.		3cd. 6sx.		3cd. 6sy.	
3cd. 6sz.		3cd. 6ta.		3cd. 6tb.	
3cd. 6tc.		3cd. 6td.		3cd. 6te.	
3cd. 6tf.		3cd. 6tg.		3cd. 6th.	
3cd. 6ti.		3cd. 6tj.		3cd. 6tk.	
3cd. 6tl.		3cd. 6tm.		3cd. 6tn.	
3cd. 6to.		3cd. 6tp.		3cd. 6tq.	
3cd. 6tr.		3cd. 6ts.		3cd. 6tt.	
3cd. 6tu.		3cd. 6tv.		3cd. 6tw.	
3cd. 6tx.		3cd. 6ty.		3cd. 6tz.	
3cd. 6ua.		3cd. 6ub.		3cd. 6uc.	
3cd. 6ud.		3cd. 6ue.		3cd. 6uf.	
3cd. 6ug.		3cd. 6uh.		3cd. 6ui.	
3cd. 6uj.		3cd. 6uk.		3cd. 6ul.	
3cd. 6um.		3cd. 6un.		3cd. 6uo.	
3cd. 6up.		3cd. 6uq.		3cd. 6ur.	
3cd. 6us.		3cd. 6ut.		3cd. 6uu.	
3cd. 6uv.		3cd. 6uw.		3cd. 6ux.	
3cd. 6uy.		3cd. 6uz.		3cd. 6va.	
3cd. 6vb.		3cd. 6vc.		3cd. 6vd.	
3cd. 6ve.		3cd. 6vf.		3cd. 6vg.	
3cd. 6vh.		3cd. 6vi.		3cd. 6vj.	
3cd. 6vk.		3cd. 6vl.		3cd. 6vm.	
3cd. 6vn.		3cd. 6vo.		3cd. 6vp.	
3cd. 6vq.		3cd. 6vr.		3cd. 6vs.	
3cd. 6vt.		3cd. 6vu.		3cd. 6vv.	
3cd. 6vw.		3cd. 6vx.		3cd. 6vy.	
3cd. 6vz.		3cd. 6wa.		3cd. 6wb.	
3cd. 6wc.		3cd. 6wd.		3cd. 6we.	
3cd. 6wf.		3cd. 6wg.		3cd. 6wh.	
3cd. 6wi.		3cd. 6wj.		3cd. 6wk.	
3cd. 6wl.		3cd. 6wm.		3cd. 6wn.	
3cd. 6wo.		3cd. 6wp.		3cd. 6wq.	
3cd. 6wr.		3cd. 6ws.		3cd. 6wt.	
3cd. 6wu.		3cd. 6wv.		3cd. 6ww.	
3cd. 6wx.		3cd. 6wy.		3cd. 6wz.	
3cd. 6xa.		3cd. 6xb.		3cd. 6xc.	
3cd. 6xd.		3cd. 6xe.		3cd. 6xf.	
3cd. 6xg.		3cd. 6xh.		3cd. 6xi.	
3cd. 6xj.		3cd. 6xk.		3cd. 6xl.	
3cd. 6xm.		3cd. 6xn.		3cd. 6xo.	
3cd. 6xp.		3cd. 6xq.		3cd. 6xr.	
3cd. 6xs.		3cd. 6xt.		3cd. 6xu.	
3cd. 6xv.		3cd. 6xw.		3cd. 6xx.	
3cd. 6xy.		3cd. 6xz.		3cd. 6ya.	
3cd. 6yb.		3cd. 6yc.		3cd. 6yd.	
3cd. 6ye.		3cd. 6yf.		3cd. 6yg.	
3cd. 6yh.		3cd. 6yi.		3cd. 6yj.	
3cd. 6yk.		3cd. 6yl.		3cd. 6ym.	
3cd. 6yn.		3cd. 6yo.		3cd. 6yp.	
3cd. 6yq.		3cd. 6yr.		3cd. 6ys.	
3cd. 6yt.		3cd. 6yu.		3cd. 6yv.	
3cd. 6yw.		3cd. 6yx.		3cd. 6yy.	
3cd. 6yz.		3cd.			

of the census records for the decedents whose records were matched (NCHS, 1969).

A comparison of the results of this study of deaths with those for a previous matched record study of births (National Vital Statistics Division, 1962) showed that the quality of residence data had considerably improved between 1950 and 1960. Both studies found that events in urban areas were overstated by the NCHS classification in comparison with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950.

The improvement is attributed to an item added in 1956 to the U.S. Standard Certificates of Birth and of Death, asking if residence was inside or outside city limits. This new item aided in properly allocating the residence of persons living near cities but outside the corporate limits.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously (NCHS, 1985a, 1985b).

The geographic codes assigned by the National Center for Health Statistics during data reduction of source information on birth, death, and fetal-death records are given in another instruction manual (NCHS, 1985c). Beginning with 1982 data, the geographic codes were modified to reflect results of the 1980 census. For 1970–81, codes are based on results of the 1970 census.

Standard metropolitan statistical areas—The standard metropolitan statistical areas (SMSA's) used in this report are those established by the U.S. Office of Management and Budget (1981a, pp. 1–20) from final 1980 census population counts and used by the U.S. Bureau of the Census, except in the New England States.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing a city of 50,000 inhabitants or more or an urbanized area of 50,000 with a total metropolitan population of at least 100,000. In addition to the county or counties containing such a city or urbanized area, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or urbanized area (U.S. Office of Management and Budget, 1981b, p. 420).

In the New England States the U.S. Office of Management and Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot, however, use the SMSA classification for these States because its data are not coded to identify all towns. Instead, NCHS uses New England County Metropolitan Areas (NECMA's). Made up of county units, these areas are established by the U.S. Office of Management and Budget (1975, pp. 89–90; 1981b, p. 420).

Metropolitan and nonmetropolitan counties—Independ-

are included in data for metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups—Vital statistics data for cities and certain other urban places in 1985 are classified according to the population enumerated in the 1980 Census of Population. Data are available for individual cities and other urban places of 10,000 or more population. Data for the remaining areas not separately identified are shown in the tables under the heading "balance of area" or "balance of county." For the years 1970–81, classification of areas was determined by the population enumerated in the 1970 Census of Population. Beginning with 1982 data, as a result of changes in the enumerated population between 1970 and 1980, some urban places identified in previous reports are no longer included, and a number of other urban places have been added.

Urban places other than incorporated cities for which vital statistics data are shown in this report include the following:

- Each town in New England, New York, and Wisconsin and each township in Michigan, New Jersey, and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more, or a population of 10,000 to 25,000 and a density of 1,000 persons or more per square mile.
- Each county in States other than those indicated above that had no incorporated municipality within its boundary and had a density of 1,000 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)
- Each place in Hawaii with 10,000 or more population, as there are no incorporated cities in the State.

Before 1964, places were classified as "urban" or "rural." The Technical Appendixes for earlier years discuss the previous classification system.

State or country of birth

Mortality statistics by State or country of birth (table 1–32) became available beginning with 1979. State or country of birth of a decedent is assigned to 1 of the 50 States or the District of Columbia; or to Puerto Rico, the Virgin Islands, or Guam—if specified on the death certificate. The place of birth is also tabulated for Canada, Cuba, Mexico, and for the Remainder of the World. Deaths for which information on State or country of birth was unknown, not stated, or not classifiable accounted for a small proportion of all deaths in 1985, about 0.6 percent.

Early mortality reports published by the U.S. Bureau of the Census contained tables showing nativity of parents as well as nativity of decedent. Publication of these tables was

decendent were again published in annual reports for 1939–41 and for 1950.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

For computation of age-specific and age-adjusted death rates, deaths with age not stated are excluded. For life table computation, deaths with age not stated are distributed proportionately.

Race

For vital statistics in the United States in 1985, deaths are classified by race—white, black, Indian, Chinese, Japanese, Filipino, Other Asian or Pacific Islander, and other races. Mortality data for Filipino and Other Asian or Pacific Islander were shown for the first time in 1979.

The white category includes, in addition to persons reported as white, those reported as Mexican, Puerto Rican, Cuban, and all other Caucasians. The Indian category includes American, Alaskan, Canadian, Eskimo, and Aleut. If the racial entry on the death certificate indicates a mixture of Hawaiian and any other race, the entry is coded to Hawaiian. If the race is given as a mixture of white and any other race, the entry is coded to the appropriate other race. If a mixture of races other than white is given (except Hawaiian), the entry is coded to the first race listed. This procedure for coding the first race listed has been in use since 1969. Before 1969, if the entry for race was a mixture of black and any other race except Hawaiian, the entry was coded to black.

Most of the tables in this report, however, do not show data for this detailed classification by race. In about half of all the tables the divisions are white, all other (including black), and black separately. In other tables by race, where the main purpose is to isolate the major groups, the classifications are simply white and all other.

Race not stated—For 1985 the number of death records for which race was unknown, not stated, or not classifiable was 3,488, or less than 0.2 percent of the total deaths. Death records with race entry not stated are assigned to a racial designation as follows: If the preceding record is coded white, the code assignment is made to white; if the code is other than white, the assignment is made to black. Before 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962–64.

New Jersey, 1962–64—New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race for 1962 and 1963

exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item.

Adjustments made in vital statistics to take into account the omission of the race item in New Jersey for part of the certificates filed during 1962 through 1964 are described in the Technical Appendix of *Vital Statistics of the United States* for each of those data years.

Hispanic origin

Mortality statistics for the Hispanic-origin population were published in 1984 for the first time. They are based on information for those States and the District of Columbia that included items on the death certificate to identify Hispanic or ethnic origin of decedents. Data were obtained from the District of Columbia and the following 22 States: Arizona, Arkansas, California, Colorado, Georgia, Hawaii, Illinois, Indiana, Kansas, Maine, Mississippi, Nebraska, Nevada, New Jersey, New Mexico, New York (including New York City), North Dakota, Ohio, Tennessee, Texas, Utah, and Wyoming. Generally, the reporting States used items similar to one of two basic formats recommended by NCHS. The first format is open-ended to obtain the specific origin or descent of the decedent (for example, Italian, Mexican, Puerto Rican, English, and Cuban). The second format is directed specifically toward the Hispanic population and asks whether the decedent is of Spanish origin. If so, the specific origin—for example, Mexican, Puerto Rican, or Cuban—is to be indicated.

For 1985, mortality data in tables 1–33 and 2–18 are based on deaths to residents of all 22 reporting States and the District of Columbia. In tables 1–34, 2–19, 2–20, and 2–21 mortality data for the Hispanic-origin population are based on deaths to residents of 17 reporting States and the District of Columbia whose data were at least 90 percent complete and considered to be sufficiently comparable to be used for analysis. The 17 States are as follows: Arizona, Arkansas, California, Colorado, Georgia, Hawaii, Illinois, Indiana, Kansas, Mississippi, Nebraska, New York (including New York City), North Dakota, Ohio, Texas, Utah, and Wyoming. Excluded from these tables are data for New Mexico because the format for the Hispanic item on the New Mexico death certificate departs sufficiently from that of other areas to result in noncomparable data. In addition, in tables 1–33 and 1–34 for New Mexico, no deaths are shown for the category “not stated” origin. Because of the way in which the item on the death certificate for New Mexico is worded, it was not possible to determine whether a blank entry represented a response of “non-Hispanic origin” or of “unknown origin.” Accordingly, blank entries were coded to “non-Hispanic.” The data for four other States—Maine, Nevada, New Jersey, and Tennessee—are excluded from tables 1–34, 2–19, 2–20, and 2–21 because of the large proportion of deaths (in excess of 10 percent) occurring in these States for which Hispanic origin was not stated or was unknown.

In 1980, the 17 reporting States and the District of Columbia accounted for about 77 percent of the Hispanic population in the United States, including about 89 percent of the Mexican population, 66 percent of the Puerto Rican population, 24 percent of the Cuban population, and 63 percent of the "Other Hispanic" population (U.S. Bureau of the Census, 1982b). Accordingly, caution should be exercised in generalizing mortality patterns from the reporting area to the Hispanic-origin population (especially Cubans) of the entire United States. For qualifications regarding infant mortality of the Hispanic-origin population, see "Infant deaths."

Marital status

Mortality statistics by marital status (table 1-31) were published in 1979 for the first time since 1961. (Previously they had been published in the annual reports for the years 1949-51 and 1959-61.) Several reports analyzing mortality by marital status have been published, including the special study based on 1959-61 data (NCHS, 1970). Reference to earlier reports is given in the appendix of part B of the 1959-61 special study.

Mortality statistics by marital status are tabulated separately for never married, married, widowed, and divorced. Certificates in which the marriage is specified as being annulled are classified as never married. Where marital status is specified as separated or common-law marriage, it is classified as married. Of the 2,029,261 resident deaths 15 years of age and over in 1985, 9,692 certificates (0.5 percent) had marital status not stated.

Place of death and status of decedent

Mortality statistics by place of death were published in 1979 for the first time since 1958 (tables 1-28 and 1-29). In addition, mortality data were also available for the first time in 1979 for the status of decedent when death occurred in a hospital or medical center (table 1-28). These data were obtained from the following two items that appear on the U.S. Standard Certificate of Death:

- Item 7c. Hospital or Other Institution—Name (If not in either, give street and number)
- Item 7d. If Hosp. or Inst. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)

All of the States and the District of Columbia have item 7c (or its equivalent) on the death certificate. For all States and the District of Columbia in the Vital Statistics Cooperative Program, NCHS accepts the State definition, classification, or codes for hospitals, medical centers, or other institutions.

Table 1-28 shows mortality data for the total of the

item 7d or its equivalent on their death certificates:

Alaska	Nevada
Arizona	New Hampshire
Arkansas	New Jersey
Colorado	New Mexico
Connecticut	New York
Florida	North Carolina
Georgia	North Dakota
Hawaii	Ohio
Idaho	Oregon
Illinois	Pennsylvania
Indiana	Rhode Island
Iowa	South Carolina
Kansas	South Dakota
Kentucky	Tennessee
Louisiana	Utah
Maine	Vermont
Michigan	Virginia
Mississippi	Washington
Missouri	West Virginia
Montana	Wisconsin
Nebraska	Wyoming

Effective with data for 1980, the coding of place of death and status of decedent was changed. A new coding category was added: "Dead on arrival—hospital, clinic, medical center name not given." Deaths coded to this category are tabulated in table 1-28 as "Dead on arrival" and in table 1-29 as "Not in hospital or medical center." Had the 1979 coding categories been used, these deaths would have been tabulated as "Place unknown."

Mortality by month and date of death

Deaths by month have been regularly tabulated and published in the annual report for each year beginning with data year 1900. For 1985, deaths by month are shown in tables 1-19, 1-20, 1-23, 1-30, 2-12, 2-13, 2-14, and 3-9.

Date of death was first published for data year 1972. In addition, unpublished data for selected causes by date of death for 1962 are available from NCHS.

Numbers of deaths by date of death in this report are shown in table 1-30 for the total number of deaths and for the number of deaths for the following three causes, for which the greatest interest in date of occurrence of death has been expressed: Motor vehicle accidents, Suicide, and Homicide and legal intervention.

These data show the frequency distribution of deaths for the selected causes by day of week. They also make it possible to identify holidays with peak numbers of deaths from specified causes.

Report of autopsy

requested information on the death certificate as to whether autopsies were performed. For 1985, autopsies were reported on 258,596 death certificates, 12.4 percent of the total (table 1-27).

Information as to whether the autopsy findings were used in determining the causes of death was tabulated for 1972-73 for all but nine registration areas and from 1974-77 for all but eight registration areas. The item "autopsy findings used" was deleted from the 1978 U.S. Standard Certificate of Death.

For eight of the cause-of-death categories shown in table 1-27, autopsies were reported as performed for 50 percent or more of all deaths (Meningococcal infection; Measles; Pregnancy with abortive outcome; Other complications of pregnancy, childbirth, and the puerperium; Motor vehicle accidents; Suicide; Homicide and legal intervention; and All other external causes). There were four other categories for which 40 percent or more of the death certificates reported autopsies. Autopsies were reported for only 7.9 percent of the Major cardiovascular diseases.

Cause of death

Cause-of-death classification—Since 1949, cause-of-death statistics have been based on the underlying cause of death, which is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury" (World Health Organization, 1977).

For each death the underlying cause is selected from an array of conditions reported in the medical certification section on the death certificate. This section provides a format for entering the causes of death in a sequential order. These conditions are translated into medical codes through use of the classification structure and selection and modification rules contained in the applicable revision of the *International Classification of Diseases* (ICD) published by the World Health Organization (WHO). Selection rules provide guidance for systematically identifying the underlying cause of death. Modification rules are intended to improve the usefulness of mortality statistics by giving preference to certain classification categories over others and/or to consolidate two or more conditions on the certificate into a single classification category.

As a statistical datum, the underlying cause of death is a simple, one-dimensional statistic; it is conceptually easy to understand and a well-accepted measure of mortality. It identifies the initiating cause of death and is therefore most useful to public health officials in developing measures to prevent the start of the chain of events leading to death. The rules for selecting the underlying cause of death are included with the ICD as a means of standardizing classification, which contributes toward comparability and uniformity in mortality medical statistics among countries.

Beginning with data year 1979, the cause-of-death statistics published by the National Center for Health Statistics have been classified according to the Ninth Revision of the

International Classification of Diseases (ICD-9) (World Health Organization, 1977). In addition to specifying that the Classification be used, WHO also recommends how the data should be tabulated in order to promote international comparability. The recommended system for tabulating data in the Ninth Revision allows countries to construct their own mortality and morbidity tabulation lists from the rubrics of the WHO Basic Tabulation List as long as rubrics from the WHO mortality and morbidity lists, respectively, are included. This tabulation system for the Ninth Revision is more flexible than that of the Eighth Revision in which specific lists were recommended for tabulating mortality and morbidity data.

The Basic Tabulation List (BTL) recommended under the Ninth Revision consists of 57 two-digit rubrics that add to the "all causes" total. Within each two-digit rubric, up to 9 three-digit rubrics numbered from 0 to 8 are identified, but these do not add to the total of the two-digit rubric. The two-digit rubrics of the BTL 01 through 46 provide for the tabulation of nonviolent deaths to ICD categories 001-799. Rubrics relating to chapter 17 (nature-of-injury causes 47 through 56) are not used by NCHS for selecting underlying cause of death; rather, preference is given to rubrics E47 through E56. The 57th two-digit rubric V0 is the Supplementary Classification of Factors Influencing Health Status and Contact with Health Services and is not appropriate for the tabulation of mortality data. The WHO Mortality List, a subset of the titles contained in the BTL, consists of 50 rubrics which are a minimum for the national display of mortality data.

Five lists of causes have been developed for tabulation and publication of mortality data in this volume: The Each-Cause List, List of 282 Selected Causes of Death, List of 72 Selected Causes of Death, List of 61 Selected Causes of Infant Death, and List of 34 Selected Causes of Death. These lists were designed to be as comparable as possible with the NCHS lists more recently in use under the Eighth Revision. However, complete comparability could not always be achieved.

The Each-Cause List is made up of each three-digit category of the WHO Detailed List to which deaths may be validly assigned and most four-digit subcategories. The list is used for tabulation for the entire United States. The published Each-Cause table does not show the four-digit subcategories provided for Motor vehicle accidents (E810-E825); however, these subcategories, which identify persons injured, are shown in the accident tables of this report (section 5). Special fifth-digit subcategories are also used in the accident tables to identify place of accident when deaths from nontransport accidents are shown. These are not shown in the Each-Cause table.

The List of 282 Selected Causes of Death is constructed from BTL rubrics 01-46 and E47-E56. Each of the 56 BTL two-digit titles can be obtained either directly or by combining titles in the List. The three-digit level of the BTL is modified more extensively. Where more detail was desired, categories not shown in the three-digit rubrics were added to the List of 282 Selected Causes of Death. Where less

detail was needed, the three-digit rubrics were combined. Moreover, each of the 50 rubrics of the WHO Mortality List can be obtained from the List of 282 Selected Causes of Death.

The List of 72 Selected Causes of Death was constructed by combining titles in the List of 282 Selected Causes of Death. It is used in tables published for the United States and each State, and for standard metropolitan statistical areas.

The List of 61 Selected Causes of Infant Death shows more detailed titles for Congenital anomalies and Certain conditions originating in the perinatal period than any other list except the Each-Cause List.

The List of 34 Selected Causes of Death was created by combining titles in the List of 72 Selected Causes. A table using this list is published for detailed geographic areas.

Effect of list revisions—The International Lists or adaptations of them, in use in this country since 1900, have been revised approximately every 10 years so that the disease classification may be consistent with advances in medical science and with changes in diagnostic practice. Each revision of the International Lists has produced some break in comparability of cause-of-death statistics. Cause-of-death statistics beginning with 1979 are classified by NCHS according to the ICD-9 (World Health Organization, 1977). For a discussion of each of the classifications used with death statistics since 1900, see the Technical Appendix in *Vital Statistics of the United States, 1979, Volume II, Mortality, Part A, section 7, pages 9–14*.

A dual coding study was undertaken between the Ninth and the Eighth Revisions to measure the extent of discontinuity in cause-of-death statistics resulting from introducing the new Revision. An initial study for the List of 72 Selected Causes of Death and the List of 10 Selected Causes of Infant Death has been published (NCHS, 1980). The List of 10 Selected Causes of Infant Death is a basic NCHS tabulation list but is not used in this volume. Comparability studies were also undertaken between the Eighth and Seventh, Seventh and Sixth, and Sixth and Fifth Revisions. For additional information about these studies, again see the 1979 Technical Appendix.

Significant coding changes during the Ninth Revision—Since the implementation of ICD-9 in the United States, effective with mortality data for 1979, several coding changes have been introduced. The more important changes will be discussed below. In early 1983, a change was made in the coding of Acquired immunodeficiency syndrome (AIDS) and Human immunodeficiency virus (HIV) infection, which affected data from 1981 onward. Also effective with data year 1981 was a coding change for poliomyelitis. For data year 1982, a change was made in the definition of child (which affects the classification of deaths to a number of categories, including Child battering and other maltreatment), and in guidelines for coding deaths to the category Child battering and other maltreatment (ICD No. E967). Detailed discussion of these changes may be found in the technical appendix for previous volumes.

Coding in 1985—The rules for coding the 1985 mortality medical data remained essentially the same as in the previous year. However, during the calendar year 1985 detailed instructions for coding motor vehicle accidents involving all-terrain vehicles (ATV's) were implemented by NCHS and State medical coders in order to ensure consistency in coding these accidents. The instructions specify that accidents involving ATV's are to be coded to Nontraffic accident involving other off-road motor vehicle (ICD-9 No. E821) unless "on road use" is clearly specified. If "on road use" is specified, then ATV's are to be coded to the appropriate category for traffic accidents (ICD-9 Nos. E810–E819). Previously, there were no specific instructions for coding these accidents.

Medical certification—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of cause of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the certifier to make the proper diagnosis and by the care with which he or she records this information on the death certificate.

A number of studies have been undertaken on the quality of medical certification on the death certificate. In general, these have been for relatively small samples and for limited geographic areas. A bibliography, prepared by NCHS (1982), covering 128 references over a period of 23 years indicates that no definitive conclusions have been reached about the quality of medical certification on the death certificate. No country has a well-defined program for systematically assessing the quality of medical certifications reported on death certificates or for measuring the error effects on the levels and trends of cause-of-death statistics.

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Ninth Revision Chapter XVI Symptoms, signs, and ill-defined conditions (ICD-9 Nos. 780–799). Although there are cases for which it is not possible to determine the cause of death, this proportion indicates the care and consideration given to the certification by the medical certifier. It may also be used as a rough measure of the specificity of the medical diagnoses made by the certifier in various areas. In 1985, 1.5 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States, from 0.3 percent to 6.1 percent.

Automated selection of underlying cause of death—Beginning with data year 1968, NCHS began using a computer system for assigning the underlying cause of death. It has been used every year since to select the underlying cause of death. The system is called "Automated Classification of Medical Entities" (ACME).

The ACME system applies the same rules for selecting the underlying cause as applied manually by a nosologist; however, under this system, the computer consistently applies the same criteria, thus eliminating intercoder variation in this step of the process.

The ACME computer program requires the coding of all conditions shown on the medical certification. These codes are matched automatically against decision tables that consistently select the underlying cause of death for each record according to the international rules. The decision tables provide the comprehensive relationships between the conditions classified by ICD when applying the rules of selection and modification.

The decision tables were developed by NCHS staff on the basis of their experience in coding underlying causes of death under the earlier manual coding system and as a result of periodic independent validations. These tables are periodically updated to reflect additional new information on the relationship among medical conditions. For 1985, the content of these tables was identical to that in the 1984 tables. Coding procedures for selecting the underlying cause of death by the ACME computer program, as well as the ACME decision tables, are documented in NCHS instruction manuals (NCHS, 1984a, 1984b, 1984c).

Cause-of-death ranking—Cause-of-death ranking (except for infants) is based on the List of 72 Selected Causes of Death. Cause-of-death ranking for infants is based on the List of 61 Selected Causes of Infant Death. The group titles Major cardiovascular diseases and Symptoms, signs, and ill-defined conditions are not ranked from the List of 72 Selected Causes; and Certain conditions originating in the perinatal period and Symptoms, signs, and ill-defined conditions are not ranked from the List of 61 Selected Causes of Infant Death. In addition, category titles that begin with the words "Other" or "All other" are not ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked (such as Tuberculosis), its component parts (in this case, Tuberculosis of respiratory system and Other tuberculosis) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. Maternal conditions are those assigned to Complications of pregnancy, childbirth, and the puerperium (ICD-9 Nos. 630-676). In the Ninth Revision, the World Health Organization (1977, p. 764) for the first time defined a maternal death as follows:

A maternal death is defined as the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes.

Under the Eighth Revision, maternal deaths were assigned to category title "Complications of pregnancy, childbirth, and the puerperium" (ICDA-8 Nos. 630-678). Although WHO did not define maternal mortality, there was an NCHS classification rule that limited a maternal death to a death within a year after termination of pregnancy from any "maternal cause," that is, any cause within the range of ICDA-8 Nos. 630-678. This rule applied only if a duration of time for the condition was given. If no duration was specified and the underlying cause of death was a maternal condition, then the duration was assumed to be within a year and the death was coded by NCHS as a maternal death. The change from an under-1-year limitation on duration used in the Eighth Revision to an under-42-days limitation used in the Ninth Revision is not expected to have much effect on the comparability of maternal mortality statistics. However, comparability is affected by the following classification change. Under the Ninth Revision, maternal causes have been expanded to include Indirect obstetric causes (ICD-9 Nos. 647-648). These causes include Infective and parasitic conditions and other current conditions in the mother that are classifiable elsewhere but which complicate pregnancy, childbirth, and the puerperium, such as Syphilis, Tuberculosis, Diabetes mellitus, Drug dependence, and Congenital cardiovascular disorders.

Maternal mortality rates are computed on the basis of the number of live births. The maternal mortality rate indicates the likelihood that a pregnant woman will die from maternal causes. The number of live births used in the denominator is an approximation of the population of pregnant women who are at risk of a maternal death.

Infant deaths

Age—An infant death is defined as a death under 1 year of age. The term excludes fetal deaths. Infant deaths are usually divided into two categories according to age, neonatal and postneonatal. Neonatal deaths are those that occur during the first 27 days of life, and postneonatal deaths are those that occur between 28 days and 1 year of age. It has generally been believed that different factors influencing the child's survival predominate in these two periods: Factors associated with prenatal development, heredity, and the birth process were considered dominant in the neonatal period; and environmental factors, such as nutrition, hygiene, and accidents, were considered more important in the postneonatal period. Recently, however, the distinction between these two periods has blurred due in part to advances in neonatology, which have enabled more very small, premature infants to survive the neonatal period.

Rates—Infant mortality rates shown in section 2 and section 8 are the most commonly used index for measuring the risk of dying during the first year of life; they are calculated by dividing the number of infant deaths in a calendar year by the number of live births registered for the same period and are presented as rates per 1,000 or per 100,000 live births. Infant mortality rates use the number of live births in the denominator to approximate the population at

risk of dying before the first birthday. This measure is an approximation of the risk of dying in infancy because some of the live births will not have been exposed to a full year's risk of dying and some of the infants that die during a year will have been born in the previous year. The error introduced in the infant mortality rate by this inexactness is usually small, especially when the birth rate is relatively constant from year to year (Guralnick and Winter, 1965; NCHS, 1968a). Other sources of error in the infant mortality rate have been attributed to differences in applying the definitions for infant death and fetal death when registering the event (McCarthy, et al., 1980; National Office of Vital Statistics, 1947).

In contrast to infant mortality rates based on live births, infant death rates shown in section 1 are based on the estimated population under 1 year of age. Infant death rates, which appear in tabulations of age-specific death rates, are calculated by dividing the number of infant deaths in a calendar year by the estimated midyear population of persons under 1 year of age and are presented as rates per 100,000 population in this age group. Patterns and trends in the infant death rate may differ somewhat from those of the more commonly used "infant mortality rate" mainly because of differences in the nature of the denominator and in the time reference period. Whereas the population denominator for the infant death rate is estimated using data on births, infant deaths, and migration for the 12-month period of July through June, the denominator for the infant mortality rate is a count of births occurring during the 12 months of January through December. The difference in the time reference period can result in different trends between the two indices during periods when birth rates are moving up or down markedly.

In addition, the infant death rate is also subject to greater imprecision than is the infant mortality rate because of problems of enumerating and estimating the population under 1 year of age (National Office of Vital Statistics, 1947).

Race—Infant mortality rates for specified races other than white or black may be underestimated, based on results of studies in which race on the birth and death certificates for the same infant were compared (Frost and Shy, 1980). The figures should be interpreted with caution because of possible inconsistencies in reporting of race between the numerator and denominator of the rates. This reflects differences in the nature of reporting and processing race on these two vital records. On the birth certificate, race of parents is reported by the mother at the time of delivery. On the death certificate, race of the deceased infant is reported by the funeral director based on observation or on information supplied by an informant, such as a parent. With respect to processing, race of infant at birth is coded using coding rules that take account of the race of each parent (see the Technical Appendix in *Vital Statistics of the United States, 1985, Volume I, Natality*, section entitled Race or national origin). For infant deaths, the race of child is coded directly from the race reported on the death certificate.

Hispanic origin—Infant mortality rates for the Hispanic-origin population are based on numbers of resident infant deaths reported to be of Hispanic origin (see section "Hispanic origin") and numbers of resident live births by Hispanic origin of mother for the 17 reporting States and the District of Columbia. In computing infant mortality rates, deaths and live births of unknown origin are not distributed among the specified Hispanic and non-Hispanic groups. Because for 1985 the percent of deaths of unknown origin was 7.5 percent and the percent of live births of unknown origin was 2.7 percent, infant mortality rates by Hispanic origin may be somewhat underestimated.

Small numbers of infant deaths for specific Hispanic-origin groups can result in infant mortality rates subject to relatively large random variation (see section "Random variation in numbers of deaths, death rates, and mortality rates and ratios").

Tabulation list—Causes of death for infants are tabulated according to a list of causes that is different from the list of causes for the population of all ages, except for the Each Cause List. (See section "Causes-of-death classification.")

Fetal deaths

In May 1950 the World Health Organization recommended the following definition of fetal death be adopted for international use (National Office of Vital Statistics, 1950):

Death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

The term "fetal death" was defined on an all-inclusive basis to end confusion arising from use of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter, this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard. Currently all registration areas except Puerto Rico have definitions similar to the standard definition. Puerto Rico has no formal definition. (For definitions used by the States and registration areas, see NCHS (1981)).

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that for statistical purposes fetal deaths be classified as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths) Group I

20 completed weeks of gestation but less than 28 (intermediate fetal deaths)	Group II
28 completed weeks of gestation and over (late fetal deaths)	Group III
Gestation period not classifiable in groups I, II, and III	Group IV

Note that in table 3-13, group IV consists of fetal deaths with gestation not stated but presumed to be 20 weeks or more gestation.

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968. In 1978 the Standard Certificate of Fetal Death was replaced by the Standard Report of Fetal Death (figure 7-B).

The 1977 revision of the *Model State Vital Statistics Act and Model State Vital Statistics Regulations* (NCHS, 1978) recommended that spontaneous fetal deaths of 20 weeks or more gestation, or a weight of 350 grams or more, and all induced terminations of pregnancy regardless of gestational age be reported and further that they be reported on separate forms. These forms are to be considered legally required statistical reports rather than legal documents.

Beginning with 1970 fetal deaths, procedures were implemented that attempted to separate reports of spontaneous fetal deaths from those of induced terminations of pregnancy. These procedures were implemented because the health implications are different for spontaneous fetal deaths and induced terminations of pregnancy. These procedures are still in use.

Comparability and completeness of data—Registration area requirements for reporting fetal deaths vary. Most of these areas require reporting fetal deaths of gestations of 20 weeks or more. Table A shows the minimum period of gestation required by each State for fetal-death reporting. There is substantial evidence that not all fetal deaths for which reporting is required are reported (Erhardt, 1962).

For registration areas not requiring the reporting of fetal deaths of all periods of gestation, underreporting is more likely to occur in the earlier gestational periods. This is illustrated by the fact that for most areas requiring reporting of fetal deaths of 20 weeks or more, the total number reported for 20-23 weeks is lower than the numbers reported for 24-27 and 28-31 weeks. For areas requiring the reporting of all fetal deaths, however, the opposite is generally true.

To maximize the comparability of data by year and by State, most of the tables in section 3 are based on fetal deaths occurring at gestations of 20 weeks or more. These tables also include fetal deaths of not stated gestation for those States requiring reporting at 20 weeks or more only. Beginning with 1969, fetal deaths of not stated gestation

were excluded for States requiring reporting of all products of conception except for those with a stated birth weight of 500 grams or more. In 1985 this rule was applied to the following States: Colorado, Georgia, Hawaii, New York (including New York City), Rhode Island, and Virginia. Each year there are some exceptions to this procedure.

The data in table 3-3 include only fetal deaths to residents of those areas in the United States that report all periods of gestation. The areas are Colorado, Georgia, Hawaii, New York (including New York City), Rhode Island, and Virginia.

Arkansas—Since 1971, Arkansas has been using two reporting forms for fetal deaths: A confidential Spontaneous Abortion form that is not sent to the National Center for Health Statistics and a Fetal Death Certificate that is. During the period 1971 through 1980, it is believed that most spontaneous fetal deaths of less than 20 weeks' gestation were reported on the confidential form and, therefore, were not reported to NCHS. During the period 1981 through 1983, Arkansas specified that fetal deaths of less than 28 weeks' gestation or weighing less than 1,000 grams could be reported on the confidential form; beginning with 1984 data, the State specified that fetal deaths of 20 weeks' gestation or weighing 500 grams be reported on the Fetal Death Certificate. Because of these changes, the comparability of counts of early fetal deaths may be affected. In particular, counts of fetal deaths aged 20-27 weeks during 1981-83 were not comparable between Arkansas and other reporting areas nor with data for 1984 and 1985. It is believed that reporting has improved but is still not comparable with data for 1980 and earlier years.

Idaho—Beginning in 1983, Idaho changed its reporting requirements for spontaneous fetal deaths from "after 20 weeks" to "after 20 weeks or a weight of 350 grams or more."

Missouri—Beginning in 1984, Missouri changed its reporting requirements for spontaneous fetal deaths from "after 20 weeks" to "after 20 weeks or a weight of 350 grams or more."

Period of gestation—The period of gestation is the number of completed weeks elapsed between the first day of the last normal menstrual period and the date of delivery. The first day of the last normal menstrual period (LMP) is used as the initial date because it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. Data on period of gestation are computed from information on "date of delivery" and "date last normal menses began." If "date last normal menses began" is not on the record or the calculated gestation falls beyond a duration considered biologically plausible, "gestation in weeks" or "Physician's estimate of gestation" is used. When the period of gestation is reported in months on the report, it is allocated to gestational intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks

SECTION 7 — TECHNICAL APPENDIX — PAGE 13

Table A. Period of gestation at which fetal-death reporting is required: Each reporting area, 1985

Area	All periods of gestation	16 weeks	20 weeks	20 weeks or 350 grams	20 weeks or 400 grams	20 weeks or 500 grams	5 months	350 grams	500 grams
Alabama			X						
Alaska			X						
Arizona			X						
Arkansas	X								
California			X						
Colorado	X								
Connecticut			X						
Delaware			X						
District of Columbia						X			
Florida			X						
Georgia	X								
Hawaii	X								
Idaho				X					
Illinois			X						
Indiana			X						
Iowa			X						
Kansas								X	
Kentucky				X					
Louisiana				X					
Maine			X						
Maryland			¹ X						
Massachusetts				X					
Michigan					X				
Minnesota			X						
Mississippi				X					
Missouri				X					
Montana			X						
Nebraska			X						
Nevada			X						
New Hampshire				X					
New Jersey			X						
New Mexico									X
New York									
New York excluding New York City	X								
New York City	X								
North Carolina			X						
North Dakota			X						
Ohio			X						
Oklahoma			X						
Oregon			² X						
Pennsylvania		X							
Rhode Island	X								
South Carolina				X					
South Dakota									X
Tennessee									³ X
Texas			X						
Utah			X						
Vermont			⁴ X						
Virginia	X								
Washington			X						
West Virginia			X						
Wisconsin			X						
Wyoming			X						

¹If gestational age is unknown, weight of 500 grams or more.

²If gestational age is unknown, weight of 400 grams or more, or crown-heel length of 28 centimeters or more.

³If weight is unknown, 22 completed weeks' gestation or more.

⁴If gestational age is unknown, weight of 400 or more grams, 15 or more ounces.

6 months to 24–27 weeks
 7 months to 28–31 weeks
 8 months to 32–35 weeks
 9 months to 40 weeks
 10 months and over to 43 weeks and over

All areas reported LMP in 1985 except Delaware, New Mexico, Puerto Rico, and South Dakota.

Birth weight—Most of the 55 registration areas do not specify how weight should be given, that is, in pounds and ounces or in grams. In the tabulation and presentation of birth weight data, the metric system (grams) has been used to facilitate comparison with other data published in the United States and internationally. Birth weight specified in pounds and ounces is assigned the equivalent of the gram intervals as follows:

Less than 350 grams =	0 lb 12 oz or less
350– 499 grams =	0 lb 13 oz– 1 lb 1 oz
500– 999 grams =	1 lb 2 oz– 2 lb 3 oz
1,000–1,499 grams =	2 lb 4 oz– 3 lb 4 oz
1,500–1,999 grams =	3 lb 5 oz– 4 lb 6 oz
2,000–2,499 grams =	4 lb 7 oz– 5 lb 8 oz
2,500–2,999 grams =	5 lb 9 oz– 6 lb 9 oz
3,000–3,499 grams =	6 lb 10 oz– 7 lb 11 oz
3,500–3,999 grams =	7 lb 12 oz– 8 lb 13 oz
4,000–4,499 grams =	8 lb 14 oz– 9 lb 14 oz
4,500–4,999 grams =	9 lb 15 oz–11 lb 0 oz
5,000 grams or more =	11 lb 1 oz or more

With the introduction of the Ninth Revision, International Classification of Diseases, the birth-weight classification intervals for perinatal mortality statistics were shifted downward by 1 gram, as shown above. Previously, the intervals were, for example, 1,001–1,500; 1,501–2,000; etc.

Race—The race of the fetus is ordinarily classified based on the race of the parents. If the parents are of different races, the following rules apply. (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with one exception: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian.

When the race of one parent is missing or ill defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated to the specific race of the fetus on the preceding record.

Total-birth order—Total-birth order refers to the sum of the live births and other terminations (including both spontaneous fetal deaths and induced terminations of pregnancy) that a woman has had including the fetal death being recorded. For example, if a woman has previously given birth to two live babies and to one born dead, the next fetal death to occur is counted as number four in total-birth order.

In the 1978 revision of the Standard Report of Fetal Death, total-birth order is calculated from four items on pregnancy history: Number of previous live births, now liv-

ing; number of previous live births, now dead; number of other terminations before 20 weeks; and number of other terminations after 20 weeks.

All registration areas use the two standard items pertaining to the number of previous live births. Most areas use the two standard items pertaining to the number of "other terminations" before and after 20 weeks' gestation, but some areas use other criteria. Total-birth order for all areas is calculated from the sum of available information. Thus, information on total-birth order may not be completely comparable among the registration areas.

Marital status—Table 3–4 shows fetal deaths and fetal-death ratios by mother's marital status. States excluded from this table are as follows: California, Connecticut, Maryland, Michigan, Montana, New York (including New York City), Ohio, Texas, and Vermont. Because live births comprise the denominator of the ratio, marital status must also be reported for mothers of live births. Marital status of the mother of the live birth is inferred for States that did not report it on the birth certificate.

There are no quantitative data on the characteristics of unmarried women who may misreport their marital status or who fail to register fetal deaths. Underreporting may be greater for the unmarried group than for the married group.

Age of mother—The fetal-death report asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be under 10 years of age or 50 years and over, the age of the mother is considered not stated and is assigned as follows: Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical race and having the same total-birth order (total of live births and other terminations).

Perinatal mortality

Perinatal definitions—Beginning with data year 1979, perinatal mortality data for the United States and each State have been published in section 4. The World Health Organization in the Ninth Revision of the International Classification of Diseases (ICD–9) recommended that "national perinatal statistics should include all fetuses and infants delivered weighing at least 500 grams (or when birth weight is unavailable, the corresponding gestational age (22 weeks) or body length (25 cm crown-heel)), whether alive or dead. . . ." It was further recommended that "countries should present, solely for international comparisons, 'standard perinatal statistics' in which both the numerator and denominator of all rates are restricted to fetuses and infants weighing 1,000 grams or more (or, where birth weight is unavailable, the corresponding gestational age (28 weeks) or body length (35 cm crown-heel))." Because birth weight and gestational age are not reported on the death certificate in the United States, NCHS was unable to recommend adopting these definitions. Three definitions of perinatal mortality are currently used by NCHS: Perinatal

Definition I, generally used for international comparisons, which includes fetal deaths of 28 weeks or more gestation and infant deaths of less than 7 days; Perinatal Definition II, which includes fetal deaths of 20 weeks or more gestation and infant deaths of less than 28 days; and Perinatal Definition III, which includes fetal deaths of 20 weeks or more gestation and infant deaths of less than 7 days.

Variations in fetal death reporting requirements and practices have implications for comparing perinatal rates among States. Because reporting is generally poorer near the lower limit of the reporting requirement, States that require reporting of all products of pregnancy regardless of gestation are likely to have more complete reporting of fetal deaths of 20 weeks or more than are other States. The larger number of fetal deaths reported by these "all periods" States may result in higher perinatal rates compared with States whose reporting is less complete. Accordingly, reporting completeness may account, in part, for differences among the State perinatal rates, particularly differences for Definitions II and III, which use data for fetal deaths of 20–27 weeks.

Not stated—Fetal deaths with gestational age not stated are presumed to be of 20 weeks' gestation or more if (1) the State requires reporting of all fetal deaths of gestational age 20 weeks or more or (2) the fetus weighed 500 grams or more, in those States requiring reporting of all fetal deaths regardless of gestational age. For Definition I, fetal deaths with gestation not stated but presumed to be 20 weeks or more are allocated to the category 28 weeks or more, according to the proportion of fetal deaths with stated gestational age that falls into that category. For Definitions II and III, fetal deaths with presumed gestation of 20 weeks or more are included with those of stated gestation of 20 weeks or more.

For all three definitions, following the distribution of gestation not stated described above, fetal deaths with not-stated sex are allocated within gestational age groups on the basis of the distribution of stated cases. The allocation of not-stated gestational age and sex for fetal deaths is made individually for each State, for metropolitan and nonmetropolitan areas, and separately for the United States as a whole. Accordingly, the sum of perinatal deaths for the areas according to Definition I may not equal the total number of perinatal deaths for the United States.

QUALITY OF DATA

Completeness of registration

All States have adopted laws that require the registration of births and deaths, and the reporting of fetal deaths. It is believed that over 99 percent of the births and deaths occurring in this country are registered.

Reporting requirements for fetal deaths vary somewhat from State to State (see "Comparability and completeness of data"). Overall reporting completeness is not as good for fetal deaths as for births and deaths, but it is believed to be

relatively complete for fetal deaths of 28 weeks gestation or more. National statistical data on fetal deaths include only those fetal deaths with stated or presumed gestation of 20 weeks or more.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of that State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

Demographic items on the death certificate—As previously indicated, for 1985 the mortality data for these items were obtained from two sources: (1) Microfilm images of the original certificates furnished by the Virgin Islands and photocopies from Guam; and (2) records on data tape furnished by the 50 States, the District of Columbia, New York City, and Puerto Rico. For the Virgin Islands and Guam, which sent only copies of the original certificates, the demographic items were coded for 100 percent of the death certificates. The demographic coding for 100 percent of the certificates was independently verified.

As part of the quality control procedures for mortality data, each registration area has to go through a calibration period during which it must achieve the specified error tolerance level of 2 percent per item for 3 consecutive months, based on NCHS independent verification of a 50-percent sample of that area's records. Once the area has achieved the required error tolerance level, a sample of 70–80 records per month is used to monitor quality of coding.

All of the areas that were providing data on computer tapes prior to 1985 had achieved the specified error tolerance; accordingly, for these areas the demographic items on about 70–80 records per area per month were independently verified by NCHS. These areas include New York City, Puerto Rico, and the 46 States that furnished data on computer tape to NCHS. The estimated average error rate for all demographic items in 1985 for these areas was 0.25 percent. The four remaining States—Arizona, Delaware, California, and Georgia—and the District of Columbia were in the initial calibration period during which the first 3 months of 1985 were evaluated on an independent 50-percent sample by NCHS. For this period, the average item error was less than 2 percent. In the remaining 9 months of the year, the demographic items on 70–80 records per area per month were independently verified by NCHS. The estimated average error rate for the year for these areas was less than 1 percent.

These verification procedures involve controlling two types of error (coding and entering into the data record tape) at the same time, and the error rates are a combined

measure of both types. While it may be assumed that the entering errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Although systematic errors in coding infrequent events may escape detection during sample verification, it is probable that some of these errors were detected during the initial period when 50 percent of the file was being verified, thus providing an opportunity to retrain the coders.

Medical items on the death certificate—As for demographic data, mortality medical data are also subject to quality control procedures which control for errors of both coding and data entry. Each of the 19 registration areas that furnished NCHS with coded medical information according to NCHS specifications first had to qualify for sample verification. During an initial calibration period, the area had to demonstrate that its staff could achieve a specified error tolerance level of less than 5 percent for coding all medical items. After the area has achieved the required error tolerance level, a sample of 70–80 records per month is used to monitor quality of medical coding. For these 19 States, the average coding error rate in 1985 was estimated at just over 4 percent.

For the remaining 36 registration areas—31 States, the District of Columbia, New York City, Puerto Rico, the Virgin Islands, and Guam—NCHS coded the medical items for 100 percent of the death records. A 1-percent sample of the records was independently coded for quality control purposes. The estimated average error rate for these areas was about 3 percent.

The ACME system for selecting the underlying cause of death through computer application contributes to the quality control of medical items on the death certificate. (See section “Automated selection of underlying cause of death.”)

Demographic items on the report of fetal death—For 1985, all data on fetal deaths, except for New York State (excluding New York City), were coded under contract by the U.S. Bureau of the Census. For Oklahoma, portions of the data were coded under contract by the U.S. Bureau of the Census, and other portions were coded by the State. The combination coding was necessary because the medical and confidential portions of the fetal death report, which contain some of the essential statistical information, became detached from the other part of the fetal death report prior to receipt by NCHS. Coding and entering information on data tapes were verified on a 100-percent basis because of the relatively small number of records involved.

Other control procedures—After coding and entering on data tape are completed, record counts are balanced against control totals for each shipment of records from a registration area. Editing procedures ensure that records with inconsistent or impossible codes are modified. Inconsistent codes are those, for example, where there is contradiction between cause of death and age or sex of the decedent. Records so identified during the computer-editing process are either corrected by reference to the source record or adjusted by arbitrary code assignment (NCHS,

1979). All subsequent operations in tabulating and in preparing tables are verified during the computer processing or by statistical clerks.

Estimates of errors arising from 50-percent sample for 1972

Death statistics for 1972 in this report (excluding fetal-death statistics) are based on a 50-percent sample of all deaths occurring in the 50 States and the District of Columbia.

A description of the sample design and a table of the percent errors of the estimated numbers of deaths by size of estimate and total deaths in the area are shown in the Technical Appendix of *Vital Statistics of the United States*, 1972, Volume II, Mortality, Part A.

COMPUTATION OF RATES AND OTHER MEASURES

Population bases

The population bases from which death rates shown in this report are computed are prepared by the U.S. Bureau of the Census. Rates for 1940, 1950, 1960, 1970, and 1980 are based on the population enumerated as of April 1 in the censuses of those years. Rates for all other years use the estimated midyear (July 1) population. Death rates for the United States, individual States, and SMSA's are based on the total resident populations of the respective areas. Except as noted these populations exclude the Armed Forces abroad but include the Armed Forces stationed in each area.

The resident populations of the birth- and death-registration States for 1900–32 and of the United States for 1900–85 are shown in table 7–1. In addition, the population including Armed Forces abroad is shown for the United States. Table B lists the sources for these populations.

Population estimates for 1985—The population of the United States estimated by age, race, and sex for 1985 is shown in table 7–2, and the population for each State by broad age groups follows in table 7–3. Population estimates for 1984 and 1985 incorporate new estimation procedures for net migration and net undocumented immigration. The 1985 estimates are comparable with those for 1984 but are not strictly comparable with the postcensal estimates for 1981–83 shown in tables 7–2 and 7–3 of *Vital Statistics of the United States*, Volume II, for those years. Although the death rates and estimates of life expectancy for 1984 and 1985 are not strictly comparable with those for previous years, the trends for the total population and most age-race-sex groups are not substantially affected. For additional details, see the Technical Appendix in *Vital Statistics of the United States*, 1984, Volume II, and the report of the U.S. Bureau of the Census (1986). Population data by race are consistent with the modified (see below) 1980 population by race.

SECTION 7 — TECHNICAL APPENDIX — PAGE 17

Table B. Sources for resident population and population including Armed Forces abroad: Birth- and death-registration States, 1900-1932, and United States, 1900-1985

Year	Source
1985-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 1000, Feb. 1987.
1984-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 985, Apr. 1986.
1983-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 965, Mar. 1985.
1982-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 949, May 1984.
1981-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 929, May 1983.
1980-----	U.S. Bureau of the Census, <i>U.S. Census of Population: 1980, Number of Inhabitants</i> , PC80-1-A1, United States Summary, 1983.
1971-79-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 917, July 1982.
1970-----	U.S. Bureau of the Census, <i>U.S. Census of Population: 1970, Number of Inhabitants</i> , Final Report PC(1)-A1, United States Summary, 1971.
1961-69-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 519, April 1974.
1960-----	U.S. Bureau of the Census, <i>U.S. Census of Population: 1960, Number of Inhabitants</i> , PC(1)-A1, United States Summary, 1964.
1951-59-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 310, June 30, 1965.
1940-50-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 499, May 1973.
1930-39-----	U.S. Bureau of the Census, <i>Current Population Reports</i> , Series P-25, No. 499, May 1973, and National Office of Vital Statistics, <i>Vital Statistics Rates in the United States, 1900-1940, 1947</i> .
1920-29-----	National Office of Vital Statistics, <i>Vital Statistics Rates in the United States, 1900-1940, 1947</i> .
1917-19-----	Same as for 1930-39.
1900-1916-----	Same as for 1920-29.

Population for 1980—The population of the United States by age, race, and sex and the population for each State by age are shown in tables 7-2 and 7-3, respectively, of *Vital Statistics of the United States, 1980*, Volume II. The figures by race have been modified as described below.

The racial counts in the 1980 census are affected by changes in reporting practices, particularly of the Hispanic population, and in coding and classifying. One particular change created a major inconsistency between the 1980 census data and historical data series, including censuses and vital statistics. About 40 percent of the Hispanic population counted in 1980, over 5.8 million persons, did not mark one of the specified races listed on the census questionnaire but instead marked the "Other" category.

In the 1980 census, coding procedures were modified for persons who marked "Other" race and wrote in a national origin designation of a Latin American country or a specific Hispanic-origin group in response to the racial question. These persons remained in the "Other" racial category in 1980 census data; in previous censuses and in vital statistics such responses had almost always been coded into the "White" category.

In order to maintain comparability, the "Other" racial category in the 1980 census was reallocated to be consistent with previous procedures. Persons who marked the "Other" racial category and reported any Spanish origin on the Spanish origin question (5,840,648 persons) were distributed to white and black races in proportion to the distribution of persons of Hispanic origin who actually reported their race as "White" or "Black." This was done for each age-sex group.

As a result of this procedure, 5,705,155 persons (98 percent) were added to the white population and 135,493 persons (2 percent) to the black population. Persons who marked the "Other" racial category and reported that they

were not of Spanish origin (916,338 persons) were distributed as follows: 20 percent in each age-sex group were added to the "Asian and Pacific Islander" category (183,268 persons), and 80 percent were added to the "White" category (733,070 persons). The count of American Indians, Eskimos, and Aleuts was not affected by these procedures. Unpublished tabulations of these modified census counts were obtained from the U.S. Bureau of the Census and used to compute the rates for this report.

Population estimates for 1971-79—Death rates in this volume for 1971-79 used revised population estimates that are consistent with the 1980 census levels. The 1980 census enumerated approximately 5.5 million more persons than had previously been estimated for April 1, 1980 (U.S. Bureau of the Census, 1982a). These revised estimates for the United States by age, race, and sex are published by the U.S. Bureau of the Census in *Current Population Reports*, Series P-25, Number 917. Unpublished revised estimates for States were obtained from the U.S. Bureau of the Census. For Puerto Rico, the Virgin Islands, and Guam, revised estimates are published in *Current Population Reports*, Series P-25, Number 919.

Population estimates for 1961-69—Death rates in this volume for 1961-69 are based on revised estimates of the population and thus may differ slightly from rates published before 1976. The rates shown in tables 1-1 and 1-2, the life table values in table 6-5, and the population estimates in table 7-1 for each year in the period 1961-69 have been revised to reflect modified population bases, as published in the U.S. Bureau of the Census, *Current Population Reports*, Series P-25, Number 519. The data shown in table 1-10 for 1961-69 have not been revised.

Rates and ratios based on live births—Infant and maternal mortality rates, and fetal death and perinatal mortality ratios, are computed on the basis of the number of live births.

Fetal death and perinatal mortality rates are computed on the basis of the number of live births and fetal deaths. Counts of live births are published annually in *Vital Statistics of the United States*, Volume I, Natality.

New Jersey—As previously indicated, data by race are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, race, and sex excluding New Jersey for rates shown by race. The methodology used to estimate the revised population excluding New Jersey is discussed in the Technical Appendixes of the 1962 and 1963 reports.

Net census undercount

Just as the underenumeration of deaths and the misreporting of demographic characteristics on the death certificate can introduce error into the annual rates, so can enumeration errors in the latest decennial census. This is because annual population estimates for the postcensal interval, which are used in the denominator for calculating death rates, are computed using the decennial census count as a base (U.S. Bureau of the Census, 1986). Net census undercount is the result of miscounting and misreporting of demographic characteristics such as age. Age-specific death rates are affected by both the net census undercount and the misreporting of age on the death certificate (NCHS, 1968b). To the extent that the net undercount is substantial and that it varies among subgroups and geographic areas, it may have important consequences for vital statistics measures.

Although death rates based on a population adjusted for net census undercount may be more accurate than rates based on an unadjusted population, rates in this volume are not adjusted; rather, they are computed using population estimates that preserve the age pattern of the net census undercount across the postcensal interval. Thus, it is important to consider the possible impact of net census undercount on death rates.

The U.S. Bureau of the Census has conducted extensive research on completeness of coverage of the U.S. population (including underenumeration and misstatement of age, race, and sex) in the last four decennial censuses—1950, 1960, 1970, and 1980. From this work have come estimates of the national population that was not counted by age, race, and sex (NCHS, 1978; U.S. Bureau of the Census, 1974, 1977). The reports for 1980 include estimates of net census undercount using alternative methodological assumptions for age, race, and sex subgroups of the national population (NCHS, 1978; Passel and Robinson, 1985). These studies indicate that, although coverage was improved over previous censuses, there was differential coverage in the 1980 census among the population subgroups; that is, some age, race, and sex groups were more completely counted than others.

Net census undercounts can affect (1) levels of the observed vital rates, (2) differences among groups, and (3) levels and group differences shown by summary measures such as age-adjusted death rates and life expectancy.

Levels and differentials—If adjustments were made for net census undercount, the size of denominators of the death rates generally would increase and the rates, therefore, would decrease. Assuming undercounts remained consistent by age after the 1980 census, the estimated rates for 1985 can be computed by multiplying the reported rates by ratios of the census-level resident population to the resident population adjusted for the estimated net census undercount (table 7-4). A ratio of less than 1.0 indicates a net census undercount and, when applied, results in a corresponding decrease in the death rate. A ratio greater than 1.0—indicating a net census overcount—multiplied by the reported rate results in an increase in the death rate.

Coverage ratios for all ages show that, in general, females were more completely enumerated than males and the white population more completely than the population of all other races. The black population was undercounted relative to the total population of all other races.

For the total population, underenumeration varied by age group with the greatest differences found for persons aged 80–84 and 85 years and over. All other age groups were overcounted or undercounted by less than 3 percent.

Among the age-sex-race groups, coverage was lowest for black males aged 40–44 and 45–49 years. Underenumeration for these groups was 19 percent. In contrast, white females in these age groups were essentially completely enumerated. For black females and white males in these same age groups, the undercount ranged from 3 to 6 percent. For the under-1-year age group the white population was overenumerated by 2 percent, whereas infants of other races were underenumerated by 9 percent.

If vital statistics measures were calculated with adjustments for net census undercounts for each population subgroup, the resulting rates would be differentially reduced from their original levels; that is, rates for those groups with the greatest estimated undercounts would show the greatest relative reductions due to these adjustments. Similar effects would be evident in the opposite direction for groups with overcounts. As a consequence, the ratio of mortality between the rates for males and females, and between the rates for the white population and the population of other races, or the black population, usually would be reduced.

Similarly, the differences between the death rates among subgroups of the population by cause of death would be affected by adjustments for net census undercounts. For example, for the age group 35–39 years in 1985, the ratio of the death rate for Homicide and legal intervention for black males to that for white males is 6.9, whereas the ratio of the death rates adjusted for net census undercount in 1985 is 5.9. For Ischemic heart disease for males aged 40–44 years, the ratio of the death rate for the population of all other races to that for the white population is 1.3 using the unadjusted rates but it is 1.1 when adjusted for estimated underenumeration.

Summary measures—The effect of net census undercount on age-adjusted death rates depends on the underenumeration of each age group and on the distribution of

deaths by age. In 1985, the age-adjusted death rate for All causes would decrease from 546.1 to 540.1 per 100,000 population if the age-specific death rates were corrected for net census undercount.

For Diseases of the heart, the age-adjusted death rate for white males would decrease from 244.5 to 241.4 per 100,000 population, a decline of 1.3 percent. For black males the change, from an unadjusted rate of 301.0 to an adjusted rate of 284.4, would amount to 5.5 percent.

If death rates by age were adjusted, then the corresponding life expectancy at birth computed from these rates would change. The importance of adjustments varies by age; that is, when calculating life expectancy, the impact of an undercount or overcount is greatest at the younger ages. In general, the effect of correcting the death rates is to increase the estimate of life expectancy at birth. Differential underenumeration among race-sex groups would lead to greater changes in life expectancy for some groups than for others. For white females who were completely enumerated in 1980 revised estimates of life expectancy would remain roughly constant; those for black males would show the greatest increase.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was the same as that of the United States in 1940. The rates for the total population and for each race-sex group were adjusted using the same standard population. It is important not to compare age-adjusted death rates with crude rates. The standard 1940 population, on the basis of one million total population, is as follows:

Age	Number
All ages	1,000,000
Under 1 year	15,343
1-4 years	64,718
5-14 years	170,355
15-24 years	181,677
25-34 years	162,066
35-44 years	139,237
45-54 years	117,811
55-64 years	80,294
65-74 years	48,426
75-84 years	17,303
85 years and over	2,770

Life tables

U.S. abridged life tables are constructed by reference to a standard table (NCHS, 1966). Life tables for the decennial period 1979-81 are used as the standard life tables in constructing the 1980-85 abridged life tables. With the availability of the 1979-81 standard life tables, revised life

table values were computed for 1980-82; these appeared for the first time in *Vital Statistics of the United States, 1983*.

Life tables for the decennial period 1969-71 are used as the standard life tables in constructing the 1970-79 abridged life tables. Life table values for 1970-73 were first revised in *Vital Statistics of the United States, 1977*; before 1977, life table values for 1970-73 were constructed using the 1959-61 decennial life tables. In addition, life table values for 1951-59, 1961-69, and 1971-79 appearing in this publication are based on revised intercensal estimates of the populations for those years. As such, these life table values may differ from life table values for those years published in previous volumes.

The change in the population estimation methodology (see above section "Population bases") results in life expectancies at certain 5-year age intervals for 1984 and 1985 that are lower than those that would have occurred had they been based on the same methodology used to compute 1983 life expectancies. For additional details, see Technical Appendix for *Vital Statistics of the United States, 1984*, Volume II.

There has been an increasing interest in data on average length of life (\bar{e}_0) for single calendar years before the initiation of the annual abridged life table series for selected race-sex groups in 1945. The figures in table 6-5 for the race and sex groups for the following years were estimated to meet these needs. For estimating procedures, see National Office of Vital Statistics (1951).

Years	Race and sex groups
1900-45	Total
1900-47	Male
1900-47	Female
1900-50	White
1900-44	White, male
1900-44	White, female
1900-50	All other
1900-44	All other, male
1900-44	All other, female

The geographic areas covered in life tables before 1929-31 were limited to the death-registration areas. Life tables for 1900-1902 and 1909-11 were constructed using mortality data from the 1900 death-registration States—10 States and the District of Columbia—and for 1919-21 from the 1920 death-registration States—34 States and the District of Columbia. The tables for 1929-31 through 1958 cover the conterminous United States. Decennial life table values for the 3-year period 1959-61 were derived from data that include both Alaska and Hawaii for each year (table 6-4). Data for each year shown in table 6-5 include Alaska beginning in 1959 and Hawaii beginning in 1960. It is not believed that the inclusion of these two States materially affects life table values.

Random variation in numbers of deaths, death rates, and mortality rates and ratios

Deaths and population-based rates—Except for 1972, the numbers of deaths reported for a community represent

complete counts of such events. As such, they are not subject to sampling error, although they are subject to errors in the registration process. However, when the figures are used for analytical purposes, such as the comparison of rates over a time period or for different areas, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same circumstances (National Office of Vital Statistics, 1961). The probable range of values may be estimated from the actual figures according to certain statistical assumptions.

In general, distributions of vital events may be assumed to follow the binomial distribution. Estimates of standard error and tests of significance under this assumption are described in most standard statistics texts. When the number of events is large, the standard error, expressed as a percent of the number or rate, is usually small.

When the number of events is small (perhaps less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the conditions described by the figures. This is particularly true for infant mortality rates, cause-specific death rates, and death rates for counties. Events of a rare nature may be assumed to follow a Poisson probability distribution. For this distribution, a simple approximation may be used to estimate a confidence interval, as follows.

If N is the number of registered deaths in the population and R is the corresponding rate, the chances are 19 in 20 that

$$1. \quad N - 2\sqrt{N} \text{ and } N + 2\sqrt{N}$$

covers the "true" number of events.

$$2. \quad R - 2\frac{R}{\sqrt{N}} \text{ and } R + 2\frac{R}{\sqrt{N}}$$

covers the "true" rate.

If the rate R corresponding to N events is compared with the rate S corresponding to M events, the difference between the two rates may be regarded as statistically significant, if it exceeds

$$2\sqrt{\frac{R^2}{N} + \frac{S^2}{M}}$$

For example, if the observed death rate for Community A were 10.0 per 1,000 population and if this rate were based on 20 recorded deaths, then the chances are 19 in 20 that the "true" death rate for that community lies between 5.5 and 14.5 per 1,000 population. If the death rate for Community A of 10.0 per 1,000 population were being compared with a rate of 20.0 per 1,000 population for Community B; which is based on 10 recorded deaths, then the difference between the rates for the two communities is 10.0. This difference is less than twice the standard error of the difference

$$2\sqrt{\frac{(10.0)^2}{20} + \frac{(20.0)^2}{10}}$$

of the two rates, which is computed to be 13.4. From this, it is concluded that the difference between the rates for the two communities is not statistically significant.

SYMBOLS USED IN TABLES

Data not available -----	---
Category not applicable -----	...
Quantity zero-----	-
Quantity more than zero but less than 0.05 -----	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands ----	Z
Figure does not meet standards of reliability or precision -----	*

REFERENCES

- Frost, F., and K. K. Shy. 1980. Racial differences between linked birth and infant death records in Washington State. *Am. J. Public Health* 70:974-6.
- Gred, A. E., R. M. Pauli, R. S. Kirby. 1987. Accuracy of fetal death reports: Comparison with data from an independent stillbirth assessment program. *Am. J. Public Health* 77:1202-1206.
- Guralnick, L., and E. D. Winter. 1965. A note on cohort infant mortality rates. *Public Health Rep.* 80:692-4.
- McCarthy, B., J. Terry, R. Rochat, et al. 1980. The underregistration of neonatal deaths: Georgia 1974-77. *Am. J. Public Health* 70:977-82.
- National Center for Health Statistics, M. G. Sirken. 1966. Comparison of two methods of constructing abridged life tables by reference to a "standard" table. *Vital and Health Statistics*. Series 2, No. 4. PHS Pub. No. 1000. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics, R. D. Grove and A. M. Hetzel. 1968a. *Vital Statistics Rates in the United States, 1940-1960*. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics, T. Z. Hambricht. 1968b. Comparability of age on the death certificate and matching census records, United States, May-August 1960. *Vital and Health Statistics*. Series 2, No. 29. PHS Pub. No. 1000. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics, M. A. McCarthy. 1969. Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. Series 2, No. 30. PHS Pub. No. 1000. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics, A. J. Klebba. 1970. Mortality from selected causes by marital status, United States, Parts A & B. *Vital and Health Statistics*. Series 20, No. 8a; Series 20, No. 8b. PHS Pub. No. 1000. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics. 1978. *Model State Vital Statistics Act and Model State Vital Statistics Regulations*. DHEW Pub. No. (PHS) 78-1115. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics. 1979. Vital statistics, computer edits for mortality data, effective 1979. *NCHS Instruction Manual*, Part 11. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1980. Estimates of selected comparability ratios based on dual coding of 1976 death certificates by the Eighth and Ninth Revisions of the International Classification of Diseases. *Monthly Vital Statistics Report*. Vol. 28, No. 11 Supp. DHEW Pub. No. (PHS) 80-1120. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1981. *State Definitions and Reporting Requirements for Live Births, Fetal Deaths, and Induced Terminations of Pregnancy*. DHHS Pub. No. (PHS) 81-1119. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics, A. Gittelsohn and P. N. Royston. 1982. Annotated bibliography of cause-of-death validation studies, 1958-80. *Vital and Health Statistics*. Series 2, No. 89. DHHS Pub. No. (PHS) 82-1363. Public Health Service. Washington: U.S. Government Printing Office.
- National Center for Health Statistics. 1984a. Instructions for classifying multiple causes of death, 1985. *NCHS Instruction Manual*, Part 2b. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1984b. Non-indexed terms, standard abbreviations, and state geographic codes used in mortality data classification, 1985. *NCHS Instruction Manual*, Part 2e. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1984c. Vital statistics, ICD-9 ACME decision tables for classifying underlying causes of death, 1985. *NCHS Instruction Manual*, Part 2c. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1985a. Vital statistics, classification and coding instructions for fetal death records. *NCHS Instruction Manual*, Part 3b. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1985b. Vital statistics, demographic classification and coding instructions for death records. *NCHS Instruction Manual*, Part 4. Public Health Service. Hyattsville, Md.
- National Center for Health Statistics. 1985c. Vital statistics, vital records geographic classification, 1982. *NCHS Instruction Manual*, Part 8. Public Health Service. Hyattsville, Md.
- National Office of Vital Statistics, F. E. Linder and R. D. Grove. 1947. *Vital Statistics Rates in the United States, 1900-1940*. U.S. Public Health Service. Washington: U.S. Government Printing Office.
- National Office of Vital Statistics. 1950. *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington: U.S. Government Printing Office.
- National Office of Vital Statistics, T. N. E. Greville and G. A. Carlson. 1951. Estimated average length of life in the death-registration States. *Vital Statistics—Special Reports*. Vol. 33, No. 9. Public Health Service. Washington, D.C.
- National Office of Vital Statistics, C. L. Chiang. 1961. Standard error of the age-adjusted death rate. *Vital Statistics—Special Reports*. Vol. 47, No. 9. Public Health Service. Washington, D.C.
- National Vital Statistics Division. 1962. Matched record comparison of birth certificate and census information, United States, 1950. *Vital Statistics—Special Reports*. Vol. 47, No. 12. Public Health Service. Washington, D.C.
- Passel, J. S., and J. G. Robinson. 1985. Revised Demographic Estimates of the Coverage of the Population by Age, Sex, and Race in the 1980 Census. Unpublished memorandum, Apr. 8, 1985. U.S. Bureau of the Census. Washington, D.C.
- U.S. Bureau of the Census. 1974. Estimates of coverage of the population by sex, race, and age—demographic analysis. 1970 *Census of Population and Housing*. PHC(E)-4. Washington: U.S. Government Printing Office.
- U.S. Bureau of the Census. 1977. Developmental estimates of the coverage of the population of States in the 1970 census—demographic analysis. *Current Population Reports*. Series P-23, No. 65. Washington: U.S. Government Printing Office.
- U.S. Bureau of the Census. 1982a. Coverage of the national population in the 1980 census by age, sex, and race. Preliminary estimates by demographic analysis. *Current Population Reports*. Series P-23, No. 115. Washington: U.S. Government Printing Office.
- U.S. Bureau of the Census. 1982b. 1980 *Census of Population. Persons of Spanish Origin by State, 1980*. Supplementary Report, PC80-S1-7. Washington, D.C.
- U.S. Bureau of the Census. 1986. Estimates of the population of the United States, by age, sex, and race: 1980 to 1986. *Current Population Reports*. Series P-25, No. 1000. Washington: U.S. Government Printing Office.
- U.S. Office of Management and Budget. 1975. *Standard Metropolitan Statistical Areas*, rev. ed. Washington: U.S. Government Printing Office.
- U.S. Office of Management and Budget. 1981a. Standard metropolitan statistical areas and standard consolidated areas. *Statistical Reporter*. Washington: U.S. Government Printing Office.
- U.S. Office of Management and Budget. 1981b. 36 new standard metropolitan statistical areas. *Statistical Reporter*. Washington: U.S. Government Printing Office.
- World Health Organization. 1977. *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Ninth Revision Conference, 1975. Geneva: World Health Organization.

SECTION 7 - TECHNICAL APPENDIX - PAGE 22

Table 7-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1985

[Population enumerated as of April 1 for 1940, 1950, 1960, 1970, and 1980 and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ¹		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1985	239,283,000	238,741,000	1942	134,860,000	133,920,000
1984	237,019,000	236,495,000	1941	133,402,000	133,121,000
1983	234,538,000	234,023,000	1940	131,820,000	131,669,275
1982	232,309,000	231,786,000	1939	131,028,000	130,879,718
1981	229,849,000	229,348,000	1938	129,969,000	129,824,939
1980	227,061,000	226,545,805	1937	128,961,000	128,824,829
1979	225,055,000	224,567,000	1936	128,181,000	128,053,180
1978	222,585,000	222,095,000	1935	127,362,000	127,250,232
1977	220,239,000	219,760,000	1934	126,485,000	126,373,773
1976	218,035,000	217,563,000	1933	125,690,000	125,578,763
1975	215,973,000	215,465,000	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1974	213,854,000	213,342,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1973	211,909,000	211,357,000	1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1972	209,896,000	209,284,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1971	207,661,000	206,827,000	1928	---	120,501,115	44	113,636,160	44	113,636,160
1970	204,270,000	203,211,926	1927	---	119,038,062	40	104,320,830	42	107,084,532
1969	202,677,000	201,385,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1968	200,706,000	199,399,000	1925	---	115,831,963	33	88,294,564	40	102,031,555
1967	198,712,000	197,457,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1966	196,560,000	195,576,000	1923	---	111,949,945	30	81,072,123	38	96,788,197
1965	194,303,000	193,526,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1964	191,889,000	191,141,000	1921	---	108,541,489	27	70,807,090	34	87,814,447
1963	189,242,000	188,483,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1962	186,538,000	185,771,000	1919	105,063,000	104,512,110	22	61,212,076	33	83,157,982
1961	183,691,000	182,992,000	1918	104,550,000	103,202,801	20	55,153,782	30	79,008,412
1960	179,933,000	178,323,175	1917	103,414,000	103,265,913	20	55,197,952	27	70,234,775
1959	177,264,000	176,513,000	1916	---	101,965,984	11	32,944,013	26	66,971,177
1958	174,141,000	173,320,000	1915	---	100,549,013	10	31,096,697	24	61,894,847
1957	171,274,000	170,371,000	1914	---	99,117,567	24	60,963,309
1956	168,221,000	167,306,000	1913	---	97,226,814	23	58,156,740
1955	165,275,000	164,308,000	1912	---	95,331,300	22	54,847,700
1954	162,391,000	161,164,000	1911	---	93,867,814	22	53,929,644
1953	159,565,000	158,242,000	1910	---	92,406,536	20	47,470,437
1952	156,954,000	155,687,000	1909	---	90,491,525	18	44,223,513
1951	154,287,000	153,310,000	1908	---	88,708,976	17	38,634,759
1950	151,132,000	150,697,361	1907	---	87,000,271	15	34,552,837
1949	149,188,000	148,665,000	1906	---	85,436,556	15	33,782,288
1948	146,631,000	146,093,000	1905	---	83,819,666	10	21,767,980
1947	144,126,000	143,446,000	1904	---	82,164,974	10	21,332,076
1946	141,389,000	140,054,000	1903	---	80,632,152	10	20,943,222
1945	139,928,000	132,481,000	1902	---	79,160,196	10	20,582,907
1944	138,397,000	132,885,000	1901	---	77,585,128	10	20,237,453
1943	136,739,000	134,245,000	1900	---	76,094,134	10	19,965,446

¹ Alaska included beginning 1959 and Hawaii, 1960.

² The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

SOURCE: Published and unpublished data from the U.S. Bureau of the Census; see text.

SECTION 7 - TECHNICAL APPENDIX - PAGE 23

Table 7-2. Estimated Population of the United States, by 5-Year Age Groups, Race, and Sex: July 1, 1985

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
All ages	238,741,000	116,161,000	122,579,000	202,765,000	99,004,000	103,761,000	35,975,000	17,157,000	18,818,000	28,878,000	13,679,000	15,199,000
Under 1 year	3,749,000	1,918,000	1,831,000	3,041,000	1,561,000	1,480,000	707,000	357,000	350,000	567,000	287,000	281,000
1-4 years	14,268,000	7,300,000	6,968,000	11,576,000	5,937,000	5,640,000	2,692,000	1,364,000	1,328,000	2,129,000	1,080,000	1,049,000
5-9 years	16,822,000	8,608,000	8,214,000	13,621,000	6,990,000	6,631,000	3,201,000	1,619,000	1,582,000	2,597,000	1,314,000	1,283,000
10-14 years	17,101,000	8,762,000	8,339,000	13,829,000	7,099,000	6,730,000	3,272,000	1,662,000	1,610,000	2,655,000	1,346,000	1,309,000
15-19 years	18,552,000	9,445,000	9,106,000	15,195,000	7,747,000	7,448,000	3,357,000	1,698,000	1,659,000	2,769,000	1,391,000	1,378,000
20-24 years	21,000,000	10,517,000	10,483,000	17,516,000	8,817,000	8,699,000	3,484,000	1,701,000	1,784,000	2,842,000	1,369,000	1,473,000
25-29 years	21,756,000	10,889,000	10,869,000	18,321,000	9,251,000	9,069,000	3,437,000	1,638,000	1,799,000	2,750,000	1,301,000	1,449,000
30-34 years	20,269,000	10,097,000	10,172,000	17,159,000	8,636,000	8,522,000	3,110,000	1,461,000	1,649,000	2,406,000	1,121,000	1,287,000
35-39 years	17,708,000	8,741,000	8,967,000	15,243,000	7,608,000	7,635,000	2,465,000	1,133,000	1,332,000	1,889,000	862,000	1,027,000
40-44 years	14,055,000	6,888,000	7,167,000	12,168,000	6,023,000	6,145,000	1,887,000	865,000	1,022,000	1,442,000	653,000	789,000
45-49 years	11,646,000	5,678,000	5,968,000	10,045,000	4,946,000	5,099,000	1,601,000	732,000	869,000	1,255,000	563,000	691,000
50-54 years	10,943,000	5,282,000	5,661,000	9,510,000	4,638,000	4,873,000	1,433,000	645,000	788,000	1,148,000	514,000	634,000
55-59 years	11,341,000	5,382,000	5,959,000	9,993,000	4,773,000	5,220,000	1,347,000	608,000	739,000	1,102,000	501,000	601,000
60-64 years	10,994,000	5,117,000	5,877,000	9,802,000	4,583,000	5,219,000	1,193,000	534,000	658,000	982,000	439,000	543,000
65-69 years	9,432,000	4,255,000	5,176,000	8,437,000	3,822,000	4,615,000	995,000	433,000	561,000	832,000	361,000	472,000
70-74 years	7,571,000	3,217,000	4,354,000	6,817,000	2,902,000	3,916,000	754,000	315,000	439,000	632,000	259,000	373,000
75-79 years	5,496,000	2,137,000	3,359,000	4,969,000	1,926,000	3,043,000	527,000	211,000	315,000	442,000	172,000	270,000
80-84 years	3,330,000	1,154,000	2,177,000	3,053,000	1,051,000	2,002,000	277,000	103,000	174,000	233,000	84,000	149,000
85 years and over	2,707,000	773,000	1,934,000	2,472,000	695,000	1,776,000	236,000	77,000	158,000	204,000	65,000	139,000

SOURCE: U.S. Bureau of the Census: "Current Population Reports," Series P-25, No. 1000.

SECTION 7 - TECHNICAL APPENDIX - PAGE 24

Table 7-3. Estimated Population, by Age, for the United States, Each Division and State, Puerto Rico, Virgin Islands, and Guam: July 1, 1985

[Figures include Armed Forces stationed in each area, and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States ¹	238,741,000	18,017,000	52,475,000	94,790,000	44,924,000	28,536,000
Geographic divisions:						
New England:	12,657,000	830,000	2,619,000	5,075,000	2,467,000	1,666,000
Middle Atlantic:	37,171,000	2,482,000	7,811,000	14,220,000	7,741,000	4,916,000
East North Central:	41,649,000	3,085,000	9,450,000	16,291,000	7,880,000	4,941,000
West North Central:	17,556,000	1,353,000	3,838,000	6,808,000	3,213,000	2,343,000
South Atlantic:	40,213,000	2,823,000	8,584,000	15,875,000	7,833,000	5,095,000
East South Central:	15,132,000	1,117,000	3,563,000	5,852,000	2,785,000	1,814,000
West South Central:	26,537,000	2,317,000	6,239,000	10,666,000	4,587,000	2,729,000
Mountain:	12,797,000	1,144,000	2,970,000	5,258,000	2,136,000	1,288,000
Pacific:	35,026,000	2,863,000	7,399,000	14,743,000	6,281,000	3,740,000
New England:						
Maine	1,166,000	82,000	261,000	451,000	218,000	153,000
New Hampshire	999,000	70,000	217,000	415,000	181,000	116,000
Vermont	535,000	39,000	118,000	223,000	92,000	63,000
Massachusetts	5,819,000	373,000	1,170,000	2,367,000	1,128,000	782,000
Rhode Island	967,000	62,000	196,000	379,000	191,000	139,000
Connecticut	3,171,000	204,000	657,000	1,240,000	657,000	413,000
Middle Atlantic:						
New York	17,746,000	1,217,000	3,751,000	6,858,000	3,661,000	2,258,000
New Jersey	7,561,000	489,000	1,591,000	2,909,000	1,614,000	958,000
Pennsylvania	11,864,000	776,000	2,469,000	4,453,000	2,466,000	1,700,000
East North Central:						
Ohio	10,747,000	788,000	2,430,000	4,132,000	2,101,000	1,295,000
Indiana	5,500,000	399,000	1,270,000	2,155,000	1,032,000	645,000
Illinois	11,538,000	878,000	2,551,000	4,545,000	2,196,000	1,366,000
Michigan	9,088,000	662,000	2,126,000	3,594,000	1,687,000	1,019,000
Wisconsin	4,776,000	358,000	1,073,000	1,865,000	864,000	616,000
West North Central:						
Minnesota	4,192,000	326,000	919,000	1,687,000	739,000	520,000
Iowa	2,881,000	211,000	640,000	1,092,000	526,000	411,000
Missouri	5,035,000	372,000	1,090,000	1,920,000	968,000	686,000
North Dakota	685,000	59,000	155,000	270,000	114,000	87,000
South Dakota	708,000	61,000	159,000	264,000	127,000	97,000
Nebraska	1,605,000	128,000	352,000	620,000	289,000	216,000
Kansas	2,450,000	196,000	523,000	955,000	450,000	326,000
South Atlantic:						
Delaware	622,000	44,000	135,000	250,000	123,000	70,000
Maryland	4,393,000	315,000	938,000	1,819,000	862,000	459,000
District of Columbia	623,000	45,000	107,000	276,000	119,000	76,000
Virginia	5,702,000	400,000	1,219,000	2,412,000	1,084,000	588,000
West Virginia	1,937,000	127,000	448,000	732,000	371,000	257,000
North Carolina	6,261,000	426,000	1,399,000	2,527,000	1,202,000	708,000
South Carolina	3,335,000	255,000	790,000	1,350,000	597,000	343,000
Georgia	5,975,000	461,000	1,425,000	2,433,000	1,063,000	592,000
Florida	11,365,000	750,000	2,123,000	4,076,000	2,412,000	2,002,000
East South Central:						
Kentucky	3,729,000	271,000	872,000	1,463,000	681,000	442,000
Tennessee	4,767,000	328,000	1,072,000	1,882,000	908,000	576,000
Alabama	4,022,000	296,000	947,000	1,545,000	747,000	486,000
Mississippi	2,614,000	222,000	672,000	962,000	449,000	310,000
West South Central:						
Arkansas	2,360,000	174,000	546,000	862,000	439,000	338,000
Louisiana	4,486,000	401,000	1,093,000	1,791,000	757,000	443,000
Oklahoma	3,306,000	269,000	728,000	1,301,000	603,000	405,000
Texas	16,385,000	1,473,000	3,872,000	6,712,000	2,788,000	1,543,000
Mountain:						
Montana	825,000	69,000	189,000	326,000	144,000	97,000
Idaho	1,004,000	91,000	254,000	390,000	159,000	109,000
Wyoming	510,000	49,000	121,000	225,000	73,000	42,000
Colorado	3,234,000	265,000	691,000	1,451,000	541,000	286,000
New Mexico	1,451,000	134,000	351,000	575,000	252,000	139,000
Arizona	3,191,000	271,000	703,000	1,253,000	573,000	392,000
Utah	1,645,000	194,000	471,000	634,000	216,000	130,000
Nevada	937,000	71,000	190,000	404,000	178,000	93,000
Pacific:						
Washington	4,408,000	339,000	943,000	1,866,000	755,000	505,000
Oregon	2,686,000	196,000	572,000	1,111,000	454,000	352,000
California	26,358,000	2,178,000	5,529,000	11,081,000	4,803,000	2,767,000
Alaska	522,000	59,000	125,000	244,000	77,000	17,000
Hawaii	1,051,000	91,000	230,000	441,000	192,000	99,000
Puerto Rico	3,282,000	---	---	---	---	---
Virgin Islands	110,800	---	---	---	---	---
Guam	123,700	---	---	---	---	---

¹ Excludes Puerto Rico, Virgin Islands, and Guam.

SOURCE: U.S. Bureau of the Census: "Current Population Reports," Series P-25, Nos. 997 and 1010, and unpublished data.

SECTION 7 - TECHNICAL APPENDIX - PAGE 25

Table 7-4. Ratio of Census-Level Resident Population to Resident Population Adjusted for Estimated Net Census Undercount by Age, Sex, and Race: April 1, 1980

Age	All races			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Black		
							Both sexes	Male	Female	Both sexes	Male	Female
All ages	0.9862	0.9763	0.9958	0.9916	0.9839	0.9990	0.9543	0.9309	0.9765	0.9392	0.9103	0.9669
Under 5 years	0.9806	0.9800	0.9812	0.9993	0.9988	0.9998	0.9024	0.8998	0.9051	0.9047	0.9018	0.9077
Under 1 year	1.0025	1.0019	1.0031	1.0246	1.0245	1.0246	.9112	.9057	.9169	.9205	.9149	.9262
1-4 years9747	.9741	.9754	.9926	.9920	.9932	.9000	.8982	.9019	.9004	.8982	.9027
5-14 years9917	.9916	.9919	.9981	.9982	.9980	.9626	.9614	.9638	.9603	.9591	.9623
5-9 years9852	.9846	.9859	.9957	.9955	.9960	.9393	.9370	.9416	.9393	.9370	.9424
10-14 years9978	.9982	.9974	1.0003	1.0008	.9998	.9858	.9858	.9859	.9808	.9807	.9816
15-24 years9921	.9846	.9999	.9940	.9871	1.0011	.9823	.9711	.9937	.9689	.9526	.9850
15-19 years	1.0011	.9988	1.0034	1.0003	.9976	1.0030	1.0051	1.0052	1.0055	.9980	.9958	1.0001
20-24 years9834	.9706	.9965	.9879	.9769	.9993	.9590	.9354	.9819	.9390	.9076	.9696
25-34 years9793	.9629	.9961	.9850	.9722	.9980	.9466	.9059	.9852	.9181	.8670	.9676
25-29 years9742	.9581	.9908	.9799	.9673	.9929	.9422	.9040	.9786	.9168	.8695	.9628
30-34 years9850	.9683	1.0020	.9905	.9778	1.0036	.9519	.9081	.9931	.9197	.8638	.9735
35-44 years9761	.9575	.9947	.9855	.9719	.9992	.9183	.8665	.9680	.8882	.8235	.9501
35-39 years9776	.9597	.9955	.9860	.9730	.9991	.9248	.8743	.9736	.8968	.8322	.9588
40-44 years9743	.9549	.9937	.9849	.9706	.9992	.9107	.8576	.9614	.8782	.8135	.9401
45-54 years9784	.9589	.9973	.9862	.9723	.9998	.9247	.8648	.9803	.8976	.8272	.9644
45-49 years9734	.9538	.9926	.9828	.9690	.9967	.9124	.8544	.9669	.8833	.8139	.9497
50-54 years9831	.9638	1.0017	.9894	.9755	1.0027	.9377	.8759	.9945	.9125	.8413	.9796
55-64 years9900	.9735	1.0049	.9926	.9783	1.0057	.9678	.9329	.9983	.9514	.9094	.9882
55-59 years9884	.9692	1.0060	.9921	.9755	1.0075	.9577	.9178	.9935	.9388	.8913	.9815
60-64 years9919	.9786	1.0037	.9932	.9815	1.0036	.9804	.9523	1.0041	.9669	.9324	.9962
65-74 years	1.0092	1.0044	1.0129	1.0055	1.0011	1.0087	1.0439	1.0357	1.0515	1.0372	1.0235	1.0473
65-69 years	1.0131	1.0051	1.0195	1.0086	1.0016	1.0141	1.0548	1.0391	1.0672	1.0494	1.0290	1.0651
70-74 years	1.0042	1.0034	1.0047	1.0016	1.0005	1.0021	1.0293	1.0309	1.0309	1.0207	1.0158	1.0243
75-84 years9851	.9937	.9800	.9844	.9918	.9804	.9917	1.0168	.9758	.9689	.9955	.9527
75-79 years	1.0014	1.0053	.9990	.9974	.9997	.9959	1.0428	1.0601	1.0313	1.0235	1.0405	1.0128
80-84 years9595	.9735	.9522	.9643	.9780	.9578	.9059	.9380	.8873	.8780	.9150	.8572
85 years and over9540	.9792	.9440	.9558	.9760	.9467	.9393	.9961	.9057	.9089	.9638	.8837

SOURCE: U.S. Bureau of the Census: "Current Population Reports," Series P-25, No. 985.

☆ U. S. GOVERNMENT PRINTING OFFICE : 1988 O - 207-654

